
EXHIBIT D



US007404660B2

(12) **United States Patent**
Parker

(10) **Patent No.:** **US 7,404,660 B2**

(45) **Date of Patent:** **Jul. 29, 2008**

(54) **LIGHT EMITTING PANEL ASSEMBLIES**

(75) Inventor: **Jeffery R. Parker**, Richfield, OH (US)

(73) Assignee: **Solid State Opto Limited** (VG)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.

(21) Appl. No.: **11/454,822**

(22) Filed: **Jun. 16, 2006**

(65) **Prior Publication Data**

US 2006/0232965 A1 Oct. 19, 2006

Related U.S. Application Data

(60) Division of application No. 10/784,527, filed on Feb. 23, 2004, now Pat. No. 7,160,015, which is a division of application No. 09/256,275, filed on Feb. 23, 1999, now Pat. No. 6,712,481, which is a continuation-in-part of application No. 08/778,089, filed on Jan. 2, 1997, now Pat. No. 6,079,838, which is a division of application No. 08/495,176, filed on Jun. 27, 1995, now Pat. No. 5,613,751.

(51) **Int. Cl.**

F21V 7/04 (2006.01)

(52) **U.S. Cl.** **362/613**; 362/26; 362/551; 362/606; 362/612

(58) **Field of Classification Search** 362/26, 362/551, 602, 606, 612, 613

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2,480,178 A	8/1949	Zinberg
2,831,453 A	4/1958	Hardesty
3,043,947 A	7/1962	Albinger, Jr.
3,070,913 A	1/1963	Miller
3,241,256 A	3/1966	Viret et al.
3,328,570 A	6/1967	Balchunas

3,543,014 A	11/1970	Bustad
3,571,585 A	3/1971	Schermerhorn
3,611,069 A	10/1971	Galginaitis et al.
3,721,815 A	3/1973	Wall
3,752,974 A	8/1973	Baker et al.
3,760,179 A	9/1973	Addington, Jr.
3,761,703 A	9/1973	Mund et al.
3,774,021 A	11/1973	Johnson
3,781,537 A	12/1973	Ramsey
3,875,456 A	4/1975	Kano et al.
3,892,959 A	7/1975	Pulles
3,958,113 A	5/1976	Termohlen
4,043,636 A	8/1977	Eberhardt et al.
4,118,111 A	10/1978	Laesser

(Continued)

Primary Examiner—Sandra L. O’Shea


Assistant Examiner—Meghan K. Dunwiddie

(74) *Attorney, Agent, or Firm*—Renner, Otto, Boisselle & Sklar, LLP

(57) **ABSTRACT**


Light emitting assemblies include a generally planar optical conductor having at least one input edge with a greater cross-sectional width than thickness and at least one light source having a light output distribution with a greater width component than height component positioned adjacent to the input edge for directing light into the optical conductor and emission of the light from at least one output region of the optical conductor. A transition region is disposed between the light source and output region that is configured to spread and transmit the light by the light source to the output region. A plurality of faceted surfaces in close proximity to the light source maximize or otherwise change the light emitted from the light source.





40 Claims, 4 Drawing Sheets








U.S. PATENT DOCUMENTS						
			5,283,673	A	2/1994	Murase et al.
			5,303,322	A	4/1994	Winston et al.
			5,307,244	A	4/1994	Gaudette
4,128,332	A	12/1978	5,339,179	A *	8/1994	Rudisill et al. 349/65
4,148,045	A	4/1979	5,349,503	A	9/1994	Blonder et al.
4,177,501	A	12/1979	5,365,411	A	11/1994	Rycroft et al.
4,183,628	A	1/1980	5,375,043	A	12/1994	Tokunaga
4,257,084	A	3/1981	5,377,084	A	12/1994	Kojima et al.
4,258,643	A	3/1981	5,390,085	A	2/1995	Mari-Roca et al.
4,277,817	A	7/1981	5,390,436	A	2/1995	Ashall
4,282,560	A	8/1981	5,394,308	A	2/1995	Watanabe et al.
4,290,093	A	9/1981	5,396,350	A	3/1995	Beeson et al.
4,323,951	A	4/1982	5,428,912	A	7/1995	Grondal et al.
4,373,282	A	2/1983	5,442,523	A	8/1995	Kashima et al.
4,446,508	A	5/1984	5,467,208	A	11/1995	Kokawa et al.
4,519,017	A	5/1985	5,467,417	A	11/1995	Nakamura et al.
4,542,449	A	9/1985	5,477,423	A	12/1995	Fredriksz et al.
4,573,766	A	3/1986	5,479,275	A	12/1995	Abileah
4,630,895	A	12/1986	5,485,291	A	1/1996	Qiao et al.
4,648,690	A	3/1987	5,506,929	A	4/1996	Tai et al.
4,673,254	A	6/1987	5,521,342	A	5/1996	Bartley et al.
4,677,531	A	6/1987	5,539,623	A	7/1996	Gurz et al.
4,714,983	A	12/1987	5,576,078	A	11/1996	Schatz
4,729,067	A	3/1988	5,579,134	A	11/1996	Lengyel
4,729,068	A	3/1988	5,598,281	A	1/1997	Zimmerman et al.
4,729,185	A	3/1988	5,600,455	A	2/1997	Ishikawa et al.
4,751,615	A	6/1988	5,600,462	A	2/1997	Suzuki et al.
4,761,047	A	8/1988	5,618,095	A	4/1997	Kashima et al.
4,763,984	A	8/1988	5,649,754	A	7/1997	Matsumoto
4,765,701	A	8/1988	5,664,862	A	9/1997	Redmond et al.
4,767,172	A	8/1988	5,671,994	A	9/1997	Tai et al.
4,791,540	A	12/1988	5,711,592	A	1/1998	Hotta
4,802,066	A	1/1989	5,719,649	A	2/1998	Shono et al.
4,811,507	A	3/1989	5,771,328	A	6/1998	Wortman et al.
4,825,341	A	4/1989	5,775,791	A	7/1998	Yoshikawa et al.
4,874,228	A	10/1989	5,779,337	A	7/1998	Saito et al.
4,890,201	A	12/1989	5,779,338	A	7/1998	Ishikawa et al.
4,906,070	A	3/1990	5,808,784	A	9/1998	Ando et al.
4,909,604	A	3/1990	5,844,720	A	12/1998	Ohara et al.
4,914,553	A	4/1990	5,851,062	A	12/1998	Shinohara et al.
4,929,062	A	5/1990	5,890,791	A	4/1999	Saito
4,933,814	A	6/1990	5,917,664	A	6/1999	O'Neill et al.
4,947,291	A	8/1990	5,919,551	A	7/1999	Cobb, Jr. et al.
4,974,122	A	11/1990	5,931,555	A	8/1999	Akahane et al.
4,975,808	A	12/1990	5,947,578	A	9/1999	Ayres
4,978,952	A	12/1990	5,961,198	A	10/1999	Hira et al.
4,985,809	A	1/1991	5,971,559	A	10/1999	Ishikawa et al.
4,992,704	A	2/1991	5,999,685	A	12/1999	Goto et al.
5,005,108	A	4/1991	6,011,602	A	1/2000	Miyashita et al.
5,027,258	A	6/1991	6,036,329	A	3/2000	Imura
5,055,978	A	10/1991	6,091,547	A	7/2000	Gardiner et al.
5,056,892	A	10/1991	6,120,280	A	9/2000	Mimura et al.
5,070,431	A	12/1991	6,130,730	A	10/2000	Jannson et al.
5,093,765	A	3/1992	6,151,169	A	11/2000	Kim
5,130,897	A	7/1992	6,172,809	B1	1/2001	Koike et al.
5,134,549	A	7/1992	6,402,334	B1	6/2002	Yu-San
5,136,479	A	8/1992	6,406,158	B1	6/2002	Ohkawa
5,136,480	A	8/1992	6,565,225	B2	5/2003	Mabuchi et al.
5,136,483	A	8/1992	6,582,103	B1	6/2003	Popovich et al.
5,178,447	A	1/1993	6,676,284	B1	1/2004	Wynne Willson
5,190,370	A	3/1993				
5,207,493	A	5/1993				
5,243,506	A	9/1993				
5,262,928	A	11/1993				

* cited by examiner










FIG. 13




FIG. 14




FIG. 15

LIGHT EMITTING PANEL ASSEMBLIES

CROSS-REFERENCE TO RELATED APPLICATIONS

This application is a division of U.S. patent application Ser. No. 10/784,527, filed Feb. 23, 2004, now U.S. Pat. No. 7,160,015 which is a division of U.S. patent application Ser. No. 09/256,275, filed Feb. 23, 1999, now U.S. Pat. No. 6,712,481, dated Mar. 30, 2004, which is a continuation-in-part of U.S. patent application Ser. No. 08/778,089, filed Jan. 2, 1997, now U.S. Pat. No. 6,079,838, dated Jun. 27, 2000, which is a division of U.S. patent application Ser. No. 08/495,176, filed Jun. 27, 1995, now U.S. Pat. No. 5,613,751, dated Mar. 25, 1997.

BACKGROUND OF THE INVENTION

This invention relates generally, as indicated, to light emitting panel assemblies each including a transparent panel member for efficiently conducting light, and controlling the light conducted by the panel member to be emitted from one or more light output areas along the length thereof.

Light emitting panel assemblies are generally known. However, the present invention relates to several different light emitting panel assembly configurations which provide for better control of the light output from the panel assemblies and for more efficient utilization of light, which results in greater light output from the panel assemblies.

SUMMARY OF THE INVENTION

In accordance with one aspect of the invention, the light emitting panel assemblies include a light emitting panel member having a light transition area in which at least one light source is suitably mounted for transmission of light to the light input surface of the panel member.

In accordance with another aspect of the invention, the light source is desirably embedded, potted or bonded to the light transition area to eliminate any air gaps, decrease surface reflections and/or eliminate any lens effect between the light source and light transition area, thereby reducing light loss and increasing the light output from the panel assembly.

In accordance with another aspect of the invention, the panel assemblies may include reflective or refractive surfaces for changing the path of a portion of the light, emitted from the light source, that would not normally enter the panel members at an acceptable angle that allows the light to remain in the panel members for a longer period of time and/or increase the efficiency of the panel members.

In accordance with another aspect of the invention, the light emitting panel members include a pattern of light extracting deformities or disruptions which provide a desired light output distribution from the panel members by changing the angle of refraction of a portion of the light from one or more light output areas of the panel members.

In accordance with still another aspect of the invention, the light source may include multiple colored light sources for supplying light to one or more light output areas, and for providing a colored or white light output distribution.

In accordance with yet another aspect of the invention, the panel assemblies include a transition area for mixing the multiple colored lights, prior to the light entering the panel members, in order to effect a desired colored or white light output distribution.

The various light emitting panel assemblies of the present invention are very efficient panel assemblies that may be used

to produce increased uniformity and higher light output from the panel members with lower power requirements, and allow the panel members to be made thinner and/or longer, and/or of various shapes and sizes.

To the accomplishment of the foregoing and related ends, the invention then comprises the features hereinafter fully described and particularly pointed out in the claims, the following description and the annexed drawings setting forth in detail certain illustrative embodiments of the invention, these being indicative, however, of but several of the various ways in which the principles of the invention may be employed.

BRIEF DESCRIPTION OF THE DRAWINGS

In the annexed drawings:

FIGS. 1 through 3 are schematic perspective views of three different forms of light emitting panel assemblies in accordance with this invention;

FIG. 4a is an enlarged plan view of a portion of a light output area of a panel assembly showing one form of pattern of light extracting deformities on the light output area;

FIGS. 4b, c and d are enlarged schematic perspective views of a portion of a light output area of a panel assembly showing other forms of light extracting deformities formed in or on the light output area;

FIG. 5 is an enlarged transverse section through the light emitting panel assembly of FIG. 3 taken generally on the plane of the line 5-5 thereof;

FIG. 6 is a schematic perspective view of another form of light emitting panel assembly in accordance with this invention;

FIG. 7 is a schematic top plan view of another form of light emitting panel assembly in accordance with this invention;

FIG. 8 is a schematic perspective view of another form of light emitting panel assembly in accordance with this invention;

FIG. 9 is a schematic top plan view of another form of light emitting panel assembly in accordance with this invention;

FIG. 10 is a schematic top plan view of still another form of light emitting panel assembly in accordance with this invention;

FIG. 11 is a side elevation view of the light emitting panel assembly of FIG. 10;

FIG. 11a is a fragmentary side elevation view showing a tapered or rounded end on the panel member in place of the prismatic surface shown in FIGS. 10 and 11;

FIG. 12 is a schematic top plan view of another form of light emitting panel assembly in accordance with this invention;

FIG. 13 is a schematic side elevation view of the light emitting panel assembly of FIG. 12; and

FIGS. 14 and 15 are schematic perspective views of still other forms of light emitting panel assemblies in accordance with this invention.

DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENTS

Referring now in detail to the drawings, and initially to FIG. 1, there is schematically shown one form of light emitting panel assembly 1 in accordance with this invention including a transparent light emitting panel 2 and one or more light sources 3 which emit light in a predetermined pattern in a light transition member or area 4 used to make the transition from the light source 3 to the light emitting panel 2, as well known in the art. The light that is transmitted by the light transition area 4 to the transparent light emitting panel 2 may

3

be emitted along the entire length of the panel or from one or more light output areas along the length of the panel as desired to produce a desired light output distribution to fit a particular application.

In FIG. 1 the light transition area 4 is shown as an integral extension of one end of the light emitting panel 2 and as being generally rectangular in shape. However, the light transition area may be of other shapes suitable for embedding, potting, bonding or otherwise mounting the light source. Also, reflective or refractive surfaces may be provided to increase efficiency. Moreover, the light transition area 4 may be a separate piece suitably attached to the light input surface 13 of the panel member if desired. Also, the sides of the light transition area may be curved to more efficiently reflect or refract a portion of the light emitted from the light source through the light emitting panel at an acceptable angle.

FIG. 2 shows another form of light emitting panel assembly 5 in accordance with this invention including a panel light transition area 6 at one end of the light emitting panel 7 with sides 8, 9 around and behind the light source 3 shaped to more efficiently reflect and/or refract and focus the light emitted from the light source 3 that impinges on these surfaces back through the light transition area 6 at an acceptable angle for entering the light input surface 18 at one end of the light emitting panel 7. Also, a suitable reflective material or coating 10 may be provided on the portions of the sides of the light transition areas of the panel assemblies of FIGS. 1 and 2 on which a portion of the light impinges for maximizing the amount of light or otherwise changing the light that is reflected back through the light transition areas and into the light emitting panels.

The panel assemblies shown in FIGS. 1 and 2 include a single light source 3, whereas FIG. 3 shows another light emitting panel assembly 11 in accordance with this invention including two light sources 3. Of course, it will be appreciated that the panel assemblies of the present invention may be provided with any number of light sources as desired, depending on the particular application.

The panel assembly 11 of FIG. 3 includes a light transition area 12 at one end of the light emitting panel 14 having reflective and/or refractive surfaces 15 around and behind each light source 3. These surfaces 15 may be appropriately shaped including for example curved, straight and/or faceted surfaces, and if desired, suitable reflective materials or coatings may be provided on portions of these surfaces to more efficiently reflect and/or refract and focus a portion of the light emitted for example from an incandescent light source which emits light in a 360° pattern through the light transition areas 12 into the light input surface 19 of the light emitting panel 14.

The light sources 3 may be mechanically held in any suitable manner in slots, cavities or openings 16 machined, molded or otherwise formed in the light transition areas of the panel assemblies. However, preferably the light sources 3 are embedded, potted or bonded in the light transition areas in order to eliminate any air gaps or air interface surfaces between the light sources and surrounding light transition areas, thereby reducing light loss and increasing the light output emitted by the light emitting panels. Such mounting of the light sources may be accomplished, for example, by bonding the light sources 3 in the slots, cavities or openings 16 in the light transition areas using a sufficient quantity of a suitable embedding, potting or bonding material 17. The slots, cavities or openings 16 may be on the top, bottom, sides or back of the light transition areas. Bonding can also be accomplished by a variety of methods that do not incorporate extra material, for example, thermal bonding, heat staking, ultra-

4

sonic or plastic welding or the like. Other methods of bonding include insert molding and casting around the light source(s).

A transparent light emitting material of any suitable type, for example acrylic or polycarbonate, may be used for the light emitting panels. Also, the panels may be substantially flat, or curved, may be a single layer or multi-layers, and may have different thicknesses and shapes. Moreover, the panels may be flexible, or rigid, and may be made out of a variety of compounds. Further, the panels may be hollow, filled with liquid, air, or be solid, and may have holes or ridges in the panels.

Each light source 3 may also be of any suitable type including, for example, any of the types disclosed in U.S. Pat. Nos. 4,897,771 and 5,005,108, assigned to the same assignee as the present application, the entire disclosures of which are incorporated herein by reference. In particular, the light sources 3 may be an arc lamp, an incandescent bulb which also may be colored, filtered or painted, a lens end bulb, a line light, a halogen lamp, a light emitting diode (LED), a chip from an LED, a neon bulb, a fluorescent tube, a fiber optic light pipe transmitting from a remote source, a laser or laser diode, or any other suitable light source. Additionally, the light sources 3 may be a multiple colored LED, or a combination of multiple colored radiation sources in order to provide a desired colored or white light output distribution. For example, a plurality of colored lights such as LEDs of different colors (red, blue, green) or a single LED with multiple colored chips may be employed to create white light or any other colored light output distribution by varying the intensities of each individual colored light.

A pattern of light extracting deformities or disruptions may be provided on one or both sides of the panel members or on one or more selected areas on one or both sides of the panel members, as desired. FIG. 4a schematically shows one such light surface area 20 on which a pattern of light extracting deformities or disruptions 21 is provided. As used herein, the term deformities or disruptions are used interchangeably to mean any change in the shape or geometry of the panel surface and/or coating or surface treatment that causes a portion of the light to be emitted. The pattern of light extracting deformities 21 shown in FIG. 4a includes a variable pattern which breaks up the light rays such that the internal angle of reflection of a portion of the light rays will be great enough to cause the light rays either to be emitted out of the panel through the side or sides on which the light extracting deformities 21 are provided or reflected back through the panel and emitted out the other side.

These deformities or disruptions 21 can be produced in a variety of manners, for example, by providing a painted pattern, an etched pattern, a machined pattern, a printed pattern, a hot stamped pattern, or a molded pattern or the like on selected light output areas of the panel members. An ink or printed pattern may be applied for example by pad printing, silk screening, ink jet, heat transfer film process or the like. The deformities may also be printed on a sheet or film which is used to apply the deformities to the panel member. This sheet or film may become a permanent part of the light panel assembly for example by attaching or otherwise positioning the sheet or film against one or both sides of the panel member similar to the sheet or film 27 shown in FIGS. 3 and 5 in order to produce a desired effect.

By varying the density, opaqueness or translucence, shape, depth, color, area, index of refraction, or type of deformities 21 on an area or areas of the panels, the light output of the panels can be controlled. The deformities or disruptions may be used to control the percent of light emitted from any area of the panels. For example, less and/or smaller size deformi-

ties **21** may be placed on panel areas where less light output is wanted. Conversely, a greater percentage of and/or larger deformities may be placed on areas of the panels where greater light output is desired.

Varying the percentages and/or size of deformities in different areas of the panel is necessary in order to provide a uniform light output distribution. For example, the amount of light traveling through the panels will ordinarily be greater in areas closer to the light source than in other areas further removed from the light source. A pattern of light extracting deformities **21** may be used to adjust for the light variances within the panel members, for example, by providing a denser concentration of light extracting deformities with increased distance from the light source **3** thereby resulting in a more uniform light output distribution from the light emitting panels.

The deformities **21** may also be used to control the output ray angle distribution of the emitted light to suit a particular application. For example, if the panel assemblies are used to provide a liquid crystal display backlight, the light output will be more efficient if the deformities **21** cause the light rays to emit from the panels at predetermined ray angles such that they will pass through the liquid crystal display with low loss.

Additionally, the pattern of light extracting deformities may be used to adjust for light output variances attributed to light extractions of the panel members. The pattern of light extracting deformities **21** may be printed on the light output areas utilizing a wide spectrum of paints, inks, coatings, epoxies, or the like, ranging from glossy to opaque or both, and may employ half-tone separation techniques to vary the deformity **21** coverage. Moreover, the pattern of light extracting deformities **21** may be multiple layers or vary in index of refraction.

Print patterns of light extracting deformities **21** may vary in shapes such as dots, squares, diamonds, ellipses, stars, random shapes, and the like, and are desirably 0.006 square inch per deformity/element or less. Also, print patterns that are 60 lines per inch or finer are desirably employed, thus making the deformities or shapes **21** in the print patterns nearly invisible to the human eye in a particular application thereby eliminating the detection of gradient or banding lines that are common to light extracting patterns utilizing larger elements. Additionally, the deformities may vary in shape and/or size along the length and/or width of the panel members. Also, a random placement pattern of the deformities may be utilized throughout the length and/or width of the panel members. The deformities may have shapes or a pattern with no specific angles to reduce moire or other interference effects. Examples of methods to create these random patterns are printing a pattern of shapes using stochastic print pattern techniques, frequency modulated half tone patterns, or random dot half tones. Moreover, the deformities may be colored in order to effect color correction in the panel members. The color of the deformities may also vary throughout the panel members, for example to provide different colors for the same or different light output areas.

In addition to or in lieu of the patterns of light extracting deformities **21** shown in FIG. **4a**, other light extracting deformities including prismatic surfaces, depressions or raised surfaces of various shapes using more complex shapes in a mold pattern may be molded, etched, stamped, thermoformed, hot stamped or the like into or on one or more areas of the panel member. FIGS. **4b** and **4c** show panel areas **22** on which prismatic surfaces **23** or depressions **24** are formed in the panel areas, whereas FIG. **4d** shows prismatic or other reflective or refractive surfaces **25** formed on the exterior of the panel area. The prismatic surfaces, depressions or raised

surfaces will cause a portion of the light rays contacted thereby to be emitted from the panel member. Also, the angles of the prisms, depressions or other surfaces may be varied to direct the light in different directions to produce a desired light output distribution or effect. Moreover, the reflective or refractive surfaces may have shapes or a pattern with no specific angles to reduce moiré or other interference effects.

As best seen in the cross sectional view of FIG. **5**, a back reflector (including trans reflectors) **26** may be attached or positioned against one side of the panel member **14** of FIG. **3** using a suitable adhesive **28** or other method in order to improve light output efficiency of the panel assembly **11** by reflecting the light emitted from that side back through the panel for emission through the opposite side. Additionally, a pattern of light extracting deformities **21**, **23**, **24** and/or **25** may be provided on one or both sides of the panel member in order to change the path of the light so that the internal critical angle is exceeded and a portion of the light is emitted from one or both sides of the panel. Moreover, a transparent film, sheet or plate **27** may be attached or positioned against the side or sides of the panel member from which light is emitted using a suitable adhesive **28** or other method in order to produce a desired effect.

The member **27** may be used to further improve the uniformity of the light output distribution. For example, the member **27** may be a colored film, a diffuser, or a label or display, a portion of which may be a transparent overlay that may be colored and/or have text or an image thereon.

If adhesive **28** is used to adhere the back reflector **26** and/or film **27** to the panel, the adhesive is preferably applied only along the side edges of the panel, and if desired the end edge opposite the light transition areas **12**, but not over the entire surface area or areas of the panel because of the difficulty in consistently applying a uniform coating of adhesive to the panel. Also, the adhesive changes the internal critical angle of the light in a less controllable manner than the air gaps **30** (see FIG. **5**) which are formed between the respective panel surfaces and the back reflector **26** and/or film **27** when only adhered along the peripheral edges. Additionally, longer panel members are achievable when air gaps **30** are used. If adhesive were to be used over the entire surface, the pattern of deformities could be adjusted to account for the additional attenuation in the light caused by the adhesive.

Referring further to FIG. **2**, the panel assembly **5** shown therein also includes molded posts **31** at one or more corners of the panel **7** (four such posts being shown) which may be used to facilitate mounting of the panel assembly and providing structural support for other parts or components, for example, a display panel such as a liquid crystal display panel as desired.

FIG. **6** shows another form of light emitting panel assembly **32** in accordance with this invention including a panel member **33**, one or more light sources **3**, and one or more light output areas **34**. In addition, the panel assembly **32** includes a tray **35** having a cavity or recess **36** in which the panel assembly **32** is received. The tray **35** may act as a back reflector as well as end edge and/or side edge reflectors for the panel **33** and side and/or back reflectors **37** for the light sources **3**. Additionally, one or more secondary reflective or refractive surfaces **38** may be provided on the panel member **33** and/or tray **35** to reflect a portion of the light around one or more corners or curves in a non-rectangular shaped panel member **33**. These secondary reflective/refractive surfaces **38** may be flat, angled, faceted or curved, and may be used to extract a portion of the light away from the panel member in a prede-

7

terminated pattern. FIG. 6 also shows multiple light output areas 34 on the panel member that emit light from one or more light sources 3.

FIG. 7 is a schematic illustration of still another form of light emitting panel assembly 40 in accordance with this invention including a panel member 41 having one or more light output areas 42 and one or more light transition areas (mixing areas) 43 containing a plurality of light sources 3 at one or both ends of the panel. Each transition area mixes the light from one or more light sources having different colors and/or intensities. In this particular embodiment, each of the light sources 3 desirably employs three colored LEDs (red, blue, green) in each transition mixing area 43 so that the light from the three LEDs can be mixed to produce a desired light output color that will be emitted from the light output area 42. Alternatively, each light source may be a single LED having multiple colored chips bonded to the lead film. Also, two colored LEDs or a single LED having two colored chips may be used for a particular application. By varying the intensities of the individual respective LEDs, virtually any colored light output or white light distribution can be achieved.

FIG. 8 shows yet another form of light emitting panel assembly 45 in accordance with this invention including a light emitting panel member 46 and a light source 3 in a light transition area 48 integral with one end of the panel member. In this particular embodiment, the panel member 46 is three-dimensionally curved, for example, such that light rays may be emitted in a manner that facilitates aesthetic design of a lighted display.

FIG. 9 schematically shows another form of light emitting panel assembly 50 in accordance with this invention, including a panel member 51 having multiple light output areas 52, and mounting posts and/or mounting tabs 53. This particular panel assembly 50 may serve as a structural member to support other parts or components as by providing holes or cavities 54, 55 in the panel member 51 which allow for the insertion of modular components or other parts into the panel member. Moreover, a separate cavity or recess 56 may be provided in the panel member 51 for receipt of a correspondingly shaped light transition area 57 having one or more light sources 3 embedded, bonded, cast, insert molded, epoxied, or otherwise mounted or positioned therein and a curved reflective or refractive surface 58 on the transition area 57 and/or wall of the cavity or recess 56 to redirect a portion of the light in a predetermined manner. In this way the light transition area 57 and/or panel member may be in the form of a separate insert which facilitates the easy placement of the light source in a modular manner. A reflector 58 may be placed on the reflective or refractive surface of the cavity or recess 56 or insert 57. Where the reflector 58 is placed on the reflective or refractive surface of the cavity or recess 56, the cavity or recess may act as a mold permitting transparent material from which the transition area 57 is made to be cast around one or more light sources 3.

FIGS. 10 and 11 schematically show another form of light emitting panel assembly 60 in accordance with this invention including a panel member 61 having one or more light output areas 62. In this particular embodiment, an off-axis light transition area 63 is provided that is thicker in cross section than the panel member to permit use of one or more light sources 3 embedded or otherwise mounted in the light transition area that are dimensionally thicker than the panel member. Also, a three-dimensional reflective surface 64 (FIG. 11) may be provided on the transition area 63. Moreover, a prism 65 (FIG. 11) or tapered, rounded, or otherwise shaped end 66 (FIG. 11a) may be provided at the end of the panel opposite the light sources 3 to perform the function of an end reflector.

8

The light sources 3 may be oriented at different angles relative to each other and offset to facilitate better mixing of the light rays 67 in the transition area 63 as schematically shown in FIG. 10 and/or to permit a shorter length transition area 63 to be used.

FIGS. 12 and 13 schematically show still another form of light emitting panel assembly 70 in accordance with this invention which includes one or more light transition areas 71 at one or both ends of the panel member 72 each containing a single light source 73. The transition area or areas 71 shown in FIGS. 12 and 13 collect light with multiple or three-dimensional surfaces and/or collect light in more than one plane. For example each transition area 71 shown in FIGS. 12 and 13 has elliptical and parabolic shape surfaces 74 and 75 in different planes for directing the light rays 76 into the panel member at a desired angle.

Providing one or more transition areas at one or both ends of the panel member of any desired dimension to accommodate one or more light sources, with reflective and/or refractive surfaces on the transition areas for redirecting the light rays into the panel member at relatively low angles allows the light emitting panel member to be made much longer and thinner than would otherwise be possible. For example the panel members of the present invention may be made very thin, i.e., 0.125 inch thick or less.

FIG. 14 schematically illustrates still another form of light emitting panel assembly 80 in accordance with this invention including a light emitting panel 81 and one or more light sources 3 positioned, embedded, potted, bonded or otherwise mounted in a light transition area 82 that is at an angle relative to the panel member 81 to permit more efficient use of space. An angled or curved reflective or refractive surface 83 is provided at the junction of the panel member 81 with the transition area 82 in order to reflect/refract light from the light source 3 into the body of the panel member 81 for emission of light from one or more light emitting areas 84 along the length of the panel member.

FIG. 15 schematically illustrates still another form of light emitting panel assembly 90 in accordance with this invention including a light transition area 91 at one or both ends of a light emitting panel member 92 containing a slot 93 for sliding receipt of an LED or other suitable light source 3. Preferably the slot 93 extends into the transition area 91 from the back edge 94, whereby the light source 3 may be slid and/or snapped in place in the slot from the back, thus allowing the transition area to be made shorter and/or thinner. The light source 3 may be provided with wings, tabs or other surfaces 95 for engagement in correspondingly shaped recesses or grooves 96 or the like in the transition area 91 for locating and, if desired, securing the light source in place. Also, the light source 3 may be embedded, potted, bonded or otherwise secured within the slot 93 in the light transition area 91 of the panel member 92. Light from a secondary light source 97 may be projected through the panel member 92 for indication or some other effect.

The various light emitting panel assemblies disclosed herein may be used for a great many different applications including for example LCD back lighting or lighting in general, decorative and display lighting, automotive lighting, dental lighting, phototherapy or other medical lighting, membrane switch lighting, and sporting goods and apparel lighting or the like. Also the panel assemblies may be made such that the panel members and deformities are transparent without a back reflector. This allows the panel assemblies to be used for example to front light an LCD or other display such that the display is viewed through the transparent panel members.

Although the invention has been shown and described with respect to certain preferred embodiments, it is obvious that equivalent alterations and modifications will occur to others skilled in the art upon the reading and understanding of the specification. The present invention includes all such equivalent alterations and modifications, and is limited only by the scope of the claims.

What is claimed is:

1. A light emitting panel assembly comprising:
 - a generally planar optical conductor having at least one input edge with a greater cross-sectional width than thickness; and
 - a plurality of light sources configured to generate light having an output distribution defined by a greater width component than height component, the light sources positioned adjacent to the input edge, thereby directing light into the optical conductor;
 - the optical conductor having at least one output region and a predetermined pattern of deformities configured to cause light to be emitted from the output region,
 - the optical conductor having a transition region disposed between the light source and the output region.
2. The assembly of claim 1 wherein the transition region is configured to spread and transmit the light generated by the light sources to the output region.
3. The assembly of claim 1 wherein the transition region is integral with the optical conductor.
4. The assembly of claim 1 wherein a portion of the assembly has faceted surfaces in close proximity to the light sources for maximizing or otherwise changing the light emitted from the light sources.
5. The assembly of claim 1 wherein the light sources are LEDs.
6. The assembly of claim 5 wherein at least one of the LEDs has at least two different color chips.
7. The assembly of claim 6 wherein the light from the different color chips mixes and spreads within the transition region to produce a desired light output color.
8. The assembly of claim 1 wherein the transition region is dimensionally thicker in cross section than the output region.
9. The assembly of claim 8 wherein the transition region gradually decreases in thickness from the input edge to the output region.
10. The assembly of claim 1 wherein the transition region and the output region of the optical conductor have substantially the same thickness.
11. The assembly of claim 1 wherein the optical conductor gradually decreases in thickness along its length in a direction away from the input edge.
12. The assembly of claim 1 wherein the optical conductor includes a proximal edge and a distal edge, and wherein the distal edge of the optical conductor includes a reflector associated therewith.
13. The assembly of claim 1 wherein the optical conductor has side edges, and wherein at least one of the side edges includes a reflector associated therewith.
14. The assembly of claim 1 wherein the optical conductor includes a proximal edge, a distal edge, and a plurality of slots extending inward from the proximal edge of the optical conductor that are configured to receive the light sources therein, and wherein the slots define inner edges that are oriented substantially parallel to and spaced inward from the proximal edge of the optical conductor, such that the inner edges operate as the input edge of the optical conductor.

15. The assembly of claim 14 wherein a portion of the assembly has faceted surfaces in close proximity to the light sources for maximizing or otherwise changing the light emitted from the light sources.

16. The assembly of claim 1 wherein the light sources are focused light sources.

17. The assembly of claim 16 wherein the focused light sources are LEDs.

18. The assembly of claim 1 wherein the light sources are configured to focus the light on the input edge in a direction substantially perpendicular thereto.

19. The assembly of claim 1 wherein at least some of the plurality of light sources are different color LEDs.

20. The assembly of claim 19 wherein the light from the different color LEDs mixes and spreads within the transition region to produce a desired light output color.

21. The assembly of claim 1 wherein the optical conductor includes a plurality of input edges each configured to receive light from one of the light sources.

22. The assembly of claim 21 wherein a group of faceted surfaces is associated with each of the light sources for maximizing or otherwise changing the light emitted from the light sources.

23. The assembly of claim 21 wherein the optical conductor includes a proximal edge, a distal edge, and a plurality of slots extending inward from the proximal edge of the optical conductor, each slot being configured to receive one of the light sources therein, each slot defining an inner edge that is oriented substantially parallel to and spaced inward from the proximal edge of the optical conductor, such that each inner edge operates as one of the input edges of the optical conductor.

24. The assembly of claim 23 wherein a group of faceted surfaces is associated with each of the light sources for maximizing or otherwise changing the light emitted from the light sources.

25. The assembly of claim 1 further comprising a tray in which the optical conductor is received.

26. The assembly of claim 25 wherein the tray acts as a pair of reflectors, each associated with side edges of the optical conductor.

27. The assembly of claim 25 wherein the tray acts as a reflector associated with a distal edge of the optical conductor.

28. The assembly of claim 25 wherein the tray includes a reflector associated with a bottom surface of the optical conductor.

29. The assembly of claim 25 wherein the tray houses a reflector associated with a bottom surface of the optical conductor.

30. The assembly of claim 1 wherein at least one reflective surface is provided on the transition region in close proximity to the light sources for causing internal reflection of a portion of the light generated by the light sources back through the transition region into the optical conductor at an acceptable angle.

31. The assembly of claim 30 wherein the reflective surface is located on the transition region on opposite sides of the light sources.

32. The assembly of claim 30 wherein the reflective surface includes faceted surfaces in close proximity to the light sources for maximizing or otherwise changing the light emitted from the light sources.

33. A light emitting panel assembly comprising:

- a generally planar optical conductor having at least one input edge with a greater cross-sectional width than thickness; and

11

a plurality of LED light sources each having a greater width than height positioned adjacent to the input edge, thereby directing light into the optical conductor, each light source being configured to generate light having an output distribution defined by a greater width component than height component;

the optical conductor having at least one output region and a predetermined pattern of deformities configured to cause light to be emitted from the output region,

the optical conductor having a transition region disposed between the light source and the output region.

34. The assembly of claim 33 wherein each light source has a light output distribution with a greater width component than height component.

35. The assembly of claim 33 wherein the transition region is configured to spread and transmit the light generated by the light sources to the output region.

36. The assembly of claim 33 wherein at least a portion of the assembly has faceted reflective or refractive surfaces in close proximity to the light sources for maximizing or otherwise changing the light emitted from the light sources.

37. The assembly of claim 33 wherein at least one of the light sources has at least two different color chips, and

12

wherein the light from the different color chips mixes and spreads within the transition region to produce a desired light output color.

38. The assembly of claim 33 wherein the optical conductor includes a proximal edge, a distal edge, and a plurality of slots extending inward from the proximal edge of the optical conductor that are configured to receive the light sources therein, and wherein each of the slots defines an inner edge that is oriented substantially parallel to and spaced inward from the proximal edge of the optical conductor, such that the inner edge operates as the input edge of the optical conductor.

39. The assembly of claim 38 wherein at least a portion of the assembly has faceted reflective or refractive surfaces in close proximity to the light sources for maximizing or otherwise changing the light emitted from the light sources.

40. The assembly of claim 33 wherein at least a portion of the assembly has groups of faceted reflective or refractive surfaces in close proximity to each light source for maximizing or otherwise changing the light emitted from each light source.

* * * * *