

1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28

**UNITED STATES DISTRICT COURT  
CENTRAL DISTRICT OF CALIFORNIA, WESTERN DIVISION**

DENNIS RUTHERFORD, et al.,

*Plaintiffs,*

v.

ALEX VILLANUEVA, Sheriff of Los Angeles County, in his official capacity, and the COUNTY OF LOS ANGELES,

*Defendants.*

---

Case No. 75-cv-04111-DDP

**PRELIMINARY INJUNCTION**

1 **PRELIMINARY INJUNCTION**

2 On September 20, 2022, this Court indicated that, absent objection, the  
3 Temporary Restraining Order entered September 16, 2022 (Dkt. 345) would be  
4 entered as a Preliminary Injunction (Dkt. 346). No objection having been filed, and  
5 the parties having submitted a jointly proposed preliminary injunction (Dkt. 347),  
6 Defendants, their officers, agents, employees, attorneys, assignees and all those in  
7 active concert with them are, pending final resolution of this matter, hereby  
8 preliminarily restrained and enjoined from:

9 1. Holding an incarcerated person in the Inmate Reception Center (IRC) for  
10 more than 24 hours. The IRC consists of a reception and booking area; a  
11 classification area; a bath area; the IRC Clinic (which includes the IRC Clinic  
12 Front Bench); a series of holding cells, and Module 231, an overflow module  
13 in Twin Towers Correctional Facility. This order shall not apply to Module  
14 231. In the event an individual shall remain continuously in the IRC for more  
15 than 24 hours, Defendants shall document the following:

- 16 (a) the name and booking number of the individual and the date and  
17 time the individual first entered the IRC;  
18 (b) the reasons why the individual remained in the IRC longer than 24  
19 hours;  
20 (c) the date and time the individual was removed from the IRC; and  
21 (d) the location of the individual after removal from the IRC.

22 Plaintiffs shall be provided with this documentation upon request.

23 In the event that a person leaves the IRC for medical treatment at  
24 another facility within or without the Los Angeles County Jail System, the 24-  
25 hour period shall begin anew if the person returns to the IRC after an absence  
26 extending twelve hours or more where the person has been provided a bed off-  
27 site.  
28

1           2.     Holding an incarcerated person on the IRC Clinic Front Bench,  
2 handcuffed, chained, or tethered to a chair or any other object, for more than  
3 four hours. In the event an individual remains on the Front Bench for more  
4 than four hours, Defendants shall document the following:

- 5                   (a) the name and booking number of the individual and the date and  
6                   time the individual was first placed on the Front Bench;
- 7                   (b) the reason(s) why the individual is on the Front Bench;
- 8                   (c) the date and time of initial mental health screening;
- 9                   (d) the date and time of any subsequent mental health or medical  
10                   evaluation;
- 11                   (e) the date and time each individual was removed from the Front  
12                   Bench temporarily, how long the person remained untethered,  
13                   and the reason why (e.g., escort to bathroom, mental health  
14                   screening);
- 15                   (f) the date and time each individual was permanently removed from  
16                   the Front Bench; and
- 17                   (g) the location of individual after removal from Front Bench.

18           Plaintiffs shall be provided with this documentation upon request.<sup>1</sup>

19           3.     Holding more people in a holding cell in the IRC than established by the  
20 Board of State and Community Corrections (BSCC) holding capacity without  
21 first exhausting every other means to avoid placing more people in a holding  
22 cell than the holding capacity permits. The latest BSCC capacity numbers for  
23 cells within the IRC are listed in an exhibit attached to this Order. Two areas,  
24 however, will not be governed by the attached exhibit: (1) IRC Clinic Cage and  
25  
26  
27  
28

1 (2) Cell 113. For purposes of this Order, the IRC Clinic cage, when locked,  
2 shall have a capacity of 50 people. Cell 113 shall be used as a holding cell  
3 with a 16-person capacity. Additionally, the "Release" cell is not subject to the  
4 provisions of the Preliminary Injunction provided that it continues to be used  
5 as a staging cell for brief release purposes. In the event more people are in a  
6 holding cell than holding capacity permits, this event shall be documented as  
7 follows:

- 8 (a) the names and booking numbers of the individuals and the date  
9 and time of placement;
- 10 (b) the type of placement;
- 11 (c) the date and time of release;
- 12 (d) the number of persons in the cell at time of placement; and
- 13 (e) the identification of the particular holding cell or cage.

14 Plaintiffs shall be provided with this documentation upon request.

15 4. Holding an incarcerated person in a IRC holding cell for more than 12  
16 hours total. Moving an individual from one holding cell in the IRC to another  
17 holding cell in the IRC does not re-start the 12-hour clock. In the event that an  
18 incarcerated person is detained in a holding cell for longer than 12 hours,  
19 Defendants shall document the following:

- 20 (a) the name and booking number of the individual and the date and  
21 time of placement;
- 22 (b) the reasons why an individual was in holding cell or cells for more  
23 than 12 hours;
- 24 (c) the type of placement;
- 25 (d) the date and time of release;
- 26 (e) the number of persons in the cell at time of placement; and
- 27 (f) the identification of the particular holding cell.

1           Plaintiffs shall be provided with this documentation upon request.

2           5.     Holding an incarcerated person in the IRC Clinic cage, when locked, for  
3           more than eight hours total. In the event that an incarcerated person is held in  
4           the IRC Clinic cage, when locked, for more than eight hours, Defendants shall  
5           document the following:

- 6                   (a) the name and booking number of the individual and the date and  
7                   time of placement;
- 8                   (b) the reasons why an individual was in holding cell or cells for more  
9                   than 12 hours
- 10                  (c) the type of placement;
- 11                  (d) the date and time of release; and
- 12                  (e) the number of persons in the cage at time of placement.

13           Plaintiffs shall be provided with this documentation upon request.

14           6.     Holding an incarcerated person in the IRC clinic area, cage, or any cell  
15           in the IRC when that location is not in a clean and sanitary condition, with  
16           access to functioning toilets, potable drinking water, clean water to wash, and  
17           sufficient garbage receptacles.

18           7.     Holding an incarcerated person in the IRC clinic area, cage, or any cell  
19           in the IRC without providing ongoing access to adequate medical and mental  
20           health care, including but not limited to regular pill call.

21           Based upon the entire record, the Court finds that the relief granted by this  
22           order is narrowly drawn, extends no further than necessary to correct the harm at  
23           issue, and is the least intrusive means necessary to correct that harm.  
24           and is the least intrusive means necessary to correct that harm.

25           IT IS FURTHER ORDERED that, because Plaintiffs are indigent, they need  
26           not post any bond in connection with this preliminary injunction.  
27

1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28

IT IS SO ORDERED.  
Dated: September 27, 2022



---

HONORABLE DEAN D. PREGERSON  
United States District Court Judge

# EXHIBIT 1

**BOARD OF STATE AND COMMUNITY CORRECTIONS - BIENNIAL INSPECTION  
ADULT DETENTION FACILITY  
LIVING AREA SPACE EVALUATION**

BSCC Code: 1330

<b>FACILITY:</b> Los Angeles Sheriff's Department Inmate Reception Center	<b>TYPE:</b> II	<b>RC:</b> 0
<b>FIELD REPRESENTATIVE:</b> Charlene Aboytes		<b>DATE:</b> March 12, 2018

ROOMS						EACH ROOM						
Location	Cell Type	Applicable Standards	# Cells	EACH CELL		Total RC	DIMENSIONS (L x W x H)	FIXTURES*				
				# Beds	RC			T	U	W	F	S

Note: Regulations limit holding cell capacity to a maximum of 16 inmates. Capacity of several cells is lower than this maximum due to available seating (18"/inmate). Staging cells are allowed under 1991 regulations and can hold up to 80 inmates, with adequate square footage and plumbing fixtures.

Effective 1/8/05, management of TTCF Modules 231 and 232 was assumed by IRC to provide a bed and temporary housing for inmates with health care needs to address before processing can be completed. Consequently, 384 beds were deleted from the TTCF rated capacity and associated with IRC.

2014-2016 inspection cycle – The rated capacity for the IRC has been changed from 336 to 0. For the last several inspection cycles, the rated capacity for the IRC has been 336. This bed count came from the number of beds shown on the IRC LASE for Modules 231 (168) and 232 (168). At the time of this inspection the cells in Module 231 had been converted to non-rated medical beds (120) used to house inmates requiring intensive mental health services upon booking. (Although there are some exceptions, these inmates are held in this pod for less than 48 hours.) Additionally, the beds in Module 232 (168) have been transferred to TTCF and removed from this LASE.  $336 - 168 - 168 = 0$ . (Previous LASE's for IRC have shown conflicting RC information. Since at least the 2002-2004 inspection cycle, the LASE for TTCF has shown 32 beds (16 x 2) in each of the six units in Module 231. However, since the 2008-2010 inspection cycle, the LASE for IRC has shown 28 beds in each of those six units. This discrepancy does not affect the total RC of IRC because Module 231 had been converted to non-rated medical beds.)

**RECEPTION – FIRST FLOOR**

101	Sobering	1988	1		(8)	(8)	15' x 10.5'	1		1	1	
-----	----------	------	---	--	-----	-----	-------------	---	--	---	---	--

Note: Padded floor; regulations limit sobering cell capacity to 8 inmates. This is the only dedicated sobering cell in the facility.

102	Holding	1988	1		(4)	(4)	7.3' x 10.5'	1		1	1	
103	Holding	1988	1		(4)	(4)	7.2' x 10.5'	1		1	1	
104	Holding	1988	1		(4)	(4)	7.2' x 10.5'	1		1	1	
105	Holding	1988	1		(4)	(4)	7.4' x 10.5'	1		1	1	

Note: In addition to the holding cells noted below, the reception area includes two "uncuff" rooms (A and B) that have no plumbing facilities. They are technically not holding cells and are considered "pre-booking" areas for BSCC purposes.

**BOOKING – REAR**

Notes: In addition to the holding cells below, there are three unlocked holding areas (A, B and C), each of which has two combination toilet/washbasin/fountain units. As unlocked areas, they are not technically holding cells.

134	Holding	1988	1		(13)	(13)	144 square feet	1		1	1	
-----	---------	------	---	--	------	------	-----------------	---	--	---	---	--

Note: 18' bench; 5-sided irregular.

135	Holding	1988	1		(13)	(13)	132 square feet	1		1	1	
-----	---------	------	---	--	------	------	-----------------	---	--	---	---	--

Note: 28' bench.

136	Holding	1988	1		(16)	(16)	168 square feet	1		1	1	
-----	---------	------	---	--	------	------	-----------------	---	--	---	---	--

Note: 34.8' bench.

137	Holding	1988	1		(5)	(5)	73 square feet	1		1	1	
-----	---------	------	---	--	-----	-----	----------------	---	--	---	---	--

Note: 9.4' bench.

138	Holding	1988	1		(1)	(1)	40 square feet	1		1	1	
-----	---------	------	---	--	-----	-----	----------------	---	--	---	---	--

Note: Irregular shape; 2' bench.

\*T = Toilets; U = Urinals; W = Wash Basins; F = Fountains; S = Showers in unit; If "Total RC" appears in brackets ( ), it is not part of the facility's rated capacity. "+" indicates that capacity includes prorated air space from adjacent areas.



ROOMS							EACH ROOM					
Location	Cell Type	Applicable Standards	# Cells	EACH CELL		Total RC	DIMENSIONS (L x W x H)	FIXTURES*				
				# Beds	RC			T	U	W	F	S
<b>CLINIC – REAR</b>												
Notes: In addition to the holding cells below, there are three unlocked holding areas (1, 2 and 3), each of which has two combination toilet/washbasin/fountain units. As unlocked areas, they are not technically holding cells.												
129	Holding	1988	1		(5)	(5)	37 square feet	1		1	1	
Note: ADA cell does not contain a bench to allow for wheelchair. The cell can only be used if the inmate is in a wheel chair, otherwise the cell does not meet regulations.												
130	Holding	1988	1		(2)	(2)	48 square feet	1		1	1	
131	Holding	1988	1		(16)	(16)	168 square feet	1		1	1	
132	Holding	1988	1		(14)	(14)	140 square feet	1		1	1	
133	Holding	1988	1		(12)	(12)	128 square feet	1		1	1	
<b>BATH HOLDING</b>												
114	Holding	1988	1		(5)	(5)	81 square feet	1		1	1	
115	Holding	1988	1		(14)	(14)	180 square feet	1		1	1	
116	Holding	1988	1		(14)	(14)	180 square feet	1		1	1	
117	Holding	1988	1		(5)	(5)	81 square feet	1		1	1	
118	Holding	1988	1		(5)	(5)	81 square feet	1		1	1	
	Shower	1988	1					1		1	1	60
	Shower	1988	1					1		1	1	60
Note: Two shower lines are near the medical section of the IRC. There are 60 showers on each line.												
<b>MEDICAL</b>												
119	Holding	1988	1				Medical Waiting	1		1	1	
120	Holding	1988	1				Medical Waiting	1		1	1	
121	Holding	1988	1				Psych. Waiting	1		1	1	
123	Holding	1988	1		(3)	(3)	72 square feet	1		1	1	
124	Holding	1988	1		(3)	(3)	72 square feet	1		1	1	
125	Holding	1988	1		(3)	(3)	72 square feet	1		1	1	
126	Original holding cell converted to expand office/exam area.											
127	Holding	1988	1		(3)	(3)	72 square feet	1		1	1	
128	Original holding cell converted to Health Information Management Office.											
Notes: Cells 123, 124, 125 & 127 are considered medical isolation pending evaluation and housing decisions. A non-rated wire “caged” area was added to the clinic screening waiting area in 2/02 to provide better security for clinic overflow.												
2016-2018 inspection cycle - Cell 121 had five 4’ X 4’ holding enclosures with “no-throw” seating and one enclosure with toilet/wash basin/drinking fountain added												
<b>COURTLINE</b>												
106	Storage	1988					165 square feet	1		1	1	
107	Holding	1988	1		(16)	(16)	165 square feet	1		1	1	
108	Holding	1988	1		(14)	(14)	165 square feet	1		1	1	
109	Holding	1988	1		(7)	(7)	108 square feet	1		1	1	
110	Holding	1988	1		(14)	(14)	184 square feet	1		1	1	
111	Holding	1988	1		(14)	(14)	176 square feet	1		1	1	
112	Holding	1988	1		(14)	(14)	176 square feet	1		1	1	

\*T = Toilets; U = Urinals; W = Wash Basins; F = Fountains; S = Showers in unit; If "Total RC" appears in brackets ( ), it is not part of the facility's rated capacity. "+" indicates that capacity includes prorated air space from adjacent areas.

ROOMS							EACH ROOM					
Location	Cell Type	Applicable Standards	# Cells	EACH CELL		Total RC	DIMENSIONS (L x W x H)	FIXTURES*				
				# Beds	RC			T	U	W	F	S
113	Staging	1991	1		(44)	(44)	440 square feet	2	1	2		
122	Holding	1988	1		(16)	(16)	260 square feet	1		1	1	
2016-2018 inspection cycle - Cell 106 has been converted to a storage for disaster equipment. Cell 110 has been converted to an "ADA" cell with necessary furnishings.												
<b>2<sup>ND</sup> FLOOR – CORRIDOR A – CUSTODY LINE</b>												
201	Holding	1988	1		(14)	(14)	222 square feet	1		1	1	
202	Holding	1988	1		(14)	(14)	197 square feet	1		1	1	
203	Holding	1988	1		(14)	(14)	206 square feet	1		1	1	
204	Holding	1988	1		(15)	(15)	197 square feet	1		1	1	
205	Holding	1988	1		(14)	(14)	222 square feet	1		1	1	
206	Holding	1988	1		(16)	(16)	214 square feet	1		1	1	
207	Holding	1988	1		(15)	(15)	206 square feet	1		1	1	
208	Holding	1988	1		(16)	(16)	187 square feet	1		1	1	
209	Holding	1988	1		(16)	(16)	230 square feet	1		1	1	
210	Holding	1988	1		(16)	(16)	207 square feet	1		1	1	
211	Holding	1988	1		(15)	(15)	210 square feet	1		1	1	
212	Holding	1988	1		(16)	(16)	197 square feet	1		1	1	
213	Holding	1988	1		(14)	(14)	198 square feet	1		1	1	
214	Holding	1988	1		(16)	(16)	201 square feet	1		1	1	
215	Holding	1988	1		(14)	(14)	182 square feet	1		1	1	
216	Holding	1988	1		(16)	(16)	194 square feet	1		1	1	
217	Holding	1988	1		(15)	(15)	176 square feet	1		1	1	
218	Holding	1988	1		(16)	(16)	176 square feet	1		1	1	
219	Holding	1988	1		(5)	(5)	102 square feet	1		1	1	
220	Holding	1988	1		(16)	(16)	179 square feet	1		1	1	
2016-2018 inspection cycle Cell 202 has been converted to an "ADA" cell with necessary furnishings.												
<b>CORRIDOR B – CUSTODY LINE</b>												
221	Holding	1988	1		(16)	(16)	198 square feet	1		1	1	
222	Holding	1988	1		(16)	(16)	197 square feet	1		1	1	
223	Holding	1988	1		(16)	(16)	206 square feet	1		1	1	
224	Holding	1988	1		(16)	(16)	179 square feet	1		1	1	
225	Holding	1988	1		(16)	(16)	210 square feet	1		1	1	
226	Holding	1988	1		(16)	(16)	191 square feet	1		1	1	
227	Holding	1988	1		(16)	(16)	210 square feet	1		1	1	
228	Holding	1988	1		(16)	(16)	160 square feet	1		1	1	
229	Holding	1988	1		(16)	(16)	209 square feet	1		1	1	
<b>RELEASE</b>												
230	Holding	1988	1		(16)	(16)	184 square feet	1		1	1	
232	Holding	1988	1		(16)	(16)	184 square feet	1		1	1	
233	<i>O/S Agency Office</i>	1988					260 square feet	1		1	1	

\*T = Toilets; U = Urinals; W = Wash Basins; F = Fountains; S = Showers in unit; If "Total RC" appears in brackets ( ), it is not part of the facility's rated capacity. "+" indicates that capacity includes prorated air space from adjacent areas.

ROOMS							EACH ROOM					
Location	Cell Type	Applicable Standards	# Cells	EACH CELL		Total RC	DIMENSIONS (L x W x H)	FIXTURES*				
				# Beds	RC			T	U	W	F	S
234	Holding	1988	1		(16)	(16)	204 square feet	1		1	1	
235	Holding	1988	1		(16)	(16)	216 square feet	1		1	1	
236	Holding	1988	1		(16)	(16)	204 square feet	1		1	1	
237	Holding	1988	1		(16)	(16)	192 square feet	1		1	1	
238	Holding	1988	1		(16)	(16)	204 square feet	1		1	1	
239	Holding	1988	1		(16)	(16)	216 square feet	1		1	1	
240	Holding	1988	1		(16)	(16)	204 square feet	1		1	1	
241	Holding	1988	1		(16)	(16)	192 square feet	1		1	1	
242	Holding	1988	1		(4)	(4)	185 square feet	1		1	1	
243	Holding	1988	1		(16)	(16)	172 square feet	1		1	1	
244	Holding	1988	1		(8)	(8)	185 square feet	1		1	1	
245	<i>DNA Room</i>	1988	1				168 square feet	1		1	1	
246	Holding	1988	1		(8)	(8)	203 square feet	1		1	1	
Release	Staging	1991	1		(32)	(32)	700 square feet	1	1	2	2	

Note: At the time of the 4/2007 inspection it was determined that cells 233, 242, and 245 are now used as office space for the various staff. This will not affect the BRC because all cells converted are holding cells.

2016-2018 inspection cycle - Cell 230 was converted to an ADA cell with necessary furnishings. Cell 246 had two enclosures with seating and one with a toilet/was basin/drinking fountain added.

#### MODULE 231

231-A	Medical Beds	1988	16	2	(1-2)	(20)	See notes below	1		1	1	2
231-B	Medical Beds	1988	16	2	(1-2)	(20)		1		1	1	2
231-C	Medical Beds	1988	16	2	(1-2)	(20)		1		1	1	2
231-D	Medical Beds	1988	16	2	(1-2)	(20)		1		1	1	2
231-E	Medical Beds	1988	16	2	(1-2)	(20)		1		1	1	2
231-F	Medical Beds	1988	16	2	(1-2)	(20)		1		1	1	2

Note: Two showers per pod; 32 seats at dayroom tables. Each module has pods with 16 cells, 8 at the upper tier, 8 at bottom level. Of the 16 cells, 12 are 72 square feet and 4 are 100 square feet (these are single cells addressing ADA issues).

2014-2016 inspection cycle – At the time of this inspection the cells in Module 231 had been converted to non-rated medical beds (120) used to house inmates requiring intensive mental health services upon booking. (Although there are some exceptions, these inmates are held in this pod for less than 48 hours.) The beds in Module 232 have been transferred to TTCF and removed from this LASE.

2016-2018 inspection cycle – Showers have been added to all housing units raising the total to two in each pod. Bunks have been placed into the dayrooms of each unit as follows: A - 7 singles; B - 10 singles; C - 7 triples; D - 7 triples; E - 7 triples; and F - 7 triples.

#### OLD IRC

2014-2016 inspection cycle – The Old IRC is located on the ground floor in the rear portion of Men's Central Jail (MCJ) and serves as the principle intake reception center for the LASD system prior to the construction of the present IRC. It is used as a satellite for the current IRC as part of that facility's system and not that of MCJ. Specifically, this area is used as the sorting and temporary staging area for all inmates from IRC that are going to court. This area is under the command of the IRC Captain. This is the first time that this area is included in IRC's LASE.

1	Staging	1963	1		(19)	(19)	197 Square Feet	1	1	1	1	
---	---------	------	---	--	------	------	-----------------	---	---	---	---	--

\*T = Toilets; U = Urinals; W = Wash Basins; F = Fountains; S = Showers in unit; If "Total RC" appears in brackets ( ), it is not part of the facility's rated capacity. "+" indicates that capacity includes prorated air space from adjacent areas.

ROOMS							EACH ROOM					
Location	Cell Type	Applicable Standards	# Cells	EACH CELL		Total RC	DIMENSIONS (L x W x H)	FIXTURES*				
				# Beds	RC			T	U	W	F	S
2	Staging	1963	1		(19)	(19)	197 Square Feet	1	1	1	1	
3	Staging	1963	1		(19)	(19)	197 Square Feet	1	1	1	1	
4	Staging	1963	1		(19)	(19)	197 Square Feet	1	1	1	1	
5	Staging	1963	1		(19)	(19)	197 Square Feet	1	1	1	1	
6	Staging	1963	1		(21)	(21)	217 Square Feet	1	1	1	1	
7	Staging	1963	1		(19)	(19)	191 Square Feet	1	1	1	1	
8	Staging	1963	1		(19)	(19)	191 Square Feet	1	1	1	1	
9	Staging	1963	1		(19)	(19)	191 Square Feet	1	1	1	1	
10	Staging	1963	1		(19)	(19)	191 Square Feet	1	1	1	1	
11	Staging	1963	1		(19)	(19)	198 Square Feet	1	1	1	1	
12	Staging	1963	1		(19)	(19)	198 Square Feet	1	1	1	1	
13	Staging	1963	1		(19)	(19)	198 Square Feet	1	1	1	1	
14	Staging	1963	1		(19)	(19)	198 Square Feet	1	1	1	1	
15	Staging	1963	1		(22)	(22)	220 Square Feet	1	1	1	1	
16	Staging	1963	1		(21)	(21)	218 Square Feet	1	1	1	1	
17	Staging	1963	1		(19)	(19)	196 Square Feet	1	1	1	1	
18	Staging	1963	1		(19)	(19)	196 Square Feet	1	1	1	1	
19	Staging	1963	1		(19)	(19)	196 Square Feet	1	1	1	1	
20	Staging	1963	1		(20)	(20)	200 Square Feet	1	1	1	1	
21	Staging	1963	1		(26)	(26)	261 Square Feet	1	1	1	1	
22	Staging	1963	1		(25)	(25)	257 Square Feet	1	1	1	1	
23	Staging	1963	1		(25)	(25)	257 Square Feet	1	1	1	1	
24	Staging	1963	1		(25)	(25)	257 Square Feet	1	1	1	1	
25	Staging	1963	1		(25)	(25)	257 Square Feet	1	1	1	1	
26	Staging	1963	1		(21)	(21)	213 Square Feet	1	1	1	1	
27	Staging	1963	1		(21)	(21)	213 Square Feet	2	1	1	1	
28	Staging	1963	1		(21)	(21)	213 Square Feet	2	1	1	1	
29	Staging	1963	1		(21)	(21)	213 Square Feet	2	1	1	1	
30	Staging	1963	1		(21)	(21)	213 Square Feet	2	1	1	1	
31	Staging	1963	1		(21)	(21)	213 Square Feet	1	1	1	1	
32	Staging	1963	1		(24)	(24)	243 Square Feet	1	1	1	1	
33	Staging	1963	1		(16)	(16)	630 square feet	1		1	1	
34	Staging	1963	1		(22)	(22)	227 Square Feet	1	1	1	1	
35	Staging	1963	1		(22)	(22)	227 Square Feet	1	1	1	1	
36	Staging	1963	1		(22)	(22)	227 Square Feet	1	1	1	1	
37	Staging	1963	1		(37)	(37)	378 Square Feet	1		1	1	
38	Staging	1963	1		(80)	(80)	558 Square Feet	1		1	1	
39	Staging	1963	1		(31)	(31)	319 Square Feet	2		1	1	
A	Holding	1963	1		(2)	(2)	50 Square Feet	1		1	1	
B	Holding	1963	1		(2)	(2)	50 Square Feet	1		1	1	

\*T = Toilets; U = Urinals; W = Wash Basins; F = Fountains; S = Showers in unit; If "Total RC" appears in brackets ( ), it is not part of the facility's rated capacity. "+" indicates that capacity includes prorated air space from adjacent areas.

ROOMS							EACH ROOM					
Location	Cell Type	Applicable Standards	# Cells	EACH CELL		Total RC	DIMENSIONS (L x W x H)	FIXTURES*				
				# Beds	RC			T	U	W	F	S
C	Holding	1963	1		(2)	(2)	50 Square Feet	1		1	1	
D	Holding	1963	1		(2)	(2)	50 Square Feet	1		1	1	
E	Holding	1963	1		(2)	(2)	50 Square Feet	1		1	1	
F	Holding	1963	1		(2)	(2)	50 Square Feet	1		1	1	
G	Holding	1963	1		(2)	(2)	50 Square Feet	1		1	1	
H	Holding	1963	1		(2)	(2)	35 Square Feet	1		1	1	
I	Holding	1963	1		(2)	(2)	50 Square Feet	1		1	1	
J	Holding	1963	1		(2)	(2)	50 Square Feet	1		1	1	
K	Holding	1963	1		(2)	(2)	50 Square Feet	1		1	1	

\*T = Toilets; U = Urinals; W = Wash Basins; F = Fountains; S = Showers in unit; If "Total RC" appears in brackets ( ), it is not part of the facility's rated capacity. "+" indicates that capacity includes prorated air space from adjacent areas.