

Exhibit A

**ORACLE'S MAY 14, 2012 COPYRIGHT LIABILITY REPLY BRIEF
EXHIBIT A**

Methods and Fields Mentioned in the
Java Language Specification (third edition)
(excluding examples and commentary)

All methods and fields mentioned in the Java Language Specification (JLS) are listed below, indented under the names of their containing classes. All of the classes are in the java.lang API package.

The right-hand column shows the section number and page number of the first mention of the corresponding method or field.

The notation (-) is used when the parameter list of a method is not described in the JLS.

Very few of these methods and fields are described in any detail in the JLS. All methods and fields are fully specified in the API specifications.

Number of methods and fields listed here: 84

Boolean	
Boolean()	18.1.1 (p. 497)
booleanValue(-)	5.1.7 (p. 86)
toString()	18.1.1 (p. 497)
Byte	
byteValue(-)	5.1.7 (p. 86)
Character	
Character()	18.1.1 (p. 497)
charValue(-)	5.1.7 (p. 86)
isJavaIdentifierPart(int)	3.8 (p. 19)
isJavaIdentifierStart(int)	3.8 (p. 19)
toString()	18.1.1 (p. 497)
Class	
defineClass(-)	12.2 (p. 312)
getClass(-)	4.12.6 (p. 73)
getName(-)	4.12.6 (p. 73)
newInstance(-)	11.3 (p. 302)
Double	
Double()	18.1.1 (p. 497)
doubleToRawLongBits(-)	4.2.3 (p. 37)
doubleValue(-)	5.1.7 (p. 86)
isNaN(-)	5.1.7 (p. 86)
longBitsToDouble(-)	3.10.2 (p. 24)
toString()	18.1.1 (p. 497)
valueOf(-)	3.10.2 (p. 24)
NEGATIVE_INFINITY	3.10.2 (p. 24)
NaN	3.10.2 (p. 24)
POSITIVE_INFINITY	3.10.2 (p. 24)
Enum	
equals(-)	8.9 (p. 249)
Float	
Float()	18.1.1 (p. 497)
floatToRawIntBits(-)	4.2.3 (p. 37)
floatValue(-)	5.1.7 (p. 86)
intBitsToFloat(-)	3.10.2 (p. 24)

isNaN(-)	5.1.7 (p. 86)
toString()	18.1.1 (p. 497)
valueOf(-)	3.10.2 (p. 24)
NEGATIVE_INFINITY	3.10.2 (p. 24)
NaN	3.10.2 (p. 24)
POSITIVE_INFINITY	3.10.2 (p. 24)
Integer	
Integer()	18.1.1 (p. 497)
intValue(-)	5.1.7 (p. 86)
toString()	18.1.1 (p. 497)
MAX_VALUE	3.1.4 (p. 199)
Iterable	
iterator()	14.14.2 (p. 387)
Long	
Long()	18.1.1 (p. 497)
longValue(-)	5.1.7 (p. 86)
toString()	18.1.1 (p. 497)
Math	
max(-)	15.20.1 (p. 503)
min(-)	15.20.1 (p. 503)
Object	
clone()	4.3.2 (p. 47)
equals(Object)	4.3.2 (p. 47)
finalize()	4.3.2 (p. 47)
getClass()	4.3.2 (p. 47)
hashCode()	4.3.2 (p. 47)
notify()	4.3.2 (p. 47)
notifyAll()	4.3.2 (p. 47)
toString()	4.3.2 (p. 47)
toString(-)	4.3.1 (p. 45)
wait()	4.3.2 (p. 47)
wait(long)	4.3.2 (p. 47)
wait(long, int)	4.3.2 (p. 47)
Runtime	
exit(-)	12.8 (p. 331)
Short	
shortValue(-)	5.1.7 (p. 86)
String	
equals(-)	15.21.3 (p. 507)
intern(-)	3.10.5 (p. 28)
toCharArray(-)	10.9 (p. 294)
toString()	18.1.1 (p. 497)
System	
exit(-)	12.8 (p. 331)
setErr(-)	17.5.4 (p. 578)
setIn(-)	17.5.4 (p. 578)
setOut(-)	17.5.4 (p. 578)
err	17.5.4 (p. 578)
in	17.5.4 (p. 578)
out	17.5.4 (p. 578)
Thread.State	
BLOCKED	17.4.9 (p. 571)
WAITING	17.4.9 (p. 571)
Thread	
getState(-)	17.4.9 (p. 571)
interrupt(-)	17.8.2 (p. 581)

interrupted(-)	17.4.4 (p. 561)
isAlive()	17.4.4 (p. 561)
isInterrupted(-)	17.4.4 (p. 561)
join()	17.4.4 (p. 561)
sleep(-)	17.9 (p. 583)
start()	17 (p. 553)
stop(-)	11.1 (p. 298)
yield(-)	17.9 (p. 583)
ThreadGroup	
interrupt(-)	17.8.2 (p. 581)
stop(-)	11.3.2 (p. 303)
uncaughtException(-)	11 (p. 297)