

United States District Court  
For the Northern District of California

1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28

IN THE UNITED STATES DISTRICT COURT  
FOR THE NORTHERN DISTRICT OF CALIFORNIA

ORACLE AMERICA, INC.,

No. C 10-03561 WHA

Plaintiff,

v.

**TENTATIVE CLAIM-  
CONSTRUCTION ORDER AND  
REQUEST FOR CRITIQUE**

GOOGLE INC.,

Defendant.

\_\_\_\_\_ /

**INTRODUCTION**

In this patent and copyright infringement action involving computer technology, the parties seek construction of six terms found in six of the seven asserted patents. Five of the six terms are construed below. The sixth term, which is really at least three separate terms, will not be construed at this time. The parties have until **NOON ON MAY 6, 2011**, to submit a five-page critique (double-spaced, 12-point Times New Roman font, no footnotes, and no attachments) limited to points of critical concern. This will be an opportunity for the parties to focus solely on their most cogent critique, not to rehash every point made in the briefs and at the hearing.

**STATEMENT**

The Java software platform is central to this action. The patents at issue claim improvements to the Java technology, so a basic understanding of Java is a necessary foundation for construing the disputed patent terms. The Java concepts explained in this portion of the order are *not* part of the claimed inventions of any asserted patents; rather, they constitute the prior art upon which those inventions built.


1           Java was (and is) a technology that enabled software developers to write programs that  
2 were able to run on a variety of different types of computer hardware without having to rewrite  
3 the programs for each different type of computer hardware or “machine.” Java was not the first  
4 “write once, run anywhere” solution, but it has become one of the most popular  
5 software platforms.

6           Computer programs were written in human-readable programming languages, such as C  
7 and C++. Code written in these human-readable languages — “source code” — was not readable  
8 by computer hardware. Only “machine code,” which was much simpler, could be used by  
9 computers. Most machine code was in a binary language, meaning it consisted entirely of 0s and  
10 1s. Thus, a program had to be converted from source code into machine code before it could be  
11 run, or “executed.” This conversion traditionally was performed by a “compiler,” which  
12 converted an entire program in one step and produced an output file of machine code which *then*  
13 could be executed. The conversion also could be performed by an “interpreter,” which converted  
14 portions of the program in different steps, as needed, *while* the program was being executed. No  
15 matter how source code was converted to machine code, however, the source code had to be  
16 written specifically for the hardware architecture that ultimately would run the machine code. For  
17 example, word processing software written for an Apple Mac would not run on an IBM PC, and  
18 vice versa.

19           Java used a “virtual machine” to make software programs more portable. A virtual  
20 machine was itself a software program that emulated a particular hardware architecture. Java  
21 virtual machines were written for different types of computer hardware (such as Macs and PCs),  
22 but they all could read the same type of Java “bytecode.” Bytecode was an intermediate form of  
23 code that was simpler than source code but not as simple as machine code. Source code for a  
24 particular program could be compiled into bytecode instead of machine code, and then the  
25 bytecode could be distributed to virtual machines running on top of various types of computer  
26 hardware. The virtual machines then could run the program, translating the bytecode into  
27 machine code compatible with the particular hardware architecture on which the virtual machine  
28 was implemented. Thus, a program written for the Java virtual machine could be run on any

1 computer with a Java virtual machine, regardless of that computer's underlying  
2 hardware architecture.

3 The public Java tutorials represent this process as follows:



5  
6  
7  
8  
9 As depicted above, Java source code was written in the Java programming language, and Java  
10 source code was stored in files with the “.java” extension. After the source code was compiled  
11 into bytecode, Java bytecode was stored in files with the “.class” extension. The Java virtual  
12 machine (“VM”) could read the .class files and send instructions to computer hardware in  
13 machine-readable binary code. The class files that made up the Java bytecode are important to  
14 several of the asserted patents. A basic understanding of object-oriented programming is a  
15 prerequisite to understanding Java class files.

16 Object-oriented programming was a new paradigm that differed from the traditional,  
17 “procedural” approach to computer programming. Under the procedural approach, a program  
18 typically consisted of a list of commands. The list could be stored in one executable file. Under  
19 the object-oriented approach, on the other hand, a program was distributed among various  
20 “objects.” An object was an encapsulated set of methods and data fields on which the methods  
21 could act. Objects could work with one another through defined interfaces. Objects, however,  
22 were not *files*. Objects were structures that existed only while a program was running. For  
23 purposes of this order, a more detailed description of objects is not necessary; it suffices that  
24 objects were the basic components of a running program that was written in an object-oriented  
25 programming language.

26 Objects are relevant, however, in that they are closely related to class files in the Java  
27 prior art. In Java, an object was instantiated, or called into being while a program was running,  
28 from a single class file. Indeed, multiple objects could be instantiated from the same class file.

1 This was possible because each Java class file contained the definition of a single class, and each  
2 class was a blueprint or prototype from which objects could be created. As noted, Java class files  
3 were the files in which the Java bytecode comprising a program was stored. Java class files  
4 conformed to the Java class file format, which specified that each class file contained sixteen  
5 different portions called “structures” or “items.” Each item contained a different type of data or  
6 methods. Of the sixteen items that made up a Java class file, only two are relevant to this order:  
7 the constant pool table and the methods. The “constant pool” portion of a class file contained a  
8 table of constants that were referred to within the class. The “methods” portion of a class file  
9 contained a table of all methods declared by the class.

10 The foregoing discussion sets forth the prior art concepts upon which the asserted patents  
11 built. Because bytecode was not as simple as machine code, running bytecode was a more  
12 cumbersome task — it consumed more processor time and memory space, both of which were  
13 scarce computing resources. Most of the patents Oracle asserts relate to improving the efficiency  
14 of this process. Two of the patents relate to improving its security.

15 Java was developed by Sun Microsystems, Inc. in the 1990s. Oracle Corporation acquired  
16 Sun Microsystems and renamed it Oracle America, Inc. in January 2010. Seven months later,  
17 Oracle America filed this action claiming infringement of its patents and copyrighted works  
18 related to Java improvements. The accused products employ Android, a software platform that  
19 was designed for mobile computing devices and that competes with Java in that market. Both  
20 Java and Android are complex software platforms. Only part of Java and part of Android are  
21 relevant to this action.

22 One hundred thirty-two claims from the following seven United States patents currently  
23 are at issue in this clash of the mobile-computing titans: (1) No. 5,966,702; (2) No. 6,061,520;  
24 (3) No. 6,125,447; (4) No. 6,192,476; (5) No. RE38,104; (6) No. 6,910,205; and  
25 (7) No. 7,426,720. The parties seek construction of terms and phrases appearing in six of these  
26 seven patents. The five terms construed by this order appear in three of them. Overviews of  
27 these patents, the disputed terms, and the associated claims are covered in detail in the  
28 analysis below.

1 ANALYSIS

2 Courts must determine the meaning of disputed claim terms from the perspective of one of  
3 ordinary skill in the pertinent art at the time the patent was filed. *Chamberlain Group, Inc. v.*  
4 *Lear Corp.*, 516 F.3d 1331, 1335 (Fed. Cir. 2008). While claim terms “are generally given their  
5 ordinary and customary meaning,” the “claims themselves provide substantial guidance as to the  
6 meaning of particular claim terms.” As such, other claims of the patent can be “valuable sources  
7 of enlightenment as to the meaning of a claim term.” Critically, a patent’s specification “is  
8 always highly relevant to the claim construction analysis.” *Phillips v. AWH Corp.*, 415 F.3d  
9 1303, 1312–15 (Fed. Cir. 2005) (en banc) (internal quotations omitted). Indeed, claims “must be  
10 read in view of the specification, of which they are a part.” *Markman v. Westview Instruments,*  
11 *Inc.*, 52 F.3d 967, 979 (Fed. Cir. 1995) (en banc), *aff’d*, 517 U.S. 370 (1996). Finally, courts also  
12 should consider the patent’s prosecution history, which “can often inform the meaning of the  
13 claim language by demonstrating how the inventor understood the invention and whether the  
14 inventor limited the invention in the course of prosecution, making the claim scope narrower than  
15 it would otherwise be.” These components of the intrinsic record are the primary resources in  
16 properly construing claim terms. Although courts have discretion to consider extrinsic evidence,  
17 including dictionaries, scientific treatises, and testimony from experts and inventors, such  
18 evidence is “less significant than the intrinsic record in determining the legally operative meaning  
19 of claim language.” *Phillips*, 415 F.3d at 1317–18 (internal quotations omitted).

20 While this order acknowledges that the parties have a right to the construction of all  
21 disputed claim terms by the time the jury instructions are settled, the Court will reserve the  
22 authority, on its own motion, to modify the constructions in this order if further evidence —  
23 intrinsic or extrinsic — warrants such a modification. Given that claim construction is not a  
24 purely legal matter, but is (as the Supreme Court describes it) a “mongrel practice” with  
25 “evidentiary underpinnings,” it is entirely appropriate for the Court to adjust its construction of  
26 claims prior to trial if the evidence compels an alternative construction. *Markman*, 517 U.S.  
27 at 378, 390. The parties should be aware, however, that they are *not* invited to ask for  
28

1 reconsideration of the constructions herein. Motions for reconsideration may be made only in  
2 strict accordance with the rules of procedure, if at all.

3 **1. THE '702 PATENT**

4 The '702 patent, entitled "Method and Apparatus for Pre-Processing and Packaging Class  
5 Files," was issued on October 12, 1999. Sun Microsystems is the assignee of the '702 patent; as  
6 explained, plaintiff Oracle is the successor to Sun. Nine claims from the '702 patent are asserted  
7 in this litigation: independent claims 1, 7, and 13, and dependent claims 5, 6, 11, 12, 15, and 16,  
8 which refer to them. One term construed by this order is found in the '720 patent. It is italicized  
9 in the claims below.

10 Claim 1 covers (col. 51:2–12):

- 11 1. A method of pre-processing class files comprising:  
12 determining plurality of duplicated elements in a plurality  
13 of class files;  
14 forming a shared table comprising said plurality of  
15 duplicated elements;  
16 removing said duplicated elements from said plurality of  
17 class files to obtain a plurality of *reduced class files*; and  
18 forming a multi-class file comprising said plurality of  
19 *reduced class files* and said shared table.  
20  
21  
22  
23  
24  
25  
26  
27  
28

1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28

Claims 7 covers (col. 51:43–59):


7. A computer program product comprising:
- a computer usable medium having computer readable program code embodied therein for pre-processing class files, said computer program product comprising:
    - computer readable program code configured to cause a computer to determine a plurality of duplicated elements in a plurality of class files;
    - computer readable program code configured to cause a computer to form a shared table comprising said plurality of duplicated elements;
    - computer readable program code configured to cause a computer to remove said duplicated elements from said plurality of class files to obtain a plurality of *reduced class files*; and
    - computer readable program code configured to cause a computer to form a multi-class file comprising said plurality of *reduced class files* and said shared table.

Claim 13 covers (col. 52:39–53):

13. An apparatus comprising:
- a processor;
  - a memory coupled to said processor;
  - a plurality of class files stored in said memory;
  - a process executing on said processor, said process configured to form a multi-class file comprising:
    - a plurality of *reduced class files* obtained from said plurality of class files by removing one or more elements that are duplicated between two or more of said plurality of class files; and
    - a shared table comprising said duplicated elements.

The essence of the invention claimed by the '702 patent is the “multi-class file” format, which is a package containing a set of reduced class files and other related items. One embodiment of the multi-class file format is depicted as follows (col. 9:66–67):

Figure 5 from the '702 Patent: A Multi-Class File



**A. “reduced class file”**

The parties dispute the phrase “reduced class file.” The parties define this term differently, but only Google seeks a construction to clarify it for the jury. The parties’ proposed constructions are shown below.


<b>ORACLE’S PROPOSED CONSTRUCTION</b>	<b>GOOGLE’S PROPOSED CONSTRUCTION</b>
No construction necessary. A “reduced class file” contains a subset of the code and data contained in a class file.	“a class file containing a subset of the data and instructions contained in a corresponding original class file”

The construction of this phrase is relevant to the parties’ infringement arguments. Oracle and Google agree that a “reduced class file” contains a subset of the contents of a “class file,” though they characterize the contents differently — “code and data” versus “data and instructions.” The main dispute regarding this term, however, is whether a “reduced class file” is a “class file.” This order does not find good cause for adopting such a limitation.



1 The parties disagree as to what a “class file” is, but they did not select that phrase for  
2 construction and did not brief the issue. The patent specification uses the phrase “class file” to  
3 refer to the Java class file format (cols. 7:23, 11:25). In the prior art, Java compilers compiled  
4 Java source code into Java bytecode, which was made up of Java class files. Each Java class  
5 file stored the definition of one class (col. 7:31–32). The ’702 patent specification  
6 incorporated a detailed description of the Java class file format and illustrated it graphically in  
7 Figure 3 (col. 7:53).

8  
9 Figure 3 from the ’702 patent: A Java Class File



10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20 As shown in Figure 3, a Java class file contained a set of sixteen “structures” or “items,” such as  
21 the constant pool table (col. 11:48–49). Each item contained a different type of data or methods.  
22 As a group, the sixteen items of a Java class file contained information defining a single class. A  
23 “class” was a general concept from the object-oriented style of computer programming, as  
24 explained previously. On the other hand, a Java class file (which defined a class) had to comply  
25 with strict format requirements. The patent specification and the Java literature set forth detailed  
26 descriptions of how a Java class file and each of its items must be expressed in order to work with  
27 the rest of the Java platform (cols. 7–43). Having described what a class file generally is in the  
28

1 context of the '702 patent, this order turns to the question of whether a reduced class file must be  
2 a class file.

3 The most that can be gleaned about reduced class files from the claims themselves is that  
4 reduced class files are obtained by removing duplicated elements from a plurality of class files  
5 (col. 51:7–8, 54–56). Thus, the patent teaches that if one starts with a class file, and performs  
6 certain operations on that class file, then one is left with a “reduced class file.” The before-item is  
7 a class file. The after-item is a reduced class file. The after-item is different from the before-  
8 item. There is no indication in the claims, specification, or prosecution history that the after-item  
9 must meet the detailed format requirements for Java class files. The after-item is simply whatever  
10 is left after the before-item has been “reduced.” Presumably, it may or may not qualify as a class  
11 file, depending on what specific changes it underwent.

12 Google argues that the claim language and specification show that a reduced class file is a  
13 class file. *First*, Google notes that the phrase “reduced class file” contains the phrase “class file.”  
14 According to Google, this observation implies that a reduced class file is a class file, just as a  
15 green house is a house. *Second*, Google notes that the specification refers to reduced class files as  
16 simply “class files” or “classes” in some circumstances (*e.g.*, cols. 4:64–5:5, Fig. 4). According  
17 to Google, this second observation implies that the after-item produced by reducing a class file is  
18 something that still qualifies as a class file (Google Br. 12–13). This order disagrees with Google  
19 on both accounts. The fact that the patent uses the phrases “reduced class file” and “class file” to  
20 refer to the after-item that is obtained by reducing a class file is simply an artifact of the drafting  
21 process. These phrases indicate the *provenance* of the item produced by the reduction operation.  
22 They do not indicate that the essential *features* of that item are identical to those of the item from  
23 which it was produced.

24 By way of analogy, one might start with a document and then shred the document to  
25 produce a shredded document. One might go on to describe sweeping up and disposing of “the  
26 shredded document” or “the document” even though the item produced by the shredding process  
27 might not be considered a document on its own terms. So too here. Just as a document is  
28 shredded to produce a shredded document, a class file is reduced to produce a reduced class file.

1 The use of such convenient terminology is not strong enough evidence to support a finding that  
2 the reduced class files disclosed in the '702 patent must satisfy all the format requirements for  
3 Java class files.

4 Because the specification does not define the phrase "reduced class file," this order will  
5 construe the phrase in accordance with the limited elaboration provided in the claim language.  
6 Independent claims one, seven, and thirteen state that reduced class files are obtained by  
7 removing one or more duplicated elements from a plurality of class files that contain the same  
8 element or elements. Accordingly, the term "reduced class file" shall be construed as "what  
9 remains after one or more duplicated elements have been removed from a class file." This order  
10 neither requires nor prohibits reduced class files from qualifying as Java class files.

## 11 2. THE '520 PATENT

12 The '520 patent, entitled "Method and System for Performing Static Initialization," was  
13 issued on May 9, 2000. Sun Microsystems is the assignee of the '520 patent, and plaintiff Oracle  
14 is the successor to Sun. Twenty-two claims from this patent are asserted in this litigation:  
15 independent claims 1, 6, 12, and 18, and dependent claims 2–4, 7–11, 13–17, and 19–23. One of  
16 the disputed terms construed by this order is found in the '520 patent. It appears only in  
17 dependent claims 3 and 4. It is italicized in the claims below.

18 Claim 1 covers (col. 9:47–62):

19 1. A method in a data processing system for statically  
20 initializing an array, comprising the steps of:

21 compiling source code containing the array with static  
22 values to generate a class file with a clinit method  
containing byte codes to statically initialize the array to the  
static values;

23 receiving the class file into a preloader;

24 simulating execution of the byte codes of the clinit method  
25 against a memory without executing the byte codes to  
identify the static initialization of the array by the  
preloader;

26 storing into an output file an instruction requesting the  
27 static initialization of the array; and

28 interpreting the instruction by a virtual machine to perform  
the static initialization of the array.

1 Claim 3 covers (cols. 9:66–10:5):

- 2 3. The method of claim 1 wherein *the play executing step*  
3 includes the steps of:  
4 allocating a stack;  
5 reading a byte code from the *clinit* method that manipulates  
6 the stack; and  
7 performing the stack manipulation on the allocated stack.

8 Claim 4 covers (col. 10:6–12):

- 9 4. The method of claim 1 wherein *the play executing step*  
10 includes the steps of:  
11 allocating variables;  
12 reading a byte code from the *clinit* method that manipulates  
13 local variables of the *clinit* method; and  
14 performing the manipulation of the local variables on the  
15 allocated variables.

16 The '520 patent, issued seven months after the '702 patent, provided another way to  
17 improve the efficiency of the Java system. Recall that in the basic Java setup, Java source code  
18 was compiled by a Java compiler into Java bytecode. The bytecode was contained in class files  
19 with the .class extension. The invention of the '702 patent provided a way to compress the class  
20 files and package a group of them into a multi-class (.mclass) file. A Java virtual machine then  
21 could run the .mclass file more efficiently than it could have run the set of .class files from which  
22 it was made if the .class files had not been pre-processed. A “preloader” performed this pre-  
23 processing and packaging of .class files into .mclass files. The invention claimed in  
24 the '520 patent is another pre-processing task to be performed by the preloader, which makes the  
25 ultimate task of running the .mclass file on the virtual machine even more efficient.

26 Whereas the '702 patent provided a way to compress some of the *data* stored in class files,  
27 the '520 patent provided a way to compress some of the *method* instructions, also stored in class  
28 files, that operate on that data. Specifically, the invention of the '520 patent provided “an  
improved system for initializing static arrays in the Java programming environment”  
(col. 3:44–45). Essentially, it “reduc[es] the amount of code executed by the virtual machine to

1 statically initialize an array” (col. 2:62–64). The Java compiler generated a special method,  
2 <clinit>, to perform class initialization, including initialization of static arrays (col. 1:59–61).  
3 Under the invention of the ’520 patent, when a preloader is consolidating a set of .class files into  
4 an .mclass file, the preloader scans the class files for any <clinit> method. The preloader reads  
5 any found <clinit> method against memory to see what would happen if the <clinit> method  
6 actually were executed, and reduces the result into a set of shorthand instructions, which it stores  
7 in the .mclass file as a replacement for the bulkier <clinit> method code (cols. 2:61–3:29,  
8 3:43–4:11). Thus, less code must be loaded and executed by the virtual machine in order to  
9 initialize the classes in the multi-class file.

10 **A. “the play executing step”**

11 The parties dispute the term “the play executing step” in dependent claims three and four  
12 of the ’520 patent. The parties’ proposed constructions are shown below.

13 **ORACLE’S PROPOSED**  
14 **CONSTRUCTION**

13 **GOOGLE’S PROPOSED**  
14 **CONSTRUCTION**

15 “The play executing step” in claims 3  
16 and 4 is a reference to the “simulating  
17 execution” step in claim 1.

15 Indefinite — cannot be construed.

17 The construction of this term is relevant to the parties’ invalidity arguments. Google argues that  
18 the term “the play executing step” in dependent claims three and four is indefinite for lack of an  
19 antecedent basis in claim one. Oracle disagrees, arguing instead that the term refers to the  
20 “simulating execution” step of claim one. This order agrees with Oracle. Play executing and  
21 simulating execution of code are synonymous terms in the ’520 patent.

22 The specification of the ’520 patent explicitly defines “simulates executing” and “play  
23 executes” as synonyms. Both the summary of the invention and the detailed description of the  
24 invention state that the preloader “simulates executing (‘play executes’)” the <clinit> methods it  
25 finds (cols. 2:65–67, 3:59–60). The detailed description further explains: “When play executing,  
26 discussed below, the preloader simulates execution of the byte codes contained in the <clinit>  
27 method by the virtual machine.” (col. 4:64–66). In other portions of the specification, the terms  
28 are used interchangeably (cols. 3:12, 3:25, 4:38–39, 6:26–27). In light of the specification, a

1 person of ordinary skill in the art at the time of the invention would have understood “the play  
2 executing step” of claim one to be “simulating executing of the byte codes of the clinit method  
3 against a memory without executing the byte codes to identify the static initialization of the array  
4 by the preloader.”

5 The prosecution history of the ’520 patent helps explain why the first set of claims  
6 contains this mismatched language. (By contrast, independent claim six and all of its dependent  
7 claims refer to “play executing,” and independent claim eighteen and all of its dependent claims  
8 refer to “simulating execution of” code.) In the original patent application, the third method step  
9 of the first claim was drafted as “play executing the byte codes of the clinit method against a  
10 memory to identify the static initialization of the array by the preloader” (Peters Supp. Exh. 11  
11 at ’520 Application). Claims one and three were rejected as anticipated by a publication that the  
12 examiner found to disclose a similar method, including the step of “compar[ing] the execution of  
13 byte codes of the clinit method against memory to identify the static initialization of an array by  
14 the preloader” (*id.* at Office Action, July 21, 1999). The examiner also objected to claims two,  
15 four, and five as dependent upon a rejected base claim.

16 In response to the rejection of claims one and three, the applicants amended claim one.  
17 The phrase “without executing the byte codes” was added, and “play executing” was replaced  
18 with “simulating execution of” (*id.* at Response, Oct. 18, 1999). During a telephone interview,  
19 the examiner agreed that this amendment to claim one rendered all of the pending claims  
20 allowable over the cited art. The examiner’s summary of that interview stated that the “general  
21 background of the invention was discussed” but that “[n]o prior art was discussed.” The  
22 examiner wrote: “In particular, the disclosure of the ‘pre-loader’ and ‘simulation’ function as  
23 disclosed in claims 1, 6 and 12.. [*sic*] Narrowing the claims to make clear the functions of these  
24 elements were [*sic*] also discussed.” (*id.* at Interview Summary, Oct. 13, 1999). The claims  
25 ultimately were allowed with a finding that the prior art “fails to anticipate or render obvious the  
26 simulation of execution with respect to class initialization, without executing byte codes.” In  
27 particular, the examiner found that the reference that prompted the amendment “teaches of  
28

1 comparing the execution of byte codes, but fails to address the issue of simulating the process  
2 without execution” (*id.* at Notice of Allowability).

3 Thus, the key distinction was that the method step claimed as part of the ’520 patent  
4 invention did *not* involve actually executing the code. Changing “play executing” to “simulating  
5 executing of” may have helped clarify this point, but adding the phrase “without executing the  
6 byte codes” is what explicitly narrowed the claim to avoid the prior art. The prior art addressed  
7 “comparing execution” but did not use the phrase or concept of “play executing” (*id.* at Notice of  
8 Allowability; M. Cierniak, and Wei Li, *Briki: An Optimizing Java Compiler*, proceedings of  
9 Comcon conference, Feb. 23–26, 1997). Moreover, the examiner’s characterization of  
10 application claims one, six, and twelve as each containing a “simulation” function shows that he,  
11 too, viewed “play executing” and “simulating execution of” as the same thing; each of those  
12 claims recited “play executing,” and none of them used any form of the word “simulation.”  
13 Despite Google’s best efforts to show otherwise, there is no evidence in the prosecution history  
14 that the applicant surrendered the position that “play executing” and “simulating execution of” are  
15 equivalent. The third method step of claim one was reworded from “play executing” to  
16 “simulating execution of,” and the dependent claims referring “play executing” were not also  
17 reworded to match. That is all.

18 The “play executing” reference in claims three and four may be sloppy, but it is not  
19 insolubly indefinite. *See Exxon Research and Eng’g Co. v. United States*, 265 F.3d 1371, 1375  
20 (Fed. Cir. 2001). The specification makes plain that “play executing” is “simulating execution  
21 of,” and the prosecution history does not compel a contrary interpretation. Indeed, if the  
22 examiner believed there was an important difference between “play executing” and “simulating  
23 execution of,” the patent would not have issued as is. Google’s arguments that the disputed term  
24 is indefinite and that the prosecution history shows a difference of meaning between “play  
25 executing” and “simulating execution of” are refuted by the foregoing analysis. Furthermore,  
26 adopting Oracle’s proposed construction of “play executing,” which is simply a recognition that it  
27 refers to the “simulating execution” step of claim one, would not rise to the level of judicial  
28

1 correction of a claim-drafting error, as Google suggests. *See Novo Indus., L.P. v. Micro Molds*  
2 *Corp.*, 350 F.3d 1348, 1354 (Fed. Cir. 2003).

3 Having fully considered the parties' arguments, the '520 patent, and its prosecution  
4 history, this order adopts Oracle's construction of "the play executing step." Google's vigorous  
5 hand-waiving simply does not get around the specification's explicit definition of "play  
6 executing" and "simulating execution of" as synonyms. Accordingly, the "the play executing  
7 step" in claims three and four will be construed as a reference to the "simulating execution"  
8 method step of claim one.

9 **3. THE '104 PATENT**

10 The '104 patent, entitled "Method and Apparatus for Resolving Data References in  
11 Generated Code," was issued on April 29, 2003. It is a continuation of U.S. Patent No.  
12 RE36,204, which in turn claims priority from U.S. Patent No. 5,367,685, issued on November 22,  
13 1994. Sun Microsystems is the assignee of the '104 patent, and plaintiff Oracle is the successor  
14 to Sun. Thirty-one claims from this patent are asserted in this litigation: independent  
15 claims 11–13 and 17–41, and dependent claims 14–16. Three of the disputed terms construed by  
16 this order are found in the '520 patent. Each of these terms appears in most of the asserted  
17 claims. The terms are italicized in the claim below, which is provided as a  
18 representative example.

19 Claim 12 covers (col. 7:14–27):

20 12. A computer-readable medium containing instructions for  
21 controlling a data processing system to perform a method for  
22 interpreting *intermediate form object code* comprised of  
instructions, certain of said instructions containing one or more  
*symbolic references*, said method comprising the steps of:

23 interpreting said instructions in accordance with a program  
24 execution control; and

25 *resolving a symbolic reference* in an instruction being  
26 interpreted, said step of *resolving* said *symbolic reference*  
including the substeps of:

27 determining a numerical reference corresponding to  
28 said *symbolic reference*, and

storing said numerical reference in a memory.



1 The claimed invention is “a hybrid compiler-interpreter” “for generating executable code  
2 and resolving data references in the generated code” (abstract; cols. 2:27–28, 3:33–34). Under  
3 the claimed invention, a compiler compiles source code into an intermediate form of code, and  
4 then an interpreter translates the intermediate form code for execution. The intermediate form  
5 code contains both numeric and symbolic data references, so the interpreter must employ a  
6 different subroutine to handle each type of reference while translating the intermediate form code.  
7 Specifically, a static field reference routine is used for numeric references, and a dynamic field  
8 reference routine is used for symbolic references (cols. 2:27–59, 3:33–5:57).

9 **A. “intermediate form code” and “intermediate form object code”**

10 The parties agree that “intermediate form code” and “intermediate form object code” are  
11 the same thing in the context of the ’104 patent, but they disagree as to what these terms mean.  
12 These disputed terms appear in about two-thirds of the thirty-one asserted claims of the ’104  
13 patent. The parties’ proposed constructions are shown below.

14 **ORACLE’S PROPOSED**  
15 **CONSTRUCTION**

16 “executable code that is generated by  
17 compiling source code and is  
independent of any computer  
instruction set”

14 **GOOGLE’S PROPOSED**  
15 **CONSTRUCTION**

16 “code that is generated by compiling  
17 source code and is independent of any  
computer instruction set”

18 The construction of these terms is relevant to the parties’ invalidity arguments. The parties agree  
19 that “intermediate form code” and “intermediate form object code” are “code that is generated by  
20 compiling source code and is independent of any computer instruction set.” The parties’ sole  
21 disagreement with respect to these terms is whether the intermediate code must be executable.  
22 This order finds that it does. Most persuasive is the following statement, which appears twice in  
23 the specification, introducing both the summary of the invention and the detailed description of  
24 presently preferred and alternate embodiments: “A method and apparatus for generating  
25 executable code and resolving data references in the generated code is disclosed” (cols. 2:27–29,  
26 3:33–35). That is, executable code is generated, and data references in the generated executable  
27 code are resolved. In every claimed embodiment of the invention that uses the disputed terms, the  
28 “intermediate form code” or “intermediate form object code” is the code that has been generated

1 by a compiler and that contains data references which are then resolved by an interpreter. Hence,  
2 the “intermediate form code” or “intermediate form object code” in these claims is the “generated  
3 code” of the invention, which the specification explicitly states is executable.

4 Other intrinsic evidence supports this conclusion as well. For example, the specification  
5 notes that “generated coded [*sic*] are in intermediate form” (col. 4:38–39). This statement  
6 confirms that the “intermediate form code” and “intermediate form object code” in the claims are  
7 the “generated code” that the specification describes as executable. The specification also refers  
8 to the “execution performance” of “the ‘compiled’ intermediate form object code” of the  
9 invention, suggesting not only that it is executable, but also that it can be executed as efficiently  
10 as “traditional compiled object code” while maintaining greater flexibility (col. 5:41–49).  
11 Furthermore, the background portion of the specification lays the foundation that a “program in  
12 intermediate form *is executed* by” an interpreter (cols. 1:67–2:2) (emphasis added).

13 The claims themselves also refer to the intermediate code as executable. Asserted  
14 independent claim eleven, for example, claims “intermediate form object code constituted by a set  
15 of instructions, certain of said instructions containing one or more symbolic references,” as well  
16 as “a processor configured *to execute* said instructions containing one or more symbolic  
17 references” (col. 7:6–10) (emphasis added). Google protests that the processor of claim eleven  
18 executes “instructions” rather than “intermediate form object code,” but the plain language of the  
19 claim explains that these instructions *are* the intermediate form object code. The other asserted  
20 claims have similar references to execution.

21 Independent claims one and six, which were not re-issued, specifically claim “generating  
22 executable code in an intermediate form” (cols. 5:63, 6:36–37). Oracle views this claim language  
23 as further support for the position that code in intermediate form is executable. Google, on the  
24 other hand, views the exclusion of these claims from the re-issued ’104 patent as proof of “the  
25 patentee’s express intent to claim ‘intermediate form [object] code’ that is not necessarily  
26 executable” (Google Resp. Br. 16). Google, however, does not point to any evidence from the  
27 prosecution history that would support this inference of patentee intent.  
28

1           Having reviewed the prosecution history of the '104 patent, this order finds no support for  
2 such an inference. The applicant explained that he sought re-issuance because the original patent  
3 claimed less than he had a right to claim in three respects, none of which had anything to do with  
4 expanding the scope of the claims to include intermediate form code that is not executable.  
5 Rather, the expansions of the claims were intended to cover the following three areas:  
6 (1) complimentary compilers and interpreters that could be sold separately rather than packaged  
7 into a single product; (2) more specific “handling of numerical values corresponding to symbolic  
8 references”; and (3) *Beauregard*-type “claims more specifically directed to computer program  
9 code devices.” (Peters Supp. Exh. 11 at '104 Gosling Decl., Nov. 21, 1996). Moreover, the '104  
10 patent was issued after the applicant overcame a series of rejections, but all the rejections were  
11 based on procedural defects, not prior art. The applicant never narrowed the scope of the claims  
12 to avoid prior art, nor did he affirmatively disclaim intermediate form code that was or was not  
13 executable (*see id.* at '104 office actions and responses).

14           Google also argues for its inference of patentee intent as a matter of law. Since claims one  
15 and six refer to the intermediate code as “executable” but the other claims do not, Google infers  
16 that the property of being executable is not a limitation of the intermediate code in the other  
17 claims. *See Philips*, 415 F.3d at 1314. Drawing this inference may be proper as a matter of law,  
18 but the inference is overcome by the strong countervailing evidence from the specification  
19 discussed above.

20           Google’s remaining arguments are unpersuasive as well. The critique that Oracle’s  
21 proposed construction “would limit the term to code that is not an ‘intermediate representation’”  
22 (Google Resp. Br. 17) raises no concern at all, because the patent claims and specification  
23 repeatedly make clear that “intermediate form code” and “intermediate representations” of code  
24 are two different things (*e.g.*, col. 4:21–23; Figs. 4–5; clm. 21). Similarly, the fact that the  
25 limitation “executable” could encompass both execution directly by a computer processor  
26 (hardware) and execution by a virtual machine (software) is neither confusing nor problematic.

27           Although the limitation that “intermediate form code” and “intermediate form object  
28 code” must be executable is not explicitly called out in the asserted claims, this order finds that

1 the limitation would be implicit to a person of ordinary skill in the art reading the claims in light  
2 of the surrounding claim language and specification. Accordingly, Oracle’s proposed  
3 construction of these terms will be adopted. Both “intermediate form code” and “intermediate  
4 form object code” will be construed to mean “executable code that is generated by compiling  
5 source code and is independent of any computer instruction set.”

6 **B. “symbolic reference”**

7 The parties disagree both as to whether the term “symbolic reference” requires  
8 construction, and, if so, how it should be construed. This disputed term appears in each of the  
9 thirty-one asserted claims of the ’104 patent. The parties’ proposed constructions are  
10 shown below.

ORACLE’S PROPOSED CONSTRUCTION	GOOGLE’S PROPOSED CONSTRUCTION
No construction necessary. The ordinary meaning is “a reference by name.”	“a dynamic reference to data that is string- or character-based”


11  
12  
13  
14  
15 The construction of this term is relevant to the parties’ infringement arguments. Oracle asserts  
16 that the ordinary meaning of “symbolic reference” is “a reference by name,” whereas Google  
17 would construe “symbolic reference” to mean a data reference that is dynamic and is string- or  
18 character-based. A person of ordinary skill in the art might find both parties’ proposed  
19 constructions to be technically accurate, but they rely heavily on extrinsic evidence and would not  
20 be particularly helpful to a jury. Instead of choosing between them, this order steers a middle  
21 course guided by the intrinsic evidence of the ’104 patent itself.

22 The ’104 patent teaches two different types of data references: numeric references and  
23 symbolic references. The claimed invention includes an interpreter with two different sub-  
24 routines: “a static field reference routine for handling numeric references and a dynamic field  
25 reference routine for handling symbolic references” (col. 2:42–44). Computers stored data in  
26 memory locations defined by numeric addresses. A numeric data reference was one that  
27 identified data directly by its memory-location address. For example, the command “load the  
28 data stored in memory slot 2” contains a numeric reference to the data stored in slot 2 (col.

1 1:26–41). The claimed invention would use a static subroutine to interpret this numeric data  
 2 reference — all it would have to do is go get whatever data is stored in slot 2. The data stored in  
 3 slot 2 might turn out to be, for example, “17” (col. 5:24–31).

4 A symbolic data reference, on the other hand, did *not* identify data directly by its memory-  
 5 location address. Instead, a symbolic reference identified data by a “symbolic name”  
 6 (col. 1:64–67). For example, the command “load the data called y” contains a symbolic reference  
 7 to the data called y. The claimed invention would use a dynamic subroutine to interpret this  
 8 symbolic reference — it would have to figure out that “y” means “17” or that “y” means “the data  
 9 stored in memory slot 2,” and *then* get the data called y (col. 5:13–19). Figure 8 depicts the step  
 10 of rewriting a symbolic reference as a numeric reference, which is included in some embodiments  
 11 of the invention.

12 Figure 8 from the '104 Patent:  
 13 Rewriting a Symbolic Reference as a Numeric Reference



23 This contrast between symbolic references and numeric references pervades the asserted  
 24 claims. Claim twelve, which is reproduced above, discloses “resolving a symbolic reference” to  
 25 include the substeps of “determining a numerical reference corresponding to said symbolic  
 26 reference, and storing said numerical reference in a memory” (col. 7:33–37). Many of the other  
 27 claims contain similar language.  
 28

1 The numeric and symbolic references discussed in the '104 patent are references to data.  
2 The patent discloses these two types of data references in opposition to one another, and the  
3 specification refers to symbolic data references as references made by a "symbolic name." These  
4 observations from the intrinsic record shall guide construction of the disputed term. The patent's  
5 distinction that symbolic references are resolved in a dynamic manner, whereas numeric  
6 references are resolved in a static manner, provides a further gloss that would be useful to a jury.  
7 On the other hand, delving into extrinsic dictionaries to construe the term "symbolic reference" is  
8 unnecessary. Google's proposed modifier "string- or character-based" does not correspond to any  
9 terms or concepts appearing in the intrinsic record and will not be read in from the proffered  
10 extrinsic sources. The term "symbolic reference" shall be construed as "a reference that identifies  
11 data by a name other than the numeric memory location of the data, and that is resolved  
12 dynamically rather than statically."

13 **C. "resolve" and "resolving"**

14 As with the term "symbolic reference," the parties disagree both as to whether the term  
15 "resolve" or "resolving" requires construction, and, if so, how it should be construed. This  
16 disputed term appears in the vast majority of the thirty-one asserted claims of the '104 patent.  
17 The parties' proposed constructions are shown below.

18 **ORACLE'S PROPOSED**  
19 **CONSTRUCTION**

18 **GOOGLE'S PROPOSED**  
19 **CONSTRUCTION**

20 No construction necessary.  
21 "Resolving" a symbolic reference is  
22 determining its corresponding  
23 numerical reference.

20 "replace/replacing at least for the life  
21 of the process"

22 The construction of this term is relevant to the parties' infringement arguments. The parties  
23 disagree substantially, both as to what sort of action resolving is (*i.e.*, determining versus  
24 replacing) and whether this action carries any temporal limitation within the context of the '104  
25 patent. Again, this order finds that Google's attempt to pile on limitations is not supported by the  
26 intrinsic evidence.

27 The asserted claims disclose resolving symbolic data references. As an initial matter, this  
28 order notes that the term "resolve" is used only in conjunction with symbolic references in

1 the '104 patent; numeric references are not “resolved.” Accordingly, the term “resolve” shall be  
2 construed within the limited context of resolving symbolic data references for purposes of  
3 the '104 patent. Some asserted claims provide that resolving a symbolic reference is  
4 accomplished “by determining a numerical reference corresponding to said symbolic reference,  
5 and storing said numerical reference in a memory” (*e.g.*, clm. 19). Other asserted claims define  
6 resolving a symbolic reference to include “obtaining data in accordance to said stored numerical  
7 reference” as well (*e.g.*, clm. 18). Still other asserted claims refer to “resolving said symbolic  
8 references to corresponding numerical references” or “resolv[ing] the symbolic data reference”  
9 without any further explanation (clms. 17, 24). Such claims, however, also generally refer to “a  
10 numeric reference resulting from the resolution of the symbolic reference.”

11       Based on the extensive usage of “resolve” in the asserted claims, this order concludes that  
12 “resolving” a symbolic data reference requires at least identifying the corresponding numeric  
13 reference by which the data can be referenced. Resolving a symbolic reference does not,  
14 however, require *replacing* the symbolic reference. Specifically, the fact that a symbolic  
15 reference may be resolved “by determining a numerical reference corresponding to said symbolic  
16 reference, and storing said numerical reference in *a* memory” (emphasis added) makes plain that  
17 the resolution process can be completed for a symbolic reference without writing over the  
18 symbolic reference. Furthermore, some claims use the words “resolve” and “replace” to refer to  
19 two different steps. For example, claim 30 recites “replacing” instructions containing symbolic  
20 references “with a new instruction containing a numeric reference resulting from invocation of a  
21 dynamic field reference routine to resolve the symbolic data reference” (col. 10:9–13). Similarly,  
22 claims one and six (which were not reissued) disclose “replacing said symbolic references with  
23 their corresponding numeric references” as a separate step to be performed *after* the step of  
24 “resolving said symbolic references to corresponding numeric references” is complete  
25 (col. 6:3–5, 44–47).

26       The specification and the prosecution history are consistent with this claims-based  
27 interpretation. Google leans heavily on the aspect of the invention that contemplates resolving  
28 each symbolic reference only once per execution run (Google Br. 17–21). This improvement,

1 however, does *not* require the resolution of symbolic references to include *replacing* them. The  
2 advantage could be achieved instead by storing the corresponding numeric references in another  
3 convenient location. Indeed, the patent claims both approaches (*e.g.*, clms. 13 (storing), 30  
4 (replacing)). The storage or replacement also need not persist “for the life of the process” as  
5 Google suggests. Nothing in the intrinsic record addresses a temporal aspect of “resolving.”  
6 Even to practice the single-resolution improvement on which Google relies, the particulars of the  
7 process in question would dictate the length of time the resolution of a particular symbolic  
8 reference would need to last. Conceivably, if a lengthy process utilized a particular symbolic  
9 reference only early on, it might be beneficial to store the corresponding numeric reference in  
10 memory during the first part of the process but then empty and re-use that memory space as the  
11 process continues to run. The ’104 patent does not foreclose this possibility. The term “resolve”  
12 should not be so limited. Having considered the parties’ arguments in the context of the intrinsic  
13 record, this order holds that “resolving” a symbolic reference shall be construed to mean “at least  
14 determining the numerical memory-location reference that corresponds to the  
15 symbolic reference.”

#### 16 4. REMAINING TERMS AND PATENTS

17 In an attempt to engineer a three-for-one deal or better, the parties seek construction of the  
18 following set of terms: “computer-usable medium,” which appears in the ’702 patent, “computer-  
19 readable storage medium,” which appears in the ’720 patent, and “computer-readable medium,”  
20 which appears in the ’104, ’520, ’447, and ’476 patents. These three terms come from six  
21 different patents whose issue dates span a decade and whose subject matter ranges from security  
22 and access protections to loading and processing techniques.

23 Claim terms are to be construed from the perspective of one of ordinary skill in the  
24 pertinent art at the time of filing. *Chamberlain*, 516 F.3d at 1335. These six patents relate to  
25 different specialized arts within the field of computer science — a field that is known for rapid  
26 change. Construing these terms properly would require individualized attention to the intrinsic  
27 evidence and prosecution history of each of the six patents from which they hail.

28



1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28

The parties were instructed to isolate no more than six disputed terms for construction by way of the *Markman* proceedings (Dkt. No. 56 ¶ 5). This order already has construed five. The request for construction of this last set of terms, which is equivalent to at least three and as many as six additional terms, is too much. No more terms will be construed at this time.

**CONCLUSION**

The constructions set forth above will apply in this dispute. The Court will reserve the authority, on its own motion, to modify these constructions if further evidence warrants such a modification. Additionally, by **NOON ON MAY 6, 2011**, each side may file a five-page critique (double-spaced, 12-point Times New Roman font, no footnotes, and no attachments) limited to points of critical concern. This is an opportunity for the parties to focus solely on their most cogent critique, not to rehash every point made in the briefs and at the hearing. No replies, please.

**IT IS SO ORDERED.**

Dated: April 27, 2010.

\_\_\_\_\_  
WILLIAM ALSUP  
UNITED STATES DISTRICT JUDGE