

1 DORSEY & WHITNEY LLP  
 Jeremy T. Elman (SBN 223696)  
 2 elman.jeremy@dorsey.com  
 305 Lytton Avenue  
 3 Palo Alto, CA 94301  
 Telephone: (650) 857-1717  
 4 Facsimile: (650) 857-1288

5 Kent J. Schmidt (SBN 195969)  
 schmidt.kent@dorsey.com  
 6 600 Anton Blvd., Suite 2000  
 7 Costa Mesa, CA 92626  
 Telephone: (714) 800-1445  
 8 Facsimile: (714) 464-4507

9 J. Michael Keyes (SBN 262281)  
 keyes.mike@dorsey.com  
 10 701 5th Ave, Suite 6100  
 11 Seattle, WA 98104  
 Telephone: (206) 903-8757  
 12 Facsimile: (206) 299-3998

13 Attorneys for Defendant  
 14 SKYWORTH USA CORPORATION

15 UNITED STATES DISTRICT COURT  
 16 NORTHERN DISTRICT OF CALIFORNIA  
 17 SAN JOSE DIVISION

18 CADENCE DESIGN SYSTEMS,  
 19 Plaintiff,

20 v.

21 SKYWORTH DIGITAL HOLDINGS  
 LTD.; SHENZHEN SKYWORTH  
 22 AUTOMOBILE ELECTRONICS CO.  
 LTD.; SKYWORTH ELECTRONIC  
 23 APPLIANCE LTD.; SKYWORTH  
 ELECTRONICS INC.; SKYWORTH USA  
 24 CORPORATION,  
 25 Defendants.

CASE NO. 3:18-CV-02474-EMC

**SECOND STIPULATION TO EXTEND  
 TIME FOR SKYWORTH USA  
 CORPORATION TO RESPOND TO  
 COMPLAINT; [~~PROPOSED~~] ORDER**

Judge: Honorable Edward M. Chen

1 Pursuant to Civil L.R. 6-1(a), Defendant Skyworth USA Corporation (“Skyworth USA”),  
2 and Plaintiff Cadence Design Systems, Inc. (“Plaintiff”) by and through their counsel of record,  
3 hereby stipulate and agree as follows:  
4

5 **RECITALS**

6 WHEREAS, on April 25, 2018, Plaintiff filed its Complaint in this action;

7 WHEREAS, on May 17, 2018, the Court granted Skyworth USA an extension to respond to  
8 the Complaint until June 20, 2018;

9 WHEREAS, Skyworth USA has recently retained new counsel;

10 WHEREAS, Plaintiff has agreed to a second extension of time for Skyworth USA to respond  
11 to the Complaint until July 9, 2018;

12 The second stipulation was promptly filed after current counsel was engaged by Skyworth  
13 USA and will not alter the date of any event or any deadline already fixed by Court order.  
14

15 **STIPULATION**

16 WHEREFORE, the Parties stipulate and agree:

17 Skyworth USA’s deadline to respond to the Complaint should be extended to July 9, 2018.  
18  
19

20 Dated: June 13, 2018

DORSEY & WHITNEY LLP

21 By: /s/ Jeremy T. Elman  
22 JEREMY T. ELMAN  
23 Attorneys for Skyworth USA Corporation

24  
25 Dated: June 13, 2018

KIRKLAND & ELLIS LLP

26 By: /s/ Lauren Schweitzer  
27 LAUREN SCHWEITZER  
28 Attorneys for Cadence Design Systems, Inc.

1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28

**CERTIFICATION**

Pursuant to Local Rule 5-1(i)(3), the filing attorney attests that he has obtained concurrence regarding the filing of this document from the indicated signatories to the document.

Dated: June 13, 2018

By: /s/ Jeremy T. Elman

Jeremy T. Elman

1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28

~~[PROPOSED]~~ ORDER

Good cause appearing, the deadline for defendant Skyworth USA Corporation to respond to the Complaint of plaintiff Cadence Design Systems, Inc. is extended to July 9, 2018.

IT IS SO ORDERED.

Dated: 6/14/18

