1	PAMELA Y. PRICE, ESQ. (STATE BAR NO. 107713)		
	DANIEL MARTINEZ DE LA VEGA (STATE BAR NO. 255885) PRICE AND ASSOCIATES		
3	A Professional Law Corporation The Latham Square Building 1611 Telegraph Avenue, Suite 1450 Oakland, CA 94612 Telephone: (510) 452-0292 Facsimile: (510) 452-5625 KENDRA FOX-DAVIS (STATE BAR NO. (248757) LAWYERS' COMMITTEE FOR CIVIL RIGHTS OF THE SAN FRANCISCO BAY AREA 131 Steuart Street, Suite 400 San Francisco, CA 94015 Telephone: (415) 543-9444		
4			
5			
6			
7			
8			
9			
10	Attorneys for Plaintiff JOHN EARL CAMPBELL		
11			
12	UNITED STATES DISTRICT COURT NORTHERN DISTRICT OF CALIFORNIA		
13			
14			
15			
16	IOUNEADI CAMDELI) NO. C05-05434 CW	
17	JOHN EARL CAMPBELL,)	
18	Plaintiff,) ORDER PERMITTING PLAINTIFF TO) USE CERTAIN EQUIPMENT DURING) JURY TRIAL AND TO BRING SUCH	
19	v.) EQUIPMENT INTO <u>COURTHOUSE</u>) ORDER	
20	NATIONAL PASSENGER RAILROAD CORPORATION dba AMTRAK, JOE DEELY,)	
21	and DOES 1-15, inclusive,)) HON. CLAUDIA WILKEN	
22	Defendants.)	
23	Being that a jury trial is scheduled t	Deing that a jum trial is scheduled to begin in the above articled matter on	
24	Being that a jury trial is scheduled to begin in the above-entitled matter on		
25	February 9, 2009, and being that a request has been made by Plaintiff JOHN CAMPBELL to allow		
26	the use of a projector, a table for projection purposes, a projection screen, an easel, a camera, a set		
27	of laptop speakers, two laptops, and a printer during said jury trial,		
28			
1143PTP228PYP	ORDER FOR EQUIPMENT (C05-5434 CW)		

1	IT IS HEREBY ORDERED that the request to use said equipment during the	
2	jury trial is hereby GRANTED ; and	
3	IT IS FURTHER ORDERED that said equipment may be brought into the	
4		
5	courthouse in preparation for the jury trial, commencing on February 5, 2009, and continuing	
6	through the conclusion of the trial.	
7		
8	Dated: 2/5/09 Condition	
9	UNITED STATES DISTRICT COURT	
10		
11		
12		
13		
14		
15		
16		
17		
18		
19		
20		
21		
22		
23		
24		
25		
26		
27		
28		
1143PTP228PYP	ORDER FOR EQUIPMENT (C05-5434 CW)	