

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28

Ex. 18

From: Malaysia Computer Emergency Response Team <mycert@mycert.org.my>
Sent: Wednesday, December 2, 2009 8:16 PM
To: abuse@godaddy.com
Cc: soc@us-cert.gov
Subject: Re: [MyCERT-200912011065922] : Reporting Incident : Domain Infringement

-----BEGIN PGP SIGNED MESSAGE-----

Hash: SHA1

Dear Abuse Team,

MyCERT received a report from an organization regarding a domain registered under your administration that host a fake website of the original website which is can be found at www.petronas.com.

Domain: petronastower.net

URL : <http://www.petronastower.net>

IP : 64.202.189.170

Domain Name: PETRONASTOWER.NET

Registrar: GODADDY.COM, INC.

Whois Server: whois.godaddy.com

Referral URL: <http://registrar.godaddy.com>

Name Server: NS39.DOMAINCONTROL.COM

Name Server: NS40.DOMAINCONTROL.COM

Status: clientDeleteProhibited

Status: clientRenewProhibited

Status: clientTransferProhibited

Status: clientUpdateProhibited

Updated Date: 02-may-2009

Creation Date: 08-may-2003

Expiration Date: 08-may-2010

The domain is hosting pornographic web contents from <http://www.camfunchat.com> which can be used for fraudulent purposes and this can create a likelihood of confusion to their clients.

As of at this time, MyCERT has confirmed that the above disputed site is still active online. We would appreciate your assistance to investigate on the above site and to close the domain as soon as possible.

We appreciate your prompt response.

Kindly retain the above subject header containing:[MyCERT-200912011065922] to ensure effective response.

Regards,

- -Juanita

=====
=====Whois=====

OrgName: GoDaddy.com, Inc.


OrgID: GODAD

Address: 14455 N Hayden Road

Address: Suite 226

City: Scottsdale

StateProv: AZ



PostalCode: 85260
Country: US
NetRange: 64.202.160.0 - 64.202.191.255
CIDR: 64.202.160.0/19
NetName: GO-DADDY-SOFTWARE-INC
NetHandle: NET-64-202-160-0-1
Parent: NET-64-0-0-0-0
NetType: Direct Allocation
NameServer: CNS1.SECURESERVER.NET
NameServer: CNS2.SECURESERVER.NET
NameServer: CNS3.SECURESERVER.NET
Comment:
RegDate: 2002-10-22
Updated: 2007-06-14
OrgAbuseHandle: ABUSE51-ARIN
OrgAbuseName: Abuse Department
OrgAbusePhone: +1-480-624-2505
OrgAbuseEmail: abuse@godaddy.com
OrgNOCHandle: NOC124-ARIN
OrgNOCName: Network Operations Center
OrgNOCPhone: +1-480-505-8809
OrgNOCEmail: noc@godaddy.com
OrgTechHandle: NOC124-ARIN
OrgTechName: Network Operations Center
OrgTechPhone: +1-480-505-8809
OrgTechEmail: noc@godaddy.com

=====

-----+-----
Malaysia Computer Emergency | E-mail: mycert@mycert.org.my
Response Team | Cyber999 Hotline: 1 300 88 2999
(MyCERT) | Fax: (603) 8945 3442
CyberSecurity Malaysia | Phone: (603) 8992 6969
Level 7, Sapura@Mines | Office hour: 0830-1730 MYT (Mon-Fri)
7, Jln Tasik, The Mines | 24x7 Phone: 019-266 5850
Resort City, 43300 Seri Kembangan | SMS: 019-281 3801
Selangor. MALAYSIA | URL: http://mycert.org.my/
-----+-----

Disclaimer:
The information transmitted in electronic mail messages sent from mycert.org.my domain is intended only for the person(s) or entity(ies) to which it is addressed, represents the views/points of MyCERT and may contain information extracted from various other reliable sources on security issues. MyCERT therefore does not accept liability for any errors, or omissions in the contents of this message, which arise as a result of e-mail transmission and consequences due to mis-applying of the technical solutions/steps provided. If you have received this email by mistake, please notify MyCERT at +603 8992 6969 or email us at mycert@mycert.org.my

-----BEGIN PGP SIGNATURE-----
Version: GnuPG v2.0.11 (FreeBSD)

iEYEARECAAYFAksXO38ACgkQ0BAFclK27XH9RwCghzO2hhS1V0GNYAQ9XvkupoM/
KkcAnR2qUqPZc+Is/DUExUMX1+dSeHhN
=lb0n
-----END PGP SIGNATURE-----

From: soc@us-cert.gov
Sent: Wednesday, December 2, 2009 8:39 PM
To: abuse@godaddy.com
Cc: soc@us-cert.gov
Subject: Follow-Up for US-CERT Incident number INC000000066795



US-CERT is requesting assistance in removing an active malware site being hosted within your netblock which affect our constituency. US-CERT would greatly appreciate your assistance in terminating or shutting this site down. The destination website is hosting a malicious code and the URL is active, accessible and hosting malware. This is the first attempt to remove this malicious code from the network (please replace 'hxxp' with 'http'). Please assist us in a timely removal of this URL from any related domains:

URL: hxxp//www[dot]petronastower.net

IP Address: 64.202.189.170

Domains hosted on this IP address: godaddy.com

The owner/operator of this website may or may not be aware this website may contain malicious code. The US-CERT is requesting that this website be removed from public access until the owner/operator has deleted the malicious content. Please investigate this traffic and reference INC000000066795 regarding this host. US-CERT is interested in learning of the outcome of your investigation

V/R

The United States Computer Emergency Readiness Team
Department of Homeland Security
National Cyber Security Division/Operations
Phone: 1-888-282-0870
Arlington, Virginia
E-mail: SOC@us-cert.gov
Website: www.us-cert.gov

Email Attachment :

From: GoDaddy Abuse Department <abuse@godaddy.com>
Sent: Thursday, December 3, 2009 1:16 PM
To: Go Daddy SOC <soc@godaddy.com>
Subject: [FWD: Follow-Up for US-CERT Incident number INC000000066795]

Attention SOC,

We have been notified of a possible breach of security, please review the message we have forwarded to you from the complainant.

If, after investigating this situation, you determine that no action should be taken against this customer or you need more information please reply to this message and the Abuse Department will respond to the complainant (if necessary) or close out the issue.

If you determine that this situation merits a response from Go Daddy please take the appropriate course of action based on your SOP.

Thank you for investigating this complaint.

Sincerely,

Spam and Abuse Department
GoDaddy.com

24/7 Abuse Department Hotline: 480-624-2505
ARID 1019

----- Original Message -----

Subject: Follow-Up for US-CERT Incident number INC000000066795
From: soc@us-cert.gov
Date: Wed, December 02, 2009 9:38 pm
To: abuse@godaddy.com
Cc: soc@us-cert.gov



US-CERT is requesting assistance in removing an active malware site being hosted within your netblock which affect our constituency. US-CERT would greatly appreciate your assistance in terminating or shutting this site down. The destination website is hosting a malicious code and the URL is active, accessible and hosting malware. This is the first attempt to remove this malicious code from the network (please replace 'hxxp' with 'http'). Please assist us in a timely removal of this URL from any related domains:

URL: hxxp//www[dot]petronastower.net

IP Address: 64.202.189.170

Domains hosted on this IP address: godaddy.com

The owner/operator of this website may or may not be aware this website may contain malicious code. The US-CERT is requesting that this website be removed from public access until the owner/operator has deleted the malicious content. Please investigate this traffic and reference INC000000066795 regarding this host. US-CERT is interested in learning of the outcome of your

investigation

V/R

The United States Computer Emergency Readiness Team
Department of Homeland Security
National Cyber Security Division/Operations
Phone: 1-888-282-0870
Arlington, Virginia
E-mail: SOC@us-cert.gov
Website: www.us-cert.gov

Email Attachment :

From: Vincent Koski <vkoski@godaddy.com>
Sent: Thursday, December 3, 2009 8:46 PM
To: GoDaddy Abuse Department <abuse@godaddy.com>
Cc: Go Daddy SOC <soc@godaddy.com>
Subject: RE: [FWD: Follow-Up for US-CERT Incident number INC000000066795]

Abuse,

Reviewing this domain complaint - I found that it is hosted on parkweb - And the index.html which is served contains a frame src reference to camfunchat.com, which appears to be an adult site. I see no indication that the domain of petronastower.net contains any malicious code.

Name: petronastower.net
Address: 64.202.189.170
Name: pfwfd-v01.prod.mesa1.secureserver.net
Address: 64.202.189.170

```
$ wget petronastower.net
--2009-12-03 21:40:31-- http://petronastower.net/
Resolving petronastower.net... 64.202.189.170
Connecting to petronastower.net[64.202.189.170]:80... connected.
HTTP request sent, awaiting response... 200 OK
Length: 815 [text/html]
Saving to: `index.html'
```

```
<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.01//EN"
"http://www.w3.org/TR/html4/strict.dtd">
<html>
```

```
<head>
<title>Live Video Chat - hot Webcams - Sexy Camgirls </title>
<META name="description" content="Free live adult Web Cams and chat. Nude sexy camgirls, teens, lesbians,
voyeur, couples, amateur video and chat."><META name="keywords" content="legendary, lars, visit, webcam,
webcams, cam, cams, live, girls, free, video, women, lesbians, porn, porno, teen, models, men, guys, nude, private,
pussy, sexy, webcam, camgirls, home cams, video chat, free video, teen, sex, xxx, adult, naked"
>
```

```
</head>
<frameset rows="100%," border="0">
<frame src="http://www.camfunchat.com" frameborder="0" />
<frame frameborder="0" noresize />
</frameset>
```

```
<!-- pageok -->
<!-- 01 -->
<!-- -->
</html>
```

Vincent J. Koski
MCSA: Security
A+, Network+, Security+, Server+
IT-Security
Security Analyst

Go Daddy Software
14455 North Hayden Road
Scottsdale, AZ 85260
480-505-8800 ext. 4868

Please contact my direct supervisor at sgerlach@godaddy.com with any feedback.

This message is from Go Daddy Software. This message and any attachments may contain confidential information, and are intended only for the individual or entity identified above as the addressee. If you are not the addressee, or if this message has been addressed to you in error, you are not authorized to read, copy, or distribute this message and any attachments, and we ask that you please delete this message and attachments (including all copies) and notify the sender by return e-mail or by phone at 480-505-8877.

----- Original Message -----

Subject: [FWD: Follow-Up for US-CERT Incident number INC000000066795]
From: "GoDaddy Abuse Department" <abuse@godaddy.com>
Date: Thu, December 03, 2009 2:16 pm
To: "Go Daddy SOC " <soc@godaddy.com>

Attention SOC,

We have been notified of a possible breach of security, please review the message we have forwarded to you from the complainant.

If, after investigating this situation, you determine that no action should be taken against this customer or you need more information please reply to this message and the Abuse Department will respond to the complainant (if necessary) or close out the issue.

If you determine that this situation merits a response from Go Daddy please take the appropriate course of action based on your SOP.

Thank you for investigating this complaint.

Sincerely,

Spam and Abuse Department
GoDaddy.com

24/7 Abuse Department Hotline: 480-624-2505
ARID 1019

----- Original Message -----

Subject: Follow-Up for US-CERT Incident number INC000000066795
From: soc@us-cert.gov
Date: Wed, December 02, 2009 9:38 pm
To: abuse@godaddy.com
Cc: soc@us-cert.gov



US-CERT is requesting assistance in removing an active malware site being hosted within your netblock which affect our constituency. US-CERT would greatly appreciate your assistance in terminating or shutting this site down. The destination website is hosting a malicious code and the URL is active, accessible and hosting malware. This is the first attempt to remove this malicious code from the network (please replace 'hxxp' with 'http'). Please assist us in a timely removal of this URL from any related domains:

URL: hxxp//www[dot]petronastower.net

IP Address: 64.202.189.170

Domains hosted on this IP address: godaddy.com

The owner/operator of this website may or may not be aware this website may contain malicious code. The US-CERT is requesting that this website be removed from public access until the owner/operator has deleted the malicious content. Please investigate this traffic and reference INC00000066795 regarding this host. US-CERT is interested in learning of the outcome of your investigation

V/R

The United States Computer Emergency Readiness Team
Department of Homeland Security
National Cyber Security Division/Operations
Phone: 1-888-282-0870
Arlington, Virginia
E-mail: SOC@us-cert.gov
Website: www.us-cert.gov

Email Attachment :



Microsoft

CERTIFIED

Systems Administrator
SECURITY

From: Malaysia Computer Emergency Response Team <mycert@mycert.org.my>
Sent: Friday, December 4, 2009 12:52 AM
To: abuse@godaddy.com
Cc: soc@us-cert.gov
Subject: Re: [MyCERT-200912011065922] : Reporting Incident : Domain Infringement

-----BEGIN PGP SIGNED MESSAGE-----

Hash: SHA1

Dear abuse@godaddy.com,
Regarding the above matter, the problem has still not yet rectified.
Appreciate your prompt action to rectify the problem immediately.

Kindly retain the above subject header containing:[MyCERT-200912011065922] to ensure effective response.

Regards,

- -Juanita

Malaysia Computer Emergency Response Team <mycert@mycert.org.my> wrote:

> Dear Abuse Team,

>

> MyCERT received a report from an organization regarding a domain registered

> under your administration that host a fake website of the original website which

> is can be found at www.petronas.com.

>

> Domain: petronastower.net

> URL : <http://www.petronastower.net>

> IP : 64.202.189.170

>

> Domain Name: PETRONASTOWER.NET

> Registrar: GODADDY.COM, INC.

> Whois Server: whois.godaddy.com

> Referral URL: <http://registrar.godaddy.com>

> Name Server: NS39.DOMAINCONTROL.COM

> Name Server: NS40.DOMAINCONTROL.COM

> Status: clientDeleteProhibited

> Status: clientRenewProhibited

> Status: clientTransferProhibited

> Status: clientUpdateProhibited

> Updated Date: 02-may-2009

> Creation Date: 08-may-2003

> Expiration Date: 08-may-2010

>

>

> The domain is hosting pornographic web contents from <http://www.camfunchat.com>

> which can be used for fraudulent purposes and this can create a likelihood of

> confusion to their clients.

>

> As of at this time, MyCERT has confirmed that the above disputed site is still

> active online. We would appreciate your assistance to investigate on the above
> site and to close the domain as soon as possible.
>
> We appreciate your prompt response.
>
> -----
> Kindly retain the above subject header containing:[MyCERT-200912011065922] to
> ensure effective response.
> -----
>
> Regards,
> -Juanita
>
> =====Whois=====

> OrgName: GoDaddy.com, Inc.
> OrgID: GODAD
> Address: 14455 N Hayden Road
> Address: Suite 226
> City: Scottsdale
> StateProv: AZ
> PostalCode: 85260
> Country: US
>
> NetRange: 64.202.160.0 - 64.202.191.255
> CIDR: 64.202.160.0/19
> NetName: GO-DADDY-SOFTWARE-INC
> NetHandle: NET-64-202-160-0-1
> Parent: NET-64-0-0-0-0
> NetType: Direct Allocation
> NameServer: CNS1.SECURESERVER.NET
> NameServer: CNS2.SECURESERVER.NET
> NameServer: CNS3.SECURESERVER.NET
> Comment:
> RegDate: 2002-10-22
> Updated: 2007-06-14
>
> OrgAbuseHandle: ABUSE51-ARIN
> OrgAbuseName: Abuse Department
> OrgAbusePhone: +1-480-624-2505
> OrgAbuseEmail: abuse@godaddy.com
>
> OrgNOCHandle: NOC124-ARIN
> OrgNOCName: Network Operations Center
> OrgNOCPhone: +1-480-505-8809
> OrgNOCEmail: noc@godaddy.com
>
> OrgTechHandle: NOC124-ARIN
> OrgTechName: Network Operations Center
> OrgTechPhone: +1-480-505-8809

> OrgTechEmail: noc@godaddy.com

> =====

>

> -----+-----

> Malaysia Computer Emergency | E-mail: mycert@mycert.org.my
 > Response Team | Cyber999 Hotline: 1 300 88 2999
 > (MyCERT) | Fax: (603) 8945 3442
 > CyberSecurity Malaysia | Phone: (603) 8992 6969
 > Level 7, Sapura@Mines | Office hour: 0830-1730 MYT (Mon-Fri)
 > 7, Jln Tasik, The Mines | 24x7 Phone: 019-266 5850
 > Resort City, 43300 Seri Kembangan | SMS: 019-281 3801
 > Selangor. MALAYSIA | URL: http://mycert.org.my/

> -----+-----

> Disclaimer:

> The information transmitted in electronic mail messages sent from mycert.org.my
 > domain is intended only for the person(s) or entity(ies) to
 > which it is addressed, represents the views/points of MyCERT and may contain
 > information extracted from various other reliable sources on security issues.
 > MyCERT therefore does not accept liability for any errors, or omissions in the
 > contents of this message, which arise as a result of e-mail transmission and
 > consequences due to mis-applying of the technical solutions/steps provided. If
 > you have received this email by mistake, please notify MyCERT at +603 8992 6969
 > or email us at mycert@mycert.org.my

>

- -----+-----

Malaysia Computer Emergency | E-mail: mycert@mycert.org.my
 Response Team | Cyber999 Hotline: 1 300 88 2999
 (MyCERT) | Fax: (603) 8945 3442
 CyberSecurity Malaysia | Phone: (603) 8992 6969
 Level 7, Sapura@Mines | Office hour: 0830-1730 MYT (Mon-Fri)
 7, Jln Tasik, The Mines | 24x7 Phone: 019-266 5850
 Resort City, 43300 Seri Kembangan | SMS: 019-281 3801
 Selangor. MALAYSIA | URL: http://mycert.org.my/

- -----+-----

Disclaimer:

The information transmitted in electronic mail messages sent from mycert.org.my
 domain is intended only for the person(s) or entity(ies) to
 which it is addressed, represents the views/points of MyCERT and may contain
 information extracted from various other reliable sources on security issues.
 MyCERT therefore does not accept liability for any errors, or omissions in the
 contents of this message, which arise as a result of e-mail transmission and
 consequences due to mis-applying of the technical solutions/steps provided. If
 you have received this email by mistake, please notify MyCERT at +603 8992 6969
 or email us at mycert@mycert.org.my

-----BEGIN PGP SIGNATURE-----

Version: GnuPG v2.0.11 (FreeBSD)

iEUEARECAAYFAksYzcEACgkQ0BAFclK27XHaLQCXZM3le+6Mebn9Pui3gRk2KAGj
 rACfcRRCDd6YLCq4FWIQZusJOGSGSVY=
 =VqCM

-----END PGP SIGNATURE-----

From: Malaysia Computer Emergency Response Team <mycert@mycert.org.my>
Sent: Sunday, December 6, 2009 6:03 PM
To: abuse@godaddy.com
Cc: soc@us-cert.gov
Subject: Re: [MyCERT-200912011065922] : Reporting Incident : Domain Infringement

-----BEGIN PGP SIGNED MESSAGE-----

Hash: SHA1

Dear abuse@godaddy.com,

Regarding the above matter, we see that the problem of the reported website under your administration is still not been rectified.

For your information, this is the second time we are notifying you.

We appreciate your prompt action to rectify the problem immediately as we need to update our complainant accordingly.

Kindly retain the above subject header containing:[MyCERT-200912011065922] to ensure effective response.

Regards,

--Juanita

Malaysia Computer Emergency Response Team <mycert@mycert.org.my> wrote:

> Dear abuse@godaddy.com,

>

> Regarding the above matter, the problem has still not yet rectified.

>

> Appreciate your prompt action to rectify the problem immediately.

>

> -----

> Kindly retain the above subject header containing:[MyCERT-200912011065922] to ensure effective response.

> -----

>

> Regards,

> -Juanita

>

> Malaysia Computer Emergency Response Team <mycert@mycert.org.my> wrote:

>

>> Dear Abuse Team,

>>

>> MyCERT received a report from an organization regarding a domain registered

>> under your administration that host a fake website of the original website which

>> is can be found at www.petronas.com.

>>

>> Domain: petronastower.net

>> URL : http://www.petronastower.net

>> IP : 64.202.189.170

>>

>> Domain Name: PETRONASTOWER.NET

> > Registrar: GODADDY.COM, INC.
> > Whois Server: whois.godaddy.com
> > Referral URL: http://registrar.godaddy.com
> > Name Server: NS39.DOMAINCONTROL.COM
> > Name Server: NS40.DOMAINCONTROL.COM
> > Status: clientDeleteProhibited
> > Status: clientRenewProhibited
> > Status: clientTransferProhibited
> > Status: clientUpdateProhibited
> > Updated Date: 02-may-2009
> > Creation Date: 08-may-2003
> > Expiration Date: 08-may-2010
> >
> >
> > The domain is hosting pornographic web contents from http://www.camfunchat.com
> > which can be used for fraudulent purposes and this can create a likelihood of
> > confusion to their clients.
> >
> > As of at this time, MyCERT has confirmed that the above disputed site is still
> > active online. We would appreciate your assistance to investigate on the above
> > site and to close the domain as soon as possible.
> >
> > We appreciate your prompt response.
> >
> > -----
> > Kindly retain the above subject header containing:[MyCERT-200912011065922] to
> > ensure effective response.
> > -----
> >
> > Regards,
> > -Juanita
> >
> > =====Whois=====
> > OrgName: GoDaddy.com, Inc.
> > OrgID: GODAD
> > Address: 14455 N Hayden Road
> > Address: Suite 226
> > City: Scottsdale
> > StateProv: AZ
> > PostalCode: 85260
> > Country: US
> >
> > NetRange: 64.202.160.0 - 64.202.191.255
> > CIDR: 64.202.160.0/19
> > NetName: GO-DADDY-SOFTWARE-INC
> > NetHandle: NET-64-202-160-0-1
> > Parent: NET-64-0-0-0-0
> > NetType: Direct Allocation
> > NameServer: CNS1.SECURESERVER.NET

> > NameServer: CNS2.SECURESERVER.NET
 > > NameServer: CNS3.SECURESERVER.NET
 > > Comment:
 > > RegDate: 2002-10-22
 > > Updated: 2007-06-14
 > >
 > > OrgAbuseHandle: ABUSE51-ARIN
 > > OrgAbuseName: Abuse Department
 > > OrgAbusePhone: +1-480-624-2505
 > > OrgAbuseEmail: abuse@godaddy.com
 > >
 > > OrgNOCHandle: NOC124-ARIN
 > > OrgNOCHandle: Network Operations Center
 > > OrgNOCHandlePhone: +1-480-505-8809
 > > OrgNOCHandleEmail: noc@godaddy.com
 > >
 > > OrgTechHandle: NOC124-ARIN
 > > OrgTechName: Network Operations Center
 > > OrgTechPhone: +1-480-505-8809
 > > OrgTechEmail: noc@godaddy.com

> > =====

> >
 > > -----+-----
 > > Malaysia Computer Emergency | E-mail: mycert@mycert.org.my
 > > Response Team | Cyber999 Hotline: 1 300 88 2999
 > > (MyCERT) | Fax: (603) 8945 3442
 > > CyberSecurity Malaysia | Phone: (603) 8992 6969
 > > Level 7, Sapura@Mines | Office hour: 0830-1730 MYT (Mon-Fri)
 > > 7, Jln Tasik, The Mines | 24x7 Phone: 019-266 5850
 > > Resort City, 43300 Seri Kembangan | SMS: 019-281 3801
 > > Selangor. MALAYSIA | URL: http://mycert.org.my/
 > > -----+-----

> > Disclaimer:
 > > The information transmitted in electronic mail messages sent from mycert.org.my
 > > domain is intended only for the person(s) or entity(ies) to
 > > which it is addressed, represents the views/points of MyCERT and may contain
 > > information extracted from various other reliable sources on security issues.
 > > MyCERT therefore does not accept liability for any errors, or omissions in the
 > > contents of this message, which arise as a result of e-mail transmission and
 > > consequences due to mis-applying of the technical solutions/steps provided. If
 > > you have received this email by mistake, please notify MyCERT at +603 8992 6969
 > > or email us at mycert@mycert.org.my
 > >
 > >

> >
 > > -----+-----
 > > Malaysia Computer Emergency | E-mail: mycert@mycert.org.my
 > > Response Team | Cyber999 Hotline: 1 300 88 2999
 > > (MyCERT) | Fax: (603) 8945 3442
 > > CyberSecurity Malaysia | Phone: (603) 8992 6969

> Level 7, Sapura@Mines | Office hour: 0830-1730 MYT (Mon-Fri)
> 7, Jln Tasik, The Mines | 24x7 Phone: 019-266 5850
> Resort City, 43300 Seri Kembangan | SMS: 019-281 3801
> Selangor. MALAYSIA | URL: <http://mycert.org.my/>
> -----+-----
> Disclaimer:
> The information transmitted in electronic mail messages sent from mycert.org.my
> domain is intended only for the person(s) or entity(ies) to
> which it is addressed, represents the views/points of MyCERT and may contain
> information extracted from various other reliable sources on security issues.
> MyCERT therefore does not accept liability for any errors, or omissions in the
> contents of this message, which arise as a result of e-mail transmission and
> consequences due to mis-applying of the technical solutions/steps provided. If
> you have received this email by mistake, please notify MyCERT at +603 8992 6969
> or email us at mycert@mycert.org.my
>

-----+-----
Malaysia Computer Emergency | E-mail: mycert@mycert.org.my
Response Team | Cyber999 Hotline: 1 300 88 2999
(MyCERT) | Fax: (603) 8945 3442
CyberSecurity Malaysia | Phone: (603) 8992 6969
Level 7, Sapura@Mines | Office hour: 0830-1730 MYT (Mon-Fri)
7, Jln Tasik, The Mines | 24x7 Phone: 019-266 5850
Resort City, 43300 Seri Kembangan | SMS: 019-281 3801
Selangor. MALAYSIA | URL: <http://mycert.org.my/>
-----+-----

Disclaimer:

The information transmitted in electronic mail messages sent from mycert.org.my domain is intended only for the person(s) or entity(ies) to which it is addressed, represents the views/points of MyCERT and may contain information extracted from various other reliable sources on security issues. MyCERT therefore does not accept liability for any errors, or omissions in the contents of this message, which arise as a result of e-mail transmission and consequences due to mis-applying of the technical solutions/steps provided. If you have received this email by mistake, please notify MyCERT at +603 8992 6969 or email us at mycert@mycert.org.my

-----BEGIN PGP SIGNATURE-----

Version: GnuPG v2.0.11 (FreeBSD)

iEYEARECAAYFAkscYmwACgkQ0BAFclK27XFVwCeOdTv0tEmxzs6LJiPNHNa5Yiv
OxUAn0Ps1T7qvPqB1+DcCergZWRyblBA
=/i1l

-----END PGP SIGNATURE-----