

EXHIBIT 11

DICTIONARY OF
COMPUTING

THIRD EDITION

22f
GA
76.15
D526
1990

C.S

Oxford New York Tokyo
OXFORD UNIVERSITY PRESS

Oxford University Press, Walton Street, Oxford OX2 6DP

Oxford New York Toronto
Delhi Bombay Calcutta Madras Karachi
Panaji Singapore Hong Kong Tokyo
Nairobi Dar es Salaam Cape Town
Melbourne Auckland
and associated companies in
Berlin Ibadan

Oxford is a trade mark of Oxford University Press

Published in the United States
by Oxford University Press, New York

© Market House Books Ltd., 1983, 1986, 1990

First published 1983
Reprinted 1983, 1984, 1985
Second edition 1986
Third edition 1990
Reprinted 1990, 1991 (twice)

All rights reserved. No part of this publication may be reproduced,
stored in a retrieval system, or transmitted, in any form or by any means,
electronic, mechanical, photocopying, recording, or otherwise, without
the prior permission of Oxford University Press

British Library Cataloguing in Publication Data

Dictionary of computing.—3rd ed.—
(Oxford science publications)
I. Computer systems
004

ISBN 0 19 853825 1

Text prepared for automatic typesetting by
Market House Books Ltd, Aylesbury
Printed and bound in Great Britain by
Courier International Ltd
Tipton, Essex

The great advances in the last theory, technology, and applic growth in the uses to which ce people using them. As the corr ing terminology. For this thir over 550 new entries have bee have been extensively updated of computing, especially new s puter organization and archite and developments in the softwa and developments in the softwa puting, networking, and inform a single alphabetical listing, nea associated fields of electronics. computing covered in this dicti

algorithms and their prope programming languages an program development met data structures and file strn operating systems and com computer organization and hardware, including proces computer communications information technology computer applications and major computer manufactur legal aspects of computing

The entries in the dictionary ha branches of computing and in t range from basic ideas and equ level computer science; some e tables. The dictionary should be science and of all subjects in wi be a valuable reference book tc of computing as well as to the i

A major undertaking by over the dictionary has been compile Market House Books Ltd. The and appreciation to the many co effort.

September 1989

TRANSACTION FILE

message is submitted whole or assembled by means of a dialogue). A transaction reflects some "real-world" event.

2. The "file updating or database updating process initiated by a single input message, i.e. by a transaction. In a "multiaccess system, transactions that are processed concurrently can give rise to problems in maintaining file or "database integrity.

transaction file (movement file) A file, especially a "data file, containing transaction records, prior to the updating of a "master file. Transaction files are only used in "batch processing systems. Once updating has been carried out, the transaction file may be kept in order to permit subsequent recovery of the master file (see file recovery).

transaction processing A method of organizing a "data processing system in which "transactions are processed to completion as they arise. A *transaction processing monitor (TP monitor)* is a software system that facilitates the handling of transactions in such circumstances. Compare batch processing.

transborder dataflow The most complex legal topic yet to be created by the use of computers in society. When a person in Germany contacts an Irish database, combines the information with information extracted from a Swiss reference manual stored in digital format on a computer in France, and sends the output to Australia, Zambia, and Taiwan where it is recorded on disk with no eye-readable copies produced, he creates a literary work that falls outside any conventions that at present exist concerning "copyright. He also may have breached the "data protection legislation of several countries. With the growth in the use of satellites and wideband communication facilities, the importance of transborder dataflow will grow in the 1990s and hence new conventions will have to be drafted.

transceiver *Acronym for transmitter and receiver.* A device that can both transmit and receive signals on a communication medium. Many communication devices, including "modems, "codecs, and terminals, are transceivers.

transducer 1. Any device that converts energy in the form of sound, light, pressure, etc., into an equivalent electrical signal, or vice versa. For example, a photoconductor converts light and ultraviolet radiation into electrical energy, a piezoelectric device converts mechanical stress into electrical energy (and vice versa).

2. In formal language theory, any "automaton that produces output.

transfer rate See data transfer rate.

transformation 1. *Another name for function,* used especially in geometry.

2. of programs. See program transformation.

3. of statistics data. A change of scale used to improve the validity of statistical analyses. For data in which small values have smaller "variance than large values a logarithmic or square-root transformation is often recommended. For data in the form of proportions, a transformation from the scale (0,1) to an infinite scale is advisable before performing "analysis of variance or "regression analysis. Several transformations exist for proportions, such as the "logistic or log-odds-ratio that is used in the analysis of "generalized linear models. Appropriate transformations may be suggested by studying "residuals in a regression analysis.

transformational semantics See program transformation.

transformation matrix An $m \times n$ matrix of numbers used to map vectors with n elements onto vectors with m elements.

transformation monoid See transformation semigroup.

transformation semigroup A "consisting of a collection C of operations of a "set S into itself (i.e., the "dyadic operation "composition of functions: it is required that the set C should be "closed with respect to composition, i.e. if c_1 and c_2 are in C then so is $c_1 \circ c_2$.

If the identity transforms (i.e., the identity function) is included, the semigroup is a transformation monoid. Every monoid is isomorphic to a transformation monoid.

transform domain See filtering.

transient error An error that occurs or at unpredictable intervals. error rate.

transistor A semiconductor device consisting, in general, three terminals attached to electrode regions of a semiconductor device. Current flowing between these electrodes is made to respond to voltage or current imposed on the third electrode. The device is capable of current amplification depending on the circuit implementation employed. It can also be used as a switch between its maximum and minimum current flow.

The transistor was invented by Shockley, Brattain, and Bardeen at Bell Telephone Labs. As per manufacturing techniques in use there was a huge growth in transistor technology.

See also bipolar transistor, field-effect transistor, MOSFET.

transistor-transistor logic See TTL.

transitive closure of a "transitive relation R . A relation R^* defines the transitive closure of R if and only if:

$$x R^* y$$

iff there exists a sequence

$$x = x_0, x_1, \dots, x_n = y$$

such that $n > 0$ and

$$x_i R x_{i+1}, i = 0, 1, \dots, n-1$$