

EXHIBIT 3

EXHIBIT Q
ADDITIONAL PRIOR ART RELEVANT TO THE INVALIDITY OF
THE '607 PATENT

Patent References

Country of Origin	Patent Number	Date of Issue
US	3,974,332	8/10/1976
US	4,194,083	3/18/1980
US	4,723,056	2/2/1988
US	4,733,222	3/22/1988
US	4,853,493	8/1/1989
US	4,233,522	11/11/1990
US	4,550,221	10/29/1985
US	4,968,877	11/6/1990
US	5,305,017	4/19/1994
US	5,381,160	1/10/1995
US	5,534,892	7/9/1996
US	5,565,658	10/15/1996
US	5,648,642	7/15/1997
US	5,650,597	7/22/1997
US	5,790,106	8/4/1998
US	5,841,078	11/24/1998
US	5,825,352	10/20/1998
US	5,844,506	12/1/1998
US	5,854,450	12/29/1998
US	5,856,822	1/5/1999
US	5,861,875	1/19/1999
US	5,940,064	8/17/1999
US	6,023,265	2/8/2000
US	6,124,848	9/26/2000
US	6,191,828	2/20/2001
US	6,211,585	4/3/2001
US	6,288,707	9/11/2001
US	6,297,811	10/2/2001
US	6,323,846	11/27/2001
US	6,425,289	7/30/2001
US	6,459,424	10/1/2001
US	6,570,557	5/27/2003
US	6,628,268	9/30/2003
US	6,677,932	1/13/2004
US	6,856,259	2/15/2005
US	7,030,860	4/18/2006
US	7,038,659	5/2/2006

Country of Origin	Patent Number	Date of Issue
US	7,688,315	3/30/2010
US	7,746,326	6/29/2010
US	4,746,770	5/24/1988
US	5,790,106	8/4/1998
US	5,844,506	12/1/1998
US	7,129,935	10/31/2006
US	7,274,353	9/25/2007
US	7,292,229	11/6/2007

Publications

Bent Stumpe, A New Principle for an X-Y Touch Screen, CERN (Mar. 16, 1977), available at <http://cdsweb.cern.ch/record/1266588/files/StumpeMar77.pdf> (“Stumpe 1977”).

Bent Stumpe, Experiments to find a manufacturing process for an X-Y touch screen: Report on a visit to Polymer-Physik GmbH, Derendingn, Germany, on 26-27 January 1978, CERN (Feb. 6, 1978), available at <http://cdsweb.cern.ch/record/1266589/files/StumpeFeb78.pdf> (“Stumpe 1978”).

Nimish Mehta, Feature extraction as a tool for computer input, Acoustics, Speech, and Computer Processing, IEEE International Conference on ICASSP '82 (May 1982) (“Mehta 1982”).

SK Lee et al., A multi-touch three dimensional touch-sensitive tablet, ACM SIGCHI Bulletin, Vol. 16, Issue 4 (April 1985) (“Lee 1985”)

Roger B. Dannenberg et al., A Gesture Based User Interface Prototyping System, Proceedings of the ACM SIGGRAPH Symposium on User Interface Software and Technology at 127-32 (Nov. 1989) (“Dannenberg 1989”).

Dean Rubine et al., The videoharp: an optical scanning MIDI controller, Contemporary Music Review, Vol. 6, Iss. 1 at 31-46 (1991) (“Rubine 1991”).

William Buxton, Combined keyboard / touch tablet input device, XEROX Disclosure Journal, Vol. 19, Issue 2 at 109-11 (March/April 1994) (“Buxton 1994”).

U.S. Patent Provisional Application No. 60/072,509 (“Westerman ’509”), published Nov. 27, 2001 upon issuance of U.S. Patent No. 6,323,846.

Wayne Westerman, *Hand Tracking, Finger Identification, and Chordic Manipulation on a Multi-Touch Surface*, Dissertation, University of Delaware (Jan. 1, 1999) (“Westerman Thesis”).

Quantum Research Group QT60325, QT60485, QT60645 32, 48, 64 Key QMatrix Keypanel Sensor ICs Datasheet (2001).

Quantum Research Group QProx QT60320 32-Key QMatrix Chart-Transfer IC Datasheet (1999).

Quantum Research Application Note AN-KD01: QMatrix Panel Design Guidelines (October 10, 2002).

R.A. Boie, "Capacitive Impedance Readout Tactile Image Sensor," Bell Laboratories (IEEE 1984).

Philip T. Krein, "The Electroquasistatics of the Capacitive Touch Panel," IEEE TRANSACTIONS ON INDUSTRY APPLICATIONS (May/June 1990).

Kukjin Chun AND Kensall D. Wise, "A High-Performance Silicon Tactile Imager Based on a Capacitive Cell," IEEE TRANSACTIONS ON ELECTRON DEVICES (July 1985).

K. Suzuki et al., "A 1024-Element High-Performance Silicon Tactile Imager," IEEE TRANSACTIONS ON ELECTRON DEVICES (August 1990).