



# EXHIBIT 153 PART 1











Designation: A 106/A 106M - 04b

# Standard Specification for Seamless Carbon Steel Pipe for High-Temperature §

This standard is issued under the fixed designation A 106/A 106M; the number immediately following the designation of original adoption or, in the case of revision, the year of last revision. A number in parentheses indicates the year A superscript epsilon (e) indicates an editorial change since the last revision or reapproval.

This standard has been approved for use by agencies of the Department of Defense.

# 1. Scope\*

1.1 This specification<sup>2</sup> covers seamless carbon steel pipe for high-temperature service (Note 1) in NPS ½ to NPS 48 [DN 6 to DN 1200] (Note 2) inclusive, with nominal (average) wall thickness as given in ASME B 36.10M. It shall be permissible to furnish pipe having other dimensions provided such pipe complies with all other requirements of this specification. Pipe ordered under this specification shall be suitable for bending, flanging, and similar forming operations, and for welding. When the steel is to be welded, it is presupposed that a welding procedure suitable to the grade of steel and intended use or service will be utilized.

Note 1—It is suggested, consideration be given to possible graphitization.


#### 2. Referenced Documents

2.1 ASTM Standards: <sup>3</sup> A 530/A 530M Specification f Specialized Carbon and Allo E 213 Practice for Ultrasonic and Tubing E 309 Practice for Eddy-Curre

bular Products Using Magnet E 381 Method of Macroetch Blooms, and Forgings

E 570 Practice for Flux Leakas netic Steel Tubular Products 2.2 ASME Standard:

ASME B 36.10M Welded an




bility of regulatory limitations prior to use.

#### \*A Summary of Changes section appears at the end of this standard.

Copyright @ ASTM International, 100 Barr Harbor Drive, PO Box C700, West Conshohocken, PA 19428-2959, United States.

28



- 3.1.2 Name of material (seamless carbon steel pipe),
- 3.1.3 Grade (Table 1),
- 3.1.4 Manufacture (hot-finished or cold-drawn).
- 3.1.5 Size (NPS [DN] and weight class or schedule number, or both; outside diameter and nominal wall thickness; or inside diameter and nominal wall thickness).

# 6. General Requirements

6.1 Material furnished to this the applicable requirements of cation A 530/A 530M unless ot

# 7. Chemical Composition

<sup>&</sup>lt;sup>1</sup> This specification is under the jurisdiction of Committee A01 on Steel, Stainless Steel and Related Alloys and is the direct responsibility of Subcommittee A01.09 on Carbon Steel Tubular Products.

Current edition approved Oct. 1, 2004. Published October 2004. Originally approved in 1926. Last previous edition in 2004 as A 106/A 106M - 04a.


<sup>&</sup>lt;sup>2</sup> For ASME Boiler and Pressure Vessel Code applications see related Specifications SA-106 in Section II of that Code.

<sup>&</sup>lt;sup>3</sup> For referenced ASTM standards, visit t contact ASTM Customer Service at service ( Standards volume information, refer to the st the ASTM website.

<sup>&</sup>lt;sup>4</sup> Available from American Society of M International Headquarters, Three Park Ave.,

<sup>&</sup>lt;sup>5</sup> Available from Standardization Docum Section D, 700 Robbins Ave., Philadelphia,

<sup>&</sup>lt;sup>6</sup> Available from Steel Structures Paintin Floor, Pittsburgh, PA 15222-4656.



- 4.1 The steel shall be killed steel, with the primary melting process being open-hearth, basic-oxygen, or electric-furnace, possibly combined with separate degassing or refining. If secondary melting, using electroslag remelting or vacuum-arc remelting is subsequently employed, the heat shall be defined as all of the ingots remelted from a single primary heat.
- 4.2 Steel cast in ingots or strand cast is permissible. When steels of different grades are sequentially strand cast, identification of the resultant transition material is required. The producer shall remove the transition material by any established procedure that positively separates the grades.
- 4.3 For pipe NPS 1½ [DN 40] and under, it shall be permissible to furnish hot finished or cold drawn.
- 4.4 Unless otherwise specified, pipe NPS 2 [DN 50] and over shall be furnished hot finished. When agreed upon between the manufacturer and the purchaser, it is permissible to furnish cold-drawn pipe.

#### 5. Heat Treatment

5.1 Hot-finished pipe need not be heat treated. Cold-drawn pipe shall be heat treated after the final cold draw pass at a temperature of 1200 °F (650 °C) or higher.

TABLE 1 Chemical Requirements

		Co	omposition, %	
	Grade A		Grade B	Grade C
Carbon, max <sup>A</sup>	0.25		0.30	0.35
Manganese	0.27-0.93		0.29-1.06	0.29-1.06
Phosphorus, max	0.035		0.035	0.035
Sulfur, max	0.035		0.035	0.035
Silicon, min	0.10		0.10	0.10
Chrome, max <sup>8</sup>	0.40		0.40	0.40
Copper, max <sup>®</sup>	0.40	51.3	0.40	0.40
Molybdenum, max <sup>8</sup>	0.15		0.15	0.15
Nickel, max <sup>8</sup>	0.40		0.40	0.40
Vanadium, max <sup>B</sup>	0.08		0.08	0.08

- 9.1 At the request of the pur from each lot (Note 3) of 400 1 each size up to, but not including each lot of 200 lengths or fractic [DN 150] and over, shall be made finished pipe. The results of these the purchaser or the purchase conform to the requirements spe
- 9.2 If the analysis of one of t not conform to the requireme analyses shall be made on add original number from the sam conform to requirements specifie

Note 3—A lot shall consist of the Sections 9 and 21 of the same size and of steel.


### 10. Tensile Requirements

10.1 The material shall confortensile properties given in Table

#### 11. Bending Requirements

11.1 For pipe NPS 2 [DN 50] of pipe shall stand being bent cylindrical mandrel, the diameter outside diameter (as shown in As without developing cracks. When pipe shall stand being bent co cylindrical mandrel, the diameter outside diameter (as shown in As without failure.

11.2 Subject to the approval



A The minimum elongation in 2 in. [50 mm] shall be determined by the following equation:

$$e = 625 \ 000 A^{0.2} / U^{0.9}$$

for SI units, and

$$e = 1 940A^{0.2} / U^{0.9}$$

for inch-pound units,

#### where:

e = minimum elongation in 2 in. [50 mm], %, rounded to the nearest 0.5 %,

A = cross-sectional area of the tension test specimen, in.<sup>2</sup> [mm<sup>2</sup>], based upon specified outside diameter or nominal specimer rounded to the nearest 0.01 in. <sup>2</sup> [1 mm<sup>2</sup>]. (If the area thus calculated is equal to or greater than 0.75 in. <sup>2</sup> [500 mm<sup>2</sup>], the be used.), and

U = specified tensile strength, psi [MPa].

the bend being 1 in. [25 mm], without cracking on the outside portion of the bent portion.


11.3 For pipe whose diameter exceeds 25 in. [635 mm] and whose diameter to wall thickness ratio is 7.0 or less, the bend test described in 11.2 shall be conducted instead of the flattening test.

Note 4—Diameter to wall thickness ratio = specified outside diameter/ nominal wall thickness.

Example: For 28 in, [711 mm] diameter 5.000 in, [127 mm] thick pipe the diameter to wall thickness ratio = 28/5 = 5.6 [711/127 = 5.6].

shall be permissible for the full b with a nondestructive electric tes

13.3 Where specified in the permissible for pipe to be furnishe and without the nondestructive e this case, each length so furnished marking of the letters "NH." It is meeting the requirements of 13.1 pipe without either the hydrostal




these locations will that the cause for rejection if the Differention is less than ten.

## 13. Hydrostatic Test

- 13.1 Except as allowed by 13.2, 13.3, and 13.4, each length of pipe shall be subjected to the hydrostatic test without leakage through the pipe wall.
- 13.2 As an alternative to the hydrostatic test at the option of the manufacturer or where specified in the purchase order, it

AS an alternative to the hr ASME B16.25-2017 Networking Alternative or partial the manufacturer of where specifically accordance with Practice E 213, It the marking of each length of pithe letters "NDE." It is the intent test to reject pipe with imperfect equal to or greater than that calibration standard.

30



- 14.2 Where the nondestructive electric test is performed, the lengths shall be marked with the letters "NDE." The certification, where required, shall state "Nondestructive Electric Tested" and shall indicate which of the tests was applied. Also, the letters "NDE" shall be appended to the product specification number and material grade shown on the certification.
- 14.3 The following information is for the benefit of the user of this specification:
- 14.3.1 The reference standards defined in 14.4 through 14.6 are convenient standards for calibration of nondestructive testing equipment. The dimensions of such standards are not to be construed as the minimum sizes of imperfections detectable by such equipment.
  - 14.3.2 The ultrasonic testing referred to in this specification

NPS	DN
≤ 1/2	≤ 15
> 1/2 \le 11/4	> 15 ≤ 32
> 11⁄4 ≤ 2	> 32 ≤ 50
> 2 ≤ 5	> 50 ≤ 125
>5	> 125

14.5.2 Transverse Tangential file with a ¼-in. [6-mm] diame milled tangential to the surface dinal axis of the pipe. The no



re

ce

mi

Fittinghe detection Greshith Whaterently SMF B169-2007 effection Greshith Whaterently SMF B169-2007 effection General

ex

te

r

P,

'nε

n

nt

14.3.5 The hydrostatic test referred to in Section 13 has the capability of finding defects of a size permitting the test fluid to leak through the tube wall and may be either visually seen or detected by a loss of pressure. Hydrostatic testing is not necessarily capable of detecting very tight, through-the-wall imperfections or imperfections that extend an appreciable distance into the wall without complete penetration.

14.3.6 A purchaser interested in ascertaining the nature (type, size, location, and orientation) of discontinuities that can be detected in the specific applications of these examinations is directed to discuss this with the manufacturer of the tubular product.

14.4 For ultrasonic testing, the calibration reference notches shall be, at the option of the producer, any one of the three common notch shapes shown in Practice E 213. The depth of notch shall not exceed 12½ % of the specified wall thickness of the pipe or 0.004 in. [0.1 mm], whichever is greater.

14.5 For eddy current testing, the calibration pipe shall contain, at the option of the producer, any one of the following discontinuities to establish a minimum sensitivity level for rejection:

14.5.1 Drilled Hole—The calibration pipe shall contain depending upon the pipe diameter three holes spaced 120° apart or four holes spaced 90° apart and sufficiently separated longitudinally to ensure separately distinguishable responses. The holes shall be drilled radially and completely through the pipe wall, care being taken to avoid distortion of the pipe while drilling. Depending upon the pipe diameter the calibration pipe shall contain the following hole:

radial plane parallel to the pipelex ASME B16.25 2017 Networking Allem Buttwelling Ellis], obligio and abc wall thicknesses equal to and abc outside notch shall be used. Notcl % of the specified wall thicknesses whichever is greater. Notch length mm], and the width shall not diameter and inside diameter no ciently apart to allow separatio signals.

m

ed

lε

3 8

I

14.7 Pipe containing one or n duce a signal equal to or greater th calibration standard shall be reject signal shall be reexamined.

14.7.1 Test signals produced by be identified, or produced by crack shall result in rejection of the pip retested. To be accepted, the pipe cation test to which it was originathe remaining wall thickness is permitted by this specification. The may be reduced by the amount so

14.7.2 Test signals produced by those listed below may be evaluate provisions of Section 18:

14.7.2.1 Dinges,

14.7.2.2 Straightener marks,


14.7.2.3 Cutting chips,

14.7.2.4 Scratches.

14.7.2.5 Steel die stamps,

14.7.2.6 Stop marks, or

31



14.7.2.7 Pipe reducer ripple.

14.8 The test methods described in this section are not necessarily capable of inspecting the end portion of pipes, a condition referred to as "end effect." The length of such end effect shall be determined by the manufacturer and, when specified in the purchase order, reported to the purchaser.

# Nipples

15.1 Nipples shall be cut from pipe of the same dimensions and quality described in this specification.


### 16. Dimensions, Mass, and Permissible Variations

- 16.1 Mass—The mass of any length of pipe shall not vary more than 10 % over and 3.5 % under that specified. Unless otherwise agreed upon between the manufacturer and the purchaser, pipe in NPS 4 [DN 100] and smaller may be weighed in convenient lots; pipe larger than NPS 4 [DN 100] shall be weighed separately.
- 16.2 Diameter—The tolerances for diameter shall be in accordance with the following:
- 16.2.1 Except for pipe ordered as special outside diameter tolerance pipe or as inside diameter tolerance pipe, variations in outside diameter shall not exceed those given in Table 3.
- 16.2.2 For pipe over 10 in. [250 mm] OD ordered as special outside diameter tolerance pipe, the outside diameter shall not vary more than 1 % over or 1 % under the specified outside diameter.
- 16.2.3 For pipe over 10 in. [250 mm] ID ordered as inside diameter tolerance pipe, the inside diameter shall not vary more than 1 % over or 1 % under the specified inside diameter.
- 16.3 Thickness—The minimum wall thickness at any point shall not be more than 12.5 % under the specified wall thickness.


17.1.3 If definite lengths are ordered in single random lengths with 5 % 12 to 16 ft [3.7 to 4.8 m], with a minimum average of 35 f length of 22 ft [6.7 m] with 5 %


#### 18. Workmanship, Finish and A


- 18.1 The pipe manufacturer shaber of visual surface imperfecti assurance that they have been proto depth. Exploration of all surequired but consideration should exploring all surface imperfection 18.2.
- 18.2 Surface imperfections that of the nominal wall thickness or wall thickness shall be consider defects shall be given one of the
- 18.2.1 The defect shall be ren that the remaining wall thickness in 16.3.
- 18.2.2 Repaired in accordanc provisions of 18.6.
- 18.2.3 The section of pipe cont off within the limits of requireme
  - 18.2.4 Rejected.
- 18.3 To provide a workmanlik ating conformance with 18.2 tl remove by grinding the following
- 18.3.1 Mechanical marks, abra of which imperfections are deepe
- 18.3.2 Visual imperfections cor




32










# **Reward Your Curiosity**


Everything you want to read.

Anytime. Anywhere. Any device.











Search





Sign In


Join



# astm.a370.1977

Uploaded by joe\_joe\_suriyon6445

#### A370 Full description



#### **RELATED TITLES**







ASTM B 221M - 02 ALUMINUM ALL...

ATEX Rating Chart

ASTM A36.pdf

**Download Now** 

1 of 58


Q Search document

K 2



By the Authority Vested By Part 5 of the United States Code § 5 Part 1 of the Code of Regulations § 51 the attached document has INCORPORATED BY REFERENCE and shall be considere

binding upon all citizens and residents of the United States of



ALUMINUM ALL...

Search Q To Sign In Join

ASTM B 221M - 02 ATEX Rating Chart ASTM A36.pdf ASTM A992 API 5L 45th ASTM-A6

2011.pdf

Edition


ALUMINUM ALL...

Search Q To Sign In Join

ASTM B 221M - 02 ATEX Rating Chart ASTM A36.pdf ASTM A992 API 5L 45th ASTM-A6

2011.pdf

Edition



S	Search		Q		Join Join
ASTM B 221M - 02 ALUMINUM ALL	ATEX Rating Chart	ASTM A36.pdf	ASTM A992 2011.pdf	API 5L 45th Edition	ASTM-A6


ALUMINUM ALL...

Search Q To Sign In Join

ASTM B 221M - 02 ATEX Rating Chart ASTM A36.pdf ASTM A992 API 5L 45th ASTM-A6

2011.pdf

Edition



Search

Sign In

Join

ASTM B 221M - 02
ALUMINUM ALL...

ATEX Rating Chart

ASTM A36.pdf

ASTM A992
API 5L 45th
Edition

ASTM-A6

S	Search		Q	↑ Si	ign In Join
ASTM B 221M - 02 ALUMINUM ALL	ATEX Rating Chart	ASTM A36.pdf	ASTM A992 2011.pdf	API 5L 45th Edition	ASTM-A6

Search Q To Sign In Join

ASTM B 221M - 02 ATEX Rating Chart ASTM A36.pdf ASTM A992 API 5L 45th ASTM-A6

2011.pdf

Edition

ALUMINUM ALL...


ALUMINUM ALL...


Search Q To Sign In Join

ASTM B 221M - 02 ATEX Rating Chart ASTM A36.pdf ASTM A992 API 5L 45th ASTM-A6

2011.pdf

Edition





ALUMINUM ALL...

Search Q ① Sign In Join

ASTM B 221M - 02 ATEX Rating Chart ASTM A36.pdf ASTM A992 API 5L 45th ASTM-A6

2011.pdf

Edition

Search Sign In Join ATEX Rating Chart ASTM A36.pdf ASTM A992 API 5L 45th ASTM-A6 ASTM B 221M - 02 2011.pdf Edition

ALUMINUM ALL...

8	Search	Q	Sig	n In Join
ASTM B 221M - 02 ATEX F ALUMINUM ALL	Rating Chart ASTM A36.pdf	ASTM A992 2011.pdf	API 5L 45th Edition	ASTM-A6

Search

Sign In

Join

ASTM B 221M - 02 ATEX Rating Chart ASTM A36.pdf
ALUMINUM ALL...

ASTM A992 API 5L 45th Edition

ALUMINUM ALL...

Search Q To Sign In Join

ASTM B 221M - 02 ATEX Rating Chart ASTM A36.pdf ASTM A992 API 5L 45th ASTM-A6

2011.pdf

ALUMINUM ALL...

Search Q To Sign In Join

ASTM B 221M - 02 ATEX Rating Chart ASTM A36.pdf ASTM A992 API 5L 45th ASTM-A6

2011.pdf

Search

Q

Sign In

Join


ASTM B 221M - 02
ALUMINUM ALL...

ATEX Rating Chart

ASTM A36.pdf

ASTM A992
API 5L 45th
Edition

ASTM-A6



ALUMINUM ALL...

Sign In Search Join ATEX Rating Chart ASTM A36.pdf ASTM A992 API 5L 45th ASTM-A6 ASTM B 221M - 02 2011.pdf Edition

ALUMINUM ALL...

Search Q To Sign In Join

ASTM B 221M - 02 ATEX Rating Chart ASTM A36.pdf ASTM A992 API 5L 45th ASTM-A6

2011.pdf

Search

Q


Sign In

Join

ASTM B 221M - 02 ATEX Rating Chart ASTM A36.pdf ASTM A992 API 5L 45th ASTM-A6

ALUMINUM ALL...

2011.pdf Edition



Search

Q

Sign In

Join

ASTM B 221M - 02 ATEX Rating Chart ASTM A36.pdf
ALUMINUM ALL...


ASTM A992 API 5L 45th ASTM-A6
Edition

ALUMINUM ALL...

Search Q To Sign In Join

ASTM B 221M - 02 ATEX Rating Chart ASTM A36.pdf ASTM A992 API 5L 45th ASTM-A6

2011.pdf



Search

Sign In

Join

ASTM B 221M - 02
ALUMINUM ALL...

ATEX Rating Chart ASTM A36.pdf ASTM A992
AUMINUM ALL...

ASTM A36.pdf ASTM A992
ADI 5L 45th Edition

Search

Q
Pisign In

Join

ASTM B 221M - 02
ATEX Rating Chart
ASTM A36.pdf
ASTM A992
ALUMINUM ALL...

2011.pdf
Edition

Search Q To Sign In Join

ASTM B 221M - 02 ATEX Rating Chart ASTM A36.pdf ASTM A992 API 5L 45th ASTM-A6

2011.pdf

Edition


ALUMINUM ALL...

ALUMINUM ALL...

Search Q To Sign In Join

ASTM B 221M - 02 ATEX Rating Chart ASTM A36.pdf ASTM A992 API 5L 45th ASTM-A6

2011.pdf





Search Sign In Join ATEX Rating Chart ASTM A36.pdf ASTM A992 API 5L 45th ASTM-A6 ASTM B 221M - 02 2011.pdf Edition


ALUMINUM ALL...


ALUMINUM ALL...

Search Q To Sign In Join

ASTM B 221M - 02 ATEX Rating Chart ASTM A36.pdf ASTM A992 API 5L 45th ASTM-A6

2011.pdf





ALUMINUM ALL...

Search Q To Sign In Join

ASTM B 221M - 02 ATEX Rating Chart ASTM A36.pdf ASTM A992 API 5L 45th ASTM-A6

2011.pdf


ALUMINUM ALL...

Search Q To Sign In Join

ASTM B 221M - 02 ATEX Rating Chart ASTM A36.pdf ASTM A992 API 5L 45th ASTM-A6

2011.pdf

$\mathbf{S}$	Search	Search		Sig	Sign In Join	
ASTM B 221M - 02 ALUMINUM ALL	ATEX Rating Chart	ASTM A36.pdf	ASTM A992 2011.pdf	API 5L 45th Edition	ASTM-A6	



Search

Q
Pi Sign In Join

ASTM B 221M - 02 ATEX Rating Chart ASTM A36.pdf ASTM A992 API 5L 45th ASTM-A6
ALUMINUM ALL...

ASTM B 221M - 02 ATEX Rating Chart ASTM A36.pdf Edition

ALUMINUM ALL...

Search Q To Sign In Join

ASTM B 221M - 02 ATEX Rating Chart ASTM A36.pdf ASTM A992 API 5L 45th ASTM-A6

2011.pdf

Search


Q

Sign In

Join

ASTM B 221M - 02 ATEX Rating Chart ASTM A36.pdf
ASTM A992 API 5L 45th ASTM-A6
ALUMINUM ALL...

2011.pdf
Edition



Search

Q

Sign In

Join

ASTM B 221M - 02 ATEX Rating Chart ASTM A36.pdf
ALUMINUM ALL...

ASTM A992 API 5L 45th Edition


Search Q To Sign In Join


ASTM B 221M - 02 ATEX Rating Chart ASTM A36.pdf ASTM A992 API 5L 45th ASTM-A6

2011.pdf

Edition

ALUMINUM ALL...





Search

Q

Sign In

Join

ASTM B 221M - 02 ATEX Rating Chart ASTM A36.pdf
ASTM A992 API 5L 45th ASTM-A6
ALUMINUM ALL...


2011.pdf
Edition

ALUMINUM ALL...

Search Q To Sign In Join

ASTM B 221M - 02 ATEX Rating Chart ASTM A36.pdf ASTM A992 API 5L 45th ASTM-A6

2011.pdf




Search

Sign In

Join

ASTM B 221M - 02
ATEX Rating Chart ASTM A36.pdf ASTM A992
ALUMINUM ALL...

ASTM A36.pdf ASTM A992
API 5L 45th Edition



ALUMINUM ALL...

Search Q ① Sign In Join

ASTM B 221M - 02 ATEX Rating Chart ASTM A36.pdf ASTM A992 API 5L 45th ASTM-A6

2011.pdf

ALUMINUM ALL...

Search Q To Sign In Join

ASTM B 221M - 02 ATEX Rating Chart ASTM A36.pdf ASTM A992 API 5L 45th ASTM-A6

2011.pdf

Search

Sign In

Join

ASTM B 221M - 02
ATEX Rating Chart
ASTM A36.pdf
ALUMINUM ALL...

ASTM A36.pdf
ASTM A992
API 5L 45th
Edition

ASTM-A6

Search

Q

Sign In

Join

ASTM B 221M - 02 ATEX Rating Chart ASTM A36.pdf
ASTM A992 API 5L 45th ASTM-A6
ALUMINUM ALL...

ASTM - 02 ATEX Rating Chart ASTM A36.pdf
ASTM - 03 ASTM - 04 ASTM - 05 ASTM

ALUMINUM ALL...

Search Q To Sign In Join

ASTM B 221M - 02 ATEX Rating Chart ASTM A36.pdf ASTM A992 API 5L 45th ASTM-A6

2011.pdf


ALUMINUM ALL...

Search Q To Sign In Join

ASTM B 221M - 02 ATEX Rating Chart ASTM A36.pdf ASTM A992 API 5L 45th ASTM-A6

2011.pdf

<b>S</b>	Search		Q	↑ Sign	Sign In Join	
ASTM B 221M - 02 ALUMINUM ALL	ATEX Rating Chart	ASTM A36.pdf	ASTM A992 2011.pdf	API 5L 45th Edition	ASTM-A6	



astm.a370.1977 10/4/2019

ALUMINUM ALL...

Search Sign In Join ATEX Rating Chart ASTM A36.pdf ASTM A992 API 5L 45th ASTM-A6 ASTM B 221M - 02 2011.pdf

astm.a370.1977 10/4/2019

Search Sign In Join ATEX Rating Chart ASTM A36.pdf ASTM A992 API 5L 45th ASTM-A6 ASTM B 221M - 02 2011.pdf

Edition

ALUMINUM ALL...

Search

Q

Sign In

Join

ASTM B 221M - 02
ALUMINUM ALL...


ATEX Rating Chart

ASTM A36.pdf

ASTM A992
2011.pdf

Edition

ASTM-A6



Search

Q

Sign In

Join

ASTM B 221M - 02 ATEX Rating Chart ASTM A36.pdf
ALUMINUM ALL...

ASTM A992
ALUMINUM ALL...

2011.pdf
Edition

astm.a370.1977 10/4/2019

Search Sign In Join ATEX Rating Chart ASTM A36.pdf ASTM A992 API 5L 45th ASTM-A6 ASTM B 221M - 02 ALUMINUM ALL... 2011.pdf

Search


Q

Sign In

Join

ASTM B 221M - 02 ATEX Rating Chart ASTM A36.pdf
ALUMINUM ALL...

ASTM A992 API 5L 45th ASTM-A6
Edition



Search


Q


Sign In

Join

ASTM B 221M - 02 ATEX Rating Chart ASTM A36.pdf
ASTM A992 API 5L 45th ASTM-A6
ALUMINUM ALL...

ASTM - 02 ATEX Rating Chart ASTM A36.pdf
ASTM A992 API 5L 45th Edition





2011.pdf


Edition


## **Reward Your Curiosity**

Everything you want to read.


Anytime. Anywhere. Any device.

ALUMINUM ALL...







https://www.scribd.com/document/145607450/astm-a370-1977





binding upon all citizens and residents of the United States of

https://www.scribd.com/document/272291878/astm-a416-1974
















Voulre Peading a Provious


























#### Share this document













#### **Related Interests**


Specification (Technical Standard) Wire Prestressed Concrete Strength Of Materials Enginee

#### Documents Similar To astm.a416.1974













binding upon all citizens and residents of the United States of


https://www.scribd.com/document/278686918/ASTM-A500










































Everything you want to read.


Anytime. Anywhere. Any device.

Read Free For 30 Days







#### **Documents Similar To ASTM A500**



## More From Anthony Cordova Moreno







ASTM A 514-1997 Full description

Save Embed Share

**Download** 

of 6


and T-1


Q Search document


Join


ASTM A-70





























# **Reward Your Curiosity**


Everything you want to read.

Anytime. Anywhere. Any device.


**Read Free For 30 Days** 

No Commitment. Cancel anytime.







#### Documents Similar To astm.a514.1977



### More From Elumalai Srinivasan







Search





Sign In

Join





# By Authority Of Legally Binding Document: The United States Of America

Original Title: astm.a633.1979

Uploaded by ingmichaelgarcia

#### **Full description**



Save







**Download Now** 









CCVC-SAFETY-0003 Specificati...

En 10025 s235jrg2 Steel

ASTM-A656

of 6

Q Search document

K Z




 $(\uparrow)$ Search Sign In Join ASTM A633; Standard Specification for Norn astm.a514.1977 Materials for Sour S3L CCVC-SAFETY-High-Strength LoverAddayoStructural Steel 0003 Specificati Steel **CFR** Section(s): 49 CFR 178.338-2(a) **Standards Body:** American Society for Testing and Materials Official Incorporator: THE EXECUTIVE DIRECT OFFICE OF THE FEDERAL WASHINGTON, D.C.

Pages 2-6 for members only

# Unlock Full Access with a 30 Day Free Trial

**Continue Reading With Trial** 







# You're Reading a Preview

Scribd members can read and download full documents. Your first 30 days are free!

**Continue Reading with Trial** 

$\mathbf{S}$	Search		Q	↑ Sign II	Join
CCVC-SAFETY- 0003 Specificati	En 10025 s235jrg2 Steel	ASTM-A656	astm.a514.1977	Materials for Sour Service Nao Spc	S3L








# You're Reading a Preview

Scribd members can read and download full documents. Your first 30 days are free!

**Continue Reading with Trial** 









# **Reward Your Curiosity**


Everything you want to read.

Anytime. Anywhere. Any device.


Read Free For 30 Days

No Commitment. Cancel anytime.





# **Popular in Politics**



Copyright © 2019 Scribd Inc. · Browse Books · Site Directory · Site Language: English

Google play



Search





Sign In

Join





#### astm.b21.1983

Uploaded by dharlanuctcom

**ASTM Specification Full description** 










Save Embed Share Print

#### **RELATED TITLES**







Alloy Steels



Mechanical Properties and...

**Download Now** 

1

of 6

Q Search document


K Z




By the Authority Vested By Part 5 of the United States Code § 5 Part 1 of the Code of Regulations § 51 the attached document has INCORPORATED BY REFERENCE and shall be considere

binding upon all citizens and residents of the United States of

Search  $(\uparrow)$ Sign In Join **e**1 ta: at lloy Steels Mechanical 46 CFR 56.60-2 Sequence Cold Finish astm.f853.2005 Properties and... and Super Alloys Software 3.0... Carbon Bars an **Standards Body:** American Society for Testing and Materials Official Incorporator: THE EXECUTIVE DIRECT OFFICE OF THE FEDERAL WASHINGTON, D.C. Pages 2-6 for members only Unlock Full Access with a 30 Day **Free Trial Continue Reading With Trial** 









# You're Reading a Preview

Scribd members can read and download full documents. Your first 30 days are free!





Search Q To Sign In Join


Cold Finish Alloy Steels Mechanical Stainless Steels Sequence astm.f853.2005

and Super Alloys

Software 3.0...

Properties and...

Carbon Bars an...



Search Q To Sign In Join

Cold Finish Alloy Steels Mechanical Stainless Steels Sequence astm.f853.2005

and Super Alloys

Software 3.0...

Properties and...

# **Reward Your Curiosity**


Everything you want to read.


Anytime. Anywhere. Any device.

Carbon Bars an...

Search  $(\uparrow)$ Sign In Join lc Cold Finish Alloy Steels Mechanical Stainless Steels Sequence astm.f853.2005 Garbon Bars an **More From dharlanuctcom** Properties and... and Super Alloys Software 3.0... **Cold Finish Carbon Alloy Steels** Mechanical **Stainless Steels Sequence Software** Bars and Cold... Properties and... and Super Alloys 3.0 Object Chart **UPLOADED BY UPLOADED BY** dharlanuctcom **UPLOADED BY UPLOADED BY UPLOADED BY** dharlanuctcom dharlanuctcom Renan Almeida dharlanuctcom **ABOUT SUPPORT** About Scribd Help / FAQ Accessibility Press Our blog Purchase help Join our team! AdChoices Contact Us **Publishers** Join today Invite Friends Gifts **LEGAL** 

Terms










By the Authority Vested By Part 5 of the United States Code § 5 Part 1 of the Code of Regulations § 51 the attached document has INCORPORATED BY REFERENCE and shall be considere


binding upon all citizens and residents of the United States of









































# **Reward Your Curiosity**

Everything you want to read.

Anytime. Anywhere. Any device.

**Read Free For 30 Days** 

No Commitment. Cancel anytime.



### **Share this document**











### **Related Interests**


International System Of Units

Pascal (Unit)


Specification (Technical Standard)

**Brass** 


Strength Of Materials





#### More From revelk




### Popular in Tempering (Metallurgy)


















































#### Share this document





### **Related Interests**

Fuel Oil Petroleum Combustion Chemistry Chemical Substances

### Documents Similar To Astm.d396 Fuel Oil Specx









Search





Sign In

Join



### astm.d1072.1990 (1)

Uploaded by Hsaam Hsaam

astm.d1072.1990 (1) Full description

Save Embed Share

#### **RELATED TITLES**







IMAT


2016\_shuffled -...

**RO Cleaning** Procedure

Insert.NaOHD -SMS - SmpCln1.


of 7


Q Search document




By the Authority Vested By Part 5 of the United States Code § 5 Part 1 of the Code of Regulations § 51 the attached document has INCORPORATED BY REFERENCE and shall be considere

binding upon all citizens and residents of the United States of













# You're Reading a Preview


Scribd members can read and download full documents. Your first 30 days are free!
















2016\_shuffled -...

Search






Sign In

Join





SMS - SmpCln1...



research on geopolymer

Pf032200\_00 Idropol Mrc Tds..

# **Reward Your Curiosity**

Procedure

Everything you want to read.

Anytime. Anywhere. Any device.

Read Free For 30 Days

No Commitment. Cancel anytime.



### **Share this document**














#### **Related Interests**

Sodium Hydroxide Flow Measurement Titration Pressure Measurement Pressure

### Documents Similar To astm.d1072.1990 (1)







**Download Now** 

1 of 17

Q Search document


K 7




INCORPORATED BY REFERENCE and shall be considere


binding upon all citizens and residents of the United States of

https://www.scribd.com/document/263895462/astm-d1945-1996-pdf



**Continue Reading With Trial** 









## You're Reading a Preview

Scribd members can read and download full documents. Your first 30 days are free!








Search		Q		↑ Sign In Join	
AGA Report no 3 -	ASTM D1945 -	ISO 6976	ASTM D 1265	AGA 12-1	Astm d1945
Part 4 [Intro].pdf	Standard Test				


<b>S</b>	Search		Q	(†) s	ign In Join
AGA Report no 3 - Part 4 [Intro].pdf	ASTM D1945 - Standard Test	ISO 6976	ASTM D 1265	AGA 12-1	Astm d1945




S	Search		Q	Sign In Join	
AGA Report no 3 - Part 4 [Intro].pdf	ASTM D1945 - Standard Test	ISO 6976	ASTM D 1265	AGA 12-1	Astm d1945


5	Search		Q	<b>(†)</b>	ign In Join
AGA Report no 3 - Part 4 [Intro].pdf	ASTM D1945 - Standard Test	ISO 6976	ASTM D 1265	AGA 12-1	Astm d1945

















3	Search		Q	♠ s	gn In Join
AGA Report no 3 - Part 4 [Intro].pdf	ASTM D1945 - Standard Test	ISO 6976	ASTM D 1265	AGA 12-1	Astm d1945






Search			Q	(†) Si	gn In Join
AGA Report no 3 - Part 4 [Intro].pdf	ASTM D1945 - Standard Test	ISO 6976	ASTM D 1265	AGA 12-1	Astm d1945





Part 4 [Intro].pdf



# **Reward Your Curiosity**

Standard Test...

Everything you want to read.


Anytime. Anywhere. Any device.


Read Free For 30 Days


No Commitment. Cancel anytime.




#### **Share this document**











binding upon all citizens and residents of the United States of

https://www.scribd.com/document/401765953/astm-d2986-1995-2-pdf



https://www.scribd.com/document/401765953/astm-d2986-1995-2-pdf











## You're Reading a Preview


Scribd members can read and download full documents. Your first 30 days are free!

















## **Reward Your Curiosity**

Everything you want to read.

Anytime. Anywhere. Any device.

Read Free For 30 Days

No Commitment. Cancel anytime.



#### **Share this document**











#### **Related Interests**

Flow Measurement

Aerosol

Particulates

Calibration

**Optics** 

### Documents Similar To astm.d2986.1995 (2).pdf

