

EXHIBIT H

Motorola's Proposed Claim Constructions

Case No. 1:10cv023580-Civ-UU

<i>#</i>	<i>Patent Number(s)</i>	<i>Claim Term / Phrase To Be Construed</i>	<i>Motorola's Proposed Construction</i>
1	'531	Subsequent filtered data units	Data units that have been filtered by both the first and second set of user-selected criteria
2	'646 / '116	Determi[ning][es] whether [a] device . . . is a video device Detect[ing][s] . . . a display device	Having the device manager, which is an operating system component and not a device driver, specifically determine that the device is a video display device
3	'646 / '116	Modifying the allocation of display space A portion of the display space to be modified	Changing the allotment of the global coordinate space available for use by display devices An allotment of the global coordinate space, available for use by display devices, to be changed
4	'560	Interface generator	A software application executing on the CPU that causes the A/V display to display a graphical user interface for selecting and displaying cable television or other audio-visual programs, as well as controlling various audio-visual devices and interactive services.

5	'509 / '456	Interface generation means	This element is subject to U.S.C. § 112 ¶ 6.
			<p>Structure: A central processing unit (CPU), a system bus; an A/V decoder; a wireless control unit; a system memory unit; an A/V memory unit; a memory and bus controller; an A/V encoder; a high-speed digital A/V bus; an A/V processor; one or more tuners/demodulators, wherein one tuner/demodulator reads and displays a current program from one of the channels received; additional tuners/demodulators (or the same tuner/demodulator, used in alternation) to read and display data from the side-band channels in picture-in-picture (pip) windows; a remote control device including a transmitter for transmitting signals to the audio-visual system; and software applications that generate picture-in-picture windows, program listing information, program recording, and other interactive functions. <i>See, e.g., '509 patent, FIG. 2; 8:50-10:46.</i></p> <p>Function: Causing the A/V display to display a graphical user interface for selecting and displaying cable television or other audio-visual programs, as well as controlling various audio-visual devices and interactive services.</p>
6	'560 / '509 / '456	Listing interface	A software application executing on the CPU causing the A/V display to selectively display one level of the multiple levels of information related to an audio-visual program, that level containing a list of information (including at least channel numbers, channel names, and/or titles) about the viewable audio-visual programs

7	'509 / '456	Listing means / Listing interface means	<p>This element is subject to U.S.C. § 112 ¶ 6.</p> <p>Structure: A central processing unit (CPU), a system bus; an A/V decoder; a wireless control unit; a system memory unit; an A/V memory unit; a memory and bus controller; an A/V encoder; a high-speed digital A/V bus; an A/V processor; one or more tuners/demodulators, wherein one tuner/demodulator reads and displays a current program from one of the channels received; additional tuners/demodulators (or the same tuner/demodulator, used in alternation) to read and display data from the side-band channels in picture-in-picture (pip) windows; a remote control device including a transmitter for transmitting signals to the audio-visual system; and software applications that generate picture-in-picture windows, program listing information, and other interactive listing functions. <i>See, e.g., '509 patent FIG. 2; 8:50-10-46.</i></p> <p>Function: Causing the A/V display to selectively display one level of the multiple levels of information related to an audio-visual program, that level containing a list of information (including at least channel numbers, channel names, and titles) about the viewable audio-visual programs</p>
8	'560 / '509 / '456	Controller in communication with / Control means in communication with	<p>Controller in communication with : A hand-held remote control containing a transmitter for transmitting signals wirelessly to the transceiver.</p> <p>Control means in communication with: This element is subject to U.S.C. § 112 ¶ 6.</p> <p>Structure: A hand-held remote control containing a transmitter. <i>See, e.g., Abstract; col. 8:42-46.</i></p> <p>Function: transmitting signals wirelessly to the transceiver</p>

9	'849	Gesture	A motion of the object/appendage making contact with the touch screen display..
10	'849	Moving an unlock image	Translating the unlock image from one portion of the coordinate space of touch-sensitive display to another
11	'006	“data units not sent from the host to the communication unit”	Ordinary meaning
12	'531	“wireless network”	Ordinary meaning, but in the alternative, two or more devices whose interconnection(s) is implemented, at least in part, without the use of wires
13	'531	“virtual session”	a communication that occurs on an event-driven basis, at least in part, over a wireless network
14	'531	"filtered data unit"	Ordinary meaning, but in the alternative, a data unit that has been filtered.
15	'119	“responsive to receiving the second message, transmitting a third message”	Ordinary meaning
16	'119	“indicative of the second status”	Ordinary meaning, but in the alternative, providing an indication of the second status
17	'987	“the antenna . . . is disposed between an outside surface of the housing and the at least a portion of the user interface”	Ordinary meaning, but in the alternative, the antenna . . . is arranged between an exposed surface of the housing and at least a portion on the user interface
18	'987	“substantially planar and detachable cover . . . for concealing the antenna”	Ordinary meaning, but in the alternative, a detachable cover that has at least one surface that is substantially flat . . . for concealing the antenna.

19	'737	“authorization element . . . for obtaining usage authorization for utilizing software in the portable communication device, in which the authorization element generates an external authorization request, and in which the authorization element communicates with the fixed portion to obtain the usage authorization”	hardware and/or software . . . for securely obtaining authorization to use software in the portable communication device, in which the hardware and/or software generates an external authorization request, and in which the hardware and/or software securely communicates with the fixed portion to obtain the authorization to use the software
20	'737	“address identifying the portable communication device”	Ordinary meaning, but in the alternative, some reference uniquely identifying the portable communication device

