



Chevron Corporation
Regional Oil Spill Response Plan – Gulf of Mexico

Appendix H
Worst Case
Discharge
Scenarios

GC 952 (Exploratory) - Sample Offshore On-Water Recovery Activation List													
Skimming System	Supplier & Phone	Warehouse	Skimming Package	Quantity	Recovery Rate (Barrels/Day)	Storage (Barrels)	Staging Area	Distance to Site from Staging (Miles)	Response Times (Hours)				
									Staging ETA	Loadout Time	ETA to Site	Deployment Time	Total ETA
GT-185	AMPOL 800-482-6765	New Iberia, LA	Offshore Skimmer	1	1,371	200	Fourchon, LA	145	5	1	10.5	1	17.5
			36" Expandi Boom	720									
			Personnel	4									
			110' Utility Boat	1									
			Crew Boat	1									
			Portable Tank	1									
WP-3	AMPOL 800-482-6765	New Iberia, LA	Offshore Skimmer	1	2,880	200	Fourchon, LA	145	5	1	10.5	1	17.5
			36" Expandi Boom	720									
			Personnel	4									
			110' Utility Boat	1									
			Crew Boat	1									
			Portable Tank	1									
VOSS Fast Response Unit	CGA 888-CGA-2007	Venice, LA	Don Wilson Skimmer	1	3,770	100	Venice, LA	180	3	1	13	1	18
			43" Expandi Boom	500									
			Personnel	4									
			Utility Boat	1									
			Crew Boat	1									
			100 BBL Tank	2									
VOSS Fast Response Unit	CGA 888-CGA-2007	Venice, LA	Don Wilson Skimmer	1	3,770	100	Venice, LA	180	3	1	13	1	18
			43" Expandi Boom	500									
			Personnel	4									
			Utility Boat	1									
			Crew Boat	1									
			100 BBL Tank	2									
VOSS Fast Response Unit	CGA 888-CGA-2007	Belle Chasse, LA	Don Wilson Skimmer	1	3,770	100	Venice, LA	180	3	1	13	1	18
			43" Expandi Boom	500									
			Personnel	4									
			Utility Boat	1									
			Crew Boat	1									
			100 BBL Tank	1									
Mississippi Responder Transrec-350	MSRC 800-OIL-SPI	Pascagoula, MS	Transrec Skimmer	1	10,567	4,000	Pascagoula, MS	210	2	1	15	1	19
			67" Boom	1320									
			210' Vessel	1									
			Personnel	12									
			32' Support Boat	1									
			Crew Boat	1									
VOSS Fast Response Unit	CGA 888-CGA-2007	Lake Charles, LA	Don Wilson Skimmer	1	3,770	100	Fourchon, LA	145	6.5	1	10.5	1	19
			43" Expandi Boom	500									
			Personnel	4									
			Utility Boat	1									
			Crew Boat	1									
			100 BBL Tank	2									
FOILEX 250	MSRC 800-OIL-SPI	Lake Charles, LA	Offshore Skimmer	1	3,977	500	Fourchon, LA	145	6.5	1	10.5	1	19
			43" Offshore Boom	100									
			Personnel	4									
			Utility Boat	1									
			Towable Bladder	1									
M/V Responder	AMPOL 800-482-6765	Cameron, LA	Vikoma Skimmer	1	1,500	200	Cameron, LA	255	2	1	18	1	22
			36" Expandi Boom	720									
			Personnel	4									
			110' Utility Boat	1									
			Crew Boat	1									
VOSS Fast Response Unit	CGA 888-CGA-2007	Galveston, TX	Don Wilson Skimmer	1	3,770	100	Fourchon, LA	145	10	1	10.5	1	22.5
			43" Expandi Boom	500									
			Personnel	4									
			Utility Boat	1									
			Crew Boat	1									
			100 BBL Tank	2									
FOILEX 250	MSRC 800-OIL-SPI	Galveston, TX	Offshore Skimmer	1	3,977	500	Fourchon, LA	145	10	1	10.5	1	22.5
			43" Offshore Boom	100									
			Personnel	4									
			Utility Boat	1									
			Towable Bladder	1									



Chevron Corporation
Regional Oil Spill Response Plan – Gulf of Mexico

Appendix H
Worst Case
Discharge
Scenarios

GC 952 (Exploratory) - Sample Offshore On-Water Recovery Activation List													
Skimming System	Supplier & Phone	Warehouse	Skimming Package	Quantity	Recovery Rate (Barrels/Day)	Storage (Barrels)	Staging Area	Distance to Site from Staging (Miles)	Response Times (Hours)				
									Staging ETA	Loadout Time	ETA to Site	Deployment Time	Total ETA
Gulf Coast Responder Transrec-350	MSRC 800-OIL-SPIL	Lake Charles, LA	Transrec Skimmer	1	10,567	4,000	Lake Charles, LA	280	2	1	20	1	24
			67" Boom	1320'									
			210' Vessel	1									
			Personnel	12									
			Tow Bladder	1									
Stress I Skimmer	1	15,840											
CGA-200 HOSS Barge (OSRB)	CGA 888-CGA-2007	Houma, LA	Belt Skimmer	1	43,000	4,100	Houma, LA	180	2	1	20	1	24
			67" Sea Sentry	1320'									
			Personnel	8									
			Tug - 1,200 HP	2									
			Tug - 1,800 HP	1									
VOSS Fast Response Unit	CGA 888-CGA-2007	Ingleside, TX	Don Wilson Skimmer	1	3,770	180	Fourchon, LA	145	13	1	10.5	1	25.5
			43" Expandi Boom	500'									
			Personnel	4									
			Utility Boat	1									
			Crew Boat	1									
100 BBL Tank	2	200											
FOILEX 250	MSRC 800-OIL-SPIL	Ingleside, TX	Offshore Skimmer	1	3,977	500	Fourchon, LA	145	13	1	10.5	1	25.5
			43" Offshore Boom	100'									
			Personnel	4									
			Utility Boat	1									
			Towable Bladder	1									
Texas Responder Transrec-350	MSRC 800-OIL-SPIL	Galveston, TX	Transrec Skimmer	1	10,567	4,000	Galveston, TX	305	2	1	22	1	26
			67" Boom	1320'									
			210' Vessel	1									
			Personnel	12									
			32' Support Boat	1									
Stress I Skimmer	1	15,840											
Stress 1	MSRC 800-OIL-SPIL	Tampa, FL	Offshore Skimmer	1	15,840	500	Fourchon, LA	145	13.5	1	10.5	1	26
			67" Offshore Boom	660'									
			Personnel	4									
			Utility Boat	1									
			Crew Boat	1									
Towable Bladder	1												
Stress II	MSRC 800-OIL-SPIL	Miami, FL	Offshore Skimmer	1	3,017		Fourchon, LA	145	16	1	10.5	1	28.5
			67" Offshore Boom	660'									
			Personnel	4									
			Utility Boat	1									
			Crew Boat	1									
Southern Responder Transrec-350	MSRC 800-OIL-SPIL	Ingleside, TX	Transrec Skimmer	1	10,567	4,000	Ingleside, TX	415	2	1	29.5	1	33.5
			67" Boom	1980'									
			210' Vessel	1									
			Personnel	12									
			Tow Bladder	1									
Stress I Skimmer	1	15,840											
Florida Responder Transrec-350	MSRC 800-OIL-SPIL	Miami, FL	Transrec Skimmer	1	10,567	4,000	Miami, FL	760	2	1	54.5	1	58.5
			67" Boom	1320'									
			210' Vessel	1									
			Personnel	12									
			32' Support Boat	1									
Stress I Skimmer	1	15,840											
DERATED RECOVERY RATE (BBL/DAY)												278,286	
SKIMMING VESSEL STORAGE CAPACITY (BARRELS)												34,680	



Chevron Corporation
Regional Oil Spill Response Plan – Gulf of Mexico

Appendix H
Worst Case
Discharge
Scenarios


GC 952 (Exploratory) - Sample Offshore Storage Activation List													
Skimming System	Supplier & Phone	Warehouse	Skimming Package	Quantity	Recovery Rate (Barrels/Day)	Storage (Barrels)	Staging Area	Distance to Site from Staging (Miles)	Response Times (Hours)				Total ETA
									Staging ETA	Leadout Time	ETA to Site	Deployment Time	
Towable Bladders	MSRC 800-OIL-SPIL	Lake Charles, LA	500 BBL Bladders	16		11,000	Fourchon, LA	145	6.5	1	16		23.5
CTCo-5001 Offshore Barge	CGA 888-CGA-2007	Houma, LA	3000 BBL Bladder	1		45,000	Houma, LA	155	2	1	17		20
			Offshore Barge	1									
			Personnel	4									
CTCo-2606 Offshore Barge	CGA 888-CGA-2007	Houma, LA	Offshore Barge	1		24,000	Houma, LA	155	2	1	17		20
			Personnel	4									
			Offshore Tug	1									
CTCo-2603 Offshore Barge	CGA 888-CGA-2007	Houma, LA	Offshore Barge	1		24,000	Houma, LA	155	2	1	17		20
			Personnel	4									
			Offshore Tug	1									
MSRC-452 Offshore Barge	MSRC 800-OIL-SPIL	Fort Jackson, LA	3000 BBL Bladders	1		3,000	Fort Jackson, LA	190	2	1	21		24
			Offshore Barge	1	45,000								
			Personnel	4									
			Offshore Tug	1									
MSRC-402 Offshore Barge	MSRC 800-OIL-SPIL	Pascagoula, MS	Offshore Barge	1		40,250	Pascagoula, MS	210	2	1	23.5		26.5
			Personnel	4									
			Offshore Tug	1									
Towable Bladders	MSRC 800-OIL-SPIL	Miami, FL	500 BBL Bladder	8		4,000	Fourchon, LA	145	16	1	10.5		27.5
MSRC-570 Offshore Barge	MSRC 800-OIL-SPIL	Galveston, TX	Offshore Barge	1		56,920	Galveston, TX	305	2	1	34		37
			Personnel	4									
			Offshore Tug	1									
MSRC-403 Offshore Barge	MSRC 800-OIL-SPIL	Ingleside, TX	Offshore Barge	1		40,300	Ingleside, TX	415	2	1	46		49
			Personnel	4									
			Offshore Tug	1									
MSRC Offshore Tank Barge	MSRC 800-OIL-SPIL	Tampa, FL	500 BBL Bladders	2		1,000	Tampa, FL	515	2	1	57		60
			Offshore Barge	1									
			Personnel	4									
			Tug - 3000 HP	1									
STORAGE CAPACITY (BARRELS):												330,470	
TOTAL STORAGE CAPACITY (INCLUDING SKIMMING VESSELS) (BARRELS):												365,150	



Chevron Corporation
Regional Oil Spill Response Plan – Gulf of Mexico

Appendix H
Worst Case
Discharge
Scenarios

**Green Canyon Block 952 Worst Case Discharge
Dispersant Application Map**





Chevron Corporation
Regional Oil Spill Response Plan – Gulf of Mexico

Appendix H
Worst Case
Discharge
Scenarios

GC 952 (Exploratory) - Sample Offshore Aerial Dispersant Activation List											
Aerial Dispersant System	Supplier & Phone	Warehouse	Aerial Dispersant Package	Quantity	Staging Area	Distance to Site from Staging (Miles)	Response Times (Hours)				
							Staging ETA	Loadout Time	ETA to Site	Deployment Time	Total ETA
DC-3 Aircraft Air Speed - 194 MPH	Airborne Support 985-851-6391	Houma, LA	DC-3 Dispersant Aircraft	1	Houma, LA	175	2	0.5	0.90	0.3	3.75
			Dispersant - Gallons	2000							
			Spotter Aircraft	1							
			Spotter Personnel	2							
			Crew - Pilots	2							
DC-3 Aircraft Air Speed - 150 MPH	Airborne Support 985-851-6391	Houma, LA	DC-3 Dispersant Aircraft	1	Houma, LA	175	2	0.4	1.17	0.2	3.80
			Dispersant - Gallons	1200							
			Spotter Aircraft	1							
			Spotter Personnel	2							
			Crew - Pilots	2							
BE-90 King Air Aircraft Air Speed - 213 MPH	MSRC 800-OIL-SPIL	Stennis, MS	BE-90 Dispersant Aircraft	1	Stennis INTL., MS 1st Flight	240	4.00	0.20	1.13	0.20	5.55
			Dispersant - Gallons	230-425							
			Spotter Aircraft	1							
			Spotter Personnel	2	Stennis INTL., MS 2nd Flight	240	1.13	0.20	1.13	0.20	2.70
			Crew - Pilots	2							
C130-A Aircraft Air Speed - 342 MPH	MSRC 800-OIL-SPIL	Coolidge, AZ	C130-A Dispersant Aircraft	1	Ellington Field, TX 1st Flight	330	8	0.3	0.96	0.5	9.80
			Dispersant - Gallons	3250							
			Spotter Aircraft	1							
			Spotter Personnel	2	Stennis INTL., MS 2nd Flight	240	0.70	0.3	0.70	0.5	2.25
			Crew - Pilots	2							
ADDS PACK Air Speed - 330 MPH	Clean Carribean 985-851-6391	Pt. Everglades, FL	C-130 Aircraft	1	Cleanwater, FL	500	24-48	1	1.52	0.5	27.05 to 51.05
			ADDS PACK	1							
			Dispersant - Gallons	5000							
			Spotter Aircraft	1							
			Spotter Personnel	2							
Crew - Pilots	2										



GC 952 (Exploratory) - Sample Offshore Boat Spray Dispersant Activation List

Boat Spray Dispersant System	Supplier & Phone	Warehouse	Boat Spray Dispersant Package	Quantity	Staging Area	Distance to Site from Staging (Miles)	Response Times (Hours)				Total ETA
							Staging ETA	Loadout Time	ETA to Site	Deployment Time	
USCG SMART Team	USCG	Mobile, AL	Personnel	4	Fourchon, LA	145	3.5	1	10.5	0.5	15.5
Louisiana Responder Transrec-350	MSRC 800-OIL-SPIL	Fort Jackson, LA	Dispersant Spray System	1	Fort Jackson, LA	190	2	1	13.5	1	17.5
			Dispersant (Gallons)	880							
			210' Vessel	1							
			Personnel	12							
32' Support Boat	1										
Mississippi Responder Transrec-350	MSRC 800-OIL-SPIL	Pascagoula, MS	Dispersant Spray System	1	Pascagoula, MS	210	2	1	15	1	19
			Dispersant (Gallons)	880							
			210' Vessel	1							
			Personnel	12							
32' Support Boat	1										
Gulf Coast Responder Transrec-350	MSRC 800-OIL-SPIL	Lake Charles, LA	Dispersant Spray System	1	Lake Charles, LA	280	2	1	20	1	24
			Dispersant (Gallons)	880							
			210' Vessel	1							
			Personnel	12							
Tow Bladder	1										
Texas Responder Transrec-350	MSRC 800-OIL-SPIL	Galveston, TX	Dispersant Spray System	1	Galveston, TX	305	2	1	22	1	26
			Dispersant (Gallons)	880							
			210' Vessel	1							
			Personnel	12							
32' Support Boat	1										

Note: For a list of Dispersant Stockpiles by Location, please reference Section 18, Figure 18-3.