



**ExxonMobil Corporation**  
Regional Oil Spill Response Plan –  
Offshore Operations

Appendix H  
Worst Case  
Discharge Scenarios

<b>ExxonMobil</b>													
<b>WR 848 (Exploratory) - Offshore On-Water Recovery Activation List</b>													
Skimming System	Supplier & Phone	Warehouse	Skimming Package	Quantity	Recovery Rate (Barrels/Day)	Storage (Barrels)	Staging Area	Distance to Staging (Miles)	Response Times (Hours)				
									Staging ETA	Loadout Time	ETA to Site	Deployment Time	Total ETA
MOSS Unit w/ GT-260	AMPOL 800-482-6765	New Iberia, LA	GT-260 Skimmer	1	2,743	50	Fourchon, LA	220	5	1	15.5	1	22.5
			36" Expandi Boom	720									
			Personnel	4									
			110' Utility Boat	1									
MOSS Unit w/ WP-4	AMPOL 800-482-6765	New Iberia, LA	Offshore Skimmer	1	3,565	50	Fourchon, LA	220	5	1	15.5	1	22.5
			36" Expandi Boom	720									
			Personnel	4									
			110' Utility Boat	1									
WP-4	AMPOL 800-482-6765	New Iberia, LA	Offshore Skimmer	1	3,565		Fourchon, LA	220	5	1	15.5	1	22.5
			36" Expandi Boom	720									
			Personnel	4									
			110' Utility Boat	1									
WP-4	AMPOL 800-482-6765	New Iberia, LA	Offshore Skimmer	1	3,565		Fourchon, LA	220	5	1	15.5	1	22.5
			36" Expandi Boom	720									
			Personnel	4									
			110' Utility Boat	1									
WP-1	AMPOL 800-482-6765	New Iberia, LA	Offshore Skimmer	1	1,440		Fourchon, LA	220	5	1	15.5	1	22.5
			36" Expandi Boom	720									
			Personnel	4									
			110' Utility Boat	1									
GT-185	AMPOL 800-482-6765	New Iberia, LA	Offshore Skimmer	1	1,371		Fourchon, LA	220	5	1	15.5	1	22.5
			36" Expandi Boom	720									
			Personnel	4									
			110' Utility Boat	1									
WP-3	AMPOL 800-482-6765	New Iberia, LA	Offshore Skimmer	1	2,880		Fourchon, LA	220	5	1	15.5	1	22.5
			36" Expandi Boom	720									
			Personnel	4									
			110' Utility Boat	1									

<b>ExxonMobil</b>													
<b>WR 848 (Exploratory) - Offshore On-Water Recovery Activation List</b>													
Skimming System	Supplier & Phone	Warehouse	Skimming Package	Quantity	Recovery Rate (Barrels/Day)	Storage (Barrels)	Staging Area	Distance to Staging (Miles)	Response Times (Hours)				
									Staging ETA	Loadout Time	ETA to Site	Deployment	Total ETA
Fast Response Unit "FRU"	CGA 888-CGA-2007	Pascagoula, MS	Don Wilson Skimmer	1	3,400	100	Fourchon, LA	220	5.5	1	15.5	1	23
			43" Expandi Boom	500'									
			Personnel	4									
			Utility Boat	1									
GT-185	MSRC 800-OIL-SPIL	Pascagoula, MS	Offshore Skimmer	1	1,371		Fourchon, LA	220	5.5	1	15.5	1	23
			67" Offshore Boom	660'									
			Personnel	4									
			Utility Boat	1									
Stress 1	MSRC 800-OIL-SPIL	Pascagoula, MS	Offshore Skimmer	1	15,840		Fourchon, LA	220	5.5	1	15.5	1	23
			67" Offshore Boom	660'									
			Personnel	4									
			Utility Boat	1									
WP-1	MSRC 800-OIL-SPIL	Pascagoula, MS	Offshore Skimmer	1	3,017		Fourchon, LA	220	5.5	1	15.5	1	23
			67" Offshore Boom	660'									
			Personnel	4									
			Utility Boat	1									
AARDVAC	MSRC 800-OIL-SPIL	Pascagoula, MS	Offshore Skimmer	1	3,840		Fourchon, LA	220	5.5	1	15.5	1	23
			67" Offshore Boom	660'									
			Personnel	4									
			Utility Boat	1									
Queensboro	MSRC 800-OIL-SPIL	Pascagoula, MS	Offshore Skimmer	1	905		Fourchon, LA	220	5.5	1	15.5	1	23
			67" Offshore Boom	660'									
			Personnel	4									
			Utility Boat	1									
Fast Response Unit "FRU"	CGA 888-CGA-2007	Belle Chasse, LA	Don Wilson Skimmer	1	3,400	100	Venice, LA	260	2.5	1	18.5	1	23
			43" Expandi Boom	500'									
			Personnel	4									
			Utility Boat	1									
Fast Response Unit "FRU"	CGA 888-CGA-2007	Belle Chasse, LA	Don Wilson Skimmer	1	3,400	100	Venice, LA	260	2.5	1	18.5	1	23
			43" Expandi Boom	500'									
			Personnel	4									
			Utility Boat	1									



**ExxonMobil Corporation**  
Regional Oil Spill Response Plan –  
Offshore Operations

Appendix H  
Worst Case  
Discharge Scenarios

<b>WR 848 (Exploratory) - Offshore On-Water Recovery Activation List</b>													
Skimming System	Supplier & Phone	Warehouse	Skimming Package	Quantity	Recovery Rate (Barrels/Day)	Storage (Barrels)	Staging Area	Distance to Staging (Miles)	Response Times (Hours)				
									Staging ETA	Loadout Time	ETA to Site	Deployment Time	Total ETA
Louisiana Responder Transrec-350	MSRC 800-OIL-SPIL	Fort Jackson, LA	Transrec Skimmer	1	10,567	4,000	Fort Jackson, LA	270	2	1	19.5	1	23.5
			67" Boom	1320'									
			210' Vessel	1									
			Personnel	12									
Fast Response Unit "FRU"	CGA 888-CGA-2007	Lake Charles, LA	32' Support Boat	1	3,400	100	Cameron, LA	285	1	1	20.5	1	23.5
			Don Wilson Skimmer	1									
			43" Expandi Boom	500'									
			Personnel	4									
M/V Responder MOSS Unit w/ Vikoma	AMPOL 800-482-6765	Cameron, LA	Utility Boat	1	1,500	200	Cameron, LA	285	1	1	20.5	1	23.5
			Crew Boat	1									
			Vikoma Skimmer	1									
			36" Expandi Boom	720'									
Stress 1	MSRC 800-OIL-SPIL	Lake Charles, LA	Personnel	4	15,840		Cameron, LA	285	1	1	20.5	1	23.5
			Utility Boat	1									
			Offshore Skimmer	1									
			67" Offshore Boom	1320'									
FOILEX 250	MSRC 800-OIL-SPIL	Lake Charles, LA	Personnel	4	3,977		Cameron, LA	285	1	1	20.5	1	23.5
			Utility Boat	1									
			Offshore Skimmer	1									
			67" Offshore Boom	1320'									
DESMI OCEAN	MSRC 800-OIL-SPIL	Lake Charles, LA	Personnel	4	3,017		Cameron, LA	285	1	1	20.5	1	23.5
			Utility Boat	1									
			Offshore Skimmer	1									
			67" Offshore Boom	1320'									
Queensboro	MSRC 800-OIL-SPIL	Lake Charles, LA	Personnel	4	3,620		Cameron, LA	285	1	1	20.5	1	23.5
			Utility Boat	1									
			Offshore Skimmer	4									
			67" Offshore Boom	660'									
M/V Bastian Bay	CGA 888-CGA-2007	Lake Charles, LA	Personnel	4	5,000	65	Lake Charles, LA	305	1	0	22	1	24
			Utility Boat	1									
			Lori Brush Skimmer	1									
			56" Boom	50'									



**ExxonMobil Corporation**  
Regional Oil Spill Response Plan –  
Offshore Operations

Appendix H  
Worst Case  
Discharge Scenarios

<b>ExxonMobil</b>													
<b>WR 848 (Exploratory) - Offshore On-Water Recovery Activation List</b>													
Skimming System	Supplier & Phone	Warehouse	Skimming Package	Quantity	Recovery Rate (Barrels/Day)	Storage (Barrels)	Staging Area	Distance to Site from Staging (Miles)	Response Times (Hours)				Total ETA
									Staging ETA	Loadout Time	ETA to Site	Deployment Time	
CGA 58 Timballer Bay	CGA 888-CGA- 2007	Galveston, TX	Lori Brush Skimmer	1	5,000	65	Galveston, TX	315	1	0	22.5	1	24.5
			56" Boom	50'									
			46" Vessel	1									
			Personnel	4									
GT-185	MSRC 800-OIL-SPIL	Port Arthur, TX	Offshore Skimmer	1	1,371		Port Arthur, TX	305	1	1	22	1	25
			67" Offshore Boom	660'									
			Personnel	4									
			Utility Boat	1									
Gulf Coast Responder Transrec-350	MSRC 800-OIL-SPIL	Lake Charles, LA	Transrec Skimmer	1	10,567	4,000	Lake Charles, LA	305	2	1	22	1	26
			67" Boom	1320'									
			210" Vessel	1									
			Personnel	12									
Fast Response Unit "FRU"	CGA 888-CGA- 2007	Galveston, TX	Tow Bladder	1	3,400	100	Galveston, TX	320	1	1	23	1	26
			Don Wilson Skimmer	1									
			43" Expandi Boom	500'									
			Personnel	4									
WP-4	MSRC 800-OIL-SPIL	Galveston, TX	Utility Boat	1	3,017		Galveston, TX	320	1	1	23	1	26
			Crew Boat	1									
			Offshore Skimmer	1									
			Personnel	4									
FOILEX 250	MSRC 800-OIL-SPIL	Galveston, TX	Utility Boat	1	3,977		Galveston, TX	320	1	1	23	1	26
			Offshore Skimmer	1									
			Personnel	4									
			Utility Boat	1									
GT-185	MSRC 800-OIL-SPIL	Galveston, TX	Offshore Skimmer	1	1,371		Galveston, TX	320	1	1	23	1	26
			67" Offshore Boom	660'									
			Personnel	4									
			Utility Boat	1									
Stress 1	MSRC 800-OIL-SPIL	Galveston, TX	Offshore Skimmer	1	15,840		Galveston, TX	320	1	1	23	1	26
			67" Offshore Boom	660'									
			Personnel	4									
			Utility Boat	1									



**ExxonMobil Corporation**  
Regional Oil Spill Response Plan --  
Offshore Operations

Appendix H  
Worst Case  
Discharge Scenarios

<b>ExxonMobil</b>													
<b>WR 848 (Exploratory) - Offshore On-Water Recovery Activation List</b>													
Skimming System	Supplier & Phone	Warehouse	Skimming Package	Quantity	Recovery Rate (Barrels/Day)	Storage (Barrels)	Staging Area	Distance to Site (Miles)	Staging ETA	Loadout Time	ETA to Site	Deployment Time	Total ETA
Queensboro	MSRC 800-OIL-SPIL	Galveston, TX	Offshore Skimmer	1	905		Galveston, TX	320	1	1	23	1	26
			67" Offshore Boom	660									
			Personnel	4									
			Utility Boat	1									
Texas Responder Transrec-350	MSRC 800-OIL-SPIL	Galveston, TX	Transrec Skimmer	1	10,567	4,000	Galveston, TX	320	2	1	23	1	27
			67" Boom	1320									
			210' Vessel	1									
			Personnel	12									
Mississippi Responder Transrec-350	MSRC 800-OIL-SPIL	Pascagoula, MS	32' Support Boat	1	10,567	4,000	Pascagoula, MS	350	2	1	25	1	28
			Transrec Skimmer	1									
			67" Boom	1320									
			210' Vessel	1									
MSRC "Quick Strike"	MSRC 800-OIL-SPIL	Ingleside, TX	Personnel	12	5,000	50	Ingleside, TX	385	1	0	27.5	1	29.5
			32' Support Boat	1									
			LORI Brush Skimmer	1									
			67" Boom	660									
Fast Response Unit "FRU"	CGA 888-CGA-2007	Ingleside, TX	Personnel	4	3,400	180	Ingleside, TX	385	1	1	27.5	1	30.6
			47' Fast Response Boat	1									
			Don Wilson Skimmer	1									
			43" Expandi Boom	500									
FOILEX 250	MSRC 800-OIL-SPIL	Ingleside, TX	Personnel	4	3,977		Ingleside, TX	385	1	1	27.5	1	30.6
			Utility Boat	1									
			Crew Boat	1									
			Offshore Skimmer	1									
Vikorra 3 Weir	MSRC 800-OIL-SPIL	Ingleside, TX	67" Offshore Boom	660	5,657		Ingleside, TX	385	1	1	27.5	1	30.6
			Personnel	4									
			Utility Boat	1									
			Offshore Skimmer	1									
GT-185	MSRC 800-OIL-SPIL	Ingleside, TX	67" Offshore Boom	1320	1,371		Ingleside, TX	385	1	1	27.5	1	30.6
			Personnel	4									
			Utility Boat	1									
			Offshore Skimmer	1									



**ExxonMobil Corporation**  
Regional Oil Spill Response Plan –  
Offshore Operations

Appendix H  
Worst Case  
Discharge Scenarios

<b>ExxonMobil</b>													
<b>WR 848 (Exploratory) - Offshore On-Water Recovery Activation List</b>													
Skimming System	Supplier & Phone	Warehouse	Skimming Package	Quantity	Recovery Rate (Barrel/Day)	Storage (Barrels)	Staging Area	Distance to Staging (Miles)	Response Times (Hours)				Total ETA
									Staging ETA	Loadout Time	ETA to Site	Deployment Time	
Stress 1	MSRC 800-OIL-SPIL	Ingleside, TX	Offshore Skimmer	1	15,840		Ingleside, TX	385	1	1	27.5	1	30.5
			67" Offshore Boom	1320'									
			Personnel	4									
WP-1	MSRC 800-OIL-SPIL	Ingleside, TX	Offshore Skimmer	1	3,017		Ingleside, TX	385	1	1	27.5	1	30.5
			67" Offshore Boom	1320'									
			Personnel	4									
GT-185	MSRC 800-OIL-SPIL	Tampa, FL	Offshore Skimmer	1	1,371		Fourchon, LA	220	13.5	1	15.5	1	31
			67" Offshore Boom	660'									
			Personnel	4									
Stress 1	MSRC 800-OIL-SPIL	Tampa, FL	Offshore Skimmer	1	15,840		Fourchon, LA	220	13.5	1	15.5	1	31
			67" Offshore Boom	660'									
			Personnel	4									
WP-1	MSRC 800-OIL-SPIL	Tampa, FL	Offshore Skimmer	1	3,017		Fourchon, LA	220	13.5	1	15.5	1	31
			67" Offshore Boom	660'									
			Personnel	4									
Southern Responder Transrec-350	MSRC 800-OIL-SPIL	Ingleside, TX	Transrec Skimmer	1	10,567	4,000	Ingleside, TX	385	2	1	27.5	1	31.5
			67" Boom	1320'									
			210' Vessel	1									
			Personnel	12									
			Tow Bladder	1									
			Belt Skimmer	1									
CGA-200 HOSS Barge (OSRB)	CGA 888-CGA-2007	Hourma, LA	43" Expandi Boom	2000'	43,000	4,000	Hourma, LA	250	2	1	28	1	32
			Personnel	8									
			Tug - 1,200 HP	2									
			Tug - 1,800 HP	2									
			Offshore Skimmer	1									
			67" Offshore Boom	660'									
WP-1	MSRC 800-OIL-SPIL	Miami, FL	Offshore Skimmer	1	3,017		Fourchon, LA	220	15.5	1	15.5	1	33
			67" Offshore Boom	660'									
			Personnel	4									
			Utility Boat	1									



**ExxonMobil Corporation**  
Regional Oil Spill Response Plan --  
Offshore Operations

Appendix H  
Worst Case  
Discharge Scenarios

**WR 848 (Exploratory) - Offshore On-Water Recovery Activation List**

ExxonMobil Skimming System	Supplier & Phone	Warehouse	Skimming Package	Quantity	Recovery Rate (Barrels/Day)	Storage (Barrels)	Staging Area	Distance to Site (Miles)	Response Times (Hours)						
									Staging ETA	Loadout Time	ETA to Site	Deployment Time	Total ETA		
Stress 1	MSRC 800-OIL-SPIL	Miami, FL	Offshore Skimmer	1	15,840		Fourchon, LA	220	15.5	1	15.5	1	33		
			67" Offshore Boom	1320'											
			Personnel	4											
DESMI OCEAN	MSRC 800-OIL-SPIL	Miami, FL	Offshore Skimmer	1	3,017		Fourchon, LA	220	15.5	1	15.5	1	33		
			67" Offshore Boom	1320'											
			Personnel	4											
WP-4	MSRC 800-OIL-SPIL	Miami, FL	Offshore Skimmer	1	3,017		Fourchon, LA	220	15.5	1	15.5	1	33		
			67" Offshore Boom	660'											
			Personnel	4											
AARDVAC	MSRC 800-OIL-SPIL	Miami, FL	Offshore Skimmer	1	3,840		Fourchon, LA	220	15.5	1	15.5	1	33		
			67" Offshore Boom	660'											
			Personnel	4											
AARDVAC	MSRC 800-OIL-SPIL	Miami, FL	Offshore Skimmer	1	3,840		Fourchon, LA	220	15.5	1	15.5	1	33		
			67" Offshore Boom	660'											
			Personnel	4											
MSRC "Lightning"	MSRC 800-OIL-SPIL	Tampa, FL	LORI Brush Skimmer	1	5,000	50	Tampa, FL	580	1	0	41.5	1	43.5		
			67" Boom	660'											
			Personnel	4											
Florida Responder Transrec-350	MSRC 800-OIL-SPIL	Miami, FL	47" Fast Response Boat	1	10,567	4,000	Miami, FL	810	2	1	58	1	62		
			Transrec Skimmer	1											
			67" Boom	1320'											
													<b>DERATED RECOVERY RATE (BBL/S/DAY)</b>		<b>384,758</b>
													<b>SKIMMING VESSEL STORAGE CAPACITY (BARRELS)</b>		<b>29,886</b>




**ExxonMobil Corporation**  
Regional Oil Spill Response Plan –  
Offshore Operations

Appendix H  
Worst Case  
Discharge Scenarios

<b>WR 848 (Exploratory) - Offshore Storage Activation List</b>														
ExxonMobil	Skimming System	Supplier & Phone	Warehouse	Skimming Package	Quantity	Recovery Rate (Barrels/Day)	Storage (Barrels)	Staging Area	Distance to Site (Miles)	Response Times (Hours)				
										Staging ETA	Loadout Time	ETA to Site	Deployment Time	Total ETA
MSRC-452 Offshore Barge		MSRC 800-OIL-SPIL	Fort Jackson, LA	3000 BBL Bladders	1		3,000	Fort Jackson, LA	270	2	1	30		33
				Offshore Barge	1		45,000							
				Personnel	4									
				Offshore Tug	1									
Towable Bladders		MSRC 800-OIL-SPIL	Lake Charles, LA	500 BBL Bladders	16		11,000	Cameron, LA	285	1	1	31.5		33.5
				3000 BBL Bladder	1									
MSRC-570 Offshore Barge		MSRC 800-OIL-SPIL	Galveston, TX	Offshore Barge	1		56,900	Galveston, TX	305	2	1	34		37
				Personnel	4									
				Offshore Tug	1									
CGA Storage Tanks		CGA 888-CGA-2007	Galveston, TX	180 BBL Tank	3		360	Galveston, TX	305	1	1	34	0.5	36.5
				180 BBL Tank	2		360							
				180 BBL Tank	2		360							
				180 BBL Tank	2		360							
				180 BBL Tank	2		540							
Towable Bladders		MSRC 800-OIL-SPIL	Miami, FL	500 BBL Bladder	8		4,000	Fourchon, LA	220	15.5	1	24.5		41
				Personnel	4									
MSRC-402 Offshore Barge		MSRC 800-OIL-SPIL	Pascagoula, MS	Offshore Barge	1		40,300	Pascagoula, MS	350	2	1	39		42
				Personnel	4									
				Offshore Tug	1									
MSRC-403 Offshore Barge		MSRC 800-OIL-SPIL	Ingleside, TX	Offshore Barge	1		40,300	Ingleside, TX	385	2	1	43		46
				Personnel	4									
				Offshore Tug	1									
MSRC Offshore Tank Barge		MSRC 800-OIL-SPIL	Tampa, FL	500 BBL Bladders	2		1,000	Tampa, FL	580	2	1	64.5		67.5
				Offshore Barge	1		36,000							
				Personnel	4									
										<b>STORAGE CAPACITY (BARRELS)</b>		<b>239,120</b>		
										<b>TOTAL STORAGE CAPACITY (INCLUDING SKIMMING VESSELS) (BARRELS)</b>		<b>269,006</b>		





ExxonMobil <i>WR 848 (Exploratory) - Offshore Aerial Dispersant Activation List</i>												
Aerial Dispersant System	Supplier & Phone	Warehouse	Aerial Dispersant Package	Quantity	Staging Area	Distance to Site from Staging (Miles)	Response Times (Hours)					Total ETA
							Staging ETA	Loadout Time	ETA to Site	Deployment Time		
DC-3 Aircraft Air Speed - 194 MPH	Airborne Support 985-851-6391	Houma, LA	DC-3 Dispersant Aircraft	1	Houma, LA	245	2	0.4	1.26	0.2	3.10	
			Dispersant - Gallons	2000								
			Spotter Aircraft	1								
			Spotter Personnel	2								
			Crew - Pilots	2								
DC-3 Aircraft Air Speed - 150 MPH	Airborne Support 985-851-6391	Houma, LA	DC-3 Dispersant Aircraft	1	Houma, LA	245	2	0.4	1.63	0.2	4.25	
			Dispersant - Gallons	1200								
			Spotter Aircraft	1								
			Spotter Personnel	2								
			Crew - Pilots	2								
DC-3 Aircraft Air Speed - 150 MPH	Airborne Support 985-851-6391	Houma, LA	DC-3 Dispersant Aircraft	1	Houma, LA	245	2	0.4	1.63	0.2	4.25	
			Dispersant - Gallons	1200								
			Spotter Aircraft	1								
			Spotter Personnel	2								
			Crew - Pilots	2								
BE-90 King Air Aircraft Air Speed - 213 MPH	MSRC 800-OIL-SPIL	Stennis, MS	BE-90 Dispersant Aircraft	1	Stennis INTL., MS 1st Flight	315	4.00	0.20	1.48	0.20	5.90	
			Dispersant - Gallons	230-425								
			Spotter Aircraft	1	Stennis INTL., MS	315	1.48	0.20	1.48	0.20	3.40	
			Spotter Personnel	2								
			Crew - Pilots	2								
ADDS PACK Air Speed - 330 MPH	Clean Caribbean 985-851-6391	Pt. Everglades, FL	USCG C-130 Aircraft	1	Clearwater, FL	560	24-48	1	1.70	0.5	27.2 to 31.05	
			ADDS PACK	1								
			Dispersant - Gallons	5000								
			Spotter Aircraft	1								
			Spotter Personnel	2								
Crew - Pilots	2											
C130-A Aircraft Air Speed - 342 MPH	MSRC 800-OIL-SPIL	Coolidge, AZ	C130-A Dispersant Aircraft	1	Ellington Field, TX 1st Flight	335	8	0.3	0.98	0.5	8.65	
			Dispersant - Gallons	3250								
			Spotter Aircraft	1	Stennis INTL., MS 2nd Flight	315	0.92	0.3	0.92	0.5	1.70	
			Spotter Personnel	2								
			Crew - Pilots	2								

ExxonMobil <i>WR 848 (Exploratory) - Offshore Boat Spray Dispersant Activation List</i>												
Boat Spray Dispersant System	Supplier & Phone	Warehouse	Boat Spray Dispersant Package	Quantity	Staging Area	Distance to Site from Staging (Miles)	Response Time (Hours)					Total ETA
							Staging ETA	Location Time	ETA to Site	Deployment Time		
M/V Recovery	AMPOL 800-482-6765	Fourchon, LA	Dispersant Spray System	1	Fourchon, LA	220	1	0.5	15.5	1	18	
			Dispersant (Gallons)	500								
			Personnel	4								
			110' Utility Boat	1								
			Crew Boat	1								
M/V RW Armstrong	CGA 888-CGA-2007	Houma, LA	Dispersant Spray System	1	Houma, LA	250	1	0.5	18	1	20.5	
			Dispersant (Gallons)	330								
			46' Vessel	1								
			Personnel	4								
USCG SMART Team	USCG	Mobile, AL	Personnel	4	Fourchon, LA	220	4	1	15.5	0.5	21	
			Crew Boat	1								
M/V Grand Bay	CGA 888-CGA-2007	Venice, LA	Dispersant Spray System	1	Venice, LA	260	1	0.5	18.5	1	21	
			Dispersant (Gallons)	300								
			46' Vessel	1								
			Personnel	4								
M/V Responder	AMPOL 800-482-6765	Cameron, LA	Dispersant Spray System	1	Cameron, LA	285	1	0.5	20.5	1	23	
			Dispersant (Gallons)	500								
			Personnel	4								
			110' Utility Boat	1								
			Crew Boat	1								
Louisiana Responder Transrec-350	MSRC 800-OIL-SPIL	Fort Jackson, LA	Dispersant Spray System	1	Fort Jackson, LA	270	2	1	19.5	1	23.5	
			Dispersant (Gallons)	880								
			210' Vessel	1								
			Personnel	12								
			32' Support Boat	1								
M/V Bastian Bay	CGA 888-CGA-2007	Lake Charles, LA	Dispersant Spray System	1	Lake Charles, LA	305	1	0.5	22	1	24.5	
			Dispersant (Gallons)	330								
			46' Vessel	1								
			Personnel	4								
CGA 58 Timballer Bay	CGA 888-CGA-2007	Galveston, TX	Dispersant Spray System	1	Galveston, TX	305	1	0.5	22	1	24.5	
			Dispersant (Gallons)	330								
			46' Vessel	1								
			Personnel	4								
Gulf Coast Responder Transrec-350	MSRC 800-OIL-SPIL	Lake Charles, LA	Dispersant Spray System	1	Lake Charles, LA	305	2	1	22	1	26	
			Dispersant (Gallons)	880								
			210' Vessel	1								
			Personnel	12								
			Tow Bladder	1								
Texas Responder Transrec-350	MSRC 800-OIL-SPIL	Galveston, TX	Dispersant Spray System	1	Galveston, TX	305	2	1	22	1	26	
			Dispersant (Gallons)	880								
			210' Vessel	1								
			Personnel	12								
			32' Support Boat	1								
Mississippi Responder Transrec-350	MSRC 800-OIL-SPIL	Pascagoula, MS	Dispersant Spray System	1	Pascagoula, MS	350	2	1	25	1	29	
			Dispersant (Gallons)	880								
			210' Vessel	1								
			Personnel	12								
			32' Support Boat	1								

**Note:** For a list of Dispersant Stockpiles by Location, please reference Figure 18-3 of Section 18.