EXHIBIT N



UNITED STATES DEPARTMENT OF COMMERCE Patent and Trademark Office

Address: COMMISSIONER OF PATENTS AND TRADEMARKS Washington, D.C. 20231 SERIAL NUMBER | FILING DATE FIRST NAMED INVENTOR ATTORNEY DOCKET NO. 85 192 874 97 . T . * .2:4 5 1100991956 EXAMINER 18N2 0814 MARSHOLL, O'TOURE FORDING MURRAY & BURUN ART UNIT 6000 SEARS TOWER 2011 SOUTH WATER OF THE CH1(460, IL 60e0e-1... 1305 DATE MAILED: 08/16/94 This is a communication from the examiner in charge of your application. COMMISSIONER OF PATENTS AND TRADEMARKS This application has been examined Responsive to communication filed on 64/08/44 + 06/12/44 This action is made final. __ month(s), _ Faiture to respond within the period for response will cause the application to become abandoned. 35 U.S.C. 133 Part I THE FOLLOWING ATTACHMENT(S) ARE PART OF THIS ACTION: Notice of References Cited by Exeminer, PTO-892.
 Notice of Art Cited by Applicant, PTO-1449. 2. Notice of Drattaments Patient Drawing Review, PTO-948.
4. Notice of Informat Patient Application, PTO-152.
8. Dray of P. 62Methods in Yeast Charactics 5. Information on How to Effect Drawing Changes, PTO-1474. Part II SUMMARY OF ACTION 87-97 are pending in the application. Of the above, claims are withdrawn from consideration 2. 🗵 Claims__ 1-83 1. Claims_ 4. Claims 5. Claims 6. Claims_ 7. This application has been filed with informal drawings under 37 C.F.R. 1.85 which are acceptable for examination purposes 8. Formal drawings are required in response to this Office action. 9. The corrected or substitute drawings have been received on. ... Under 37 C.F.R. 1.84 these drawings are 🔲 acceptable: 🗎 not acceptable (see explanation or Notice of Draftsman's Patent Drawing Review, PTO-948). 10. ☐ The proposed additional or substitute sheet(s) of drawings, filed on_ examiner; ☐ disapproved by the examiner (see explanation). ___ has (have) been | Dapproved by the 11. The proposed drawing correction, filed has been | | approved; | | disapproved (see explanation). 12. Acknowledgement is made of the claim for priority under 35 U.S.C. 119. The certified copy has | been received | not been r 13. Since this application appears to be in condition for allowance except for formal matters, prosecution as to the ments to closed in accordance with the practice under Exparte Quayle, 1935 C.D. 11; 453 O.G. 213. 14. 1 Osma Claims 84-86 (Filed 03/16/90) were not rentered. 445 EXAMINER'S ACTION PTOL-326 (Rev. 2/83)

AM-ITC 00941456

Serial No. 08/202,874

Art Unit 1805

The amendment filed March 16, 1990 and adding claims 84-86 has not been entered. The amendment filed June 13, 1994 has been entered. Applicant should note that the numbering of claims 84-94 submitted in the emendment filed June 13, 1994 has been changed. Claims 84-94 have been renumbered as claims 87-97 and the claim dependencies have also been changed accordingly. Applicant's attention is directed to 37 CFR \$ 1.126.

The Information Disclosure Statement filed April 8, 1994 has been received. The following are noted in connection with the Information Disclosure Statement.

- Farber et al (reference C 71) was not considered because the submitted copy is illegible.
- (b) A copy of reference C 217 was not found in the submitted references. However, this reference was readily available to the PTO and was considered. A copy is enclosed with this Office action for applicant's convenience.
- (c) A copy of "Points to consider . . . ", reference C 259 could not be found in the references submitted by applicant. This reference is not readily available to the PTO and has not been considered.
- (d) The copy of Testa et al, reference C 313, is illegible and has not been considered.

The disclosure is objected to because of the following informalities.

- In claim 96, "to mammal" should be changed to "to a mammal".
- At page 64, line 30, *recombinent* is a typographical error.
- At page 9, line 20, "(Citations omitted)" is not understood.
- The status of each of the parent applications should be updated.

E202874A. TXT*

98/19/94 12:57

> The specification needs a section entitled 'Brief Description of the Drawings*. The description of the drawings included in the amendment filed October 23, 1987 is inadequate because it does not describe each of the figures. Any amendment to correct this deficiency should point to basis in the application as filed for the amendment.

Appropriate correction is required.

The following is a quotation of the first paragraph of 35 U.S.C. § 112:

The specification shall contain a written description of the invention, and of the manner and process of making and using it, in such full, clear, concise, and exact terms as to enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the same and shall set forth the best mode contemplated by the inventor of carrying out his invention.

The specification is objected to under 35 U.S.C. § 112, first paragraph, as the specification, as originally filed, does not provide support for the invention as is now claimed. The recitation of "fragment thereof" in claim 89 is new watter.

Claims 89-91 are rejected under 35 U.S.C. § 112, first paragraph, for the reasons set forth in the objection to the specification.

The following is a quotation of the first paragraph of 35 U.S.C. \$ 112: The specification shall contain a written description of the invention, and of the manner and process of making and using it, in such full, clear, concise, and exact terms as to enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the same and shall set forth the best mode contemplated by the inventor of carrying out his invention.

Claims 87 and 89-97 are rejected under 35 U.S.C. \$ 112, second paragraph, as being indefinite for failing to particularly point out and

08/10/94 12:57

5202874A. TXT

distinctly claim the subject matter which applicant regards as the invention-The claims are vague, indefinite, and incomplete.

- (a) Claim 87 :s vague and indefinite for reciting "in vivo biological activity". It is not clear whether the claimed material has all or only some of the properties of EPO.
- (b) The recitation of "having glycosylation which differs from that of human urinary erythropoletin* (claim 87) is vague and indefinite because there is no glycosylated standard for human urinary EPO. The record has evidence in it which indicates that the amount of glycosylation of EPO is variable. For example:
 - (1) The Strickland declaration (filed 12/5/88) at page 10, lane (4) of the isoelectric focusing gel shows several faint bands for u-EPO. If u-EPO were a single species, it would show as only one band. Likewise, at page 14 of the same declaration, in lane 3 the u-EPO digested with simlidase results in several bands.
 - Takeuchi et al (J. Biol. Chem. 263(8), 3657 (1988)) at page 3660 indicates that variation of glycosylation depends on the level of glycotransferames in the cells. This paper also shows levels of glycosylation of EPO vary. Even though the publication date is later than the effective filing date of the application, the information can be used to support the 5 112 rejection and reasoning supporting the rejection.

448

E202874A.TXT

08/10/94 12:57

> (3) Chibs et al (Bioches, Biophys, Res. Comm. 47: 1372 (1972)) discloses variations in glycosylation of u-EPO depending on the degree of degradation of the glycoprotein that occurs during collection, extraction, purification, and storage of the u-EPO.

Thus, the amount of glycosylation of EPO is variable and no standard exists in the art to disclose what the glycosylation composition of EPO is. Neither does the instant application fill this void. Therefore, one of skill in the art would not know whether a given sample of EPO infringed the claims. Hence, the claims are vague and indefinite.

- The recitation of "fragment thereof" (claim 89) is vague and indefinite because no lover limit of fragment size is mentioned.
- (d) Claim 90 is vague, indefinite, and incomplete because there is no antecedent hasis for "the mignal sequence of human erythropoietin set out in FIG 5°. There is no signal sequence identified as such in FIG 6.
- (e) Claims 95 and 95 are vague, indefinite, and incomplete in reciting "effective amount" because the "effect" is not mentioned.
- (f) Claim 97 is vague and indefinite in reciting *enhancing*. Substituting "increasing" for "enhancing" would be sufficient to overcome this part of this rejection.

Claims 89, 91, and 92 are each rejected over either one of the remaining two as being duplicate claims. The protein product is the same whether the exogenous DNA in the host cell is cDNA or genomic DNA.

E202874A. TXT-

08/10/94 12:57

Claims 87 and 95-97 are rejected under 35 U.S.C. § 112, first paragraph, as the disclosure is enabling only for claims limited to those EPOs shown in the instant application. See M.P.E.P. \$5 706.03(n) and 706.03(z). The instant application does not teach the extraction and purification of EPO from any and all sources. Additionally, the instant application does not give guidance as to which "fragments" of EPO may have any activity. Accordingly, the claims are broader than the enabling disclosure.

Claims 96 and 97 are each rejected over the other as duplicate claims. The intended outcome of the therapy (claim 97) does not change the method of administration (claim 96).

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 5 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless --

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

The following is a quotation of 35 U.S.C. § 103 which forms the basis for all obviousness rejections set forth in this Office action:

A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Subject matter developed by another person, which qualifies as prior art only under subsection (f) or (g) of section 102 of this title, shall not preclude patentability under this section where the subject matter and the claimed invention were, at the time the invention was made, owned by the same person or subject to an obligation of assignment to the same person.

450

E202874A. TXT"

98/19/94 12:57

Claims 87 and 95-97 are rejected under 35 U.S.C. \$ 102(b) as being clearly anticipated by Eschbach et al (Clin. Res. 29(2), 518A (1981)). The reference teaches the administration of a preparation of sheep EPO to nephrectomized sheep to increase hematocrit levels. The claims embrace the EPO preparation of the reference as well as the methods of the reference.

Claims 87-94 are rejected under 35 U.S.C. § 102(b) as anticipated by or, in the alternative, under 35 U.S.C. § 103 as obvious over either one of Sugimoto et al (U.S. 4,377,513) or Chiba et al. Sugimoto et al fused human kidney tumor cells that produce EPO with human leukemic lymphoblastoid cells (cancer cells) to get hybridoma cells that produce EPO. The idea here was to produce an immortal cell line capable of producing EPO much like one would produce monoclonal antibody producing hybridoma cell lines. After acreening the hybridomas for EPC producing clones and isolating an EPO producing clone, Sugimpto et al grew of large amounts of the hybridomar as ascites tumors (in the peritoneal cavity of sude mice) and recovered preparations of human EPO (h-EPO). There's a good chance that h-EPO is not the same as u-EPO because as Chiba et al reports, degradation (via de-glycosylation) of u-EPO is a problem. Thus, one would reasonably expect the EPO circulating in the blood to be more glycosylated than u-EFO. Additionally, the h-EPO of Sugimoto et al is not "naturally-occurring" in the sense that some EPO producing cells were excised from the body, cultured to produce EPO, and then the EPO collected. Sugimoto et al made a hybridona. Az Takeuchi et al disclose, the glycosylation can vary depending on the enzymes present in the producing cell. Absent evidence to the contrary, the hybridoma-produced EPO is considered to have a different glycosylation pattern than the original kidney-cell-produced EPO. Thus, the E202874A, TXT 88/19/94 12:57

claimed EPOs read on the EPO of Sugimoto et al. Applicant asserts (paper no. 15, filed July 12, 1999) that there was no reason to believe that the EPOs were different. This assertion is not convincing. On page 5 of the response, applicant states, "Applicant submits that there is no evidence or reason to believe that erythropoietin produced by a human lymphoblamtoid cell line is identical to the glycosylation product produce by a non-human transformed or transfected cell lire. This misrepresents the issue. The claims embrace all EPOs that have an average carbohydrate composition that differs from the carbohydrate composition of "naturally-occurring" EPO (whatever that is, see the rejections under 5 112 above). For purposes of this rejection, the average carbohydrate composition of naturally-occurring EPO is taken as that for u-EPO because that is what was measured by applicant (see page 65 of the specification). Thus, the EFO produced by the hybridoma of Sugimoto et al does not have to le :!entical to the EPO produced by any of the specific transformed cells disclosed in the instant application (although it may indeed be, no evidence or reasons are in the record to indicate otherwise). The EPO of Sugimoto et al han menely to have a different average carbohydrate composition than naturally-occurring EPO (i.e. u-EPO) in order to meet the claims. The same can be said for the various EPOs of Chiba et al. Additionally, the burden is on the applicant to provide evidence. If the EPOs differ, then at least one of the EPOs reads on the claimed EPO. Hote that the EPOs at issue are the various intermediately degraded u-EPOs which are isolated from urine (Chibs et al) and h-EPO (human EPO) which is produced in the hybridoma cells of Sugimoto et al. Applicant has not carried his burden to show a difference between what exists in the prior art and what is claimed E202874A. TXT" 08/10/94 12:57

(In re Brown, 173 USFC 685, CCPA 1972). Finally, the term "exogenous" in claim 84 means only that the gene has an origin outside of the host cell. It does not mean that the host cell has to be non-human in this claim. Thus, the claim reads on human EPO produced in human cells.

Claims 95-97 are rejected under 35 U.S.C. 5 102(b) as anticipated by or, in the alternative, under 35 U.S.C. \$ 103 as obvious over Sugimoto et al. Sugimoto et al discloses pharmaceutical preparations of EPO for the administration of EFC to amimals. These preparations are embraced by the claims. The discussion in the previous rejection is incorporated here.

Claims 89-96 are rejected under 35 U.S.C. § 102(b) as anticipated by or, in the alternative, whice, DS U.S.C. 9 103 as obvious over either one of Espada et al (Fed. Proc. 41: 1159 (1982)) or Miyake et al (J. Biol. Chem. 252: 5558 (1977)). Each of the references discloses the purification of human EPO. Absent evidence to the contrary, the EPO of the references is the same or essentially the same as the EPO of the claims. It is not evident that the process of production defines the product. Since the PTO has no laboratories, the burden is on applicant to show a difference between a claimed product and a product of the prior art (see In re Brown, 173 USPQ 685, CCPA 1972).

Claim 95 is rejected under 05 U.S.C. 5 100 as being unpatentable over either one of Sugimoto et al or Chiba et al as applied to claims 87-94 above, and further in view of applicant's admitted state of the prior art (page 87, line 29 through page 88, line 28). Applicant acknowledges pharmaceutically acceptable carriers, adjuvants, and diluents to be standard. It would be obvious for one of ordinary skill in the art to prepare a pharmaceutically acceptable composition containing the EPO of either one of the primary ECC2S74A. TXT 98/19/94 12:57

references in order to administer the EPC to an animal or human to effect a higher Lematocrit.

Claim 95 is rejected under 35 U.S.C. 9 100 as being unpatentable over either one of Espada et al (Fed. Proc. 41: 1159 (1982)) or Niyake et al (J. Bicl. Chem. 252: 5558 (1977)) as applied to claims 89-94 above, and further in view of applicant's admitted state of the prior art (page 87, line 29 through page 88, line 23). Applicant acknowledges pharmaceutically acceptable carriers, adjuvants, and diluents to be standard. It would be obvious for one of ordinary skill in the act to prepare a pharmaceutically acceptable composition containing the EPO of either one of the primary references in order to administer the EPC to an animal or human to effect a higher hematocrit.

Claims 96 and 37 are rejected under 35 U.S.C. \$ 103 as being unpatentable over either one of Sugimoto et al or Chiba et al as applied to claims 87-94 above, and further in view of Papayannopoulou et al. Papayannopoulou et al teacher the administration of compositions containing EPO to animals including mammals. The reference further discloses higher hematocrits in animals receiving EPO. It would be obvious for one of ordinary skill in the art to administer the compositions of either one of Sugimoto et al or Chiba et al to animals in the manner of Papayannopoulou et al in order to increase hematocrats in animals as disclosed by Papayannoupoulou et al.

Claims 96 and 97 are rejected under 35 U.S.C. 5 103 as being unpatentable over either one of Espada et al (Fed. Proc. 41: 1159 (1982)) or Miyake et al (J. Biol. Chem. 252: 5558 (1977)) as applied to claims 89-94 above, and further in view of Papayannopoulou et al. Papayannopoulou et al 08/10/94 12:57

teaches the administration of compositions containing EPO to animals including manuals. The reference further discloses higher hematocrits in animals receiving EPO. It would be obvious for one of ordinary skill in the art to administer the compositions of either one of Espada et al or Miyake et al to animals in the manner of Papayannopoulou et al in order to increase hewatocrits in animals as disclosed by Papayannoupoulou et al..

The Group and/or Art Unit location of your application in the PTO has changed. To aid in correlating any papers for this application, all further correspondence regarding this application should be directed to Group Art Unit 1905.

Certain papers related to this application may be submitted to Group 1900 by facsimile transmission. Papers should be faxed to Group 1800 at (703) 005-3014. The faxing of such papers must conform with the rules published in the Official Gazette, 1156 OG 61 (November 16, 1993).

Any inquiry conterning this communication should be directed to J. Martinell at telephone number (703) 308-0296.

455

11

08/10/94 12:57

No. 1

SCIENTIFIC LIBRARY

Jen 25 1983

PAT. & T.M. OFFICE

METHODS IN YEAST GENETICS

COURSE INSTRUCTORS


FRED SHERMAN

GERALD R. FINK


JAMES B. HICKS



COLD SPRING HARBOR LABORATORY
COLD SPRING HARBOR, NEW YORK 11724



ISBN 0-87969-147-6



!

12

18

All Cold Spring Harbor Laboratory publications are available through booksellers or may be ordered directly from the Cold Spring Harbor Laboratory, Box 100, Cold Spring Harbor, New York 11724. SAN 203-6185


-62-

SD. A synthetic minimal medium containing salts, trace elements, each flask containing 500 ml of medium which is sufficient for approxieach flask containing 500 ml of medium which is sufficient for approxieach rists containing out as sensure with a sensure to a sensure of the sensure sen

-Synthetic complete medium. The synthetic minimal medium with various constituents. It is convenient to prepare sterile stock solutions which can be stored for extensive periods. All stock solutions can be autoclaved for 15 minutes at 250°F. The appropriate volume of the stock solutions (see below) is added to the ingredients of SD medium and sufficient distilled water is added so that the total volume is 600 ml. The threonine and aspartic acid solutions should be added separately after autoclaving. Given below are the concentrations of the stock solutions (amount per 200 ml) and the volume added to 500 ml of medium. Some stock solutions should be stored at room temperature in order to prevent precipitation while the other solutions may be refrigerated.

Constituent	Final	Stock	ml for
	mg/l	per 200 ml	600 ml
adenine sulfate	20	240 mg*	10
uracil	20	480 mg*	5
L-tryptophan	20	480 mg	5
L-histidine-HCl	20	480 mg	5
L-arginine-HCl	20	480 mg	5
L-methioning	20	480 mg	5
L-tyrosine	30	180 mg*	20
L-leucine	30	720 mg*	5
L-isoleucine	30	720 mg	5
L-lysine-HCl	30	720 mg	5
L-phenylalanine	50	690 mg*	10
L-glutanic acid	100	1.2 mm*	10
L-aspartic acid	100	800 mg*+	15
L-valine	150	3.6 ga	5
L-threonine	200	4.8 gat	5
L-serine	375	9 gm	5

*Store at room temperature †Add after autoclaving the media.



U.S. PATENT DOCUMENTS									
	Examiner Initials		Document #	Issue Date	Name	Class	Subclass	Source	Filing Date
	du	Al	3,033,753	5/8/62	White et al.	530	395	A.F	
	/~	A2	4,237,224	12/2/80	Cohen et al.	435	69.1**	A,D	
L	L	А3	4.254,095	3/3/81	Fisher et al.	424	88**	F	
L	de	A4	4,264,731	4/28/81	Shine	435	91.41**	A	
1	de	A5	4,273,875	6/16/81	Manis	435	253.5	A	4
1)	de	A6	4,293,652	10/6/81	Cohen	435	172.3==	A	
ıL	4	A7	4,338,397	7/6/82	Gilbert et al.	435	69.1**	A	
L	<i>f</i>	A8	4,358,535	11/9/82	Falkow et al.	435	5	A	
L	×	A9	4,394,443	7/19/83	Weissman et al.	435	6	A	
L	نو	A10	4,399.216	8/16/83	Axel et al.	435	6	A,D	
L	<i>5</i> —	All	4,411,994	10/25/83	Gilbert et al.	435	69.7**	A	
L	ب	Al2	4.442.205	4/10/84	Hamer et al.	435	69.1**	A	
L	1	A13	4,465,624	8/14/84	Chiba et al.	530==	395**	A,F	
L	4	A14	4,468,464	8/28/84	Cohen et al.	435	320.1**	A	
L	ا ــــــــــــــــــــــــــــــــــــ	A15	4,503,151	3/5/85	Paddock	435	69.1**	A	
	سكد	A16	4,695,542	9/22/87	Yokata et al.	435	48	В	
	L	A]7	4,710.473	12/1/87	Morris	435	320.1**	A	
	2	A18	4.757,006	7/12/8/83	Toole et al.	435	69.6**	D.E	

As re-classified from original.

ENAMINER 2 LM	DATE CONSIDERED 5/5/64
*EXAMINER: Initial if reference considered, whether or not citation if not in conformance and not considered. Include c	cination is in conformance with MPEP 609; Draw line through opy of this form with next communication to applicant.

			SHEET 2 OF 20
	Form PTO-1449 U.S. Department of Commerce Patent and Trademark Office	Ally Docket No	Serial No
H	/ Ph 11	11009/D31956	08/202,874
	INFORMATION DISPLOSURE STATEMENT	Applican Fu-Kuen Lin	$df_{g_{-2g_0}}$
1	(Use several sheets of necessary)	Filing Date February 28, 1994	Group _1812 / fo;

	*Exemper		Document #	Publication	6			Trau	siation
,	Initials		Document #	Date	Country	Source	Class/ Subclass	Yes	No
ď	de	Bl	0070685	1/26/83	EPØ	A			
4	de	B2	0070687	1/26/83	EPØ'	A			
7	L	B3	0077670	4/27/83	EPØ	A			
7	4	B4	0093619	11/9/83	EPØ	A.B.D			
	<i>f</i> ~	B5	0116446	8/22/84	EPØ	A.F			
7	d~	В6	0117058	8/29/84	EP/Ó	A	-		
-	d	B7	0117059	8/29/84	EPØ	A,B			
	<i>></i>	B8	0117060	8/29/84	EPØ	A,B			
- [1	B9	0123294	10/31/84	EPØ	Α .			
-	4	B10	0136490	4/10/85	EPØ	A	-		
7	de	Bli	2085887	5/6/82	U.K.	A,F			
, ca	*	B12	83/04053	11/24/83	PCT- wo	A	-		
M	<i>y</i> ~	B13	85/01961	5/9/85	PETWO	Α	-		
2	de	B14	85/03079	7/18/85	Perwo	A,D			
<u>.</u> "[d-	B15	85/04419	10/10/85	LPET ws	A	-		
	<i>5</i> ~	B16	86/03520	6/19/86	_Pet wo	A			

	OTHER DOCUMENTS (Including Author, Title, Data, Pertinent Pages, etc.) [SOURCE]						
4	Cl	Abraham et al., "Nucleotide Sequence of a Bovine Clone Encoding the Angiogenic Protein, Basic Fibroblast Growth Factor," Science, 233, 545-548 (August 1, 1986) [F]					
4	C2	Adamson, "The Polycythemias: Diagnosis and Treatment," Hosp. Practice, 18(12), 49-57 (December 1983) [A]					
		Aebi, "Sequence Requirements for Splicing of Higher Eukaryotic Nuclear Pre-mRNA," Cell. 47, 555-565 (Nov. 21, 1986) [F]					
de	C4	Agarwal et al. "A General Method for Detection and Characterization of an mRNA using an Oligonuclotide Probe," J. Biol. Chem., 256, 1023-1028 (Jan. 25, 1981) [F]					

EXAMINER / 1	DATE CONSIDERED
- (att)	8/5/44
*EXAMINER: Initial if reference considered, whether or not citation	

INFORM

SHEET 3 OF 26 Serui No. 08/2023874 75 Kg.

CLOSURE STATEMENT

eral sheets if necessary)

U.S. Department of Commerce Patent and Trademark Office


Filing Date
February 28, 1994 1812 /605

11009/D31956

Applicant Fu-Kuen Lin

	C4	Agarwal et al., "A General Method for Detection and Characterization of an mRNA using an Oligonuclotide Probe." J. Biol. Chem. 256, 1023-1028 (Jan. 25, 1981) [F]
m	C5	Anderson et al., "Isolation of a genomic clone for bovine pancreatic trypsin inhibitor by using a unique-sequence synthetic DNA probe," P.N.A.S. (USA), 80, 6838-6842 (November 1983) [A.F]
4	C6	Baciu et al. "Erythropoietin Interaction with the Mature Red Cell Membrane," Ann. N.Y. Acad. Sci., 414, 66-72 (1983) [A]
×	C7	Baron et al., "Antibodies against the Chemically Synthesized Genome-Linked Protein of Poliovirus React with Native Virus-Specific Proteins." Cell, 28, 395-404 (February 1982) [A]
ó	C8	Beaucage et al., "Deoxynucleoside Phosphoramidites-A new Class of Key Intermediates for Deoxypolynucleotide Synthesis," <i>Tetrahedron Letters</i> , 22(20), 1859-1862 (1981) [A,F]
ó	C9	Benedum et al., "The primary structure of bovine chromogranin A: a representative of a class of acidic secretory proteins common to a variety of peptidergic cells," <i>EMBO J.</i> 5(7), 1495-1502 (1986) [F]
s-	C10	Bennetzen et al., "Codon Selections in Yeast," J. Biol. Chem., 257(6), 3026-3031 (March 25, 1982) [A]
<i>y</i> ~	CII	Bentley et al., "Human immunoglobulin variable region genes-DNA sequences of two V _k genes and a pseudogene," <i>Nature</i> , 288, 730-733 (December 1980) [F]
4	C12	Benton et al., "Screening \(\text{\gamma} \) Recombinant Clones by Hybridization to single Plaques in situ." Science, 196, 180-182 (April 8, 1977) [F]
2	CI3	Berzofsky et al., "Topographic Antigenic Determinants Recognized by Monoclonal Antibodies to Sperm Whale Myoglobin," <i>J. Biol. Chem.</i> 257(6), 3189-3198 (March 25, 1982) [F]
1	C14	Berzofsky et al., "Properties of Monoclonal Antibodies Specific for Determinants of a Protein Antigen, Myoglobin," J. Biol. Chem. 255(23), 11188-11191 (Dec. 10, 1980) [F]
<i>></i>	C15	Betsholtz et al., "cDNA sequence and chromosomal localization of human platelet- derived growth factor A-chain and its expression in tumour cell lines," <i>Nature 320</i> , 695- 699 (April 24, 1986) [F]
بر	C16	Billat et al., "In Vitro and In Vivo Regulation of Hepatic Erythropoiesis by Erythropoietin and Glucocorticoids in the Rat Fetus," Exp. Hematol., 10(1), 133-140 (1982) [A]
<i>∽</i>	C17	Blattner et al., "Charon Phages: Safer Derivatives of Bacteriophage Lambda for DNA Cloning," Science, 196, 161-169 (April 8, 1977) [A,F]

EXAMINER	a list1	DATE CONSIDERED
		not citation is in conformance with MPEP 609; Draw line through e copy of this form with next communication to applicant.



		7	
	d	C18	Bos et al., "Eukaryotic Expression of Cloned cDNA Coding for Influenza Viral Glycoproteins Using an SV40 Vector: Use of Recombinant DNA Mutants to Study Structure-Function Relationships ¹ ," Proc. Symp. Mol. Biol. Negar., Strand Viruses Meeting, pages 125-130, Compans et al., eds., Acad. Press (1984) [B]
	sh	C19	Bray et al., "Human cDNA clones for four species of Gα-signal transduction protein," P.N.A.S. (USA), 83, 8893-8897 (December 1986) [F]
	×	C20	Breslow et al., "Isolation and characterization of cDNA clones for human apolipoprotein A-I," P.N.A.S. (USA), 79, 6861-6865 (November 1982) [A,D,E,F]
	<u>بحر</u>	C21	Broome et al., "Immunological screening method to detect specific translation products," P.N.A.S. (USA), 75(6), 2746-2749 (June 1978) [A]
	h	C22	Canaani et al., "Regulated expression of human interferon \$1 gene after transduction into cultured mouse and rabbit cells," P.N.A.S. (USA), 79, 5166-5170 (Sept. 1982) [D]
	óh	C23	Chan et al., "Construction and selection of recombinant plasmids containing full-length complementary DNAs corresponding to rat insulins I and II," P.N.A.S. (USA), 76(10), 5036-5040 (October 1979) [F]
	8	C24	Chia et al., "The construction of cosmid libraries of eukaryotic DNA using the Homer series of vectors," Nucleic Acids Res. 10/8), 2503-2520 (1982) [F]
	٥/-	C25	Chirgwin et al., "Isolation of Biologically Active Ribonucleic Acid from Sources Enriched in Ribonuclease," Biochemistry, 18(24), 5294-5299 (1979) [A,F]
	gra	C26	Chisholm, 'On the Trail of the Magic Bullet: Monoclonal antibodies promise perfectly targeted chemicals." High Technology, Vol. 2(1), 57-63 (Jan. 1983) [A]
	*	C27	Chomczynski et al., "Alkaline Transfer of DNA to Plastic Membrane," Biochem. Biophys. Res. Commun., 122(1), 340-44 (1984) [A]
L	ó	C28	Choo et al., "Molecular cloning of the gene for human anti-haemophilic factor IX," Nature, 299, 178-180 (Sept. 9, 1982) [A.F.]
	بر	C29	Choppin et al., "Characterization of Erythropoietin Produced by IW32 Murine Erythroleukemia Cells," <i>Blood</i> , 64(2), 341-347 (August 1984) [A,F]
L	*	C30	Chou et al., "Prediction of Protein Conformation," Biochem., 13(2), 222-245 (1974) [A]
	L	C31	Chou et al., "Prediction of the Secondary Structure of Proteins from their Amino Acid Sequence," Advances in Enzymology, 47, 45-47 (1978) [A]
	sh	C32	Chou et al., "Empirical Predictions of Protein Conformation," Ann. Rev. Biochem., 47, 251-17-(1978)[A] 76 (1978)[A]
	<i>d</i> ~	C33	Christman et al., "Amplification of expression of hepatitis B surface antigen in 3T3 cells cotransfected with a dominant-acting gene and cloned viral DNA," P.N.A.S. (USA), 79, 1815-1819 (March 1982) [F]

EXAMINER of the	DATE CONSIDERED \$15/4	
acvandates. I all it a	Section 1. Company of the section of	•

citation if not in conformance and not considered. Include copy of this form with next communication to applicant.


				SHEET 5 OF 26
1	From PTO-1445	U.S. Department of Commerce Patent and Trademark Office	Any. Docket No	Sensi No.
			11009/D31956	08/202,874 7 .
	INFORMATION DISCLO	SURE STATEMENT	Applicant Fu-Kuen Lin	
訓	(Use several sheets	f necessary)	Filing Diss. February 28, 1994	-1812 1/05

C34	Claus-Walker et al., "Spinal Cord Injury and Serum Erythropoietin," Arch. Phys. Med. Rehabil., 55, 370-374 (July 1984) [A]
C35	Colby et al., "Immunological Differentiation Between E. coli and CHO Cell-Derived Recombinant and Natural Human β-Interferons ¹ ," J. Immunol., 133(6), 3091-3095 (1984) [B]
C36 Collen et al., "Biological Properties of Human Tissue-Type Plasm Obtained by Expression of Recombinant DNA," J. of Pharmacola Therapeurics, 231(1), 146-152 (1984) [B]	
C37	Colman, "Cells that secrete foreign proteins," TBS, 435-437 (December 1982) [D]
C38	Comb et al., "Primary structure of the human Met- and Leu-enkephalin precursor and its mRNA " Nature, 295, 663-666 (February 25, 1982) [F]
C39	Congote et al., "The Erythrotropins, New Erythroid Cell Stimulating Factors Extracted From Human and Bovine Fetal Tissues," Abstract 364, Proceedings 7th International Congress of Endocrinology (Quebec City, Quebec, July 1-7, 1984) [A]
C40	Congote, 'Extraction from Fetal Bovine Serum of Erythrotropin, an Erythroid Cell-Stimulating Factor," Anal. Biochem., 140, 428-433 (1984) [A]
C40 Congote, 'Extraction from Fetal Bovine Serum of Erythrotropin, an Erythroid C Stimulating Factor," Anal. Biochem., 140, 428-433 (1984) [A] C41 Congote, 'Regulation of Fetal Liver Erythropoiesis," J. of Steroid Biochemistry, 428 (1977) [F]	
C42	Congote, "Isolation of Two Biologically Active Peptides, Erythrotropin I and Erythrotropin II from Fetal Calf Intestine," Blochem. Biophys. Res. Comm., 115(2), 477-483 (September 15, 1983) [A]
C43	Contrera et al., "Extraction of erythropoietin from Kidneys of Hypoxic and Phenylhydrazine-treated rats," Blood, 25(5), 809-816 (May 1965) [D,F]
C44	Costantini et al., "Introduction of a Rabbit Betaglobin Gene into the Mouse Germ Line," Nature. 294, 92-94 (November 5, 1982) [D]
C45	Costantini et al., "Gene Transfer into the Mouse Germ-Line," J. Cell Physiol. Supp. 1, 219-226 (1982) [D]
C46	Cotes et al., "Changes in serum immunoreactive erythropoietin during the menstrual cycle and normal pregnancy," Brit. J. Obstet. Gyneacol., 90, 304-311 (April 1983) [A]
C47	Cotes et al., "Bio-Assay of Erythropoietin in Mice made Polycythaemic by Exposure to Air at a Reduced Pressure," Nature, 191, 1065-1067 (Sept. 9, 1961) [A]
C48	Dainiak et al., "Mechanisms of Abnormal Erythropoiesis in Malignancy," Cancer, 51(6), 1101-1106 (1983) [A]
	C35 C36 C37 C38 C39 C40 C41 C42 C43 C44 C45 C46 C47

EXAMINER J. L. L.	DATE CONSIDERED 8/5/4			
*EXAMINER: Instial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.				


	<i>z</i> /~	C49	Das et al., "Use of synthetic oligonucleotide probes complementary to genes for human HLA-DR α and β as extension primers for the isolation of 5'-specific genomic clones." <i>P.N.A.S.</i> (USA), 80, 1531-1535 (March 1983) [A]			
L	0/2	C50	Davis et al., "A Manual for Genetic Engineering, Advanced Bacterial Genetics", Cold Spring Harbor Laboratory, Cold Spring Harbor, NY (1983), pp. 55-58 & 174-176 [A]			
	У.	C51	Davis et al., "Active Influenza Virus Neuraminidase is Expressed in Monkey Cells from cDNA Cloned in Simian Virus 40 Vectors," <i>Proc. Nat'l. Acad. Sci. (USA)</i> , 80, 3976-3980 (1983) [B]			
	sh	C52	Derynck et al., "Human transforming growth factor-β complementary DNA sequence and expression in normal and transformed cells," Nature, 316, 701-705 (August 22, 1985) [F]			
	<i>~</i>	C53	Derynck et al., "Human Transforming Growth Factor-α: Precursor Structure and Expression in E. coli," Cell. 38, 287-297 (August 1984) [F]			
	Dessypris et al., "Effect of pure erythropoietin on DNA-synthesis by human marrow day 15 erythroid burst forming units in short-term liquid culture," Brit. J. Haematol. 56, 295-306 (1984) [A]					
	ih	C55	Devos et al., "Purification of Recombinant Glycosylated Human Gamma Interferon Expressed in Transformed Chinese Hamster Ovary Cells," J. Interferon Research, 4, 461-468 (1984) [B]			
	%	C56	Docherty et al., "Sequence of human tissue inhibitor of metalloproteinases and its identity to erythroid-potentiating activity," Nature, 318, 66-69 (Nov. 7, 1985) [F]			
	<i>y</i> ~	C57	Dreesman et al., "Antibody to hepatitis B surface antigen after a single inoculation of uncoupled synthetic HBsAg peptides," Nature, 295, 158-160 (Jan. 14, 1982) [A]			
	بنو	C58	Dunn et al., "Erythropoietin Bioassays Using Fetal Mouse Liver Cells: Validations and Technical Improvements," Exp. Hematol., 11(7), 590-600 (August 1983) [A]			
L	٧.	C59	Dunn, "Current Concepts in Erythropoiesis," John Wiley & Sons, Chichester, England, 1983 [A], ??. 13,10,16, and 140 [A]			
	d~	C60	Dunn et al., "Use of a computer model in the understanding of erythropoietic control mechanisms." Chemical Abstracts, 91, 190417r (1979) [A]			
	٨_	C61	Dunn et al., "Serum erythropoietin titers during prolonged bedrest; relevance to the "anaemia" of space flight, " Eur. J. Appln. Physiol., 52, 178-182 (1984) [A]			
L	<u>~</u>	C62	Edman et al "A Protein Sequentator," Eur. J. Biochem. 1, 80-91 (1967) [F]			
	d.	C63	Emmanouel et al., "Metabolism of pure human erythropoietin in the rat," Am. J. Physiol., 247 (1 Pt 2), F168-76 (1984) [A]			

EXAMINER 2 (SEL)	DATE CONSIDERED			
*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.				



	T	
oh	C64	Eschbach et al., "Correction by Erythropoietin (EPO) Therapy of the Anemia of Chronic Renal Failure (CRP) in Sheep," Clin. Res. 29(2), 518A (1981) [F]
14	C65	Eschbach et al., "The Anemia of Chronic Renal Failure in Sheep," J. Clin. Invest., 74(2), 434-441 (August 1984) [A]
<i>y~</i>	C66	Espada et al., "Purification of Human Urinary Erythropoietin," Fed. Proc. 41, 1159 (1982) [F]
ic	(C67 =	Fan et al., "Construction and Characterization of Moloney Murine Leukemia Virus Mutants Unable to Synthesize Glycosylated Gag Polyprotein". Proc. Nat'l. Acad. Sci. (USA), 80, 5965-5969 (1983) [B]
04	C68	Farber et al., "Translation of mRNA from Human Kidneys into Biologically Active Erythropoietin Following Microinjection into Xenopus Laevis Oocytes," <i>Blood</i> . 62(5). Supp. No. 1, Abstract 392, 122a (1983) [A.F]
<i>y</i> -	C69	Farber et al., "Translation of mRNA from Anemic Baboon Kidney into Biologically Active Erythropoietin." Exp. Hematol., 11, Supp. 14. Abstract 101 (1983) [A.D.E.F]
d-	C70	Farber et al., "Translation of mRNA from human kidneys into biologically active erythropoietin following microinjection into xenopus laevis oocytes," J. Lab. Clin. Med., 102, 681 abstract [D]
	C71	Farber, "Translation of RNA from Human Kidneys into Biologically Active Erythropoietin Following Microinjection into Xenopus Laevis Occytes," Clin. Res., 31(4), 769A (November 1983) [A.D.F]
d	C72	Fiddes et al., "The Gene Encoding the Common Alpha Subunit of the Four Human Glycoprotein Hormones." J. Mol. & App. Genetics, 1, 3-18 (1981) [A]
بكن	C73	Fiers et al., "The Human Fibroblast and Human Immune Interferon Genes and Their Expression in Homologous and Heterologous Cells." Phil. Trans. R. Soc. Lond., B299, 29-38 (1982) [B]
d-	C74	Finch, "Erythropoiesis, Erythropoietin, and Iron," Blood, 60(6), 1241-1246 (December 1982) [A]
sh-	C75	Fischinger et al., "Detection of a Recombinant Murine Leukemia Virus-Related Glycoprotein on Virus-Negative Thymona Cells," Proc. Nat'l. Acad. Sci. (USA), 78(3), 1920-1924 (1981) [B]
4.	C76	Fisher et al., "Effects of testosterone, cobalt & hypoxia on erythropoietin production in the isolated perfused dog kidney," Ann. N.Y. Acad. Sci., \75-87 (1967) [D]
<i>ب</i> ۔	C77	Fisher, "Erythropoietin: Pharmacology, Biogenesis and Control of Production," Pharmacological Review, 24(3), 459-508 (1972) [D,E]

EXAMINER J. M.L.	DATE CONSIDERED \$/\$/44				
*EXAMINER: Initial if reference considered, whether or not cutation is in conformance with MPEP 609; Draw line through cutation if not in conformance and not considered. Include copy of this form with next communication to applicant.					



ņ		T	T TO THE STATE OF
	×~	C78	Fisher et al., "Cooperative Erythropoietic Assay of Several Steroid Metabolites in Polycythemic Mice," Steroids, 30(6), 833-845 (December 1977) [A]
	34	C79	Fisher, "Control of Erythropoietin Production," Proc. Soc. Exp. Biol. & Med. 173, 289-305 (1983) [F]
"	<i>b</i> -	C80	Garcia et al., "Immunological Neutralization of Various Erythropoietins," Proc. Soc. Exptl. Biol. Med., 112, 712-714 (1963) [D], 712 (1963) [O]
	y.	C81	Garcia et al., "Radioimmunoassay of erythropoietin: circulating levels in normal and polycythemic human beings," J. Lab. Clin. Med., 99, 624-635 (May 1982) [F]
	V_	C82	Garcia et al., "Radioimmunoassay of Erythropoietin," Blood Cells 5, 405-419 (1979) [F]
	مار	C83	Garoff et al., "Expression of Semliki Forest Virus Proteins from Cloned Complementary DNA. II. The Membrane-Spanning Glycoprotein E2 Is Transported to the Cell Surface Without Its Normal Cytoplasmic Domain," J. Cell. Biol., 97, 652-658 (1983) [B]
	L	C84	Gasser et al., "Expression of abbreviated mouse dihydrofolate reductase genes in cultured hamster cells," P.N.A.S. (USA), 79, 6522-6526 (November 1982) [A,D,F]
L	<u> </u>	C85	Gene Screen, New England Nuclear, Catalog No. NEF-972 [A]
	sh	C86	Gething et al., "Comparison of Different Eukaryotic Vectors for the Expression of Hemagglutinin Glycoprotein of Influenza Virus," Modern Approaches To Vaccines, pages 263-268. Chanock et al., eds. Cold Spring Harbor Lab (1984) [B]
	d	C87	Gething et al., "Construction of influenza haemagglutin genes that code for intracellular and secreted forms of the protein," <i>Nature</i> , 300, 598-603 (Dec. 16, 1982) [B]
	×-	C88	Gibson et al., "An Evaluation of Serum Erythropoietin Estimation By a Hemagglutination Inhibition assay in the Differential Diagnosis of Polycythemia," Pathology, 16, 155-156 (April 1984) [A]
	4	C89	Gluzman, "SV40-Transformed Simian Cells Support the Replication of Early SV40 Mutants," Cell 23, 175-182 (January 1981) [F]
	火	C90	Goeddel et al., "Synthesis of human fibroblast interferon by E. coli," Nucleic Acids Res., 8(18), 4057-4074 (1980) [F]
	ź.	C91	Goeddel et al., "Human leukocyte Interferon Produced by E. coli is biologically active," Nature, 287:411-416 (October 2, 1980) [D]
	يخ.	C92	Goldwasser et al., "Purification of Erythropoietin," P.N.A.S. (USA), 68(4), 697-698 (April 1971) [F]
	d	C93	Goldwasser et al., "Further purification of sheep plasma erythropoietin," Bioch. Biophys. ACTA, 64:487-496 (1962) [D]

EXAMINER = LEXT	DATE CONSIDERED			
*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.				

1				SHEET 9 OF 26
	Form 57:0-1449	U.S. Department of Commerce Patent and Trademark Office	Atty: Docket No.	Serual No
			11009/D31956	08/202.874
	INFORMATION DISCLOSURE STATEM		Applicant Fu-Kuen Lin	
М	(Use several sheets	if necessary)	Filme Date February 28, 1994	Group 1812 //05


					
1	C94	Goldwasser, "Some Thoughts on the Nature of Erythropoietin-Responsive Cells," J. Cell. Physiol., 110 (Supp. 1), 133-135 (1982) [A]			
1	C95	Goldwasser et al., "Erythropoietin and the differentiation of red blood cells," Fed. Proc. 34, 2285-2292 (December 1975) [B,F]			
يخ.	C96	Goldwasser et al., "An Assay for Erythropoietin in Vitro at the Milliunit Level." Endocrinology. 97(2), 315-323 (August 1975) [A,F]			
ih	C97	Goldwasser, "Biochemical Control of Erythroid Development," Current Topics in Developmental Biology, ed. A. Monroy and A.A. Noscona, 173-211, Academic Press. NY (1966) [D]			
1	C98	Goldwasser et al., "Erythropoietin: Assay and Study of Its Mode of Action," Meth. in Enzymol., 37, 109-121 (1975) [F]			
مار					
:4	C100	Goldwasser et al., "Progress in the purification of erythropoietin", Ann. N.Y. Acad. Sci., 149:49-53 (1968) [D]			
1	C101	Goldwasser et al., "The Molecular Weight of Sheep Plasma Erythropoietin," J. of Biol. Chem., 247(16), 5159-60 (Aug. 25, 1972) [F]			
34	C102	Goldwasser et al., "On the mechanism of Erythropoietin-induced Differentiation," J. of Biol. Chem., 249(13), 4202-4206 (July 10, 1974) [B]			
5/-	C103	Goochee et al., "Environmental Effects on Protein Glycosylation," Biotechnology, 8, 421-427 (May 1990) [F]			
34	C104	Goochee et al., "The Oligosaccharides of Glycoproteins: Bioprocess Factors Affecting Oligosaccharide Structure and their Effect on Glycoprotein Properties," Biotechnology, 9, 1347-1555 (December 1991) [F] 1355 (December 1991) [F]			
o'~	C105	Goodman et al., "Cloning of Homone Genes from a Mixture of cDNA Molecules," Meth. in Enzymol. 68, 75-90 (1979) [F]			
<i>Y</i> ~	C106	Gordon et al., "A plasma extract with erythropoietic activity," Proc. Soc. Expt. Biol. Med., 86:255-258 (1954) [D,E]			
.بد	C107	Goto et al., "Production of Recombinant Human Erythropoietin in Mammalian Cells: Host-Cell Dependency of the Biological Activity of the Cloned Glycoprotein," <i>Bio/Tech.</i> 6, 67-71 (January 1988) [F]			
火	C108	Gough et al., "Molecular Cloning of cDNA Encoding A Murine Haematopoietic Growth Regulator, Granulocyte-Macrophage Colony Stimulating Factor," Nature, 309, 763-767 (1984) [B]			

EXAMINER (SEE)	DATE CONSIDERED 8/5/44				
*EXAMINER: Initial if reference considered, whether or not custion is in conformance with MPEP 609; Draw tine through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.					

				SHEET 10 OF	26
	Form PTO-1449	U.S. Department of Commercial Patent and Trademark Office	Atty. Docket No.	Serual No.	7
	4		11009/D31956	08/202.874	
	INFORMATION DISCLO	SURE STATEMENT	Appleme Fu-Kuen Lin	*,0 	<u> </u>
14	(Use several sheets	if necessary)	Filing Date February 28, 1994	-18171/05	


(1981) [D]				
Acids Res. 10, 7055-7074 (1982) [A] C111 Graham et al., "A New Technique for the Assay of Infectivity of Human Adenovirus 5 DNA," Virology 52, 456-467 (1973) [F] C112 Grantham et al., "Codon catalog usage is a genome strategy modulated for gene expressivity," Nucleic Acids Res. 9, r43-74 (1981) [A.F] C113 Gray et al., "Pseudomonas Aeruginosa Secretes and Correctly Processes Human Growth Hormone," Biotechnology, 2, 161-165 (February 1984) [A.] C114 Gray et al., "Expression of human immune interferon cDNA in E. coli and monkey cells," Nature, 295, 503-508 (February 11, 1982) [A,D.E] C115 Green et al., "Immunogenic Structure of the Influenza Virus Hemagglutinin," Cell, 28, 477-487 (March 1982) [A] C116 Grimaldi et al., "Interspersed repeated sequences in the African green monkey genome that are homologous to the human Alu family," Nucleic Acid Research, 9(21):5553-5568 (1981) [D] C117 Groffen et al. "Isolation of Human Oncogene Sequences (v-fes Homolog) from a Cosmid Library," Science, 216, 1136-1138 (June 4, 1982) [F] C118 Grundmann et al., "Characterization of cDNA coding for human factor XIIIa," P.N.A.S. (USA), 83, 8024-8028 (November 1986) [F] C120 Grunstein et al., "Colony Hybridization," Meth. in Enzym. 68, 379-389 (1979) [F] C120 Grunstein et al., "Colony hybridization: A method for the isolation of cloned DNAs that contain a specific gene," P.N.A.S. (USA), 72(10), 3961-3965 (October 1975) [F] C121 Gruss et al., "Expression of simian virus 40-rat preproinsulin recombinants in monkey kidney cells: Use of preproinsulin RNA processing signals," P.N.A.S. (USA), 78(1):133-137 (January 1981) [D] C122 Gubler et al., "A simple and very efficient method for generating cDNA libraries," Gene 25, 263-269 (1983) [F] C123 Haddy, "Erythropoietin in sickle cell disease," Am. Jour. Ped. Hematol./Oncol., 4(2), 191-196 (Summer 1982) [A]	5	C109	Purification of the Immunoglobulin-Chain Messenger RNA from the Mouse Myeloma	
DNA." Virology 52. 456-467 (1973) [F] C112 Grantham et al., "Codon catalog usage is a genome strategy modulated for gene expressivity," Nucleic Acids Res. 9, r43-74 (1981) [A.F] C113 Gray et al., "Pseudomonus Aeruginosa Secretes and Correctly Processes Human Growth Hormone," Biotechnology, 2, 161-165 (February 1984) [A] C114 Gray et al., "Expression of human immune interferon cDNA in E. coli and monkey cells," Nature, 295, 503-508 (February 11, 1982) [A,D,E] C115 Green et al., "Immunogenic Structure of the Influenza Virus Hemagglutinin," Cell, 28, 477-487 (March 1982) [A] C116 Grimaldi et al., "Interspersed repeated sequences in the African green monkey genome that are homologous to the human Alu family," Nucleic Acid Research, 9(21):5553-5568 (1981) [D] C117 Groffen et al. "Isolation of Human Oncogene Sequences (v-fes Homolog) from a Cosmid Library," Science, 216, 1136-1138 (June 4, 1982) [F] C118 Grundmann et al., "Characterization of cDNA coding for human factor XIIIa," P.N.A.S. (USA), 83, 8024-8028 (November 1986) [F] C119 Grunstein et al., "Colony Hybridization," Meth. in Enzym. 68, 379-389 (1979) [F] C120 Grunstein et al., "Colony hybridization: A method for the isolation of cloned DNAs that contain a specific gene," P.N.A.S. (USA), 72(10), 3961-3965 (October 1975) [F] C121 Gruss et al., "Expression of simian virus 40-rat preproinsulin recombinants in monkey kidney cells: Use of preproinsulin RNA processing signals," P.N.A.S. (USA), 78(1):133-137 (January 1981) [D] C122 Gubler et al., "A simple and very efficient method for generating cDNA libraries," Gene 25, 263-269 (1983) [F] C123 Haddy, "Erythropoietin in sickle cell disease," Am. Jour. Ped. Hematol./Oncol., 4(2), 191-196 (Summer 1982) [A]	}	C110	Gouy et al., "Codon Usage in Bacteria: Correlation with Gene Expressivity," Nucleic Acids Res. 10, 7055-7074 (1982) [A]	
expressivity, "Nucleic Acids Res. 9, r43-74 (1981) [A.F] C113 Gray et al., "Pseudomonas Aeruginosa Secretes and Correctly Processes Human Growth Hormone," Biotechnology, 2, 161-165 (February 1984) [A] C114 Gray et al., "Expression of human immune interferon cDNA in E. coli and monkey cells," Nature, 295, 503-508 (February 11, 1982) [A,D,E] C115 Green et al., "Immunogenic Structure of the Influenza Virus Hemagglutinin," Cell, 28, 477-487 (March 1982) [A] C116 Grimaldi et al., "Interspersed repeated sequences in the African green monkey genome that are homologous to the human Alu family," Nucleic Acid Research, 9(21):5553-5568 (1981) [D] C117 Groffen et al. "Isolation of Human Oncogene Sequences (v-fes Homolog) from a Cosmid Library," Science, 216, 1136-1138 (June 4, 1982) [F] C118 Grundmann et al., "Characterization of cDNA coding for human factor XIIIa," P.N.A.S. (USA), 83, 8024-8028 (November 1986) [F] C119 Grunstein et al., "Colony Hybridization," Meth. in Enzym. 68, 379-389 (1979) [F] C120 Grunstein et al., "Colony hybridization: A method for the isolation of cloned DNAs that contain a specific gene," P.N.A.S. (USA), 72(10), 3961-3965 (October 1975) [F] C121 Gruss et al., "Expression of simian virus 40-rat preproinsulin recombinants in monkey kidney cells: Use of preproinsulin RNA processing signals," P.N.A.S. (USA), 78(1):133-137 (January 1981) [D] C122 Gubler et al., "A simple and very efficient method for generating cDNA libraries," Gene 25, 263-269 (1983) [F] C123 Haddy, "Erythropoietin in sickle cell disease," Am. Jour. Ped. Hematol./Oncol., 4(2), 191-196 (Summer 1982) [A]	4	C111		
Hormone," Biotechnology, 2, 161-165 (February 1984) [A] C114 Gray et al., "Expression of human immune interferon cDNA in E. coli and monkey cells," Nature, 295, 503-508 (February 11, 1982) [A,D,E] C115 Green et al., "Immunogenic Structure of the Influenza Virus Hemagglutinin," Cell, 28, 477-487 (March 1982) [A] C116 Grimaldi et al., "Interspersed repeated sequences in the African green monkey genome that are homologous to the human Alu family," Nucleic Acid Research, 9(21):5553-5568 (1981) [D] C117 Groffen et al. "Isolation of Human Oncogene Sequences (v-fes Homolog) from a Cosmid Library," Science, 216, 1136-1138 (June 4, 1982) [F] C118 Grundmann et al., "Characterization of cDNA coding for human factor XIIIa," P.N.A.S. (USA), 83, 8024-8028 (November 1986) [F] C119 Grunstein et al., "Colony Hybridization," Meth. in Enzym. 68, 379-389 (1979) [F] C120 Grunstein et al., "Colony hybridization: A method for the isolation of cloned DNAs that contain a specific gene," P.N.A.S. (USA), 72(10), 3961-3965 (October 1975) [F] C121 Gruss et al., "Expression of simian virus 40-rat preproinsulin recombinants in monkey kidney cells: Use of preproinsulin RNA processing signals," P.N.A.S. (USA), 78(1):133-137 (January 1981) [D] C122 Gubler et al., "A simple and very efficient method for generating cDNA libraries," Gene 25, 263-269 (1983) [F] C123 Haddy, "Erythropoietin in sickle cell disease," Am. Jour. Ped. Hematol./Oncol., 4(2), 191-196 (Summer 1982) [A]	<i>></i>	C112		
cells, "Nature, 295, 503-508 (February 11, 1982) [A,D,E] C115 Green et al., "Immunogenic Structure of the Influenza Virus Hemagglutinin," Cell, 28, 477-487 (March 1982) [A] C116 Grimaldi et al., "Interspersed repeated sequences in the African green monkey genome that are homologous to the human Alu family," Nucleic Acid Research, 9(21):5553-5568 (1981) [D] C117 Groffen et al. "Isolation of Human Oncogene Sequences (v-fes Homolog) from a Cosmid Library," Science, 216, 1136-1138 (June 4, 1982) [F] C118 Grundmann et al., "Characterization of cDNA coding for human factor XIIIa," P.N.A.S. (USA), 83, 8024-8028 (November 1986) [F] C119 Grunstein et al., "Colony Hybridization," Meth. in Enzym. 68, 379-389 (1979) [F] C120 Grunstein et al., "Colony hybridization: A method for the isolation of cloned DNAs that contain a specific gene," P.N.A.S. (USA), 72(10), 3961-3965 (October 1975) [F] C121 Gruss et al., "Expression of simian virus 40-rat preproinsulin recombinants in monkey kidney cells: Use of preproinsulin RNA processing signals," P.N.A.S. (USA), 78(1):133-137 (January 1981) [D] C122 Gubler et al., "A simple and very efficient method for generating cDNA libraries," Gene 25, 263-269 (1983) [F] C123 Haddy, "Erythropoietin in sickle cell disease," Am. Jour. Ped. Hematol./Oncol., 4(2), 191-196 (Summer 1982) [A] C124 Haga et al., "Plasma Erythropoietin Concentrations During the Early Anemia of	04	C113	Gray et al., *Pseudomonas Aeruginosa Secretes and Correctly Processes Human Growth Hormone, *Biotechnology, 2, 161-165 (February 1984) [A]	
C116 Grimaldi et al., "Interspersed repeated sequences in the African green monkey genome that are homologous to the human Alu family," Nucleic Acid Research, 9(21):5553-5568 (1981) [D] C117 Groffen et al. "Isolation of Human Oncogene Sequences (v-fes Homolog) from a Cosmid Library," Science, 216, 1136-1138 (June 4, 1982) [F] C118 Grundmann et al., "Characterization of cDNA coding for human factor XIIIa," P.N.A.S. (USA), 83, 8024-8028 (November 1986) [F] C119 Grunstein et al., "Colony Hybridization," Meth. in Enzym. 68, 379-389 (1979) [F] C120 Grunstein et al., "Colony hybridization: A method for the isolation of cloned DNAs that contain a specific gene," P.N.A.S. (USA), 72(10), 3961-3965 (October 1975) [F] C121 Gruss et al., "Expression of simian virus 40-rat preproinsulin recombinants in monkey kidney cells: Use of preproinsulin RNA processing signals," P.N.A.S. (USA), 78(1):133-137 (January 1981) [D] C122 Gubler et al., "A simple and very efficient method for generating cDNA libraries," Gene 25, 263-269 (1983) [F] C123 Haddy, "Erythropoietin in sickle cell disease," Am. Jour. Ped. Hematol./Oncol., 4(2), 191-196 (Summer 1982) [A]	0~	C114		
that are homologous to the human Alu family," Nucleic Acid Research, 9(21):5553-5568 (1981) [D] C117 Groffen et al. "Isolation of Human Oncogene Sequences (v-fes Homolog) from a Cosmid Library," Science, 216, 1136-1138 (June 4, 1982) [F] C118 Grundmann et al., "Characterization of cDNA coding for human factor XIIIa," P.N.A.S. (USA), 83, 8024-8028 (November 1986) [F] C119 Grunstein et al., "Colony Hybridization," Meth. in Enzym. 68, 379-389 (1979) [F] C120 Grunstein et al., "Colony hybridization: A method for the isolation of cloned DNAs that contain a specific gene," P.N.A.S. (USA), 72(10), 3961-3965 (October 1975) [F] C121 Gruss et al., "Expression of simian virus 40-rat preproinsulin recombinants in monkey kidney cells: Use of preproinsulin RNA processing signals," P.N.A.S. (USA), 78(1):133-137 (January 1981) [D] C122 Gubler et al., "A simple and very efficient method for generating cDNA libraries," Gene 25, 263-269 (1983) [F] C123 Haddy, "Erythropoietin in sickle cell disease," Am. Jour. Ped. Hematol./Oncol., 4(2), 191-196 (Summer 1982) [A]	7	C115		
Library, "Science, 216, 1136-1138 (June 4, 1982) [F] C118 Grundmann et al., "Characterization of cDNA coding for human factor XIIIa," P.N.A.S. (USA), 83, 8024-8028 (November 1986) [F] C119 Grunstein et al., "Colony Hybridization," Meth. in Enzym. 68, 379-389 (1979) [F] C120 Grunstein et al., "Colony hybridization: A method for the isolation of cloned DNAs that contain a specific gene," P.N.A.S. (USA), 72(10), 3961-3965 (October 1975) [F] C121 Gruss et al., "Expression of simian virus 40-rat preproinsulin recombinants in monkey kidney cells: Use of preproinsulin RNA processing signals," P.N.A.S. (USA), 78(1):133-137 (January 1981) [D] C122 Gubler et al., "A simple and very efficient method for generating cDNA libraries," Gene 25, 263-269 (1983) [F] C123 Haddy, "Erythropoietin in sickle cell disease," Am. Jour. Ped. Hematol./Oncol., 4(2), 191-196 (Summer 1982) [A] C124 Haga et al., "Plasma Erythropoietin Concentrations During the Early Anemia of	<i>*</i>	C116	that are homologous to the human Alu family," Nucleic Acid Research, 9(21):5553-5568	
(USA), 83, 8024-8028 (November 1986) [F] C119 Grunstein et al., "Colony Hybridization," Meth. in Enzym. 68, 379-389 (1979) [F] C120 Grunstein et al., "Colony hybridization: A method for the isolation of cloned DNAs that contain a specific gene," P.N.A.S. (USA), 72(10), 3961-3965 (October 1975) [F] C121 Gruss et al., "Expression of simian virus 40-rat preproinsulin recombinants in monkey kidney cells: Use of preproinsulin RNA processing signals," P.N.A.S. (USA), 78(1):133-137 (January 1981) [D] C122 Gubler et al., "A simple and very efficient method for generating cDNA libraries," Gene 25, 263-269 (1983) [F] C123 Haddy, "Erythropoietin in sickle cell disease," Am. Jour. Ped. Hematol./Oncol., 4(2), 191-196 (Summer 1982) [A] C124 Haga et al., "Plasma Erythropoietin Concentrations During the Early Anemia of	;/~	C117	Groffen et al. "Isolation of Human Oncogene Sequences (v-fes Homolog) from a Cosmid Library," Science, 216, 1136-1138 (June 4, 1982) [F]	
C120 Grunstein et al., "Colony hybridization: A method for the isolation of cloned DNAs that contain a specific gene," P.N.A.S. (USA), 72(10), 3961-3965 (October 1975) [F] C121 Gruss et al., "Expression of simian virus 40-rat preproinsulin recombinants in monkey kidney cells: Use of preproinsulin RNA processing signals," P.N.A.S. (USA), 78(1):133-137 (January 1981) [D] C122 Gubler et al., "A simple and very efficient method for generating cDNA libraries," Gene 25, 263-269 (1983) [F] C123 Haddy, "Erythropoietin in sickle cell disease," Am. Jour. Ped. Hematol./Oncol., 4(2), 191-196 (Summer 1982) [A] C124 Haga et al., "Plasma Erythropoietin Concentrations During the Early Anemia of	<i>\$</i> :~	C118	. ,	
that contain a specific gene, "P.N.A.S. (USA), 72(10), 3961-3965 (October 1975) [F] C121 Gruss et al., "Expression of simian virus 40-rat preproinsulin recombinants in monkey kidney cells: Use of preproinsulin RNA processing signals," P.N.A.S. (USA), 78(1):133-137 (January 1981) [D] C122 Gubler et al., "A simple and very efficient method for generating cDNA libraries," Gene 25, 263-269 (1983) [F] C123 Haddy, "Erythropoietin in sickle cell disease," Am. Jour. Ped. Hematol./Oncol., 4(2), 191-196 (Summer 1982) [A] C124 Haga et al., "Plasma Erythropoietin Concentrations During the Early Anemia of	y.	C119	Grunstein et al., "Colony Hybridization," Meth. in Enzym. 68, 379-389 (1979) [F]	
kidney cells: Use of preproinsulin RNA processing signals," P.N.A.S. (USA), 78(1):133-137 (January 1981) [D] C122 Gubler et al., "A simple and very efficient method for generating cDNA libraries," Gene 25, 263-269 (1983) [F] C123 Haddy, "Erythropoietin in sickle cell disease," Am. Jour. Ped. Hematol./Oncol., 4(2), 191-196 (Summer 1982) [A] C124 Haga et al., "Plasma Erythropoietin Concentrations During the Early Anemia of	st.	C120		
Gene 25, 263-269 (1983) [F] C123 Haddy, "Erythropoietin in sickle cell disease," Am. Jour. Ped. Hematol./Oncol., 4(2), 191-196 (Summer 1982) [A] C124 Haga et al., "Plasma Erythropoietin Concentrations During the Early Anemia of	×	C121	kidney cells: Use of preproinsulin RNA processing signals," P.N.A.S. (USA), 78(1):133-	
191-196 (Summer 1982) [A] C124 Haga et al., "Plasma Erythropoietin Concentrations During the Early Anemia of	oh	C122	Gubler et al., "A simple and very efficient method for generating cDNA libraries," Gene 25, 263-269 (1983) [F]	
	d	C123		
	×	C124		

EXAMINER A FET	DATE CONSIDERED 8/5/kg		
*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.			




1	C125	Hagiwara et al., "Erythropoietin Production in a Primary Culture of Human Renal Carcinoma Cells Maintained in Nude Mice," <i>Blood</i> , 63(4), 828-835 (April 1984) [A.F.]	
4	C126	Hamer et al., "Expression of the chromosomal mouse β ^{maj} -globin gene cloned in SV40," Nature, 281:35-40 (September 6, 1979) [A,D]	
×	C127	Hamer et al., "A Mouse Globin Gene Promoter is Functional in SV40," Cell, 21:697-708 (October 1980) [D]	
; <u>L</u>	C128	Hammond et al., "Production, Utilization and Excretion of Erythropoietin: I. Chronic Anemias. II. Aplastic Crisis. III. Erythropoietic Effects of Normal Plasma," Ann. N.Y. Acad. Sci., 149, 516-527 (1968) [A]	
d-	C129	Hanahan et al "Plasmid screening at high colony density," Gene, 10, 63-67 (1980) [F]	
1/2	C130	Hartman et al., "Human Influenza Virus Hemagglutinin is Expressed in Monkey Cells Using Simian Virus 40 Vectors," <i>Proc. Nat'l. Acad. Sci. (USA)</i> , 79, 233-237 (1982) [B]	
34	C131	Hauser et al., "Inducibility of human β -interferon in mouse L-cell clones," <i>Nature</i> , 297:650-654 (June 24, 1982) [D]	
بار	C132	Haynes et al., "Constitutive, long-term production of human interferons by hamster cells containing multiple copies of a cloned interferon gene," Nucleic Acids Research, 11(3), 587-706 (1983) [B]	
x .	C133	Haynes et al., "Production of a Glycosylated Human Protein by Recombinant DNA Technology," Humoral Factors Host Ref. [Proc. Takeda Sci. Found. Symp. Biosci. (1983)], 1st, Meeting Date 1982, 111-29 [B,D,E]	
d-	C134	Hellmann et al., "Familial erythrocytosis with over-production of erythropoietin," Clin. Lab. Haemat., 5, 335-342 (1983) [A]	
4	C135	Hewick et al., "A Gas-Liquid Solid Phase Peptide and Protein Sequenator," J. Biol. Chem., 256, 7990-7997 (August 1981) [A,F]	
L	C136	Hirs et al., "Peptides Obtained by Tryptic Hydrolysis of Performic Acid-Oxidized Ribonuclease," J. Biol. Chem. 219, 623-642 (1955) [F]	
У.	C137	Hopp et al., "Prediction of protein antigenic determinants from amino acid sequences," P.N.A.S. (USA), 78(6), 3824-3828 D-7182 (June 1981) [A,F]	
<i>d</i> -	C138	Houghton et al., "The amino-terminal sequence of human fibroblast interferon as deduced from reverse transcripts obtained using synthetic oligonucleotide primers," Nucleic Acids Res. 8(9), 1913-1931 (1980) [F]	
d	C139	Huang et al., "Identification of Human Erythropojetin Receptor," Am. Soci. of Biological Chemists, Am. Assoc. of Immunologists, Fed. Pract. (USA) 43(7) Abst. 2770, p. 1891 (1984) [D]	

EXAMBIER Sa STALL	DATE CONSIDERED	
"EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.		



		C140	Transcription
	4	1	Huang et al., "Characterization of Human Erythropoietin cDNA clones," Am. Soc. of Biological Chemists, Am. Assoc. of Immunologists, Fed. Pract. (USA) 43(6) Abst. 1795. p. 1724 [D]
	4	C141	Itakura, et al., "Synthesis and Use of Synthetic Oligonucleotides," Ann. Rev. Biochem., 53, 323-356 (1984) [F]
:	火	C142	Ito et al., "Solid phase synthesis of polynucloetides. VI. Further studies on polystyrene copolymers for the solid support," Nucleic Acids Res. 10(5), 1755-1769 (1982) [F]
	; <u>/</u>	C143	Jacobs et al., "Isolation and characterization of genomic and cDNA clones of human erythropoietin," <i>Nature</i> , 313, 806-809 (February 28, 1985) [A,B,F]
	32	C144	Jacobsen et al., "Relative effectiveness of phenylhydrazine treatment and hemorrhage in the production of an erythropoietic factor," <i>Blood</i> , 11:937-945 (1956) [D]
	;/~	C145	Jacobson et al., "Role of the kidney in erythropoiesis," Nature, 179:633-634 (March 23, 1957) [D]
	<u> </u>	C146	Jaye et al., "Isolation of human anti-haemophilic factor IX cDNA clone using a unique 52-base synthetic oligonucleotide probe deduced form the amino acid sequence of bovine factor IX," Nucleic Acids Res. 11(8), 2325-2335 (1983) [A.F]
1.10	4	C147	Jeffreys et al "Sequence variation and evolution of nuclear DNA in man and primates", Phil. Trans. R. Soc. Lond., B 292:133-142 (1981) [D,E,F]
	<u>.</u> L	C148	Jelkman et al., "Extraction of Erythropoietin from Isolated Renal Glomeruli of Hypoxic Rats," Exp. Hematol., 11(7), 581-588 (August 1983) [A,F]
	٠,٠	C149	Kaiser et al., "Amphiphilic Secondary Struture: Design of Peptide Hormones," Science, 223, 249-255 (1984) [A]
	<i>3</i> /-	C150	Kajimura et al., "Cloning the Heavy Chain of Human HLA-DR Antigen Using Synthetic Oligodeoxyribonucleotides as Hybridization Probes," DNA, 2(3), 175-182 (1983) [F]
	<u>ئے۔</u>	CISI	Kakidani et al., "Cloning and sequence analysis of cDNA for porcine β-neo-endorphin/dynorphin precursor," <i>Nature</i> , 298, 245-249 (July 15, 1982) [F]
15	<u> </u>	C152	Kalmanti, "Correlation of clinical and in vitro erythropoietic responses to androgens in renal failure," Kidney Int'l., 22, 383-391 (1982) [A]
	o/~	C153	Karn et al., "Novel bacteriophage λ cloning vector," P.N.A.S. (USA), 77, 5172-5176 (September 1980) [A,F]
	oh	C154	Katsuoka et al., "Erythropoietin Production in Human renal Carcinoma Cells Passaged in Nude Mice and in Tissue Culture," Gann, 74, 534-541 (August 1983) [A,F]
	مر	C155	Kaufman et al., "Amplification and Expression of Sequences Cotransfected with a Modular Dihydrofolate Reductase Complementary DNA Gene," J. Mol. Biol. 159, 601-621 (1982) [F]

EXAMENER J. h.Zii	DATE CONSIDERED
*EXAM*NER: Initial if reference considered, whether or not citation citation if not in conformance and not considered. Include copy of the conformance and not considered.	is in conformance with MPEP 609; Draw line through his form with next communication to applicant.



	C156	Kennell, "Principles and Practices of Nucleic Acid Hybridization," Prog. Nucl. Acid Res. Mol. Biol. 11, 259-301, p. 293 (1971) [A]
C157 Kenter et al., "Mouse Myeloma Cells That Make Short Immunoglobulin Heavy Pleiotropic Effects on Glycosylation and Chain Assembly." I Cell Pict Co.		Kenter et al., "Mouse Myeloma Cells That Make Short Immunoglobulin Heavy Chains: Pleiotropic Effects on Glycosylation and Chain Assembly," J. Cell. Biol., 98, 2215-2221 (1984) [B]
on	C158	Kieny et al., "Expression of rabies virus glycoprotein from a recombinant vaccinia virus," Nature. 312, 163-166 (1984) [B]
此	C159	Kimura et al., "A frameshift addition causes silencing of the δ -globin gene in old world monkeys, an anubis," Nucleic Acids Res., 11(9):2541-2550 (1983) [D,E]
sh	C160	Knopf et al., "Cloning and Expression of Multiple Protein Kinase C cDNAs," Cell 46, 491-502 (August 15, 1986) [F]
مكر	C161	Kohne, "Evolution of Higher-organism DNA," Quarterly Reviews of Biophysics, 3, 327-375 (1970) [D.E]
<i>y</i> -~	C162	Kondor-Koch et al., "Expression of Semliki Forest Virus Proteins from Cloned Complementary DNA. I. The Fusion Activity of the Spike Glycoprotein," J. Cell. Biol., 97, 644-651 (1983) [B]
d'a	C163	Konrad, "Applications of Genetic Engineering to the Pharmaceutical Industry," Ann. N.Y. Acad. Sci., 413, 12-22 (1983) [B]
<u>h</u>	C164	Konwalinka et al., "A Miniaturized Agar Culture System for Cloning Humlan Erythropoietic Progenitor Cells," Exp. Hematol., 12, 75-79 (1984) [A]
L	C165	Korman, "cDNA clones for the heavy chain of HLA-DR antigens obtained after immunopurification of polysomes by monoclonal antibody," P.N.A.S. (USA), 79, 1844-1848 (March 1982) [F]
2.	C166	Kornblihtt et al., "Isolation and characterization of cDNA clones for human and bovine fibronectins," P.N.A.S. (USA), 80, 3218-3222 (June 1983) [A,D,E]
人	C167	Kramer et al., "Comparisons of the Complete Sequences of Two Collagen Genes from Caenorhabditis elegans," Cell 30, 599-606 (September 1982) [F]
5-	C168	Krane, "The Role of Erythropoietin in the Anemia of Chronic Renal Failure," Henry Ford Hosp. Med. J., 31(3), 177-181 (1983) [A]
sh	C169	Krystal, "A Simple Microassay fro Erythropoietin Based on ³ H-Thymidine Incorporation into Spleen cells from Phenylhydrazine Treated Mice," Exp. Hematol., 11(7), 649-660 (August 1983) [A]
4	C170	Kuhn et al., "Gene Transfer, Expression, and Molecular Cloning of the Human Transferrin Receptor Gene," Cell, 37, 95-103 (1984) [B]

7 156	DATE CONSIDERED \$/5/44		
*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.			

į			SHEET 14 OF 26
	Form FTO-1419 U.S. Department of Commerce Patent and Trademark Office	Ally: Docket No.	Screl No.
	· !	11009/D31956	08/202.874
	INFORMATION DISCLOSURE STATEMENT	Fu-Kuen Lin	7.0
<u>ارا</u> بر	(Use several sheets if necessary)	Filing Date February 28, 1994	Group 1/05 1812

C171	Kurachi et al., "Isolation and characterization of a cDNA coding for human factor IX." P.N.A.S. (USA), 79, 6461-6464 (November 1982) [A.F]	
C172	Kuratowska et al., "Studies on the production of erythropoietin by isolated perfused organs." Blood, 18:527-534 (1961) [D]	
C173	Kurtz, "A New candidate for the regulation of erythropoiesis: Insulin-like growth factor I." FEBS Letters, 149(1), 105-108 (November 1982) [A]	
C174	Kyte et al., "A Simple Method for Displaying the Hydropathic Character of a Protein," J. Mol. Biol., 157, 105-132 (1982) [A.F]	
C175	Lai, "Technical Improvements in Protein Microsequencing," Analytica Chimica Acta, 163, 243-248 (1984) [B,C]	
C176	Lai et al., "Ovalbumin is synthesized in mouse cells transformed with the natural chicken ovalbumin gene," P.N.A.S. (USA), 77(1), 244-248 (January 1980) [D]	
C177	Lai et al., "Structural Characterization of Human Erythropoietin," J. of Biol. Chem., 261, 3116-3121 (March 5, 1986) [F]	
C178	Lange et al., "Application of erythropoietin antisera to studies of erythropoiesis," Ann. N.Y. Acad. Sci., 149:281-291 (1968) [D]	
C179	Lappin et al., "The Effect of Erythropoietin and Other Factors on DNA synthesis by Mouse Spleen Cells," Exp. Hematol., 11(7), 661-666 (August 1983) [A]	
C180	Lasky et al., "Production of an HSV Subunit Vaccine by Genetically Engineered Mammalian Cell Lines," <i>Modern Approaches to Vaccines</i> , pages 189-194, Chanock et al., eds. Cold Spring Harbor Lab. (1984) [B]	
C181	Lathe, "Synthetic Oligonucleotide Probes Deduced from Amino Acid Sequence Data," J. Mol. Biol. 183, 1-12 (1985) [F]	
C182	Laub et al., "Synthesis of Hepatitis B Surface Antigen in Mammalian Cells: Expression of the Entire Gene and the Coding Region," J. Virol., 48(1), 271-280 (1983) [B]	
C183	Laub and Ritter, "Expression of the Human Insulin Gene and cDNA in a Heterologous Mammalian System," J. Biol. Chem., 258(10), 6043-6050 (May 25, 1983) [D]	
C184		
C185	Lawn et al., "The Isolation and Characterization of Linked δ- and β-Globin Genes from a Cloned Library of Human DNA," Cell, 15, 1157-1174 (December 1978) [A,F]	
C186	Ledeen et al., "Gangliosides: Structure, Isolation, and Analysis," Methods in Enzymology, 83 (Part D), 139-191 (1982) [A]	
	C172 C173 C174 C175 C176 C177 C178 C179 C180 C181 C182 C183 C184 C185	

EXAMINER 7 141	DATE CONSIDERED 8/5/94	
"EXAMINER: Initial if reference considered, whether or sot citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.		


EXAMINER Ja Latin	DATE CONSIDERED 8/5/94		
*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 509; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.			

л	,	
<i>></i> /~	C204	Markoff et al., "Glycosylation and Surface Expression of the Influenza Virus Neuraminidase Requires the N-Terminal Hydrophobic Region," Molecular and Cellular Biology, 4(1), 8-16 (1984) [B]
d-	C205	Martial et al., "Human Growth Hormones: Complementary DNA Cloning and Expression in Bacteria." Science, 205, 602-606 (August 10, 1979) [A]
; / ~	C206	Mason et al., "Complementary DNA sequences of ovarian follicular fluid inhibin show precursor structure and homology with transforming growth factor- β ," Nature 318, 659-663 (December 1985) [F]
سكن ا	C207	Maurer, "Immunochemical Isolation of Prolactin Messenger RNA," J. Biol. Chem 255(1), 854-859 (February 10, 1980) [F]
d'a	C208	Maxam et al., "Sequencing End-Labeled DNA with Base-Specific Chemical Cleavages," Methods in Enzymol. 65, 499-560 (1980) [F]
4	C209	McCormick et al., "Inducible Expression of Amplified Human Beta Interferon Genes in CHO Cells," Molecular and Cellular Biology, 4(1), 166-172 (1984) [B]
سكن _	C210	McGonigle et al., "Erythropoietin deficiency and inhibition of erythropoiesis in renal insufficiency," Kidney Int'l., 25(2), 437-444 (1984) [A]
y-	C211	Meier et al., "Alpha ₁ - and Beta ₂ -Adrenergic Receptors Co-Expressed on Cloned MDCK Cells are Distinct Glycoproteins," <i>Biochem. & Biophys. Res. Comm.</i> , 118(1), 73-81 (1984) [B]
4	C212	Mellon et al., "Identification of DNA Sequences Required for transcription of the human αI-Globin Gene in a New SV40 Host-Vector System," Cell, 27, 279-288 (December 1981) [F]
ón	C213	Mellor et al., "Expression of Murine H-2K ² histocompatibility antigen in cells transferred with cloned H-2 genes," <i>Nature</i> , 298:529-534 (August 1982) [D]
<i>y</i> -	C214	Messing, "New M13 Vectors for Cloning," Methods in Enzymology, 101, 20-78 (1983) [A]
4	C215	Metcalf et al., "Effects of Purified Bacterially Synthesized Murine Multi-CSF (IL-3) on Hematopoiesis in Normal Adult Mice," Blood, 68(1), 46-57 (July 1986) [B]
<i>j</i> -	C216	Metcalf et al., "Quantitative Responsiveness of Murine Hemopoietic Populations in vitro and in vivo to Recombinant Multi-CSF (IL-3)," Exp. Hematol., 15, 288-295 (1987) [B]
24	C217	Methods in Yeast Genetics, Cold Spring Harbor Lab, Cold Spring Harbor, NY, p. 62 (1983) (not enclosed) [A]
1-	C218	Miller et al., "Plasma levels of immunoreactive erythropoietin after acute blood loss in man," Brit. J. Haematol., 52, 545-549 (1982) [A]

EXAMINER 2 /41	DATE CONSIDERED 8/5/94			
*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.				

1	4 4-	C219	Mirand, "Extra-renal and renal control of erythropoietin production," Ann. N.Y. Acad. Sci., 149:94-106 (1968) [D] 44,76,98,100,102,104,06 (Kuf) [D]
	ماد	C220	Mirand et al., "Current studies on the role of erythropoietin on erythropoiesis", Ann. N.Y. Acad. Sci., 77:677-702 (1959) [D]
	<u>;</u> _	C221	Miadenovic et al., "Anemia of Chronic Renal Failure (CRF) in the Sheep: Reponse to Erythropoietin (EP) In Vivo and In Vitro," Blood, 58(5), Suppl. 1, 99a (1981) [F]
	<i>;</i>	C222	Montgomery et al., "Identification and Isolation of the Yeast Cytochrome c Gene," Cell. 14. 67-680 (July 1978) [F]
	×	C223	Moriany et al., "Expression of the Hepatitis B Virus Surface Antigen Gene in Cell Culture by using a Simian Virus 40 Vector," P.N.A.S. (USA), 78(4), 2606-10 (April 1981) [D.E]
	ø <u>~</u>	C224	Moriuchi et al., "Thy-1 cDNa sequence suggests a novel regulatory mechanism," Nature, 301, 80-82 (January 1983) [F]
	<i>-</i> j~	C225	Morrison, "Bioprocessing in Space an Overview," The World Biotech Report, Volume 2, USA, 557-571 (1984) [A]
	1/2	C226	Munjaal et al., "A cloned calmodulin structural gene probe is complementary to DNA sequence from diverse species," P.N.A.S. (USA), 78(4), 2330-2334 (April 1981) [D]
	c_	C227	Murphy et al., "The Role of Glycoprotein Hormones in the Regulation of Hematopoiesis," Acta. Haematologica Japonica, 46(7), 1380-1396 (December 1983) [A]
	<i>,</i> /_	C228	Myers et al., "Construction and Analysis of Simian Virus 40 Origins Defective in Tumor Antigen Binding and DNA Replication," PNAS (USA), 77, 6491-6495 (Nov. 1980)
	4	C229	Myklebost et al., "The Isolation and Characterization of cDNA clones for Human Apolioprotein CII." J. of Biol. Chem., 259(7), 4401-4404 (April 10, 1984) [A]
	d-	C230	Naets, "The role of the kidney in erythropoiesis," J. Clin. Invest., 39:102-110 (1960) [D]
	j`~	C231	Nagata et al., "Synthesis in E. Coli of a polypeptide with human leukocyte interferon activity," Nature, 284, 316-320 (March 27, 1980) [F]
	4-	C232	Nakao et al., "Erythropoiesis in anephric or kidney transplated patients," Israel J. Med. Sci., 7:986-989 (July-August 1971) [D] 556-750 (July-August 1971) [D]
	<i>d</i> ~	C233	Nathan et al., "Erythropoietin and the Regulation of Erythropoiesis," New Eng. J. Med., 308(9), 520-522 (March 3, 1983) [A]
	٧_	C234	Naughton et al., "Evidence for an Erythropoietin-Stimulating Factor in Patients with Renal and Hepatic Disease," Acta. Haemat., 69, 171-179 (1983) [A]

EXAMINER This?	DATE CONSIDERED SISTAY			
*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation is not in onthis informance and not considered. Include copy of this form with next communication to applicant.				



	· ·
C235	Naughton et al., "Evidence for a Hepatic-Renal Antagoinism in the Production of Hepatic Erythropoietin," Ann. Clin. Lab. Sci., 13(5), 432-438 (1983) [A]
C236	Nayak et al., "Characterization of Influenza Virus Glycoproteins Expressed from Cloned cDNAs in Prokaryotic and Eukaryotic Cells," Modern Approaches To Vaccines, pages 165-172, Chanock et al., eds., Cold Spring Harbor Lab. (1984) [B]
C237	Neeser et al., "A Quantitative Determination by Capillary Gas-Liquid Chromatography of Neutral and Amino Sugars (as O-Methyloxime Acetates), and a Study on Hydrolytic Conditions for Glycoproteins and Polysaccharides In Order to Increase Sugar Recoveries," Anal. Biochem., 142, 58-67 (1984) [A]
C238	Newman et al., "Selection and Properties of a Mouse L-Cell Transformant Expressing Human Transferrin Receptor," Nature, 304, 643-645 (1983) [B]
C239	Nigg et al., "Immunofluorescent localization of the transforming protein of Rous sarcoma virus with antibodies against a synthetic src peptide," P.N.A.S. (USA), 79, 5322-5326 (September 1982) [A]
C240	Noda et al., "Primary structure of α-subunit precursor of Torpedo californica acetylcholine receptor deduced from cDNA sequence," Nature, 299, 793-797 (October 28, 1982) [F]
C241	Noda et al., "Cloning and sequence analysis of cDNA for bovine adrenal preproenkephalin," Nature, 295, 202-206 (January 21, 1982) [F]
C242	Noyes et al., "Detection and partial sequence analysis of gastrin mRNA by using an oligodeoxynucleotide probe," P.N.A.S. (USA), 76(4), 1770-1774 (April 1979) [F]
C243	Nussinov, "Eukaryotic Dinucleotide Preference Rules and their Implications for Degenerate Codon Usage," J. Mol. Biol., 149, 125-131 (1981) [F]
C244	Ogle et al., "Production of crythropoietin in vitro: a review," In Vitro, 14(11), 945-949 (1978) [D]
C245	Ohkubo et al., "Cloning and sequence analysis of cDNA for rat angiotensinogen," P.N.A.S. (USA), 80, 2196-2200 (April 1983) [A,F]
C246	Ohno et al., "Inducer-responsive expression of the cloned human interferons \(\beta \) gene introduced into cultured mouse cells," Nucleic Acids Res., 10(3):967-976 (1982) [D]
C247	Okayama et al., "High-Efficiency Cloning of Full-Length cDNA," Mol. & Cell. Biol., 2(2), 161-170 (February 1982) [A,F]
C248	Ovchinnikov et al., "The Primary Structure of Escherichia coli RNA Polymerase," J. Biochem., 116, 621-629 (1981) [A]
	C236 C237 C238 C239 C240 C241 C242 C243 C244 C245 C246 C247

7,000	DATE CONSIDERED			
*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.				

F				SHEET 19	OF 26
	Form PTO-1449	U.5. Department of Commerce Patent and Trademork Office	Atly. Docket No.	Scrub No.	
			11009/D31956	08/202.874	į
	INFORMATION DISCLOS	Fu-Kuen Lin			
,z/4	(Use several sheets if n	ecessary)	Fing Date February 28, 1994	1817 1605	


		
o'-	C249	Paabo et al., "Association Between Transplantation Antigens and a Viral Membrane Protein Synthesized from a Mammalian Expression Vector," Cell, 35, 445-453 (1983) [B]
٧_	C250	Palmiter et al "Metallothionein-Human GH Fusion Genes Stimulate Growth of Mice." Science, 222, 809-814 (November 18, 1983) [A]
ماء	C251	Pankratz et al., "A Simple 3-Step Procedure for Purifying Baboon Urinary Erythropoietin to Apparent Homogeneity," Exp. Hematol., 11, Supp. 14, Abst. 102 (1983) [F]
مد	C252	Parekh et al., "N-Glycosylation and in vitro Enzymatic Activity of Human Recombinant Tissue Plasminogen Activator Expressed in Chinese Hamster Ovary Cells and a murine Cell line," <i>Biochemistry</i> , 28, 7670-7679 (1989) [F]
人	C253	Pavlovic-Kentera et al., "Effects of Prostaglandin Synthetase Inhibitors, Salt Overload and Renomedullary Dissection on the Hypoxia Stimulated Erythropoietin Production in Rats," Exp. Hematol. 8(Supp. 8), 283-291 (1980) [A]
La	C254	Pellicer et al., "Altering Genotype and Phenotype by DNA-Mediated Gene Transfer," Science, 209, 1414-1422 (Sept. 19, 1980) [F]
Źn	C255	Pennathur-Das et al., "Evidence for the Presence of CFU-E with Increased In Vitro Sensitivity to Erythropoietin in Sickle Cell Anemia," Blood, 63(5), 1168-71 (May 1984) [A]
×~	C256	Pennica et al., "Cloning and expression of human tissue-type plasminogen activator cDNA in <i>E-coli</i> ," 301, 214-221 (Jan. 20, 1983) [B]
X ~	C257	Pennica et al., "Human tumour necrosis factor: precursor structure, expression and homology to lymphotoxin," Nature, 312, 724-728 (December 27, 1984) [B,F]
o <u>/</u>	C258	Pitha et al., "Induction of human β-interferon synthesis with poly (rI•rC) in mouse cells transfected with cloned cDNA plasmids," P.N.A.S. (USA), 79:4337-4341 (July 1982) [D]
	C259	"Points to Consider in the Characterization of Cell Lines Used to Produce Biologics", June 1, 1984, Office of Biologies Research Review, Center for Drugs & Biologies, U.S. Food & Drug Administration (Section A, Part 2) (not enclosed) [A]
d-	C260	Powell et al., "Human erythropoietin gene: High level expression in stably transfected mammalian cells and chromosome localization," P.N.A.S. (USA), 83, 6465-6469 (September 1986) [F]
, d	C261	Prooijen-Knegt et al., "In Situ Hybridization of DNA Sequences in Human Metaphase Chromosomes Visualized by an Indirect Fluroescent Immunocytochemical Procedure," Exp. Cell Res., 141, 398-407 (1982) [A] 317-407 (1982)

EXAMINER	* till	DATE CONSIDERED		
"EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.				

		SHEET 20 OF 20
From PTO-1449 U.S. Department of Commerce Patent and Trademark Office	Ally Docket No.	Servat No.
	11009/D31956	08/202,874
INFORMATION DISCLOSURE STATEMENT	Applicant Fu-Kuen Lin	
(Use several sheets if necessary)	Filme Date February 28, 1994	1812 1/05 "

<i></i>	C262	Ramabhadran et al., "Synthesis and Glycosylation of the Common α Subunit of Human Glycoprotein Hormones in Mouse Cells," <i>Proc. Nat'l. Acad. Sci. (USA)</i> , 81, 6701-6705 (1984) [B]
<i>o'</i> ~	C263	Rambach et al., "Acid Hydrolysis of Erythropoietin," Proc. Soc. Exp. Biol., 99, 482-483 (1958) [F]
Ŀ	C264	Ravetech et al., "Evolutionary approach to the question of immunoglobulin heavy chain switching: Evidence from cloned human and mouse genes," P.N.A.S. (USA), 77(11), 6734-6738 (November 1980) [F]
ي/_	C265	Recny et al., "Structural Characterization of Natural Human Urinary and Recombinant DNA-derived Erythropoietin," J. Biol. Chem., 262(35), 17156-17163 (December 15, 1987) [F]
<i>z</i> /_	C266	Reilly et al., "Use of synthetic oligonucleotides to clone genomic DNA: isolation of a tRNA** gene from mouse," DNA, 1:192 (1982) [D,E]
<i>y</i> _	C267	Resegotti et al., "Treatment of aplastic anaemia with methenolone, stanozolol and nandrolone," Panminerva Medica, 23, 243-248 (1981) [A]
a'_	C268	Reyes et al., "Isolation of a cDNA clone for the murine transplantation antigen H-2K", "P.N.A.S. (USA), 79, 3270-3274 (May 1982) [A]
س/س	C269	Reyes et al., "Identification of an H-2K*-Related Molecule by Molecular Cloning," Immunogenetics, 14, 383-392 (1981) [F]
مد	C270	Riggs et al., "Synthetic DNA and Medicine," Am. J. Hum. Genet., 31, 531-538 (1979)
<i>~</i>	C271	Ringold et al., "Co-Expression and Amplification of Dihydrofolate Reductase cDNA and the Escherichia coli XGPRT Gene in Chinese Hamster Ovary Cells," J. Mol. & Appl. Genetics, 1(3), 165-175 (1981) [F]
ъ£	C272	Robson et al., "Polysome immunoprecipitation of phenylalanine hydroxylase mRNA from rat liver and cloning of its cDNA," P.N.A.S. (USA), 79, 4701-4705 (August 1982) [F]
4	C273	Rose et al., "Expression from Cloned cDNA of Cell-Surface Secreted Forms of the Glycoprotein of Vesicular Stomatitis Virus in Eucaryotic Cells," Cell, 30, 753-762 (1982) [B]
يلر	C274	Ross et al., "Phosphotyrosine-containing proteins isolated by affinity chromatography with antibodies to a synthetic hapten," <i>Nature</i> , 294, 654-656 (December 17, 1981) [A]
d-	C275	Roth et al., "Influenza Virus Hemagglutinin Expression Is Polarized in Cells Infected with Recombinant SV40 Viruses Carrying Cloned Hemagglutinin DNA", Cell, 33, 435-443 (1983) [B]

EXAMINER -2 /	dist.	DATE CONSIDERED	
*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.			




		
:/_	C276	Rothmann et al., "Erythropoietin-Dependent Erythrocytosis Associated with Hepatic Angiosarcoma," J. Surg. Oncol., 20, 105-108 (1982) [A]
x'_	C277	Saito et al., "In Vitro Assay of Erythropoietin: Simple Determination in a Small Amount of Human Serum Samples," Jap. J. Med., 23(1), 16-21 (February 1984) [A]
· 0/~	C278	Saito et al., "Translation of Human Erythropoietin-mRNAs," Exp. Hematol., 11(14), 228 (1983) [F]
o/-	C279	Sambrook et al., "Expression of Proteins on the Cell Surface Using Mammalian Vectors," Experimental Manipulation of Gene Expression, pages 225-246, Acad. Press. (1983) [B]
×	C280	Sanger et al., "DNA Sequencing with chain-terminating inhibitors," P.N.A.S. (USA), 74, 5463-5467 (December 1977) [A.F]
Д.	C281	Sasaki, "Isolation of erythropoietin by monoclonal antibody," Biomed. Biochim. Acia. 42(11/12), S202-206 (1983) [A,F]
oh	C282	Scahill et al., "Expression and characterization of the product of a human immune interferon cDNA gene in Chinese hamster ovary cells," <i>Proc. Nat'l. Acad. Sci. (USA)</i> , 80, 4654-4658 (1983) [B]
_بر	C283	Schulze et al., "Identification of the cloned gene for the murine transplantation antigen H-2Kb by hybridization with synthetic oligonucleotides," Mol. & Cell Biol., 3(4), 750-755 (April 1983) [D]
۷.	C284	Schwartz et al., "Severe Anemia as a Manifestation of Metastatic Jugular Paraganglioma." Arch Otolaryngol, 109, 269-272 (April 1983) [A]
*-	C285	Seeburg et al., "Synthesis of growth hormone by bacteria." Nature, 276, 795-798 (December 1978) [F]
»	C286	Seki et al., "Isolation of a genomic clone containing structural information for the DRα subunit," Fed. Proc., 41:365 (1982)/Chemistry and Molecular Biology of Ia/Dτ Antigens Abstract 563 (1982) [D,E,F]
У.	C287	Shahidi, "Androgens and Erythropoiesis," New Eng. J. Med., 289, 72-80 (July 12, 1973) [A]
	C288	Sherwood et al., "A Radioimmunoassay for Erythropoietin," Blood, 54(4), 885-893 (October 1979) [F]
34	C289	Sherwood et al., "Erythropoietin Titers in Sickle Cell Disease & Chronic Renal Failure," Blood Suppl. 1, 58, Abstract 105 (1981) [F]
ď-	C290	Sherwood et al., "Extraction of erythropoietin from normal kidneys," Endo, 103(3), 866-870 (1978) [D,F]

EXAMOVER THE THE	DATE CONSIDERED 8194		
"EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.			

$\overline{}$		
it.	C291	Shiramizu et al., "Human Renal Carcinoma Cells Secreting Erythropoietin in vivo and in vitro," <i>Blood</i> , 78(10), Supp. 1 (Nov. 15, 1991) [F]
٢.	C292	Singer-Sam et al., "Isolation of a cDNA clone for human X-linked 3-phosphoglycerate kinase by use of a mixture of synthetic oligodeoxyribonucleotides as a detection probe," P.N.A.S. (USA), 80, 802-806 (February 1983) [A,D,F]
<i></i>	C293	Smith et al., "Construction and characterization of an infectious vaccinia virus recombinant that expresses the influenza hemagglutinin gene and induces resistance to influenza virus infection in hamsters," Proc. Nat'l. Acad. Sci. (USA), 80, 7155-7159 (1983) [B]
<u></u>	C294	Southern et al "Transformation of Mammalian Cells to Antibiotic Resistance with a Bacterial Gene Under Control of the SV40 Early Region Promoter," J. Mol. Appl. Genet., 1(4), 327-341 (1982) [D]
j/_	C295	Southern, "Detection of Specific Sequences Among DNA Fragments Separated by Gel Electrophoresis." J. Mol. Biol., 98, 503-517 (1975) [F]
L	C296	Spellman et al., "Carbohydrate Structure of Human Tissue Plasminogen Activator Expressed in Chinese Hamster Ovary Cells," J. of Biol. Chem., 264(24), 14100-14111 (Aug. 26, 1989) [F]
34	C297	Spellman et al., "Carbohydrate Structure of Recombinant Soluble Human CD4 Expressed in Chinese Hamster Ovary Cells," Biochemistry, 30(9), 2395-2406 (1991) [F]
人	C298	Srinivas et al., "Membrane Association and Defective Transport of Spleen Focus- forming Virus Glycoproteins," J. Biol. Chem., 258, 14718-14724 (1983) [B]
ø	C299	Steck et al., "Cell Surface Properties of Spontaneously Metastasizing Rat Mammary Adenocarcinoma Cell Clones," <i>Transplantation Proceedings</i> . 16, 355-360 (1984) [B]
يخد	C300	Storring et al., "The International Standard for Recombinant DNA Derived Erythropoietin Collaborative Study of Form Recombinant DNA Derived Erythropoietins and Two Highly Purified Human Urinary Erythropoietins," J. of Endo., 134, 459-84 (1992) [F]
2	C301	Strickland, "Occurrence of Sulfate on the N-Linked Oligosaccharides of Human Erythropoietin," J. of Cellular Biochemistry, Suppl. 16D, Abstract No. P324 (1992) [F]
<i>y</i> _	C302	Sue et al., "Site-specific antibodies to human erythropoietin directed toward the NH ₂ -terminal region," <i>Proc. Nat. Acad. Sci. (USA)</i> , 80, 3651-3655 (1983) [A,E,F]
×	C303	Suggs et al., "Use of Synthetic Oligodeoxyribonucleotide for the Isolation of Specific Cloned DNA Sequences," Developmental Biology Using Purified Genes, 683-693 (D. Brown, Ed., 1981) [D,F]

EXAMINER	DATE CONSIDERED			
"EXAMINER: lastial if reference considered, whether or not citation it is conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.				



	T		
<i></i>	C304	Suggs et al., "Use of synthetic oligonucleotides as hybridization probes: Isolation of cloned cDNA sequences for human B ₂ -microglobulin," P.N.A.S. (USA), 78, 6613-6617 (1981) [A.B.D.E.F]	
人	C305	Sytowski et al., "A Novel Radioimmunoassay for Human Erythropoietin Using a Synthetic NH ₂ -Terminal Polypeptide and Anti-Peptide Antibodies," J. Immunol. Methods, 69, 181-186 (1984) [A,F]	
<i></i>	C306	Sytowski et al., "The Biochemistry of Erythropoietin: An Approach to its mode of Action." Exp. Hematol., 8(Supp. 8), 52-63 (1980) [A]	
泛	C307	Szostak et al., "Hybridization with Synthetic Oligonucleotides," Meth. in Enzymol., 68. 419-429 (1979) [F]	
*	C308	Takeuchi et al., "Relationship between sugar chain structure and biological activity of recombinant human erythropoietin produced in Chinese hamster ovary cells," P.N.A.S. (USA), 86, 7819-7822 (Oct. 1989) [F]	
34	C309	Talmadge et al., "Eukaryotic Signal Sequence Transports Insulin Antigen in Escherichia coli," P.N.A.S. USA 77(6), 3369-3373 (June 1980) [A,B,D]	
با	C310	Tambourin et al., "Production of erythropoietin-like activity by a murine erythroleukemia cell line," P.N.A.S. (USA), 80, 6269-6273 (1983) [A,F]	
1	C311	Taub et al., "An Improved Method for Preparing Large Arrays of Bacterial Colonies Containing Plasmids for Hybridization: In Situ Purification and Stable Binding of DNA on Paper Filters," Anal. Biochem., 126, 222-230 (1982) [A]	
ish	C312	Taub et al., "An Improved Method for preparing large arrays of bacterial colonies containing plasmids for hybridization: in situ purification and stable binding of DNA on paper filters," Chemical Abstracts, 97(23), 164, Abstract No. 194002y (December 12, 1982) [A]	
	C313	Tests et al., "Role of Purified Erythropoietin in the Amplification of the Erythroid- Compartment," Exp. Hematol., 8(Supp. 8), 144-152 (1980) [A]	
o/_	C314	Tong et al., "The Formation of Erythrocyte Membrane Proteins during Erythropoietin-induced Differentiation," J. Biol. Chem., 256(24), 12666-12672 (December 25, 1981) [A]	
か	C315	Toole et al., "Molecular cloning of a cDNA encoding human antihaemophilic factor," Nature, 312, 342-347 (November 8, 1984) [F]	
d'a	C316	Tramontano et al., "Statistical evaluation of the coding capacity of complementary DNA strands," Nucleic Acids Research, 12(12), 5049-5059 (1984) [A]	
火、	C317	Udupa et al., "Erythropoiesis in the aged mouse," J. Lab. Clin. Med., 103(4), 574-580 & 581-588 (1984) [A]	

EXAMINER ALL	DATE CONSIDERED AHEY			
*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.				

1			SHEET 24 OF 26
	Form FTO-1649 U.S. Department of Commerce Power and Trademark Office	Ally. Deutet No.	Senal No.
	<i>j</i> /	11009/D31956	08/202,874
	INFORMATION DISCLOSURE STATEMENT	Applicant Fu-Kuen Lin	
1	(Use several sheets if necessary).	Filing Date February 28, 1994	Group 1812 //25

C318	Ullrich et al., "Insulin-like growth factor I receptor primary structure: comparison with insulin receptor suggests structural determinants that define functional specificity," EMBO J., 5(10), 2503-2512 (1986) [F]
C319	Ullrich et al., "Human epidermal growth factor receptor cDNA sequence and aberrant expression of the amplified gene in A431 epidermoid carcinoma cells," <i>Nature</i> , 309, 418-425 (May 31, 1984) [F]
C320	Ullrich et al., "Human insulin receptor and its relationship to the tyrosine kinase family of oncogenes," Nature, 313, 756-761 (February 28, 1985) [F]
C321	Ullrich et al., "Rat Insulin Genes: Construction of Plasmids Containing the Coding Sequences." Science, 196, 1313-1319 (June 17, 1977) [A]
C322	Ullrich et al., "Isolation of the Human Insulin-like Growth Factor I Gene Using a Single Synthetic DNA Probe," <i>EMBO J.</i> , 3(2):361-364 (1984) [D,F]
C323	Urabe et al "The Influence of Steroid Hormone Metabolites on the In Vitro Development of Erythroid Colonies Derived from Human Bone Marrow," J. Exp. Med., 149, 1314-1325 (June 1979) [A]
C324	Urlaub et al., "Isolation of Chinese Hamster cell mutants deficient in dihydrofolate reductase activity," <i>Proc. Nat. Acad. Sci. (USA)</i> , Vol. 77(7), 4216-4220 (July 1980) [A,D,F]
C325	Van Stone et al., "Effect of erythropoietin on anemia of peritoneally dialyzed anephric rats," Kidney Int'l., 15, 370-375 (1979) [F]
C326	Van der Ploeg et al., "DNA Methylation in the Human γδβ-Globin Locus in Erythroid and Nonerythroid Tissues," Cell, 19, 947-958 (April 1980) [F]
C327	Vedovato et al., "Erythropoietin Levels in Heterozygous Beta-Thalassemia," Acta. Haemarol., 71, 211-213 (1984) [A]
C328	Vichinsky et al., "Inadequate erythroid response to hypoxia in cystic fibrosis," J. Pediatr., 105(1), 15-21 (July 1984) [A]
C329	Vieira et al., "The pUC plasmids, an M13mp7-derived system for insertion mutagenesis and sequencing with synthetic universal primers," Gene, 19, 259-268 (1982) [F]
C330	Villasante et al., "Binding of microtubule protein to DNA and chromatin: possibility of simultaneous linkage of microtubule to nucleic acid and assembly of the microtubule structure," Nucleic Acids Res, 9(4), 895 (1981) [F]
C331	Walker et al., Techniques in Molecular Biology, Macmillan Pub. Co., N.Y., p. 280
_	C319 C320 C321 C322 C323 C324 C325 C326 C327 C328 C329 C330

EXAMINER 2 / STI	DATE CONSIDERED		
*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.			

			SHEET 25 OF 26
Ferm PTO-1449	U.S. Department of Committee Patent and Trademark Office	Ally. Docket No.	Scrai No.
		11009/D31956	08/202.874
INFORMATION DISCLO	SURE STATEMENT	Applicant Fu-Kuen Lin	
(Use several sheets	if necessary)	Filing Date February 28, 1994	1817 1605

×	C332	Wallace et al., "The use of synthetic oligonucleotides as hybridization probes. II. Hybridization of oligonucleotides of mixed sequence to rabbit β -globin DNA," Nuc. Acids Res., 9(4), 879-894 (1981) [A.D.E.F]
<i>j</i> _	C333	Wallace et al., "A set of synthetic oligodeoxyribonucleotide primers for DNA sequencing in the plasmid vector pBR322," Gene. 16, 21-26 (1981) [A]
1	C334	Wallace et al., "Directed Deletion of a Yeast Transfer RNA Intervening Sequence," Science, 209, 1396-1400 (September 19, 1980) [D]
4	C335	Wallace et al., "Oligonucleotide Directed Mutagenesis of the Human β-globin gene: A General Method for Producing Specific Point Mutations in cloned DNA," Nucleic Acids Research, 9(15), 3647-3657 (1981). [D]
54.	C336	Wallace et al., "Hybridization of synthetic oligodeoxyribonucleotides to Phi-chi 174 DNA: the effect of single base pair mismatch," Nuc. Acids Res., 6(11), 3543-3557 (1979) [A,D,F]
4-	C337	Wallis et al., "The isolation of cDNA clones for human apolipoprotein E and the detection of apoE RNA in hepatic and extra-hepatic tissues," EMBO J., 2, 2369-2373 (1983) [F]
بار	C338	Walter et al., "Antibodies specific for the carboxy- and amino-terminal regions of simian virus 40 large tumor antigen," P.N.A.S. (USA), 77(9), 5197-5200 (September 1980) [A]
<i>پ</i> ر	C339	Walter et al., "Antibodies specific for the polyoma virus middle-size tumor antigen," P.N.A.S. (USA). 78, 4882-4886 (August 1981) [A]
火	C340	Wang et al., "Renal and extrarenal erythropoietin production in male and female rats of various ages," J. Lab. Clin. Med., 79(2), 181-186 (February 1972) [D]
d_	C341	Weiland et al., "In vivo Activity of Asialo-Erythropoietin in Combination with Asialo-Glycoproteins," Blut, 44(3), 173-175 (1982) [A]
مله.	C342	Weiss et al., "Studies of the pathogenesis of anemia of inflammation: Mechanism of impaired erythropoiesis," Am. J. Vet. Res., 44(10), 1832-1835 (October 1983) [A]
ッ′〜	C343	Weissman et al., "Structure and expression of human IFN- α Genes," Phil. Trans. R. Soc. Lond., B299, 7-28 (1982) [B]
<i></i>	C344	White et al., "Studies on Erythropoietin," Recent Progr. Hormone Res., 16, 219-262 (1960) [D]
٧⁄~	C345	White et al., "Haemagglutinin of influenza virus expressed from a cloned gene promotes membrane fusion," <i>Nature</i> . 300, 658-659 (1982) [B]

EXAMINER	2	Lal]	DATE CONSIDERED 8/8/49	
*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.				

ſ	Forta (170-144*			SHEET 26 OF 2	
		U.5. Department of Commerce Patent and Trademark Office	Ally. Docket No.	Serial No	
			11009/D31956	08/202,874	
	INFORMATION DISCLOS	SURE STATEMENT	Applicant Fu-Kuen Lin		
.11	(Use several sheets	of necessary)	Fing Day February 28, 1994	Group _1812 / 165	

1			
	×	C346	Whitehead et al., "Use of a cDNa Clone for the Fourth Component of Human Complement (C4) for Analysis of a Genetic Deficiency of C4 in Guinea Pig," P.N.A.S. (USA), 80, 5387-5391 (September 1983) [D,E,F]
	X	C347	Wiaderkiewicz et al., "Mismatch and blunt to protruding-end joining by DNA ligases." Nucleic Acids Res, 15(19), 7831-7848 (1987) [F]
	<i>بل</i> ر	C348	Wide et al., "Molecular charge heterogeneity of human serum erythropoietin," British J. Haemat., 76, 121-127 (1990) [F]
	<u> </u>	C349	Wiktor et al., "Protection from rabies by a vaccinia virus recombinant containing the rabies virus glycoprotein gene," <i>Proc. Nat'l. Acad. Sci. (USA)</i> , 81, 7194-7198 (1984) [B]
	s/	C350	Wong et al., "Synthetic peptide fragment of src gene product inhibits the src protein kinase and crossreacts immunologically with avian onc kinases and cellular phosphoproteins, " P.N.A.S. (USA), 78(12), 7412-7416 (December 1981) [A]
L	04	C351	Woo, "A Sensitive and Rapid Method for Recombinant Phage Screening," Methods in Enzymology, 68, 389-395 (1979) [A]
44	2/2	C352	Wood et al., "Expression of active human factor VIII from recombinant DNA clones," Nature, 312, 330-336 (November 22, 1984) [13] 330-337 (November 22, 1984) [4]
L	یکن	C353	Woods et al., "Isolation of Class III cDNA Clones," Second Meeting on Cloning of the HLA and H-2 Regions. Abstract (April 17-19, 1983) [E]
	of	C354	Woods et al., "Isolation of cDNA clones for the human complement protein factor B, a class III major histocompatability complex gene product," P.N.A.S. USA 79, 5661-5665 (Sept. 1982) [A,D,E,F]
	×~	C355	Woods et al., "Isolation of a cDNA Clone Corresponding to the MHC Linked Complement Protein Factor B," Mol. Immunology, 19, 1411 (1982) [F]
	ゾへ	C356	Yanagawa et al., "Isolation of Human Erythropoietin with Monoclonal Antibodies," J. Biol. Chem., 259(5), 2707-2710 (March 10, 1984) [A,F]
	سثر	C357	Yanagawa et al., "Hybridomas for Production of Monoclonal antibodies to Human Erythropoetin." Blood, 64(2), 357-364 (August 1984) [A,F]
	d'_	C358	Young et al., "Efficient isolation of genes by using antibody probes," P.N.A.S. 80, 1194-1198 (March 1983) [A]
	<u>بر</u>	C359	Yuen et al., "The Spectrum of N-linked oligosaccharide structures detected by enzymic microsequencing on a recombinant soluble CD4 glycoprotein from Chinese hamster ovary cells," Eur. J. Biochem., 192, 523-528 (1990) [F]
	×-	C360	Zinn et al., "Regulated expression of an extrachromosomal human β -interferon gene in mouse cells," P.N.A.S. (USA), 79, 4897-4901 (August 1982) [D]

EXAMINER	2	(iA)	DATE CONSIDERED		
*EXAMINER: lastial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.					