

EXHIBIT 3



US010933127B2

(12) **United States Patent**
Ciaramella et al.

(10) **Patent No.:** **US 10,933,127 B2**
(45) **Date of Patent:** **Mar. 2, 2021**

(54) **BETACORONAVIRUS MRNA VACCINE**

(71) Applicant: **ModernaTX, Inc.**, Cambridge, MA
(US)

(72) Inventors: **Giuseppe Ciaramella**, Sudbury, MA
(US); **Sunny Himansu**, Winchester,
MA (US)

(73) Assignee: **ModernaTX, Inc.**, Cambridge, MA
(US)

(*) Notice: Subject to any disclaimer, the term of this
patent is extended or adjusted under 35
U.S.C. 154(b) by 0 days.

(21) Appl. No.: **16/880,829**

(22) Filed: **May 21, 2020**

(65) **Prior Publication Data**

US 2020/0282046 A1 Sep. 10, 2020

Related U.S. Application Data

(60) Division of application No. 16/805,587, filed on Feb.
28, 2020, now Pat. No. 10,702,600, which is a
continuation of application No. 16/368,270, filed on
Mar. 28, 2019, now Pat. No. 10,702,599, which is a
continuation of application No. 16/040,981, filed on
Jul. 20, 2018, now Pat. No. 10,272,150, which is a
continuation of application No. 15/674,599, filed on
Aug. 11, 2017, now Pat. No. 10,064,934, which is a
continuation of application No.
PCT/US2016/058327, filed on Oct. 21, 2016.

(60) Provisional application No. 62/247,394, filed on Oct.
28, 2015, provisional application No. 62/247,362,
filed on Oct. 28, 2015, provisional application No.
62/247,297, filed on Oct. 28, 2015, provisional
application No. 62/247,483, filed on Oct. 28, 2015,
provisional application No. 62/244,802, filed on Oct.
22, 2015, provisional application No. 62/245,031,
filed on Oct. 22, 2015, provisional application No.
62/244,946, filed on Oct. 22, 2015, provisional
application No. 62/244,813, filed on Oct. 22, 2015,
provisional application No. 62/244,837, filed on Oct.
22, 2015.

(51) **Int. Cl.**

A61K 39/215 (2006.01)
A61K 39/12 (2006.01)
A61P 11/00 (2006.01)
A61K 39/155 (2006.01)
C07K 16/10 (2006.01)
A61K 39/00 (2006.01)

(52) **U.S. Cl.**

CPC **A61K 39/155** (2013.01); **A61K 39/12**
(2013.01); **A61K 39/215** (2013.01); **A61P**
11/00 (2018.01); **C07K 16/10** (2013.01); **C07K**
16/1027 (2013.01); **A61K 2039/53** (2013.01);
A61K 2039/55511 (2013.01); **A61K**
2039/55555 (2013.01); **A61K 2039/6018**
(2013.01); **A61K 2039/70** (2013.01); **C07K**

2317/76 (2013.01); **C12N 2760/18034**
(2013.01); **C12N 2760/18334** (2013.01); **C12N**
2760/18434 (2013.01); **C12N 2760/18534**
(2013.01); **C12N 2760/18634** (2013.01); **C12N**
2770/20034 (2013.01); **Y02A 50/30** (2018.01)

(58) **Field of Classification Search**

None
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,906,092 A 9/1975 Hilleman et al.
4,790,987 A 12/1988 Compans et al.
5,169,628 A 12/1992 Wathen
5,427,782 A 6/1995 Compans et al.
6,225,091 B1 5/2001 Klein et al.
6,500,419 B1 12/2002 Hone et al.
6,514,948 B1 2/2003 Raz et al.
7,001,890 B1 2/2006 Wagner et al.
7,208,161 B1 4/2007 Murphy et al.
7,449,324 B2 11/2008 Fouchier et al.
7,531,342 B2 5/2009 Fouchier et al.
7,671,186 B2 3/2010 Klein et al.
7,704,720 B2 4/2010 Tang et al.
8,217,016 B2 7/2012 Hoerr et al.
8,252,289 B2 8/2012 Eleouet et al.
8,710,200 B2 4/2014 Schrum et al.
8,722,341 B2 5/2014 Fouchier et al.
8,734,853 B2 5/2014 Sood et al.
8,754,062 B2 6/2014 De Fougerolles et al.
8,822,663 B2 9/2014 Schrum et al.
8,841,433 B2 9/2014 Fouchier et al.
8,889,146 B2 11/2014 Blais et al.
8,927,206 B2 1/2015 De Jong et al.
8,999,380 B2 4/2015 Bancel et al.
9,192,661 B2 11/2015 Jain et al.
9,221,891 B2 12/2015 Bancel et al.

(Continued)

FOREIGN PATENT DOCUMENTS

CA 2473135 6/2003
EP 1026253 8/2000

(Continued)

OTHER PUBLICATIONS

U.S. Appl. No. 16/048,154, filed Jul. 27, 2018, Ciaramella et al.

(Continued)

Primary Examiner — Nicole Kinsey White
(74) *Attorney, Agent, or Firm* — Wolf, Greenfield &
Sacks, P.C.

(57) **ABSTRACT**

The disclosure relates to respiratory virus ribonucleic acid
(RNA) vaccines and combination vaccines, as well as meth-
ods of using the vaccines and compositions comprising the
vaccines.

21 Claims, 24 Drawing Sheets

Specification includes a Sequence Listing.

(56)

References Cited

U.S. PATENT DOCUMENTS

9,283,287	B2	3/2016	Bancel et al.
9,303,079	B2	4/2016	Bancel et al.
9,376,726	B2	6/2016	Fouchier et al.
9,464,124	B2	10/2016	Bancel et al.
9,512,456	B2	12/2016	Wang et al.
9,567,653	B2	2/2017	Fouchier et al.
9,597,380	B2	3/2017	Chakraborty et al.
9,623,095	B2	4/2017	Kallen et al.
9,669,089	B2	6/2017	Thess et al.
9,790,531	B2	10/2017	Wang et al.
9,868,691	B2	1/2018	Benenato et al.
9,872,900	B2	1/2018	Ciaramella et al.
9,937,196	B2	4/2018	Jain et al.
10,064,934	B2	9/2018	Ciaramella et al.
10,064,935	B2	9/2018	Ciaramella et al.
10,124,055	B2	11/2018	Ciaramella et al.
10,207,010	B2	2/2019	Besin et al.
10,273,269	B2	4/2019	Ciaramella
10,449,244	B2	10/2019	Ciaramella et al.
10,465,190	B1	11/2019	Chen et al.
10,493,143	B2	12/2019	Ciaramella et al.
10,526,629	B2	1/2020	Rabideau et al.
10,653,712	B2	5/2020	Hoge
10,653,767	B2	5/2020	Ciaramella et al.
10,695,419	B2	6/2020	Ciaramella et al.
2003/0092653	A1	5/2003	Kisich et al.
2003/0232061	A1	12/2003	Fouchier et al.
2004/0005545	A1	1/2004	Fouchier et al.
2004/0096451	A1	5/2004	Young et al.
2005/0032730	A1	2/2005	Von Der Mulbe et al.
2005/0059624	A1	3/2005	Hoerr et al.
2005/0250723	A1	11/2005	Hoerr et al.
2006/0002958	A1	1/2006	Naylor et al.
2006/0172003	A1	8/2006	Meers et al.
2006/0228367	A1	10/2006	Ulbrandt et al.
2007/0280929	A1	12/2007	Hoerr et al.
2008/0025944	A1	1/2008	Hoerr et al.
2008/0171711	A1	7/2008	Hoerr et al.
2009/0123529	A1	5/2009	Xiaomao
2009/0162395	A1	6/2009	Crowe et al.
2010/0203076	A1	8/2010	Fotin-Mleczeck et al.
2010/0239608	A1	9/2010	Von Der Mulbe et al.
2010/0272747	A1	10/2010	Chow et al.
2010/0291156	A1	11/2010	Barner et al.
2010/0305196	A1	12/2010	Probst et al.
2011/0135645	A1	6/2011	Williamson et al.
2011/0250225	A1	10/2011	Fotin-Mleczeck et al.
2011/0269950	A1	11/2011	Von Der Mulbe et al.
2012/0009221	A1	1/2012	Hoerr et al.
2012/0045471	A1	2/2012	Haller et al.
2012/0219573	A1	8/2012	Baumhof et al.
2013/0022538	A1	1/2013	Rossi
2013/0078281	A1	3/2013	He et al.
2013/0102034	A1	4/2013	Schrum et al.
2013/0121988	A1	5/2013	Hoerr et al.
2013/0142818	A1	6/2013	Baumhof et al.
2013/0183355	A1	7/2013	Jain et al.
2013/0195867	A1	8/2013	Hoerr et al.
2013/0195967	A1	8/2013	Guild et al.
2013/0195969	A1	8/2013	Geall et al.
2013/0202684	A1	8/2013	Geall et al.
2013/0236974	A1	9/2013	De Fougerolles
2013/0243848	A1	9/2013	Lobovkina et al.
2013/0245103	A1	9/2013	de Fougerolles et al.
2013/0259923	A1	10/2013	Bancel et al.
2013/0266640	A1	10/2013	De Fougerolles et al.
2013/0295043	A1	11/2013	Kallen et al.
2013/0336998	A1	12/2013	Kallen et al.
2014/0024076	A1	1/2014	Tang et al.
2014/0037660	A1	2/2014	Folin-Mleczeck et al.
2014/0147432	A1	5/2014	Bancel et al.
2014/0148502	A1	5/2014	Bancel et al.
2014/0193482	A1	7/2014	Bancel et al.
2014/0206752	A1	7/2014	Afeyan et al.
2014/0271829	A1	9/2014	Lilja et al.
2014/0370497	A1	12/2014	Fouchier et al.
2014/0378538	A1	12/2014	Bancel
2015/0051268	A1	2/2015	Bancel et al.
2015/0093413	A1	4/2015	Thess et al.
2015/0126589	A1	5/2015	Geiger et al.
2015/0141499	A1	5/2015	Bancel et al.
2015/0307542	A1	10/2015	Roy et al.
2015/0315541	A1	11/2015	Bancel et al.
2015/0335728	A1	11/2015	Wong et al.
2016/0024141	A1	1/2016	Issa et al.
2016/0032273	A1	2/2016	Shahrokh et al.
2016/0038612	A1	2/2016	Hoge et al.
2016/0039884	A1	2/2016	Li et al.
2016/0151474	A1	6/2016	Kallen et al.
2016/0271272	A1	9/2016	Bancel et al.
2016/0317647	A1	11/2016	Ciaramella et al.
2016/0331828	A1	11/2016	Ciaramella et al.
2017/0065675	A1	3/2017	Bancel et al.
2017/0130255	A1	5/2017	Wang et al.
2017/0202979	A1	7/2017	Chakraborty et al.
2017/0340724	A1	11/2017	Ciaramella et al.
2018/0000953	A1	1/2018	Almarsson et al.
2018/0002393	A1	1/2018	Bancel et al.
2018/0008694	A1	1/2018	Ciaramella et al.
2018/0028645	A1	2/2018	Ciaramella et al.
2018/0028664	A1	2/2018	Besin et al.
2018/0237849	A1	8/2018	Thompson
2018/0243225	A1	8/2018	Ciaramella
2018/0243230	A1	8/2018	Smith
2018/0256628	A1	9/2018	Hoge et al.
2018/0271970	A1	9/2018	Ciaramella et al.
2018/0273977	A1	9/2018	Mousavi et al.
2018/0274009	A1	9/2018	Marquardt et al.
2018/0280496	A1	10/2018	Ciaramella et al.
2018/0289792	A1	10/2018	Ciaramella et al.
2018/0303929	A1	10/2018	Ciaramella et al.
2018/0311336	A1	11/2018	Ciaramella et al.
2018/0311343	A1	11/2018	Huang et al.
2018/0318409	A1	11/2018	Valiante et al.
2018/0363019	A1	12/2018	Hoge
2018/0371047	A1	12/2018	Ticho et al.
2019/0002890	A1	1/2019	Martini et al.
2019/0008938	A1	1/2019	Ciaramella et al.
2019/0085368	A1	3/2019	Bancel et al.
2019/0099481	A1	4/2019	Ciaramella et al.
2019/0175517	A1	6/2019	Martini et al.
2019/0192646	A1	6/2019	Cohen et al.
2019/0192653	A1	6/2019	Hoge et al.
2019/0275170	A1	9/2019	Benenato et al.
2019/0298658	A1	10/2019	Benenato
2019/0314493	A1	10/2019	Ciaramella et al.
2019/0336595	A1	11/2019	Ciaramella
2019/0351040	A1	11/2019	Valiante et al.
2020/0030432	A1	1/2020	Ciaramella et al.
2020/0032274	A1	1/2020	Mauger et al.
2020/0038499	A1	2/2020	Narayanan et al.
2020/0054737	A1	2/2020	Ciaramella et al.
2020/0069793	A1	3/2020	Ciaramella
2020/0069794	A1	3/2020	Ciaramella et al.
2020/0071689	A1	3/2020	Miracco
2020/0109420	A1	4/2020	Brito et al.
2020/0129608	A1	4/2020	Ciaramella et al.
2020/0129615	A1	4/2020	Ciaramella et al.
2020/0239869	A1	7/2020	Issa et al.
FOREIGN PATENT DOCUMENTS			
EP	1083232	2/2005	
EP	1905844	A2	2/2008
EP	2548960	A1	1/2013
WO	WO 1987/005326	A1	9/1987
WO	WO 1990/11092		10/1990
WO	WO 1993/14778		8/1993
WO	WO 1995/24485		9/1995
WO	WO 1995/26204		10/1995
WO	WO 1995/33835		12/1995
WO	WO 1998/058956		12/1998
WO	WO 1999/33982		7/1999
WO	WO 2003/072720	A2	9/2003

(56)

References Cited

FOREIGN PATENT DOCUMENTS

WO	WO 2004/076645	A1	9/2004	WO	WO 2018/089851	A1	5/2018
WO	WO 2005/009346		2/2005	WO	WO 2018/107088	A1	6/2018
WO	WO 2005/027963	A2	3/2005	WO	WO 2018/111967	A1	6/2018
WO	WO 2006/056027	A1	6/2006	WO	WO 2018/144082	A1	8/2018
WO	WO 2006/071903		7/2006	WO	WO 2018/144778	A1	8/2018
WO	WO 2006/095259		9/2006	WO	WO 2018/151816	A1	8/2018
WO	WO 2007/038862	A1	4/2007	WO	WO 2018/170245	A1	9/2018
WO	WO 2007/095976	A2	8/2007	WO	WO 2018/170256	A1	9/2018
WO	WO 2008/052770	A2	5/2008	WO	WO 2018/170260	A1	9/2018
WO	WO 2009/030254	A1	3/2009	WO	WO 2018/170270	A1	9/2018
WO	WO 2009/030481	A1	3/2009	WO	WO 2018/170347	A1	9/2018
WO	WO 2009/095226	A1	8/2009	WO	WO 2018/175783	A1	9/2018
WO	WO 2009/127230	A1	10/2009	WO	WO 2018/187590	A2	10/2018
WO	WO 2010/037408	A1	4/2010	WO	WO 2018/200737	A1	11/2018
WO	WO 2010/037539	A1	4/2010	WO	WO 2018/232355	A1	12/2018
WO	WO 2010/042877	A1	4/2010	WO	WO 2018/232357	A1	12/2018
WO	WO 2010/054406	A1	5/2010	WO	WO 2019/036670	A1	2/2019
WO	WO 2010/088927	A1	8/2010	WO	WO 2019/036682	A1	2/2019
WO	WO 2010/149743	A2	12/2010	WO	WO 2019/036683	A1	2/2019
WO	WO 2011/005799	A2	1/2011	WO	WO 2019/036685	A1	2/2019
WO	WO 2011/026641	A9	3/2011	WO	WO 2019/103993	A1	5/2019
WO	WO 2011/068810	A1	6/2011	WO	WO 2019/148101	A1	8/2019
WO	WO 2011/069529	A1	6/2011	WO	WO 2020/006242	A1	1/2020
WO	WO 2011/069586	A1	6/2011	WO	WO 2020/056370	A1	3/2020
WO	WO 2011/144358	A1	11/2011	WO	WO 2020/061284	A1	3/2020
WO	WO 2012/006369	A2	1/2012	WO	WO 2020/061295	A1	3/2020
WO	WO 2012/019630	A1	2/2012	WO	WO 2020/061367	A1	3/2020
WO	WO 2012/019780	A1	2/2012	WO	WO 2020/097291	A1	5/2020
WO	WO 2012/031043	A1	3/2012				
WO	WO 2012/116714	A1	9/2012				
WO	WO 2012/116715	A1	9/2012				
WO	WO 2012/116810	A1	9/2012				
WO	WO 2012/116811	A1	9/2012				
WO	WO 2013/055905	A1	4/2013				
WO	WO 2013/090186	A1	6/2013				
WO	WO 2013/090648	A1	6/2013				
WO	WO 2013/102203	A1	7/2013				
WO	WO 2013/120628	A1	8/2013				
WO	WO 2013/120629	A1	8/2013				
WO	WO 2013/185069	A1	12/2013				
WO	WO 2014/089486	A1	6/2014				
WO	WO 2014/144196	A1	9/2014				
WO	WO 2014/152027	A1	9/2014				
WO	WO 2014/152774	A1	9/2014				
WO	WO 2014/152940	A1	9/2014				
WO	WO 2014/160243	A1	10/2014				
WO	WO 2015/024668	A2	2/2015				
WO	WO 2015/095340	A1	6/2015				
WO	WO 2015/101414	A2	7/2015				
WO	WO 2015/101415	A1	7/2015				
WO	WO 2015/130584	A2	9/2015				
WO	WO 2016/103238		6/2016				
WO	WO 2016/164762	A1	10/2016				
WO	WO 2016/201377	A1	12/2016				
WO	WO 2017/015457	A1	1/2017				
WO	WO 2017/015463	A1	1/2017				
WO	WO 2017/019935	A1	2/2017				
WO	WO 2017/020026	A1	2/2017				
WO	WO 2017/062513	A1	4/2017				
WO	WO 2017/066789	A1	4/2017				
WO	WO 2017/070601	A1	4/2017				
WO	WO 2017/070616	A1	4/2017				
WO	WO 2017/070618	A1	4/2017				
WO	WO 2017/070620	A1	4/2017				
WO	WO 2017/070622	A1	4/2017				
WO	WO 2017/070623	A1	4/2017				
WO	WO 2017/201333	A1	11/2017				
WO	WO 2017/201340	A1	11/2017				
WO	WO 2017/201342	A1	11/2017				
WO	WO 2017/201347	A1	11/2017				
WO	WO 2017/201349	A1	11/2017				
WO	WO 2018/053209	A1	3/2018				
WO	WO 2018/075980	A1	4/2018				
WO	WO 2018/081459	A1	5/2018				
WO	WO 2018/081462	A1	5/2018				

OTHER PUBLICATIONS

U.S. Appl. No. 16/450,882, filed Jun. 24, 2019, Ciaramella.
U.S. Appl. No. 16/009,880, filed Jun. 15, 2018, Ciaramella et al.
U.S. Appl. No. 16/582,621, filed Sep. 25, 2019, Chen et al.
U.S. Appl. No. 16/839,278, filed Apr. 3, 2020, Hoge et al.
U.S. Appl. No. 16/389,545, filed Apr. 19, 2019, Ciaramella et al.
U.S. Appl. No. 16/368,270, filed Mar. 28, 2019, Ciaramella et al.
U.S. Appl. No. 16/805,587, filed Feb. 28, 2020, Ciaramella et al.
PCT/US2016/058327, Jun. 29, 2017, International Search Report and Written Opinion.
[No Author Listed], "Messenger RNA", Internet: Wikipedia. Jun. 19, 2013, XP002699196, Retrieved from the Internet: URL: http://en.wikipedia.org/wiki/Messenger_RNA.
Archer, S.J., Induction of a T-cell specific antigen on bone marrow lymphocytes with thymus RNA. *Immunology*. Jan. 1978;34(1):123-9.
Ashley, D.M. et al., Bone marrow-generated dendritic cells pulsed with tumor extracts or tumor RNA induce antitumor immunity against central nervous system tumors. *J Exp Med*. Oct. 6, 1997; 186(7): 1177-82.
Bettinger, T. et al., Peptide-mediated RNA delivery: a novel approach for enhanced transfection of primary and post-mitotic cells. *Nucleic Acids Res*. Sep. 15, 2011;39(18):3882-91.
Bogers et al., Potent immune responses in rhesus macaques induced by nonviral delivery of a self-amplifying RNA vaccine expressing HIV type 1 envelope with a cationic nanoemulsion. *J Infect Dis*. Mar. 15, 2015;211(6):947-55. doi: 10.1093/infdis/jiu522. Epub Sep. 18, 2014.
Bonehill, A., et al., Single-step antigen loading and activation of dendritic cells by mRNA electroporation for the purpose of therapeutic vaccination in melanoma patients. *Clin Cancer Res*. May 2009; 15(10): 3366-3375.
Bose, S. et al., Role of nucleolin in human parainfluenza virus type 3 infection of human lung epithelial cells. *J Viral*. Aug. 2004;78(15):8146-58.
Conry, R.M. et al., Characterization of a messenger RNA polynucleotide vaccine vector. *Cancer Res*. Apr. 1, 1995 ;55 (7):1397-1400.
Dahlman, James E. et al., In vivo endothelial siRNA delivery using polymeric nanoparticles with low molecular weight, *Nature Nanotechnology*, 2014, No. vol. #, pp. 1-8.
Diken et al., Current Developments in Actively Personalized Cancer Vaccination with a Focus on RNA as the Drug Format. *Prog Tumor Res*. 2015;42:44-54. doi: 10.1159/000437184. Epub Sep. 4, 2015. Review.

(56)

References Cited

OTHER PUBLICATIONS

- Fleeton et al., Self-replicative RNA vaccines elicit protection against influenza A virus, respiratory syncytial virus, and a tickborne encephalitis virus. *J Infect Dis.* May 1, 2001;183(9):1395-8. Epub Mar. 30, 2001.
- Geall et al., Nonviral delivery of self-amplifying RNA vaccines. *Proc Natl Acad Sci U S A.* Sep. 4, 2012;109(36):14604-9. doi: 10.1073/pnas.1209367109. Epub Aug. 20, 2012.
- GenBank Accession No. AHX22069. First seen on NCBI on May 14, 2014.
- Gilboa, E. et al., Cancer immunotherapy with mRNA-transfected dendritic cells. *Immunol Rev.* Jun. 2004;199:251-63.
- Greer et al., Long-term protection in hamsters against human parainfluenza virus type 3 following mucosal or combinations of mucosal and systemic immunizations with chimeric alphavirus-based replicon particles. *Scand J Immunol.* Dec. 2007;66(6):645-53. Epub Oct. 17, 2007.
- Hecker, J.G. et al., Non-Viral DNA and mRNA Gene Delivery to the CNS Pre-Operatively for Neuroprotection and Following Neurotrauma. *Molecular Therapy.* 2004; 9, S258-S258.
- Heiser, A. et al., Induction of polyclonal prostate cancer-specific CTL using dendritic cells transfected with amplified tumor RNA. *J Immunol.* Mar. 1, 2001; 166(5):2953-60.
- Heyes et al., Cationic lipid saturation influences intracellular delivery of encapsulated nucleic acids. *J Control Release.* Oct. 3, 2005;107(2):276-87.
- Hoerr, I. et al., In vivo application of RNA leads to induction of specific cytotoxic T lymphocytes and antibodies. *Eur J Immunol.* Jan. 2000;30(1):1-7.
- Hoerr, I. et al., Stabilized Messenger RNA (RNActive™) as a Tool for Innovative Gene Delivery. *Tissue Engineering.* Apr. 2007; 13(4): 865-925.
- Hoerr, More than a messenger: A new class of drugs-mRNA-based therapeutics. *Genetic Engineering & Biotechnology News.* Jun. 18, 2013. <http://www.genengnews.com/gen-articles/more-than-a-messenger-a-new-class-of-drugs-mrna-based-therapeutics/4916/> [last accessed Mar. 25, 2016].
- Holtkamp, S. et al., Modification of antigen-encoding RNA increases stability, translational efficacy, and T-cell stimulatory capacity of dendritic cells. *Blood.* Dec. 15, 2006;108(13):4009-17.
- Jirikowski, G.F., et al., Reversal of diabetes insipidus in Brattleboro Rats: Intrahypothalamic injection of vasopressin mRNA. *Science.* Feb. 1992; 255(5047): 996-998.
- Kallen et al., A development that may evolve into a revolution in medicine: mRNA as the basis for novel, nucleotide-based vaccines and drugs. *Ther Adv Vaccines.* Jan. 2014;2(1):10-31. doi: 10.1177/2051013613508729.
- Kallen et al., A novel, disruptive vaccination technology: self-adjuvanted RNActive® vaccines. *Hum Vaccin Immunother.* Oct. 2013;9(10):2263-76. doi: 10.4161/hv.25181. Epub Jun. 4, 2013. Review.
- Kalra et al., Virosomes: As a Drug Delivery Carrier. *American Journal of Advanced Drug Delivery.* 2013;1:29-35.
- Kanapathipillai, et al., Nanoparticle targeting of anti-cancer drugs that alter intracellular signaling or influence the tumor microenvironment. *Adv. Drug Deliv. Rev.* (2014), pp. 1-12.
- Kariko, K., et al., Generating the optimal mRNA for therapy: HPLC purification eliminates immune activation and improves translation of nucleoside-modified, protein-encoding mRNA. *Nucleic Acids Research.* Oxford University Press, GB, vol. 39, No. 21, Sep. 2, 2011 (Sep. 2, 2011), e142. doi: 10.1093/nar/gkr695. Epub Sep. 2, 2011.
- Kauffman et al., Optimization of Lipid Nanoparticle Formulations for mRNA Delivery in Vivo with Fractional Factorial and Definitive Screening Designs. *Nano Lett.* Nov. 11, 2015;15(11):7300-6. doi: 10.1021/acs.nanolett.5b02497. Epub Oct. 20, 2015.
- Kisich et al., Antimycobacterial agent based on mRNA encoding human beta-defensin 2 enables primary macrophages to restrict growth of *Mycobacterium tuberculosis*. *Infect Immun.* Apr. 2001;69(4):2692-9.
- Kozielski et al., Bioreducible cationic polymer-based nanoparticles for efficient and environmentally triggered cytoplasmic siRNA delivery to primary human brain cancer cells. *ACS Nano.* Apr. 22, 2014;8(4):3232-41. doi: 10.1021/nn500704t. Epub Apr. 3, 2014.
- Kreiter, S., et al., Intranodal vaccination with naked antigen-encoding RNA elicits potent prophylactic and therapeutic antitumoral immunity. *Cancer Res.* 2010; 70: 9031-9040.
- Kreiter, S., et al., Tumor vaccination using messenger RNA: prospects of a future therapy. *Curr Opin in Immun.* Jun. 2011; 23(3): 399-406.
- Kuhn, A.N., et al., mRNA as a versatile tool for exogenous protein expression. *Current Gene Therapy.* Oct. 2012; 12 (5): 347-361.
- Leitner, W.W. et al., DNA and RNA-based vaccines: principles, progress and prospects. *Vaccine.* Dec. 10, 1999;18 (9-10):765-77.
- Li, L. et al., Overcoming obstacles to develop effective and safe siRNA therapeutics. *Expert Opin Biol Ther.* May 2009; 9(5): 609-19.
- Lorenzi, J.C., et al., Intranasal vaccination with messenger RNA as a new approach in gene therapy: Use against tuberculosis. *BMC Biotechnol.* Oct. 2010; 10(77): 1-11.
- Mockey et al., mRNA-based cancer vaccine: prevention of B16 melanoma progression and metastasis by systemic injection of MART1 mRNA histidylated lipopolyplexes, *Cancer Gene Therapy,* 2007, 14, pp. 802-814.
- Magini et al., Self-Amplifying mRNA Vaccines Expressing Multiple Conserved Influenza Antigens Confer Protection against Homologous and Heterosubtypic Viral Challenge. *PLoS One.* Aug. 15, 2016;11(8):e0161193. doi: 10.1371/journal.pone.0161193. eCollection 2016.
- Martinon, F. et al., Induction of virus-specific cytotoxic T lymphocytes in vivo by liposome-entrapped mRNA. *Eur J Immunol.* Jul. 1993;23(7):1719-22.
- Midoux et al., Lipid-based mRNA vaccine delivery systems. *Expert Rev Vaccines.* Feb. 2015;14(2):221-34. doi: 10.1586/14760584. 2015.986104. Epub Dec. 26, 2014. Review.
- Mitchell, DA et al., RNA transfected dendritic cells as cancer vaccines. *Curr Opin Mal Ther.* Apr. 2000;2(2):176-81.
- Mitchell, DA et al., RNA-transfected dendritic cells in cancer immunotherapy. *J Clin Invest.* Nov. 2000;106 (9):1065-9.
- Muller, M.R. et al., Transfection of dendritic cells with RNA induces CD4- and COB-mediated T cell immunity against breast carcinomas and reveals the immunodominance of presented T cell epitopes. *J Immunol.* Jun. 15, 2003;170 (12):5892-6.
- Narayanan et al., Interplay between viruses and host mRNA degradation. *Biochim Biophys Acta.* Jun.-Jul. 2013;1829(6-7):732-41. doi: 10.1016/j.bbagg.2012.12.003. Epub Dec. 26, 2012.
- Petsch et al., Protective efficacy of in vitro synthesized, specific mRNA vaccines against influenza A virus infection. *Nat Biotechnol.* Dec. 2012;30(12):1210-6. doi: 10.1038/nbt.2436. Epub Nov. 25, 2012.
- Phua et al., Messenger RNA (mRNA) nanoparticle tumour vaccination. *Nanoscale.* Jul. 21, 2014;6(14):7715-29. doi: 10.1039/c4nr01346h. Review.
- Pulford, B., et al., Liposome-siRNA-peptide complexes cross the blood-brain barrier and significantly decrease PrP^C on neuronal cells and PrP^{RES} in infected cell cultures. *PLoS ONE.* 2010; 5(6): e11085.
- Rabinovich, P.M., et al., Synthetic messenger RNA as a tool for gene therapy. *Hum. Gene Ther.* Oct. 2006; 17: 1027-1035.
- Rittig et al., Intradermal vaccinations with RNA coding for TAA generate CD8+ and CD4+ immune responses and induce clinical benefit in vaccinated patients. *Mol Ther.* May 2011;19(5):990-9. doi: 10.1038/mt.2010.289. Epub Dec. 28, 2010.
- Sahin et al., mRNA-based therapeutics—developing a new class of drugs. *Nat Rev Drug Discov.* Oct. 2014;13(10):759-80. doi: 10.1038/nrd4278. Epub Sep. 19, 2014.
- Schmitt, W.E. et al., In vitro induction of a bladder cancer-specific T-cell response by mRNA-transfected dendritic cells. *J Cancer Res Clin Oncol.* 2001 ;127(3):203-6.
- Schott, J.W., et al., Viral and non-viral approaches for transient delivery of mRNA and proteins. *Current Gene Ther.* 2011; 11 (5): 382-398.

(56)

References Cited

OTHER PUBLICATIONS

- Segura, J., et al., Monitoring gene therapy by external imaging of mRNA: Pilot study on murine erythropoietin. *Ther Drug Monit.* Oct. 2007; 29(5): 612-8.
- Smits, E., et al., RNA-based gene transfer for adult stem cells and T cells. *Leukemia.* 2004; 18: 1898-1902.
- Sohn, R.L., et al., In-vivo particle mediated delivery of mRNA to mammalian tissues: ballistic and biological effects. *Wound Rep and Regen.* Jul.-Aug. 2001; 287-296.
- Strong, V.T. et al., Incorporation of beta-globin untranslated regions into a Sindbis virus vector for augmentation of heterologous mRNA expression. *Gene Ther.* Jun. 1997;4(6):624-7.
- Sullenger, BA et al., Emerging clinical applications of RNA. *Nature.* Jul. 11, 2002;418(6894):252-8.
- Tavernier, G., et al., mRNA as gene therapeutic: How to control protein expression. *J. of Controlled Release.* Mar. 2011; 150(3): 238-247.
- Teufel, R. et al., Human peripheral blood mononuclear cells transfected with messenger RNA stimulate antigen-specific cytotoxic T-lymphocytes in vitro. *Cell Mol Life Sci.* Aug. 2005;62(15):1755-62.
- Thess et al., Sequence-engineered mRNA Without Chemical Nucleoside Modifications Enables an Effective Protein Therapy in Large Animals. *Mol Ther.* Sep. 2015;23(9):1456-64. doi: 10.1038/mt.2015.103. Epub Jun. 8, 2015.
- Wang et al., Systemic delivery of modified mRNA encoding herpes simplex virus 1 thymidine kinase for targeted cancer gene therapy. *Mol Ther.* Feb. 2013;21(2):358-67. doi: 10.1038/mt.2012.250. Epub Dec. 11, 2012.
- Wong et al., An mRNA vaccine for influenza. *Nat Biotechnol.* Dec. 2012;30(12):1202-4. doi: 10.1038/nbt.2439.
- Yamamoto et al., Current prospects for mRNA gene delivery, *European Journal of Pharmaceutics and Biopharmaceutics* 71 (2009) 484-489.
- Zhou, W.Z. et al., RNA melanoma vaccine: induction of antitumor immunity by human glycoprotein 100 mRNA immunization. *Hum Gene Ther.* Nov. 1, 1999;10(16):2719-24.
- U.S. Appl. No. 16/036,318, filed Jul. 16, 2018, Ciaramella et al.
- U.S. Appl. No. 16/144,394, filed Sep. 27, 2018, Ciaramella et al.
- U.S. Appl. No. 90/014,395, filed Oct. 24, 2019, Ciaramella et al.
- U.S. Appl. No. 15/748,773, filed Jan. 30, 2018, Ciaramella et al.
- U.S. Appl. No. 15/753,293, filed Feb. 17, 2018, Smith.
- U.S. Appl. No. 15/753,297, filed Feb. 17, 2018, Thompson.
- U.S. Appl. No. 15/748,782, filed Jan. 30, 2018, Mousavi et al.
- U.S. Appl. No. 15/767,587, filed Apr. 11, 2018, Ciaramella.
- U.S. Appl. No. 16/833,409, filed Mar. 27, 2020, Ciaramella.
- U.S. Appl. No. 15/767,600, filed Apr. 11, 2018, Ciaramella et al.
- U.S. Appl. No. 15/769,710, filed Apr. 19, 2018, Ciaramella et al.
- U.S. Appl. No. 15/767,609, filed Apr. 11, 2018, Ciaramella et al.
- U.S. Appl. No. 15/767,613, filed Apr. 11, 2018, Ciaramella et al.
- U.S. Appl. No. 15/767,618, filed Apr. 11, 2018, Ciaramella et al.
- U.S. Appl. No. 16/853,973, filed Apr. 21, 2020, Ciaramella et al.
- U.S. Appl. No. 16/850,519, filed Apr. 16, 2020, Ciaramella et al.
- U.S. Appl. No. 15/746,286, filed Jan. 19, 2018, Ciaramella et al.
- U.S. Appl. No. 16/897,859, filed Jun. 10, 2020, Ciaramella et al.
- U.S. Appl. No. 16/898,268, filed Jun. 10, 2020, Ciaramella et al.
- U.S. Appl. No. 15/981,762, filed May 16, 2018, Bancel et al.
- U.S. Appl. No. 16/599,661, filed Oct. 11, 2019, Besin et al.
- U.S. Appl. No. 16/333,330, filed Mar. 14, 2019, Hoge et al.
- U.S. Appl. No. 16/864,566, filed May 1, 2020, Ciaramella et al.
- U.S. Appl. No. 16/897,734, filed Jun. 10, 2020, Ciaramella et al.
- U.S. Appl. No. 16/468,838, filed Jun. 12, 2019, Miracco.
- U.S. Appl. No. 16/001,765, filed Jun. 6, 2018, Marquardt et al.
- U.S. Appl. No. 16/348,943, filed May 10, 2019, Ciaramella.
- U.S. Appl. No. 16/467,142, filed Jun. 6, 2019, Ciaramella et al.
- U.S. Appl. No. 16/603,111, filed Oct. 4, 2019, Brito et al.
- U.S. Appl. No. 16/482,844, filed Aug. 1, 2019, Valiante et al.
- U.S. Appl. No. 16/496,135, filed Sep. 20, 2019, Narayanan et al.
- U.S. Appl. No. 16/483,012, filed Aug. 1, 2019, Mauger et al.
- U.S. Appl. No. 16/657,122, filed Oct. 18, 2019, Rabideau et al.
- U.S. Appl. No. 16/362,366, filed Mar. 22, 2019, Ciaramella.
- U.S. Appl. No. 16/493,986, filed Sep. 13, 2019, Ciaramella et al.
- U.S. Appl. No. 16/494,130, filed Sep. 13, 2019, Ciaramella et al.
- U.S. Appl. No. 16/494,103, filed Sep. 13, 2019, Ciaramella et al.
- U.S. Appl. No. 16/494,162, filed Sep. 13, 2019, Ciaramella.
- U.S. Appl. No. 16/494,988, filed Sep. 17, 2019, Ciaramella et al.
- U.S. Appl. No. 16/639,265, filed Feb. 14, 2020, Issa et al.
- U.S. Appl. No. 16/639,305, filed Feb. 14, 2020, Issa et al.
- U.S. Appl. No. 16/765,285, filed May 19, 2020, Ciaramella et al.
- U.S. Appl. No. 16/302,607, filed Nov. 16, 2018, Benenato et al.
- U.S. Appl. No. 16/623,069, filed Dec. 16, 2019, Hoge et al.
- U.S. Appl. No. 16/639,403, filed Feb. 14, 2020, Hoge et al.
- U.S. Appl. No. 16/848,318, filed Apr. 14, 2020, Ciaramella et al.
- U.S. Appl. No. 16/965,589, filed Jul. 28, 2020, Ciaramella et al.
- U.S. Appl. No. 16/608,451, filed Oct. 25, 2019, Ciaramella et al.
- U.S. Appl. No. 16/788,182, filed Feb. 11, 2020, Panther et al.
- U.S. Appl. No. 16/794,318, filed Feb. 19, 2020, Mauger et al.
- Byoung-Shik et al., Intranasal immunization with plasmid DNA encoding spike protein of SARS-coronavirus/polyethylenimine nanoparticles elicits antigen-specific humoral and cellular immune responses. *BMC Immunol.* Dec. 31, 2010;11:65. doi: 10.1186/1471-2172-11-65.
- Du et al., Recombinant adeno-associated virus expressing the receptor-binding domain of severe acute respiratory syndrome coronavirus S protein elicits neutralizing antibodies: Implication for developing SARS vaccines. *Virology.* Sep. 15, 2006;353(1):6-16. doi: 10.1016/j.virol.2006.03.049. Epub Jun. 21, 2006.
- Lu et al., Bat-to-human: spike features determining 'host jump' of coronaviruses SARS-CoV, MERS-CoV, and beyond. *Trends Microbiol.* Aug. 2015;23(8):468-78. doi: 10.1016/j.tim.2015.06.003. Epub Jul. 21, 2015.
- Reichmuth et al., mRNA Vaccine Delivery Using Lipid Nanoparticles. *Ther Deliv.* 2016;7(5):319-34. doi: 10.4155/tde-2016-0006.
- Yuan et al., Cryo-EM structures of MERS-CoV and SARS-CoV spike glycoproteins reveal the dynamic receptor binding domains. *Nat Commun.* Apr. 10, 2017;8:15092. doi: 10.1038/ncomms15092.

Fig. 1




Fig. 2A

Day 0 serum titration




Fig. 2B

Day 14 serum titration




Fig. 2C

Day 35 serum titration




Fig. 3B




Fig. 3A
Mouse IgG2a - hMPV F specific



Fig. 3C













Fig. 4













Fig. 9A




Fig. 9B




Fig. 10





Fig. 11

HMPV neutralization antibody titers in cotton rats



Cotton rat viral load - HMPV challenge




Fig. 12

Fig. 13




Fig. 14




Fig. 15

PIV3 serum neutralizing antibody titers
(day 42)




Fig. 16
Cotton rat lung histopathology




Fig. 18




Fig. 19B




Fig. 19C




Fig. 20A





Fig. 20B

MERS-CoV replication in lungs



Legend	TCID50 Range
[Dotted pattern]	negative
[Light stippled pattern]	1 - 2
[Medium stippled pattern]	2 - 3
[Dark stippled pattern]	3 - 4
[Solid black pattern]	> 4





Fig. 21



BETACORONAVIRUS MRNA VACCINE

RELATED APPLICATIONS

This application is a division of U.S. application Ser. No. 16/805,587, filed Feb. 28, 2020, now U.S. Pat. No. 10,702,600, which is a continuation of U.S. application Ser. No. 16/368,270, filed Mar. 28, 2019, now U.S. Pat. No. 10,702,599, which is a continuation of Ser. No. 16/040,981, filed Jul. 20, 2018, now U.S. Pat. No. 10,272,150, which is a continuation of U.S. application Ser. No. 15/674,599, filed Aug. 11, 2017, now U.S. Pat. No. 10,064,934, which is a continuation of International application number PCT/US2016/058327, filed Oct. 21, 2016, which claims the benefit under 35 U.S.C. § 119(e) of U.S. provisional application No. 62/244,802, filed Oct. 22, 2015, U.S. provisional application No. 62/247,297, filed Oct. 28, 2015, U.S. provisional application No. 62/244,946, filed Oct. 22, 2015, U.S. provisional application No. 62/247,362, filed Oct. 28, 2015, U.S. provisional application No. 62/244,813, filed Oct. 22, 2015, U.S. provisional application No. 62/247,394, filed Oct. 28, 2015, U.S. provisional application No. 62/244,837, filed Oct. 22, 2015, U.S. provisional application No. 62/247,483, filed Oct. 28, 2015, and U.S. provisional application No. 62/245,031, filed Oct. 22, 2015, each of which is incorporated by reference herein in its entirety.

BACKGROUND

Respiratory disease is a medical term that encompasses pathological conditions affecting the organs and tissues that make gas exchange possible in higher organisms, and includes conditions of the upper respiratory tract, trachea, bronchi, bronchioles, alveoli, pleura and pleural cavity, and the nerves and muscles of breathing. Respiratory diseases range from mild and self-limiting, such as the common cold, to life-threatening entities like bacterial pneumonia, pulmonary embolism, acute asthma and lung cancer. Respiratory disease is a common and significant cause of illness and death around the world. In the US, approximately 1 billion “common colds” occur each year. Respiratory conditions are among the most frequent reasons for hospital stays among children.

The human *Metapneumovirus* (hMPV) is a negative-sense, single-stranded RNA virus of the genus *Pneumovirinae* and of the family Paramyxoviridae and is closely related to the avian *Metapneumovirus* (AMPV) subgroup C. It was isolated for the first time in 2001 in the Netherlands by using the RAP-PCR (RNA arbitrarily primed PCR) technique for identification of unknown viruses growing in cultured cells. hPMV is second only to RSV as an important cause of viral lower respiratory tract illness (LRI) in young children. The seasonal epidemiology of hMPV appears to be similar to that of RSV, but the incidence of infection and illness appears to be substantially lower.

Parainfluenza virus type 3 (PIV3), like hMPV, is also a negative-sense, single-stranded sense RNA virus of the genus *Pneumovirinae* and of the family Paramyxoviridae and is a major cause of ubiquitous acute respiratory infections of infancy and early childhood. Its incidence peaks around 4-12 months of age, and the virus is responsible for 3-10% of hospitalizations, mainly for bronchiolitis and pneumonia. PIV3 can be fatal, and in some instances is associated with neurologic diseases, such as febrile seizures. It can also result in airway remodeling, a significant cause of morbidity. In developing regions of the world, infants and young children are at the highest risk of mortality, either

from primary PIV3 viral infection or a secondary consequences, such as bacterial infections. Human parainfluenza viruses (hPIV) types 1, 2 and 3 (hPIV1, hPIV2 and hPIV3, respectively), also like hMPV, are second only to RSV as important causes of viral LRI in young children.

RSV, too, is a negative-sense, single-stranded RNA virus of the genus *Pneumovirinae* and of the family Paramyxoviridae. Symptoms in adults typically resemble a sinus infection or the common cold, although the infection may be asymptomatic. In older adults (e.g., >60 years), RSV infection may progress to bronchiolitis or pneumonia. Symptoms in children are often more severe, including bronchiolitis and pneumonia. It is estimated that in the United States, most children are infected with RSV by the age of three. The RSV virion consists of an internal nucleocapsid comprised of the viral RNA bound to nucleoprotein (N), phosphoprotein (P), and large polymerase protein (L). The nucleocapsid is surrounded by matrix protein (M) and is encapsulated by a lipid bilayer into which the viral fusion (F) and attachment (G) proteins as well as the small hydrophobic protein (SH) are incorporated. The viral genome also encodes two non-structural proteins (NS1 and NS2), which inhibit type I interferon activity as well as the M-2 protein.

The continuing health problems associated with hMPV, PIV3 and RSV are of concern internationally, reinforcing the importance of developing effective and safe vaccine candidates against these virus.

Despite decades of research, no vaccines currently exist (Sato and Wright, *Pediatr. Infect. Dis. J.* 2008; 27(10 Suppl): S123-5). Recombinant technology, however, has been used to target the formation of vaccines for hPIV-1, 2 and 3 serotypes, for example, and has taken the form of several live-attenuated intranasal vaccines. Two vaccines in particular were found to be immunogenic and well tolerated against hPIV-3 in phase I trials. hPIV1 and hPIV2 vaccine candidates remain less advanced (Durbin and Karron, *Clinical infectious diseases: an official publication of the Infectious Diseases Society of America* 2003; 37(12):1668-77).

Measles virus (MeV), like hMPV, PIV3 and RSV, is a negative-sense, single-stranded RNA virus that is the cause of measles, an infection of the respiratory system. MeV is of the genus *Morbillivirus* within the family Paramyxoviridae. Humans are the natural hosts of the virus; no animal reservoirs are known to exist. Symptoms of measles include fever, cough, runny nose, red eyes and a generalized, maculopapular, erythematous rash. The virus is highly contagious and is spread by coughing

In addition to hMPV, PIV, RSV and MeV, Betacoronaviruses are known to cause respiratory illnesses. Betacoronaviruses (BetaCoVs) are one of four genera of coronaviruses of the subfamily Coronavirinae in the family Coronaviridae, of the order Nidovirales. They are enveloped, positive-sense, single-stranded RNA viruses of zoonotic origin. The coronavirus genera are each composed of varying viral lineages, with the *Betacoronavirus* genus containing four such lineages. The BetaCoVs of the greatest clinical importance concerning humans are OC43 and HKU1 of the A lineage, SARS-CoV of the B lineage, and MERS-CoV of the C lineage. MERS-CoV is the first *Betacoronavirus* belonging to lineage C that is known to infect humans.

The Middle East respiratory syndrome coronavirus (MERS-CoV), or EMC/2012 (HCoV-EMC/2012), initially referred to as novel coronavirus 2012 or simply novel coronavirus, was first reported in 2012 after genome sequencing of a virus isolated from sputum samples from a person who fell ill during a 2012 outbreak of a new flu. As

of July 2015, MERS-CoV cases have been reported in over 21 countries. The outbreaks of MERS-CoV have raised serious concerns world-wide, reinforcing the importance of developing effective and safe vaccine candidates against MERS-CoV.

Severe acute respiratory syndrome (SARS) emerged in China in 2002 and spread to other countries before brought under control. Because of a concern for reemergence or a deliberate release of the SARS coronavirus, vaccine development was initiated.

Deoxyribonucleic acid (DNA) vaccination is one technique used to stimulate humoral and cellular immune responses to foreign antigens, such as hMPV antigens and/or PIV antigens and/or RSV antigens. The direct injection of genetically engineered DNA (e.g., naked plasmid DNA) into a living host results in a small number of its cells directly producing an antigen, resulting in a protective immunological response. With this technique, however, comes potential problems, including the possibility of insertional mutagenesis, which could lead to the activation of oncogenes or the inhibition of tumor suppressor genes.

SUMMARY

Provided herein are ribonucleic acid (RNA) vaccines that build on the knowledge that RNA (e.g., messenger RNA (mRNA)) can safely direct the body's cellular machinery to produce nearly any protein of interest, from native proteins to antibodies and other entirely novel protein constructs that can have therapeutic activity inside and outside of cells. The RNA (e.g., mRNA) vaccines of the present disclosure may be used to induce a balanced immune response against hMPV, PIV, RSV, MeV, and/or BetaCoV (e.g., MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH and/or HCoV-HKU1), or any combination of two or more of the foregoing viruses, comprising both cellular and humoral immunity, without risking the possibility of insertional mutagenesis, for example. hMPV, PIV, RSV, MeV, BetaCoV (e.g., MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH and HCoV-HKU1) and combinations thereof are referred to herein as "respiratory viruses." Thus, the term "respiratory virus RNA vaccines" encompasses hMPV RNA vaccines, PIV RNA vaccines, RSV RNA vaccines, MeV RNA vaccines, BetaCoV RNA vaccines, and any combination of two or more of hMPV RNA vaccines, PIV RNA vaccines, RSV RNA vaccines, MeV RNA vaccines, and BetaCoV RNA vaccines.

The RNA (e.g., mRNA) vaccines may be utilized in various settings depending on the prevalence of the infection or the degree or level of unmet medical need. The RNA (e.g., mRNA) vaccines may be utilized to treat and/or prevent a hMPV, PIV, RSV, MeV, a BetaCoV (e.g., MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH, HCoV-HKU1), or any combination of two or more of the foregoing viruses, of various genotypes, strains, and isolates. The RNA (e.g., mRNA) vaccines have superior properties in that they produce much larger antibody titers and produce responses earlier than commercially available anti-viral therapeutic treatments. While not wishing to be bound by theory, it is believed that the RNA (e.g., mRNA) vaccines, as mRNA polynucleotides, are better designed to produce the appropriate protein conformation upon translation as the RNA (e.g., mRNA) vaccines co-opt natural cellular machinery. Unlike traditional vaccines, which are manufactured ex vivo and may trigger

unwanted cellular responses, RNA (e.g., mRNA) vaccines are presented to the cellular system in a more native fashion.

In some aspects the invention is a respiratory virus vaccine, comprising at least one RNA polynucleotide having an open reading frame encoding at least one respiratory virus antigenic polypeptide, formulated in a cationic lipid nanoparticle.

Surprisingly, in some aspects it has also been shown that efficacy of mRNA vaccines can be significantly enhanced when combined with a flagellin adjuvant, in particular, when one or more antigen-encoding mRNAs is combined with an mRNA encoding flagellin.

RNA (e.g., mRNA) vaccines combined with the flagellin adjuvant (e.g., mRNA-encoded flagellin adjuvant) have superior properties in that they may produce much larger antibody titers and produce responses earlier than commercially available vaccine formulations. While not wishing to be bound by theory, it is believed that the RNA (e.g., mRNA) vaccines, for example, as mRNA polynucleotides, are better designed to produce the appropriate protein conformation upon translation, for both the antigen and the adjuvant, as the RNA (e.g., mRNA) vaccines co-opt natural cellular machinery. Unlike traditional vaccines, which are manufactured ex vivo and may trigger unwanted cellular responses, RNA (e.g., mRNA) vaccines are presented to the cellular system in a more native fashion.

Some embodiments of the present disclosure provide RNA (e.g., mRNA) vaccines that include at least one RNA (e.g., mRNA) polynucleotide having an open reading frame encoding at least one antigenic polypeptide or an immunogenic fragment thereof (e.g., an immunogenic fragment capable of inducing an immune response to the antigenic polypeptide) and at least one RNA (e.g., mRNA polynucleotide) having an open reading frame encoding a flagellin adjuvant.

In some embodiments, at least one flagellin polypeptide (e.g., encoded flagellin polypeptide) is a flagellin protein. In some embodiments, at least one flagellin polypeptide (e.g., encoded flagellin polypeptide) is an immunogenic flagellin fragment. In some embodiments, at least one flagellin polypeptide and at least one antigenic polypeptide are encoded by a single RNA (e.g., mRNA) polynucleotide. In other embodiments, at least one flagellin polypeptide and at least one antigenic polypeptide are each encoded by a different RNA polynucleotide.

In some embodiments at least one flagellin polypeptide has at least 80%, at least 85%, at least 90%, or at least 95% identity to a flagellin polypeptide having a sequence identified by any one of SEQ ID NO: 54-56.

Provided herein, in some embodiments, is a ribonucleic acid (RNA) (e.g., mRNA) vaccine, comprising at least one (e.g., at least 2, 3, 4 or 5) RNA (e.g., mRNA) polynucleotide having an open reading frame encoding at least one (e.g., at least 2, 3, 4 or 5) hMPV, PIV, RSV, MeV, or a BetaCoV (e.g., MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH, HCoV-HKU1) antigenic polypeptide, or any combination of two or more of the foregoing antigenic polypeptides. Herein, use of the term "antigenic polypeptide" encompasses immunogenic fragments of the antigenic polypeptide (an immunogenic fragment that induces (or is capable of inducing) an immune response to hMPV, PIV, RSV, MeV, or a BetaCoV), unless otherwise stated.

Also provided herein, in some embodiments, is a RNA (e.g., mRNA) vaccine comprising at least one (e.g., at least 2, 3, 4 or 5) RNA polynucleotide having an open reading frame encoding at least one (e.g., at least 2, 3, 4 or 5) hMPV,

PIV, RSV, MeV, and/or a BetaCoV (e.g., MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH, HCoV-HKU1) antigenic polypeptide or an immunogenic fragment thereof, linked to a signal peptide.

Further provided herein, in some embodiments, is a nucleic acid (e.g., DNA) encoding at least one (e.g., at least 2, 3, 4 or 5) hMPV, PIV, RSV, MeV, and/or a BetaCoV (e.g., MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH, HCoV-HKU1) RNA (e.g., mRNA) polynucleotide.

Further still, provided herein, in some embodiments, is a method of inducing an immune response in a subject, the method comprising administering to the subject a vaccine comprising at least one (e.g., at least 2, 3, 4 or 5) RNA (e.g., mRNA) polynucleotide having an open reading frame encoding at least one (e.g., at least 2, 3, 4 or 5) hMPV, PIV, RSV, MeV, and/or a BetaCoV (e.g., MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH, HCoV-HKU1) antigenic polypeptide, or any combination of two or more of the foregoing antigenic polypeptides.

hMPV/PIV3/RSV

In some embodiments, a RNA (e.g., mRNA) vaccine comprises at least one RNA (e.g., mRNA) polynucleotide having an open reading frame encoding at least one hMPV, PIV3 or RSV antigenic polypeptide. In some embodiments, at least one antigenic polypeptide is a hMPV, PIV3 or RSV polyprotein. In some embodiments, at least one antigenic polypeptide is major surface glycoprotein G or an immunogenic fragment thereof. In some embodiments, at least one antigenic polypeptide is Fusion (F) glycoprotein (e.g., Fusion glycoprotein F0, F1 or F2) or an immunogenic fragment thereof. In some embodiments, at least one antigenic polypeptide is major surface glycoprotein G or an immunogenic fragment thereof and F glycoprotein or an immunogenic fragment thereof. In some embodiments, the antigenic polypeptide is nucleoprotein (N) or an immunogenic fragment thereof, phosphoprotein (P) or an immunogenic fragment thereof, large polymerase protein (L) or an immunogenic fragment thereof, matrix protein (M) or an immunogenic fragment thereof, small hydrophobic protein (SH) or an immunogenic fragment thereof nonstructural protein 1 (NS1) or an immunogenic fragment thereof, or nonstructural protein 2 (NS2) and an immunogenic fragment thereof.

In some embodiments, at least one hMPV antigenic polypeptide comprises an amino acid sequence identified by any one of SEQ ID NO: 5-8 (Table 3; see also amino acid sequences of Table 4). In some embodiments, the amino acid sequence of the hMPV antigenic polypeptide is, or is a fragment of, or is a homolog or variant having at least 80% (e.g., 85%, 90%, 95%, 98%, 99%) identity to, the amino acid sequence identified by any one of SEQ ID NO: 5-8 (Table 3; see also amino acid sequences of Table 4).

In some embodiments, at least one hMPV antigenic polypeptide is encoded by a nucleic acid sequence identified by any one of SEQ ID NO: 1-4 (Table 2).

In some embodiments, at least one hMPV RNA (e.g., mRNA) polynucleotide is encoded by a nucleic acid sequence, or a fragment of a nucleotide sequence, identified by any one of SEQ ID NO: 1-4 (Table 2). In some embodiments, at least one hMPV RNA (e.g., mRNA) polynucleotide comprises a nucleic acid sequence, or a fragment of a nucleotide sequence, identified by any one of SEQ ID NO: 57-60 (Table 2).

In some embodiments, at least one antigenic polypeptide is obtained from hMPV strain CAN98-75 (CAN75) or the hMPV strain CAN97-83 (CAN83).

In some embodiments, at least one PIV3 antigenic polypeptide comprises hemagglutinin-neuraminidase, Fusion (F) glycoprotein, matrix protein (M), nucleocapsid protein (N), viral replicase (L), non-structural V protein, or an immunogenic fragment thereof.

In some embodiments, at least one PIV3 antigenic polypeptide comprises an amino acid sequence identified by any one of SEQ ID NO: 12-13 (Table 6; see also amino acid sequences of Table 7). In some embodiments, the amino acid sequence of the PIV3 antigenic polypeptide is, or is a fragment of, or is a homolog or variant having at least 80% (e.g., 85%, 90%, 95%, 98%, 99%) identity to, the amino acid sequence identified by any one of SEQ ID NO: 12-13 (Table 6; see also amino acid sequences of Table 7).

In some embodiments, at least one PIV3 antigenic polypeptide is encoded by a nucleic acid sequence identified by any one of SEQ ID NO: 9-12 (Table 5; see also nucleic acid sequences of Table 7).

In some embodiments, at least one PIV3 RNA (e.g., mRNA) polynucleotide is encoded by a nucleic acid sequence, or a fragment of a nucleotide sequence, identified by any one of SEQ ID NO: 9-12 (Table 5; see also nucleic acid sequences of Table 7). In some embodiments, at least one PIV3 RNA (e.g., mRNA) polynucleotide comprises a nucleic acid sequence, or a fragment of a nucleotide sequence, identified by any one of SEQ ID NO: 61-64 (Table 5).

In some embodiments, at least one antigenic polypeptide is obtained from PIV3 strain HPIV3/*Homo sapiens*/PER/FLA4815/2008.

In some embodiments, at least one RSV antigenic polypeptide comprises at least one antigenic polypeptide that comprises glycoprotein G, glycoprotein F, or an immunogenic fragment thereof. In some embodiments, at least one RSV antigenic polypeptide comprises at least one antigenic polypeptide that comprises glycoprotein F and at least one or at least two antigenic polypeptide selected from G, M, N, P, L, SH, M2, NS1 and NS2.

MeV

In some embodiments, a RNA (e.g., mRNA) vaccine comprises at least one RNA (e.g., mRNA) polynucleotide having an open reading frame encoding at least one MeV antigenic polypeptide. In some embodiments, at least one antigenic polypeptide is a hemagglutinin (HA) protein or an immunogenic fragment thereof. The HA protein may be from MeV strain D3 or B8, for example. In some embodiments, at least one antigenic polypeptide is a Fusion (F) protein or an immunogenic fragment thereof. The F protein may be from MeV strain D3 or B8, for example. In some embodiments, a MeV RNA (e.g., mRNA) vaccine comprises a least one RNA polynucleotide encoding a HA protein and a F protein. The HA and F proteins may be from MeV strain D3 or B8, for example.

In some embodiments, at least one MeV antigenic polypeptide comprises an amino acid sequence identified by any one of SEQ ID NO: 47-50 (Table 14). In some embodiments, the amino acid sequence of the MeV antigenic polypeptide is, or is a fragment of, or is a homolog or variant having at least 80% (e.g., 85%, 90%, 95%, 98%, 99%) identity to, the amino acid sequence identified by any one of SEQ ID NO: 47-50 (Table 14).

In some embodiments, at least one MeV antigenic polypeptide is encoded by a nucleic acid sequence of SEQ ID NO: 35-46 (Table 13).

In some embodiments, at least one MeV RNA (e.g., mRNA) polynucleotide is encoded by a nucleic acid sequence, or a fragment of a nucleotide sequence, identified by any one of SEQ ID NO: 35-46 (Table 13). In some embodiments, at least one MeV RNA (e.g., mRNA) polynucleotide comprises a nucleic acid sequence, or a fragment of a nucleotide sequence, identified by any one of SEQ ID NO: 69-80 (Table 13).

In some embodiments, at least one antigenic polypeptide is obtained from MeV strain B3/B3.1, C2, D4, D6, D7, D8, G3, H1, Moraten, Rubeovax, MVi/New Jersey.USA/45.05, MVi/Texas.USA/4.07, AIK-C, MVi/New York.USA/26.09/3, MVi/California.USA/16.03, MVi/Virginia.USA/15.09, MVi/California.USA/8.04, or MVi/Pennsylvania.USA/20.09.

BetaCoV

In some embodiments, a RNA (e.g., mRNA) vaccine comprises at least one RNA (e.g., mRNA) polynucleotide having an open reading frame encoding at least one BetaCoV antigenic polypeptide. In some embodiments, the BetaCoV is MERS-CoV. In some embodiments, the BetaCoV is SARS-CoV. In some embodiments, the BetaCoV is HCoV-OC43. In some embodiments, the BetaCoV is HCoV-229E. In some embodiments, the BetaCoV is HCoV-NL63. In some embodiments, the BetaCoV is HCoV-HKU1. In some embodiments, at least one antigenic polypeptide is a *Betacoronavirus* structural protein. For example, a *Betacoronavirus* structural protein may be spike protein (S), envelope protein (E), nucleocapsid protein (N), membrane protein (M) or an immunogenic fragment thereof. In some embodiments, a *Betacoronavirus* structural protein is a spike protein (S). In some embodiments, a *Betacoronavirus* structural protein is a S1 subunit or a S2 subunit of spike protein (S) or an immunogenic fragment thereof.

BetaCoV RNA (e.g., mRNA) polynucleotides of the vaccines provided herein may encode viral protein components of Betacoronaviruses, for example, accessory proteins, replicase proteins and the like are encompassed by the present disclosure. RNA (e.g., mRNA) vaccines may include RNA polynucleotides encoding at least one accessory protein (e.g., protein 3, protein 4a, protein 4b, protein 5), at least one replicase protein (e.g., protein 1a, protein 1b), or a combination of at least one accessory protein and at least one replicase protein. The present disclosure also encompasses RNA (e.g., mRNA) vaccines comprising RNA (e.g., mRNA) polynucleotides encoding an accessory protein and/or a replicase protein in combination with at least one structural protein. Due to their surface expression properties, vaccines featuring RNA polynucleotides encoding structural proteins are believed to have preferred immunogenic activity and, hence, may be most suitable for use in the vaccines of the present disclosure.

Some embodiments of the present disclosure provide *Betacoronavirus* (e.g., MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH, HCoV-HKU1 or a combination thereof) vaccines that include at least one RNA (e.g., mRNA) polynucleotide having an open reading frame encoding at least one *Betacoronavirus* (e.g., MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH, HCoV-HKU1) antigenic polypeptide. Also provided herein are pan-*Betacoronavirus* vaccines. Thus, a *Betacoronavirus* vaccine comprising a RNA (e.g., mRNA) polynucleotide having an open reading frame encoding any one, two, three or four of MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, and HCoV-HKU1, for example, may be effective against any one of, any combination of, or all of,

MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH and HCoV-HKU1. Other Betacoronaviruses are encompassed by the present disclosure.

In some embodiments, at least one antigenic polypeptide is a MERS-CoV structural protein. For example, a MERS-CoV structural protein may be spike protein (S), envelope protein (E), nucleocapsid protein (N), membrane protein (M) or an immunogenic fragment thereof. In some embodiments, the MERS-CoV structural protein is a spike protein (S) (see, e.g., Coleman C M et al. *Vaccine* 2014; 32:3169-74, incorporated herein by reference). In some embodiments, the MERS-CoV structural protein is a S1 subunit or a S2 subunit of spike protein (S) or an immunogenic fragment thereof (Li J et al. *Viral Immunol* 2013; 26(2):126-32; He Y et al. *Biochem Biophys Res Commun* 2004; 324(2):773-81, each of which is incorporated herein by reference).

In some embodiments, at least one MERS-CoV antigenic polypeptide comprises an amino acid sequence identified by any one of SEQ ID NO: 24-28 or 33 (Table 11). In some embodiments, the amino acid sequence of the MERS-CoV antigenic polypeptide is, or is a fragment of, or is a homolog or variant having at least 80% (e.g., 85%, 90%, 95%, 98%, 99%) identity to, the amino acid sequence identified by any one of SEQ ID NO: 24-28 or 33 (Table 11).

In some embodiments, at least one MERS-CoV antigenic polypeptide is encoded by a nucleic acid sequence identified by any one of SEQ ID NO: 20-23 (Table 10).

In some embodiments, at least one MERS-CoV RNA (e.g., mRNA) polynucleotide is encoded by a nucleic acid sequence, or a fragment of a nucleotide sequence, identified by any one of SEQ ID NO: 20-23 (Table 10). In some embodiments, at least one MERS-CoV RNA (e.g., mRNA) polynucleotide comprises a nucleic acid sequence, or a fragment of a nucleotide sequence, identified by any one of SEQ ID NO: 65-68 (Table 10).

In some embodiments, at least one antigenic polypeptide is obtained from MERS-CoV strain Riyadh_14_2013, 2cEMC/2012, or Hasa_1_2013.

In some embodiments, at least one antigenic polypeptide is a SARS-CoV structural protein. For example, a SARS-CoV structural protein may be spike protein (S), envelope protein (E), nucleocapsid protein (N), membrane protein (M) or an immunogenic fragment thereof. In some embodiments, the SARS-CoV structural protein is a spike protein (S). In some embodiments, the SARS-CoV structural protein is a S1 subunit or a S2 subunit of spike protein (S) or an immunogenic fragment thereof.

In some embodiments, at least one SARS-CoV antigenic polypeptide comprises an amino acid sequence identified by any one of SEQ ID NO: 29, 32 or 34 (Table 11). In some embodiments, the amino acid sequence of the SARS-CoV antigenic polypeptide is, or is a fragment of, or is a homolog or variant having at least 80% (e.g., 85%, 90%, 95%, 98%, 99%) identity to, the amino acid sequence identified by any one of SEQ ID NO: 29, 32 or 34 (Table 11).

In some embodiments, at least one antigenic polypeptide is a HCoV-OC43 structural protein. For example, a HCoV-OC43 structural protein may be spike protein (S), envelope protein (E), nucleocapsid protein (N), membrane protein (M) or an immunogenic fragment thereof. In some embodiments, the HCoV-OC43 structural protein is a spike protein (S). In some embodiments, the HCoV-OC43 structural protein is a S1 subunit or a S2 subunit of spike protein (S) or an immunogenic fragment thereof.

In some embodiments, at least one HCoV-OC43 antigenic polypeptide comprises an amino acid sequence identified by

any one of SEQ ID NO: 30 (Table 11). In some embodiments, the amino acid sequence of the HCoV-OC43 antigenic polypeptide is, or is a fragment of, or is a homolog or variant having at least 80% (e.g., 85%, 90%, 95%, 98%, 99%) identity to, the amino acid sequence identified by any one of SEQ ID NO: 30 (Table 11).

In some embodiments, an antigenic polypeptide is a HCoV-HKU1 structural protein. For example, a HCoV-HKU1 structural protein may be spike protein (S), envelope protein (E), nucleocapsid protein (N), membrane protein (M) or an immunogenic fragment thereof. In some embodiments, the HCoV-HKU1 structural protein is a spike protein (S). In some embodiments, the HCoV-HKU1 structural protein is a S1 subunit or a S2 subunit of spike protein (S) or an immunogenic fragment thereof.

In some embodiments, at least one HCoV-HKU1 antigenic polypeptide comprises an amino acid sequence identified by any one of SEQ ID NO: 31 (Table 11). In some embodiments, the amino acid sequence of the HCoV-HKU1 antigenic polypeptide is, or is a fragment of, or is a homolog or variant having at least 80% (e.g., 85%, 90%, 95%, 98%, 99%) identity to, the amino acid sequence identified by any one of SEQ ID NO: 31 (Table 11).

In some embodiments, an open reading frame of a RNA (e.g., mRNA) vaccine is codon-optimized. In some embodiments, at least one RNA polynucleotide encodes at least one antigenic polypeptide having an amino acid sequence identified by any one of SEQ ID NO: 5-8, 12-13, 24-34, or 47-50 (Tables 3, 6, 11 and 14; see also amino acid sequences of Tables 4, 7, 12 and 15) and is codon optimized mRNA.

In some embodiments, a RNA (e.g., mRNA) vaccine further comprising an adjuvant.

Tables 4, 7, 12 and 15 provide National Center for Biotechnology Information (NCBI) accession numbers of interest. It should be understood that the phrase "an amino acid sequence of Tables 4, 7, 12 and 15" refers to an amino acid sequence identified by one or more NCBI accession numbers listed in Tables 4, 7, 12 and 15. Each of the amino acid sequences, and variants having greater than 95% identity or greater than 98% identity to each of the amino acid sequences encompassed by the accession numbers of Tables 4, 7, 12 and 15 are included within the constructs (polynucleotides/polypeptides) of the present disclosure.

In some embodiments, at least one mRNA polynucleotide is encoded by a nucleic acid having a sequence identified by any one of SEQ ID NO: 1-4, 9-12, 20-23, or 35-46 (Tables 2, 5, 10 and 13; see also nucleic acid sequences of Table 7) and having less than 80% identity to wild-type mRNA sequence. In some embodiments, at least one mRNA polynucleotide is encoded by a nucleic acid having a sequence identified by any one of SEQ ID NO: 1-4, 9-12, 20-23, or 35-46 (Tables 2, 5, 10 and 13; see also nucleic acid sequences of Table 7) and having less than 75%, 85% or 95% identity to a wild-type mRNA sequence. In some embodiments, at least one mRNA polynucleotide is encoded by a nucleic acid having a sequence identified by any one of SEQ ID NO: 1-4, 9-12, 20-23, or 35-46 (Tables 2, 5, 10 and 13; see also nucleic acid sequences of Table 7) and having less than 50-80%, 60-80%, 40-80%, 30-80%, 70-80%, 75-80% or 78-80% identity to wild-type mRNA sequence. In some embodiments, at least one mRNA polynucleotide is encoded by a nucleic acid having a sequence identified by any one of SEQ ID NO: 1-4, 9-12, 20-23, or 35-46 (Tables 2, 5, 10 and 13; see also nucleic acid sequences of Table 7) and having less than 40-85%, 50-85%, 60-85%, 30-85%, 70-85%, 75-85% or 80-85% identity to wild-type mRNA sequence. In some embodiments, at least one mRNA poly-

nucleotide is encoded by a nucleic acid having a sequence identified by any one of SEQ ID NO: 1-4, 9-12, 20-23, or 35-46 (Tables 2, 5, 10 and 13; see also nucleic acid sequences of Table 7) and having less than 40-90%, 50-90%, 60-90%, 30-90%, 70-90%, 75-90%, 80-90%, or 85-90% identity to wild-type mRNA sequence.

In some embodiments, at least one RNA polynucleotide encodes at least one antigenic polypeptide having an amino acid sequence identified by any one of SEQ ID NO: 5-8, 12-13, 24-34, or 47-50 (Tables 3, 6, 11 and 14; see also amino acid sequences of Tables 4, 7, 12 and 15) and having at least 80% (e.g., 85%, 90%, 95%, 98%, 99%) identity to wild-type mRNA sequence, but does not include wild-type mRNA sequence.

In some embodiments, at least one RNA polynucleotide encodes at least one antigenic polypeptide having an amino acid sequence identified by any one of SEQ ID NO: 5-8, 12-13, 24-34, or 47-50 (Tables 3, 6, 11 and 14; see also amino acid sequences of Tables 4, 7, 12 and 15) and has less than 95%, 90%, 85%, 80% or 75% identity to wild-type mRNA sequence. In some embodiments, at least one RNA polynucleotide encodes at least one antigenic polypeptide having an amino acid sequence identified by any one of SEQ ID NO: 5-8, 12-13, 24-34, or 47-50 (Tables 3, 6, 11 and 14; see also amino acid sequences of Tables 4, 7, 12 and 15) and has 30-80%, 40-80%, 50-80%, 60-80%, 70-80%, 75-80% or 78-80%, 30-85%, 40-85%, 50-805%, 60-85%, 70-85%, 75-85% or 78-85%, 30-90%, 40-90%, 50-90%, 60-90%, 70-90%, 75-90%, 80-90% or 85-90% identity to wild-type mRNA sequence.

In some embodiments, at least one RNA polynucleotide encodes at least one antigenic polypeptide having at least 90%, at least 95%, at least 96%, at least 97%, at least 98%, or at least 99% identity to an amino acid sequence identified by any one of SEQ ID NO: 5-8, 12-13, 24-34, or 47-50 (Tables 3, 6, 11 and 14; see also amino acid sequences of Tables 4, 7, 12 and 15). In some embodiments, at least one RNA polynucleotide encodes at least one antigenic polypeptide having 95%-99% identity to an amino acid sequence identified by any one of SEQ ID NO: 5-8, 12-13, 24-34, or 47-50 (Tables 3, 6, 11 and 14; see also amino acid sequences of Tables 4, 7, 12 and 15).

In some embodiments, at least one RNA polynucleotide encodes at least one antigenic polypeptide having at least 90%, at least 95%, at least 96%, at least 97%, at least 98%, or at least 99% identity to an amino acid sequence identified by any one of SEQ ID NO: 5-8, 12-13, 24-34, or 47-50 (Tables 3, 6, 11 and 14; see also amino acid sequences of Tables 4, 7, 12 and 15) and having membrane fusion activity. In some embodiments, at least one RNA polynucleotide encodes at least one antigenic polypeptide having 95%-99% identity to an amino acid sequence identified by any one of SEQ ID NO: 5-8, 12-13, 24-34, or 47-50 (Tables 3, 6, 11 and 14; see also amino acid sequences of Tables 4, 7, 12 and 15) and having membrane fusion activity.


In some embodiments, at least one RNA polynucleotide encodes at least one antigenic polypeptide (e.g., at least one hMPV antigenic polypeptide, at least one PIV3 antigenic polypeptide, at least one RSV antigenic polypeptide, at least one MeV antigenic polypeptide, or at least one BetaCoV antigenic polypeptide, e.g., selected from MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH and HCoV-HKU1, or any combination of two or more of the foregoing antigenic polypeptides) that attaches to cell receptors.

In some embodiments, at least one RNA polynucleotide encodes at least one antigenic polypeptide (e.g., at least one

11

hMPV antigenic polypeptide, at least one PIV3 antigenic polypeptide, at least one RSV antigenic polypeptide, at least one MeV antigenic polypeptide, or at least one BetaCoV antigenic polypeptide, e.g., selected from MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH and HCoV-HKU1, or any combination of two or more of the foregoing antigenic polypeptides) that causes fusion of viral and cellular membranes.

In some embodiments, at least one RNA polynucleotide encodes at least one antigenic polypeptide (e.g., at least one hMPV antigenic polypeptide, at least one PIV3 antigenic polypeptide, at least one RSV antigenic polypeptide, at least



one MeV antigenic polypeptide, or at least one BetaCoV antigenic polypeptide, e.g., selected from MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH and HCoV-HKU1, or any combination of two or more of the foregoing antigenic polypeptides) that is responsible for binding of the virus to a cell being infected.

Some embodiments of the present disclosure provide a vaccine that includes at least one ribonucleic acid (RNA) (e.g., mRNA) polynucleotide having an open reading frame encoding at least one antigenic polypeptide (e.g., at least one hMPV antigenic polypeptide, at least one PIV3 antigenic polypeptide, at least one RSV antigenic polypeptide, at least one MeV antigenic polypeptide, or at least one BetaCoV antigenic polypeptide, e.g., selected from MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH and HCoV-HKU1, or any combination of two or more of the foregoing antigenic polypeptides), at least one 5' terminal cap and at least one chemical modification, formulated within a lipid nanoparticle.

In some embodiments, a 5' terminal cap is 7mG(5')ppp(5')NlmpNp.

In some embodiments, at least one chemical modification is selected from pseudouridine, N1-methylpseudouridine, N1-ethylpseudouridine, 2-thiouridine, 4'-thiouridine, 5-methylcytosine, 5-methyluridine, 2-thio-1-methyl-1-deaza-pseudouridine, 2-thio-1-methyl-pseudouridine, 2-thio-5-aza-uridine, 2-thio-dihydropseudouridine, 2-thio-dihydrouridine, 2-thio-pseudouridine, 4-methoxy-2-thio-pseudouridine, 4-methoxy-pseudouridine, 4-thio-1-methyl-pseudouridine, 4-thio-pseudouridine, 5-aza-uridine, dihydropseudouridine, 5-methoxyuridine and 2'-O-methyluridine. In some embodiments, the chemical modification is in the 5-position of the uracil. In some embodiments, the chemical modification is a N1-methylpseudouridine. In some embodiments, the chemical modification is a N1-ethylpseudouridine.

In some embodiments, a lipid nanoparticle comprises a cationic lipid, a PEG-modified lipid, a sterol and a non-cationic lipid. In some embodiments, a cationic lipid is an

12


ionizable cationic lipid and the non-cationic lipid is a neutral lipid, and the sterol is a cholesterol. In some embodiments, a cationic lipid is selected from the group consisting of 2,2-dilinoleyl-4-dimethylaminoethyl-[1,3]-dioxolane (DLin-KC2-DMA), dilinoleyl-methyl-4-dimethylaminobutyrate (DLin-MC3-DMA), di((Z)-non-2-en-1-yl) 9-((4-(dimethylamino)butanoyl)oxy)heptadecanedioate (L319), (12Z,15Z)-N,N-dimethyl-2-nonylhenicosa-12,15-dien-1-amine (L608), and N,N-dimethyl-1-[(1S,2R)-2-octylcyclopropyl]heptadecan-8-amine (L530).

In some embodiments, the lipid is

(L608)

In some embodiments, the lipid is

(L530)



In some embodiments, a lipid nanoparticle comprises compounds of Formula (I) and/or Formula (II), discussed below.

In some embodiments, a respiratory virus RNA (e.g., mRNA) vaccine is formulated in a lipid nanoparticle that comprises a compound selected from Compounds 3, 18, 20, 25, 26, 29, 30, 60, 108-112 and 122, described below.

Some embodiments of the present disclosure provide a vaccine that includes at least one RNA (e.g., mRNA) polynucleotide having an open reading frame encoding at least one antigenic polypeptide (e.g., at least one hMPV antigenic polypeptide, at least one PIV3 antigenic polypeptide, at least one RSV antigenic polypeptide, at least one MeV antigenic polypeptide, or at least one BetaCoV antigenic polypeptide, e.g., selected from MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH and HCoV-HKU1, or any combination of two or more of the foregoing antigenic polypeptides), wherein at least 80% (e.g., 85%, 90%, 95%, 98%, 99%) of the uracil in the open reading frame have a chemical modification, optionally wherein the vaccine is formulated in a lipid nanoparticle (e.g., a lipid nanoparticle comprises a cationic lipid, a PEG-modified lipid, a sterol and a non-cationic lipid).

In some embodiments, 100% of the uracil in the open reading frame have a chemical modification. In some embodiments, a chemical modification is in the 5-position of the uracil. In some embodiments, a chemical modification is a N1-methyl pseudouridine. In some embodiments, 100% of the uracil in the open reading frame have a N1-methyl pseudouridine in the 5-position of the uracil.

In some embodiments, an open reading frame of a RNA (e.g., mRNA) polynucleotide encodes at least two antigenic

polypeptides (e.g., at least two hMPV antigenic polypeptides, at least two PIV3 antigenic polypeptides, at least two RSV antigenic polypeptides, at least two MeV antigenic polypeptides, or at least two BetaCoV antigenic polypeptides, e.g., selected from MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH and HCoV-HKU1, or any combination of two or more of the foregoing antigenic polypeptides). In some embodiments, the open reading frame encodes at least five or at least ten antigenic polypeptides. In some embodiments, the open reading frame encodes at least 100 antigenic polypeptides. In some embodiments, the open reading frame encodes 2-100 antigenic polypeptides.

In some embodiments, a vaccine comprises at least two RNA (e.g., mRNA) polynucleotides, each having an open reading frame encoding at least one antigenic polypeptide (e.g., at least one hMPV antigenic polypeptide, at least one PIV3 antigenic polypeptide, at least one RSV antigenic polypeptide, at least one MeV antigenic polypeptide, or at least one BetaCoV antigenic polypeptide, e.g., selected from MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH and HCoV-HKU1, or any combination of two or more of the foregoing antigenic polypeptides). In some embodiments, the vaccine comprises at least five or at least ten RNA (e.g., mRNA) polynucleotides, each having an open reading frame encoding at least one antigenic polypeptide or an immunogenic fragment thereof. In some embodiments, the vaccine comprises at least 100 RNA (e.g., mRNA) polynucleotides, each having an open reading frame encoding at least one antigenic polypeptide. In some embodiments, the vaccine comprises 2-100 RNA (e.g., mRNA) polynucleotides, each having an open reading frame encoding at least one antigenic polypeptide.

In some embodiments, at least one antigenic polypeptide (e.g., at least one hMPV antigenic polypeptide, at least one PIV3 antigenic polypeptide, at least one RSV antigenic polypeptide, at least one MeV antigenic polypeptide, or at least one BetaCoV antigenic polypeptide, e.g., selected from MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH and HCoV-HKU1, or any combination of two or more of the foregoing antigenic polypeptides) is fused to a signal peptide. In some embodiments, the signal peptide is selected from: a HulgGk signal peptide (METPAQLLFLLLWLPDITG; SEQ ID NO: 15); IgE heavy chain epsilon-1 signal peptide (MDWTWILFLVAAATRVHS; SEQ ID NO: 16); Japanese encephalitis PRM signal sequence (MLGSNSGQRVVFITLLLLVAPAYS; SEQ ID NO: 17); VSVg protein signal sequence (MKCLLYLAFLFIGVNCA; SEQ ID NO: 18) and Japanese encephalitis JEV signal sequence (MWLVSLAIVTACAGA; SEQ ID NO: 19).

In some embodiments, the signal peptide is fused to the N-terminus of at least one antigenic polypeptide. In some embodiments, a signal peptide is fused to the C-terminus of at least one antigenic polypeptide.

In some embodiments, at least one antigenic polypeptide (e.g., at least one hMPV antigenic polypeptide, at least one PIV3 antigenic polypeptide, at least one RSV antigenic polypeptide, at least one MeV antigenic polypeptide, or at least one BetaCoV antigenic polypeptide, e.g., selected from MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH and HCoV-HKU1, or any combination of two or more of the foregoing antigenic polypeptides) comprises a mutated N-linked glycosylation site.

Also provided herein is a RNA (e.g., mRNA) vaccine of any one of the foregoing paragraphs (e.g., a hMPV vaccine, a PIV3 vaccine, a RSV vaccine, a MeV vaccine, or a BetaCoV vaccine, e.g., selected from MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH and HCoV-HKU1, or any combination of two or more of the foregoing vaccines), formulated in a nanoparticle (e.g., a lipid nanoparticle).

In some embodiments, the nanoparticle has a mean diameter of 50-200 nm. In some embodiments, the nanoparticle is a lipid nanoparticle. In some embodiments, the lipid nanoparticle comprises a cationic lipid, a PEG-modified lipid, a sterol and a non-cationic lipid. In some embodiments, the lipid nanoparticle comprises a molar ratio of about 20-60% cationic lipid, 0.5-15% PEG-modified lipid, 25-55% sterol, and 25% non-cationic lipid. In some embodiments, the cationic lipid is an ionizable cationic lipid and the non-cationic lipid is a neutral lipid, and the sterol is a cholesterol. In some embodiments, the cationic lipid is selected from 2,2-dilinoleyl-4-dimethylaminoethyl[1,3]-dioxolane (DLin-KC2-DMA), dilinoleyl-methyl-4-dimethylaminobutyrate (DLin-MC3-DMA), and di((Z)-non-2-en-1-yl) 9-((4-(dimethylamino)butanoyl)oxy)heptadecanedioate (L319).

In some embodiments, a lipid nanoparticle comprises compounds of Formula (I) and/or Formula (II), as discussed below.

In some embodiments, a lipid nanoparticle comprises Compounds 3, 18, 20, 25, 26, 29, 30, 60, 108-112, or 122, as discussed below.

In some embodiments, the nanoparticle has a polydispersity value of less than 0.4 (e.g., less than 0.3, 0.2 or 0.1).

In some embodiments, the nanoparticle has a net neutral charge at a neutral pH value.

In some embodiments, the respiratory virus vaccine is multivalent.

Some embodiments of the present disclosure provide methods of inducing an antigen specific immune response in a subject, comprising administering to the subject any of the RNA (e.g., mRNA) vaccine as provided herein in an amount effective to produce an antigen-specific immune response. In some embodiments, the RNA (e.g., mRNA) vaccine is a hMPV vaccine, a PIV3 vaccine, a RSV vaccine, a MeV vaccine, or a BetaCoV vaccine, e.g., selected from MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH and HCoV-HKU1 vaccines. In some embodiments, the RNA (e.g., mRNA) vaccine is a combination vaccine comprising a combination of any two or more of the foregoing vaccines.

In some embodiments, an antigen-specific immune response comprises a T cell response or a B cell response.

In some embodiments, a method of producing an antigen-specific immune response comprises administering to a subject a single dose (no booster dose) of a RNA (e.g., mRNA) vaccine of the present disclosure. In some embodiments, the RNA (e.g., mRNA) vaccine is a hMPV vaccine, a PIV3 vaccine, a RSV vaccine, a MeV vaccine, or a BetaCoV vaccine, e.g., selected from MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH and HCoV-HKU1 vaccines. In some embodiments, the RNA (e.g., mRNA) vaccine is a combination vaccine comprising a combination of any two or more of the foregoing vaccines.

In some embodiments, a method further comprises administering to the subject a second (booster) dose of a RNA (e.g., mRNA) vaccine. Additional doses of a RNA (e.g., mRNA) vaccine may be administered.

In some embodiments, the subjects exhibit a seroconversion rate of at least 80% (e.g., at least 85%, at least 90%, or at least 95%) following the first dose or the second (booster) dose of the vaccine. Seroconversion is the time period during which a specific antibody develops and becomes detectable in the blood. After seroconversion has occurred, a virus can be detected in blood tests for the antibody. During an infection or immunization, antigens enter the blood, and the immune system begins to produce antibodies in response. Before seroconversion, the antigen itself may or may not be detectable, but antibodies are considered absent. During seroconversion, antibodies are present but not yet detectable. Any time after seroconversion, the antibodies can be detected in the blood, indicating a prior or current infection.

In some embodiments, a RNA (e.g., mRNA) vaccine is administered to a subject by intradermal or intramuscular injection.

Some embodiments, of the present disclosure provide methods of inducing an antigen specific immune response in a subject, including administering to a subject a RNA (e.g., mRNA) vaccine in an effective amount to produce an antigen specific immune response in a subject. Antigen-specific immune responses in a subject may be determined, in some embodiments, by assaying for antibody titer (for titer of an antibody that binds to a hMPV, PIV3, RSV, MeV and/or BetaCoV antigenic polypeptide) following administration to the subject of any of the RNA (e.g., mRNA) vaccines of the present disclosure. In some embodiments, the anti-antigenic polypeptide antibody titer produced in the subject is increased by at least 1 log relative to a control. In some embodiments, the anti-antigenic polypeptide antibody titer produced in the subject is increased by 1-3 log relative to a control.

In some embodiments, the anti-antigenic polypeptide antibody titer produced in a subject is increased at least 2 times relative to a control. In some embodiments, the anti-antigenic polypeptide antibody titer produced in the subject is increased at least 5 times relative to a control. In some embodiments, the anti-antigenic polypeptide antibody titer produced in the subject is increased at least 10 times relative to a control. In some embodiments, the anti-antigenic polypeptide antibody titer produced in the subject is increased 2-10 times relative to a control.

In some embodiments, the control is an anti-antigenic polypeptide antibody titer produced in a subject who has not been administered a RNA (e.g., mRNA) vaccine of the present disclosure. In some embodiments, the control is an anti-antigenic polypeptide antibody titer produced in a subject who has been administered a live attenuated or inactivated hMPV, PIV3, RSV, MeV and/or BetaCoV vaccine (see, e.g., Ren J. et al. *J of Gen. Virol.* 2015; 96: 1515-1520), or wherein the control is an anti-antigenic polypeptide antibody titer produced in a subject who has been administered a recombinant or purified hMPV, PIV3, RSV, MeV and/or BetaCoV protein vaccine. In some embodiments, the control is an anti-antigenic polypeptide antibody titer produced in a subject who has been administered a hMPV, PIV3, RSV, MeV and/or BetaCoV virus-like particle (VLP) vaccine (see, e.g., Cox R G et al., *J Virol.* 2014 June; 88(11): 6368-6379).

A RNA (e.g., mRNA) vaccine of the present disclosure is administered to a subject in an effective amount (an amount effective to induce an immune response). In some embodiments, the effective amount is a dose equivalent to an at least 2-fold, at least 4-fold, at least 10-fold, at least 100-fold, at least 1000-fold reduction in the standard of care dose of a

recombinant hMPV, PIV3, RSV, MeV and/or BetaCoV protein vaccine, wherein the anti-antigenic polypeptide antibody titer produced in the subject is equivalent to an anti-antigenic polypeptide antibody titer produced in a control subject administered the standard of care dose of a recombinant hMPV, PIV3, RSV, MeV and/or BetaCoV protein vaccine, a purified hMPV, PIV3, RSV, MeV and/or BetaCoV protein vaccine, a live attenuated hMPV, PIV3, RSV, MeV and/or BetaCoV vaccine, an inactivated hMPV, PIV3, RSV, MeV and/or BetaCoV vaccine, or a hMPV, PIV3, RSV, MeV and/or BetaCoV VLP vaccine. In some embodiments, the effective amount is a dose equivalent to 2-1000-fold reduction in the standard of care dose of a recombinant hMPV, PIV3, RSV, MeV and/or BetaCoV protein vaccine, wherein the anti-antigenic polypeptide antibody titer produced in the subject is equivalent to an anti-antigenic polypeptide antibody titer produced in a control subject administered the standard of care dose of a recombinant hMPV, PIV3, RSV, MeV and/or BetaCoV protein vaccine, a purified hMPV, PIV3, RSV, MeV and/or BetaCoV protein vaccine, a live attenuated hMPV, PIV3, RSV, MeV and/or BetaCoV vaccine, an inactivated hMPV, PIV3, RSV, MeV and/or BetaCoV vaccine, or a hMPV, PIV3, RSV, MeV and/or BetaCoV VLP vaccine.

In some embodiments, the control is an anti-antigenic polypeptide antibody titer produced in a subject who has been administered a virus-like particle (VLP) vaccine comprising structural proteins of hMPV, PIV3, RSV, MeV and/or BetaCoV.

In some embodiments, the RNA (e.g., mRNA) vaccine is formulated in an effective amount to produce an antigen specific immune response in a subject.

In some embodiments, the effective amount is a total dose of 25 µg to 1000 µg, or 50 µg to 1000 µg. In some embodiments, the effective amount is a total dose of 100 µg. In some embodiments, the effective amount is a dose of 25 µg administered to the subject a total of two times. In some embodiments, the effective amount is a dose of 100 µg administered to the subject a total of two times. In some embodiments, the effective amount is a dose of 400 µg administered to the subject a total of two times. In some embodiments, the effective amount is a dose of 500 µg administered to the subject a total of two times.

In some embodiments, the efficacy (or effectiveness) of a RNA (e.g., mRNA) vaccine is greater than 60%. In some embodiments, the RNA (e.g., mRNA) polynucleotide of the vaccine at least one hMPV antigenic polypeptide, at least one PIV3 antigenic polypeptide, at least one RSV antigenic polypeptide, at least one MeV antigenic polypeptide, at least one BetaCoV antigenic polypeptide, e.g., selected from MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH and HCoV-HKU1, or any combination of two or more of the foregoing antigenic polypeptides.

Vaccine efficacy may be assessed using standard analyses (see, e.g., Weinberg et al., *J Infect Dis.* 2010 Jun. 1; 201(11):1607-10). For example, vaccine efficacy may be measured by double-blind, randomized, clinical controlled trials. Vaccine efficacy may be expressed as a proportionate reduction in disease attack rate (AR) between the unvaccinated (ARU) and vaccinated (ARV) study cohorts and can be calculated from the relative risk (RR) of disease among the vaccinated group with use of the following formulas:

$$\text{Efficacy} = (\text{ARU} - \text{ARV}) / \text{ARU} \times 100; \text{ and}$$

$$\text{Efficacy} = (1 - \text{RR}) \times 100.$$

Likewise, vaccine effectiveness may be assessed using standard analyses (see, e.g., Weinberg et al., *J Infect Dis.* 2010 Jun. 1; 201(11):1607-10). Vaccine effectiveness is an assessment of how a vaccine (which may have already proven to have high vaccine efficacy) reduces disease in a population. This measure can assess the net balance of benefits and adverse effects of a vaccination program, not just the vaccine itself, under natural field conditions rather than in a controlled clinical trial. Vaccine effectiveness is proportional to vaccine efficacy (potency) but is also affected by how well target groups in the population are immunized, as well as by other non-vaccine-related factors that influence the 'real-world' outcomes of hospitalizations, ambulatory visits, or costs. For example, a retrospective case control analysis may be used, in which the rates of vaccination among a set of infected cases and appropriate controls are compared. Vaccine effectiveness may be expressed as a rate difference, with use of the odds ratio (OR) for developing infection despite vaccination:

$$\text{Effectiveness}=(1-\text{OR})\times 100.$$

In some embodiments, the efficacy (or effectiveness) of a RNA (e.g., mRNA) vaccine is at least 65%, at least 70%, at least 75%, at least 80%, at least 85%, or at least 90%.

In some embodiments, the vaccine immunizes the subject against hMPV, PIV3, RSV, MeV, BetaCoV (e.g., selected from MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH and HCoV-HKU1), or any combination of two or more of the foregoing viruses for up to 2 years. In some embodiments, the vaccine immunizes the subject against hMPV, PIV3, RSV, MeV, BetaCoV (e.g., selected from MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH and HCoV-HKU1), or any combination of two or more of the foregoing viruses for more than 2 years, more than 3 years, more than 4 years, or for 5-10 years.

In some embodiments, the subject is about 5 years old or younger. For example, the subject may be between the ages of about 1 year and about 5 years (e.g., about 1, 2, 3, 5 or 5 years), or between the ages of about 6 months and about 1 year (e.g., about 6, 7, 8, 9, 10, 11 or 12 months). In some embodiments, the subject is about 12 months or younger (e.g., 12, 11, 10, 9, 8, 7, 6, 5, 4, 3, 2 months or 1 month). In some embodiments, the subject is about 6 months or younger.

In some embodiments, the subject was born full term (e.g., about 37-42 weeks). In some embodiments, the subject was born prematurely, for example, at about 36 weeks of gestation or earlier (e.g., about 36, 35, 34, 33, 32, 31, 30, 29, 28, 27, 26 or 25 weeks). For example, the subject may have been born at about 32 weeks of gestation or earlier. In some embodiments, the subject was born prematurely between about 32 weeks and about 36 weeks of gestation. In such subjects, a RNA (e.g., mRNA) vaccine may be administered later in life, for example, at the age of about 6 months to about 5 years, or older.

In some embodiments, the subject is pregnant (e.g., in the first, second or third trimester) when administered an RNA (e.g., mRNA) vaccine. Viruses such as hMPV, PIV3 and RSV causes infections of the lower respiratory tract, mainly in infants and young children. One-third of RSV related deaths, for example, occur in the first year of life, with 99 percent of these deaths occurring in low-resource countries. It's so widespread in the United States that nearly all children become infected with the virus before their second birthdays. Thus, the present disclosure provides RNA (e.g.,

mRNA) vaccines for maternal immunization to improve mother-to-child transmission of protection against the virus.

In some embodiments, the subject is a young adult between the ages of about 20 years and about 50 years (e.g., about 20, 25, 30, 35, 40, 45 or 50 years old).

In some embodiments, the subject is an elderly subject about 60 years old, about 70 years old, or older (e.g., about 60, 65, 70, 75, 80, 85 or 90 years old).

In some embodiments, the subject has a chronic pulmonary disease (e.g., chronic obstructive pulmonary disease (COPD) or asthma). Two forms of COPD include chronic bronchitis, which involves a long-term cough with mucus, and emphysema, which involves damage to the lungs over time. Thus, a subject administered a RNA (e.g., mRNA) vaccine may have chronic bronchitis or emphysema.

In some embodiments, the subject has been exposed to hMPV, PIV3, RSV, MeV, BetaCoV (e.g., selected from MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH and HCoV-HKU1), or any combination of two or more of the foregoing viruses; the subject is infected with hMPV, PIV3, RSV, MeV, BetaCoV (e.g., selected from MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH and HCoV-HKU1), or any combination of two or more of the foregoing viruses; or subject is at risk of infection by hMPV, PIV3, RSV, MeV, BetaCoV (e.g., selected from MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH and HCoV-HKU1), or any combination of two or more of the foregoing viruses.

In some embodiments, the subject is immunocompromised (has an impaired immune system, e.g., has an immune disorder or autoimmune disorder).

In some embodiments the nucleic acid vaccines described herein are chemically modified. In other embodiments the nucleic acid vaccines are unmodified.

Yet other aspects provide compositions for and methods of vaccinating a subject comprising administering to the subject a nucleic acid vaccine comprising one or more RNA polynucleotides having an open reading frame encoding a first respiratory virus antigenic polypeptide, wherein the RNA polynucleotide does not include a stabilization element, and wherein an adjuvant is not coformulated or co-administered with the vaccine.

In other aspects the invention is a composition for or method of vaccinating a subject comprising administering to the subject a nucleic acid vaccine comprising one or more RNA polynucleotides having an open reading frame encoding a first antigenic polypeptide wherein a dosage of between 10 $\mu\text{g}/\text{kg}$ and 400 $\mu\text{g}/\text{kg}$ of the nucleic acid vaccine is administered to the subject. In some embodiments the dosage of the RNA polynucleotide is 1-5 μg , 5-10 μg , 10-15 μg , 15-20 μg , 10-25 μg , 20-25 μg , 20-50 μg , 30-50 μg , 40-50 μg , 40-60 μg , 60-80 μg , 60-100 μg , 50-100 μg , 80-120 μg , 40-120 μg , 40-150 μg , 50-150 μg , 50-200 μg , 80-200 μg , 100-200 μg , 120-250 μg , 150-250 μg , 180-280 μg , 200-300 μg , 50-300 μg , 80-300 μg , 100-300 μg , 40-300 μg , 50-350 μg , 100-350 μg , 200-350 μg , 300-350 μg , 320-400 μg , 40-380 μg , 40-100 μg , 100-400 μg , 200-400 μg , or 300-400 μg per dose. In some embodiments, the nucleic acid vaccine is administered to the subject by intradermal or intramuscular injection. In some embodiments, the nucleic acid vaccine is administered to the subject on day zero. In some embodiments, a second dose of the nucleic acid vaccine is administered to the subject on day twenty one.

In some embodiments, a dosage of 25 micrograms of the RNA polynucleotide is included in the nucleic acid vaccine administered to the subject. In some embodiments, a dosage

of 100 micrograms of the RNA polynucleotide is included in the nucleic acid vaccine administered to the subject. In some embodiments, a dosage of 50 micrograms of the RNA polynucleotide is included in the nucleic acid vaccine administered to the subject. In some embodiments, a dosage of 75 micrograms of the RNA polynucleotide is included in the nucleic acid vaccine administered to the subject. In some embodiments, a dosage of 150 micrograms of the RNA polynucleotide is included in the nucleic acid vaccine administered to the subject. In some embodiments, a dosage of 400 micrograms of the RNA polynucleotide is included in the nucleic acid vaccine administered to the subject. In some embodiments, a dosage of 200 micrograms of the RNA polynucleotide is included in the nucleic acid vaccine administered to the subject. In some embodiments, the RNA polynucleotide accumulates at a 100 fold higher level in the local lymph node in comparison with the distal lymph node. In other embodiments the nucleic acid vaccine is chemically modified and in other embodiments the nucleic acid vaccine is not chemically modified.

Aspects of the invention provide a nucleic acid vaccine comprising one or more RNA polynucleotides having an open reading frame encoding a first antigenic polypeptide, wherein the RNA polynucleotide does not include a stabilization element, and a pharmaceutically acceptable carrier or excipient, wherein an adjuvant is not included in the vaccine. In some embodiments, the stabilization element is a histone stem-loop. In some embodiments, the stabilization element is a nucleic acid sequence having increased GC content relative to wild type sequence.

Aspects of the invention provide nucleic acid vaccines comprising one or more RNA polynucleotides having an open reading frame encoding a first antigenic polypeptide, wherein the RNA polynucleotide is present in the formulation for in vivo administration to a host, which confers an antibody titer superior to the criterion for seroprotection for the first antigen for an acceptable percentage of human subjects. In some embodiments, the antibody titer produced by the mRNA vaccines of the invention is a neutralizing antibody titer. In some embodiments the neutralizing antibody titer is greater than a protein vaccine. In other embodiments the neutralizing antibody titer produced by the mRNA vaccines of the invention is greater than an adjuvanted protein vaccine. In yet other embodiments the neutralizing antibody titer produced by the mRNA vaccines of the invention is 1,000-10,000, 1,200-10,000, 1,400-10,000, 1,500-10,000, 1,000-5,000, 1,000-4,000, 1,800-10,000, 2,000-10,000, 2,000-5,000, 2,000-3,000, 2,000-4,000, 3,000-5,000, 3,000-4,000, or 2,000-2,500. A neutralization titer is typically expressed as the highest serum dilution required to achieve a 50% reduction in the number of plaques.

Also provided are nucleic acid vaccines comprising one or more RNA polynucleotides having an open reading frame encoding a first antigenic polypeptide, wherein the RNA polynucleotide is present in a formulation for in vivo administration to a host for eliciting a longer lasting high antibody titer than an antibody titer elicited by an mRNA vaccine having a stabilizing element or formulated with an adjuvant and encoding the first antigenic polypeptide. In some embodiments, the RNA polynucleotide is formulated to produce a neutralizing antibodies within one week of a single administration. In some embodiments, the adjuvant is selected from a cationic peptide and an immunostimulatory nucleic acid. In some embodiments, the cationic peptide is protamine.

Aspects provide nucleic acid vaccines comprising one or more RNA polynucleotides having an open reading frame

comprising at least one chemical modification or optionally no nucleotide modification, the open reading frame encoding a first antigenic polypeptide, wherein the RNA polynucleotide is present in the formulation for in vivo administration to a host such that the level of antigen expression in the host significantly exceeds a level of antigen expression produced by an mRNA vaccine having a stabilizing element or formulated with an adjuvant and encoding the first antigenic polypeptide.

Other aspects provide nucleic acid vaccines comprising one or more RNA polynucleotides having an open reading frame comprising at least one chemical modification or optionally no nucleotide modification, the open reading frame encoding a first antigenic polypeptide, wherein the vaccine has at least 10 fold less RNA polynucleotide than is required for an unmodified mRNA vaccine to produce an equivalent antibody titer. In some embodiments, the RNA polynucleotide is present in a dosage of 25-100 micrograms.

Aspects of the invention also provide a unit of use vaccine, comprising between 10 ug and 400 ug of one or more RNA polynucleotides having an open reading frame comprising at least one chemical modification or optionally no nucleotide modification, the open reading frame encoding a first antigenic polypeptide, and a pharmaceutically acceptable carrier or excipient, formulated for delivery to a human subject. In some embodiments, the vaccine further comprises a cationic lipid nanoparticle.

Aspects of the invention provide methods of creating, maintaining or restoring antigenic memory to a respiratory virus strain in an individual or population of individuals comprising administering to said individual or population an antigenic memory booster nucleic acid vaccine comprising (a) at least one RNA polynucleotide, said polynucleotide comprising at least one chemical modification or optionally no nucleotide modification and two or more codon-optimized open reading frames, said open reading frames encoding a set of reference antigenic polypeptides, and (b) optionally a pharmaceutically acceptable carrier or excipient. In some embodiments, the vaccine is administered to the individual via a route selected from the group consisting of intramuscular administration, intradermal administration and subcutaneous administration. In some embodiments, the administering step comprises contacting a muscle tissue of the subject with a device suitable for injection of the composition. In some embodiments, the administering step comprises contacting a muscle tissue of the subject with a device suitable for injection of the composition in combination with electroporation.

Aspects of the invention provide methods of vaccinating a subject comprising administering to the subject a single dosage of between 25 ug/kg and 400 ug/kg of a nucleic acid vaccine comprising one or more RNA polynucleotides having an open reading frame encoding a first antigenic polypeptide in an effective amount to vaccinate the subject.

Other aspects provide nucleic acid vaccines comprising one or more RNA polynucleotides having an open reading frame comprising at least one chemical modification, the open reading frame encoding a first antigenic polypeptide, wherein the vaccine has at least 10 fold less RNA polynucleotide than is required for an unmodified mRNA vaccine to produce an equivalent antibody titer. In some embodiments, the RNA polynucleotide is present in a dosage of 25-100 micrograms.

Other aspects provide nucleic acid vaccines comprising an LNP formulated RNA polynucleotide having an open reading frame comprising no nucleotide modifications (unmodified), the open reading frame encoding a first antigenic

polypeptide, wherein the vaccine has at least 10 fold less RNA polynucleotide than is required for an unmodified mRNA vaccine not formulated in a LNP to produce an equivalent antibody titer. In some embodiments, the RNA polynucleotide is present in a dosage of 25-100 micrograms.

The data presented in the Examples demonstrate significant enhanced immune responses using the formulations of the invention. Both chemically modified and unmodified RNA vaccines are useful according to the invention. Surprisingly, in contrast to prior art reports that it was preferable to use chemically unmodified mRNA formulated in a carrier for the production of vaccines, it is described herein that chemically modified mRNA-LNP vaccines required a much lower effective mRNA dose than unmodified mRNA, i.e., tenfold less than unmodified mRNA when formulated in carriers other than LNP. Both the chemically modified and unmodified RNA vaccines of the invention produce better immune responses than mRNA vaccines formulated in a different lipid carrier.

In other aspects the invention encompasses a method of treating an elderly subject age 60 years or older comprising administering to the subject a nucleic acid vaccine comprising one or more RNA polynucleotides having an open reading frame encoding a respiratory virus antigenic polypeptide in an effective amount to vaccinate the subject.

In other aspects the invention encompasses a method of treating a young subject age 17 years or younger comprising administering to the subject a nucleic acid vaccine comprising one or more RNA polynucleotides having an open reading frame encoding a respiratory virus antigenic polypeptide in an effective amount to vaccinate the subject.

In other aspects the invention encompasses a method of treating an adult subject comprising administering to the subject a nucleic acid vaccine comprising one or more RNA polynucleotides having an open reading frame encoding a respiratory virus antigenic polypeptide in an effective amount to vaccinate the subject.

In some aspects the invention is a method of vaccinating a subject with a combination vaccine including at least two nucleic acid sequences encoding respiratory antigens wherein the dosage for the vaccine is a combined therapeutic dosage wherein the dosage of each individual nucleic acid encoding an antigen is a sub therapeutic dosage. In some embodiments, the combined dosage is 25 micrograms of the RNA polynucleotide in the nucleic acid vaccine administered to the subject. In some embodiments, the combined dosage is 100 micrograms of the RNA polynucleotide in the nucleic acid vaccine administered to the subject. In some embodiments the combined dosage is 50 micrograms of the RNA polynucleotide in the nucleic acid vaccine administered to the subject. In some embodiments, the combined dosage is 75 micrograms of the RNA polynucleotide in the nucleic acid vaccine administered to the subject. In some embodiments, the combined dosage is 150 micrograms of the RNA polynucleotide in the nucleic acid vaccine administered to the subject. In some embodiments, the combined dosage is 400 micrograms of the RNA polynucleotide in the nucleic acid vaccine administered to the subject. In some embodiments, the sub therapeutic dosage of each individual nucleic acid encoding an antigen is 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, or 20 micrograms. In other embodiments the nucleic acid vaccine is chemically modified and in other embodiments the nucleic acid vaccine is not chemically modified.

The RNA polynucleotide is one of SEQ ID NO: 1-4, 9-12, 20-23, 35-46, 57-61, and 64-80 and includes at least one chemical modification. In other embodiments the RNA

polynucleotide is one of SEQ ID NO: 1-4, 9-12, 20-23, 35-46, 57-61, and 64-80 and does not include any nucleotide modifications, or is unmodified. In yet other embodiments the at least one RNA polynucleotide encodes an antigenic protein of any of SEQ ID NO: 5-8, 12-13, 24-34, and 47-50 and includes at least one chemical modification. In other embodiments the RNA polynucleotide encodes an antigenic protein of any of SEQ ID NO: 5-8, 12-13, 24-34, and 47-50 and does not include any nucleotide modifications, or is unmodified.

In preferred aspects, vaccines of the invention (e.g., LNP-encapsulated mRNA vaccines) produce prophylactically- and/or therapeutically- efficacious levels, concentrations and/or titers of antigen-specific antibodies in the blood or serum of a vaccinated subject. As defined herein, the term antibody titer refers to the amount of antigen-specific antibody produced in a subject, e.g., a human subject. In exemplary embodiments, antibody titer is expressed as the inverse of the greatest dilution (in a serial dilution) that still gives a positive result. In exemplary embodiments, antibody titer is determined or measured by enzyme-linked immunosorbent assay (ELISA). In exemplary embodiments, antibody titer is determined or measured by neutralization assay, e.g., by microneutralization assay. In certain aspects, antibody titer measurement is expressed as a ratio, such as 1:40, 1:100, etc.

In exemplary embodiments of the invention, an efficacious vaccine produces an antibody titer of greater than 1:40, greater than 1:100, greater than 1:400, greater than 1:1000, greater than 1:2000, greater than 1:3000, greater than 1:4000, greater than 1:500, greater than 1:6000, greater than 1:7500, greater than 1:10000. In exemplary embodiments, the antibody titer is produced or reached by 10 days following vaccination, by 20 days following vaccination, by 30 days following vaccination, by 40 days following vaccination, or by 50 or more days following vaccination. In exemplary embodiments, the titer is produced or reached following a single dose of vaccine administered to the subject. In other embodiments, the titer is produced or reached following multiple doses, e.g., following a first and a second dose (e.g., a booster dose.)

In exemplary aspects of the invention, antigen-specific antibodies are measured in units of $\mu\text{g/ml}$ or are measured in units of IU/L (International Units per liter) or mIU/ml (milli International Units per ml). In exemplary embodiments of the invention, an efficacious vaccine produces $>0.5 \mu\text{g/ml}$, $>0.1 \mu\text{g/ml}$, $>0.2 \mu\text{g/ml}$, $>0.35 \mu\text{g/ml}$, $>0.5 \mu\text{g/ml}$, $>1 \mu\text{g/ml}$, $>2 \mu\text{g/ml}$, $>5 \mu\text{g/ml}$ or $>10 \mu\text{g/ml}$. In exemplary embodiments of the invention, an efficacious vaccine produces $>10 \text{ mIU/ml}$, $>20 \text{ mIU/ml}$, $>50 \text{ mIU/ml}$, $>100 \text{ mIU/ml}$, $>200 \text{ mIU/ml}$, $>500 \text{ mIU/ml}$ or $>1000 \text{ mIU/ml}$. In exemplary embodiments, the antibody level or concentration is produced or reached by 10 days following vaccination, by 20 days following vaccination, by 30 days following vaccination, by 40 days following vaccination, or by 50 or more days following vaccination. In exemplary embodiments, the level or concentration is produced or reached following a single dose of vaccine administered to the subject. In other embodiments, the level or concentration is produced or reached following multiple doses, e.g., following a first and a second dose (e.g., a booster dose.) In exemplary embodiments, antibody level or concentration is determined or measured by enzyme-linked immunosorbent assay (ELISA). In exemplary embodiments, antibody level or concentration is determined or measured by neutralization assay, e.g., by microneutralization assay.

The details of various embodiments of the disclosure are set forth in the description below. Other features, objects, and advantages of the disclosure will be apparent from the description and from the claims.

BRIEF DESCRIPTION OF THE DRAWINGS

The foregoing and other objects, features and advantages will be apparent from the following description of particular embodiments of the disclosure, as illustrated in the accompanying drawings in which like reference characters refer to the same parts throughout the different views. The drawings are not necessarily to scale, emphasis instead being placed upon illustrating the principles of various embodiments of the disclosure.

FIG. 1 shows a schematic of one example of a RNA (e.g. mRNA) vaccine construct of the present disclosure. The construct depicts a human *Metapneumovirus* and human respiratory syncytial virus full length fusion protein obtained from wild-type strains (*The Journal of General Virology*. 2008; 89(Pt 12): 3113-3118, incorporated herein by reference).

FIGS. 2A-2C are graphs showing the levels of anti-hMPV fusion protein-specific antibodies in the serum of mice immunized with hMPV mRNA vaccines on day 0 (FIG. 2A), day 14 (FIG. 2B) and day 35 (FIG. 2C) post immunization. The mice were immunized with a single dose (2 μ g or 10 μ g) on day 0 and were given a boost dose (2 μ g or 10 μ g) on day 21, hMPV fusion protein-specific antibodies were detected at up to 1:10000 dilution of serum on day 35 for both doses.

FIGS. 3A-3C are graphs showing the result of IgG isotyping in the serum of mice immunized with hMPV mRNA vaccines. The levels of hMPV fusion protein-specific IgG2a (FIG. 3A) and IgG1 (FIG. 3B) antibodies in the serum are measured by ELISA. FIG. 3C shows that hMPV fusion protein mRNA vaccine induced a mixed Th1/Th2 cytokine response with a Th1 bias.

FIG. 4 is a graph showing in vitro neutralization of a hMPV B2 strain (TN/91-316) using the sera of mice immunized with a mRNA vaccine encoding hMPV fusion protein. Mouse serum obtained from mice receiving a 10 μ g or a 2 μ g dose contained hMPV-neutralizing antibodies.

FIGS. 5A-5C are graphs showing a Th1 cytokine response induced by a hMPV fusion peptide pool (15-mers-50 (overlap)) in splenocytes isolated from mice immunized with the hMPV mRNA vaccines. Virus-free media was used as a negative control and Concanavalin A (ConA, a positive control for splenocyte stimulation) was included. The cytokines tested included IFN- γ (FIG. 5A), IL-2 (FIG. 5B) and IL12 (FIG. 5C).

FIGS. 6A-6E are graphs showing the Th2 cytokine response induced by a hMPV fusion peptide pool (15-mers-50) in splenocytes isolated from mice immunized with the hMPV mRNA vaccines. Virus-free media was used as a negative control and Concanavalin A was also included. The cytokines tested included IL-10 (FIG. 6A), TNF- α (FIG. 6B), IL4 (FIG. 6C), IL-5 (FIG. 6D) and IL-6 (FIG. 6E).

FIGS. 7A-7C are graphs showing the Th1 response induced by inactivated hMPV virus in splenocytes isolated from mice immunized with hMPV mRNA vaccines. Virus-free media was used as a negative control and Concanavalin A was included. The cytokines tested included IFN- γ (FIG. 7A), IL-2 (FIG. 7B) and IL12 (FIG. 7C).

FIGS. 8A-8E are graphs showing the Th2 response induced by inactivated hMPV virus in splenocytes isolated from mice immunized with the hMPV mRNA vaccines. Virus-free media was used as a negative control and Con-

canavalin A was included. The cytokines tested include IL-10 (FIG. 8A), TNF- α (FIG. 8B), IL4 (FIG. 8C), IL-5 (FIG. 8D) and IL-6 (FIG. 8E).

FIGS. 9A-9B are graphs showing the results of cotton rat challenge experiments. Two different doses of the hMPV mRNA vaccines were used (2 μ g or 10 μ g doses) to immunize the cotton rats before challenge. The hMPV mRNA vaccines reduced the viral titer in the lung and nose of the cotton rat, with the 10 μ g dose being more effective in reducing viral titer. Use of a 10 μ g dose resulted in 100% protection in the lung and a 2 log reduction in nose viral titer. Use of a 2 μ g dose resulted in a 1 log reduction in lung viral titer and no reduction in nose viral titer. The vaccine was administered on Day 0, and a boost was administered on Day 21.

FIG. 10 is a graph showing the lung histopathology of cotton rats that received hMPV mRNA vaccines. Pathology associated with vaccine-enhanced disease was not observed in immunized groups.

FIG. 11 is a graph showing hMPV neutralization antibody titers in cotton rats that received hMPV mRNA vaccines (2 μ g or 10 μ g doses) on days 35 and 42 post immunization.

FIG. 12 is a graph showing the lung and nose viral load in cotton rats challenged with a hMPV/A2 strain after immunization with the indicated mRNA vaccines (hMPV mRNA vaccine or hMPV/PIV mRNA combination vaccine). Vaccinated cotton rats showed reduced lung and nose viral loads after challenge, compared to control.

FIG. 13 is a graph showing the lung and nose viral load in cotton rats challenged with PIV3 strain after immunization with indicated mRNA vaccines (PIV mRNA vaccine or hMPV/PIV combination vaccine). Vaccinated cotton rats showed reduced lung and nose viral loads after challenge, compared to control.

FIG. 14 is a graph showing hMPV neutralizing antibody titers in cotton rats that received different dosages of hMPV mRNA vaccines or hMPV/PIV combination mRNA vaccines on day 42 post immunization. The dosages of the vaccine are indicated in Table 9.

FIG. 15 is a graph showing PIV3 neutralizing antibody titers in cotton rats that received different dosages of PIV mRNA vaccines or hMPV/PIV combination mRNA vaccines on day 42 post immunization. The dosages of the vaccine are indicated in Table 9.

FIG. 16 is a graph showing the lung histopathology score of cotton rats immunized with hMPV mRNA vaccines, PIV mRNA vaccines or hMPV/PIV combination mRNA vaccines as indicated in Table 9. Low occurrence of alevolitis and interstitial pneumonia was observed, indicating no antibody-dependent enhancement (ADE) of hMPV associated diseases.

FIG. 17 is a graph showing the reciprocal MERS-CoV neutralizing antibody titers in mice immunized with *Beta-coronavirus* mRNA vaccine encoding the MERS-CoV full-length Spike protein, on days 0, 21, 42, and 56 post immunization.

FIG. 18 is a graph showing the reciprocal MERS-CoV neutralizing antibody titers in mice immunized with *Beta-coronavirus* mRNA vaccine encoding either the MERS-CoV full-length Spike protein, or the S2 subunit of the Spike protein. The full length spike protein induced a stronger immune response compared to the S2 subunit alone.

FIGS. 19A-19C are graphs showing the viral load in the nose and throat, the bronchoalveolar lavage (BAL), or the lungs of New Zealand white rabbits 4 days post challenge with MERS-CoV. The New Zealand white rabbits were immunized with one 20 μ g-dose (on day 0) or two 20

µg-doses (on day 0 and 21) of MERS-CoV mRNA vaccine encoding the full-length Spike protein before challenge. FIG. 19A shows that two doses of MERS-CoV mRNA vaccine resulted in a 3 log reduction of viral load in the nose and led to complete protection in the throat of the New Zealand white rabbits. FIG. 19B shows that two doses of MERS-CoV mRNA vaccine resulted in a 4 log reduction of viral load in the BAL of the New Zealand white rabbits. FIG. 19C show one dose of MERS-CoV mRNA vaccine resulted in a 2 log reduction of viral load, while two doses of MERS-CoV mRNA vaccine resulted in an over 4 log reduction of viral load in the lungs of the New Zealand white rabbits.

FIGS. 20A-20B are images and graphs showing viral load or replicating virus detected by PCR in the lungs of New Zealand white rabbits 4 days post challenge with MERS-CoV. The New Zealand white rabbits were immunized with a single 20 µg dose (on day 0, Group 1a) of MERS-CoV mRNA vaccine encoding the full-length Spike protein, two 20 µg doses (on day 0 and 21, Group 1b) of MERS-CoV mRNA vaccine encoding the full-length Spike protein, or placebo (Group 2) before challenge. FIG. 20A shows that two doses of 20 µg a MERS-CoV mRNA vaccine reduced over 99% (2 log) of viruses in the lungs of New Zealand white rabbits. FIG. 20B shows that the group of New Zealand white rabbits that received 2 doses of 20 µg MERS-CoV mRNA vaccine did not have any detectable replicating MERS-CoV virus in their lungs.

FIG. 21 is a graph showing the MERS-CoV neutralizing antibody titers in New Zealand white rabbits immunized with MERS-CoV mRNA vaccine encoding the full-length Spike protein. Immunization of the in New Zealand white rabbits were carried out as described in FIGS. 21A-21C. The results show that two doses of 20 µg MERS-CoV mRNA vaccine induced a significant amount of neutralizing antibodies against MERS-CoV (EC₅₀ between 500-1000). The MERS-CoV mRNA vaccine induced antibody titer is 3-5 fold better than any other vaccines tested in the same model.

DETAILED DESCRIPTION

The present disclosure provides, in some embodiments, vaccines that comprise RNA (e.g., mRNA) polynucleotides encoding a human *Metapneumovirus* (hMPV) antigenic polypeptide, a parainfluenza virus type 3 (PIV3) antigenic polypeptide, a respiratory syncytial virus (RSV) antigenic polypeptide, a measles virus (MeV) antigenic polypeptide, or a *Betacoronavirus* antigenic polypeptide (e.g., Middle East respiratory syndrome coronavirus (MERS-CoV), SARS-CoV, human coronavirus (HCoV)-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH (New Haven) and HCoV-HKU1) (see, e.g., Esper F. et al. *Emerging Infectious Diseases*, 12(5), 2006; and Pyrc K. et al. *Journal of Virology*, 81(7):3051-57, 2007, the contents of each of which is here incorporated by reference in their entirety). The present disclosure also provides, in some embodiments, combination vaccines that comprise at least one RNA (e.g., mRNA) polynucleotide encoding at least two antigenic polypeptides selected from hMPV antigenic polypeptides, PIV3 antigenic polypeptides, RSV antigenic polypeptides, MeV antigenic polypeptides and BetaCoV antigenic polypeptides. Also provided herein are methods of administering the RNA (e.g., mRNA) vaccines, methods of producing the RNA (e.g., mRNA) vaccines, compositions (e.g., pharmaceutical compositions) comprising the RNA (e.g., mRNA) vaccines, and nucleic acids (e.g., DNA) encoding the RNA

(e.g., mRNA) vaccines. In some embodiments, a RNA (e.g., mRNA) vaccine comprises an adjuvant, such as a flagellin adjuvant, as provided herein.

The RNA (e.g., mRNA) vaccines (e.g., hMPV, PIV3, RSV, MeV, BetaCoV RNA vaccines and combinations thereof), in some embodiments, may be used to induce a balanced immune response, comprising both cellular and humoral immunity, without many of the risks associated with DNA vaccination.

The entire contents of International Application No. PCT/US2015/02740 is incorporated herein by reference.

Human *Metapneumovirus* (hMPV)

hMPV shares substantial homology with respiratory syncytial virus (RSV) in its surface glycoproteins. hMPV fusion protein (F) is related to other paramyxovirus fusion proteins and appears to have homologous regions that may have similar functions. The hMPV fusion protein amino acid sequence contains features characteristic of other paramyxovirus F proteins, including a putative cleavage site and potential N-linked glycosylation sites. Paramyxovirus fusion proteins are synthesized as inactive precursors (F0) that are cleaved by host cell proteases into the biologically fusion-active F1 and F2 domains (see, e.g., Cseke G. et al. *Journal of Virology* 2007; 81(2):698-707, incorporated herein by reference). hMPV has one putative cleavage site, in contrast to the two sites established for RSV F, and only shares 34% amino acid sequence identity with RSV F. F2 is extracellular and disulfide linked to F1. Fusion proteins are type I glycoproteins existing as trimers, with two 4-3 heptad repeat domains at the N- and C-terminal regions of the protein (HR1 and HR2), which form coiled-coil alpha-helices. These coiled coils become apposed in an antiparallel fashion when the protein undergoes a conformational change into the fusogenic state. There is a hydrophobic fusion peptide N proximal to the N-terminal heptad repeat, which is thought to insert into the target cell membrane, while the association of the heptad repeats brings the transmembrane domain into close proximity, inducing membrane fusion (see, e.g., Baker, K A et al. *Mol. Cell* 1999; 3:309-319). This mechanism has been proposed for a number of different viruses, including RSV, influenza virus, and human immunodeficiency virus. Fusion proteins are major antigenic determinants for all known paramyxoviruses and for other viruses that possess similar fusion proteins such as human immunodeficiency virus, influenza virus, and Ebola virus.

In some embodiments, a hMPV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding hMPV fusion protein (F). In some embodiments, a hMPV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding a F1 or F2 subunit of a hMPV F protein. In some embodiments, a hMPV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding hMPV glycoprotein (G). In some embodiments, a hMPV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding hMPV matrix protein (M). In some embodiments, a hMPV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding hMPV phosphoprotein (P). In some embodiments, a hMPV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding hMPV nucleoprotein (N). In some embodiments, a hMPV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding hMPV SH protein (SH).

In some embodiments, a hMPV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding F protein, G protein, M protein, P protein, N protein and SH protein.

In some embodiments, a hMPV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding F protein and G protein. In some embodiments, a hMPV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding F protein and M protein. In some embodiments, a hMPV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding F protein and P protein. In some embodiments, a hMPV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding F protein and N protein. In some embodiments, a hMPV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding F protein and SH protein.

In some embodiments, a hMPV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding G protein and M protein. In some embodiments, a hMPV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding G protein and P protein. In some embodiments, a hMPV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding G protein and N protein. In some embodiments, a hMPV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding G protein and SH protein.

In some embodiments, a hMPV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding F protein, G protein and M protein. In some embodiments, a hMPV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding F protein, G protein and P protein. In some embodiments, a hMPV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding F protein, G protein and N protein. In some embodiments, a hMPV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding F protein, G protein and SH protein.

A hMPV vaccine may comprise, for example, at least one RNA (e.g., mRNA) polynucleotide having an open reading frame encoding at least one hMPV antigenic polypeptide identified by any one of SEQ ID NO: 5-8 (Table 3; see also amino acid sequences of Table 4).

A hMPV vaccine may comprise, for example, at least one RNA (e.g., mRNA) polynucleotide encoded by a nucleic acid (e.g., DNA) identified by any one of SEQ ID NO: 1-4 (Table 2).

The present disclosure is not limited by a particular strain of hMPV. The strain of hMPV used in a vaccine may be any strain of hMPV. Non-limiting examples of strains of hMPV for use as provide herein include the CAN98-75 (CAN75) and the CAN97-83 (CAN83) hMPV strains (Skiadopoulos M H et al. *J Virol.* 20014; 78(13):6927-37, incorporated herein by reference), a hMPV A1, A2, B1 or B2 strain (see, e.g., de Graaf M et al. *The Journal of General Virology* 2008; 89:975-83; Peret T C T et al. *The Journal of Infectious Disease* 2002; 185:1660-63, incorporated herein by reference), a hMPV isolate TN/92-4 (e.g., SEQ ID NO: 1 and 5), a hMPV isolate NL/1/99 (e.g., SEQ ID NO: 2 and 6), or a hMPV isolate PER/CFI0497/2010/B (e.g., SEQ ID NO: 3 and 7).

In some embodiments, at least one hMPV antigenic polypeptide is obtained from a hMPV A1, A2, B1 or B2 strain (see, e.g., de Graaf M et al. *The Journal of General Virology* 2008; 89:975-83; Peret T C T et al. *The Journal of*

Infectious Disease 2002; 185:1660-63, incorporated herein by reference). In some embodiments, at least one antigenic polypeptide is obtained from the CAN98-75 (CAN75) hMPV strain. In some embodiments, at least one antigenic polypeptide is obtained from the CAN97-83 (CAN83) hMPV strain. In some embodiments, at least one antigenic polypeptide is obtained from hMPV isolate TN/92-4 (e.g., SEQ ID NO: 1 and 5). In some embodiments, at least one antigenic polypeptide is obtained from hMPV isolate NL/1/99 (e.g., SEQ ID NO: 2 and 6). In some embodiments, at least one antigenic polypeptide is obtained from hMPV isolate PER/CFI0497/2010/B (e.g., SEQ ID NO: 3 and 7).

In some embodiments, hMPV vaccines comprise RNA (e.g., mRNA) polynucleotides encoding a hMPV antigenic polypeptides having at least 95%, at least 96%, at least 97%, at least 98% or at least 99% identity with hMPV F protein and having F protein activity.

A protein is considered to have F protein activity if, for example, the protein acts to fuse the viral envelope and host cell plasma membrane, mediates viral entry into a host cell via an interaction with arginine-glycine-aspartate RGD-binding integrins, or a combination thereof (see, e.g., Cox R G et al. *J Virol.* 2012; 88(22):12148-60, incorporated herein by reference).

In some embodiments, hMPV vaccines comprise RNA (e.g., mRNA) polynucleotides encoding hMPV antigenic polypeptides having at least 95%, at least 96%, at least 97%, at least 98% or at least 99% identity with hMPV G protein and having G protein activity.

A protein is considered to have G protein activity if, for example, the protein acts to modulate (e.g., inhibit) hMPV-induced cellular (immune) responses (see, e.g., Bao X et al. *PLoS Pathog.* 2008; 4(5):e1000077, incorporated herein by reference).

Human parainfluenza virus type 3 (PIV3)

Parainfluenza viruses belong to the family Paramyxoviridae. These are enveloped viruses with a negative-sense single-stranded RNA genome. Parainfluenza viruses belong to the subfamily Paramyxoviridae, which is subdivided into three genera: *Respirovirus* (PIV-1, PIV-3, and Sendai virus (SeV)), *Rubulavirus* (PIV-2, PIV-4 and mumps virus) and *Morbillivirus* (measles virus, rinderpest virus and canine distemper virus (CDV)). Their genome, a ~15 500 nucleotide-long negative-sense RNA molecule, encodes two envelope glycoproteins, the hemagglutinin-neuraminidase (HN), the fusion protein (F or F0), which is cleaved into F1 and F2 subunits, a matrix protein (M), a nucleocapsid protein (N) and several nonstructural proteins including the viral replicase (L). All parainfluenza viruses, except for PIV-1, express a non-structural V protein that blocks IFN signaling in the infected cell and acts therefore as a virulence factor (see, e.g., Nishio M et al. *J Virol.* 2008; 82(13):6130-38).

PIV3 hemagglutinin-neuraminidase (HN), a structural protein, is found on the viral envelope, where it is necessary for attachment and cell entry. It recognizes and binds to sialic acid-containing receptors on the host cell's surface. As a neuroaminidase, HN removes sialic acid from virus particles, preventing self-aggregation of the virus, and promoting the efficient spread of the virus. Furthermore, HN promotes the activity of the fusion (F or F0) protein, contributing to the penetration of the host cell's surface.

PIV3 fusion protein (PIV3 F) is located on the viral envelope, where it facilitates the viral fusion and cell entry. The F protein is initially inactive, but proteolytic cleavage leads to its active forms, F1 and F2, which are linked by disulfide bonds. This occurs when the HN protein binds its receptor on the host cell's surface. During early phases of

infection, the F glycoprotein mediates penetration of the host cell by fusion of the viral envelope to the plasma membrane. In later stages of the infection, the F protein facilitates the fusion of the infected cells with neighboring uninfected cells, which leads to the formation of a syncytium and spread of the infection.

PIV3 matrix protein (M) is found within the viral envelope and assists with viral assembly. It interacts with the nucleocapsid and envelope glycoproteins, where it facilitates the budding of progeny viruses through its interactions with specific sites on the cytoplasmic tail of the viral glycoproteins and nucleocapsid. It also plays a role in transporting viral components to the budding site.

PIV3 phosphoprotein (P) and PIV3 large polymerase protein (L) are found in the nucleocapsid where they form part of the RNA polymerase complex. The L protein, a viral RNA-dependent RNA polymerase, facilitates genomic transcription, while the host cell's ribosomes translate the viral mRNA into viral proteins.

PIV3 V is a non-structural protein that blocks IFN signaling in the infected cell, therefore acting as a virulence factor.

PIV3 nucleoprotein (N) encapsidates the genome in a ratio of 1 N per 6 ribonucleotides, protecting it from nucleases. The nucleocapsid (NC) has a helical structure. The encapsidated genomic RNA is termed the NC and serves as template for transcription and replication. During replication, encapsidation by PIV3 N is coupled to RNA synthesis and all replicative products are resistant to nucleases. PIV3 N homo-multimerizes to form the nucleocapsid and binds to viral genomic RNA. PIV3 N binds the P protein and thereby positions the polymerase on the template.

In some embodiments, a PIV3 vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding PIV3 fusion protein (F). In some embodiments, a PIV3 vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding a F1 or F2 subunit of a PIV3 F protein. In some embodiments, a PIV3 vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding PIV3 hemagglutinin-neuraminidase (HN) (see, e.g., van Wyke Coelingh K L et al. *J Virol.* 1987; 61(5):1473-77, incorporated herein by reference). In some embodiments, a PIV3 vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding PIV3 matrix protein (M). In some embodiments, a PIV3 vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding PIV3 phosphoprotein (P). In some embodiments, a PIV3 vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding PIV3 nucleoprotein (N).

In some embodiments, a PIV3 vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding F protein, HN protein, M protein, P protein, and N protein.

In some embodiments, a PIV3 vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding F protein and HN protein. In some embodiments, a PIV3 vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding F protein and M protein. In some embodiments, a PIV3 vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding F protein and P protein. In some embodiments, a PIV3 vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding F protein and N protein.

In some embodiments, a PIV3 vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide

encoding HN protein and M protein. In some embodiments, a PIV3 vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding HN protein and P protein. In some embodiments, a PIV3 vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding HN protein and N protein.

In some embodiments, a PIV3 vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding F protein, HN protein and M protein. In some embodiments, a PIV3 vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding F protein, HN protein and P protein. In some embodiments, a PIV3 vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding F protein, HN protein and N protein.

A PIV3 vaccine may comprise, for example, at least one RNA (e.g., mRNA) polynucleotide having an open reading frame encoding at least one PIV3 antigenic polypeptide identified by any one of SEQ ID NO: 12-13 (Table 6; see also amino acid sequences of Table 7).

A PIV3 vaccine may comprise, for example, at least one RNA (e.g., mRNA) polynucleotide encoded by a nucleic acid (e.g., DNA) identified by any one of SEQ ID NO: 9-12 (Table 5; see also nucleic acid sequences of Table 7).

The present disclosure is not limited by a particular strain of PIV3. The strain of PIV3 used in a vaccine may be any strain of PIV3. A non-limiting example of a strain of PIV3 for use as provide herein includes HPIV3/*Homo sapiens*/PER/FLA4815/2008.

In some embodiments, PIV3 vaccines comprise RNA (e.g., mRNA) polynucleotides encoding a PIV3 antigenic polypeptides having at least 95%, at least 96%, at least 97%, at least 98% or at least 99% identity with PIV3 F protein and having F protein activity.

In some embodiments, PIV3 vaccines comprise RNA (e.g., mRNA) polynucleotides encoding PIV3 antigenic polypeptides having at least 95%, at least 96%, at least 97%, at least 98% or at least 99% identity with PIV3 hemagglutinin-neuraminidase (HN) and having hemagglutinin-neuraminidase activity.

A protein is considered to have hemagglutinin-neuraminidase activity if, for example, it is capable of both receptor binding and receptor cleaving. Such proteins are major surface glycoproteins that have functional sites for cell attachment and for neuraminidase activity. They are able to cause red blood cells to agglutinate and to cleave the glycosidic linkages of neuraminic acids, so they have the potential to both bind a potential host cell and then release the cell if necessary, for example, to prevent self-aggregation of the virus.

In some embodiments, PIV3 vaccines comprise RNA (e.g., mRNA) polynucleotides encoding PIV3 antigenic polypeptides having at least 95%, at least 96%, at least 97%, at least 98% or at least 99% identity with PIV3 HN, F (e.g., F, F1 or F2), M, N, L or V and having HN, F (e.g., F, F1 or F2), M, N, L or V activity, respectively. Respiratory Syncytial Virus (RSV)

RSV is a negative-sense, single-stranded RNA virus of the genus *Pneumovirinae*. The virus is present in at least two antigenic subgroups, known as Group A and Group B, primarily resulting from differences in the surface G glycoproteins. Two RSV surface glycoproteins—G and F—mediate attachment with and attachment to cells of the respiratory epithelium. F surface glycoproteins mediate coalescence of neighboring cells. This results in the formation of syncytial cells. RSV is the most common cause of bronchiolitis. Most infected adults develop mild cold-like

symptoms such as congestion, low-grade fever, and wheezing. Infants and small children may suffer more severe symptoms such as bronchiolitis and pneumonia. The disease may be transmitted among humans via contact with respiratory secretions.

The genome of RSV encodes at least three surface glycoproteins, including F, G, and SH, four nucleocapsid proteins, including L, P, N, and M2, and one matrix protein, M. Glycoprotein F directs viral penetration by fusion between the virion and the host membrane. Glycoprotein G is a type II transmembrane glycoprotein and is the major attachment protein. SH is a short integral membrane protein. Matrix protein M is found in the inner layer of the lipid bilayer and assists virion formation. Nucleocapsid proteins L, P, N, and M2 modulate replication and transcription of the RSV genome. It is thought that glycoprotein G tethers and stabilizes the virus particle at the surface of bronchial epithelial cells, while glycoprotein F interacts with cellular glycosaminoglycans to mediate fusion and delivery of the RSV virion contents into the host cell (Krzyzaniak M A et al. *PLoS Pathog* 2013; 9(4)).

In some embodiments, a RSV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding F protein. In some embodiments, a PIV3 vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding G protein. In some embodiments, a PIV3 vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding L protein. In some embodiments, a PIV3 vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding P protein. In some embodiments, a PIV3 vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding N protein. In some embodiments, a PIV3 vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding M2 protein. In some

embodiments, a PIV3 vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding M protein.

In some embodiments, a RSV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide

encoding F protein, G protein, L protein, P protein, N protein, M2 protein and M protein.

In some embodiments, a RSV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding F protein and G protein. In some embodiments, a RSV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding F protein and L protein. In some embodiments, a RSV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding F protein and P protein. In some embodiments, a RSV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding F protein and N protein. In some embodiments, a RSV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding F protein and M2 protein. In some embodiments, a RSV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding F protein and M protein.

In some embodiments, a RSV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding G protein and L protein. In some embodiments, a RSV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding G protein and P protein. In some embodiments, a RSV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding G protein and N protein. In some embodiments, a RSV vaccine of the present disclosure comprises a RNA

(e.g., mRNA) polynucleotide encoding G protein and M2 protein. In some embodiments, a RSV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding G protein and M protein.

5 In some embodiments, a RSV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding F protein, G protein and L protein. In some embodiments, a RSV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding F protein, G protein and P protein. In some embodiments, a RSV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding F protein, G protein and N protein. In some embodiments, a RSV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding F protein, G protein and M2 protein. In some

embodiments, a RSV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding F protein, G protein and M protein.

The present disclosure is not limited by a particular strain of RSV. The strain of RSV used in a vaccine may be any strain of RSV.

In some embodiments, RSV vaccines comprise RNA (e.g., mRNA) polynucleotides encoding a RSV antigenic polypeptides having at least 95%, at least 96%, at least 97%, at least 98% or at least 99% identity with RSV F protein and having F protein activity.

In some embodiments, RSV vaccines comprise RNA (e.g., mRNA) polynucleotides encoding RSV antigenic polypeptides having at least 95%, at least 96%, at least 97%, at least 98% or at least 99% identity with RSV G protein and having G protein activity.

A protein is considered to have G protein activity if, for example, the protein acts to modulate (e.g., inhibit) hMPV-induced cellular (immune) responses (see, e.g., Bao X et al. *PLoS Pathog*. 2008; 4(5):e1000077, incorporated herein by reference).

Measles Virus (MeV)

Molecular epidemiologic investigations and virologic surveillance contribute notably to the control and prevention of measles. Nearly half of measles-related deaths worldwide occur in India, yet virologic surveillance data are incomplete for many regions of the country. Previous studies have documented the presence of measles virus genotypes D4, D7, and D8 in India, and genotypes D5, D9, D11, H1, and G3 have been detected in neighboring countries. Recently, MeV genotype B3 was detected in India (Kuttiatt V S et al. *Emerg Infect Dis*. 2014; 20(10): 1764-66).

The glycoprotein complex of paramyxoviruses mediates receptor binding and membrane fusion. In particular, the MeV fusion (F) protein executes membrane fusion, after receptor binding by the hemagglutinin (HA) protein (Muhlebach M D et al. *Journal of Virology* 2008; 82(22):11437-45). The MeV P gene codes for three proteins: P, an essential polymerase cofactor, and V and C, which have multiple functions but are not strictly required for viral propagation in cultured cells. V shares the amino-terminal domain with P but has a zinc-binding carboxyl-terminal domain, whereas C is translated from an overlapping reading frame. The MeV C protein is an infectivity factor. During replication, the P protein binds incoming monomeric nucleocapsid (N) proteins with its amino-terminal domain and positions them for assembly into the nascent ribonucleocapsid. The P protein amino-terminal domain is natively unfolded (Deveaux P et al. *Journal of Virology* 2004; 78(21):11632-40).

In some embodiments, a MeV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding HA protein. In some embodiments, a MeV vaccine

of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding F protein. In some embodiments, a MeV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding P protein. In some embodiments, a MeV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding V protein. In some embodiments, a MeV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding C protein.

In some embodiments, a MeV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding HA protein, F protein, P protein, V protein and C protein.

In some embodiments, a MeV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding HA protein and F protein. In some embodiments, a MeV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding HA protein and P protein. In some embodiments, a MeV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding HA protein and V protein. In some embodiments, a MeV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding HA protein and C protein.

In some embodiments, a MeV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding F protein and P protein. In some embodiments, a MeV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding F protein and V protein. In some embodiments, a MeV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding F protein and C protein.

In some embodiments, a MeV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding HA protein, F protein and P protein. In some embodiments, a MeV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding HA protein, F protein and V protein. In some embodiments, a MeV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding HA protein, F protein and C protein.

In some embodiments, MeV vaccines comprise RNA (e.g., mRNA) encoding a MeV antigenic polypeptide having at least 95%, at least 96%, at least 97%, at least 98% or at least 99% identity with MeV HA protein and having MeV HA protein activity.

In some embodiments, MeV vaccines comprise RNA (e.g., mRNA) encoding a MeV antigenic polypeptide having at least 95%, at least 96%, at least 97%, at least 98% or at least 99% identity with MeV F protein and having MeV F protein activity.

A protein is considered to have HA protein activity if the protein mediates receptor binding and/or membrane fusion. MeV F protein executes membrane fusion, after receptor binding by the MeV HA protein.

A MeV vaccine may comprise, for example, at least one RNA (e.g., mRNA) polynucleotide having an open reading frame encoding at least one MeV antigenic polypeptide identified by any one of SEQ ID NO: 47-50 (Table 14; see also amino acid sequences of Table 15).

A MeV vaccine may comprise, for example, at least one RNA (e.g., mRNA) polynucleotide identified by any one of SEQ ID NO: 37, 40, 43, 46 (Table 13).

A MeV vaccine may comprise, for example, at least one RNA (e.g., mRNA) polynucleotide encoded by a nucleic acid (e.g., DNA) identified by any one of SEQ ID NO: 35, 36, 38, 39, 41, 42, 44 and 45 (Table 13).

The present disclosure is not limited by a particular strain of MeV. The strain of MeV used in a vaccine may be any strain of MeV. Non-limiting examples of strains of MeV for use as provide herein include B3/B3.1, C2, D4, D6, D7, D8, G3, H1, Moraten, Rubeovax, MVi/New Jersey.USA/45.05, MVi/Texas.USA/4.07, AIK-C, MVi/New York.USA/26.09/3, MVi/California.USA/16.03, MVi/Virginia.USA/15.09, MVi/California.USA/8.04, and MVi/Pennsylvania.USA/20.09.

MeV proteins may be from MeV genotype D4, D5, D7, D8, D9, D11, H1, G3 or B3. In some embodiments, a MeV HA protein or a MeV F protein is from MeV genotype D8. In some embodiments, a MeV HA protein or a MeV F protein is from MeV genotype B3.

Betacoronaviruses (BetaCoV)
MERS-Co V. MERS-CoV is a positive-sense, single-stranded RNA virus of the genus *Betacoronavirus*. The genomes are phylogenetically classified into two clades, clade A and clade B. It has a strong tropism for non-ciliated bronchial epithelial cells, evades the innate immune response and antagonizes interferon (IFN) production in infected cells. Dipeptyl peptidase 4 (DDP4, also known as CD26) has been identified as a functional cellular receptor for MERS-CoV. Its enzymatic activity is not required for infection, although its amino acid sequence is highly conserved across species and is expressed in the human bronchial epithelium and kidneys. Most infected individuals develop severe acute respiratory illnesses, including fever, cough, and shortness of breath, and the virus can be fatal. The disease may be transmitted among humans, generally among those in close contact.

The genome of MERS-CoV encodes at least four unique accessory proteins, such as 3, 4a, 4b and 5, two replicase proteins (open reading frame 1a and 1b), and four major structural proteins, including spike (S), envelope (E), nucleocapsid (N), and membrane (M) proteins (Almazan F et al. *MBio* 2013; 4(5):e00650-13). The accessory proteins play nonessential roles in MERS-CoV replication, but they are likely structural proteins or interferon antagonists, modulating in vivo replication efficiency and/or pathogenesis, as in the case of SARS-CoV (Almazan F et al. *MBio* 2013; 4(5):e00650-13; Totura A L et al. *Curr Opin Virol* 2012; 2(3):264-75; Scobey T et al. *Proc Natl Acad Sci USA* 2013; 110(40):16157-62). The other proteins of MERS-CoV maintain different functions in virus replication. The E protein, for example, involves in virulence, and deleting the E-coding gene results in replication-competent and propagation-defective viruses or attenuated viruses (Almazan F et al. *MBio* 2013; 4(5):e00650-13). The S protein is particularly essential in mediating virus binding to cells expressing receptor dipeptidyl peptidase-4 (DPP4) through receptor-binding domain (RBD) in the S1 subunit, whereas the S2 subunit subsequently mediates virus entry via fusion of the virus and target cell membranes (Li F. *J Virol* 2015; 89(4): 1954-64; Raj V S et al. *Nature* 2013; 495(7440):251-4).

In some embodiments, a MERS-CoV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding S protein. In some embodiments, a MERS-CoV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding the S1 subunit of the S protein. In some embodiments, a MERS-CoV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding the S2 subunit of the S protein. In some embodiments, a MERS-CoV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding E protein. In some embodiments, a MERS-CoV vaccine of the present disclosure comprises a

RNA (e.g., mRNA) polynucleotide encoding N protein. In some embodiments, a MERS-CoV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding M protein.

In some embodiments, a MERS-CoV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding S protein (S, S1 and/or S2), E protein, N protein and M protein.

In some embodiments, a MERS-CoV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding S protein (S, S1 and/or S2) and E protein. In some embodiments, a MERS-CoV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding S protein (S, S1 and/or S2) and N protein. In some embodiments, a MERS-CoV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding S protein (S, S1 and/or S2) and M protein.

In some embodiments, a MERS-CoV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding S protein (S, S1 and/or S2), E protein and M protein. In some embodiments, a MERS-CoV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding S protein (S, S1 and/or S2), E protein and N protein. In some embodiments, a MERS-CoV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding S protein (S, S1 and/or S2), M protein and N protein. In some embodiments, a MERS-CoV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding E protein, M protein and N protein.

A MERS-CoV vaccine may comprise, for example, at least one RNA (e.g., mRNA) polynucleotide having an open reading frame encoding at least one MERS-CoV antigenic polypeptide identified by any one of SEQ ID NO: 24-38 or 33 (Table 11; see also amino acid sequences of Table 12).

A MERS-CoV vaccine may comprise, for example, at least one RNA (e.g., mRNA) polynucleotide encoded by a nucleic acid (e.g., DNA) identified by any one of SEQ ID NO: 20-23 (Table 10).

The present disclosure is not limited by a particular strain of MERS-CoV. The strain of MERS-CoV used in a vaccine may be any strain of MERS-CoV. Non-limiting examples of strains of MERS-CoV for use as provide herein include Riyadh_14_2013, and 2cEMC/2012, Hasa_1_2013.

SARS-CoV. The genome of SARS-CoV includes of a single, positive-strand RNA that is approximately 29,700 nucleotides long. The overall genome organization of SARS-CoV is similar to that of other coronaviruses. The reference genome includes 13 genes, which encode at least 14 proteins. Two large overlapping reading frames (ORFs) encompass 71% of the genome. The remainder has 12 potential ORFs, including genes for structural proteins S (spike), E (small envelope), M (membrane), and N (nucleocapsid). Other potential ORFs code for unique putative SARS-CoV-specific polypeptides that lack obvious sequence similarity to known proteins. A detailed analysis of the SARS-CoV genome has been published in *J Mol Biol* 2003; 331: 991-1004.

In some embodiments, a SARS-CoV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding S protein (S, S1 and/or S2), E protein, N protein and M protein.

In some embodiments, a SARS-CoV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding S protein (S, S1 and/or S2) and E protein. In some embodiments, a SARS-CoV vaccine of the

present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding S protein (S, S1 and/or S2) and N protein. In some embodiments, a SARS-CoV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding S protein (S, S1 and/or S2) and M protein.

In some embodiments, a SARS-CoV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding S protein (S, S1 and/or S2), E protein and M protein. In some embodiments, a SARS-CoV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding S protein (S, S1 and/or S2), E protein and N protein. In some embodiments, a SARS-CoV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding S protein (S, S1 and/or S2), M protein and N protein. In some embodiments, a SARS-CoV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding E protein, M protein and N protein.

A SARS-CoV vaccine may comprise, for example, at least one RNA (e.g., mRNA) polynucleotide having an open reading frame encoding at least one SARS-CoV antigenic polypeptide identified by any one of SEQ ID NO: 29, 32 or 34 (Table 11; see also amino acid sequences of Table 12).

The present disclosure is not limited by a particular strain of SARS-CoV. The strain of SARS-CoV used in a vaccine may be any strain of SARS-CoV.

HCoV-OC43. Human coronavirus OC43 is an enveloped, positive-sense, single-stranded RNA virus in the species *Betacoronavirus-1* (genus *Betacoronavirus*, subfamily Coronavirinae, family Coronaviridae, order Nidovirales). Four HCoV-OC43 genotypes (A to D), have been identified with genotype D most likely arising from recombination. The complete genome sequencing of two genotype C and D strains and bootscan analysis shows recombination events between genotypes B and C in the generation of genotype D. Of 29 strains identified, none belong to the more ancient genotype A. Along with HCoV-229E, a species in the *Alphacoronavirus* genus, HCoV-OC43 are among the known viruses that cause the common cold. Both viruses can cause severe lower respiratory tract infections, including pneumonia in infants, the elderly, and immunocompromised individuals such as those undergoing chemotherapy and those with HIV-AIDS.

HCoV-HKU1. Human coronavirus HKU1 (HCoV-HKU1) is a positive-sense, single-stranded RNA virus with the HE gene, which distinguishes it as a group 2, or *Betacoronavirus*. It was discovered in January 2005 in two patients in Hong Kong. The genome of HCoV-HKU1 is a 29,926-nucleotide, polyadenylated RNA. The GC content is 32%, the lowest among all known coronaviruses. The genome organization is the same as that of other group II coronaviruses, with the characteristic gene order 1a, 1b, HE, S, E, M, and N. Furthermore, accessory protein genes are present between the S and E genes (ORF4) and at the position of the N gene (ORF8). The TRS is presumably located within the AAUCUAAAC sequence, which precedes each ORF except E. As in sialodacryoadenitis virus and mouse hepatitis virus (MHV), translation of the E protein possibly occurs via an internal ribosomal entry site. The 3' untranslated region contains a predicted stem-loop structure immediately downstream of the N ORF (nucleotide position 29647 to 29711). Further downstream, a pseudo-knot structure is present at nucleotide position 29708 to 29760. Both RNA structures are conserved in group II coronaviruses and are critical for virus replication.

HCoV-NL63. The RNA genome of human coronavirus NL63 (HCoV-NL63) is 27,553 nucleotides, with a poly(A) tail (FIG. 1). With a GC content of 34%, HCoV-NL63 has one of the lowest GC contents of the coronaviruses, for which GC content ranges from 32 to 42%. Untranslated regions of 286 and 287 nucleotides are present at the 5' and 3' termini, respectively. Genes predicted to encode the S, E, M, and N proteins are found in the 3' part of the HCoV-NL63 genome. The HE gene, which is present in some group II coronaviruses, is absent, and there is only a single, monocistronic accessory protein ORF (ORF3) located between the S and E genes. Subgenomic mRNAs are generated for all ORFs (S, ORF3, E, M, and N), and the core sequence of the TRS of HCoV-NL63 is defined as AACUAAA. This sequence is situated upstream of every ORF except for the E ORF, which contains the suboptimal core sequence AAC-UUAU. Interestingly, a 13-nucleotide sequence with perfect homology to the leader sequence is situated upstream of the suboptimal E TRS. Annealing of this 13-nucleotide sequence to the leader sequence may act as a compensatory mechanism for the disturbed leader-TRS/body-TRS interaction.

HCoV-229E. Human coronavirus 229E (HCoV-229E) is a single-stranded, positive-sense, RNA virus species in the *Alphacoronavirus* genus of the subfamily Coronavirinae, in the family Coronaviridae, of the order Nidovirales. Along with Human coronavirus OC43, it is responsible for the common cold. HCoV-NL63 and HCoV-229E are two of the four human coronaviruses that circulate worldwide. These two viruses are unique in their relationship towards each other. Phylogenetically, the viruses are more closely related to each other than to any other human coronavirus, yet they only share 65% sequence identity. Moreover, the viruses use different receptors to enter their target cell. HCoV-NL63 is associated with croup in children, whereas all signs suggest that the virus probably causes the common cold in healthy adults. HCoV-229E is a proven common cold virus in healthy adults, so it is probable that both viruses induce comparable symptoms in adults, even though their mode of infection differs (HCoV-NL63 and HCoV-229E are two of the four human coronaviruses that circulate worldwide. These two viruses are unique in their relationship towards each other. Phylogenetically, the viruses are more closely related to each other than to any other human coronavirus, yet they only share 65% sequence identity. Moreover, the viruses use different receptors to enter their target cell. HCoV-NL63 is associated with croup in children, whereas all signs suggest that the virus probably causes the common cold in healthy adults. HCoV-229E is a proven common cold virus in healthy adults, so it is probable that both viruses induce comparable symptoms in adults, even though their mode of infection differs (Dijkman R. et al. *J Formos Med Assoc.* 2009 April; 108(4):270-9, the contents of which is incorporated herein by reference in their entirety).

Combination Vaccines

Embodiments of the present disclosure also provide combination RNA (e.g., mRNA) vaccines. A "combination RNA (e.g., mRNA) vaccine" of the present disclosure refers to a vaccine comprising at least one (e.g., at least 2, 3, 4, or 5) RNA (e.g., mRNA) polynucleotide having an open reading frame encoding a combination of any two or more (or all of) antigenic polypeptides selected from hMPV antigenic polypeptides, PIV3 antigenic polypeptides, RSV antigenic polypeptides, MeV antigenic polypeptides, and BetaCoV antigenic polypeptides (e.g., selected from MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH and HCoV-HKU1).

In some embodiments, a combination RNA (e.g., mRNA) vaccine comprises a RNA (e.g., mRNA) polynucleotide encoding a hMPV antigenic polypeptide, a PIV3 antigenic polypeptide, a RSV antigenic polypeptide, a MeV antigenic polypeptide, and a BetaCoV antigenic polypeptide (e.g., selected from MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH and HCoV-HKU1).

In some embodiments, a combination RNA (e.g., mRNA) vaccine comprises a RNA (e.g., mRNA) polynucleotide encoding a hMPV antigenic polypeptide and a PIV3 antigenic polypeptide.

In some embodiments, a combination RNA (e.g., mRNA) vaccine comprises a RNA (e.g., mRNA) polynucleotide encoding a hMPV antigenic polypeptide and a RSV antigenic polypeptide.

In some embodiments, a combination RNA (e.g., mRNA) vaccine comprises a RNA (e.g., mRNA) polynucleotide encoding a hMPV antigenic polypeptide and a MeV antigenic polypeptide.

In some embodiments, a combination RNA (e.g., mRNA) vaccine comprises a RNA (e.g., mRNA) polynucleotide encoding a hMPV antigenic polypeptide and a BetaCoV antigenic polypeptide.

In some embodiments, a combination RNA (e.g., mRNA) vaccine comprises a RNA (e.g., mRNA) polynucleotide encoding a PIV3 antigenic polypeptide and a RSV antigenic polypeptide.

In some embodiments, a combination RNA (e.g., mRNA) vaccine comprises a RNA (e.g., mRNA) polynucleotide encoding a PIV3 antigenic polypeptide and a MeV antigenic polypeptide.

In some embodiments, a combination RNA (e.g., mRNA) vaccine comprises a RNA (e.g., mRNA) polynucleotide encoding a PIV3 antigenic polypeptide and a BetaCoV antigenic polypeptide (e.g., selected from MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH and HCoV-HKU1).

In some embodiments, a combination RNA (e.g., mRNA) vaccine comprises a RNA (e.g., mRNA) polynucleotide encoding a RSV antigenic polypeptide and a MeV antigenic polypeptide.

In some embodiments, a combination RNA (e.g., mRNA) vaccine comprises a RNA (e.g., mRNA) polynucleotide encoding a RSV antigenic polypeptide and a BetaCoV antigenic polypeptide (e.g., selected from MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH and HCoV-HKU1).

In some embodiments, a combination RNA (e.g., mRNA) vaccine comprises a RNA (e.g., mRNA) polynucleotide encoding a MeV antigenic polypeptide and a BetaCoV antigenic polypeptide (e.g., selected from MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH and HCoV-HKU1).

In some embodiments, a combination RNA (e.g., mRNA) vaccine comprises a RNA (e.g., mRNA) polynucleotide encoding a hMPV antigenic polypeptide, a PIV3 antigenic polypeptide, a RSV antigenic polypeptide and a MeV antigenic polypeptide.

In some embodiments, a combination RNA (e.g., mRNA) vaccine comprises a RNA (e.g., mRNA) polynucleotide encoding a hMPV antigenic polypeptide, a PIV3 antigenic polypeptide, a RSV antigenic polypeptide and a BetaCoV antigenic polypeptide (e.g., selected from MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH and HCoV-HKU1).

In some embodiments, a combination RNA (e.g., mRNA) vaccine comprises a RNA (e.g., mRNA) polynucleotide encoding a hMPV antigenic polypeptide, a PIV3 antigenic polypeptide, a MeV antigenic polypeptide and a BetaCoV antigenic polypeptide (e.g., selected from MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH and HCoV-HKU1).

In some embodiments, a combination RNA (e.g., mRNA) vaccine comprises a RNA (e.g., mRNA) polynucleotide encoding a hMPV antigenic polypeptide, a RSV antigenic polypeptide, a MeV antigenic polypeptide and a BetaCoV antigenic polypeptide (e.g., selected from MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH and HCoV-HKU1).

In some embodiments, a combination RNA (e.g., mRNA) vaccine comprises a RNA (e.g., mRNA) polynucleotide encoding a PIV3 antigenic polypeptide, a RSV antigenic polypeptide, a MeV antigenic polypeptide and a BetaCoV antigenic polypeptide (e.g., selected from MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH and HCoV-HKU1).

In some embodiments, a combination RNA (e.g., mRNA) vaccine comprises a RNA (e.g., mRNA) polynucleotide encoding a hMPV antigenic polypeptide, a PIV3 antigenic polypeptide and a RSV antigenic polypeptide.

In some embodiments, a combination RNA (e.g., mRNA) vaccine comprises a RNA (e.g., mRNA) polynucleotide encoding a hMPV antigenic polypeptide, a PIV3 antigenic polypeptide and a MeV antigenic polypeptide.

In some embodiments, a combination RNA (e.g., mRNA) vaccine comprises a RNA (e.g., mRNA) polynucleotide encoding a hMPV antigenic polypeptide, a PIV3 antigenic polypeptide and a BetaCoV antigenic polypeptide (e.g., selected from MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH and HCoV-HKU1).

In some embodiments, a combination RNA (e.g., mRNA) vaccine comprises a RNA (e.g., mRNA) polynucleotide encoding a hMPV antigenic polypeptide, a RSV antigenic polypeptide and a MeV antigenic polypeptide.

In some embodiments, a combination RNA (e.g., mRNA) vaccine comprises a RNA (e.g., mRNA) polynucleotide encoding a hMPV antigenic polypeptide, a RSV antigenic polypeptide and a BetaCoV antigenic polypeptide (e.g., selected from MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH and HCoV-HKU1).

In some embodiments, a combination RNA (e.g., mRNA) vaccine comprises a RNA (e.g., mRNA) polynucleotide encoding a hMPV antigenic polypeptide, a MeV antigenic polypeptide and a BetaCoV antigenic polypeptide (e.g., selected from MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH and HCoV-HKU1).

In some embodiments, a combination RNA (e.g., mRNA) vaccine comprises a RNA (e.g., mRNA) polynucleotide encoding a PIV3 antigenic polypeptide, a RSV antigenic polypeptide and a MeV antigenic polypeptide.

In some embodiments, a combination RNA (e.g., mRNA) vaccine comprises a RNA (e.g., mRNA) polynucleotide encoding a PIV3 antigenic polypeptide, a RSV antigenic polypeptide and a BetaCoV antigenic polypeptide (e.g., selected from MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH and HCoV-HKU1).

In some embodiments, a combination RNA (e.g., mRNA) vaccine comprises a RNA (e.g., mRNA) polynucleotide

encoding a RSV antigenic polypeptide, a MeV antigenic polypeptide and a BetaCoV antigenic polypeptide (e.g., selected from MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH and HCoV-HKU1).

Other combination respiratory virus RNA (e.g., mRNA) vaccines are encompassed by the present disclosure.

It has been discovered that the mRNA vaccines described herein are superior to current vaccines in several ways. First, the lipid nanoparticle (LNP) delivery is superior to other formulations including a protamine base approach described in the literature and no additional adjuvants are to be necessary. The use of LNPs enables the effective delivery of chemically modified or unmodified mRNA vaccines. Additionally it has been demonstrated herein that both modified and unmodified LNP formulated mRNA vaccines were superior to conventional vaccines by a significant degree. In some embodiments the mRNA vaccines of the invention are superior to conventional vaccines by a factor of at least 10 fold, 20 fold, 40 fold, 50 fold, 100 fold, 500 fold or 1,000 fold.

Although attempts have been made to produce functional RNA vaccines, including mRNA vaccines and self-replicating RNA vaccines, the therapeutic efficacy of these RNA vaccines have not yet been fully established. Quite surprisingly, the inventors have discovered, according to aspects of the invention a class of formulations for delivering mRNA vaccines in vivo that results in significantly enhanced, and in many respects synergistic, immune responses including enhanced antigen generation and functional antibody production with neutralization capability. These results can be achieved even when significantly lower doses of the mRNA are administered in comparison with mRNA doses used in other classes of lipid based formulations. The formulations of the invention have demonstrated significant unexpected in vivo immune responses sufficient to establish the efficacy of functional mRNA vaccines as prophylactic and therapeutic agents. Additionally, self-replicating RNA vaccines rely on viral replication pathways to deliver enough RNA to a cell to produce an immunogenic response. The formulations of the invention do not require viral replication to produce enough protein to result in a strong immune response. Thus, the mRNA of the invention are not self-replicating RNA and do not include components necessary for viral replication.

The invention involves, in some aspects, the surprising finding that lipid nanoparticle (LNP) formulations significantly enhance the effectiveness of mRNA vaccines, including chemically modified and unmodified mRNA vaccines. The efficacy of mRNA vaccines formulated in LNP was examined in vivo using several distinct antigens. The results presented herein demonstrate the unexpected superior efficacy of the mRNA vaccines formulated in LNP over other commercially available vaccines.

In addition to providing an enhanced immune response, the formulations of the invention generate a more rapid immune response with fewer doses of antigen than other vaccines tested. The mRNA-LNP formulations of the invention also produce quantitatively and qualitatively better immune responses than vaccines formulated in a different carriers.

The data described herein demonstrate that the formulations of the invention produced significant unexpected improvements over existing antigen vaccines. Additionally, the mRNA-LNP formulations of the invention are superior to other vaccines even when the dose of mRNA is lower than other vaccines. Mice immunized with either 10 µg or 2 µg doses of an hMPV fusion protein mRNA LNP vaccine or a

PIV3 mRNA LNP vaccine produced neutralizing antibodies which for instance, successfully neutralized the hMPV B2 virus. A 10 µg dose of mRNA vaccine protected 100% of mice from lethal challenge and drastically reduced the viral titer after challenge (~2 log reduction).

Two 20 µg doses of MERS-CoV mRNA LNP vaccine significantly reduced viral load and induced significant amount of neutralizing antibodies against MERS-CoV (EC₅₀ between 500-1000). The MERS-CoV mRNA vaccine induced antibody titer was 3-5 fold better than any other vaccines tested in the same model.

The LNP used in the studies described herein has been used previously to deliver siRNA in various animal models as well as in humans. In view of the observations made in association with the siRNA delivery of LNP formulations, the fact that LNP is useful in vaccines is quite surprising. It has been observed that therapeutic delivery of siRNA formulated in LNP causes an undesirable inflammatory response associated with a transient IgM response, typically leading to a reduction in antigen production and a compromised immune response. In contrast to the findings observed with siRNA, the LNP-mRNA formulations of the invention are demonstrated herein to generate enhanced IgG levels, sufficient for prophylactic and therapeutic methods rather than transient IgM responses.

Nucleic Acids/Polynucleotides

Respiratory virus vaccines, as provided herein, comprise at least one (one or more) ribonucleic acid (RNA) (e.g., mRNA) polynucleotide having an open reading frame encoding at least one antigenic polypeptide selected from hMPV, PIV3, RSV, MeV and BetaCoV (e.g., selected from MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH and HCoV-HKU1) antigenic polypeptides. The term “nucleic acid” includes any compound and/or substance that comprises a polymer of nucleotides (nucleotide monomer). These polymers are referred to as polynucleotides. Thus, the terms “nucleic acid” and “polynucleotide” are used interchangeably.

Nucleic acids may be or may include, for example, ribonucleic acids (RNAs), deoxyribonucleic acids (DNAs), threose nucleic acids (TNAs), glycol nucleic acids (GNAs), peptide nucleic acids (PNAs), locked nucleic acids (LNAs), including LNA having a β-D-ribo configuration, α-LNA having an α-L-ribo configuration (a diastereomer of LNA), 2'-amino-LNA having a 2'-amino functionalization, and 2'-amino-α-LNA having a 2'-amino functionalization), ethylene nucleic acids (ENA), cyclohexenyl nucleic acids (CeNA) or chimeras or combinations thereof.

In some embodiments, polynucleotides of the present disclosure function as messenger RNA (mRNA). “Messenger RNA” (mRNA) refers to any polynucleotide that encodes a (at least one) polypeptide (a naturally-occurring, non-naturally-occurring, or modified polymer of amino acids) and can be translated to produce the encoded polypeptide *in vitro*, *in vivo*, *in situ* or *ex vivo*. The skilled artisan will appreciate that, except where otherwise noted, polynucleotide sequences set forth in the instant application will recite “T”s in a representative DNA sequence but where the sequence represents RNA (e.g., mRNA), the “T”s would be substituted for “U”s. Thus, any of the RNA polynucleotides encoded by a DNA identified by a particular sequence identification number may also comprise the corresponding RNA (e.g., mRNA) sequence encoded by the DNA, where each “T” of the DNA sequence is substituted with “U.”

The basic components of an mRNA molecule typically include at least one coding region, a 5' untranslated region (UTR), a 3' UTR, a 5' cap and a poly-A tail. Polynucleotides

of the present disclosure may function as mRNA but can be distinguished from wild-type mRNA in their functional and/or structural design features, which serve to overcome existing problems of effective polypeptide expression using nucleic-acid based therapeutics.

In some embodiments, a RNA polynucleotide of an RNA (e.g., mRNA) vaccine encodes 2-10, 2-9, 2-8, 2-7, 2-6, 2-5, 2-4, 2-3, 3-10, 3-9, 3-8, 3-7, 3-6, 3-5, 3-4, 4-10, 4-9, 4-8, 4-7, 4-6, 4-5, 5-10, 5-9, 5-8, 5-7, 5-6, 6-10, 6-9, 6-8, 6-7, 7-10, 7-9, 7-8, 8-10, 8-9 or 9-10 antigenic polypeptides. In some embodiments, a RNA (e.g., mRNA) polynucleotide of a respiratory virus vaccine encodes at least 10, 20, 30, 40, 50, 60, 70, 80, 90 or 100 antigenic polypeptides. In some embodiments, a RNA (e.g., mRNA) polynucleotide of a respiratory virus vaccine encodes at least 100 or at least 200 antigenic polypeptides. In some embodiments, a RNA polynucleotide of an respiratory virus vaccine encodes 1-10, 5-15, 10-20, 15-25, 20-30, 25-35, 30-40, 35-45, 40-50, 1-50, 1-100, 2-50 or 2-100 antigenic polypeptides.

Polynucleotides of the present disclosure, in some embodiments, are codon optimized. Codon optimization methods are known in the art and may be used as provided herein. Codon optimization, in some embodiments, may be used to match codon frequencies in target and host organisms to ensure proper folding; bias GC content to increase mRNA stability or reduce secondary structures; minimize tandem repeat codons or base runs that may impair gene construction or expression; customize transcriptional and translational control regions; insert or remove protein trafficking sequences; remove/add post translation modification sites in encoded protein (e.g. glycosylation sites); add, remove or shuffle protein domains; insert or delete restriction sites; modify ribosome binding sites and mRNA degradation sites; adjust translational rates to allow the various domains of the protein to fold properly; or to reduce or eliminate problem secondary structures within the polynucleotide. Codon optimization tools, algorithms and services are known in the art—non-limiting examples include services from GeneArt (Life Technologies), DNA2.0 (Menlo Park Calif.) and/or proprietary methods. In some embodiments, the open reading frame (ORF) sequence is optimized using optimization algorithms.

In some embodiments, a codon optimized sequence shares less than 95% sequence identity, less than 90% sequence identity, less than 85% sequence identity, less than 80% sequence identity, or less than 75% sequence identity to a naturally-occurring or wild-type sequence (e.g., a naturally-occurring or wild-type mRNA sequence encoding a polypeptide or protein of interest (e.g., an antigenic protein or antigenic polypeptide)).

In some embodiments, a codon-optimized sequence shares between 65% and 85% (e.g., between about 67% and about 85%, or between about 67% and about 80%) sequence identity to a naturally-occurring sequence or a wild-type sequence (e.g., a naturally-occurring or wild-type mRNA sequence encoding a polypeptide or protein of interest (e.g., an antigenic protein or polypeptide)). In some embodiments, a codon-optimized sequence shares between 65% and 75%, or about 80% sequence identity to a naturally-occurring sequence or wild-type sequence (e.g., a naturally-occurring or wild-type mRNA sequence encoding a polypeptide or protein of interest (e.g., an antigenic protein or polypeptide)).

In some embodiments a codon-optimized RNA (e.g., mRNA) may, for instance, be one in which the levels of G/C are enhanced. The G/C-content of nucleic acid molecules may influence the stability of the RNA. RNA having an

increased amount of guanine (G) and/or cytosine (C) residues may be functionally more stable than nucleic acids containing a large amount of adenine (A) and thymine (T) or uracil (U) nucleotides. WO02/098443 discloses a pharmaceutical composition containing an mRNA stabilized by sequence modifications in the translated region. Due to the degeneracy of the genetic code, the modifications work by substituting existing codons for those that promote greater RNA stability without changing the resulting amino acid. The approach is limited to coding regions of the RNA.

Antigens/Antigenic Polypeptides

In some embodiments, an antigenic polypeptide (e.g., a hMPV, PIV3, RSV, MeV or BetaCoV antigenic polypeptide) is longer than 25 amino acids and shorter than 50 amino acids. Polypeptides include gene products, naturally occurring polypeptides, synthetic polypeptides, homologs, orthologs, paralogs, fragments and other equivalents, variants, and analogs of the foregoing. A polypeptide may be a single molecule or may be a multi-molecular complex such as a dimer, trimer or tetramer. Polypeptides may also comprise single chain polypeptides or multichain polypeptides, such as antibodies or insulin, and may be associated or linked to each other. Most commonly, disulfide linkages are found in multichain polypeptides. The term "polypeptide" may also apply to amino acid polymers in which at least one amino acid residue is an artificial chemical analogue of a corresponding naturally-occurring amino acid.

A "polypeptide variant" is a molecule that differs in its amino acid sequence relative to a native sequence or a reference sequence. Amino acid sequence variants may possess substitutions, deletions, insertions, or a combination of any two or three of the foregoing, at certain positions within the amino acid sequence, as compared to a native sequence or a reference sequence. Ordinarily, variants possess at least 50% identity to a native sequence or a reference sequence. In some embodiments, variants share at least 80% identity or at least 90% identity with a native sequence or a reference sequence.

In some embodiments "variant mimics" are provided. A "variant mimic" contains at least one amino acid that would mimic an activated sequence. For example, glutamate may serve as a mimic for phospho-threonine and/or phospho-serine. Alternatively, variant mimics may result in deactivation or in an inactivated product containing the mimic. For example, phenylalanine may act as an inactivating substitution for tyrosine, or alanine may act as an inactivating substitution for serine.

"Orthologs" refers to genes in different species that evolved from a common ancestral gene by speciation. Normally, orthologs retain the same function in the course of evolution. Identification of orthologs is important for reliable prediction of gene function in newly sequenced genomes.

"Analog" is meant to include polypeptide variants that differ by one or more amino acid alterations, for example, substitutions, additions or deletions of amino acid residues that still maintain one or more of the properties of the parent or starting polypeptide.

The present disclosure provides several types of compositions that are polynucleotide or polypeptide based, including variants and derivatives. These include, for example, substitutional, insertional, deletion and covalent variants and derivatives. The term "derivative" is synonymous with the term "variant" and generally refers to a molecule that has been modified and/or changed in any way relative to a reference molecule or a starting molecule.

As such, polynucleotides encoding peptides or polypeptides containing substitutions, insertions and/or additions, deletions and covalent modifications with respect to reference sequences, in particular the polypeptide sequences disclosed herein, are included within the scope of this disclosure. For example, sequence tags or amino acids, such as one or more lysines, can be added to peptide sequences (e.g., at the N-terminal or C-terminal ends). Sequence tags can be used for peptide detection, purification or localization. Lysines can be used to increase peptide solubility or to allow for biotinylation. Alternatively, amino acid residues located at the carboxy and amino terminal regions of the amino acid sequence of a peptide or protein may optionally be deleted providing for truncated sequences. Certain amino acids (e.g., C-terminal residues or N-terminal residues) alternatively may be deleted depending on the use of the sequence, as for example, expression of the sequence as part of a larger sequence that is soluble, or linked to a solid support.

"Substitutional variants" when referring to polypeptides are those that have at least one amino acid residue in a native or starting sequence removed and a different amino acid inserted in its place at the same position. Substitutions may be single, where only one amino acid in the molecule has been substituted, or they may be multiple, where two or more (e.g., 3, 4 or 5) amino acids have been substituted in the same molecule.

As used herein the term "conservative amino acid substitution" refers to the substitution of an amino acid that is normally present in the sequence with a different amino acid of similar size, charge, or polarity. Examples of conservative substitutions include the substitution of a non-polar (hydrophobic) residue such as isoleucine, valine and leucine for another non-polar residue. Likewise, examples of conservative substitutions include the substitution of one polar (hydrophilic) residue for another such as between arginine and lysine, between glutamine and asparagine, and between glycine and serine. Additionally, the substitution of a basic residue such as lysine, arginine or histidine for another, or the substitution of one acidic residue such as aspartic acid or glutamic acid for another acidic residue are additional examples of conservative substitutions. Examples of non-conservative substitutions include the substitution of a non-polar (hydrophobic) amino acid residue such as isoleucine, valine, leucine, alanine, methionine for a polar (hydrophilic) residue such as cysteine, glutamine, glutamic acid or lysine and/or a polar residue for a non-polar residue.

"Features" when referring to polypeptide or polynucleotide are defined as distinct amino acid sequence-based or nucleotide-based components of a molecule respectively. Features of the polypeptides encoded by the polynucleotides include surface manifestations, local conformational shape, folds, loops, half-loops, domains, half-domains, sites, termini and any combination(s) thereof.

As used herein when referring to polypeptides the term "domain" refers to a motif of a polypeptide having one or more identifiable structural or functional characteristics or properties (e.g., binding capacity, serving as a site for protein-protein interactions).

As used herein when referring to polypeptides the terms "site" as it pertains to amino acid based embodiments is used synonymously with "amino acid residue" and "amino acid side chain." As used herein when referring to polynucleotides the terms "site" as it pertains to nucleotide based embodiments is used synonymously with "nucleotide." A site represents a position within a peptide or polypeptide or

polynucleotide that may be modified, manipulated, altered, derivatized or varied within the polypeptide-based or polynucleotide-based molecules.

As used herein the terms “termini” or “terminus” when referring to polypeptides or polynucleotides refers to an extremity of a polypeptide or polynucleotide respectively. Such extremity is not limited only to the first or final site of the polypeptide or polynucleotide but may include additional amino acids or nucleotides in the terminal regions. Polypeptide-based molecules may be characterized as having both an N-terminus (terminated by an amino acid with a free amino group (NH₂)) and a C-terminus (terminated by an amino acid with a free carboxyl group (COOH)). Proteins are in some cases made up of multiple polypeptide chains brought together by disulfide bonds or by non-covalent forces (multimers, oligomers). These proteins have multiple N- and C-termini. Alternatively, the termini of the polypeptides may be modified such that they begin or end, as the case may be, with a non-polypeptide based moiety such as an organic conjugate.

As recognized by those skilled in the art, protein fragments, functional protein domains, and homologous proteins are also considered to be within the scope of polypeptides of interest. For example, provided herein is any protein fragment (meaning a polypeptide sequence at least one amino acid residue shorter than a reference polypeptide sequence but otherwise identical) of a reference protein having a length of 10, 20, 30, 40, 50, 60, 70, 80, 90, 100 or longer than 100 amino acids. In another example, any protein that includes a stretch of 20, 30, 40, 50, or 100 (contiguous) amino acids that are 40%, 50%, 60%, 70%, 80%, 90%, 95%, or 100% identical to any of the sequences described herein can be utilized in accordance with the disclosure. In some embodiments, a polypeptide includes 2, 3, 4, 5, 6, 7, 8, 9, 10, or more mutations as shown in any of the sequences provided herein or referenced herein. In another example, any protein that includes a stretch of 20, 30, 40, 50, or 100 amino acids that are greater than 80%, 90%, 95%, or 100% identical to any of the sequences described herein, wherein the protein has a stretch of 5, 10, 15, 20, 25, or 30 amino acids that are less than 80%, 75%, 70%, 65% to 60% identical to any of the sequences described herein can be utilized in accordance with the disclosure.

Polypeptide or polynucleotide molecules of the present disclosure may share a certain degree of sequence similarity or identity with the reference molecules (e.g., reference polypeptides or reference polynucleotides), for example, with art-described molecules (e.g., engineered or designed molecules or wild-type molecules). The term “identity,” as known in the art, refers to a relationship between the sequences of two or more polypeptides or polynucleotides, as determined by comparing the sequences. In the art, identity also means the degree of sequence relatedness between two sequences as determined by the number of matches between strings of two or more amino acid residues or nucleic acid residues. Identity measures the percent of identical matches between the smaller of two or more sequences with gap alignments (if any) addressed by a particular mathematical model or computer program (e.g., “algorithms”). Identity of related peptides can be readily calculated by known methods. “% identity” as it applies to polypeptide or polynucleotide sequences is defined as the percentage of residues (amino acid residues or nucleic acid residues) in the candidate amino acid or nucleic acid sequence that are identical with the residues in the amino acid sequence or nucleic acid sequence of a second sequence after aligning the sequences and introducing gaps, if neces-

sary, to achieve the maximum percent identity. Methods and computer programs for the alignment are well known in the art. Identity depends on a calculation of percent identity but may differ in value due to gaps and penalties introduced in the calculation. Generally, variants of a particular polynucleotide or polypeptide have at least 40%, 45%, 50%, 55%, 60%, 65%, 70%, 75%, 80%, 85%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99% but less than 100% sequence identity to that particular reference polynucleotide or polypeptide as determined by sequence alignment programs and parameters described herein and known to those skilled in the art. Such tools for alignment include those of the BLAST suite (Stephen F. Altschul, et al. (1997).” Gapped BLAST and PSI-BLAST: a new generation of protein database search programs,” *Nucleic Acids Res.* 25:3389-3402). Another popular local alignment technique is based on the Smith-Waterman algorithm (Smith, T. F. & Waterman, M. S. (1981) “Identification of common molecular subsequences.” *J. Mol. Biol.* 147:195-197). A general global alignment technique based on dynamic programming is the Needleman-Wunsch algorithm (Needleman, S. B. & Wunsch, C. D. (1970) “A general method applicable to the search for similarities in the amino acid sequences of two proteins.” *J. Mol. Biol.* 48:443-453). More recently, a Fast Optimal Global Sequence Alignment Algorithm (FOGSAA) was developed that purportedly produces global alignment of nucleotide and protein sequences faster than other optimal global alignment methods, including the Needleman-Wunsch algorithm. Other tools are described herein, specifically in the definition of “identity” below.

As used herein, the term “homology” refers to the overall relatedness between polymeric molecules, e.g. between nucleic acid molecules (e.g. DNA molecules and/or RNA molecules) and/or between polypeptide molecules. Polymeric molecules (e.g. nucleic acid molecules (e.g. DNA molecules and/or RNA molecules) and/or polypeptide molecules) that share a threshold level of similarity or identity determined by alignment of matching residues are termed homologous. Homology is a qualitative term that describes a relationship between molecules and can be based upon the quantitative similarity or identity. Similarity or identity is a quantitative term that defines the degree of sequence match between two compared sequences. In some embodiments, polymeric molecules are considered to be “homologous” to one another if their sequences are at least 25%, 30%, 35%, 40%, 45%, 50%, 55%, 60%, 65%, 70%, 75%, 80%, 85%, 90%, 95%, or 99% identical or similar. The term “homologous” necessarily refers to a comparison between at least two sequences (polynucleotide or polypeptide sequences). Two polynucleotide sequences are considered homologous if the polypeptides they encode are at least 50%, 60%, 70%, 80%, 90%, 95%, or even 99% for at least one stretch of at least 20 amino acids. In some embodiments, homologous polynucleotide sequences are characterized by the ability to encode a stretch of at least 4-5 uniquely specified amino acids. For polynucleotide sequences less than 60 nucleotides in length, homology is determined by the ability to encode a stretch of at least 4-5 uniquely specified amino acids. Two protein sequences are considered homologous if the proteins are at least 50%, 60%, 70%, 80%, or 90% identical for at least one stretch of at least 20 amino acids.

Homology implies that the compared sequences diverged in evolution from a common origin. The term “homolog” refers to a first amino acid sequence or nucleic acid sequence (e.g., gene (DNA or RNA) or protein sequence) that is related to a second amino acid sequence or nucleic acid sequence by descent from a common ancestral sequence.

The term "homolog" may apply to the relationship between genes and/or proteins separated by the event of speciation or to the relationship between genes and/or proteins separated by the event of genetic duplication. "Orthologs" are genes (or proteins) in different species that evolved from a common ancestral gene (or protein) by speciation. Typically, orthologs retain the same function in the course of evolution. "Paralogs" are genes (or proteins) related by duplication within a genome. Orthologs retain the same function in the course of evolution, whereas paralogs evolve new functions, even if these are related to the original one.

The term "identity" refers to the overall relatedness between polymeric molecules, for example, between polynucleotide molecules (e.g. DNA molecules and/or RNA molecules) and/or between polypeptide molecules. Calculation of the percent identity of two polynucleic acid sequences, for example, can be performed by aligning the two sequences for optimal comparison purposes (e.g., gaps can be introduced in one or both of a first and a second nucleic acid sequences for optimal alignment and non-identical sequences can be disregarded for comparison purposes). In certain embodiments, the length of a sequence aligned for comparison purposes is at least 30%, at least 40%, at least 50%, at least 60%, at least 70%, at least 80%, at least 90%, at least 95%, or 100% of the length of the reference sequence. The nucleotides at corresponding nucleotide positions are then compared. When a position in the first sequence is occupied by the same nucleotide as the corresponding position in the second sequence, then the molecules are identical at that position. The percent identity between the two sequences is a function of the number of identical positions shared by the sequences, taking into account the number of gaps, and the length of each gap, which needs to be introduced for optimal alignment of the two sequences. The comparison of sequences and determination of percent identity between two sequences can be accomplished using a mathematical algorithm. For example, the percent identity between two nucleic acid sequences can be determined using methods such as those described in Computational Molecular Biology, Lesk, A. M., ed., Oxford University Press, New York, 1988; Biocomputing: Informatics and Genome Projects, Smith, D. W., ed., Academic Press, New York, 1993; Sequence Analysis in Molecular Biology, von Heinje, G., Academic Press, 1987; Computer Analysis of Sequence Data, Part I, Griffin, A. M., and Griffin, H. G., eds., Humana Press, New Jersey, 1994; and Sequence Analysis Primer, Gribskov, M. and Devereux, J., eds., M Stockton Press, New York, 1991; each of which is incorporated herein by reference. For example, the percent identity between two nucleic acid sequences can be determined using the algorithm of Meyers and Miller (CABIOS, 1989, 4:11-17), which has been incorporated into the ALIGN program (version 2.0) using a PAM120 weight residue table, a gap length penalty of 12 and a gap penalty of 4. The percent identity between two nucleic acid sequences can, alternatively, be determined using the GAP program in the GCG software package using an NWSgapdna.CMP matrix. Methods commonly employed to determine percent identity between sequences include, but are not limited to those disclosed in Carillo, H., and Lipman, D., *SIAM J Applied Math.*, 48:1073 (1988); incorporated herein by reference. Techniques for determining identity are codified in publicly available computer programs. Exemplary computer software to determine homology between two sequences include, but are not limited to, GCG program package, Devereux, J., et al., *Nucleic Acids Research*, 12(1), 387

(1984)), BLASTP, BLASTN, and FASTA Altschul, S. F. et al., *J. Molec. Biol.*, 215, 403 (1990)).

Multiprotein and Multicomponent Vaccines

The present disclosure encompasses respiratory virus vaccines comprising multiple RNA (e.g., mRNA) polynucleotides, each encoding a single antigenic polypeptide, as well as respiratory virus vaccines comprising a single RNA polynucleotide encoding more than one antigenic polypeptide (e.g., as a fusion polypeptide). Thus, a vaccine composition comprising a RNA (e.g., mRNA) polynucleotide having an open reading frame encoding a first antigenic polypeptide and a RNA (e.g., mRNA) polynucleotide having an open reading frame encoding a second antigenic polypeptide encompasses (a) vaccines that comprise a first RNA polynucleotide encoding a first antigenic polypeptide and a second RNA polynucleotide encoding a second antigenic polypeptide, and (b) vaccines that comprise a single RNA polynucleotide encoding a first and second antigenic polypeptide (e.g., as a fusion polypeptide). RNA (e.g., mRNA) vaccines of the present disclosure, in some embodiments, comprise 2-10 (e.g., 2, 3, 4, 5, 6, 7, 8, 9 or 10), or more, RNA polynucleotides having an open reading frame, each of which encodes a different antigenic polypeptide (or a single RNA polynucleotide encoding 2-10, or more, different antigenic polypeptides). The antigenic polypeptides may be selected from hMPV, PIV3, RSV, MEV and BetaCoV (e.g., selected from MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH and HCoV-HKU1) antigenic polypeptides.

In some embodiments, a respiratory virus vaccine comprises a RNA (e.g., mRNA) polynucleotide having an open reading frame encoding a viral capsid protein, a RNA (e.g., mRNA) polynucleotide having an open reading frame encoding a viral premembrane/membrane protein, and a RNA (e.g., mRNA) polynucleotide having an open reading frame encoding a viral envelope protein. In some embodiments, a respiratory virus vaccine comprises a RNA (e.g., mRNA) polynucleotide having an open reading frame encoding a viral fusion (F) protein and a RNA polynucleotide having an open reading frame encoding a viral major surface glycoprotein (G protein). In some embodiments, a vaccine comprises a RNA (e.g., mRNA) polynucleotide having an open reading frame encoding a viral F protein. In some embodiments, a vaccine comprises a RNA (e.g., mRNA) polynucleotide having an open reading frame encoding a viral G protein. In some embodiments, a vaccine comprises a RNA (e.g., mRNA) polynucleotide having an open reading frame encoding a HN protein.

In some embodiments, a multicomponent vaccine comprises at least one RNA (e.g., mRNA) polynucleotide encoding at least one antigenic polypeptide fused to a signal peptide (e.g., any one of SEQ ID NO: 15-19). The signal peptide may be fused at the N-terminus or the C-terminus of an antigenic polypeptide. An antigenic polypeptide fused to a signal peptide may be selected from hMPV, PIV3, RSV, MEV and BetaCoV (e.g., selected from MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH and HCoV-HKU1) antigenic polypeptides.

Signal Peptides

In some embodiments, antigenic polypeptides encoded by respiratory virus RNA (e.g., mRNA) polynucleotides comprise a signal peptide. Signal peptides, comprising the N-terminal 15-60 amino acids of proteins, are typically needed for the translocation across the membrane on the secretory pathway and, thus, universally control the entry of most proteins both in eukaryotes and prokaryotes to the secretory pathway. Signal peptides generally include three

regions: an N-terminal region of differing length, which usually comprises positively charged amino acids; a hydrophobic region; and a short carboxy-terminal peptide region. In eukaryotes, the signal peptide of a nascent precursor protein (pre-protein) directs the ribosome to the rough endoplasmic reticulum (ER) membrane and initiates the transport of the growing peptide chain across it for processing. ER processing produces mature proteins, wherein the signal peptide is cleaved from precursor proteins, typically by a ER-resident signal peptidase of the host cell, or they remain uncleaved and function as a membrane anchor. A signal peptide may also facilitate the targeting of the protein to the cell membrane. The signal peptide, however, is not responsible for the final destination of the mature protein. Secretory proteins devoid of additional address tags in their sequence are by default secreted to the external environment. During recent years, a more advanced view of signal peptides has evolved, showing that the functions and immunodominance of certain signal peptides are much more versatile than previously anticipated.

Respiratory virus vaccines of the present disclosure may comprise, for example, RNA (e.g., mRNA) polynucleotides encoding an artificial signal peptide, wherein the signal peptide coding sequence is operably linked to and is in frame with the coding sequence of the antigenic polypeptide. Thus, respiratory virus vaccines of the present disclosure, in some embodiments, produce an antigenic polypeptide comprising an antigenic polypeptide (e.g., hMPV, PIV3, RSV, MeV or BetaCoV) fused to a signal peptide. In some embodiments, a signal peptide is fused to the N-terminus of the antigenic polypeptide. In some embodiments, a signal peptide is fused to the C-terminus of the antigenic polypeptide.

In some embodiments, the signal peptide fused to the antigenic polypeptide is an artificial signal peptide. In some embodiments, an artificial signal peptide fused to the antigenic polypeptide encoded by the RNA (e.g., mRNA) vaccine is obtained from an immunoglobulin protein, e.g., an IgE signal peptide or an IgG signal peptide. In some embodiments, a signal peptide fused to the antigenic polypeptide encoded by a RNA (e.g., mRNA) vaccine is an Ig heavy chain epsilon-1 signal peptide (IgE HC SP) having the sequence of: MDWTWILFLVAAATRVHS (SEQ ID NO: 16). In some embodiments, a signal peptide fused to the antigenic polypeptide encoded by the (e.g., mRNA) RNA (e.g., mRNA) vaccine is an IgGk chain V-III region HAH signal peptide (IgGk SP) having the sequence of METPAQLLFLLLLWLPDPTTG (SEQ ID NO: 15). In some embodiments, the signal peptide is selected from: Japanese encephalitis PRM signal sequence (MLG-SNSGQRVVFITLLLLVAPAYS; SEQ ID NO: 17), VSVg protein signal sequence (MKCLLYLAFLFIGVNCA; SEQ ID NO: 18) and Japanese encephalitis JEV signal sequence (MWLVSLAIVTACAGA; SEQ ID NO: 19).

In some embodiments, the antigenic polypeptide encoded by a RNA (e.g., mRNA) vaccine comprises an amino acid sequence identified by any one of SEQ ID NO: 5-8, 12-13, 24-34, 47-50 or 54-56 (Tables 3, 6, 11, 14 or 17; see also amino acid sequences of Tables 4, 7, 12 or 15) fused to a signal peptide identified by any one of SEQ ID NO: 15-19 (Table 8). The examples disclosed herein are not meant to be limiting and any signal peptide that is known in the art to facilitate targeting of a protein to ER for processing and/or targeting of a protein to the cell membrane may be used in accordance with the present disclosure.

A signal peptide may have a length of 15-60 amino acids. For example, a signal peptide may have a length of 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32,

33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, or 60 amino acids. In some embodiments, a signal peptide has a length of 20-60, 25-60, 30-60, 35-60, 40-60, 45-60, 50-60, 55-60, 15-55, 20-55, 25-55, 30-55, 35-55, 40-55, 45-55, 50-55, 15-50, 20-50, 25-50, 30-50, 35-50, 40-50, 45-50, 15-45, 20-45, 25-45, 30-45, 35-45, 40-45, 15-40, 20-40, 25-40, 30-40, 35-40, 15-35, 20-35, 25-35, 30-35, 15-30, 20-30, 25-30, 15-25, 20-25, or 15-20 amino acids.

A signal peptide is typically cleaved from the nascent polypeptide at the cleavage junction during ER processing. The mature antigenic polypeptide produced by a respiratory virus RNA (e.g., mRNA) vaccine of the present disclosure typically does not comprise a signal peptide.

Chemical Modifications

Respiratory virus vaccines of the present disclosure, in some embodiments, comprise at least RNA (e.g. mRNA) polynucleotide having an open reading frame encoding at least one antigenic polypeptide that comprises at least one chemical modification.

The terms “chemical modification” and “chemically modified” refer to modification with respect to adenosine (A), guanosine (G), uridine (U), thymidine (T) or cytidine (C) ribonucleosides or deoxyribonucleosides in at least one of their position, pattern, percent or population. Generally, these terms do not refer to the ribonucleotide modifications in naturally occurring 5'-terminal mRNA cap moieties. With respect to a polypeptide, the term “modification” refers to a modification relative to the canonical set 20 amino acids. Polypeptides, as provided herein, are also considered “modified” if they contain amino acid substitutions, insertions or a combination of substitutions and insertions.

Polynucleotides (e.g., RNA polynucleotides, such as mRNA polynucleotides), in some embodiments, comprise various (more than one) different modifications. In some embodiments, a particular region of a polynucleotide contains one, two or more (optionally different) nucleoside or nucleotide modifications. In some embodiments, a modified RNA polynucleotide (e.g., a modified mRNA polynucleotide), introduced to a cell or organism, exhibits reduced degradation in the cell or organism, respectively, relative to an unmodified polynucleotide. In some embodiments, a modified RNA polynucleotide (e.g., a modified mRNA polynucleotide), introduced into a cell or organism, may exhibit reduced immunogenicity in the cell or organism, respectively (e.g., a reduced innate response).

Modifications of polynucleotides include, without limitation, those described herein. Polynucleotides (e.g., RNA polynucleotides, such as mRNA polynucleotides) may comprise modifications that are naturally-occurring, non-naturally-occurring or the polynucleotide may comprise a combination of naturally-occurring and non-naturally-occurring modifications. Polynucleotides may include any useful modification, for example, of a sugar, a nucleobase, or an internucleoside linkage (e.g., to a linking phosphate, to a phosphodiester linkage or to the phosphodiester backbone).

Polynucleotides (e.g., RNA polynucleotides, such as mRNA polynucleotides), in some embodiments, comprise non-natural modified nucleotides that are introduced during synthesis or post-synthesis of the polynucleotides to achieve desired functions or properties. The modifications may be present on an internucleotide linkages, purine or pyrimidine bases, or sugars. The modification may be introduced with chemical synthesis or with a polymerase enzyme at the terminal of a chain or anywhere else in the chain. Any of the regions of a polynucleotide may be chemically modified.

The present disclosure provides for modified nucleosides and nucleotides of a polynucleotide (e.g., RNA polynucleotides, such as mRNA polynucleotides). A “nucleoside” refers to a compound containing a sugar molecule (e.g., a pentose or ribose) or a derivative thereof in combination with an organic base (e.g., a purine or pyrimidine) or a derivative thereof (also referred to herein as “nucleobase”). A nucleotide” refers to a nucleoside, including a phosphate group. Modified nucleotides may be synthesized by any useful method, such as, for example, chemically, enzymatically, or recombinantly, to include one or more modified or non-natural nucleosides. Polynucleotides may comprise a region or regions of linked nucleosides. Such regions may have variable backbone linkages. The linkages may be standard phosphodiester linkages, in which case the polynucleotides would comprise regions of nucleotides.

Modified nucleotide base pairing encompasses not only the standard adenosine-thymine, adenosine-uracil, or guanosine-cytosine base pairs, but also base pairs formed between nucleotides and/or modified nucleotides comprising non-standard or modified bases, wherein the arrangement of hydrogen bond donors and hydrogen bond acceptors permits hydrogen bonding between a non-standard base and a standard base or between two complementary non-standard base structures. One example of such non-standard base pairing is the base pairing between the modified nucleotide inosine and adenine, cytosine or uracil. Any combination of base/sugar or linker may be incorporated into polynucleotides of the present disclosure.

Modifications of polynucleotides (e.g., RNA polynucleotides, such as mRNA polynucleotides) that are useful in the vaccines of the present disclosure include, but are not limited to the following: 2-methylthio-N6-(cis-hydroxyisopentenyl)adenosine; 2-methylthio-N6-methyladenosine; 2-methylthio-N6-threonyl carbamoyladenosine; N6-glycinylnylcarbamoyladenosine; N6-isopentenyladenosine; N6-methyladenosine; N6-threonylcarbamoyladenosine; 1,2'-O-dimethyladenosine; 1-methyladenosine; 2'-O-methyladenosine; 2'-O-ribosyladenosine (phosphate); 2-methyladenosine; 2-methylthio-N6 isopentenyladenosine; 2-methylthio-N6-hydroxynorvalyl carbamoyladenosine; 2'-O-methyladenosine; 2'-O-ribosyladenosine (phosphate); Isopentenyladenosine; N6-(cis-hydroxyisopentenyl)adenosine; N6,2'-O-dimethyladenosine; N6,2'-O-dimethyladenosine; N6,N6,2'-O-trimethyladenosine; N6,N6-dimethyladenosine; N6-acetyladenosine; N6-acetyladenosine; N6-hydroxynorvalylcarbamoyladenosine; N6-methyl-N6-threonylcarbamoyladenosine; 2-methyladenosine; 2-methylthio-N6-isopentenyladenosine; 7-deaza-adenosine; N1-methyl-adenosine; N6,N6 (dimethyl)adenine; N6-cis-hydroxy-isopentenyl-adenosine; α -thio-adenosine; 2 (amino)adenine; 2 (aminopropyl)adenine; 2 (methylthio) N6 (isopentenyl)adenine; 2-(alkyl)adenine; 2-(aminoalkyl)adenine; 2-(aminopropyl)adenine; 2-(halo)adenine; 2-(halo)adenine; 2-(propyl)adenine; 2'-Amino-2'-deoxy-ATP; 2'-Azido-2'-deoxy-ATP; 2'-Deoxy-2'-a-aminoadenosine TP; 2'-Deoxy-2'-a-azidoadenosine TP; 6 (alkyl)adenine; 6 (methyl)adenine; 6-(alkyl)adenine; 6-(methyl)adenine; 7 (deaza)adenine; 8 (alkenyl)adenine; 8 (alkynyl)adenine; 8 (amino)adenine; 8 (thioalkyl)adenine; 8-(alkenyl)adenine; 8-(alkyl)adenine; 8-(alkynyl)adenine; 8-(amino)adenine; 8-(halo)adenine; 8-(hydroxyl)adenine; 8-(thioalkyl)adenine; 8-(thiol)adenine; 8-azido-adenosine; aza adenine; deaza adenine; N6 (methyl)adenine; N6-(isopentyl)adenine; 7-deaza-8-aza-adenosine; 7-methyladenine; 1-Deazaadenosine TP; 2'Fluoro-N6-Bz-deoxyadenosine TP; 2'-OMe-2-Amino-ATP; 2'O-methyl-N6-Bz-deoxyadenosine TP; 2'-a-

Ethynyladenosine TP; 2-aminoadenine; 2-Aminoadenosine TP; 2-Amino-ATP; 2'-a-Trifluoromethyladenosine TP; 2-Azidoadenosine TP; 2'-b-Ethynyladenosine TP; 2-Bromoadenosine TP; 2'-b-Trifluoromethyladenosine TP; 2-Chloroadenosine TP; 2'-Deoxy-2',2'-difluoroadenosine TP; 2'-Deoxy-2'-a-mercaptopadenosine TP; 2'-Deoxy-2'-a-thiomethoxyadenosine TP; 2'-Deoxy-2'-b-aminoadenosine TP; 2'-Deoxy-2'-b-azidoadenosine TP; 2'-Deoxy-2'-b-bromoadenosine TP; 2'-Deoxy-2'-b-chloroadenosine TP; 2'-Deoxy-2'-b-fluoroadenosine TP; 2'-Deoxy-2'-b-iodoadenosine TP; 2'-Deoxy-2'-b-mercaptopadenosine TP; 2'-Deoxy-2'-b-thiomethoxyadenosine TP; 2-Fluoroadenosine TP; 2-Iodoadenosine TP; 2-Mercaptopadenosine TP; 2-methoxy-adenine; 2-methylthio-adenine; 2-Trifluoromethyladenosine TP; 3-Deaza-3-bromoadenosine TP; 3-Deaza-3-chloroadenosine TP; 3-Deaza-3-fluoroadenosine TP; 3-Deaza-3-iodoadenosine TP; 3-Deazaadenosine TP; 4'-Azidoadenosine TP; 4'-Carbocyclic adenosine TP; 4'-Ethynyladenosine TP; 5'-Homo-adenosine TP; 8-Aza-ATP; 8-bromo-adenosine TP; 8-Trifluoromethyladenosine TP; 9-Deazaadenosine TP; 2-aminopurine; 7-deaza-2,6-diaminopurine; 7-deaza-8-aza-2,6-diaminopurine; 7-deaza-8-aza-2-aminopurine; 2,6-diaminopurine; 7-deaza-8-aza-adenine, 7-deaza-2-aminopurine; 2-thiocytidine; 3-methylcytidine; 5-formylcytidine; 5-hydroxymethylcytidine; 5-methylcytidine; N4-acetylcytidine; 2'-O-methylcytidine; 2'-O-methylcytidine; 5,2'-O-dimethylcytidine; 5-formyl-2'-O-methylcytidine; Lysidine; N4,2'-O-dimethylcytidine; N4-acetyl-2'-O-methylcytidine; N4-methylcytidine; N4,N4-Dimethyl-2'-OMe-Cytidine TP; 4-methylcytidine; 5-aza-cytidine; Pseudo-iso-cytidine; pyrrolo-cytidine; α -thio-cytidine; 2-(thio)cytosine; 2'-Amino-2'-deoxy-CTP; 2'-Azido-2'-deoxy-CTP; 2'-Deoxy-2'-a-aminocytidine TP; 2'-Deoxy-2'-a-azidocytidine TP; 3 (deaza) 5 (aza)cytosine; 3 (methyl)cytosine; 3-(alkyl)cytosine; 3-(deaza) 5 (aza)cytosine; 3-(methyl)cytidine; 4,2'-O-dimethylcytidine; 5 (halo)cytosine; 5 (methyl)cytosine; 5 (propynyl)cytosine; 5 (trifluoromethyl)cytosine; 5-(alkyl)cytosine; 5-(alkynyl)cytosine; 5-(halo)cytosine; 5-(propynyl)cytosine; 5-(trifluoromethyl)cytosine; 5-bromo-cytidine; 5-iodo-cytidine; 5-propynyl cytosine; 6-(azo)cytosine; 6-aza-cytidine; aza cytosine; deaza cytosine; N4 (acetyl)cytosine; 1-methyl-1-deaza-pseudoisocytidine; 1-methyl-pseudoisocytidine; 2-methoxy-5-methyl-cytidine; 2-methoxy-cytidine; 2-thio-5-methyl-cytidine; 4-methoxy-1-methyl-pseudoisocytidine; 4-methoxy-pseudoisocytidine; 4-thio-1-methyl-1-deaza-pseudoisocytidine; 4-thio-1-methyl-pseudoisocytidine; 4-thio-pseudoisocytidine; 5-azabenzularine; 5-methyl-zebularine; pyrrolo-pseudoisocytidine; Zebularine; (E)-5-(2-Bromo-vinyl)cytidine TP; 2,2'-anhydro-cytidine TP hydrochloride; 2'Fluoro-N4-Bz-cytidine TP; 2'Fluoro-N4-Acetyl-cytidine TP; 2'-O-Methyl-N4-Acetyl-cytidine TP; 2'-O-methyl-N4-Bz-cytidine TP; 2'-a-Ethynylcytidine TP; 2'-a-Trifluoromethylcytidine TP; 2'-b-Ethynylcytidine TP; 2'-b-Trifluoromethylcytidine TP; 2'-Deoxy-2',2'-difluorocytidine TP; 2'-Deoxy-2'-a-mercaptopcytidine TP; 2'-Deoxy-2'-a-thiomethoxycytidine TP; 2'-Deoxy-2'-b-aminocytidine TP; 2'-Deoxy-2'-b-azidocytidine TP; 2'-Deoxy-2'-b-bromocytidine TP; 2'-Deoxy-2'-b-chlorocytidine TP; 2'-Deoxy-2'-b-fluorocytidine TP; 2'-Deoxy-2'-b-iodocytidine TP; 2'-Deoxy-2'-b-mercaptopcytidine TP; 2'-Deoxy-2'-b-thiomethoxycytidine TP; 2'-O-Methyl-5-(1-propynyl)cytidine TP; 3'-Ethynylcytidine TP; 4'-Azidocytidine TP; 4'-Carbocyclic cytidine TP; 4'-Ethynylcytidine TP; 5-(1-Propynyl)ara-cytidine TP; 5-(2-Chloro-phenyl)-2-thiocytidine TP; 5-(4-Amino-phenyl)-2-thiocytidine TP; 5-Aminoallyl-CTP; 5-Cyanocytidine TP; 5-Ethynylara-cytidine TP; 5-Ethynylcytidine TP; 5'-Homo-cytidine TP;

5-Methoxycytidine TP; 5-Trifluoromethyl-Cytidine TP; N4-Amino-cytidine TP; N4-Benzoyl-cytidine TP; Pseudoisocytidine; 7-methylguanosine; N2,2'-O-dimethylguanosine; N2-methylguanosine; Wyosine; 1,2'-O-dimethylguanosine; 1-methylguanosine; 2'-O-methylguanosine; 2'-O-ribosylguanosine (phosphate); 2'-O-methylguanosine; 2'-O-ribosylguanosine (phosphate); 7-aminomethyl-7-deazaguanosine; 7-cyano-7-deazaguanosine; Archaeosine; Methylwyosine; N2,7-dimethylguanosine; N2,N2,2'-O-trimethylguanosine; N2,N2,7-trimethylguanosine; N2,N2-dimethylguanosine; N2,7,2'-O-trimethylguanosine; 6-thioguanosine; 7-deaza-guanosine; 8-oxo-guanosine; N1-methyl-guanosine; α -thio-guanosine; 2 (propyl)guanane; 2-(alkyl)guanane; 2'-Amino-2'-deoxy-GTP; 2'-Azido-2'-deoxy-GTP; 2'-Deoxy-2'-a-aminoguanosine TP; 2'-Deoxy-2'-a-azidoguanosine TP; 6 (methyl)guanane; 6-(alkyl)guanane; 6-(methyl)guanane; 6-methyl-guanosine; 7 (alkyl)guanane; 7 (deaza)guanane; 7 (methyl)guanane; 7-(alkyl)guanane; 7-(deaza)guanane; 7-(methyl)guanane; 8 (alkyl)guanane; 8 (alkynyl)guanane; 8 (halo)guanane; 8 (thioalkyl)guanane; 8-(alkenyl)guanane; 8-(alkyl)guanane; 8-(alkynyl)guanane; 8-(amino)guanane; 8-(halo)guanane; 8-(hydroxyl)guanane; 8-(thioalkyl)guanane; 8-(thiol)guanane; aza guanane; deaza guanane; N (methyl)guanane; N-(methyl)guanane; 1-methyl-6-thio-guanosine; 6-methoxy-guanosine; 6-thio-7-deaza-8-aza-guanosine; 6-thio-7-deaza-guanosine; 6-thio-7-methyl-guanosine; 7-deaza-8-aza-guanosine; 7-methyl-8-oxo-guanosine; N2,N2-dimethyl-6-thio-guanosine; N2-methyl-6-thio-guanosine; 1-Me-GTP; 2'Fluoro-N2-isobutyl-guanosine TP; 2'O-methyl-N2-isobutyl-guanosine TP; 2'-a-Ethynylguanosine TP; 2'-a-Trifluoromethylguanosine TP; 2'-b-Ethynylguanosine TP; 2'-b-Trifluoromethylguanosine TP; 2'-Deoxy-2',2'-difluoroguanosine TP; 2'-Deoxy-2'-a-mercaptopguanosine TP; 2'-Deoxy-2'-a-thiomethoxyguanosine TP; 2'-Deoxy-2'-b-aminoguanosine TP; 2'-Deoxy-2'-b-azidoguanosine TP; 2'-Deoxy-2'-b-bromoguanosine TP; 2'-Deoxy-2'-b-chloroguanosine TP; 2'-Deoxy-2'-b-fluoroguanosine TP; 2'-Deoxy-2'-b-iodoguanosine TP; 2'-Deoxy-2'-b-mercaptopguanosine TP; 2'-Deoxy-2'-b-thiomethoxyguanosine TP; 4'-Azidoguanosine TP; 4'-Carbocyclic guanosine TP; 4'-Ethynylguanosine TP; 5'-Homo-guanosine TP; 8-bromo-guanosine TP; 9-Deazaguanosine TP; N2-isobutyl-guanosine TP; 1-methylinosine; Inosine; 1,2'-O-dimethylinosine; 2'-O-methylinosine; 7-methylinosine; 2'-O-methylinosine; Epoxyqueuosine; galactosyl-queuosine; Mannosylqueuosine; Queuosine; allylamino-thymidine; aza thymidine; deaza thymidine; deoxy-thymidine; 2'-O-methyluridine; 2-thiouridine; 3-methyluridine; 5-carboxymethyluridine; 5-hydroxyuridine; 5-methyluridine; 5-taurinomethyl-2-thiouridine; 5-taurinomethyluridine; Dihydrouridine; Pseudouridine; (3-(3-amino-3-carboxypropyl)uridine; 1-methyl-3-(3-amino-5-carboxypropyl)pseudouridine; 1-methylpseudouridine; 1-methyl-pseudouridine; 2'-O-methyluridine; 2'-O-methylpseudouridine; 2'-O-methyluridine; 2-thio-2'-O-methyluridine; 3-(3-amino-3-carboxypropyl)uridine; 3,2'-O-dimethyluridine; 3-Methyl-pseudo-Uridine TP; 4-thiouridine; 5-(carboxyhydroxymethyl)uridine; 5-(carboxyhydroxymethyl)uridine methyl ester; 5,2'-O-dimethyluridine; 5,6-dihydro-uridine; 5-aminomethyl-2-thiouridine; 5-carbamoylmethyl-2'-O-methyluridine; 5-carbamoylmethyluridine; 5-carboxyhydroxymethyluridine; 5-carboxyhydroxymethyluridine methyl ester; 5-carboxymethylaminomethyl-2'-O-methyluridine; 5-carboxymethylaminomethyl-2-thiouridine; 5-carboxymethylaminomethyl-2-thiouridine; 5-carboxymethylaminomethyluridine; 5-carboxymethylaminomethyluridine; 5-Carbamoylmethyluridine TP;

5-methoxycarbonylmethyl-2'-O-methyluridine; 5-methoxycarbonylmethyl-2-thiouridine; 5-methoxycarbonylmethyluridine; 5-methoxyuridine; 5-methyl-2-thiouridine; 5-methylaminomethyl-2-selenouridine; 5-methylaminomethyl-2-thiouridine; 5-methylaminomethyluridine; 5-Methyl-dihydrouridine; 5-Oxyacetic acid-Uridine TP; 5-Oxyacetic acid-methyl ester-Uridine TP; N1-methyl-pseudo-uridine; uridine 5-oxyacetic acid; uridine 5-oxyacetic acid methyl ester; 3-(3-Amino-3-carboxypropyl)-Uridine TP; 5-(iso-Pentenylaminomethyl)-2-thiouridine TP; 5-(iso-Pentenylaminomethyl)-2'-O-methyluridine TP; 5-(iso-Pentenylaminomethyl)uridine TP; 5-propynyl uracil; α -thio-uridine; 1 (aminoalkylamino-carbonylethylene)-2 (thio)-pseudouracil; 1 (aminoalkylaminocarbonylethylene)-2,4-(dithio)pseudouracil; 1 (aminoalkylaminocarbonylethylene)-4 (thio)pseudouracil; 1 (aminoalkylaminocarbonylethylene)-pseudouracil; 1 (aminocarbonylethylene)-2(thio)-pseudouracil; 1 (aminocarbonylethylene)-2,4-(dithio)pseudouracil; 1 (aminocarbonylethylene)-4 (thio)pseudouracil; 1 (aminocarbonylethylene)-pseudouracil; 1 substituted 2(thio)-pseudouracil; 1 substituted 2,4-(dithio)pseudouracil; 1 substituted 4 (thio)pseudouracil; 1 substituted pseudouracil; 1-(aminoalkylamino-carbonylethylene)-2-(thio)-pseudouracil; 1-Methyl-3-(3-amino-3-carboxypropyl)pseudouridine TP; 1-Methyl-3-(3-amino-3-carboxypropyl)pseudo-UTP; 1-Methyl-pseudo-UTP; 2 (thio)pseudouracil; 2' deoxy uridine; 2' fluorouridine; 2-(thio)uracil; 2,4-(dithio)pseudouracil; 2' methyl, 2'amino, 2'azido, 2'fluoro-guanosine; 2'-Amino-2'-deoxy-UTP; 2'-Azido-2'-deoxy-UTP; 2'-Azido-deoxyuridine TP; 2'-O-methylpseudouridine; 2' deoxy uridine; 2' fluorouridine; 2'-Deoxy-2'-a-aminouridine TP; 2'-Deoxy-2'-a-azidouridine TP; 2-methylpseudouridine; 3 (3 amino-3 carboxypropyl)uracil; 3 (thio)pseudouracil; 4-(thio)pseudouracil; 4-(thio)uracil; 4-thiouracil; 5 (1,3-diazole-1-alkyl)uracil; 5 (2-aminopropyl)uracil; 5 (aminoalkyl)uracil; 5 (dimethylaminoalkyl)uracil; 5 (guanidiniumalkyl)uracil; 5 (methoxycarbonylmethyl)-2-(thio)uracil; 5 (methoxycarbonyl-methyl)uracil; 5 (methyl) 2 (thio)uracil; 5 (methyl) 2,4 (dithio)uracil; 5 (methyl) 4 (thio)uracil; 5 (methylaminomethyl)-2 (thio)uracil; 5 (methylaminomethyl)-2,4 (dithio)uracil; 5 (methylaminomethyl)-4 (thio)uracil; 5 (propynyl)uracil; 5 (trifluoromethyl)uracil; 5-(2-aminopropyl)uracil; 5-(alkyl)-2-(thio)pseudouracil; 5-(alkyl)-2,4 (dithio)pseudouracil; 5-(alkyl)-4 (thio)pseudouracil; 5-(alkyl)pseudouracil; 5-(alkyl)uracil; 5-(alkynyl)uracil; 5-(allylamino)uracil; 5-(cyanoalkyl)uracil; 5-(dialkylaminoalkyl)uracil; 5-(dimethylaminoalkyl)uracil; 5-(guanidiniumalkyl)uracil; 5-(halo)uracil; 5-(1,3-diazole-1-alkyl)uracil; 5-(methoxy)uracil; 5-(methoxycarbonylmethyl)-2-(thio)uracil; 5-(methoxycarbonyl-methyl)uracil; 5-(methyl) 2(thio)uracil; 5-(methyl) 2,4 (dithio)uracil; 5-(methyl) 4 (thio)uracil; 5-(methyl)-2 (thio)pseudouracil; 5-(methyl)-2,4 (dithio)pseudouracil; 5-(methyl)-4 (thio)pseudouracil; 5-(methyl)pseudouracil; 5-(methylaminomethyl)-2 (thio)uracil; 5-(methylaminomethyl)-2,4(dithio)uracil; 5-(methylaminomethyl)-4-(thio)uracil; 5-(propynyl)uracil; 5-(trifluoromethyl)uracil; 5-aminoallyl-uridine; 5-bromo-uridine; 5-iodo-uridine; 5-uracil; 6 (azo)uracil; 6-(azo)uracil; 6-aza-uridine; allylamino-uracil; aza uracil; deaza uracil; N3 (methyl)uracil; Pseudo-UTP-1-2-ethanoic acid; Pseudouracil; 4-Thio-pseudo-UTP; 1-carboxymethyl-pseudouridine; 1-methyl-1-deaza-pseudouridine; 1-propynyl-uridine; 1-taurinomethyl-1-methyluridine; 1-taurinomethyl-4-thio-uridine; 1-taurinomethyl-pseudouridine; 2-methoxy-4-thio-pseudouridine; 2-thio-1-methyl-1-deaza-pseudouridine; 2-thio-1-methyl-

pseudouridine; 2-thio-5-aza-uridine; 2-thio-dihydropseudouridine; 2-thio-dihydrouridine; 2-thio-pseudouridine; 4-methoxy-2-thio-pseudouridine; 4-methoxy-pseudouridine; 4-thio-pseudouridine; 5-aza-uridine; Dihydropseudouridine; (\pm)-1-(2-Hydroxypropyl)pseudouridine TP; (2R)-1-(2-Hydroxypropyl)pseudouridine TP; (2S)-1-(2-Hydroxypropyl)pseudouridine TP; (E)-5-(2-Bromo-vinyl)ara-uridine TP; (E)-5-(2-Bromo-vinyl)uridine TP; (Z)-5-(2-Bromo-vinyl)ara-uridine TP; (Z)-5-(2-Bromo-vinyl)uridine TP; 1-(2,2,2-Trifluoroethyl)-pseudo-UTP; 1-(2,2,3,3,3-Pentafluoropropyl)pseudouridine TP; 1-(2,2-Diethoxyethyl)pseudouridine TP; 1-(2,4,6-Trimethylbenzyl)pseudouridine TP; 1-(2,4,6-Trimethyl-benzyl)pseudo-UTP; 1-(2,4,6-Trimethyl-phenyl)pseudo-UTP; 1-(2-Amino-2-carboxyethyl)pseudo-UTP; 1-(2-Amino-ethyl)pseudo-UTP; 1-(2-Hydroxyethyl)pseudouridine TP; 1-(2-Methoxyethyl)pseudouridine TP; 1-(3,4-Bis-trifluoromethoxybenzyl)pseudouridine TP; 1-(3,4-Dimethoxybenzyl)pseudouridine TP; 1-(3-Amino-3-carboxypropyl)pseudo-UTP; 1-(3-Amino-propyl)pseudo-UTP; 1-(3-Cyclopropyl-prop-2-ynyl)pseudouridine TP; 1-(4-Amino-4-carboxybutyl)pseudo-UTP; 1-(4-Amino-benzyl)pseudo-UTP; 1-(4-Amino-butyl)pseudo-UTP; 1-(4-Amino-phenyl)pseudo-UTP; 1-(4-Azidobenzyl)pseudouridine TP; 1-(4-Bromobenzyl)pseudouridine TP; 1-(4-Chlorobenzyl)pseudouridine TP; 1-(4-Fluorobenzyl)pseudouridine TP; 1-(4-Iodobenzyl)pseudouridine TP; 1-(4-Methanesulfonylbenzyl)pseudouridine TP; 1-(4-Methoxybenzyl)pseudouridine TP; 1-(4-Methoxy-benzyl)pseudo-UTP; 1-(4-Methoxy-phenyl)pseudo-UTP; 1-(4-Methylbenzyl)pseudouridine TP; 1-(4-Methyl-benzyl)pseudo-UTP; 1-(4-Nitrobenzyl)pseudouridine TP; 1-(4-Nitro-benzyl)pseudo-UTP; 1-(4-Nitro-phenyl)pseudo-UTP; 1-(4-Thiomethoxybenzyl)pseudouridine TP; 1-(4-Trifluoromethoxybenzyl)pseudouridine TP; 1-(4-Trifluoromethylbenzyl)pseudouridine TP; 1-(5-Amino-pentyl)pseudo-UTP; 1-(6-Amino-hexyl)pseudo-UTP; 1,6-Dimethyl-pseudo-UTP; 1-[3-(2-[2-(2-Aminoethoxy)-ethoxy]-ethoxy)-ethoxy]-propionylpseudouridine TP; 1-{3-[2-(2-Aminoethoxy)-ethoxy]-propionyl}pseudouridine TP; 1-Acetylpsudouridine TP; 1-Alkyl-6-(1-propynyl)-pseudo-UTP; 1-Alkyl-6-(2-propynyl)-pseudo-UTP; 1-Alkyl-6-allyl-pseudo-UTP; 1-Alkyl-6-ethynyl-pseudo-UTP; 1-Alkyl-6-homoallyl-pseudo-UTP; 1-Alkyl-6-vinyl-pseudo-UTP; 1-Allylpseudouridine TP; 1-Aminomethyl-pseudo-UTP; 1-Benzoylpseudouridine TP; 1-Benzoyloxymethylpseudouridine TP; 1-Benzyl-pseudo-UTP; 1-Biotinyl-PEG2-pseudouridine TP; 1-Biotinylpseudouridine TP; 1-Butyl-pseudo-UTP; 1-Cyanomethylpseudouridine TP; 1-Cyclobutylmethyl-pseudo-UTP; 1-Cyclobutyl-pseudo-UTP; 1-Cycloheptylmethyl-pseudo-UTP; 1-Cycloheptyl-pseudo-UTP; 1-Cyclohexylmethyl-pseudo-UTP; 1-Cyclohexyl-pseudo-UTP; 1-Cyclooctylmethyl-pseudo-UTP; 1-Cyclooctyl-pseudo-UTP; 1-Cyclopentylmethyl-pseudo-UTP; 1-Cyclopentyl-pseudo-UTP; 1-Cyclopropylmethyl-pseudo-UTP; 1-Cyclopropyl-pseudo-UTP; 1-Ethyl-pseudo-UTP; 1-Hexyl-pseudo-UTP; 1-Homoallylpseudouridine TP; 1-Hydroxymethylpseudouridine TP; 1-iso-propyl-pseudo-UTP; 1-Me-2-thio-pseudo-UTP; 1-Me-4-thio-pseudo-UTP; 1-Me-alpha-thio-pseudo-UTP; 1-Methanesulfonylmethylpseudouridine TP; 1-Methoxymethylpseudouridine TP; 1-Methyl-6-(2,2,2-Trifluoroethyl)pseudo-UTP; 1-Methyl-6-(4-morpholino)-pseudo-UTP; 1-Methyl-6-(4-thiomorpholino)-pseudo-UTP; 1-Methyl-6-(substituted phenyl)pseudo-UTP; 1-Methyl-6-amino-pseudo-UTP; 1-Methyl-6-azido-pseudo-UTP; 1-Methyl-6-bromo-pseudo-UTP; 1-Methyl-6-butyl-pseudo-UTP; 1-Methyl-6-chloro-pseudo-

UTP; 1-Methyl-6-cyano-pseudo-UTP; 1-Methyl-6-dimethylamino-pseudo-UTP; 1-Methyl-6-ethoxy-pseudo-UTP; 1-Methyl-6-ethylcarboxylate-pseudo-UTP; 1-Methyl-6-ethyl-pseudo-UTP; 1-Methyl-6-fluoro-pseudo-UTP; 1-Methyl-6-formyl-pseudo-UTP; 1-Methyl-6-hydroxyamino-pseudo-UTP; 1-Methyl-6-hydroxy-pseudo-UTP; 1-Methyl-6-iodo-pseudo-UTP; 1-Methyl-6-iso-propyl-pseudo-UTP; 1-Methyl-6-methoxy-pseudo-UTP; 1-Methyl-6-methylamino-pseudo-UTP; 1-Methyl-6-phenyl-pseudo-UTP; 1-Methyl-6-propyl-pseudo-UTP; 1-Methyl-6-tert-butyl-pseudo-UTP; 1-Methyl-6-trifluoromethoxy-pseudo-UTP; 1-Methyl-6-trifluoromethyl-pseudo-UTP; 1-Morpholinomethylpseudouridine TP; 1-Pentyl-pseudo-UTP; 1-Phenyl-pseudo-UTP; 1-Pivaloylpseudouridine TP; 1-Propargylpseudouridine TP; 1-Propyl-pseudo-UTP; 1-propynyl-pseudouridine; 1-p-tolyl-pseudo-UTP; 1-tert-Butyl-pseudo-UTP; 1-Thiomethoxymethylpseudouridine TP; 1-Thiomorpholinomethylpseudouridine TP; 1-Trifluoroacetylpsudouridine TP; 1-Trifluoromethyl-pseudo-UTP; 1-Vinylpseudouridine TP; 2,2'-anhydro-uridine TP; 2'-bromo-deoxyuridine TP; 2'-F-5-Methyl-2'-deoxy-UTP; 2'-OMe-5-Me-UTP; 2'-OMe-pseudo-UTP; 2'-a-Ethynyluridine TP; 2'-a-Trifluoromethyluridine TP; 2'-b-Ethynyluridine TP; 2'-b-Trifluoromethyluridine TP; 2'-Deoxy-2',2'-difluorouridine TP; 2'-Deoxy-2'-a-mercaptopuridine TP; 2'-Deoxy-2'-a-thiomethoxyuridine TP; 2'-Deoxy-2'-b-aminouridine TP; 2'-Deoxy-2'-b-azidouridine TP; 2'-Deoxy-2'-b-bromouridine TP; 2'-Deoxy-2'-b-chlorouridine TP; 2'-Deoxy-2'-b-fluorouridine TP; 2'-Deoxy-2'-b-iodouridine TP; 2'-Deoxy-2'-b-mercaptopuridine TP; 2'-Deoxy-2'-b-thiomethoxyuridine TP; 2-methoxy-4-thio-uridine; 2-methoxyuridine; 2'-O-Methyl-5-(1-propynyl)uridine TP; 3-Alkyl-pseudo-UTP; 4'-Azidouridine TP; 4'-Carbocyclic uridine TP; 4'-Ethynyluridine TP; 5-(1-Propynyl)ara-uridine TP; 5-(2-Furanyl)uridine TP; 5-Cyanouridine TP; 5-Dimethylaminouridine TP; 5'-Homo-uridine TP; 5-iodo-2'-fluoro-deoxyuridine TP; 5-Phenylethynyluridine TP; 5-Trideuteromethyl-6-deuterouridine TP; 5-Trifluoromethyl-uridine TP; 5-Vinylarauridine TP; 6-(2,2,2-Trifluoroethyl)-pseudo-UTP; 6-(4-Morpholino)-pseudo-UTP; 6-(4-Thiomorpholino)-pseudo-UTP; 6-(Substituted-Phenyl)-pseudo-UTP; 6-Amino-pseudo-UTP; 6-Azido-pseudo-UTP; 6-Bromo-pseudo-UTP; 6-Butyl-pseudo-UTP; 6-Chloro-pseudo-UTP; 6-Cyano-pseudo-UTP; 6-Dimethylamino-pseudo-UTP; 6-Ethoxy-pseudo-UTP; 6-Ethylcarboxylate-pseudo-UTP; 6-Ethyl-pseudo-UTP; 6-Fluoro-pseudo-UTP; 6-Formyl-pseudo-UTP; 6-Hydroxyamino-pseudo-UTP; 6-Hydroxy-pseudo-UTP; 6-Iodo-pseudo-UTP; 6-iso-Propyl-pseudo-UTP; 6-Methoxy-pseudo-UTP; 6-Methyl-amino-pseudo-UTP; 6-Methyl-pseudo-UTP; 6-Phenyl-pseudo-UTP; 6-Phenyl-pseudo-UTP; 6-Propyl-pseudo-UTP; 6-tert-Butyl-pseudo-UTP; 6-Trifluoromethoxy-pseudo-UTP; 6-Trifluoromethyl-pseudo-UTP; Alpha-thio-pseudo-UTP; Pseudouridine 1-(4-methylbenzenesulfonic acid) TP; Pseudouridine 1-(4-methylbenzoic acid) TP; Pseudouridine TP 1-[3-(2-ethoxy)]propionic acid; Pseudouridine TP 1-[3-{2-(2-[2-(2-ethoxy)-ethoxy]-ethoxy)-ethoxy}]propionic acid; Pseudouridine TP 1-[3-{2-(2-[2-(2-ethoxy)-ethoxy]-ethoxy)-ethoxy}]propionic acid; Pseudouridine TP 1-[3-{2-(2-[2-(2-ethoxy)-ethoxy]-ethoxy)-ethoxy}]propionic acid; Pseudouridine TP 1-[3-{2-(2-[2-(2-ethoxy)-ethoxy}] propionic acid; Pseudouridine TP 1-methylphosphonic acid; Pseudouridine TP 1-methylphosphonic acid diethyl ester; Pseudo-UTP-N1-3-propionic acid; Pseudo-UTP-N1-4-butanolic acid; Pseudo-UTP-N1-5-pentanoic acid; Pseudo-UTP-N1-6-hexanoic acid; Pseudo-UTP-N1-7-heptanoic acid; Pseudo-UTP-N1-methyl-p-ben-

zoic acid; Pseudo-UTP-N1-p-benzoic acid; Wybutosine; Hydroxywybutosine; Isowyosine; Peroxywybutosine; undermodified hydroxywybutosine; 4-demethylwyosine; 2,6-(diamino)purine; 1-(aza)-2-(thio)-3-(aza)-phenoxazin-1-yl; 1,3-(diazia)-2-(oxo)-phenthiazin-1-yl; 1,3-(diazia)-2-(oxo)-phenoxazin-1-yl; 1,3,5-(triazia)-2,6-(dioxo)-naphthalene; 2 (amino)purine; 2,4,5-(trimethyl)phenyl; 2' methyl, 2'amino, 2'azido, 2'fluoro-cytidine; 2' methyl, 2'amino, 2'azido, 2'fluoro-adenine; 2'methyl, 2'amino, 2'azido, 2'fluorouridine; 2'-amino-2'-deoxyribose; 2-amino-6-Chloro-purine; 2-aza-inosinyl; 2'-azido-2'-deoxyribose; 2'fluoro-2'-deoxyribose; 2'-fluoro-modified bases; 2'-O-methyl-ribose; 2-oxo-7-aminopyridopyrimidin-3-yl; 2-oxo-pyridopyrimidine-3-yl; 2-pyridinone; 3 nitropyrrole; 3-(methyl)-7-(propynyl) isocarbostyrylyl; 3-(methyl)isocarbostyrylyl; 4-(fluoro)-6-(methyl)benzimidazole; 4-(methyl)benzimidazole; 4-(methyl)indolyl; 4,6-(dimethyl)indolyl; 5 nitroindole; 5 substituted pyrimidines; 5-(methyl)isocarbostyrylyl; 5-nitroindole; 6-(aza)pyrimidine; 6-(azo)thymine; 6-(methyl)-7-(aza)indolyl; 6-chloro-purine; 6-phenyl-pyrrolo-pyrimidin-2-on-3-yl; 7-(aminoalkylhydroxy)-1-(aza)-2-(thio)-3-(aza)-phenthiazin-1-yl; 7-(aminoalkylhydroxy)-1-(aza)-2-(thio)-3-(aza)-phenoxazin-1-yl; 7-(aminoalkylhydroxy)-1,3-(diazia)-2-(oxo)-phenoxazin-1-yl; 7-(aminoalkylhydroxy)-1,3-(diazia)-2-(oxo)-phenthiazin-1-yl; 7-(aminoalkylhydroxy)-1,3-(diazia)-2-(oxo)-phenoxazin-1-yl; 7-(aza)indolyl; 7-(guanidiniumalkylhydroxy)-1-(aza)-2-(thio)-3-(aza)-phenoxazin-1-yl; 7-(guanidiniumalkylhydroxy)-1-(aza)-2-(thio)-3-(aza)-phenthiazin-1-yl; 7-(guanidiniumalkylhydroxy)-1-(aza)-2-(thio)-3-(aza)-phenoxazin-1-yl; 7-(guanidiniumalkylhydroxy)-1,3-(diazia)-2-(oxo)-phenoxazin-1-yl; 7-(guanidiniumalkylhydroxy)-1,3-(diazia)-2-(oxo)-phenthiazin-1-yl; 7-(guanidiniumalkylhydroxy)-1,3-(diazia)-2-(oxo)-phenoxazin-1-yl; 7-(propynyl)isocarbostyrylyl; 7-(propynyl)isocarbostyrylyl, propynyl-7-(aza)indolyl; 7-deaza-inosinyl; 7-substituted 1-(aza)-2-(thio)-3-(aza)-phenoxazin-1-yl; 7-substituted 1,3-(diazia)-2-(oxo)-phenoxazin-1-yl; 9-(methyl)-imidizopyridinyl; Aminoindolyl; Anthracenyl; bis-ortho-(aminoalkylhydroxy)-6-phenyl-pyrrolo-pyrimidin-2-on-3-yl; bis-ortho-substituted-6-phenyl-pyrrolo-pyrimidin-2-on-3-yl; Difluorotolyl; Hypoxanthine; Imidizopyridinyl; Inosinyl; Isocarbostyrylyl; Isoguanisine; N2-substituted purines; N6-methyl-2-amino-purine; N6-substituted purines; N-alkylated derivative; Naphthalenyl; Nitrobenzimidazolyl; Nitroimidazolyl; Nitroindazolyl; Nitropyrazolyl; Nubularine; O6-substituted purines; O-alkylated derivative; ortho-(aminoalkylhydroxy)-6-phenyl-pyrrolo-pyrimidin-2-on-3-yl; ortho-substituted-6-phenyl-pyrrolo-pyrimidin-2-on-3-yl; Oxoformycin TP; para-(aminoalkylhydroxy)-6-phenyl-pyrrolo-pyrimidin-2-on-3-yl; para-substituted-6-phenyl-pyrrolo-pyrimidin-2-on-3-yl; Pentacenyl; Phenanthracenyl; Phenyl; propynyl-7-(aza)indolyl; Pyrenyl; pyridopyrimidin-3-yl; pyridopyrimidin-3-yl, 2-oxo-7-amino-pyridopyrimidin-3-yl; pyrrolo-pyrimidin-2-on-3-yl; Pyrrolopyrimidinyl; Pyrrolopyrimidinyl; Stilbenzyl; substituted 1,2,4-triazoles; Tetracenyl; Tubercidine; Xanthine; Xanthosine-5'-TP; 2-thio-zebularine; 5-aza-2-thio-zebularine; 7-deaza-2-amino-purine; pyridin-4-one ribonucleoside; 2-Amino-riboside-TP; Formycin A TP; Formycin B TP; Pyrrolosine TP; 2'-OH-ara-adenosine TP; 2'-OH-ara-cytidine TP; 2'-OH-ara-uridine TP; 2'-OH-ara-guanosine TP; 5-(2-carbomethoxyvinyl)uridine TP; and N6-(19-Amino-pentaaxanoadecyl)adenosine TP.

In some embodiments, polynucleotides (e.g., RNA polynucleotides, such as mRNA polynucleotides) include a com-

bination of at least two (e.g., 2, 3, 4 or more) of the aforementioned modified nucleobases.

In some embodiments, modified nucleobases in polynucleotides (e.g., RNA polynucleotides, such as mRNA polynucleotides) are selected from the group consisting of pseudouridine (ψ), N1-methylpseudouridine ($m^1\psi$), N1-ethylpseudouridine, 2-thiouridine, 4'-thiouridine, 5-methylcytosine, 2-thio-1-methyl-1-deaza-pseudouridine, 2-thio-1-methyl-pseudouridine, 2-thio-5-aza-uridine, 2-thio-dihydropseudouridine, 2-thio-dihydropseudouridine, 2-thio-pseudouridine, 4-methoxy-2-thio-pseudouridine, 4-methoxy-pseudouridine, 4-thio-1-methyl-pseudouridine, 4-thio-pseudouridine, 5-aza-uridine, dihydropseudouridine, 5-methoxyuridine and 2'-O-methyl uridine. In some

embodiments, polynucleotides (e.g., RNA polynucleotides, such as mRNA polynucleotides) include a combination of at least two (e.g., 2, 3, 4 or more) of the aforementioned modified nucleobases.

In some embodiments, modified nucleobases in polynucleotides (e.g., RNA polynucleotides, such as mRNA polynucleotides) are selected from the group consisting of 1-methyl-pseudouridine ($m^1\psi$), 5-methoxy-uridine (mo^5U), 5-methyl-cytidine (m^5C), pseudouridine (ψ), α -thio-guanosine and α -thio-adenosine. In some embodiments, polynucleotides includes a combination of at least two (e.g., 2, 3, 4 or more) of the aforementioned modified nucleobases.

In some embodiments, polynucleotides (e.g., RNA polynucleotides, such as mRNA polynucleotides) comprise pseudouridine (ψ) and 5-methyl-cytidine (m^5C). In some embodiments, polynucleotides (e.g., RNA polynucleotides, such as mRNA polynucleotides) comprise 1-methyl-pseudouridine ($m^1\psi$). In some embodiments, polynucleotides (e.g., RNA polynucleotides, such as mRNA polynucleotides) comprise 1-methyl-pseudouridine ($m^1\psi$) and 5-methyl-cytidine (m^5C). In some embodiments, polynucleotides (e.g., RNA polynucleotides, such as mRNA polynucleotides) comprise 2-thiouridine (s^2U). In some embodiments, polynucleotides (e.g., RNA polynucleotides, such as mRNA polynucleotides) comprise 2-thiouridine and 5-methyl-cytidine (m^5C). In some embodiments, polynucleotides (e.g., RNA polynucleotides, such as mRNA polynucleotides) comprise methoxy-uridine (mo^5U). In some embodiments, polynucleotides (e.g., RNA polynucleotides, such as mRNA polynucleotides) comprise 5-methoxy-uridine (mo^5U) and 5-methyl-cytidine (m^5C). In some embodiments, polynucleotides (e.g., RNA polynucleotides, such as mRNA polynucleotides) comprise 2'-O-methyl uridine. In some embodiments polynucleotides (e.g., RNA polynucleotides, such as mRNA polynucleotides) comprise 2'-O-methyl uridine and 5-methyl-cytidine (m^5C). In some embodiments, polynucleotides (e.g., RNA polynucleotides, such as mRNA polynucleotides) comprise N6-methyl-adenosine (m^6A). In some embodiments, polynucleotides (e.g., RNA polynucleotides, such as mRNA polynucleotides) comprise N6-methyl-adenosine (m^6A) and 5-methyl-cytidine (m^5C).

In some embodiments, polynucleotides (e.g., RNA polynucleotides, such as mRNA polynucleotides) are uniformly modified (e.g., fully modified, modified throughout the entire sequence) for a particular modification. For example, a polynucleotide can be uniformly modified with 5-methyl-cytidine (m^5C), meaning that all cytosine residues in the mRNA sequence are replaced with 5-methyl-cytidine (m^5C). Similarly, a polynucleotide can be uniformly modified for any type of nucleoside residue present in the sequence by replacement with a modified residue such as those set forth above.

Exemplary nucleobases and nucleosides having a modified cytosine include N4-acetyl-cytidine (ac4C), 5-methyl-cytidine (m5C), 5-halo-cytidine (e.g., 5-iodo-cytidine), 5-hydroxymethyl-cytidine (hm5C), 1-methyl-pseudoisocytidine, 2-thio-cytidine (s2C), and 2-thio-5-methyl-cytidine.

In some embodiments, a modified nucleobase is a modified uridine. Exemplary nucleobases and In some embodiments, a modified nucleobase is a modified cytosine. nucleosides having a modified uridine include 5-cyano uridine, and 4'-thio uridine.

In some embodiments, a modified nucleobase is a modified adenine. Exemplary nucleobases and nucleosides having a modified adenine include 7-deaza-adenine, 1-methyl-adenosine (m1A), 2-methyl-adenine (m2A), and N6-methyl-adenosine (m6A).

In some embodiments, a modified nucleobase is a modified guanine. Exemplary nucleobases and nucleosides having a modified guanine include inosine (I), 1-methyl-inosine (mI), wyosine (imG), methylwyosine (mimG), 7-deaza-guanosine, 7-cyano-7-deaza-guanosine (preQ0), 7-aminomethyl-7-deaza-guanosine (preQ1), 7-methyl-guanosine (m7G), 1-methyl-guanosine (m1G), 8-oxo-guanosine, 7-methyl-8-oxo-guanosine.

The polynucleotides of the present disclosure may be partially or fully modified along the entire length of the molecule. For example, one or more or all or a given type of nucleotide (e.g., purine or pyrimidine, or any one or more or all of A, G, U, C) may be uniformly modified in a polynucleotide of the disclosure, or in a given predetermined sequence region thereof (e.g., in the mRNA including or excluding the polyA tail). In some embodiments, all nucleotides X in a polynucleotide of the present disclosure (or in a given sequence region thereof) are modified nucleotides, wherein X may any one of nucleotides A, G, U, C, or any one of the combinations A+G, A+U, A+C, G+U, G+C, U+C, A+G+U, A+G+C, G+U+C or A+G+C.

The polynucleotide may contain from about 1% to about 100% modified nucleotides (either in relation to overall nucleotide content, or in relation to one or more types of nucleotide, i.e., any one or more of A, G, U or C) or any intervening percentage (e.g., from 1% to 20%, from 1% to 25%, from 1% to 50%, from 1% to 60%, from 1% to 70%, from 1% to 80%, from 1% to 90%, from 1% to 95%, from 10% to 20%, from 10% to 25%, from 10% to 50%, from 10% to 60%, from 10% to 70%, from 10% to 80%, from 10% to 90%, from 10% to 95%, from 10% to 100%, from 20% to 25%, from 20% to 50%, from 20% to 60%, from 20% to 70%, from 20% to 80%, from 20% to 90%, from 20% to 95%, from 20% to 100%, from 50% to 60%, from 50% to 70%, from 50% to 80%, from 50% to 90%, from 50% to 95%, from 50% to 100%, from 70% to 80%, from 70% to 90%, from 70% to 95%, from 70% to 100%, from 80% to 90%, from 80% to 95%, from 80% to 100%, from 90% to 95%, from 90% to 100%, and from 95% to 100%). Any remaining percentage is accounted for by the presence of unmodified A, G, U, or C.

The polynucleotides may contain at a minimum 1% and at maximum 100% modified nucleotides, or any intervening percentage, such as at least 5% modified nucleotides, at least 10% modified nucleotides, at least 25% modified nucleotides, at least 50% modified nucleotides, at least 80% modified nucleotides, or at least 90% modified nucleotides. For example, the polynucleotides may contain a modified pyrimidine such as a modified uracil or cytosine. In some embodiments, at least 5%, at least 10%, at least 25%, at least 50%, at least 80%, at least 90% or 100% of the uracil in the polynucleotide is replaced with a modified uracil (e.g., a

5-substituted uracil). The modified uracil can be replaced by a compound having a single unique structure, or can be replaced by a plurality of compounds having different structures (e.g., 2, 3, 4 or more unique structures). n some embodiments, at least 5%, at least 10%, at least 25%, at least 50%, at least 80%, at least 90% or 100% of the cytosine in the polynucleotide is replaced with a modified cytosine (e.g., a 5-substituted cytosine). The modified cytosine can be replaced by a compound having a single unique structure, or can be replaced by a plurality of compounds having different structures (e.g., 2, 3, 4 or more unique structures).

Thus, in some embodiments, the RNA (e.g., mRNA) vaccines comprise a 5'UTR element, an optionally codon optimized open reading frame, and a 3'UTR element, a poly(A) sequence and/or a polyadenylation signal wherein the RNA is not chemically modified.

In some embodiments, the modified nucleobase is a modified uracil. Exemplary nucleobases and nucleosides having a modified uracil include pseudouridine (ψ), pyridin-4-one ribonucleoside, 5-aza-uridine, 6-aza-uridine, 2-thio-5-aza-uridine, 2-thio-uridine (s^2U), 4-thio-uridine (s^4U), 4-thio-pseudouridine, 2-thio-pseudouridine, 5-hydroxy-uridine (ho^5U), 5-aminoallyl-uridine, 5-halo-uridine (e.g., 5-iodo-uridine or 5-bromo-uridine), 3-methyl-uridine (m^3U), 5-methoxy-uridine (mo^5U), uridine 5-oxyacetic acid (cmo^5U), uridine 5-oxyacetic acid methyl ester ($mcmo^5U$), 5-carboxymethyl-uridine (cm^5U), 1-carboxymethyl-pseudouridine, 5-carboxyhydroxymethyl-uridine (chm^5U), 5-carboxyhydroxymethyl-uridine methyl ester ($mchm^5U$), 5-methoxycarbonylmethyl-uridine (mcm^5U), 5-methoxycarbonylmethyl-2-thio-uridine (mcm^5s^2U), 5-aminomethyl-2-thio-uridine (nm^5s^2U), 5-methylaminomethyl-uridine (mnm^5U), 5-methylaminomethyl-2-thio-uridine (mnm^5s^2U), 5-methylaminomethyl-2-seleno-uridine (mnm^5se^2U), 5-carbamoylmethyl-uridine (ncm^5U), 5-carboxymethylaminomethyl-uridine ($cmnm^5U$), 5-carboxymethylaminomethyl-2-thio-uridine ($cmnm^5s^2U$), 5-propynyl-uridine, 1-propynyl-pseudouridine, 5-taurinomethyl-uridine (τm^5U), 1-taurinomethyl-pseudouridine, 5-taurinomethyl-2-thio-uridine (τm^5s^2U), 1-taurinomethyl-4-thio-pseudouridine, 5-methyl-uridine (m^5U , i.e., having the nucleobase deoxythymine), 1-methyl-pseudouridine ($m^1\psi$), 5-methyl-2-thio-uridine (m^5s^2U), 1-methyl-4-thio-pseudouridine ($m^1s^4\psi$), 4-thio-1-methyl-pseudouridine, 3-methyl-pseudouridine ($m^3\psi$), 2-thio-1-methyl-pseudouridine, 1-methyl-1-deaza-pseudouridine, 2-thio-1-methyl-1-deaza-pseudouridine, dihydrouridine (D), dihydropseudouridine, 5,6-dihydrouridine, 5-methyldihydrouridine (m^5D), 2-thio-dihydrouridine, 2-thio-dihydropseudouridine, 2-methoxy-uridine, 2-methoxy-4-thio-uridine, 4-methoxy-pseudouridine, 4-methoxy-2-thio-pseudouridine, N1-methyl-pseudouridine, 3-(3-amino-3-carboxypropyl)uridine (acp^3U), 1-methyl-3-(3-amino-3-carboxypropyl)pseudouridine ($acp^3\psi$), 5-(isopentenylaminomethyl)uridine (inm^5U), 5-(isopentenylaminomethyl)-2-thio-uridine (inm^5s^2U), α -thio-uridine, 2'-O-methyl-uridine (Um), 5,2'-O-dimethyl-uridine (m^5Um), 2'-O-methyl-pseudouridine (ψm), 2-thio-2'-O-methyl-uridine (s^2Um), 5-methoxycarbonylmethyl-2'-O-methyl-uridine (mcm^5Um), 5-carbamoylmethyl-2'-O-methyl-uridine (ncm^5Um), 5-carboxymethylaminomethyl-2'-O-methyl-uridine ($cmnm^5Um$), 3,2'-O-dimethyl-uridine (m^3Um), and 5-(isopentenylaminomethyl)-2'-O-methyl-uridine (inm^5Um), 1-thio-uridine, deoxythymidine, 2'-F-ara-uridine, 2'-F-uridine, 2'-OH-ara-uridine, 5-(2-carbomethoxyvinyl) uridine, and 5-[3-(1-E-propenylamino)] uridine.

61

In some embodiments, the modified nucleobase is a modified cytosine. Exemplary nucleobases and nucleosides having a modified cytosine include 5-aza-cytidine, 6-aza-cytidine, pseudoisocytidine, 3-methyl-cytidine (m^3C), N4-acetyl-cytidine (ac^4C), 5-formylcytidine (f^5C), N4-methyl-cytidine (m^4C), 5-methyl-cytidine (m^5C), 5-halo-cytidine (e.g., 5-iodo-cytidine), 5-hydroxymethyl-cytidine (hm^5C), 1-methyl-pseudoisocytidine, pyrrolo-cytidine, pyrrolo-pseudoisocytidine, 2-thio-cytidine (s^2C), 2-thio-5-methyl-cytidine, 4-thio-pseudoisocytidine, 4-thio-1-methyl-pseudoisocytidine, 4-thio-1-methyl-1-deaza-pseudoisocytidine, 1-methyl-1-deaza-pseudoisocytidine, zebularine, 5-aza-zebularine, 5-methyl-zebularine, 5-aza-2-thio-zebularine, 2-thio-zebularine, 2-methoxy-cytidine, 2-methoxy-5-methyl-cytidine, 4-methoxy-pseudoisocytidine, 4-methoxy-1-methyl-pseudoisocytidine, lysidine (k_2C), α -thio-cytidine, 2'-O-methyl-cytidine (Cm), 5,2'-O-dimethylcytidine (m^5Cm), N4-acetyl-2'-O-methyl-cytidine (ac^4Cm), N4,2'-O-dimethylcytidine (m^4Cm), 5-formyl-2'-O-methyl-cytidine (f^5Cm), N4,N4,2'-O-trimethyl-cytidine (m^4_2Cm), 1-thio-cytidine, 2'-F-ara-cytidine, 2'-F-cytidine, and 2'-OH-ara-cytidine.

In some embodiments, the modified nucleobase is a modified adenine. Exemplary nucleobases and nucleosides having a modified adenine include 2-amino-purine, 2,6-diaminopurine, 2-amino-6-halo-purine (e.g., 2-amino-6-chloro-purine), 6-halo-purine (e.g., 6-chloro-purine), 2-amino-6-methyl-purine, 8-azido-adenosine, 7-deaza-adenine, 7-deaza-8-aza-adenine, 7-deaza-2-amino-purine, 7-deaza-8-aza-2-amino-purine, 7-deaza-2,6-diaminopurine, 7-deaza-8-aza-2,6-diaminopurine, 1-methyl-adenosine (m^1A), 2-methyl-adenine (m^2A), N6-methyl-adenosine (m^6A), 2-methylthio-N6-methyl-adenosine (ms^2A), N6-isopentenyl-adenosine (i^6A), 2-methylthio-N6-isopentenyl-adenosine (ms^2i^6A), N6-(cis-hydroxyisopentenyl)adenosine (io^6A), 2-methylthio-N6-(cis-hydroxyisopentenyl)adenosine (ms^2io^6A), N6-glycylcarbamoyl-adenosine (g^6A), N6-threonylcarbamoyl-adenosine (t^6A), N6-methyl-N6-threonylcarbamoyl-adenosine (m^6t^6A), 2-methylthio-N6-threonylcarbamoyl-adenosine (ms^2g^6A), N6,N6-dimethyl-adenosine (m^6_2A), N6-hydroxynorvalylcarbamoyl-adenosine (hn^6A), 2-methylthio-N6-hydroxynorvalylcarbamoyl-adenosine (ms^2hn^6A), N6-acetyl-adenosine (ac^6A), 7-methyl-adenine, 2-methylthio-adenine, 2-methoxy-adenine, α -thio-adenosine, 2'-O-methyl-adenosine (Am), N6,2'-O-dimethyl-adenosine (m^6Am), N6,N6,2'-O-trimethyl-adenosine (m^6_2Am), 1,2'-O-dimethyl-adenosine (m^1Am), 2'-O-ribosyladenosine (phosphate) (Ar(p)), 2-amino-N6-methyl-purine, 1-thio-adenosine, 8-azido-adenosine, 2'-F-ara-adenosine, 2'-F-adenosine, 2'-OH-ara-adenosine, and N6-(19-amino-pentaxonanadecyl)-adenosine.

In some embodiments, the modified nucleobase is a modified guanine. Exemplary nucleobases and nucleosides having a modified guanine include inosine (I), 1-methyl-inosine (m^1I), wyosine (imG), methylwyosine (mimG), 4-demethyl-wyosine (imG-14), isowyosine (imG2), wybutosine (yW), peroxywybutosine (o_2yW), hydroxywybutosine (OhyW), undermodified hydroxywybutosine (OhyW*), 7-deaza-guanosine, queuosine (Q), epoxyqueuosine (oQ), galactosyl-queuosine (galQ), mannosyl-queuosine (manQ), 7-cyano-7-deaza-guanosine ($preQ_0$), 7-aminomethyl-7-deaza-guanosine ($preQ_1$), archaeosine (G \pm), 7-deaza-8-aza-guanosine, 6-thio-guanosine, 6-thio-7-deaza-guanosine, 6-thio-7-deaza-8-aza-guanosine, 7-methyl-guanosine (m^7G), 6-thio-7-methyl-guanosine, 7-methyl-inosine, 6-methoxy-guanosine, 1-methyl-guanosine (m^1G),

62

N2-methyl-guanosine (m^2G), N2,N2-dimethyl-guanosine (m^2_2G), N2,7-dimethyl-guanosine ($m^{2,7}G$), N2,N2,7-dimethyl-guanosine ($m^{2,2,7}G$), 8-oxo-guanosine, 7-methyl-8-oxo-guanosine, 1-methyl-6-thio-guanosine, N2-methyl-6-thio-guanosine, N2,N2-dimethyl-6-thio-guanosine, α -thio-guanosine, 2'-O-methyl-guanosine (Gm), N2-methyl-2'-O-methyl-guanosine (m^2Gm), N2,N2-dimethyl-2'-O-methyl-guanosine (m^2_2Gm), 1-methyl-2'-O-methyl-guanosine (m^1Gm), N2,7-dimethyl-2'-O-methyl-guanosine ($m^{2,7}Gm$), 2'-O-methyl-inosine (Im), 1,2'-O-dimethyl-inosine (m^1Im), 2'-O-ribosylguanosine (phosphate) (Gr(p)), 1-thio-guanosine, 06-methyl-guanosine, 2'-F-ara-guanosine, and 2'-F-guanosine.

N-Linked Glycosylation Site Mutants

N-linked glycans of viral proteins play important roles in modulating the immune response. Glycans can be important for maintaining the appropriate antigenic conformations, shielding potential neutralization epitopes, and may alter the proteolytic susceptibility of proteins. Some viruses have putative N-linked glycosylation sites. Deletion or modification of an N-linked glycosylation site may enhance the immune response. Thus, the present disclosure provides, in some embodiments, RNA (e.g., mRNA) vaccines comprising nucleic acids (e.g., mRNA) encoding antigenic polypeptides that comprise a deletion or modification at one or more N-linked glycosylation sites.

In Vitro Transcription of RNA (e.g., mRNA)

Respiratory virus vaccines of the present disclosure comprise at least one RNA polynucleotide, such as a mRNA (e.g., modified mRNA). mRNA, for example, is transcribed in vitro from template DNA, referred to as an "in vitro transcription template." In some embodiments, an in vitro transcription template encodes a 5' untranslated (UTR) region, contains an open reading frame, and encodes a 3' UTR and a polyA tail. The particular nucleic acid sequence composition and length of an in vitro transcription template will depend on the mRNA encoded by the template.

A "5' untranslated region" (5'UTR) refers to a region of an mRNA that is directly upstream (i.e., 5') from the start codon (i.e., the first codon of an mRNA transcript translated by a ribosome) that does not encode a polypeptide.

A "3' untranslated region" (3'UTR) refers to a region of an mRNA that is directly downstream (i.e., 3') from the stop codon (i.e., the codon of an mRNA transcript that signals a termination of translation) that does not encode a polypeptide.

An "open reading frame" is a continuous stretch of DNA beginning with a start codon (e.g., methionine (ATG)), and ending with a stop codon (e.g., TAA, TAG or TGA) and encodes a polypeptide.

A "polyA tail" is a region of mRNA that is downstream, e.g., directly downstream (i.e., 3'), from the 3' UTR that contains multiple, consecutive adenosine monophosphates. A polyA tail may contain 10 to 300 adenosine monophosphates. For example, a polyA tail may contain 10, 20, 30, 40, 50, 60, 70, 80, 90, 100, 110, 120, 130, 140, 150, 160, 170, 180, 190, 200, 210, 220, 230, 240, 250, 260, 270, 280, 290 or 300 adenosine monophosphates. In some embodiments, a polyA tail contains 50 to 250 adenosine monophosphates. In a relevant biological setting (e.g., in cells, in vivo) the poly(A) tail functions to protect mRNA from enzymatic degradation, e.g., in the cytoplasm, and aids in transcription termination, export of the mRNA from the nucleus and translation.

In some embodiments, a polynucleotide includes 200 to 3,000 nucleotides. For example, a polynucleotide may include 200 to 500, 200 to 1000, 200 to 1500, 200 to 3000,

500 to 1000, 500 to 1500, 500 to 2000, 500 to 3000, 1000 to 1500, 1000 to 2000, 1000 to 3000, 1500 to 3000, or 2000 to 3000 nucleotides.

Flagellin Adjuvants

Flagellin is an approximately 500 amino acid monomeric protein that polymerizes to form the flagella associated with bacterial motion. Flagellin is expressed by a variety of flagellated bacteria (*Salmonella typhimurium* for example) as well as non-flagellated bacteria (such as *Escherichia coli*). Sensing of flagellin by cells of the innate immune system (dendritic cells, macrophages, etc.) is mediated by the Toll-like receptor 5 (TLR5) as well as by Nod-like receptors (NLRs) Ipaf and Naip5. TLRs and NLRs have been identified as playing a role in the activation of innate immune response and adaptive immune response. As such, flagellin provides an adjuvant effect in a vaccine.

The nucleotide and amino acid sequences encoding known flagellin polypeptides are publicly available in the NCBI GenBank database. The flagellin sequences from *S. Typhimurium*, *H. Pylori*, *V. Cholera*, *S. marcescens*, *S. flexneri*, *T. Pallidum*, *L. pneumophila*, *B. burgdorferi*, *C. difficile*, *R. meliloti*, *A. tumefaciens*, *R. lupini*, *B. clarridgeiae*, *P. Mirabilis*, *B. subtilis*, *L. monocytogenes*, *P. aeruginosa*, and *E. coli*, among others are known.

A flagellin polypeptide, as used herein, refers to a full length flagellin protein, immunogenic fragments thereof, and peptides having at least 50% sequence identity to a flagellin protein or immunogenic fragments thereof. Exemplary flagellin proteins include flagellin from *Salmonella typhi* (UniPro Entry number: Q56086), *Salmonella typhimurium* (A0A0C9DG09), *Salmonella enteritidis* (A0A0C9BAB7), and *Salmonella choleraesuis* (Q6V2X8), and SEQ ID NO: 54-56 (Table 17). In some embodiments, the flagellin polypeptide has at least 60%, 70%, 75%, 80%, 90%, 95%, 97%, 98%, or 99% sequence identity to a flagellin protein or immunogenic fragments thereof.

In some embodiments, the flagellin polypeptide is an immunogenic fragment. An immunogenic fragment is a portion of a flagellin protein that provokes an immune response. In some embodiments, the immune response is a TLR5 immune response. An example of an immunogenic fragment is a flagellin protein in which all or a portion of a hinge region has been deleted or replaced with other amino acids. For example, an antigenic polypeptide may be inserted in the hinge region. Hinge regions are the hyper-variable regions of a flagellin. Hinge regions of a flagellin are also referred to as "D3 domain or region," "propeller domain or region," "hypervariable domain or region" and "variable domain or region." "At least a portion of a hinge region," as used herein, refers to any part of the hinge region of the flagellin, or the entirety of the hinge region. In other embodiments an immunogenic fragment of flagellin is a 20, 25, 30, 35, or 40 amino acid C-terminal fragment of flagellin.

The flagellin monomer is formed by domains D0 through D3. D0 and D1, which form the stem, are composed of tandem long alpha helices and are highly conserved among different bacteria. The D1 domain includes several stretches of amino acids that are useful for TLR5 activation. The entire D1 domain or one or more of the active regions within the domain are immunogenic fragments of flagellin. Examples of immunogenic regions within the D1 domain include residues 88-114 and residues 411-431 (in *Salmonella typhimurium* FliC flagellin). Within the 13 amino acids in the 88-100 region, at least 6 substitutions are permitted between *Salmonella* flagellin and other flagellins that still preserve TLR5 activation. Thus, immunogenic fragments of

flagellin include flagellin like sequences that activate TLR5 and contain a 13 amino acid motif that is 53% or more identical to the *Salmonella* sequence in 88-100 of FliC (LQRVRELAVQSAN; SEQ ID NO: 84).

In some embodiments, the RNA (e.g., mRNA) vaccine includes an RNA that encodes a fusion protein of flagellin and one or more antigenic polypeptides. A "fusion protein" as used herein, refers to a linking of two components of the construct. In some embodiments, a carboxy-terminus of the antigenic polypeptide is fused or linked to an amino terminus of the flagellin polypeptide. In other embodiments, an amino-terminus of the antigenic polypeptide is fused or linked to a carboxy-terminus of the flagellin polypeptide. The fusion protein may include, for example, one, two, three, four, five, six or more flagellin polypeptides linked to one, two, three, four, five, six or more antigenic polypeptides. When two or more flagellin polypeptides and/or two or more antigenic polypeptides are linked such a construct may be referred to as a "multimer."

Each of the components of a fusion protein may be directly linked to one another or they may be connected through a linker. For instance, the linker may be an amino acid linker. The amino acid linker encoded for by the RNA (e.g., mRNA) vaccine to link the components of the fusion protein may include, for instance, at least one member selected from the group consisting of a lysine residue, a glutamic acid residue, a serine residue and an arginine residue. In some embodiments the linker is 1-30, 1-25, 1-25, 5-10, 5, 15, or 5-20 amino acids in length.

In other embodiments the RNA (e.g., mRNA) vaccine includes at least two separate RNA polynucleotides, one encoding one or more antigenic polypeptides and the other encoding the flagellin polypeptide. The at least two RNA polynucleotides may be co-formulated in a carrier such as a lipid nanoparticle.

Broad Spectrum RNA (e.g., mRNA) Vaccines

There may be situations where persons are at risk for infection with more than one strain of hMPV, PIV3, RSV, MeV and/or BetaCoV (including MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH and/or HCoV-HKU1). RNA (e.g., mRNA) therapeutic vaccines are particularly amenable to combination vaccination approaches due to a number of factors including, but not limited to, speed of manufacture, ability to rapidly tailor vaccines to accommodate perceived geographical threat, and the like. Moreover, because the vaccines utilize the human body to produce the antigenic protein, the vaccines are amenable to the production of larger, more complex antigenic proteins, allowing for proper folding, surface expression, antigen presentation, etc. in the human subject. To protect against more than one strain of hMPV, PIV3, RSV, MeV and/or BetaCoV (including MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH and/or HCoV-HKU1), a combination vaccine can be administered that includes RNA (e.g., mRNA) encoding at least one antigenic polypeptide protein (or antigenic portion thereof) of a first respiratory virus and further includes RNA encoding at least one antigenic polypeptide protein (or antigenic portion thereof) of a second respiratory virus. RNA (e.g., mRNA) can be co-formulated, for example, in a single lipid nanoparticle (LNP) or can be formulated in separate LNPs for co-administration.

Methods of Treatment

Provided herein are compositions (e.g., pharmaceutical compositions), methods, kits and reagents for prevention and/or treatment of respiratory diseases/infections in

humans and other mammals. Respiratory virus RNA (e.g., mRNA) vaccines can be used as therapeutic or prophylactic agents, alone or in combination with other vaccine(s). They may be used in medicine to prevent and/or treat respiratory disease/infection. In exemplary aspects, the RNA (e.g., mRNA) vaccines of the present disclosure are used to provide prophylactic protection from hMPV, PIV3, RSV, MeV and/or BetaCoV (including MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH and/or HCoV-HKU1). Prophylactic protection from hMPV, PIV3, RSV, MeV and/or BetaCoV (including MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH and/or HCoV-HKU1) can be achieved following administration of a RNA (e.g., mRNA) vaccine of the present disclosure. Respiratory virus RNA (e.g., mRNA) vaccines of the present disclosure may be used to treat or prevent viral "co-infections" containing two or more respiratory infections. Vaccines can be administered once, twice, three times, four times or more, but it is likely sufficient to administer the vaccine once (optionally followed by a single booster). It is possible, although less desirable, to administer the vaccine to an infected individual to achieve a therapeutic response. Dosing may need to be adjusted accordingly.

A method of eliciting an immune response in a subject against hMPV, PIV3, RSV, MeV and/or BetaCoV (including MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH and/or HCoV-HKU1) is provided in aspects of the present disclosure. The method involves administering to the subject a respiratory virus RNA (e.g., mRNA) vaccine comprising at least one RNA (e.g., mRNA) polynucleotide having an open reading frame encoding at least one hMPV, PIV3, RSV, MeV and/or BetaCoV (including MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH and/or HCoV-HKU1) antigenic polypeptide thereof, thereby inducing in the subject an immune response specific to hMPV, PIV3, RSV, MeV and/or BetaCoV (including MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH and/or HCoV-HKU1) antigenic polypeptide or an immunogenic fragment thereof, wherein anti-antigenic polypeptide antibody titer in the subject is increased following vaccination relative to anti-antigenic polypeptide antibody titer in a subject vaccinated with a prophylactically effective dose of a traditional vaccine against hMPV, PIV3, RSV, MeV and/or BetaCoV (including MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH and/or HCoV-HKU1) at 2 times to 100 times the dosage level relative to the RNA (e.g., mRNA) vaccine.

In some embodiments, a RNA (e.g., mRNA) vaccine (e.g., a hMPV, PIV3, RSV, MeV and/or BetaCoV (including MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH and/or HCoV-HKU1) RNA vaccine) capable of eliciting an immune response is administered intramuscularly via a composition including a compound according to Formula (I), (IA), (II), (IIa), (IIb), (IIc), (IId) or (IIe) (e.g., Compound 3, 18, 20, 25, 26, 29, 30, 60, 108-112, or 122).

A prophylactically effective dose is a therapeutically effective dose that prevents infection with the virus at a clinically acceptable level. In some embodiments the therapeutically effective dose is a dose listed in a package insert for the vaccine. A traditional vaccine, as used herein, refers to a vaccine other than the RNA (e.g., mRNA) vaccines of the present disclosure. For instance, a traditional vaccine includes but is not limited to live/attenuated microorganism

vaccines, killed/inactivated microorganism vaccines, sub-unit vaccines, protein antigen vaccines, DNA vaccines, VLP vaccines, etc. In exemplary embodiments, a traditional vaccine is a vaccine that has achieved regulatory approval and/or is registered by a national drug regulatory body, for example the Food and Drug Administration (FDA) in the United States or the European Medicines Agency (EMA).

In some embodiments the anti-antigenic polypeptide antibody titer in the subject is increased 1 log to 10 log following vaccination relative to anti-antigenic polypeptide antibody titer in a subject vaccinated with a prophylactically effective dose of a traditional vaccine against hMPV, PIV3, RSV, MeV and/or BetaCoV (including MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH and/or HCoV-HKU1).

In some embodiments the anti-antigenic polypeptide antibody titer in the subject is increased 1 log, 2 log, 3 log, 5 log or 10 log following vaccination relative to anti-antigenic polypeptide antibody titer in a subject vaccinated with a prophylactically effective dose of a traditional vaccine against hMPV, PIV3, RSV, MeV and/or BetaCoV (including MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH and/or HCoV-HKU1).

A method of eliciting an immune response in a subject against hMPV, PIV3, RSV, MeV and/or BetaCoV (including MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH and/or HCoV-HKU1) is provided in other aspects of the disclosure. The method involves administering to the subject a respiratory virus RNA (e.g., mRNA) vaccine comprising at least one RNA (e.g., mRNA) polynucleotide having an open reading frame encoding at least one hMPV, PIV3, RSV, MeV and/or BetaCoV (including MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH and/or HCoV-HKU1) antigenic polypeptide or an immunogenic fragment thereof, thereby inducing in the subject an immune response specific to hMPV, PIV3, RSV, MeV and/or BetaCoV (including MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH and/or HCoV-HKU1) antigenic polypeptide or an immunogenic fragment thereof, wherein the immune response in the subject is equivalent to an immune response in a subject vaccinated with a traditional vaccine against the hMPV, PIV3, RSV, MeV and/or BetaCoV (including MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH and/or HCoV-HKU1) at 2 times to 100 times the dosage level relative to the RNA (e.g., mRNA) vaccine.

In some embodiments, the immune response in the subject is equivalent to an immune response in a subject vaccinated with a traditional vaccine at 2, 3, 4, 5, 10, 50, 100 times the dosage level relative to the hMPV, PIV3, RSV, MeV and/or BetaCoV (including MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH and/or HCoV-HKU1) RNA (e.g., mRNA) vaccine.

In some embodiments the immune response in the subject is equivalent to an immune response in a subject vaccinated with a traditional vaccine at 10-100 times, or 100-1000 times, the dosage level relative to the hMPV, PIV3, RSV, MeV and/or BetaCoV (including MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH and/or HCoV-HKU1) RNA (e.g., mRNA) vaccine.

In some embodiments the immune response is assessed by determining [protein] antibody titer in the subject.

Some aspects of the present disclosure provide a method of eliciting an immune response in a subject against a In some embodiments the immune response in the subject is equivalent to an immune response in a subject vaccinated with a traditional vaccine at 2, 3, 4, 5, 10, 50, 100 times the dosage level relative to the hMPV, PIV3, RSV, MeV and/or BetaCoV (including MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH and/or HCoV-HKU1) RNA (e.g., mRNA) vaccine by administering to the subject a respiratory virus RNA (e.g., mRNA) vaccine comprising at least one RNA (e.g., mRNA) polynucleotide having an open reading frame encoding at least one hMPV, PIV3, RSV, MeV and/or BetaCoV (including MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH and/or HCoV-HKU1) antigenic polypeptide, thereby inducing in the subject an immune response specific to the antigenic polypeptide or an immunogenic fragment thereof, wherein the immune response in the subject is induced 2 days to 10 weeks earlier relative to an immune response induced in a subject vaccinated with a prophylactically effective dose of a traditional vaccine against the hMPV, PIV3, RSV, MeV and/or BetaCoV (including MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH and/or HCoV-HKU1). In some embodiments, the immune response in the subject is induced in a subject vaccinated with a prophylactically effective dose of a traditional vaccine at 2 times to 100 times the dosage level relative to the RNA (e.g., mRNA) vaccine.

In some embodiments, the immune response in the subject is induced 2 days earlier, or 3 days earlier, relative to an immune response induced in a subject vaccinated with a prophylactically effective dose of a traditional vaccine.

In some embodiments the immune response in the subject is induced 1 week, 2 weeks, 3 weeks, 5 weeks, or 10 weeks earlier relative to an immune response induced in a subject vaccinated with a prophylactically effective dose of a traditional vaccine.

Also provided herein is a method of eliciting an immune response in a subject against hMPV, PIV3, RSV, MeV and/or BetaCoV (including MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH and/or HCoV-HKU1) by administering to the subject a respiratory virus RNA (e.g., mRNA) vaccine having an open reading frame encoding a first antigenic polypeptide, wherein the RNA polynucleotide does not include a stabilization element, and wherein an adjuvant is not co-formulated or co-administered with the vaccine.

Therapeutic and Prophylactic Compositions

Provided herein are compositions (e.g., pharmaceutical compositions), methods, kits and reagents for prevention, treatment or diagnosis of hMPV, PIV3, RSV, MeV and/or BetaCoV (including MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH and/or HCoV-HKU1) in humans and other mammals, for example. Respiratory virus RNA (e.g. mRNA) vaccines can be used as therapeutic or prophylactic agents. They may be used in medicine to prevent and/or treat infectious disease. In some embodiments, the respiratory RNA (e.g., mRNA) vaccines of the present disclosure are used for the priming of immune effector cells, for example, to activate peripheral blood mononuclear cells (PBMCs) ex vivo, which are then infused (re-infused) into a subject.

In some embodiments, respiratory virus vaccine containing RNA (e.g., mRNA) polynucleotides as described herein can be administered to a subject (e.g., a mammalian subject,

such as a human subject), and the RNA (e.g., mRNA) polynucleotides are translated in vivo to produce an antigenic polypeptide.

The respiratory virus RNA (e.g., mRNA) vaccines may be induced for translation of a polypeptide (e.g., antigen or immunogen) in a cell, tissue or organism. In some embodiments, such translation occurs in vivo, although such translation may occur ex vivo, in culture or in vitro. In some embodiments, the cell, tissue or organism is contacted with an effective amount of a composition containing a respiratory virus RNA (e.g., mRNA) vaccine that contains a polynucleotide that has at least one a translatable region encoding an antigenic polypeptide.

An "effective amount" of an respiratory virus RNA (e.g. mRNA) vaccine is provided based, at least in part, on the target tissue, target cell type, means of administration, physical characteristics of the polynucleotide (e.g., size, and extent of modified nucleosides) and other components of the vaccine, and other determinants. In general, an effective amount of the respiratory virus RNA (e.g., mRNA) vaccine composition provides an induced or boosted immune response as a function of antigen production in the cell, preferably more efficient than a composition containing a corresponding unmodified polynucleotide encoding the same antigen or a peptide antigen. Increased antigen production may be demonstrated by increased cell transfection (the percentage of cells transfected with the RNA, e.g., mRNA, vaccine), increased protein translation from the polynucleotide, decreased nucleic acid degradation (as demonstrated, for example, by increased duration of protein translation from a modified polynucleotide), or altered antigen specific immune response of the host cell.

In some embodiments, RNA (e.g. mRNA) vaccines (including polynucleotides their encoded polypeptides) in accordance with the present disclosure may be used for treatment of hMPV, PIV3, RSV, MeV and/or BetaCoV (including MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH and/or HCoV-HKU1).

Respiratory RNA (e.g. mRNA) vaccines may be administered prophylactically or therapeutically as part of an active immunization scheme to healthy individuals or early in infection during the incubation phase or during active infection after onset of symptoms. In some embodiments, the amount of RNA (e.g., mRNA) vaccine of the present disclosure provided to a cell, a tissue or a subject may be an amount effective for immune prophylaxis.

Respiratory virus RNA (e.g. mRNA) vaccines may be administered with other prophylactic or therapeutic compounds. As a non-limiting example, a prophylactic or therapeutic compound may be an adjuvant or a booster. As used herein, when referring to a prophylactic composition, such as a vaccine, the term "booster" refers to an extra administration of the prophylactic (vaccine) composition. A booster (or booster vaccine) may be given after an earlier administration of the prophylactic composition. The time of administration between the initial administration of the prophylactic composition and the booster may be, but is not limited to, 1 minute, 2 minutes, 3 minutes, 4 minutes, 5 minutes, 6 minutes, 7 minutes, 8 minutes, 9 minutes, 10 minutes, 15 minutes, 20 minutes 35 minutes, 40 minutes, 45 minutes, 50 minutes, 55 minutes, 1 hour, 2 hours, 3 hours, 4 hours, 5 hours, 6 hours, 7 hours, 8 hours, 9 hours, 10 hours, 11 hours, 12 hours, 13 hours, 14 hours, 15 hours, 16 hours, 17 hours, 18 hours, 19 hours, 20 hours, 21 hours, 22 hours, 23 hours, 1 day, 36 hours, 2 days, 3 days, 4 days, 5 days, 6 days, 1 week, 10 days, 2 weeks, 3 weeks, 1 month, 2 months, 3

months, 4 months, 5 months, 6 months, 7 months, 8 months, 9 months, 10 months, 11 months, 1 year, 18 months, 2 years, 3 years, 4 years, 5 years, 6 years, 7 years, 8 years, 9 years, 10 years, 11 years, 12 years, 13 years, 14 years, 15 years, 16 years, 17 years, 18 years, 19 years, 20 years, 25 years, 30 years, 35 years, 40 years, 45 years, 50 years, 55 years, 60 years, 65 years, 70 years, 75 years, 80 years, 85 years, 90 years, 95 years or more than 99 years. In some embodiments, the time of administration between the initial administration of the prophylactic composition and the booster may be, but is not limited to, 1 week, 2 weeks, 3 weeks, 1 month, 2 months, 3 months, 6 months or 1 year.

In some embodiments, respiratory virus RNA (e.g. mRNA) vaccines may be administered intramuscularly or intradermally, similarly to the administration of inactivated vaccines known in the art.

Respiratory virus RNA (e.g. mRNA) vaccines may be utilized in various settings depending on the prevalence of the infection or the degree or level of unmet medical need. As a non-limiting example, the RNA (e.g., mRNA) vaccines may be utilized to treat and/or prevent a variety of respiratory infections. RNA (e.g., mRNA) vaccines have superior properties in that they produce much larger antibody titers and produce responses early than commercially available anti-viral agents/compositions.

Provided herein are pharmaceutical compositions including respiratory virus RNA (e.g. mRNA) vaccines and RNA (e.g. mRNA) vaccine compositions and/or complexes optionally in combination with one or more pharmaceutically acceptable excipients.

Respiratory virus RNA (e.g. mRNA) vaccines may be formulated or administered alone or in conjunction with one or more other components. For instance, hMPV/PIV3/RSV RNA (e.g., mRNA) vaccines (vaccine compositions) may comprise other components including, but not limited to, adjuvants.

In some embodiments, respiratory virus (e.g. mRNA) vaccines do not include an adjuvant (they are adjuvant free).

Respiratory virus RNA (e.g. mRNA) vaccines may be formulated or administered in combination with one or more pharmaceutically-acceptable excipients. In some embodiments, vaccine compositions comprise at least one additional active substances, such as, for example, a therapeutically-active substance, a prophylactically-active substance, or a combination of both. Vaccine compositions may be sterile, pyrogen-free or both sterile and pyrogen-free. General considerations in the formulation and/or manufacture of pharmaceutical agents, such as vaccine compositions, may be found, for example, in Remington: The Science and Practice of Pharmacy 21st ed., Lippincott Williams & Wilkins, 2005 (incorporated herein by reference in its entirety).

In some embodiments, respiratory virus RNA (e.g. mRNA) vaccines are administered to humans, human patients or subjects. For the purposes of the present disclosure, the phrase "active ingredient" generally refers to the RNA (e.g., mRNA) vaccines or the polynucleotides contained therein, for example, RNA polynucleotides (e.g., mRNA polynucleotides) encoding antigenic polypeptides.

Formulations of the respiratory virus vaccine compositions described herein may be prepared by any method known or hereafter developed in the art of pharmacology. In general, such preparatory methods include the step of bringing the active ingredient (e.g., mRNA polynucleotide) into association with an excipient and/or one or more other accessory ingredients, and then, if necessary and/or desir-

able, dividing, shaping and/or packaging the product into a desired single- or multi-dose unit.

Relative amounts of the active ingredient, the pharmaceutically acceptable excipient, and/or any additional ingredients in a pharmaceutical composition in accordance with the disclosure will vary, depending upon the identity, size, and/or condition of the subject treated and further depending upon the route by which the composition is to be administered. By way of example, the composition may comprise between 0.1% and 100%, e.g., between 0.5 and 50%, between 1-30%, between 5-80%, at least 80% (w/w) active ingredient.

Respiratory virus RNA (e.g. mRNA) vaccines can be formulated using one or more excipients to: (1) increase stability; (2) increase cell transfection; (3) permit the sustained or delayed release (e.g., from a depot formulation); (4) alter the biodistribution (e.g., target to specific tissues or cell types); (5) increase the translation of encoded protein in vivo; and/or (6) alter the release profile of encoded protein (antigen) in vivo. In addition to traditional excipients such as any and all solvents, dispersion media, diluents, or other liquid vehicles, dispersion or suspension aids, surface active agents, isotonic agents, thickening or emulsifying agents, preservatives, excipients can include, without limitation, lipidoids, liposomes, lipid nanoparticles, polymers, lipoplexes, core-shell nanoparticles, peptides, proteins, cells transfected with respiratory virus RNA (e.g. mRNA) vaccines (e.g., for transplantation into a subject), hyaluronidase, nanoparticle mimics and combinations thereof.

30 Stabilizing Elements

Naturally-occurring eukaryotic mRNA molecules have been found to contain stabilizing elements, including, but not limited to untranslated regions (UTR) at their 5'-end (5'UTR) and/or at their 3'-end (3'UTR), in addition to other structural features, such as a 5'-cap structure or a 3'-poly(A) tail. Both the 5'UTR and the 3'UTR are typically transcribed from the genomic DNA and are elements of the premature mRNA. Characteristic structural features of mature mRNA, such as the 5'-cap and the 3'-poly(A) tail are usually added to the transcribed (premature) mRNA during mRNA processing. The 3'-poly(A) tail is typically a stretch of adenine nucleotides added to the 3'-end of the transcribed mRNA. It can comprise up to about 400 adenine nucleotides. In some embodiments the length of the 3'-poly(A) tail may be an essential element with respect to the stability of the individual mRNA.

In some embodiments the RNA (e.g., mRNA) vaccine may include one or more stabilizing elements. Stabilizing elements may include for instance a histone stem-loop. A stem-loop binding protein (SLBP), a 32 kDa protein has been identified. It is associated with the histone stem-loop at the 3'-end of the histone messages in both the nucleus and the cytoplasm. Its expression level is regulated by the cell cycle; it peaks during the S-phase, when histone mRNA levels are also elevated. The protein has been shown to be essential for efficient 3'-end processing of histone pre-mRNA by the U7 snRNP. SLBP continues to be associated with the stem-loop after processing, and then stimulates the translation of mature histone mRNAs into histone proteins in the cytoplasm. The RNA binding domain of SLBP is conserved through metazoa and protozoa; its binding to the histone stem-loop depends on the structure of the loop. The minimum binding site includes at least three nucleotides 5' and two nucleotides 3' relative to the stem-loop.

In some embodiments, the RNA (e.g., mRNA) vaccines include a coding region, at least one histone stem-loop, and optionally, a poly(A) sequence or polyadenylation signal.

The poly(A) sequence or polyadenylation signal generally should enhance the expression level of the encoded protein. The encoded protein, in some embodiments, is not a histone protein, a reporter protein (e.g. Luciferase, GFP, EGFP, β -Galactosidase, EGFP), or a marker or selection protein (e.g. alpha-Globin, Galactokinase and Xanthine:guanine phosphoribosyl transferase (GPT)).

In some embodiments, the combination of a poly(A) sequence or polyadenylation signal and at least one histone stem-loop, even though both represent alternative mechanisms in nature, acts synergistically to increase the protein expression beyond the level observed with either of the individual elements. It has been found that the synergistic effect of the combination of poly(A) and at least one histone stem-loop does not depend on the order of the elements or the length of the poly(A) sequence.

In some embodiments, the RNA (e.g., mRNA) vaccine does not comprise a histone downstream element (HDE). "Histone downstream element" (HDE) includes a purine-rich polynucleotide stretch of approximately 15 to 20 nucleotides 3' of naturally occurring stem-loops, representing the binding site for the U7 snRNA, which is involved in processing of histone pre-mRNA into mature histone mRNA. Ideally, the inventive nucleic acid does not include an intron.

In some embodiments, the RNA (e.g., mRNA) vaccine may or may not contain an enhancer and/or promoter sequence, which may be modified or unmodified or which may be activated or inactivated. In some embodiments, the histone stem-loop is generally derived from histone genes, and includes an intramolecular base pairing of two neighbored partially or entirely reverse complementary sequences separated by a spacer, including (e.g., consisting of) a short sequence, which forms the loop of the structure. The unpaired loop region is typically unable to base pair with either of the stem loop elements. It occurs more often in RNA, as is a key component of many RNA secondary structures, but may be present in single-stranded DNA as well. Stability of the stem-loop structure generally depends on the length, number of mismatches or bulges, and base composition of the paired region. In some embodiments, wobble base pairing (non-Watson-Crick base pairing) may result. In some embodiments, the at least one histone stem-loop sequence comprises a length of 15 to 45 nucleotides.

In other embodiments the RNA (e.g., mRNA) vaccine may have one or more AU-rich sequences removed. These sequences, sometimes referred to as AURES are destabilizing sequences found in the 3'UTR. The AURES may be removed from the RNA (e.g., mRNA) vaccines. Alternatively the AURES may remain in the RNA (e.g., mRNA) vaccine.

Nanoparticle Formulations

In some embodiments, respiratory virus RNA (e.g. mRNA) vaccines are formulated in a nanoparticle. In some embodiments, respiratory virus RNA (e.g. mRNA) vaccines are formulated in a lipid nanoparticle. In some embodiments, respiratory virus RNA (e.g. mRNA) vaccines are formulated in a lipid-polycation complex, referred to as a cationic lipid nanoparticle. As a non-limiting example, the polycation may include a cationic peptide or a polypeptide such as, but not limited to, polylysine, polyornithine and/or polyarginine. In some embodiments, respiratory virus RNA (e.g., mRNA) vaccines are formulated in a lipid nanoparticle that includes a non-cationic lipid such as, but not limited to, cholesterol or dioleoyl phosphatidylethanolamine (DOPE).

A lipid nanoparticle formulation may be influenced by, but not limited to, the selection of the cationic lipid com-

ponent, the degree of cationic lipid saturation, the nature of the PEGylation, ratio of all components and biophysical parameters such as size. In one example by Semple et al. (*Nature Biotech.* 2010 28:172-176), the lipid nanoparticle formulation is composed of 57.1% cationic lipid, 7.1% dipalmitoylphosphatidylcholine, 34.3% cholesterol, and 1.4% PEG-c-DMA. As another example, changing the composition of the cationic lipid can more effectively deliver siRNA to various antigen presenting cells (Basha et al. *Mol Ther.* 2011 19:2186-2200).

In some embodiments, lipid nanoparticle formulations may comprise 35 to 45% cationic lipid, 40% to 50% cationic lipid, 50% to 60% cationic lipid and/or 55% to 65% cationic lipid. In some embodiments, the ratio of lipid to RNA (e.g., mRNA) in lipid nanoparticles may be 5:1 to 20:1, 10:1 to 25:1, 15:1 to 30:1 and/or at least 30:1.

In some embodiments, the ratio of PEG in the lipid nanoparticle formulations may be increased or decreased and/or the carbon chain length of the PEG lipid may be modified from C14 to C18 to alter the pharmacokinetics and/or biodistribution of the lipid nanoparticle formulations. As a non-limiting example, lipid nanoparticle formulations may contain 0.5% to 3.0%, 1.0% to 3.5%, 1.5% to 4.0%, 2.0% to 4.5%, 2.5% to 5.0% and/or 3.0% to 6.0% of the lipid molar ratio of PEG-c-DOMG (R-3-[(ω -methoxy-poly(ethyleneglycol)2000)carbamoyl]-1,2-dimyristyloxypropyl-3-amine) (also referred to herein as PEG-DOMG) as compared to the cationic lipid, DSPC and cholesterol. In some embodiments, the PEG-c-DOMG may be replaced with a PEG lipid such as, but not limited to, PEG-DSG (1,2-Distearoyl-sn-glycerol, methoxypolyethylene glycol), PEG-DMG (1,2-Dimyristoyl-sn-glycerol) and/or PEG-DPG (1,2-Dipalmitoyl-sn-glycerol, methoxypolyethylene glycol). The cationic lipid may be selected from any lipid known in the art such as, but not limited to, DLin-MC3-DMA, DLin-DMA, C12-200 and DLin-KC2-DMA.

In some embodiments, an respiratory virus RNA (e.g. mRNA) vaccine formulation is a nanoparticle that comprises at least one lipid. The lipid may be selected from, but is not limited to, DLin-DMA, DLin-K-DMA, 98N12-5, C12-200, DLin-MC3-DMA, DLin-KC2-DMA, DODMA, PLGA, PEG, PEG-DMG, PEGylated lipids and amino alcohol lipids. In some embodiments, the lipid may be a cationic lipid such as, but not limited to, DLin-DMA, DLin-D-DMA, DLin-MC3-DMA, DLin-KC2-DMA, DODMA and amino alcohol lipids. The amino alcohol cationic lipid may be the lipids described in and/or made by the methods described in U.S. Patent Publication No. US20130150625, herein incorporated by reference in its entirety. As a non-limiting example, the cationic lipid may be 2-amino-3-[(9Z,12Z)-octadeca-9,12-dien-1-yloxy]-2-[[{(9Z,2Z)-octadeca-9,12-dien-1-yloxy]methyl}propan-1-ol (Compound 1 in US20130150625); 2-amino-3-[(9Z)-octadec-9-en-1-yloxy]-2-[[{(9Z)-octadec-9-en-1-yloxy]methyl}propan-1-ol (Compound 2 in US20130150625); 2-amino-3-[(9Z,12Z)-octadeca-9,12-dien-1-yloxy]-2-[(octyloxy)methyl]propan-1-ol (Compound 3 in US20130150625); and 2-(dimethylamino)-3-[(9Z,12Z)-octadeca-9,12-dien-1-yloxy]-2-[[{(9Z,12Z)-octadeca-9,12-dien-1-yloxy]methyl}propan-1-ol (Compound 4 in US20130150625); or any pharmaceutically acceptable salt or stereoisomer thereof.

Lipid nanoparticle formulations typically comprise a lipid, in particular, an ionizable cationic lipid, for example, 2,2-dilinoleyl-4-dimethylaminoethyl-[1,3]-dioxolane (DLin-KC2-DMA), dilinoleyl-methyl-4-dimethylaminobutyrate (DLin-MC3-DMA), or di((Z)-non-2-en-1-yl) 9-(4-(dimethylamino)butanoyl)oxy)heptadecanedioate (L319),

and further comprise a neutral lipid, a sterol and a molecule capable of reducing particle aggregation, for example a PEG or PEG-modified lipid.

In some embodiments, a lipid nanoparticle formulation consists essentially of (i) at least one lipid selected from the group consisting of 2,2-dilinoleyl-4-dimethylaminoethyl-[1,3]-dioxolane (DLin-KC2-DMA), dilinoleyl-methyl-4-dimethylaminobutyrate (DLin-MC3-DMA), and di((Z)-non-2-en-1-yl) 9-((4-(dimethylamino)butanoyl)oxy)heptadecanedioate (L319); (ii) a neutral lipid selected from DSPC, DPPC, POPC, DOPE and SM; (iii) a sterol, e.g., cholesterol; and (iv) a PEG-lipid, e.g., PEG-DMG or PEG-cDMA, in a molar ratio of 20-60% cationic lipid:5-25% neutral lipid:25-55% sterol; 0.5-15% PEG-lipid.

In some embodiments, a lipid nanoparticle formulation includes 25% to 75% on a molar basis of a cationic lipid selected from 2,2-dilinoleyl-4-dimethylaminoethyl-[1,3]-dioxolane (DLin-KC2-DMA), dilinoleyl-methyl-4-dimethylaminobutyrate (DLin-MC3-DMA), and di((Z)-non-2-en-1-yl) 9-((4-(dimethylamino)butanoyl)oxy)heptadecanedioate (L319), e.g., 35 to 65%, 45 to 65%, 60%, 57.5%, 50% or 40% on a molar basis.

In some embodiments, a lipid nanoparticle formulation includes 0.5% to 15% on a molar basis of the neutral lipid, e.g., 3 to 12%, 5 to 10% or 15%, 10%, or 7.5% on a molar basis. Examples of neutral lipids include, without limitation, DSPC, POPC, DPPC, DOPE and SM. In some embodiments, the formulation includes 5% to 50% on a molar basis of the sterol (e.g., 15 to 45%, 20 to 40%, 40%, 38.5%, 35%, or 31% on a molar basis. A non-limiting example of a sterol is cholesterol. In some embodiments, a lipid nanoparticle formulation includes 0.5% to 20% on a molar basis of the PEG or PEG-modified lipid (e.g., 0.5 to 10%, 0.5 to 5%, 1.5%, 0.5%, 1.5%, 3.5%, or 5% on a molar basis. In some embodiments, a PEG or PEG modified lipid comprises a PEG molecule of an average molecular weight of 2,000 Da. In some embodiments, a PEG or PEG modified lipid comprises a PEG molecule of an average molecular weight of less than 2,000, for example around 1,500 Da, around 1,000 Da, or around 500 Da. Non-limiting examples of PEG-modified lipids include PEG-distearoyl glycerol (PEG-DMG) (also referred herein as PEG-C14 or C14-PEG), PEG-cDMA (further discussed in Reyes et al. J. Controlled Release, 107, 276-287 (2005) the contents of which are herein incorporated by reference in their entirety).

In some embodiments, lipid nanoparticle formulations include 25-75% of a cationic lipid selected from 2,2-dilinoleyl-4-dimethylaminoethyl-[1,3]-dioxolane (DLin-KC2-DMA), dilinoleyl-methyl-4-dimethylaminobutyrate (DLin-MC3-DMA), and di((Z)-non-2-en-1-yl) 9-((4-(dimethylamino)butanoyl)oxy)heptadecanedioate (L319), 0.5-15% of the neutral lipid, 5-50% of the sterol, and 0.5-20% of the PEG or PEG-modified lipid on a molar basis.

In some embodiments, lipid nanoparticle formulations include 35-65% of a cationic lipid selected from 2,2-dilinoleyl-4-dimethylaminoethyl-[1,3]-dioxolane (DLin-KC2-DMA), dilinoleyl-methyl-4-dimethylaminobutyrate (DLin-MC3-DMA), and di((Z)-non-2-en-1-yl) 9-((4-(dimethylamino)butanoyl)oxy)heptadecanedioate (L319), 3-12% of the neutral lipid, 15-45% of the sterol, and 0.5-10% of the PEG or PEG-modified lipid on a molar basis.

In some embodiments, lipid nanoparticle formulations include 45-65% of a cationic lipid selected from 2,2-dilinoleyl-4-dimethylaminoethyl-[1,3]-dioxolane (DLin-KC2-DMA), dilinoleyl-methyl-4-dimethylaminobutyrate (DLin-MC3-DMA), and di((Z)-non-2-en-1-yl) 9-((4-(dimethylamino)butanoyl)oxy)heptadecanedioate (L319),

5-10% of the neutral lipid, 25-40% of the sterol, and 0.5-10% of the PEG or PEG-modified lipid on a molar basis.

In some embodiments, lipid nanoparticle formulations include 60% of a cationic lipid selected from 2,2-dilinoleyl-4-dimethylaminoethyl-[1,3]-dioxolane (DLin-KC2-DMA), dilinoleyl-methyl-4-dimethylaminobutyrate (DLin-MC3-DMA), and di((Z)-non-2-en-1-yl) 9-((4-(dimethylamino)butanoyl)oxy)heptadecanedioate (L319), 7.5% of the neutral lipid, 31% of the sterol, and 1.5% of the PEG or PEG-modified lipid on a molar basis.

In some embodiments, lipid nanoparticle formulations include 50% of a cationic lipid selected from 2,2-dilinoleyl-4-dimethylaminoethyl-[1,3]-dioxolane (DLin-KC2-DMA), dilinoleyl-methyl-4-dimethylaminobutyrate (DLin-MC3-DMA), and di((Z)-non-2-en-1-yl) 9-((4-(dimethylamino)butanoyl)oxy)heptadecanedioate (L319), 10% of the neutral lipid, 38.5% of the sterol, and 1.5% of the PEG or PEG-modified lipid on a molar basis.

In some embodiments, lipid nanoparticle formulations include 50% of a cationic lipid selected from 2,2-dilinoleyl-4-dimethylaminoethyl-[1,3]-dioxolane (DLin-KC2-DMA), dilinoleyl-methyl-4-dimethylaminobutyrate (DLin-MC3-DMA), and di((Z)-non-2-en-1-yl) 9-((4-(dimethylamino)butanoyl)oxy)heptadecanedioate (L319), 10% of the neutral lipid, 35% of the sterol, 4.5% or 5% of the PEG or PEG-modified lipid, and 0.5% of the targeting lipid on a molar basis.

In some embodiments, lipid nanoparticle formulations include 40% of a cationic lipid selected from 2,2-dilinoleyl-4-dimethylaminoethyl-[1,3]-dioxolane (DLin-KC2-DMA), dilinoleyl-methyl-4-dimethylaminobutyrate (DLin-MC3-DMA), and di((Z)-non-2-en-1-yl) 9-((4-(dimethylamino)butanoyl)oxy)heptadecanedioate (L319), 15% of the neutral lipid, 40% of the sterol, and 5% of the PEG or PEG-modified lipid on a molar basis.

In some embodiments, lipid nanoparticle formulations include 57.2% of a cationic lipid selected from 2,2-dilinoleyl-4-dimethylaminoethyl-[1,3]-dioxolane (DLin-KC2-DMA), dilinoleyl-methyl-4-dimethylaminobutyrate (DLin-MC3-DMA), and di((Z)-non-2-en-1-yl) 9-((4-(dimethylamino)butanoyl)oxy)heptadecanedioate (L319), 7.1% of the neutral lipid, 34.3% of the sterol, and 1.4% of the PEG or PEG-modified lipid on a molar basis.

In some embodiments, lipid nanoparticle formulations include 57.5% of a cationic lipid selected from the PEG lipid is PEG-cDMA (PEG-cDMA is further discussed in Reyes et al. (J. Controlled Release, 107, 276-287 (2005), the contents of which are herein incorporated by reference in their entirety), 7.5% of the neutral lipid, 31.5% of the sterol, and 3.5% of the PEG or PEG-modified lipid on a molar basis.

In some embodiments, lipid nanoparticle formulations consists essentially of a lipid mixture in molar ratios of 20-70% cationic lipid:5-45% neutral lipid:20-55% cholesterol: 0.5-15% PEG-modified lipid. In some embodiments, lipid nanoparticle formulations consists essentially of a lipid mixture in a molar ratio of 20-60% cationic lipid:5-25% neutral lipid: 25-55% cholesterol: 0.5-15% PEG-modified lipid.

In some embodiments, the molar lipid ratio is 50/10/38.5/1.5 (mol % cationic lipid/neutral lipid, e.g., DSPC/Chol/PEG-modified lipid, e.g., PEG-DMG, PEG-DSG or PEG-DPG), 57.2/7.1134.3/1.4 (mol % cationic lipid/neutral lipid, e.g., DPPC/Chol/PEG-modified lipid, e.g., PEG-cDMA), 40/15/40/5 (mol % cationic lipid/neutral lipid, e.g., DSPC/Chol/PEG-modified lipid, e.g., PEG-DMG), 50/10/35/4.5/0.5 (mol % cationic lipid/neutral lipid, e.g., DSPC/Chol/PEG-modified lipid, e.g., PEG-DSG), 50/10/35/5 (cationic

lipid/neutral lipid, e.g., DSPC/Chol/PEG-modified lipid, e.g., PEG-DMG), 40/10/40/10 (mol % cationic lipid/neutral lipid, e.g., DSPC/Chol/PEG-modified lipid, e.g., PEG-DMG or PEG-cDMA), 35/15/40/10 (mol % cationic lipid/neutral lipid, e.g., DSPC/Chol/PEG-modified lipid, e.g., PEG-DMG or PEG-cDMA) or 52/13/30/5 (mol % cationic lipid/neutral lipid, e.g., DSPC/Chol/PEG-modified lipid, e.g., PEG-DMG or PEG-cDMA).

Non-limiting examples of lipid nanoparticle compositions and methods of making them are described, for example, in Semple et al. (2010) *Nat. Biotechnol.* 28:172-176; Jayarama et al. (2012), *Angew. Chem. Int. Ed.*, 51: 8529-8533; and Maier et al. (2013) *Molecular Therapy* 21, 1570-1578 (the contents of each of which are incorporated herein by reference in their entirety).

In some embodiments, lipid nanoparticle formulations may comprise a cationic lipid, a PEG lipid and a structural lipid and optionally comprise a non-cationic lipid. As a non-limiting example, a lipid nanoparticle may comprise 40-60% of cationic lipid, 5-15% of a non-cationic lipid, 1-2% of a PEG lipid and 30-50% of a structural lipid. As another non-limiting example, the lipid nanoparticle may comprise 50% cationic lipid, 10% non-cationic lipid, 1.5% PEG lipid and 38.5% structural lipid. As yet another non-limiting example, a lipid nanoparticle may comprise 55% cationic lipid, 10% non-cationic lipid, 2.5% PEG lipid and 32.5% structural lipid. In some embodiments, the cationic lipid may be any cationic lipid described herein such as, but not limited to, DLin-KC2-DMA, DLin-MC3-DMA and L319.

In some embodiments, the lipid nanoparticle formulations described herein may be 4 component lipid nanoparticles. The lipid nanoparticle may comprise a cationic lipid, a non-cationic lipid, a PEG lipid and a structural lipid. As a non-limiting example, the lipid nanoparticle may comprise 40-60% of cationic lipid, 5-15% of a non-cationic lipid, 1-2% of a PEG lipid and 30-50% of a structural lipid. As another non-limiting example, the lipid nanoparticle may comprise 50% cationic lipid, 10% non-cationic lipid, 1.5% PEG lipid and 38.5% structural lipid. As yet another non-limiting example, the lipid nanoparticle may comprise 55% cationic lipid, 10% non-cationic lipid, 2.5% PEG lipid and 32.5% structural lipid. In some embodiments, the cationic lipid may be any cationic lipid described herein such as, but not limited to, DLin-KC2-DMA, DLin-MC3-DMA and L319.

In some embodiments, the lipid nanoparticle formulations described herein may comprise a cationic lipid, a non-cationic lipid, a PEG lipid and a structural lipid. As a non-limiting example, the lipid nanoparticle comprise 50% of the cationic lipid DLin-KC2-DMA, 10% of the non-cationic lipid DSPC, 1.5% of the PEG lipid PEG-DOMG and 38.5% of the structural lipid cholesterol. As a non-limiting example, the lipid nanoparticle comprise 50% of the cationic lipid DLin-MC3-DMA, 10% of the non-cationic lipid DSPC, 1.5% of the PEG lipid PEG-DOMG and 38.5% of the structural lipid cholesterol. As a non-limiting example, the lipid nanoparticle comprise 50% of the cationic lipid DLin-MC3-DMA, 10% of the non-cationic lipid DSPC, 1.5% of the PEG lipid PEG-DMG and 38.5% of the structural lipid cholesterol. As yet another non-limiting example, the lipid nanoparticle comprise 55% of the cationic lipid L319, 10% of the non-cationic lipid DSPC, 2.5% of the PEG lipid PEG-DMG and 32.5% of the structural lipid cholesterol.

Relative amounts of the active ingredient, the pharmaceutically acceptable excipient, and/or any additional ingre-

dients in a vaccine composition may vary, depending upon the identity, size, and/or condition of the subject being treated and further depending upon the route by which the composition is to be administered. For example, the composition may comprise between 0.1% and 99% (w/w) of the active ingredient. By way of example, the composition may comprise between 0.1% and 100%, e.g., between 0.5 and 50%, between 1-30%, between 5-80%, at least 80% (w/w) active ingredient.

In some embodiments, the respiratory virus RNA (e.g. mRNA) vaccine composition may comprise the polynucleotide described herein, formulated in a lipid nanoparticle comprising MC3, Cholesterol, DSPC and PEG2000-DMG, the buffer trisodium citrate, sucrose and water for injection. As a non-limiting example, the composition comprises: 2.0 mg/mL of drug substance (e.g., polynucleotides encoding H10N8 hMPV), 21.8 mg/mL of MC3, 10.1 mg/mL of cholesterol, 5.4 mg/mL of DSPC, 2.7 mg/mL of PEG2000-DMG, 5.16 mg/mL of trisodium citrate, 71 mg/mL of sucrose and 1.0 mL of water for injection.

In some embodiments, a nanoparticle (e.g., a lipid nanoparticle) has a mean diameter of 10-500 nm, 20-400 nm, 30-300 nm, 40-200 nm. In some embodiments, a nanoparticle (e.g., a lipid nanoparticle) has a mean diameter of 50-150 nm, 50-200 nm, 80-100 nm or 80-200 nm. Liposomes, Lipoplexes, and Lipid Nanoparticles

The RNA (e.g., mRNA) vaccines of the disclosure can be formulated using one or more liposomes, lipoplexes, or lipid nanoparticles. In some embodiments, pharmaceutical compositions of RNA (e.g., mRNA) vaccines include liposomes. Liposomes are artificially-prepared vesicles which may primarily be composed of a lipid bilayer and may be used as a delivery vehicle for the administration of nutrients and pharmaceutical formulations. Liposomes can be of different sizes such as, but not limited to, a multilamellar vesicle (MLV) which may be hundreds of nanometers in diameter and may contain a series of concentric bilayers separated by narrow aqueous compartments, a small unilamellar vesicle (SUV) which may be smaller than 50 nm in diameter, and a large unilamellar vesicle (LUV) which may be between 50 and 500 nm in diameter. Liposome design may include, but is not limited to, opsonins or ligands in order to improve the attachment of liposomes to unhealthy tissue or to activate events such as, but not limited to, endocytosis. Liposomes may contain a low or a high pH in order to improve the delivery of the pharmaceutical formulations.

The formation of liposomes may depend on the physicochemical characteristics such as, but not limited to, the pharmaceutical formulation entrapped and the liposomal ingredients, the nature of the medium in which the lipid vesicles are dispersed, the effective concentration of the entrapped substance and its potential toxicity, any additional processes involved during the application and/or delivery of the vesicles, the optimization size, polydispersity and the shelf-life of the vesicles for the intended application, and the batch-to-batch reproducibility and possibility of large-scale production of safe and efficient liposomal products.

In some embodiments, pharmaceutical compositions described herein may include, without limitation, liposomes such as those formed from 1,2-dioleoyloxy-N,N-dimethylaminopropane (DODMA) liposomes, DiLa2 liposomes from Marina Biotech (Bothell, Wash.), 1,2-dilinoleoyloxy-3-dimethylaminopropane (DLin-DMA), 2,2-dilinoleyl-4-(2-dimethylaminoethyl)-[1,3]-dioxolane (DLin-KC2-DMA), and MC3 (US20100324120; herein incorporated by reference in its entirety) and liposomes which may deliver small

molecule drugs such as, but not limited to, DOXIL® from Janssen Biotech, Inc. (Horsham, Pa.).

In some embodiments, pharmaceutical compositions described herein may include, without limitation, liposomes such as those formed from the synthesis of stabilized plasmid-lipid particles (SPLP) or stabilized nucleic acid lipid particle (SNALP) that have been previously described and shown to be suitable for oligonucleotide delivery in vitro and in vivo (see Wheeler et al. *Gene Therapy*. 1999 6:271-281; Zhang et al. *Gene Therapy*. 1999 6:1438-1447; Jeffs et al. *Pharm Res*. 2005 22:362-372; Morrissey et al., *Nat Biotechnol*. 2005 2:1002-1007; Zimmermann et al., *Nature*. 2006 441:111-114; Heyes et al. *J Contr Rel*. 2005 107:276-287; Semple et al. *Nature Biotech*. 2010 28:172-176; Judge et al. *J Clin Invest*. 2009 119:661-673; deFougerolles Hum Gene Ther. 2008 19:125-132; U.S. Patent Publication No US20130122104; all of which are incorporated herein in their entirety). The original manufacture method by Wheeler et al. was a detergent dialysis method, which was later improved by Jeffs et al. and is referred to as the spontaneous vesicle formation method. The liposome formulations are composed of 3 to 4 lipid components in addition to the polynucleotide. As an example a liposome can contain, but is not limited to, 55% cholesterol, 20% distearylphosphatidyl choline (DSPC), 10% PEG-S-DSG, and 15% 1,2-dioleoyl-N,N-dimethylaminopropane (DODMA), as described by Jeffs et al. As another example, certain liposome formulations may contain, but are not limited to, 48% cholesterol, 20% DSPC, 2% PEG-c-DMA, and 30% cationic lipid, where the cationic lipid can be 1,2-distearoyl-N,N-dimethylaminopropane (DSDMA), DODMA, DLin-DMA, or 1,2-dilinolenyloxy-3-dimethylaminopropane (DLinDMA), as described by Heyes et al.

In some embodiments, liposome formulations may comprise from about 25.0% cholesterol to about 40.0% cholesterol, from about 30.0% cholesterol to about 45.0% cholesterol, from about 35.0% cholesterol to about 50.0% cholesterol and/or from about 48.5% cholesterol to about 60% cholesterol. In some embodiments, formulations may comprise a percentage of cholesterol selected from the group consisting of 28.5%, 31.5%, 33.5%, 36.5%, 37.0%, 38.5%, 39.0% and 43.5%. In some embodiments, formulations may comprise from about 5.0% to about 10.0% DSPC and/or from about 7.0% to about 15.0% DSPC.

In some embodiments, the RNA (e.g., mRNA) vaccine pharmaceutical compositions may be formulated in liposomes such as, but not limited to, DiLa2 liposomes (Marina Biotech, Bothell, Wash.), SMARTICLES® (Marina Biotech, Bothell, Wash.), neutral DOPC (1,2-dioleoyl-sn-glycero-3-phosphocholine) based liposomes (e.g., siRNA delivery for ovarian cancer (Landen et al. *Cancer Biology & Therapy* 2006 5(12):1708-1713); herein incorporated by reference in its entirety) and hyaluronan-coated liposomes (Quiet Therapeutics, Israel).

In some embodiments, the cationic lipid may be a low molecular weight cationic lipid such as those described in U.S. Patent Application No. 20130090372, the contents of which are herein incorporated by reference in their entirety.

In some embodiments, the RNA (e.g., mRNA) vaccines may be formulated in a lipid vesicle, which may have crosslinks between functionalized lipid bilayers.

In some embodiments, the RNA (e.g., mRNA) vaccines may be formulated in a lipid-polycation complex. The formation of the lipid-polycation complex may be accomplished by methods known in the art and/or as described in U.S. Pub. No. 20120178702, herein incorporated by reference in its entirety. As a non-limiting example, the polycation

may include a cationic peptide or a polypeptide such as, but not limited to, polylysine, polyornithine and/or polyarginine. In some embodiments, the RNA (e.g., mRNA) vaccines may be formulated in a lipid-polycation complex, which may further include a non-cationic lipid such as, but not limited to, cholesterol or dioleoyl phosphatidylethanolamine (DOPE).

In some embodiments, the ratio of PEG in the lipid nanoparticle (LNP) formulations may be increased or decreased and/or the carbon chain length of the PEG lipid may be modified from C14 to C18 to alter the pharmacokinetics and/or biodistribution of the LNP formulations. As a non-limiting example, LNP formulations may contain from about 0.5% to about 3.0%, from about 1.0% to about 3.5%, from about 1.5% to about 4.0%, from about 2.0% to about 4.5%, from about 2.5% to about 5.0% and/or from about 3.0% to about 6.0% of the lipid molar ratio of PEG-c-DOMG (R-3-[(ω -methoxy-poly(ethyleneglycol) 2000)carbamoyl]-1,2-dimyristyloxypropyl-3-amine) (also referred to herein as PEG-DOMG) as compared to the cationic lipid, DSPC and cholesterol. In some embodiments, the PEG-c-DOMG may be replaced with a PEG lipid such as, but not limited to, PEG-DSG (1,2-Distearoyl-sn-glycerol, methoxypolyethylene glycol), PEG-DMG (1,2-Dimyristoyl-sn-glycerol) and/or PEG-DPG (1,2-Dipalmitoyl-sn-glycerol, methoxypolyethylene glycol). The cationic lipid may be selected from any lipid known in the art such as, but not limited to, DLin-MC3-DMA, DLin-DMA, C12-200 and DLin-KC2-DMA.

In some embodiments, the RNA (e.g., mRNA) vaccines may be formulated in a lipid nanoparticle.

In some embodiments, the RNA (e.g., mRNA) vaccine formulation comprising the polynucleotide is a nanoparticle which may comprise at least one lipid. The lipid may be selected from, but is not limited to, DLin-DMA, DLin-K-DMA, 98N12-5, C12-200, DLin-MC3-DMA, DLin-KC2-DMA, DODMA, PLGA, PEG, PEG-DMG, PEGylated lipids and amino alcohol lipids. In another aspect, the lipid may be a cationic lipid such as, but not limited to, DLin-DMA, DLin-D-DMA, DLin-MC3-DMA, DLin-KC2-DMA, DODMA and amino alcohol lipids. The amino alcohol cationic lipid may be the lipids described in and/or made by the methods described in U.S. Patent Publication No. US20130150625, herein incorporated by reference in its entirety. As a non-limiting example, the cationic lipid may be 2-amino-3-[(9Z,12Z)-octadeca-9,12-dien-1-yloxy]-2-[[9Z,2Z)-octadeca-9,12-dien-1-yloxy]methyl]propan-1-ol (Compound 1 in US20130150625); 2-amino-3-[(9Z)-octadec-9-en-1-yloxy]-2-[[9Z)-octadec-9-en-1-yloxy]methyl]propan-1-ol (Compound 2 in US20130150625); 2-amino-3-[(9Z,12Z)-octadeca-9,12-dien-1-yloxy]-2-[(octyloxy)methyl]propan-1-ol (Compound 3 in US20130150625); and 2-(dimethylamino)-3-[(9Z,12Z)-octadeca-9,12-dien-1-yloxy]-2-[[9Z,12Z)-octadeca-9,12-dien-1-yloxy]methyl]propan-1-ol (Compound 4 in US20130150625); or any pharmaceutically acceptable salt or stereoisomer thereof.

Lipid nanoparticle formulations typically comprise a lipid, in particular, an ionizable cationic lipid, for example, 2,2-dilinoleyl-4-dimethylaminoethyl-[1,3]-dioxolane (DLin-KC2-DMA), dilinoleyl-methyl-4-dimethylaminobutyrate (DLin-MC3-DMA), or di((Z)-non-2-en-1-yl) 9-(4-(dimethylamino)butanoyloxy)heptadecanedioate (L319), and further comprise a neutral lipid, a sterol and a molecule capable of reducing particle aggregation, for example a PEG or PEG-modified lipid.

In some embodiments, the lipid nanoparticle formulation consists essentially of (i) at least one lipid selected from the group consisting of 2,2-dilinoleyl-4-dimethylaminoethyl-[1,3]-dioxolane (DLin-KC2-DMA), dilinoleyl-methyl-4-dimethylaminobutyrate (DLin-MC3-DMA), and di((Z)-non-2-en-1-yl) 9-((4-(dimethylamino)butanoyl)oxy)heptadecanedioate (L319); (ii) a neutral lipid selected from DSPC, DPPC, POPC, DOPE and SM; (iii) a sterol, e.g., cholesterol; and (iv) a PEG-lipid, e.g., PEG-DMG or PEG-cDMA, in a molar ratio of about 20-60% cationic lipid:5-25% neutral lipid:25-55% sterol; 0.5-15% PEG-lipid.

In some embodiments, the formulation includes from about 25% to about 75% on a molar basis of a cationic lipid selected from 2,2-dilinoleyl-4-dimethylaminoethyl-[1,3]-dioxolane (DLin-KC2-DMA), dilinoleyl-methyl-4-dimethylaminobutyrate (DLin-MC3-DMA), and di((Z)-non-2-en-1-yl) 9-((4-(dimethylamino)butanoyl)oxy)heptadecanedioate (L319), e.g., from about 35 to about 65%, from about 45 to about 65%, about 60%, about 57.5%, about 50% or about 40% on a molar basis.

In some embodiments, the formulation includes from about 0.5% to about 15% on a molar basis of the neutral lipid e.g., from about 3 to about 12%, from about 5 to about 10% or about 15%, about 10%, or about 7.5% on a molar basis. Examples of neutral lipids include, but are not limited to, DSPC, POPC, DPPC, DOPE and SM. In some embodiments, the formulation includes from about 5% to about 50% on a molar basis of the sterol (e.g., about 15 to about 45%, about 20 to about 40%, about 40%, about 38.5%, about 35%, or about 31% on a molar basis. An exemplary sterol is cholesterol. In some embodiments, the formulation includes from about 0.5% to about 20% on a molar basis of the PEG or PEG-modified lipid (e.g., about 0.5 to about 10%, about 0.5 to about 5%, about 1.5%, about 0.5%, about 1.5%, about 3.5%, or about 5% on a molar basis. In some embodiments, the PEG or PEG modified lipid comprises a PEG molecule of an average molecular weight of 2,000 Da. In other embodiments, the PEG or PEG modified lipid comprises a PEG molecule of an average molecular weight of less than 2,000, for example around 1,500 Da, around 1,000 Da, or around 500 Da. Examples of PEG-modified lipids include, but are not limited to, PEG-distearoyl glycerol (PEG-DMG) (also referred herein as PEG-C14 or C14-PEG), PEG-cDMA (further discussed in Reyes et al. *J. Controlled Release*, 107, 276-287 (2005) the contents of which are herein incorporated by reference in their entirety)

In some embodiments, the formulations of the present disclosure include 25-75% of a cationic lipid selected from 2,2-dilinoleyl-4-dimethylaminoethyl-[1,3]-dioxolane (DLin-KC2-DMA), dilinoleyl-methyl-4-dimethylaminobutyrate (DLin-MC3-DMA), and di((Z)-non-2-en-1-yl) 9-((4-(dimethylamino)butanoyl)oxy)heptadecanedioate (L319), 0.5-15% of the neutral lipid, 5-50% of the sterol, and 0.5-20% of the PEG or PEG-modified lipid on a molar basis.

In some embodiments, the formulations of the present disclosure include 35-65% of a cationic lipid selected from 2,2-dilinoleyl-4-dimethylaminoethyl-[1,3]-dioxolane (DLin-KC2-DMA), dilinoleyl-methyl-4-dimethylaminobutyrate (DLin-MC3-DMA), and di((Z)-non-2-en-1-yl) 9-((4-(dimethylamino)butanoyl)oxy)heptadecanedioate (L319), 3-12% of the neutral lipid, 15-45% of the sterol, and 0.5-10% of the PEG or PEG-modified lipid on a molar basis.

In some embodiments, the formulations of the present disclosure include 45-65% of a cationic lipid selected from 2,2-dilinoleyl-4-dimethylaminoethyl-[1,3]-dioxolane (DLin-KC2-DMA), dilinoleyl-methyl-4-dimethylaminobutyrate (DLin-MC3-DMA), and di((Z)-non-2-en-1-yl) 9-((4-

(dimethylamino)butanoyl)oxy)heptadecanedioate (L319), 5-10% of the neutral lipid, 25-40% of the sterol, and 0.5-10% of the PEG or PEG-modified lipid on a molar basis.

In some embodiments, the formulations of the present disclosure include about 60% of a cationic lipid selected from 2,2-dilinoleyl-4-dimethylaminoethyl-[1,3]-dioxolane (DLin-KC2-DMA), dilinoleyl-methyl-4-dimethylaminobutyrate (DLin-MC3-DMA), and di((Z)-non-2-en-1-yl) 9-((4-(dimethylamino)butanoyl)oxy)heptadecanedioate (L319), about 7.5% of the neutral lipid, about 31% of the sterol, and about 1.5% of the PEG or PEG-modified lipid on a molar basis.

In some embodiments, the formulations of the present disclosure include about 50% of a cationic lipid selected from 2,2-dilinoleyl-4-dimethylaminoethyl-[1,3]-dioxolane (DLin-KC2-DMA), dilinoleyl-methyl-4-dimethylaminobutyrate (DLin-MC3-DMA), and di((Z)-non-2-en-1-yl) 9-((4-(dimethylamino)butanoyl)oxy)heptadecanedioate (L319), about 10% of the neutral lipid, about 38.5% of the sterol, and about 1.5% of the PEG or PEG-modified lipid on a molar basis.

In some embodiments, the formulations of the present disclosure include about 50% of a cationic lipid selected from 2,2-dilinoleyl-4-dimethylaminoethyl-[1,3]-dioxolane (DLin-KC2-DMA), dilinoleyl-methyl-4-dimethylaminobutyrate (DLin-MC3-DMA), and di((Z)-non-2-en-1-yl) 9-((4-(dimethylamino)butanoyl)oxy)heptadecanedioate (L319), about 10% of the neutral lipid, about 35% of the sterol, about 4.5% or about 5% of the PEG or PEG-modified lipid, and about 0.5% of the targeting lipid on a molar basis.

In some embodiments, the formulations of the present disclosure include about 40% of a cationic lipid selected from 2,2-dilinoleyl-4-dimethylaminoethyl-[1,3]-dioxolane (DLin-KC2-DMA), dilinoleyl-methyl-4-dimethylaminobutyrate (DLin-MC3-DMA), and di((Z)-non-2-en-1-yl) 9-((4-(dimethylamino)butanoyl)oxy)heptadecanedioate (L319), about 15% of the neutral lipid, about 40% of the sterol, and about 5% of the PEG or PEG-modified lipid on a molar basis.

In some embodiments, the formulations of the present disclosure include about 57.2% of a cationic lipid selected from 2,2-dilinoleyl-4-dimethylaminoethyl-[1,3]-dioxolane (DLin-KC2-DMA), dilinoleyl-methyl-4-dimethylaminobutyrate (DLin-MC3-DMA), and di((Z)-non-2-en-1-yl) 9-((4-(dimethylamino)butanoyl)oxy)heptadecanedioate (L319), about 7.1% of the neutral lipid, about 34.3% of the sterol, and about 1.4% of the PEG or PEG-modified lipid on a molar basis.

In some embodiments, the formulations of the present disclosure include about 57.5% of a cationic lipid selected from the PEG lipid is PEG-cDMA (PEG-cDMA is further discussed in Reyes et al. (*J. Controlled Release*, 107, 276-287 (2005), the contents of which are herein incorporated by reference in their entirety), about 7.5% of the neutral lipid, about 31.5% of the sterol, and about 3.5% of the PEG or PEG-modified lipid on a molar basis.

In some embodiments, lipid nanoparticle formulation consists essentially of a lipid mixture in molar ratios of about 20-70% cationic lipid:5-45% neutral lipid:20-55% cholesterol: 0.5-15% PEG-modified lipid; more preferably in a molar ratio of about 20-60% cationic lipid:5-25% neutral lipid:25-55% cholesterol: 0.5-15% PEG-modified lipid.

In some embodiments, the molar lipid ratio is approximately 50/10/38.5/1.5 (mol % cationic lipid/neutral lipid, e.g., DSPC/Chol/PEG-modified lipid, e.g., PEG-DMG, PEG-DSG or PEG-DPG), 57.2/7.1134.3/1.4 (mol % cationic lipid/neutral lipid, e.g., DPPC/Chol/PEG-modified lipid,

e.g., PEG-cDMA), 40/15/40/5 (mol % cationic lipid/neutral lipid, e.g., DSPC/Chol/PEG-modified lipid, e.g., PEG-DMG), 50/10/35/4.5/0.5 (mol % cationic lipid/neutral lipid, e.g., DSPC/Chol/PEG-modified lipid, e.g., PEG-DSG), 50/10/35/5 (cationic lipid/neutral lipid, e.g., DSPC/Chol/PEG-modified lipid, e.g., PEG-DMG), 40/10/40/10 (mol % cationic lipid/neutral lipid, e.g., DSPC/Chol/PEG-modified lipid, e.g., PEG-DMG or PEG-cDMA), 35/15/40/10 (mol % cationic lipid/neutral lipid, e.g., DSPC/Chol/PEG-modified lipid, e.g., PEG-DMG or PEG-cDMA) or 52/13/30/5 (mol % cationic lipid/neutral lipid, e.g., DSPC/Chol/PEG-modified lipid, e.g., PEG-DMG or PEG-cDMA).

Examples of lipid nanoparticle compositions and methods of making same are described, for example, in Semple et al. (2010) *Nat. Biotechnol.* 28:172-176; Jayarama et al. (2012), *Angew. Chem. Int. Ed.*, 51: 8529-8533; and Maier et al. (2013) *Molecular Therapy* 21, 1570-1578 (the contents of each of which are incorporated herein by reference in their entirety).

In some embodiments, the lipid nanoparticle formulations described herein may comprise a cationic lipid, a PEG lipid and a structural lipid and optionally comprise a non-cationic lipid. As a non-limiting example, the lipid nanoparticle may comprise about 40-60% of cationic lipid, about 5-15% of a non-cationic lipid, about 1-2% of a PEG lipid and about 30-50% of a structural lipid. As another non-limiting example, the lipid nanoparticle may comprise about 50% cationic lipid, about 10% non-cationic lipid, about 1.5% PEG lipid and about 38.5% structural lipid. As yet another non-limiting example, the lipid nanoparticle may comprise about 55% cationic lipid, about 10% non-cationic lipid, about 2.5% PEG lipid and about 32.5% structural lipid. In some embodiments, the cationic lipid may be any cationic lipid described herein such as, but not limited to, DLin-KC2-DMA, DLin-MC3-DMA and L319.

In some embodiments, the lipid nanoparticle formulations described herein may be 4 component lipid nanoparticles. The lipid nanoparticle may comprise a cationic lipid, a non-cationic lipid, a PEG lipid and a structural lipid. As a non-limiting example, the lipid nanoparticle may comprise about 40-60% of cationic lipid, about 5-15% of a non-cationic lipid, about 1-2% of a PEG lipid and about 30-50% of a structural lipid. As another non-limiting example, the lipid nanoparticle may comprise about 50% cationic lipid, about 10% non-cationic lipid, about 1.5% PEG lipid and about 38.5% structural lipid. As yet another non-limiting example, the lipid nanoparticle may comprise about 55% cationic lipid, about 10% non-cationic lipid, about 2.5% PEG lipid and about 32.5% structural lipid. In some embodiments, the cationic lipid may be any cationic lipid described herein such as, but not limited to, DLin-KC2-DMA, DLin-MC3-DMA and L319.

In some embodiments, the lipid nanoparticle formulations described herein may comprise a cationic lipid, a non-cationic lipid, a PEG lipid and a structural lipid. As a non-limiting example, the lipid nanoparticle comprise about 50% of the cationic lipid DLin-KC2-DMA, about 10% of the non-cationic lipid DSPC, about 1.5% of the PEG lipid PEG-DMG and about 38.5% of the structural lipid cholesterol. As a non-limiting example, the lipid nanoparticle comprise about 55% of the cationic lipid DLin-MC3-DMA, about 10% of the non-cationic lipid DSPC, about 1.5% of the PEG lipid PEG-DMG and about 38.5% of

the structural lipid cholesterol. As yet another non-limiting example, the lipid nanoparticle comprise about 55% of the cationic lipid L319, about 10% of the non-cationic lipid DSPC, about 2.5% of the PEG lipid PEG-DMG and about 32.5% of the structural lipid cholesterol.

As a non-limiting example, the cationic lipid may be selected from (20Z,23Z)—N,N-dimethylnonacos-20,23-dien-10-amine, (17Z,20Z)—N,N-dimethylhexacos-17,20-dien-9-amine, (1Z,19Z)—N,N-dimethylpentacos-16,19-dien-8-amine, (13Z,16Z)—N,N-dimethyldocos-13,16-dien-5-amine, (12Z,15Z)—N,N-dimethylhenicos-12,15-dien-4-amine, (14Z,17Z)—N,N-dimethyltricos-14,17-dien-6-amine, (15Z,18Z)—N,N-dimethyltetracos-15,18-dien-7-amine, (18Z,21Z)—N,N-dimethylheptacos-18,21-dien-10-amine, (15Z,18Z)—N,N-dimethyltetracos-15,18-dien-5-amine, (14Z,17Z)—N,N-dimethyltricos-14,17-dien-4-amine, (19Z,22Z)—N,N-dimethyloctacos-19,22-dien-9-amine, (18Z,21 Z)—N,N-dimethylheptacos-18,21-dien-8 amine, (17Z,20Z)—N,N-dimethylhexacos-17,20-dien-7-amine, (16Z,19Z)—N,N-dimethylpentacos-16,19-dien-6-amine, (22Z,25Z)—N,N-dimethylhentriaconta-22,25-dien-10-amine, (21 Z,24Z)—N,N-dimethyltriaconta-21,24-dien-9-amine, (18Z)—N,N-dimethylheptacos-18-en-10-amine, (17Z)—N,N-dimethylhexacos-17-en-9-amine, (19Z,22Z)—N,N-dimethyloctacos-19,22-dien-7-amine, N,N-dimethylheptacos-10-amine, (20Z,23Z)—N-ethyl-N-methylnonacos-20,23-dien-10-amine, 1-[(11Z,14Z)-1-nonylicos-11,14-dien-1-yl]pyrrolidine, (20Z)—N,N-dimethylheptacos-20-en-10-amine, (15Z)—N,N-dimethyl eptacos-15-en-10-amine, (14Z)—N,N-dimethylnonacos-14-en-10-amine, (17Z)—N,N-dimethylnonacos-17-en-10-amine, (24Z)—N,N-dimethyltriacont-24-en-10-amine, (20Z)—N,N-dimethylnonacos-20-en-10-amine, (22Z)—N,N-dimethylhentriacont-22-en-10-amine, (16Z)—N,N-dimethylpentacos-16-en-8-amine, (12Z,15Z)—N,N-dimethyl-2-nonylhenicos-12,15-dien-1-amine, (13Z,16Z)—N,N-dimethyl-3-nonyldocos-13,16-dien-1 amine, N,N-dimethyl-1-[(1S,2R)-2-octylcyclopropyl]heptadecan-8-amine, 1-[(1S,2R)-2-hexylcyclopropyl]-N,N-dimethylnonadecan-10-amine, N,N-dimethyl-1-[(1S,2R)-2-octylcyclopropyl]nonadecan-10-amine, N,N-dimethyl-21-[(1S,2R)-2-octylcyclopropyl]hencicosan-10-amine, N,N-dimethyl-1-[(1S,2S)-2-[(1R,2R)-2-pentylcyclopropyl]methyl]cyclopropyl]nonadecan-10-amine, N,N-dimethyl-1-[(1S,2R)-2-octylcyclopropyl]hexadecan-8-amine, N,N-dimethyl-1-[(1R,2S)-2-undecylcyclopropyl]tetradecan-5-amine, N,N-dimethyl-3-{7-[(1S,2R)-2-octylcyclopropyl]heptyl}dodecan-1-amine, 1-[(1R,2S)-2-heptylcyclopropyl]-N,N-dimethyloctadecan-9-amine, 1-[(1S,2R)-2-decylcyclopropyl]-N,N-dimethylpentadecan-6-amine, N,N-dimethyl-1-R1S,2R)-2-octylcyclopropyl]pentadecan-8-amine, R—N,N-dimethyl-1-[(9Z,12Z)-octadeca-9,12-dien-1-yloxy]-3-(octyloxy)propan-2-amine, S—N,N-dimethyl-1-[(9Z,12Z)-octadeca-9,12-dien-1-yloxy]-3-(octyloxy)propan-2-amine, 1-{2-[(9Z,12Z)-octadeca-9,12-dien-1-yloxy]-1-[(octyloxy)methyl]ethyl}pyrrolidine, (2S)—N,N-dimethyl-1-[(9Z,12Z)-octadeca-9,12-dien-1-yloxy]-3-[(5Z)-oct-5-en-1-yloxy]propan-2-amine, 1-{2-[(9Z,12Z)-octadeca-9,12-dien-1-yloxy]-1-[(octyloxy)methyl]ethyl}azetidine, (2S)-1-(hexyloxy)-N,N-dimethyl-3-R9Z,12Z)-octadeca-9,12-dien-1-yloxy]propan-2-amine, (2S)-1-(heptyloxy)-N,N-dimethyl-3-R9Z,12Z)-octadeca-9,12-dien-1-yloxy]propan-2-amine, N,N-dimethyl-1-(nonyloxy)-3-R9Z,12Z)-octadeca-9,12-dien-1-yloxy]propan-2-amine, N,N-dimethyl-1-[(9Z)-octadec-9-en-1-yloxy]-3-(octyloxy)propan-2-amine; (2S)-N,N-dimethyl-1-[(6Z,9Z,12Z)-octadeca-6,9,12-trien-1-yloxy]-3-(octyloxy)propan-2-amine,

(2S)-1-[(11Z,14Z)-icosa-11,14-dien-1-yloxy]-N,N-dimethyl-3-(pentyloxy)propan-2-amine, (2S)-1-(hexyloxy)-3-[(11Z,14Z)-icosa-11,14-dien-1-yloxy]-N,N-dimethylpropan-2-amine, 1-[(11Z,14Z)-icosa-11,14-dien-1-yloxy]-N,N-dimethyl-3-(octyloxy)propan-2-amine, 1-[(13Z,16Z)-docosa-13,16-dien-1-yloxy]-N,N-dimethyl-3-(octyloxy)propan-2-amine, (2S)-1-[(13Z,16Z)-docosa-13,16-dien-1-yloxy]-3-(hexyloxy)-N,N-dimethylpropan-2-amine, (2S)-1-[(13Z)-docos-13-en-1-yloxy]-3-(hexyloxy)-N,N-dimethylpropan-2-amine, 1-[(13Z)-docos-13-en-1-yloxy]-N,N-dimethyl-3-(octyloxy)propan-2-amine, 1-[(9Z)-hexadec-9-en-1-yloxy]-N,N-dimethyl-3-(octyloxy)propan-2-amine, (2R)-N,N-dimethyl-H(1-metoyloctyl)oxy]-3-[(9Z,12Z)-octadeca-9,12-dien-1-yloxy]propan-2-amine, (2R)-1-[(3,7-dimethyloctyl)oxy]-N,N-dimethyl-3-R9Z,12Z)-octadeca-9,12-dien-1-yloxy]propan-2-amine, N,N-dimethyl-1-(octyloxy)-3-({8-R1S,25)-2-[(1R,2R)-2-pentylcyclopropyl]methyl}cyclopropyl]octyl}oxy)propan-2-amine, N,N-dimethyl-1-1-[8-(2-oc1ylcyclopropyl)octyl]oxy}-3-(octyloxy)propan-2-amine and (11E,20Z,23Z)-N,N-dimethylnonacos-11,20,2-trien-10-amine or a pharmaceutically acceptable salt or stereoisomer thereof.

In some embodiments, the LNP formulations of the RNA (e.g., mRNA) vaccines may contain PEG-c-DOMG at 3% lipid molar ratio. In some embodiments, the LNP formulations of the RNA (e.g., mRNA) vaccines may contain PEG-c-DOMG at 1.5% lipid molar ratio.

In some embodiments, the pharmaceutical compositions of the RNA (e.g., mRNA) vaccines may include at least one of the PEGylated lipids described in International Publication No. WO2012099755, the contents of which are herein incorporated by reference in their entirety.

In some embodiments, the LNP formulation may contain PEG-DMG 2000 (1,2-dimyristoyl-sn-glycero-3-phosphoethanolamine-N-[methoxy(polyethylene glycol)-2000]. In some embodiments, the LNP formulation may contain PEG-DMG 2000, a cationic lipid known in the art and at least one other component. In some embodiments, the LNP formulation may contain PEG-DMG 2000, a cationic lipid known in the art, DSPC and cholesterol. As a non-limiting example, the LNP formulation may contain PEG-DMG 2000, DLin-DMA, DSPC and cholesterol. As another non-limiting example the LNP formulation may contain PEG-DMG 2000, DLin-DMA, DSPC and cholesterol in a molar ratio of 2:40:10:48 (see e.g., Geall et al., Nonviral delivery of self-amplifying RNA (e.g., mRNA) vaccines, PNAS 2012; PMID: 22908294, the contents of each of which are herein incorporated by reference in their entirety).

The lipid nanoparticles described herein may be made in a sterile environment.

In some embodiments, the LNP formulation may be formulated in a nanoparticle such as a nucleic acid-lipid particle. As a non-limiting example, the lipid particle may comprise one or more active agents or therapeutic agents; one or more cationic lipids comprising from about 50 mol % to about 85 mol % of the total lipid present in the particle; one or more non-cationic lipids comprising from about 13 mol % to about 49.5 mol % of the total lipid present in the particle; and one or more conjugated lipids that inhibit aggregation of particles comprising from about 0.5 mol % to about 2 mol % of the total lipid present in the particle.

The nanoparticle formulations may comprise a phosphate conjugate. The phosphate conjugate may increase in vivo circulation times and/or increase the targeted delivery of the nanoparticle. As a non-limiting example, the phosphate conjugates may include a compound of any one of the formulas described in International Application No.

WO2013033438, the contents of which are herein incorporated by reference in its entirety.

The nanoparticle formulation may comprise a polymer conjugate. The polymer conjugate may be a water soluble conjugate. The polymer conjugate may have a structure as described in U.S. Patent Application No. 20130059360, the contents of which are herein incorporated by reference in its entirety. In some embodiments, polymer conjugates with the polynucleotides of the present disclosure may be made using the methods and/or segmented polymeric reagents described in U.S. Patent Application No. 20130072709, the contents of which are herein incorporated by reference in its entirety. In some embodiments, the polymer conjugate may have pendant side groups comprising ring moieties such as, but not limited to, the polymer conjugates described in U.S. Patent Publication No. US20130196948, the contents which are herein incorporated by reference in its entirety.

The nanoparticle formulations may comprise a conjugate to enhance the delivery of nanoparticles of the present disclosure in a subject. Further, the conjugate may inhibit phagocytic clearance of the nanoparticles in a subject. In one aspect, the conjugate may be a "self" peptide designed from the human membrane protein CD47 (e.g., the "self" particles described by Rodriguez et al. (*Science* 2013 339, 971-975), herein incorporated by reference in its entirety). As shown by Rodriguez et al., the self peptides delayed macrophage-mediated clearance of nanoparticles which enhanced delivery of the nanoparticles. In another aspect, the conjugate may be the membrane protein CD47 (e.g., see Rodriguez et al. *Science* 2013 339, 971-975, herein incorporated by reference in its entirety). Rodriguez et al. showed that, similarly to "self" peptides, CD47 can increase the circulating particle ratio in a subject as compared to scrambled peptides and PEG coated nanoparticles.

In some embodiments, the RNA (e.g., mRNA) vaccines of the present disclosure are formulated in nanoparticles which comprise a conjugate to enhance the delivery of the nanoparticles of the present disclosure in a subject. The conjugate may be the CD47 membrane or the conjugate may be derived from the CD47 membrane protein, such as the "self" peptide described previously. In some embodiments, the nanoparticle may comprise PEG and a conjugate of CD47 or a derivative thereof. In some embodiments, the nanoparticle may comprise both the "self" peptide described above and the membrane protein CD47.

In some embodiments, a "self" peptide and/or CD47 protein may be conjugated to a virus-like particle or pseudovirion, as described herein for delivery of the RNA (e.g., mRNA) vaccines of the present disclosure.

In some embodiments, RNA (e.g., mRNA) vaccine pharmaceutical compositions comprising the polynucleotides of the present disclosure and a conjugate that may have a degradable linkage. Non-limiting examples of conjugates include an aromatic moiety comprising an ionizable hydrogen atom, a spacer moiety, and a water-soluble polymer. As a non-limiting example, pharmaceutical compositions comprising a conjugate with a degradable linkage and methods for delivering such pharmaceutical compositions are described in U.S. Patent Publication No. US20130184443, the contents of which are herein incorporated by reference in their entirety.

The nanoparticle formulations may be a carbohydrate nanoparticle comprising a carbohydrate carrier and a RNA (e.g., mRNA) vaccine. As a non-limiting example, the carbohydrate carrier may include, but is not limited to, an anhydride-modified phytoglycogen or glycogen-type material, phytoglycogen octenyl succinate, phytoglycogen beta-

dextrin, anhydride-modified phytoglycogen beta-dextrin. (See e.g., International Publication No. WO2012109121; the contents of which are herein incorporated by reference in their entirety).

Nanoparticle formulations of the present disclosure may be coated with a surfactant or polymer in order to improve the delivery of the particle. In some embodiments, the nanoparticle may be coated with a hydrophilic coating such as, but not limited to, PEG coatings and/or coatings that have a neutral surface charge. The hydrophilic coatings may help to deliver nanoparticles with larger payloads such as, but not limited to, RNA (e.g., mRNA) vaccines within the central nervous system. As a non-limiting example nanoparticles comprising a hydrophilic coating and methods of making such nanoparticles are described in U.S. Patent Publication No. US20130183244, the contents of which are herein incorporated by reference in their entirety.

In some embodiments, the lipid nanoparticles of the present disclosure may be hydrophilic polymer particles. Non-limiting examples of hydrophilic polymer particles and methods of making hydrophilic polymer particles are described in U.S. Patent Publication No. US20130210991, the contents of which are herein incorporated by reference in their entirety.

In some embodiments, the lipid nanoparticles of the present disclosure may be hydrophobic polymer particles.

Lipid nanoparticle formulations may be improved by replacing the cationic lipid with a biodegradable cationic lipid which is known as a rapidly eliminated lipid nanoparticle (reLNP). Ionizable cationic lipids, such as, but not limited to, DLinDMA, DLin-KC2-DMA, and DLin-MC3-DMA, have been shown to accumulate in plasma and tissues over time and may be a potential source of toxicity. The rapid metabolism of the rapidly eliminated lipids can improve the tolerability and therapeutic index of the lipid nanoparticles by an order of magnitude from a 1 mg/kg dose to a 10 mg/kg dose in rat. Inclusion of an enzymatically degraded ester linkage can improve the degradation and metabolism profile of the cationic component, while still maintaining the activity of the reLNP formulation. The ester linkage can be internally located within the lipid chain or it may be terminally located at the terminal end of the lipid chain. The internal ester linkage may replace any carbon in the lipid chain.

In some embodiments, the internal ester linkage may be located on either side of the saturated carbon.

In some embodiments, an immune response may be elicited by delivering a lipid nanoparticle which may include a nanospecies, a polymer and an immunogen. (U.S. Publication No. 20120189700 and International Publication No. WO2012099805; each of which is herein incorporated by reference in their entirety). The polymer may encapsulate the nanospecies or partially encapsulate the nanospecies. The immunogen may be a recombinant protein, a modified RNA and/or a polynucleotide described herein. In some embodiments, the lipid nanoparticle may be formulated for use in a vaccine such as, but not limited to, against a pathogen.

Lipid nanoparticles may be engineered to alter the surface properties of particles so the lipid nanoparticles may penetrate the mucosal barrier. Mucus is located on mucosal tissue such as, but not limited to, oral (e.g., the buccal and esophageal membranes and tonsil tissue), ophthalmic, gastrointestinal (e.g., stomach, small intestine, large intestine, colon, rectum), nasal, respiratory (e.g., nasal, pharyngeal, tracheal and bronchial membranes), genital (e.g., vaginal, cervical and urethral membranes). Nanoparticles larger than

10-200 nm which are preferred for higher drug encapsulation efficiency and the ability to provide the sustained delivery of a wide array of drugs have been thought to be too large to rapidly diffuse through mucosal barriers. Mucus is continuously secreted, shed, discarded or digested and recycled so most of the trapped particles may be removed from the mucosa tissue within seconds or within a few hours. Large polymeric nanoparticles (200 nm-500 nm in diameter) which have been coated densely with a low molecular weight polyethylene glycol (PEG) diffused through mucus only 4 to 6-fold lower than the same particles diffusing in water (Lai et al. PNAS 2007 104(5):1482-487; Lai et al. *Adv Drug Deliv Rev.* 2009 61(2): 158-171; each of which is herein incorporated by reference in their entirety). The transport of nanoparticles may be determined using rates of permeation and/or fluorescent microscopy techniques including, but not limited to, fluorescence recovery after photobleaching (FRAP) and high resolution multiple particle tracking (MPT). As a non-limiting example, compositions which can penetrate a mucosal barrier may be made as described in U.S. Pat. No. 8,241,670 or International Patent Publication No. WO2013110028, the contents of each of which are herein incorporated by reference in its entirety.

The lipid nanoparticle engineered to penetrate mucus may comprise a polymeric material (i.e. a polymeric core) and/or a polymer-vitamin conjugate and/or a tri-block co-polymer. The polymeric material may include, but is not limited to, polyamines, polyethers, polyamides, polyesters, polycarbamates, polyureas, polycarbonates, poly(styrenes), polyimides, polysulfones, polyurethanes, polyacetylenes, polyethylenes, polyethyleneimines, polyisocyanates, polyacrylates, polymethacrylates, polyacrylonitriles, and polyarylates. The polymeric material may be biodegradable and/or biocompatible. Non-limiting examples of biocompatible polymers are described in International Patent Publication No. WO2013116804, the contents of which are herein incorporated by reference in their entirety. The polymeric material may additionally be irradiated. As a non-limiting example, the polymeric material may be gamma irradiated (see e.g., International App. No. WO201282165, herein incorporated by reference in its entirety). Non-limiting examples of specific polymers include poly(caprolactone) (PCL), ethylene vinyl acetate polymer (EVA), poly(lactic acid) (PLA), poly(L-lactic acid) (PLLA), poly(glycolic acid) (PGA), poly(lactic acid-co-glycolic acid) (PLGA), poly(L-lactic acid-co-glycolic acid) (PLLGA), poly(D,L-lactide) (PDLA), poly(L-lactide) (PLLA), poly(D,L-lactide-co-caprolactone), poly(D,L-lactide-co-caprolactone-co-glycolide), poly(D,L-lactide-co-PEO-co-D,L-lactide), poly(D,L-lactide-co-PPO-co-D,L-lactide), polyalkyl cyanoacralate, polyurethane, poly-L-lysine (PLL), hydroxypropyl methacrylate (HPMA), polyethyleneglycol, poly-L-glutamic acid, poly(hydroxy acids), polyanhydrides, polyorthoesters, poly(ester amides), polyamides, poly(ester ethers), polycarbonates, polyalkylenes such as polyethylene and polypropylene, polyalkylene glycols such as poly(ethylene glycol) (PEG), polyalkylene oxides (PEO), polyalkylene terephthalates such as poly(ethylene terephthalate), polyvinyl alcohols (PVA), polyvinyl ethers, polyvinyl esters such as poly(vinyl acetate), polyvinyl halides such as poly(vinyl chloride) (PVC), polyvinylpyrrolidone, polysiloxanes, polystyrene (PS), polyurethanes, derivatized celluloses such as alkyl celluloses, hydroxyalkyl celluloses, cellulose ethers, cellulose esters, nitro celluloses, hydroxypropylcellulose, carboxymethylcellulose, polymers of acrylic acids, such as poly(methyl(meth)acrylate) (PMMA), poly(ethyl(meth)

acrylate), poly(butyl(meth)acrylate), poly(isobutyl(meth)acrylate), poly(hexyl(meth)acrylate), poly(isodecyl(meth)acrylate), poly(lauryl(meth)acrylate), poly(phenyl(meth)acrylate), poly(methyl acrylate), poly(isopropyl acrylate), poly(isobutyl acrylate), poly(octadecyl acrylate) and copolymers and mixtures thereof, polydioxanone and its copolymers, polyhydroxyalkanoates, polypropylene fumarate, polyoxymethylene, poloxamers, poly(ortho)esters, poly(butyric acid), poly(valeric acid), poly(lactide-co-caprolactone), PEG-PLGA-PEG and trimethylene carbonate, polyvinylpyrrolidone. The lipid nanoparticle may be coated or associated with a co-polymer such as, but not limited to, a block co-polymer (such as a branched polyether-polyamide block copolymer described in International Publication No. WO2013012476, herein incorporated by reference in its entirety), and (poly(ethylene glycol))-(poly(propylene oxide))-(poly(ethylene glycol)) triblock copolymer (see e.g., U.S. Publication 20120121718 and U.S. Publication 20100003337 and U.S. Pat. No. 8,263,665, the contents of each of which is herein incorporated by reference in their entirety). The co-polymer may be a polymer that is generally regarded as safe (GRAS) and the formation of the lipid nanoparticle may be in such a way that no new chemical entities are created. For example, the lipid nanoparticle may comprise poloxamers coating PLGA nanoparticles without forming new chemical entities which are still able to rapidly penetrate human mucus (Yang et al. *Angew. Chem. Int. Ed.* 2011 50:2597-2600; the contents of which are herein incorporated by reference in their entirety). A non-limiting scalable method to produce nanoparticles which can penetrate human mucus is described by Xu et al. (see, e.g., *J Control Release* 2013, 170(2):279-86; the contents of which are herein incorporated by reference in their entirety).

The vitamin of the polymer-vitamin conjugate may be vitamin E. The vitamin portion of the conjugate may be substituted with other suitable components such as, but not limited to, vitamin A, vitamin E, other vitamins, cholesterol, a hydrophobic moiety, or a hydrophobic component of other surfactants (e.g., sterol chains, fatty acids, hydrocarbon chains and alkylene oxide chains).

The lipid nanoparticle engineered to penetrate mucus may include surface altering agents such as, but not limited to, polynucleotides, anionic proteins (e.g., bovine serum albumin), surfactants (e.g., cationic surfactants such as for example dimethyldioctadecylammonium bromide), sugars or sugar derivatives (e.g., cyclodextrin), nucleic acids, polymers (e.g., heparin, polyethylene glycol and poloxamer), mucolytic agents (e.g., N-acetylcysteine, mugwort, bromelain, papain, clerodendrum, acetylcysteine, bromhexine, carbocysteine, eprazinone, mesna, ambroxol, sobrerol, domidol, letosteine, stepronin, tiopronin, gelsolin, thymosin β 4 dornase alfa, nelteneine, erdosteine) and various DNases including rhDNase. The surface altering agent may be embedded or enmeshed in the particle's surface or disposed (e.g., by coating, adsorption, covalent linkage, or other process) on the surface of the lipid nanoparticle. (see e.g., U.S. Publication 20100215580 and U.S. Publication 20080166414 and US20130164343; the contents of each of which are herein incorporated by reference in their entirety).

In some embodiments, the mucus penetrating lipid nanoparticles may comprise at least one polynucleotide described herein. The polynucleotide may be encapsulated in the lipid nanoparticle and/or disposed on the surface of the particle. The polynucleotide may be covalently coupled to the lipid nanoparticle. Formulations of mucus penetrating lipid nanoparticles may comprise a plurality of nanoparticles. Further, the formulations may contain particles which

may interact with the mucus and alter the structural and/or adhesive properties of the surrounding mucus to decrease mucoadhesion, which may increase the delivery of the mucus penetrating lipid nanoparticles to the mucosal tissue.

In some embodiments, the mucus penetrating lipid nanoparticles may be a hypotonic formulation comprising a mucosal penetration enhancing coating. The formulation may be hypotonic for the epithelium to which it is being delivered. Non-limiting examples of hypotonic formulations may be found in International Patent Publication No. WO2013110028, the contents of which are herein incorporated by reference in their entirety.

In some embodiments, in order to enhance the delivery through the mucosal barrier the RNA (e.g., mRNA) vaccine formulation may comprise or be a hypotonic solution. Hypotonic solutions were found to increase the rate at which mucoinert particles such as, but not limited to, mucus-penetrating particles, were able to reach the vaginal epithelial surface (see e.g., Ensign et al. *Biomaterials* 2013 34(28): 6922-9, the contents of which are herein incorporated by reference in their entirety).

In some embodiments, the RNA (e.g., mRNA) vaccine is formulated as a lipoplex, such as, without limitation, the ATUPLEX™ system, the DACC system, the DBTC system and other siRNA-lipoplex technology from Silence Therapeutics (London, United Kingdom), STEMFACT™ from STEMAGENT® (Cambridge, Mass.), and polyethylenimine (PEI) or protamine-based targeted and non-targeted delivery of nucleic acids (Aleku et al. *Cancer Res.* 2008 68:9788-9798; Strumberg et al. *Int J Clin Pharmacol Ther* 2012 50:76-78; Santel et al., *Gene Ther* 2006 13:1222-1234; Santel et al., *Gene Ther* 2006 13:1360-1370; Gutbier et al., *Pulm Pharmacol. Ther.* 2010 23:334-344; Kaufmann et al. *Microvasc Res* 2010 80:286-293 Weide et al. *J Immunother.* 2009 32:498-507; Weide et al. *J Immunother.* 2008 31:180-188; Pascolo *Expert Opin. Biol. Ther.* 4:1285-1294; Fotin-Mleczek et al., 2011 *J. Immunother.* 34:1-15; Song et al., *Nature Biotechnol.* 2005, 23:709-717; Peer et al., *Proc Natl Acad Sci USA.* 2007 6; 104:4095-4100; deFougerolles *Hum Gene Ther.* 2008 19:125-132, the contents of each of which are incorporated herein by reference in their entirety).

In some embodiments, such formulations may also be constructed or compositions altered such that they passively or actively are directed to different cell types in vivo, including but not limited to hepatocytes, immune cells, tumor cells, endothelial cells, antigen presenting cells, and leukocytes (Akinc et al. *Mol Ther.* 2010 18:1357-1364; Song et al., *Nat Biotechnol.* 2005 23:709-717; Judge et al., *J Clin Invest.* 2009 119:661-673; Kaufmann et al., *Microvasc Res* 2010 80:286-293; Santel et al., *Gene Ther* 2006 13:1222-1234; Santel et al., *Gene Ther* 2006 13:1360-1370; Gutbier et al., *Pulm Pharmacol. Ther.* 2010 23:334-344; Basha et al., *Mol. Ther.* 2011 19:2186-2200; Fenske and Cullis, *Expert Opin Drug Deliv.* 2008 5:25-44; Peer et al., *Science.* 2008 319:627-630; Peer and Lieberman, *Gene Ther.* 2011 18:1127-1133, the contents of each of which are incorporated herein by reference in their entirety). One example of passive targeting of formulations to liver cells includes the DLin-DMA, DLin-KC2-DMA and DLin-MC3-DMA-based lipid nanoparticle formulations, which have been shown to bind to apolipoprotein E and promote binding and uptake of these formulations into hepatocytes in vivo (Akinc et al. *Mol Ther.* 2010 18:1357-1364, the contents of which are incorporated herein by reference in their entirety). Formulations can also be selectively targeted through expression of different ligands on their surface as exemplified by, but not limited by, folate, transferrin, N-acetylga-

lactosamine (GalNAc), and antibody targeted approaches (Kolhatkar et al., *Curr Drug Discov Technol.* 2011 8:197-206; Musacchio and Torchilin, *Front Biosci.* 2011 16:1388-1412; Yu et al., *Mol Membr Biol.* 2010 27:286-298; Patil et al., *Crit Rev Ther Drug Carrier Syst.* 2008 25:1-61; Benoit et al., *Biomacromolecules.* 2011 12:2708-2714; Zhao et al., *Expert Opin Drug Deliv.* 2008 5:309-319; Akinc et al., *Mol Ther.* 2010 18:1357-1364; Srinivasan et al., *Methods Mol Biol.* 2012 820:105-116; Ben-Arie et al., *Methods Mol Biol.* 2012 757:497-507; Peer 2010 *J Control Release.* 20:63-68; Peer et al., *Proc Natl Acad Sci USA.* 2007 104:4095-4100; Kim et al., *Methods Mol Biol.* 2011 721:339-353; Subramanya et al., *Mol Ther.* 2010 18:2028-2037; Song et al., *Nat Biotechnol.* 2005 23:709-717; Peer et al., *Science.* 2008 319:627-630; Peer and Lieberman, *Gene Ther.* 2011 18:1127-1133, the contents of each of which are incorporated herein by reference in their entirety).

In some embodiments, the RNA (e.g., mRNA) vaccine is formulated as a solid lipid nanoparticle. A solid lipid nanoparticle (SLN) may be spherical with an average diameter between 10 to 1000 nm. SLN possess a solid lipid core matrix that can solubilize lipophilic molecules and may be stabilized with surfactants and/or emulsifiers. In some embodiments, the lipid nanoparticle may be a self-assembly lipid-polymer nanoparticle (see Zhang et al., *ACS Nano*, 2008, 2 (8), pp 1696-1702; the contents of which are herein incorporated by reference in their entirety). As a non-limiting example, the SLN may be the SLN described in International Patent Publication No. WO2013105101, the contents of which are herein incorporated by reference in their entirety. As another non-limiting example, the SLN may be made by the methods or processes described in International Patent Publication No. WO2013105101, the contents of which are herein incorporated by reference in their entirety.

Liposomes, lipoplexes, or lipid nanoparticles may be used to improve the efficacy of polynucleotides directed protein production as these formulations may be able to increase cell transfection by the RNA (e.g., mRNA) vaccine; and/or increase the translation of encoded protein. One such example involves the use of lipid encapsulation to enable the effective systemic delivery of polyplex plasmid DNA (Heyes et al., *Mol Ther.* 2007 15: 713-720; the contents of which are incorporated herein by reference in their entirety). The liposomes, lipoplexes, or lipid nanoparticles may also be used to increase the stability of the polynucleotide.

In some embodiments, the RNA (e.g., mRNA) vaccines of the present disclosure can be formulated for controlled release and/or targeted delivery. As used herein, "controlled release" refers to a pharmaceutical composition or compound release profile that conforms to a particular pattern of release to effect a therapeutic outcome. In some embodiments, the RNA (e.g., mRNA) vaccines may be encapsulated into a delivery agent described herein and/or known in the art for controlled release and/or targeted delivery. As used herein, the term "encapsulate" means to enclose, surround or encase. As it relates to the formulation of the compounds of the disclosure, encapsulation may be substantial, complete or partial. The term "substantially encapsulated" means that at least greater than 50, 60, 70, 80, 85, 90, 95, 96, 97, 98, 99, 99.9, 99.9 or greater than 99.999% of the pharmaceutical composition or compound of the disclosure may be enclosed, surrounded or encased within the delivery agent. "Partially encapsulation" means that less than 10, 10, 20, 30, 40 50 or less of the pharmaceutical composition or compound of the disclosure may be enclosed, surrounded or encased within the delivery agent. Advantageously, encap-

sulation may be determined by measuring the escape or the activity of the pharmaceutical composition or compound of the disclosure using fluorescence and/or electron micrograph. For example, at least 1, 5, 10, 20, 30, 40, 50, 60, 70, 80, 85, 90, 95, 96, 97, 98, 99, 99.9, 99.99 or greater than 99.99% of the pharmaceutical composition or compound of the disclosure are encapsulated in the delivery agent.

In some embodiments, the controlled release formulation may include, but is not limited to, tri-block co-polymers. As a non-limiting example, the formulation may include two different types of tri-block co-polymers (International Pub. No. WO2012131104 and

WO2012131106, the contents of each of which are incorporated herein by reference in their entirety).

In some embodiments, the RNA (e.g., mRNA) vaccines may be encapsulated into a lipid nanoparticle or a rapidly eliminated lipid nanoparticle and the lipid nanoparticles or a rapidly eliminated lipid nanoparticle may then be encapsulated into a polymer, hydrogel and/or surgical sealant described herein and/or known in the art. As a non-limiting example, the polymer, hydrogel or surgical sealant may be PLGA, ethylene vinyl acetate (EVAc), poloxamer, GELSITE® (Nanotherapeutics, Inc. Alachua, Fla.), HYLENEX® (Halozyme Therapeutics, San Diego Calif.), surgical sealants such as fibrinogen polymers (Ethicon Inc. Cornelia, Ga.), TISSELL® (Baxter International, Inc Deerfield, Ill.), PEG-based sealants, and COSEAL® (Baxter International, Inc Deerfield, Ill.).

In some embodiments, the lipid nanoparticle may be encapsulated into any polymer known in the art which may form a gel when injected into a subject. As another non-limiting example, the lipid nanoparticle may be encapsulated into a polymer matrix which may be biodegradable.

In some embodiments, the RNA (e.g., mRNA) vaccine formulation for controlled release and/or targeted delivery may also include at least one controlled release coating. Controlled release coatings include, but are not limited to, OPADRY®, polyvinylpyrrolidone/vinyl acetate copolymer, polyvinylpyrrolidone, hydroxypropyl methylcellulose, hydroxypropyl cellulose, hydroxyethyl cellulose, EUDRAGIT RL®, EUDRAGIT RS® and cellulose derivatives such as ethylcellulose aqueous dispersions (AQUACOAT® and SURELEASE®).

In some embodiments, the RNA (e.g., mRNA) vaccine controlled release and/or targeted delivery formulation may comprise at least one degradable polyester which may contain polycationic side chains. Degradable polyesters include, but are not limited to, poly(L-serine ester), poly(L-lactide-co-L-lysine), poly(4-hydroxy-L-proline ester), and combinations thereof. In some embodiments, the degradable polyesters may include a PEG conjugation to form a PEGylated polymer.

In some embodiments, the RNA (e.g., mRNA) vaccine controlled release and/or targeted delivery formulation comprising at least one polynucleotide may comprise at least one PEG and/or PEG related polymer derivatives as described in U.S. Pat. No. 8,404,222, the contents of which are incorporated herein by reference in their entirety.

In some embodiments, the RNA (e.g., mRNA) vaccine controlled release delivery formulation comprising at least one polynucleotide may be the controlled release polymer system described in US20130130348, the contents of which are incorporated herein by reference in their entirety.

In some embodiments, the RNA (e.g., mRNA) vaccines of the present disclosure may be encapsulated in a therapeutic nanoparticle, referred to herein as "therapeutic nanoparticle RNA (e.g., mRNA) vaccines." Therapeutic nanoparticles

may be formulated by methods described herein and known in the art such as, but not limited to, International Pub Nos. WO2010005740, WO2010030763, WO2010005721, WO2010005723, WO2012054923, U.S. Publication Nos. US20110262491, US20100104645, US20100087337, US20100068285, US20110274759, US20100068286, US20120288541, US20130123351 and US20130230567 and U.S. Pat. Nos. 8,206,747, 8,293,276, 8,318,208 and 8,318,211; the contents of each of which are herein incorporated by reference in their entirety. In some embodiments, therapeutic polymer nanoparticles may be identified by the methods described in US Pub No. US20120140790, the contents of which are herein incorporated by reference in their entirety.

In some embodiments, the therapeutic nanoparticle RNA (e.g., mRNA) vaccine may be formulated for sustained release. As used herein, "sustained release" refers to a pharmaceutical composition or compound that conforms to a release rate over a specific period of time. The period of time may include, but is not limited to, hours, days, weeks, months and years. As a non-limiting example, the sustained release nanoparticle may comprise a polymer and a therapeutic agent such as, but not limited to, the polynucleotides of the present disclosure (see International Pub No. 2010075072 and US Pub No. US20100216804, US20110217377 and US20120201859, the contents of each of which are incorporated herein by reference in their entirety). In another non-limiting example, the sustained release formulation may comprise agents which permit persistent bioavailability such as, but not limited to, crystals, macromolecular gels and/or particulate suspensions (see U.S. Patent Publication No US20130150295, the contents of each of which are incorporated herein by reference in their entirety).

In some embodiments, the therapeutic nanoparticle RNA (e.g., mRNA) vaccines may be formulated to be target specific. As a non-limiting example, the therapeutic nanoparticles may include a corticosteroid (see International Pub. No. WO2011084518, the contents of which are incorporated herein by reference in their entirety). As a non-limiting example, the therapeutic nanoparticles may be formulated in nanoparticles described in International Pub No. WO2008121949, WO2010005726, WO2010005725, WO2011084521 and US Pub No. US20100069426, US20120004293 and US20100104655, the contents of each of which are incorporated herein by reference in their entirety.

In some embodiments, the nanoparticles of the present disclosure may comprise a polymeric matrix. As a non-limiting example, the nanoparticle may comprise two or more polymers such as, but not limited to, polyethylenes, polycarbonates, polyanhydrides, polyhydroxyacids, polypropylfumerates, polycaprolactones, polyamides, polyacetals, polyethers, polyesters, poly(orthoesters), polycyanoacrylates, polyvinyl alcohols, polyurethanes, polyphosphazenes, polyacrylates, polymethacrylates, polycyanoacrylates, polyureas, polystyrenes, polyamines, polylysine, poly(ethylene imine), poly(serine ester), poly(L-lactide-co-L-lysine), poly(4-hydroxy-L-proline ester) or combinations thereof.

In some embodiments, the therapeutic nanoparticle comprises a diblock copolymer. In some embodiments, the diblock copolymer may include PEG in combination with a polymer such as, but not limited to, polyethylenes, polycarbonates, polyanhydrides, polyhydroxyacids, polypropylfumerates, polycaprolactones, polyamides, polyacetals, polyethers, polyesters, poly(orthoesters), polycyanoacry-

lates, polyvinyl alcohols, polyurethanes, polyphosphazenes, polyacrylates, polymethacrylates, polycyanoacrylates, polyureas, polystyrenes, polyamines, polylysine, poly(ethylene imine), poly(serine ester), poly(L-lactide-co-L-lysine), poly(4-hydroxy-L-proline ester) or combinations thereof. In yet another embodiment, the diblock copolymer may be a high-X diblock copolymer such as those described in International Patent Publication No. WO2013120052, the contents of which are incorporated herein by reference in their entirety.

As a non-limiting example the therapeutic nanoparticle comprises a PLGA-PEG block copolymer (see U.S. Publication No. US20120004293 and U.S. Pat. No. 8,236,330, each of which is herein incorporated by reference in their entirety). In another non-limiting example, the therapeutic nanoparticle is a stealth nanoparticle comprising a diblock copolymer of PEG and PLA or PEG and PLGA (see U.S. Pat. No. 8,246,968 and International Publication No. WO2012166923, the contents of each of which are herein incorporated by reference in their entirety). In yet another non-limiting example, the therapeutic nanoparticle is a stealth nanoparticle or a target-specific stealth nanoparticle as described in U.S. Patent Publication No. US20130172406, the contents of which are herein incorporated by reference in their entirety.

In some embodiments, the therapeutic nanoparticle may comprise a multiblock copolymer (see e.g., U.S. Pat. Nos. 8,263,665 and 8,287,910 and U.S. Patent Pub. No. US20130195987, the contents of each of which are herein incorporated by reference in their entirety).

In yet another non-limiting example, the lipid nanoparticle comprises the block copolymer PEG-PLGA-PEG (see e.g., the thermosensitive hydrogel (PEG-PLGA-PEG) was used as a TGF-beta1 gene delivery vehicle in Lee et al. Thermosensitive Hydrogel as a Tgf-β1 Gene Delivery Vehicle Enhances Diabetic Wound Healing. *Pharmaceutical Research*, 2003 20(12): 1995-2000; as a controlled gene delivery system in Li et al. Controlled Gene Delivery System Based on Thermosensitive Biodegradable Hydrogel. *Pharmaceutical Research* 2003 20(6):884-888; and Chang et al., Non-ionic amphiphilic biodegradable PEG-PLGA-PEG copolymer enhances gene delivery efficiency in rat skeletal muscle. *J Controlled Release*. 2007 118:245-253, the contents of each of which are herein incorporated by reference in their entirety). The RNA (e.g., mRNA) vaccines of the present disclosure may be formulated in lipid nanoparticles comprising the PEG-PLGA-PEG block copolymer.

In some embodiments, the therapeutic nanoparticle may comprise a multiblock copolymer (see e.g., U.S. Pat. Nos. 8,263,665 and 8,287,910 and U.S. Patent Pub. No. US20130195987, the contents of each of which are herein incorporated by reference in their entirety).

In some embodiments, the block copolymers described herein may be included in a polyion complex comprising a non-polymeric micelle and the block copolymer. (see e.g., U.S. Publication No. 20120076836, the contents of which are herein incorporated by reference in their entirety).

In some embodiments, the therapeutic nanoparticle may comprise at least one acrylic polymer. Acrylic polymers include but are not limited to, acrylic acid, methacrylic acid, acrylic acid and methacrylic acid copolymers, methyl methacrylate copolymers, ethoxyethyl methacrylates, cyanoethyl methacrylate, amino alkyl methacrylate copolymer, poly(acrylic acid), poly(methacrylic acid), polycyanoacrylates and combinations thereof.

In some embodiments, the therapeutic nanoparticles may comprise at least one poly(vinyl ester) polymer. The poly

(vinyl ester) polymer may be a copolymer such as a random copolymer. As a non-limiting example, the random copolymer may have a structure such as those described in International Application No. WO2013032829 or U.S. Patent Publication No. US20130121954, the contents of each of which are herein incorporated by reference in their entirety. In some embodiments, the poly(vinyl ester) polymers may be conjugated to the polynucleotides described herein.

In some embodiments, the therapeutic nanoparticle may comprise at least one diblock copolymer. The diblock copolymer may be, but is not limited to, a poly(lactic acid)-poly(ethylene)glycol copolymer (see, e.g., International Patent Publication No. WO2013044219, the contents of which are herein incorporated by reference in their entirety). As a non-limiting example, the therapeutic nanoparticle may be used to treat cancer (see International publication No. WO2013044219, the contents of which are herein incorporated by reference in their entirety).

In some embodiments, the therapeutic nanoparticles may comprise at least one cationic polymer described herein and/or known in the art.

In some embodiments, the therapeutic nanoparticles may comprise at least one amine-containing polymer such as, but not limited to polylysine, polyethylene imine, poly(amido-amine) dendrimers, poly(beta-amino esters) (see, e.g., U.S. Pat. No. 8,287,849, the contents of which are herein incorporated by reference in their entirety) and combinations thereof.

In some embodiments, the nanoparticles described herein may comprise an amine cationic lipid such as those described in International Patent Application No. WO2013059496, the contents of which are herein incorporated by reference in their entirety. In some embodiments, the cationic lipids may have an amino-amine or an amino-amide moiety.

In some embodiments, the therapeutic nanoparticles may comprise at least one degradable polyester which may contain polycationic side chains. Degradable polyesters include, but are not limited to, poly(serine ester), poly(L-lactide-co-L-lysine), poly(4-hydroxy-L-proline ester), and combinations thereof. In some embodiments, the degradable polyesters may include a PEG conjugation to form a PEGylated polymer.

In some embodiments, the synthetic nanocarriers may contain an immunostimulatory agent to enhance the immune response from delivery of the synthetic nanocarrier. As a non-limiting example, the synthetic nanocarrier may comprise a Th1 immunostimulatory agent, which may enhance a Th1-based response of the immune system (see International Pub No. WO2010123569 and U.S. Publication No. US20110223201, the contents of each of which are herein incorporated by reference in their entirety).

In some embodiments, the synthetic nanocarriers may be formulated for targeted release. In some embodiments, the synthetic nanocarrier is formulated to release the polynucleotides at a specified pH and/or after a desired time interval. As a non-limiting example, the synthetic nanoparticle may be formulated to release the RNA (e.g., mRNA) vaccines after 24 hours and/or at a pH of 4.5 (see International Publication Nos. WO2010138193 and WO2010138194 and US Pub Nos. US20110020388 and US20110027217, each of which is herein incorporated by reference in their entirety).

In some embodiments, the synthetic nanocarriers may be formulated for controlled and/or sustained release of the polynucleotides described herein. As a non-limiting example, the synthetic nanocarriers for sustained release may be formulated by methods known in the art, described

herein and/or as described in International Pub No. WO2010138192 and US Pub No. 20100303850, each of which is herein incorporated by reference in their entirety.

In some embodiments, the RNA (e.g., mRNA) vaccine may be formulated for controlled and/or sustained release wherein the formulation comprises at least one polymer that is a crystalline side chain (CYSC) polymer. CYSC polymers are described in U.S. Pat. No. 8,399,007, herein incorporated by reference in its entirety.

In some embodiments, the synthetic nanocarrier may be formulated for use as a vaccine. In some embodiments, the synthetic nanocarrier may encapsulate at least one polynucleotide which encode at least one antigen. As a non-limiting example, the synthetic nanocarrier may include at least one antigen and an excipient for a vaccine dosage form (see International Publication No. WO2011150264 and U.S. Publication No. US20110293723, the contents of each of which are herein incorporated by reference in their entirety).

As another non-limiting example, a vaccine dosage form may include at least two synthetic nanocarriers with the same or different antigens and an excipient (see International Publication No. WO2011150249 and U.S. Publication No. US20110293701, the contents of each of which are herein incorporated by reference in their entirety). The vaccine dosage form may be selected by methods described herein, known in the art and/or described in International Publication No. WO2011150258 and U.S. Publication No. US20120027806, the contents of each of which are herein incorporated by reference in their entirety).

In some embodiments, the synthetic nanocarrier may comprise at least one polynucleotide which encodes at least one adjuvant. As non-limiting example, the adjuvant may comprise dimethyldioctadecylammonium-bromide, dimethyldioctadecylammonium-chloride, dimethyldioctadecylammonium-phosphate or dimethyldioctadecylammonium-acetate (DDA) and an apolar fraction or part of said apolar fraction of a total lipid extract of a *mycobacterium* (see, e.g., U.S. Pat. No. 8,241,610, the content of which is herein incorporated by reference in its entirety). In some embodiments, the synthetic nanocarrier may comprise at least one polynucleotide and an adjuvant. As a non-limiting example, the synthetic nanocarrier comprising and adjuvant may be formulated by the methods described in International Publication No. WO2011150240 and U.S. Publication No. US20110293700, the contents of each of which are herein incorporated by reference in their entirety.

In some embodiments, the synthetic nanocarrier may encapsulate at least one polynucleotide that encodes a peptide, fragment or region from a virus. As a non-limiting example, the synthetic nanocarrier may include, but is not limited to, any of the nanocarriers described in International Publication No. WO2012024621, WO201202629, WO2012024632 and U.S. Publication No. US20120064110, US20120058153 and US20120058154, the contents of each of which are herein incorporated by reference in their entirety.

In some embodiments, the synthetic nanocarrier may be coupled to a polynucleotide which may be able to trigger a humoral and/or cytotoxic T lymphocyte (CTL) response (see, e.g., International Publication No. WO2013019669, the contents of which are herein incorporated by reference in their entirety).

In some embodiments, the RNA (e.g., mRNA) vaccine may be encapsulated in, linked to and/or associated with zwitterionic lipids. Non-limiting examples of zwitterionic lipids and methods of using zwitterionic lipids are described in U.S. Patent Publication No. US20130216607, the con-

tents of which are herein incorporated by reference in their entirety. In some aspects, the zwitterionic lipids may be used in the liposomes and lipid nanoparticles described herein.

In some embodiments, the RNA (e.g., mRNA) vaccine may be formulated in colloid nanocarriers as described in U.S. Patent Publication No. US20130197100, the contents of which are herein incorporated by reference in their entirety.

In some embodiments, the nanoparticle may be optimized for oral administration. The nanoparticle may comprise at least one cationic biopolymer such as, but not limited to, chitosan or a derivative thereof. As a non-limiting example, the nanoparticle may be formulated by the methods described in U.S. Publication No. 20120282343, the contents of which are herein incorporated by reference in their entirety.

In some embodiments, LNPs comprise the lipid KL52 (an amino-lipid disclosed in U.S. Application Publication No. 2012/0295832, the contents of which are herein incorporated by reference in their entirety. Activity and/or safety (as measured by examining one or more of ALT/AST, white blood cell count and cytokine induction, for example) of LNP administration may be improved by incorporation of such lipids. LNPs comprising KL52 may be administered intravenously and/or in one or more doses. In some embodiments, administration of LNPs comprising KL52 results in equal or improved mRNA and/or protein expression as compared to LNPs comprising MC3.

In some embodiments, RNA (e.g., mRNA) vaccine may be delivered using smaller LNPs. Such particles may comprise a diameter from below 0.1 μm up to 100 nm such as, but not limited to, less than 0.1 μm , less than 1.0 μm , less than 5 μm , less than 10 μm , less than 15 μm , less than 20 μm , less than 25 μm , less than 30 μm , less than 35 μm , less than 40 μm , less than 50 μm , less than 55 μm , less than 60 μm , less than 65 μm , less than 70 μm , less than 75 μm , less than 80 μm , less than 85 μm , less than 90 μm , less than 95 μm , less than 100 μm , less than 125 μm , less than 150 μm , less than 175 μm , less than 200 μm , less than 225 μm , less than 250 μm , less than 275 μm , less than 300 μm , less than 325 μm , less than 350 μm , less than 375 μm , less than 400 μm , less than 425 μm , less than 450 μm , less than 475 μm , less than 500 μm , less than 525 μm , less than 550 μm , less than 575 μm , less than 600 μm , less than 625 μm , less than 650 μm , less than 675 μm , less than 700 μm , less than 725 μm , less than 750 μm , less than 775 μm , less than 800 μm , less than 825 μm , less than 850 μm , less than 875 μm , less than 900 μm , less than 925 μm , less than 950 μm , less than 975 μm , or less than 1000 μm .

In some embodiments, RNA (e.g., mRNA) vaccines may be delivered using smaller LNPs, which may comprise a diameter from about 1 nm to about 100 nm, from about 1 nm to about 10 nm, about 1 nm to about 20 nm, from about 1 nm to about 30 nm, from about 1 nm to about 40 nm, from about 1 nm to about 50 nm, from about 1 nm to about 60 nm, from about 1 nm to about 70 nm, from about 1 nm to about 80 nm, from about 1 nm to about 90 nm, from about 5 nm to about 100 nm, from about 5 nm to about 10 nm, about 5 nm to about 20 nm, from about 5 nm to about 30 nm, from about 5 nm to about 40 nm, from about 5 nm to about 50 nm, from about 5 nm to about 60 nm, from about 5 nm to about 70 nm, from about 5 nm to about 80 nm, from about 5 nm to about 90 nm, about 10 to about 50 nm, from about 20 to about 50 nm, from about 30 to about 50 nm, from about 40 to about 50 nm, from about 20 to about 60 nm, from about 30 to about 60 nm, from about 40 to about 60 nm, from about 20 to about 70 nm, from about 30 to about 70 nm, from about

40 to about 70 nm, from about 50 to about 70 nm, from about 60 to about 70 nm, from about 20 to about 80 nm, from about 30 to about 80 nm, from about 40 to about 80 nm, from about 50 to about 80 nm, from about 60 to about 80 nm, from about 20 to about 90 nm, from about 30 to about 90 nm, from about 40 to about 90 nm, from about 50 to about 90 nm, from about 60 to about 90 nm and/or from about 70 to about 90 nm.

In some embodiments, such LNPs are synthesized using methods comprising microfluidic mixers. Examples of microfluidic mixers may include, but are not limited to, a slit interdigital micromixer including, but not limited to those manufactured by Microinnova (Allerheiligen bei Wildon, Austria) and/or a staggered herringbone micromixer (SHM) (Zhigaltsev, I. V. et al., Bottom-up design and synthesis of limit size lipid nanoparticle systems with aqueous and triglyceride cores using millisecond microfluidic mixing have been published (Langmuir. 2012. 28:3633-40; Bellevue, N. M. et al., Microfluidic synthesis of highly potent limit-size lipid nanoparticles for in vivo delivery of siRNA. Molecular Therapy-Nucleic Acids. 2012. 1:e37; Chen, D. et al., Rapid discovery of potent siRNA-containing lipid nanoparticles enabled by controlled microfluidic formulation. J Am Chem Soc. 2012. 134(16):6948-51, the contents of each of which are herein incorporated by reference in their entirety). In some embodiments, methods of LNP generation comprising SHM, further comprise the mixing of at least two input streams wherein mixing occurs by microstructure-induced chaotic advection (MICA). According to this method, fluid streams flow through channels present in a herringbone pattern causing rotational flow and folding the fluids around each other. This method may also comprise a surface for fluid mixing wherein the surface changes orientations during fluid cycling. Methods of generating LNPs using SHM include those disclosed in U.S. Application Publication Nos. 2004/0262223 and 2012/0276209, the contents of each of which are herein incorporated by reference in their entirety.

In some embodiments, the RNA (e.g., mRNA) vaccine of the present disclosure may be formulated in lipid nanoparticles created using a micromixer such as, but not limited to, a Slit Interdigital Microstructured Mixer (SIMM-V2) or a Standard Slit Interdigital Micro Mixer (SSIMM) or Caterpillar (CPMM) or Impinging-jet (IJMM) from the Institut für Mikrotechnik Mainz GmbH, Mainz Germany).

In some embodiments, the RNA (e.g., mRNA) vaccines of the present disclosure may be formulated in lipid nanoparticles created using microfluidic technology (see, e.g., Whitesides, George M. The Origins and the Future of Microfluidics. Nature, 2006 442: 368-373; and Abraham et al. Chaotic Mixer for Microchannels. Science, 2002 295: 647-651; each of which is herein incorporated by reference in its entirety). As a non-limiting example, controlled microfluidic formulation includes a passive method for mixing streams of steady pressure-driven flows in micro channels at a low Reynolds number (see, e.g., Abraham et al. Chaotic Mixer for Microchannels. Science, 2002 295: 647-651, the contents of which are herein incorporated by reference in their entirety).

In some embodiments, the RNA (e.g., mRNA) vaccines of the present disclosure may be formulated in lipid nanoparticles created using a micromixer chip such as, but not limited to, those from Harvard Apparatus (Holliston, Mass.) or Dolomite Microfluidics (Royston, UK). A micromixer chip can be used for rapid mixing of two or more fluid streams with a split and recombine mechanism.

In some embodiments, the RNA (e.g., mRNA) vaccines of the disclosure may be formulated for delivery using the drug

encapsulating microspheres described in International Patent Publication No. WO2013063468 or U.S. Pat. No. 8,440,614, the contents of each of which are herein incorporated by reference in their entirety. The microspheres may comprise a compound of the formula (I), (II), (III), (IV), (V) or (VI) as described in International Patent Publication No. WO2013063468, the contents of which are herein incorporated by reference in their entirety. In some embodiments, the amino acid, peptide, polypeptide, lipids (APPL) are useful in delivering the RNA (e.g., mRNA) vaccines of the disclosure to cells (see International Patent Publication No. WO2013063468, the contents of which are herein incorporated by reference in their entirety).

In some embodiments, the RNA (e.g., mRNA) vaccines of the disclosure may be formulated in lipid nanoparticles having a diameter from about 10 to about 100 nm such as, but not limited to, about 10 to about 20 nm, about 10 to about 30 nm, about 10 to about 40 nm, about 10 to about 50 nm, about 10 to about 60 nm, about 10 to about 70 nm, about 10 to about 80 nm, about 10 to about 90 nm, about 20 to about 30 nm, about 20 to about 40 nm, about 20 to about 50 nm, about 20 to about 60 nm, about 20 to about 70 nm, about 20 to about 80 nm, about 20 to about 90 nm, about 20 to about 100 nm, about 30 to about 40 nm, about 30 to about 50 nm, about 30 to about 60 nm, about 30 to about 70 nm, about 30 to about 80 nm, about 30 to about 90 nm, about 30 to about 100 nm, about 40 to about 50 nm, about 40 to about 60 nm, about 40 to about 70 nm, about 40 to about 80 nm, about 40 to about 90 nm, about 40 to about 100 nm, about 50 to about 60 nm, about 50 to about 70 nm about 50 to about 80 nm, about 50 to about 90 nm, about 50 to about 100 nm, about 60 to about 70 nm, about 60 to about 80 nm, about 60 to about 90 nm, about 60 to about 100 nm, about 70 to about 80 nm, about 70 to about 90 nm, about 70 to about 100 nm, about 80 to about 90 nm, about 80 to about 100 nm and/or about 90 to about 100 nm.

In some embodiments, the lipid nanoparticles may have a diameter from about 10 to 500 nm.

In some embodiments, the lipid nanoparticle may have a diameter greater than 100 nm, greater than 150 nm, greater than 200 nm, greater than 250 nm, greater than 300 nm, greater than 350 nm, greater than 400 nm, greater than 450 nm, greater than 500 nm, greater than 550 nm, greater than 600 nm, greater than 650 nm, greater than 700 nm, greater than 750 nm, greater than 800 nm, greater than 850 nm, greater than 900 nm, greater than 950 nm or greater than 1000 nm.

In some embodiments, the lipid nanoparticle may be a limit size lipid nanoparticle described in International Patent Publication No. WO2013059922, the contents of which are herein incorporated by reference in their entirety. The limit size lipid nanoparticle may comprise a lipid bilayer surrounding an aqueous core or a hydrophobic core; where the lipid bilayer may comprise a phospholipid such as, but not limited to, diacylphosphatidylcholine, a diacylphosphatidylethanolamine, a ceramide, a sphingomyelin, a dihydro-sphingomyelin, a cephalin, a cerebroside, a C8-C20 fatty acid diacylphosphatidylcholine, and 1-palmitoyl-2-oleoyl phosphatidylcholine (POPC). In some embodiments, the limit size lipid nanoparticle may comprise a polyethylene glycol-lipid such as, but not limited to, DLPE-PEG, DMPE-PEG, DPPC-PEG and DSPE-PEG.

In some embodiments, the RNA (e.g., mRNA) vaccines may be delivered, localized and/or concentrated in a specific location using the delivery methods described in International Patent Publication No. WO2013063530, the contents of which are herein incorporated by reference in their

entirety. As a non-limiting example, a subject may be administered an empty polymeric particle prior to, simultaneously with or after delivering the RNA (e.g., mRNA) vaccines to the subject. The empty polymeric particle undergoes a change in volume once in contact with the subject and becomes lodged, embedded, immobilized or entrapped at a specific location in the subject.

In some embodiments, the RNA (e.g., mRNA) vaccines may be formulated in an active substance release system (see, e.g., U.S. Patent Publication No. US20130102545, the contents of which are herein incorporated by reference in their entirety). The active substance release system may comprise 1) at least one nanoparticle bonded to an oligonucleotide inhibitor strand which is hybridized with a catalytically active nucleic acid and 2) a compound bonded to at least one substrate molecule bonded to a therapeutically active substance (e.g., polynucleotides described herein), where the therapeutically active substance is released by the cleavage of the substrate molecule by the catalytically active nucleic acid.

In some embodiments, the RNA (e.g., mRNA) vaccines may be formulated in a nanoparticle comprising an inner core comprising a non-cellular material and an outer surface comprising a cellular membrane. The cellular membrane may be derived from a cell or a membrane derived from a virus. As a non-limiting example, the nanoparticle may be made by the methods described in International Patent Publication No. WO2013052167, the contents of which are herein incorporated by reference in their entirety. As another non-limiting example, the nanoparticle described in International Patent Publication No. WO2013052167, the contents of which are herein incorporated by reference in their entirety, may be used to deliver the RNA (e.g., mRNA) vaccines described herein.

In some embodiments, the RNA (e.g., mRNA) vaccines may be formulated in porous nanoparticle-supported lipid bilayers (protocells). Protocells are described in International Patent Publication No. WO2013056132, the contents of which are herein incorporated by reference in their entirety.

In some embodiments, the RNA (e.g., mRNA) vaccines described herein may be formulated in polymeric nanoparticles as described in or made by the methods described in U.S. Pat. Nos. 8,420,123 and 8,518,963 and European Patent No. EP2073848B1, the contents of each of which are herein incorporated by reference in their entirety. As a non-limiting example, the polymeric nanoparticle may have a high glass transition temperature such as the nanoparticles described in or nanoparticles made by the methods described in U.S. Pat. No. 8,518,963, the contents of which are herein incorporated by reference in their entirety. As another non-limiting example, the polymer nanoparticle for oral and parenteral formulations may be made by the methods described in European Patent No. EP2073848B1, the contents of which are herein incorporated by reference in their entirety.

In some embodiments, the RNA (e.g., mRNA) vaccines described herein may be formulated in nanoparticles used in imaging. The nanoparticles may be liposome nanoparticles such as those described in U.S. Patent Publication No. US20130129636, herein incorporated by reference in its entirety. As a non-limiting example, the liposome may comprise gadolinium(III)-{4,7-bis-carboxymethyl-10-[(N,N-distearylamidomethyl-N'-amido-methyl]-1,4,7,10-tetra-azacyclododec-1-yl]-acetic acid and a neutral, fully saturated phospholipid component (see, e.g., U.S. Patent Publication No. US20130129636, the contents of which are herein incorporated by reference in their entirety).

In some embodiments, the nanoparticles which may be used in the present disclosure are formed by the methods described in U.S. Patent Application No. US20130130348, the contents of which are herein incorporated by reference in their entirety.

The nanoparticles of the present disclosure may further include nutrients such as, but not limited to, those which deficiencies can lead to health hazards from anemia to neural tube defects (see, e.g., the nanoparticles described in International Patent Publication No WO2013072929, the contents of which are herein incorporated by reference in their entirety). As a non-limiting example, the nutrient may be iron in the form of ferrous, ferric salts or elemental iron, iodine, folic acid, vitamins or micronutrients.

In some embodiments, the RNA (e.g., mRNA) vaccines of the present disclosure may be formulated in a swellable nanoparticle. The swellable nanoparticle may be, but is not limited to, those described in U.S. Pat. No. 8,440,231, the contents of which are herein incorporated by reference in their entirety. As a non-limiting embodiment, the swellable nanoparticle may be used for delivery of the RNA (e.g., mRNA) vaccines of the present disclosure to the pulmonary system (see, e.g., U.S. Pat. No. 8,440,231, the contents of which are herein incorporated by reference in their entirety).

The RNA (e.g., mRNA) vaccines of the present disclosure may be formulated in polyanhydride nanoparticles such as, but not limited to, those described in U.S. Pat. No. 8,449,916, the contents of which are herein incorporated by reference in their entirety.

The nanoparticles and microparticles of the present disclosure may be geometrically engineered to modulate macrophage and/or the immune response. In some embodiments, the geometrically engineered particles may have varied shapes, sizes and/or surface charges in order to incorporate the polynucleotides of the present disclosure for targeted delivery such as, but not limited to, pulmonary delivery (see, e.g., International Publication No WO2013082111, the contents of which are herein incorporated by reference in their entirety). Other physical features the geometrically engineering particles may have include, but are not limited to, fenestrations, angled arms, asymmetry and surface roughness, charge which can alter the interactions with cells and tissues. As a non-limiting example, nanoparticles of the present disclosure may be made by the methods described in International Publication No WO2013082111, the contents of which are herein incorporated by reference in their entirety.

In some embodiments, the nanoparticles of the present disclosure may be water soluble nanoparticles such as, but not limited to, those described in International Publication No. WO2013090601, the contents of which are herein incorporated by reference in their entirety. The nanoparticles may be inorganic nanoparticles which have a compact and zwitterionic ligand in order to exhibit good water solubility. The nanoparticles may also have small hydrodynamic diameters (HD), stability with respect to time, pH, and salinity and a low level of non-specific protein binding.

In some embodiments the nanoparticles of the present disclosure may be developed by the methods described in U.S. Patent Publication No. US20130172406, the contents of which are herein incorporated by reference in their entirety.

In some embodiments, the nanoparticles of the present disclosure are stealth nanoparticles or target-specific stealth nanoparticles such as, but not limited to, those described in U.S. Patent Publication No. US20130172406, the contents of which are herein incorporated by reference in their

entirety. The nanoparticles of the present disclosure may be made by the methods described in U.S. Patent Publication No. US20130172406, the contents of which are herein incorporated by reference in their entirety.

In some embodiments, the stealth or target-specific stealth nanoparticles may comprise a polymeric matrix. The polymeric matrix may comprise two or more polymers such as, but not limited to, polyethylenes, polycarbonates, polyanhydrides, polyhydroxyacids, polypropylfumerates, polycaprolactones, polyamides, polyacetals, polyethers, polyesters, poly(orthoesters), polycyanoacrylates, polyvinyl alcohols, polyurethanes, polyphosphazenes, polyacrylates, polymethacrylates, polycyanoacrylates, polyureas, polystyrenes, polyamines, polyesters, polyanhydrides, polyethers, polyurethanes, polymethacrylates, polyacrylates, polycyanoacrylates or combinations thereof.

In some embodiments, the nanoparticle may be a nanoparticle-nucleic acid hybrid structure having a high density nucleic acid layer. As a non-limiting example, the nanoparticle-nucleic acid hybrid structure may be made by the methods described in U.S. Patent Publication No. US20130171646, the contents of which are herein incorporated by reference in their entirety. The nanoparticle may comprise a nucleic acid such as, but not limited to, polynucleotides described herein and/or known in the art.


At least one of the nanoparticles of the present disclosure may be embedded in in the core nanostructure or coated with a low density porous 3-D structure or coating which is capable of carrying or associating with at least one payload within or on the surface of the nanostructure. Non-limiting examples of the nanostructures comprising at least one nanoparticle are described in International Patent Publication No. WO2013123523, the contents of which are herein incorporated by reference in their entirety.

In some embodiments the RNA (e.g., mRNA) vaccine may be associated with a cationic or polycationic compounds, including protamine, nucleoline, spermine or spermidine, or other cationic peptides or proteins, such as poly-L-lysine (PLL), polyarginine, basic polypeptides, cell penetrating peptides (CPPs), including HIV-binding peptides, HIV-1 Tat (HIV), Tat-derived peptides, Penetratin, VP²² derived or analog peptides, Pestivirus Ems, HSV, VP²² (Herpes simplex), MAP, KALA or protein transduction domains (PTDs), PpT620, prolin-rich peptides, arginine-rich peptides, lysine-rich peptides, MPG-peptide(s), Pep-1, L-oligomers, Calcitonin peptide(s), Antennapedia-derived peptides (particularly from *Drosophila antennapedia*), pAntp, plsl, FGF, Lactoferrin, Transportan, Buforin-2, Bac715-24, SynB, SynB(1), pVEC, hCT-derived peptides, SAP, histones, cationic polysaccharides, for example chitosan, polybrene, cationic polymers, e.g. polyethyleneimine (PEI), cationic lipids, e.g. DOTMA: [1-(2,3-sioleyloxy)propyl]-N,N,N-trimethylammonium chloride, DMRIE, di-C14-amidine, DOTIM, SAINT, DC-Chol, BGTC, CTAP, DOPC, DODAP, DOPE: Dioleoyl phosphatidylethanolamine, DOSPA, DODAB, DOIC, DMEPC, DOGS: Dioctadecylamidoglycylspermin, DIMRI: Dimyristooxypropyl dimethyl hydroxyethyl ammonium bromide, DOTAP: dioleoyloxy-3-(trimethylammonio)propane, DC-6-14: O,O-ditetradecanoyl-N-.alpha.-trimethylammonioacetyl)diethanolamine chloride, CLIP 1: rac-[2,3-dioctadecyloxypropyl(2-hydroxyethyl)]-dimethylammonium chloride, CLIP6: rac-[2(2,3-dihexadecyloxypropyloxy)methyl]trimethylammonium, CLIP9: rac-[2(2,3-dihexadecyloxypropyloxy)succinyloxy)ethyl]-trimethylammonium, oligofectamine, or cationic or polycationic polymers, e.g. modified polyaminoacids, such as beta-aminoacid-polymers

or reversed polyamides, etc., modified polyethylenes, such as PVP (poly(N-ethyl-4-vinylpyridinium bromide)), etc., modified acrylates, such as pDMAEMA (poly(dimethylaminoethyl methacrylate)), etc., modified amidoamines such as pAMAM (poly(amidoamine)), etc., modified polybetaminoester (PBAE), such as diamine end modified 1,4 butanediol diacrylate-co-5-amino-1-pentanol polymers, etc., dendrimers, such as polypropylamine dendrimers or pAMAM based dendrimers, etc., polyimine(s), such as PEI: poly(ethyleneimine), poly(propyleneimine), etc., polyallylamine, sugar backbone based polymers, such as cyclodextrin based polymers, dextran based polymers, chitosan, etc., silan backbone based polymers, such as PMOXA-PDMS copolymers, etc., blockpolymers consisting of a combination of one or more cationic blocks (e.g. selected from a cationic polymer as mentioned above) and of one or more hydrophilic or hydrophobic blocks (e.g. polyethyleneglycole), etc.

In other embodiments the RNA (e.g., mRNA) vaccine is not associated with a cationic or polycationic compounds.

In some embodiments, a nanoparticle comprises compounds of Formula (I):



or a salt or isomer thereof, wherein:

R₁ is selected from the group consisting of C₅₋₃₀ alkyl, C₅₋₂₀ alkenyl, —R*YR", —YR", and —R"MR";

R₂ and R₃ are independently selected from the group consisting of H, C₁₋₁₄ alkyl, C₂₋₁₄ alkenyl, —R*YR", —YR", and —R*OR", or R₂ and R₃, together with the atom to which they are attached, form a heterocycle or carbocycle;

R₄ is selected from the group consisting of a C₃₋₆ carbocycle, —(CH₂)_nQ, —(CH₂)_nCHQR, —CHQR, —CQ(R)₂, and unsubstituted C₁₋₆ alkyl, where Q is selected from a carbocycle, heterocycle, —OR, —O(CH₂)_nN(R)₂, —C(O)OR, —OC(O)R, —CX₃, —CX₂H, —CXH₂, —CN, —N(R)₂, —C(O)N(R)₂, —N(R)C(O)R, —N(R)S(O)₂R, —N(R)C(O)N(R)₂, —N(R)C(S)N(R)₂, —N(R)R₈, —O(CH₂)_nOR, —N(R)C(=NR₉)N(R)₂, —N(R)C(=CHR₉)N(R)₂, —OC(O)N(R)₂, —N(R)C(O)OR, —N(OR)C(O)R, —N(OR)S(O)₂R, —N(OR)C(O)OR, —N(OR)C(O)N(R)₂, —N(OR)C(S)N(R)₂, —N(OR)C(=NR₉)N(R)₂, —N(OR)C(=CHR₉)N(R)₂, —C(=NR₉)R, —C(O)N(R)OR, and C(R)N(R)₂C(O)OR, and each n is independently selected from 1, 2, 3, 4, and 5;

each R₅ is independently selected from the group consisting of C₁₋₃ alkyl, C₂₋₃ alkenyl, and H;

each R₆ is independently selected from the group consisting of C₁₋₃ alkyl, C₂₋₃ alkenyl, and H;

M and M' are independently selected from —C(O)O—, —OC(O)—, —C(O)N(R')—, —N(R')C(O)—, —C(O)—, —C(S)—, —C(S)S—, —SC(S)—, —CH(OH)—, —P(O)(OR')O—, —S(O)₂—, —S—S—, an aryl group, and a heteroaryl group;

R₇ is selected from the group consisting of C₁₋₃ alkyl, C₂₋₃ alkenyl, and H;

R₈ is selected from the group consisting of C₃₋₆ carbocycle and heterocycle;

R₉ is selected from the group consisting of H, CN, NO₂, C₁₋₆ alkyl, —OR, —S(O)₂R, —S(O)₂N(R)₂, C₂₋₆ alkenyl, C₃₋₆ carbocycle and heterocycle;

each R is independently selected from the group consisting of C₁₋₃ alkyl, C₂₋₃ alkenyl, and H;

each R' is independently selected from the group consisting of C₁₋₁₈ alkyl, C₂₋₁₈ alkenyl, —R*YR", —YR", and H;

each R" is independently selected from the group consisting of C₃₋₁₄ alkyl and C₃₋₁₄ alkenyl;

each R* is independently selected from the group consisting of C₁₋₁₂ alkyl and C₂₋₁₂ alkenyl;

each Y is independently a C₃₋₆ carbocycle;

each X is independently selected from the group consisting of F, Cl, Br, and I; and

m is selected from 5, 6, 7, 8, 9, 10, 11, 12, and 13.

In some embodiments, a subset of compounds of Formula (I) includes those in which when R₄ is —(CH₂)_nQ, —(CH₂)_nCHQR, —CHQR, or —CQ(R)₂, then (i) Q is not —N(R)₂ when n is 1, 2, 3, 4 or 5, or (ii) Q is not 5, 6, or 7-membered heterocycloalkyl when n is 1 or 2.

In some embodiments, another subset of compounds of Formula (I) includes those in which

R₁ is selected from the group consisting of C₅₋₃₀ alkyl, C₅₋₂₀ alkenyl, —R*YR", —YR", and —R"MR";

R₂ and R₃ are independently selected from the group consisting of H, C₁₋₁₄ alkyl, C₂₋₁₄ alkenyl, —R*YR", —YR", and —R*OR", or R₂ and R₃, together with the atom to which they are attached, form a heterocycle or carbocycle;

R₄ is selected from the group consisting of a C₃₋₆ carbocycle, —(CH₂)_nQ, —(CH₂)_nCHQR, —CHQR, —CQ(R)₂, and unsubstituted C₁₋₆ alkyl, where Q is selected from a C₃₋₆ carbocycle, a 5- to 14-membered heteroaryl having one or more heteroatoms selected from N, O, and S, —OR, —O(CH₂)_nN(R)₂, —C(O)OR, —OC(O)R, —CX₃, —CX₂H, —CXH₂, —CN, —C(O)N(R)₂, —N(R)C(O)R, —N(R)S(O)₂R, —N(R)C(O)N(R)₂, —N(R)C(S)N(R)₂, —CRN(R)₂C(O)OR, —N(R)R₈, —O(CH₂)_nOR, —N(R)C(=NR₉)N(R)₂, —N(R)C(=CHR₉)N(R)₂, —OC(O)N(R)₂, —N(R)C(O)OR, —N(OR)C(O)R, —N(OR)S(O)₂R, —N(OR)C(O)OR, —N(OR)C(O)N(R)₂, —N(OR)C(S)N(R)₂, —N(OR)C(=NR₉)N(R)₂, —N(OR)C(=CHR₉)N(R)₂, —C(=NR₉)R, and a 5- to 14-membered heterocycloalkyl having one or more heteroatoms selected from N, O, and S which is substituted with one or more substituents selected from oxo (=O), OH, amino, mono- or di-alkylamino, and C₁₋₃ alkyl, and each n is independently selected from 1, 2, 3, 4, and 5;

each R₅ is independently selected from the group consisting of C₁₋₃ alkyl, C₂₋₃ alkenyl, and H;

each R₆ is independently selected from the group consisting of C₁₋₃ alkyl, C₂₋₃ alkenyl, and H;

M and M' are independently selected from —C(O)O—, —OC(O)—, —C(O)N(R')—, —N(R')C(O)—, —C(O)—, —C(S)—, —C(S)S—, —SC(S)—, —CH(OH)—, —P(O)(OR')O—, —S(O)₂—, —S—S—, an aryl group, and a heteroaryl group;

R₇ is selected from the group consisting of C₁₋₃ alkyl, C₂₋₃ alkenyl, and H;

R₈ is selected from the group consisting of C₃₋₆ carbocycle and heterocycle;

R₉ is selected from the group consisting of H, CN, NO₂, C₁₋₆ alkyl, —OR, —S(O)₂R, —S(O)₂N(R)₂, C₂₋₆ alkenyl, C₃₋₆ carbocycle and heterocycle;

each R is independently selected from the group consisting of C₁₋₃ alkyl, C₂₋₃ alkenyl, and H;

each R' is independently selected from the group consisting of C₁₋₁₈ alkyl, C₂₋₁₈ alkenyl, —R*YR", —YR", and H;

each R" is independently selected from the group consisting of C₃₋₁₄ alkyl and C₃₋₁₄ alkenyl;

each R* is independently selected from the group consisting of C₁₋₁₂ alkyl and C₂₋₁₂ alkenyl;

each Y is independently a C₃₋₆ carbocycle;

each X is independently selected from the group consisting of F, Cl, Br, and I; and

m is selected from 5, 6, 7, 8, 9, 10, 11, 12, and 13, or salts or isomers thereof.

In some embodiments, another subset of compounds of Formula (I) includes those in which

R₁ is selected from the group consisting of C₅₋₃₀ alkyl, C₅₋₂₀ alkenyl, —R*YR", —YR", and —R"MR';

R₂ and R₃ are independently selected from the group consisting of H, C₁₋₁₄ alkyl, C₂₋₁₄ alkenyl, —R*YR", —YR", and —R*OR", or R₂ and R₃, together with the atom to which they are attached, form a heterocycle or carbocycle;

R₄ is selected from the group consisting of a C₃₋₆ carbocycle, —(CH₂)_nQ, —(CH₂)_nCHQR, —CHQR, —CQ(R)₂, and unsubstituted C₁₋₆ alkyl, where Q is selected from a C₃₋₆ carbocycle, a 5- to 14-membered heterocycle having one or more heteroatoms selected from N, O, and S, —OR, —O(CH₂)_nN(R)₂, —C(O)OR, —OC(O)R, —CX₃, —CX₂H, —CXH₂, —CN, —C(O)N(R)₂, —N(R)C(O)R, —N(R)S(O)₂R, —N(R)C(O)N(R)₂, —N(R)C(S)N(R)₂, —CRN(R)₂C(O)OR, —N(R)R₈, —O(CH₂)_nOR, —N(R)C(=NR₉)N(R)₂, —N(R)C(=CHR₉)N(R)₂, —OC(O)N(R)₂, —N(R)C(O)OR, —N(OR)C(O)R, —N(OR)S(O)₂R, —N(OR)C(O)OR, —N(OR)C(O)N(R)₂, —N(OR)C(S)N(R)₂, —N(OR)C(=NR₉)N(R)₂, —N(OR)C(=CHR₉)N(R)₂, —C(=NR₉)R, —C(O)N(R)OR, and —C(=NR₉)N(R)₂, and each n is independently selected from 1, 2, 3, 4, and 5; and when Q is a 5- to 14-membered heterocycle and (i) R₄ is —(CH₂)_nQ in which n is 1 or 2, or (ii) R₄ is —(CH₂)_nCHQR in which n is 1, or (iii) R₄ is —CHQR, and —CQ(R)₂, then Q is either a 5- to 14-membered heteroaryl or 8- to 14-membered heterocycloalkyl;

each R₅ is independently selected from the group consisting of C₁₋₃ alkyl, C₂₋₃ alkenyl, and H;

each R₆ is independently selected from the group consisting of C₁₋₃ alkyl, C₂₋₃ alkenyl, and H;

M and M' are independently selected from —C(O)O—, —OC(O)—, —C(O)N(R')—, —N(R')C(O)—, —C(O)—, —C(S)—, —C(S)S—, —SC(S)—, —CH(OH)—, —P(O)(OR')O—, —S(O)₂—, —S—S—, an aryl group, and a heteroaryl group;

R₇ is selected from the group consisting of C₁₋₃ alkyl, C₂₋₃ alkenyl, and H;

R₈ is selected from the group consisting of C₃₋₆ carbocycle and heterocycle;

R₉ is selected from the group consisting of H, CN, NO₂, C₁₋₆ alkyl, —OR, —S(O)₂R, —S(O)₂N(R)₂, C₂₋₆ alkenyl, C₃₋₆ carbocycle and heterocycle;

each R is independently selected from the group consisting of C₁₋₃ alkyl, C₂₋₃ alkenyl, and H;

each R' is independently selected from the group consisting of C₁₋₁₈ alkyl, C₂₋₁₈ alkenyl, —R*YR", —YR", and H;

each R" is independently selected from the group consisting of C₃₋₁₄ alkyl and C₃₋₁₄ alkenyl;

each R* is independently selected from the group consisting of C₁₋₁₂ alkyl and C₂₋₁₂ alkenyl;

each Y is independently a C₃₋₆ carbocycle;

each X is independently selected from the group consisting of F, Cl, Br, and I; and

m is selected from 5, 6, 7, 8, 9, 10, 11, 12, and 13, or salts or isomers thereof.

In some embodiments, another subset of compounds of Formula (I) includes those in which

R₁ is selected from the group consisting of C₅₋₃₀ alkyl, C₅₋₂₀ alkenyl, —R*YR", —YR", and —R"MR';

R₂ and R₃ are independently selected from the group consisting of H, C₁₋₁₄ alkyl, C₂₋₁₄ alkenyl, —R*YR", —YR", and —R*OR", or R₂ and R₃, together with the atom to which they are attached, form a heterocycle or carbocycle;

R₄ is selected from the group consisting of a C₃₋₆ carbocycle, —(CH₂)_nQ, —(CH₂)_nCHQR, —CHQR, —CQ(R)₂, and unsubstituted C₁₋₆ alkyl, where Q is selected from a C₃₋₆ carbocycle, a 5- to 14-membered heteroaryl having one or more heteroatoms selected from N, O, and S, —OR, —O(CH₂)_nN(R)₂, —C(O)OR, —OC(O)R, —CX₃, —CX₂H, —CXH₂, —CN, —C(O)N(R)₂, —N(R)C(O)R, —N(R)S(O)₂R, —N(R)C(O)N(R)₂, —N(R)C(S)N(R)₂, —CRN(R)₂C(O)OR, —N(R)R₈, —O(CH₂)_nOR, —N(R)C(=NR₉)N(R)₂, —N(R)C(=CHR₉)N(R)₂, —OC(O)N(R)₂, —N(R)C(O)OR, —N(OR)C(O)R, —N(OR)S(O)₂R, —N(OR)C(O)OR, —N(OR)C(O)N(R)₂, —N(OR)C(S)N(R)₂, —N(OR)C(=NR₉)N(R)₂, —N(OR)C(=CHR₉)N(R)₂, —C(=NR₉)R, —C(O)N(R)OR, and —C(=NR₉)N(R)₂, and each n is independently selected from 1, 2, 3, 4, and 5;

each R₅ is independently selected from the group consisting of C₁₋₃ alkyl, C₂₋₃ alkenyl, and H;

each R₆ is independently selected from the group consisting of C₁₋₃ alkyl, C₂₋₃ alkenyl, and H;

M and M' are independently selected from —C(O)O—, —OC(O)—, —C(O)N(R')—, —N(R')C(O)—, —C(O)—, —C(S)—, —C(S)S—, —SC(S)—, —CH(OH)—, —P(O)(OR')O—, —S(O)₂—, —S—S—, an aryl group, and a heteroaryl group;

R₇ is selected from the group consisting of C₁₋₃ alkyl, C₂₋₃ alkenyl, and H;

R₈ is selected from the group consisting of C₃₋₆ carbocycle and heterocycle;

R₉ is selected from the group consisting of H, CN, NO₂, C₁₋₆ alkyl, —OR, —S(O)₂R, —S(O)₂N(R)₂, C₂₋₆ alkenyl, C₃₋₆ carbocycle and heterocycle;

each R is independently selected from the group consisting of C₁₋₃ alkyl, C₂₋₃ alkenyl, and H;

each R' is independently selected from the group consisting of C₁₋₁₈ alkyl, C₂₋₁₈ alkenyl, —R*YR", —YR", and H;

each R" is independently selected from the group consisting of C₃₋₁₄ alkyl and C₃₋₁₄ alkenyl;

each R* is independently selected from the group consisting of C₁₋₁₂ alkyl and C₂₋₁₂ alkenyl;

each Y is independently a C₃₋₆ carbocycle;

each X is independently selected from the group consisting of F, Cl, Br, and I; and

m is selected from 5, 6, 7, 8, 9, 10, 11, 12, and 13, or salts or isomers thereof.

In some embodiments, another subset of compounds of Formula (I) includes those in which

R₁ is selected from the group consisting of C₅₋₃₀ alkyl, C₅₋₂₀ alkenyl, —R*YR", —YR", and —R"MR';

R₂ and R₃ are independently selected from the group consisting of H, C₂₋₁₄ alkyl, C₂₋₁₄ alkenyl, —R*YR", —YR", and —R*OR", or R₂ and R₃, together with the atom to which they are attached, form a heterocycle or carbocycle;

R₄ is —(CH₂)_nQ or —(CH₂)_nCHQR, where Q is —N(R)₂, and n is selected from 3, 4, and 5;

each R₅ is independently selected from the group consisting of C₁₋₃ alkyl, C₂₋₃ alkenyl, and H;

each R₆ is independently selected from the group consisting of C₁₋₃ alkyl, C₂₋₃ alkenyl, and H;

106

M and M' are independently selected from —C(O)O—, —OC(O)—, —C(O)N(R')—, —N(R')C(O)—, —C(O)—, —C(S)—, —C(S)S—, —SC(S)—, —CH(OH)—, —P(O)(OR')O—, —S(O)₂—, —S—S—, an aryl group, and a heteroaryl group;

R₇ is selected from the group consisting of C₁₋₃ alkyl, C₂₋₃ alkenyl, and H;

each R is independently selected from the group consisting of C₁₋₃ alkyl, C₂₋₃ alkenyl, and H;

each R' is independently selected from the group consisting of C₁₋₁₈ alkyl, C₂₋₁₈ alkenyl, —R*YR", —YR", and H;

each R" is independently selected from the group consisting of C₃₋₁₄ alkyl and C₃₋₁₄ alkenyl;

each R* is independently selected from the group consisting of C₁₋₁₂ alkyl and C₁₋₁₂ alkenyl;

each Y is independently a C₃₋₆ carbocycle;

each X is independently selected from the group consisting of F, Cl, Br, and I; and

m is selected from 5, 6, 7, 8, 9, 10, 11, 12, and 13, or salts or isomers thereof.

In some embodiments, another subset of compounds of Formula (I) includes those in which

R₁ is selected from the group consisting of C₅₋₃₀ alkyl, C₅₋₂₀ alkenyl, —R*YR", —YR", and —R"M'R';

R₂ and R₃ are independently selected from the group consisting of C₁₋₁₄ alkyl, C₂₋₁₄ alkenyl, —R*YR", —YR", and —R*OR", or R₂ and R₃, together with the atom to which they are attached, form a heterocycle or carbocycle;

R₄ is selected from the group consisting of —(CH₂)_nQ, —(CH₂)_nCHQR, —CHQR, and —CQ(R)₂, where Q is —N(R)₂, and n is selected from 1, 2, 3, 4, and 5;

each R₅ is independently selected from the group consisting of C₁₋₃ alkyl, C₂₋₃ alkenyl, and H;

each R₆ is independently selected from the group consisting of C₁₋₃ alkyl, C₂₋₃ alkenyl, and H;

M and M' are independently selected from —C(O)O—, —OC(O)—, —C(O)N(R')—, —N(R')C(O)—, —C(O)—, —C(S)—, —C(S)S—, —SC(S)—, —CH(OH)—, —P(O)(OR')O—, —S(O)₂—, —S—S—, an aryl group, and a heteroaryl group;

R₇ is selected from the group consisting of C₁₋₃ alkyl, C₂₋₃ alkenyl, and H;

each R is independently selected from the group consisting of C₁₋₃ alkyl, C₂₋₃ alkenyl, and H;

each R' is independently selected from the group consisting of C₁₋₁₈ alkyl, C₂₋₁₈ alkenyl, —R*YR", —YR", and H;

each R" is independently selected from the group consisting of C₃₋₁₄ alkyl and C₃₋₁₄ alkenyl;


each R* is independently selected from the group consisting of C₁₋₁₂ alkyl and C₁₋₁₂ alkenyl;

each Y is independently a C₃₋₆ carbocycle;

each X is independently selected from the group consisting of F, Cl, Br, and I; and

m is selected from 5, 6, 7, 8, 9, 10, 11, 12, and 13, or salts or isomers thereof.

In some embodiments, a subset of compounds of Formula (I) includes those of Formula (IA):



(IA)


106

or a salt or isomer thereof, wherein l is selected from 1, 2, 3, 4, and 5; m is selected from 5, 6, 7, 8, and 9; M₁ is a bond or M'; R₄ is unsubstituted C₁₋₃ alkyl, or —(CH₂)_nQ, in which Q is OH, —NHC(S)N(R)₂, —NHC(O)N(R)₂, —N(R)C(O)R, —N(R)S(O)₂R, —N(R)R₈, —NHC(=NR₉)N(R)₂, —NHC(=CHR₉)N(R)₂, —OC(O)N(R)₂, —N(R)C(O)OR, heteroaryl or heterocycloalkyl; M and M' are independently selected

from —C(O)O—, —OC(O)—, —C(O)N(R')—, —P(O)(OR')O—, —S—S—, an aryl group, and a heteroaryl group; and R₂ and R₃ are independently selected from the group consisting of H, C₁₋₁₄ alkyl, and C₂₋₁₄ alkenyl.

In some embodiments, a subset of compounds of Formula (I) includes those of Formula (II):

(II)




or a salt or isomer thereof, wherein l is selected from 1, 2, 3, 4, and 5; M₁ is a bond or M'; R₄ is unsubstituted C₁₋₃ alkyl, or —(CH₂)_nQ, in which n is 2, 3, or 4, and Q is OH, —NHC(S)N(R)₂, —NHC(O)N(R)₂, —N(R)C(O)R, —N(R)S(O)₂R, —N(R)R₈, —NHC(=NR₉)N(R)₂, —NHC(=CHR₉)N(R)₂, —OC(O)N(R)₂, —N(R)C(O)OR, heteroaryl or heterocycloalkyl; M and M' are independently selected

from —C(O)O—, —OC(O)—, —C(O)N(R')—, —P(O)(OR')O—, —S—S—, an aryl group, and a heteroaryl group; and R₂ and R₃ are independently selected from the group consisting of H, C₁₋₁₄ alkyl, and C₂₋₁₄ alkenyl.


In some embodiments, a subset of compounds of Formula (I) includes those of Formula (IIa), (IIb), (IIc), or (Ile):

(IIa)




50

(IIb)



55

(IIc)



60


65

or

107


-continued

(IIe)




or a salt or isomer thereof, wherein R₄ is as described herein.

In some embodiments, a subset of compounds of Formula (I) includes those of Formula (II):




or a salt or isomer thereof, wherein n is 2, 3, or 4; and m, R', R'', and R₂ through R₆ are as described herein. For example, each of R₂ and R₃ may be independently selected from the group consisting of C₅₋₁₄ alkyl and C₅₋₁₄ alkenyl.


In some embodiments, a subset of compounds of Formula (I) includes those of Formula (IIa), (IIb), (IIc), or (IIe):




(IIb)



(IIc)




(IId)



or a salt or isomer thereof, wherein R₄ is as described herein.


In some embodiments, a subset of compounds of Formula (I) includes those of Formula (II):



(IId)

or a salt or isomer thereof, wherein n is 2, 3, or 4; and m, R', R'', and R₂ through R₆ are as described herein. For example, each of R₂ and R₃ may be independently selected from the group consisting of C₅₋₁₄ alkyl and C₅₋₁₄ alkenyl.


In some embodiments, the compound of Formula (I) is selected from the group consisting of:




109

-continued


110




(Compound 2)




(Compound 3)




(Compound 4)




(Compound 5)




(Compound 6)



(Compound 7)



(Compound 8)




(Compound 9)


111

-continued


112




(Compound 10)




(Compound 11)




(Compound 12)




(Compound 13)



(Compound 14)



(Compound 15)




(Compound 16)


113

114


-continued




(Compound 17)




(Compound 18)




(Compound 19)




(Compound 20)



(Compound 21)



(Compound 22)




(Compound 23)


115

-continued


116




(Compound 24)




(Compound 25)




(Compound 26)




(Compound 27)



(Compound 28)



(Compound 29)










(Compound 30)








117

118


-continued




-continued




-continued




(Compound 45)




(Compound 46)




(Compound 47)




(Compound 48)



(Compound 49)



(Compound 50)




(Compound 51)


123

124


-continued




(Compound 52)




(Compound 53)




(Compound 54)




(Compound 55)



(Compound 56)



(Compound 57)




(Compound 58)


125

126


-continued



(Compound 59)



(Compound 60)




and


(Compound 61)

30


In further embodiments, the compound of Formula (I) is selected from the group consisting of:



(Compound 62)



(Compound 63)









(Compound 64)







127

In some embodiments, the compound of Formula (I) is selected from the group consisting of:

128




-continued




131

132


-continued




(Compound 77)




(Compound 78)




(Compound 79)



(Compound 80)



(Compound 81)









(Compound 82)

133

134


-continued




135

-continued


136




(Compound 89)




(Compound 90)




(Compound 91)



(Compound 92)



(Compound 93)








(Compound 94)

137

138

-continued




139


140

-continued


(Compound 100)




(Compound 101)




(Compound 102)









(Compound 103)




(Compound 104)




-continued




-continued




(Compound 111)




(Compound 112)




(Compound 113)



(Compound 114)










(Compound 115)



(Compound 116)


-continued




147

148


-continued




(Compound 124)




(Compound 125)




(Compound 126)



(Compound 127)



(Compound 128)




(Compound 129)


149

150


-continued




(Compound 130)




(Compound 131)




(Compound 132)



(Compound 133)



(Compound 134)




(Compound 135)


151

152


-continued




(Compound 136)




(Compound 137)




(Compound 138)




(Compound 139)



(Compound 140)



(Compound 141)




(Compound 142)

153


154

-continued


(Compound 143)




(Compound 144)




(Compound 145)




(Compound 146)



(Compound 147)




(Compound 148)




155

156


-continued




(Compound 149)




(Compound 150)




(Compound 151)




(Compound 152)



(Compound 153)



(Compound 154)




(Compound 155)

157


158

-continued


(Compound 156)




(Compound 157)



(Compound 158)




(Compound 159)




159

160


-continued




(Compound 160)




(Compound 161)



(Compound 162)



(Compound 163)




(Compound 164)


161

162


-continued




(Compound 165)




(Compound 166)



(Compound 167)




(Compound 168)




(Compound 169)


-continued




(Compound 170)




(Compound 171)




(Compound 172)



(Compound 173)




(Compound 174)




(Compound 175)


-continued




(Compound 176)




(Compound 177)




(Compound 178)



(Compound 179)









(Compound 180)



(Compound 181)


-continued




169

170


-continued




(Compound 188)




(Compound 189)




(Compound 190)



(Compound 191)



(Compound 192)




(Compound 193)


171

172


-continued




(Compound 194)




(Compound 195)




(Compound 196)



(Compound 197)




(Compound 198)




(Compound 199)


-continued




(Compound 200)




(Compound 201)




(Compound 202)



(Compound 203)



(Compound 204)




(Compound 205)


175

176


-continued




(Compound 206)




(Compound 207)



(Compound 208)



(Compound 209)




(Compound 210)

177


178

-continued


(Compound 211)




(Compound 212)




(Compound 213)



(Compound 214)




(Compound 215)




179

180


-continued




(Compound 216)




(Compound 217)



(Compound 218)



(Compound 219)




(Compound 220)

181


182

-continued


(Compound 221)




(Compound 222)




(Compound 223)




(Compound 224)









(Compound 225)



(Compound 226)




-continued



and salts and isomers thereof.

In some embodiments, a nanoparticle comprises the following compound:



or salts and isomers thereof.

In some embodiments, the disclosure features a nanoparticle composition including a lipid component comprising a compound as described herein (e.g., a compound according to Formula (I), (IA), (II), (IIa), (IIb), (IIc), (IID) or (IIE)).

In some embodiments, the disclosure features a pharmaceutical composition comprising a nanoparticle composition according to the preceding embodiments and a pharmaceutically acceptable carrier. For example, the pharmaceutical composition is refrigerated or frozen for storage and/or shipment (e.g., being stored at a temperature of 4° C. or lower, such as a temperature between about -150° C. and about 0° C. or between about -80° C. and about -20° C. (e.g., about -5° C., -10° C., -15° C., -20° C., -25° C., -30° C., -40° C., -50° C., -60° C., -70° C., -80° C., -90° C., -130° C. or -150° C.). For example, the pharmaceutical composition is a solution that is refrigerated for storage and/or shipment at, for example, about -20° C., -30° C., -40° C., -50° C., -60° C., -70° C., or -80° C.

In some embodiments, the disclosure provides a method of delivering a therapeutic and/or prophylactic (e.g., RNA, such as mRNA) to a cell (e.g., a mammalian cell). This method includes the step of administering to a subject (e.g., a mammal, such as a human) a nanoparticle composition including (i) a lipid component including a phospholipid (such as a polyunsaturated lipid), a PEG lipid, a structural lipid, and a compound of Formula (I), (IA), (II), (IIa), (IIb), (IIc), (IID) or (IIE) and (ii) a therapeutic and/or prophylactic, in which administering involves contacting the cell with the nanoparticle composition, whereby the therapeutic and/or prophylactic is delivered to the cell.

In some embodiments, the disclosure provides a method of producing a polypeptide of interest in a cell (e.g., a mammalian cell). The method includes the step of contacting the cell with a nanoparticle composition including (i) a lipid component including a phospholipid (such as a polyunsaturated lipid), a PEG lipid, a structural lipid, and a compound of Formula (I), (IA), (II), (IIa), (IIb), (IIc), (IID) or (IIE) and (ii) an mRNA encoding the polypeptide of interest, whereby the mRNA is capable of being translated in the cell to produce the polypeptide.

In some embodiments, the disclosure provides a method of treating a disease or disorder in a mammal (e.g., a human) in need thereof. The method includes the step of administering to the mammal a therapeutically effective amount of a nanoparticle composition including (i) a lipid component including a phospholipid (such as a polyunsaturated lipid),

20 a PEG lipid, a structural lipid, and a compound of Formula (I), (IA), (II), (IIa), (IIb), (IIc), (IID) or (IIE) and (ii) a therapeutic and/or prophylactic (e.g., an mRNA). In some embodiments, the disease or disorder is characterized by dysfunctional or aberrant protein or polypeptide activity. For example, the disease or disorder is selected from the group consisting of rare diseases, infectious diseases, cancer and proliferative diseases, genetic diseases (e.g., cystic fibrosis), autoimmune diseases, diabetes, neurodegenerative diseases, cardio- and reno-vascular diseases, and metabolic diseases.

In some embodiments, the disclosure provides a method of delivering (e.g., specifically delivering) a therapeutic and/or prophylactic to a mammalian organ (e.g., a liver, spleen, lung, or femur). This method includes the step of administering to a subject (e.g., a mammal) a nanoparticle composition including (i) a lipid component including a phospholipid, a PEG lipid, a structural lipid, and a compound of Formula (I), (IA), (II), (IIa), (IIb), (IIc), (IID) or (IIE) and (ii) a therapeutic and/or prophylactic (e.g., an mRNA), in which administering involves contacting the cell with the nanoparticle composition, whereby the therapeutic and/or prophylactic is delivered to the target organ (e.g., a liver, spleen, lung, or femur).

In some embodiments, the disclosure features a method for the enhanced delivery of a therapeutic and/or prophylactic (e.g., an mRNA) to a target tissue (e.g., a liver, spleen, lung, or femur). This method includes administering to a subject (e.g., a mammal) a nanoparticle composition, the composition including (i) a lipid component including a compound of Formula (I), (IA), (II), (IIa), (IIb), (IIc), (IID) or (IIE), a phospholipid, a structural lipid, and a PEG lipid; and (ii) a therapeutic and/or prophylactic, the administering including contacting the target tissue with the nanoparticle composition, whereby the therapeutic and/or prophylactic is delivered to the target tissue.

In some embodiments, the disclosure features a method of lowering immunogenicity comprising introducing the nanoparticle composition of the disclosure into cells, wherein the nanoparticle composition reduces the induction of the cellular immune response of the cells to the nanoparticle composition, as compared to the induction of the cellular immune response in cells induced by a reference composition which comprises a reference lipid instead of a compound of Formula (I), (IA), (II), (IIa), (IIb), (IIc), (IID) or (IIE). For example, the cellular immune response is an innate immune response, an adaptive immune response, or both.

The disclosure also includes methods of synthesizing a compound of Formula (I), (IA), (II), (IIa), (IIb), (IIc), (IId) or (IIe) and methods of making a nanoparticle composition including a lipid component comprising the compound of Formula (I), (IA), (II), (IIa), (IIb), (IIc), (IId) or (IIe).

Modes of Vaccine Administration

Respiratory virus RNA (e.g. mRNA) vaccines may be administered by any route which results in a therapeutically effective outcome. These include, but are not limited, to intradermal, intramuscular, and/or subcutaneous administration. The present disclosure provides methods comprising administering RNA (e.g., mRNA) vaccines to a subject in need thereof. The exact amount required will vary from subject to subject, depending on the species, age, and general condition of the subject, the severity of the disease, the particular composition, its mode of administration, its mode of activity, and the like. Respiratory virus RNA (e.g., mRNA) vaccines compositions are typically formulated in dosage unit form for ease of administration and uniformity of dosage. It will be understood, however, that the total daily usage of RNA (e.g., mRNA) vaccine compositions may be decided by the attending physician within the scope of sound medical judgment. The specific therapeutically effective, prophylactically effective, or appropriate imaging dose level for any particular patient will depend upon a variety of factors including the disorder being treated and the severity of the disorder; the activity of the specific compound employed; the specific composition employed; the age, body weight, general health, sex and diet of the patient; the time of administration, route of administration, and rate of excretion of the specific compound employed; the duration of the treatment; drugs used in combination or coincidental with the specific compound employed; and like factors well known in the medical arts.

In some embodiments, respiratory virus RNA (e.g. mRNA) vaccines compositions may be administered at dosage levels sufficient to deliver 0.0001 mg/kg to 100 mg/kg, 0.001 mg/kg to 0.05 mg/kg, 0.005 mg/kg to 0.05 mg/kg, 0.01 mg/kg to 0.005 mg/kg, 0.05 mg/kg to 0.5 mg/kg, 0.01 mg/kg to 50 mg/kg, 0.1 mg/kg to 40 mg/kg, 0.5 mg/kg to 30 mg/kg, 0.01 mg/kg to 10 mg/kg, 0.1 mg/kg to 10 mg/kg, or 1 mg/kg to 25 mg/kg, of subject body weight per day, one or more times a day, per week, per month, etc. to obtain the desired therapeutic, diagnostic, prophylactic, or imaging effect (see, e.g., the range of unit doses described in International Publication No WO2013078199, the contents of which are herein incorporated by reference in their entirety). The desired dosage may be delivered three times a day, two times a day, once a day, every other day, every third day, every week, every two weeks, every three weeks, every four weeks, every 2 months, every three months, every 6 months, etc. In some embodiments, the desired dosage may be delivered using multiple administrations (e.g., two, three, four, five, six, seven, eight, nine, ten, eleven, twelve, thirteen, fourteen, or more administrations). When multiple administrations are employed, split dosing regimens such as those described herein may be used. In exemplary embodiments, respiratory virus RNA (e.g., mRNA) vaccines compositions may be administered at dosage levels sufficient to deliver 0.0005 mg/kg to 0.01 mg/kg, e.g., about 0.0005 mg/kg to about 0.0075 mg/kg, e.g., about 0.0005 mg/kg, about 0.001 mg/kg, about 0.002 mg/kg, about 0.003 mg/kg, about 0.004 mg/kg or about 0.005 mg/kg.

In some embodiments, respiratory virus RNA (e.g., mRNA) vaccine compositions may be administered once or twice (or more) at dosage levels sufficient to deliver 0.025

mg/kg to 0.250 mg/kg, 0.025 mg/kg to 0.500 mg/kg, 0.025 mg/kg to 0.750 mg/kg, or 0.025 mg/kg to 1.0 mg/kg.

In some embodiments, respiratory virus RNA (e.g., mRNA) vaccine compositions may be administered twice (e.g., Day 0 and Day 7, Day 0 and Day 14, Day 0 and Day 21, Day 0 and Day 28, Day 0 and Day 60, Day 0 and Day 90, Day 0 and Day 120, Day 0 and Day 150, Day 0 and Day 180, Day 0 and 3 months later, Day 0 and 6 months later, Day 0 and 9 months later, Day 0 and 12 months later, Day 0 and 18 months later, Day 0 and 2 years later, Day 0 and 5 years later, or Day 0 and 10 years later) at a total dose of or at dosage levels sufficient to deliver a total dose of 0.0100 mg, 0.025 mg, 0.050 mg, 0.075 mg, 0.100 mg, 0.125 mg, 0.150 mg, 0.175 mg, 0.200 mg, 0.225 mg, 0.250 mg, 0.275 mg, 0.300 mg, 0.325 mg, 0.350 mg, 0.375 mg, 0.400 mg, 0.425 mg, 0.450 mg, 0.475 mg, 0.500 mg, 0.525 mg, 0.550 mg, 0.575 mg, 0.600 mg, 0.625 mg, 0.650 mg, 0.675 mg, 0.700 mg, 0.725 mg, 0.750 mg, 0.775 mg, 0.800 mg, 0.825 mg, 0.850 mg, 0.875 mg, 0.900 mg, 0.925 mg, 0.950 mg, 0.975 mg, or 1.0 mg. Higher and lower dosages and frequency of administration are encompassed by the present disclosure. For example, a respiratory virus RNA (e.g., mRNA) vaccine composition may be administered three or four times.

In some embodiments, respiratory virus RNA (e.g., mRNA) vaccine compositions may be administered twice (e.g., Day 0 and Day 7, Day 0 and Day 14, Day 0 and Day 21, Day 0 and Day 28, Day 0 and Day 60, Day 0 and Day 90, Day 0 and Day 120, Day 0 and Day 150, Day 0 and Day 180, Day 0 and 3 months later, Day 0 and 6 months later, Day 0 and 9 months later, Day 0 and 12 months later, Day 0 and 18 months later, Day 0 and 2 years later, Day 0 and 5 years later, or Day 0 and 10 years later) at a total dose of or at dosage levels sufficient to deliver a total dose of 0.010 mg, 0.025 mg, 0.100 mg or 0.400 mg.

In some embodiments, the respiratory virus RNA (e.g., mRNA) vaccine for use in a method of vaccinating a subject is administered to the subject as a single dosage of between 10 µg/kg and 400 µg/kg of the nucleic acid vaccine (in an effective amount to vaccinate the subject). In some embodiments the RNA (e.g., mRNA) vaccine for use in a method of vaccinating a subject is administered to the subject as a single dosage of between 10 µg and 400 µg of the nucleic acid vaccine (in an effective amount to vaccinate the subject). In some embodiments, a respiratory virus RNA (e.g., mRNA) vaccine for use in a method of vaccinating a subject is administered to the subject as a single dosage of 25-1000 µg (e.g., a single dosage of mRNA encoding hMPV, PIV3, RSV, MeV and/or BetaCoV antigen). In some embodiments, a respiratory virus RNA (e.g., mRNA) vaccine is administered to the subject as a single dosage of 25, 50, 100, 150, 200, 250, 300, 350, 400, 450, 500, 550, 600, 650, 700, 750, 800, 850, 900, 950 or 1000 µg. For example, a respiratory virus RNA (e.g., mRNA) vaccine may be administered to a subject as a single dose of 25-100, 25-500, 50-100, 50-500, 50-1000, 100-500, 100-1000, 250-500, 250-1000, or 500-1000 µg. In some embodiments, a respiratory virus RNA (e.g., mRNA) vaccine for use in a method of vaccinating a subject is administered to the subject as two dosages, the combination of which equals 25-1000 µg of the respiratory virus RNA (e.g., mRNA) vaccine.

A respiratory virus RNA (e.g. mRNA) vaccine pharmaceutical composition described herein can be formulated into a dosage form described herein, such as an intranasal, intratracheal, or injectable (e.g., intravenous, intraocular, intravitreal, intramuscular, intradermal, intracardiac, intraperitoneal, and subcutaneous).

Respiratory Virus RNA (e.g., mRNA) Vaccine Formulations and Methods of Use

Some aspects of the present disclosure provide formulations of the respiratory virus RNA (e.g., mRNA) vaccine, wherein the RNA (e.g., mRNA) vaccine is formulated in an effective amount to produce an antigen specific immune response in a subject (e.g., production of antibodies specific to an hMPV, PIV3, RSV, MeV and/or BetaCoV antigenic polypeptide). “An effective amount” is a dose of an RNA (e.g., mRNA) vaccine effective to produce an antigen-specific immune response. Also provided herein are methods of inducing an antigen-specific immune response in a subject.

In some embodiments, the antigen-specific immune response is characterized by measuring an anti-hMPV, anti-PIV3, anti-RSV, anti-MeV and/or anti-BetaCoV antigenic polypeptide antibody titer produced in a subject administered a respiratory virus RNA (e.g., mRNA) vaccine as provided herein. An antibody titer is a measurement of the amount of antibodies within a subject, for example, antibodies that are specific to a particular antigen (e.g., an anti-hMPV, anti-PIV3, anti-RSV, anti-MeV and/or anti-BetaCoV antigenic polypeptide) or epitope of an antigen. Antibody titer is typically expressed as the inverse of the greatest dilution that provides a positive result. Enzyme-linked immunosorbent assay (ELISA) is a common assay for determining antibody titers, for example.

In some embodiments, an antibody titer is used to assess whether a subject has had an infection or to determine whether immunizations are required. In some embodiments, an antibody titer is used to determine the strength of an autoimmune response, to determine whether a booster immunization is needed, to determine whether a previous vaccine was effective, and to identify any recent or prior infections. In accordance with the present disclosure, an antibody titer may be used to determine the strength of an immune response induced in a subject by the respiratory virus RNA (e.g., mRNA) vaccine.

In some embodiments, an anti-antigenic polypeptide (e.g., an anti-hMPV, anti-PIV3, anti-RSV, anti-MeV and/or anti-BetaCoV antigenic polypeptide) antibody titer produced in a subject is increased by at least 1 log relative to a control. For example, anti-antigenic polypeptide antibody titer produced in a subject may be increased by at least 1.5, at least 2, at least 2.5, or at least 3 log relative to a control. In some embodiments, the anti-antigenic polypeptide antibody titer produced in the subject is increased by 1, 1.5, 2, 2.5 or 3 log relative to a control. In some embodiments, the anti-antigenic polypeptide antibody titer produced in the subject is increased by 1-3 log relative to a control. For example, the anti-antigenic polypeptide antibody titer produced in a subject may be increased by 1-1.5, 1-2, 1-2.5, 1-3, 1.5-2, 1.5-2.5, 1.5-3, 2-2.5, 2-3, or 2.5-3 log relative to a control.

In some embodiments, the anti-antigenic polypeptide (e.g., an anti-hMPV, anti-PIV3, anti-RSV, anti-MeV and/or anti-BetaCoV antigenic polypeptide) antibody titer produced in a subject is increased at least 2 times relative to a control. For example, the anti-antigenic polypeptide antibody titer produced in a subject may be increased at least 3 times, at least 4 times, at least 5 times, at least 6 times, at least 7 times, at least 8 times, at least 9 times, or at least 10 times relative to a control. In some embodiments, the anti-antigenic polypeptide antibody titer produced in the subject is increased 2, 3, 4, 5, 6, 7, 8, 9, or 10 times relative to a control. In some embodiments, the anti-antigenic polypeptide antibody titer produced in a subject is increased 2-10 times relative to a control. For example, the anti-antigenic

polypeptide antibody titer produced in a subject may be increased 2-10, 2-9, 2-8, 2-7, 2-6, 2-5, 2-4, 2-3, 3-10, 3-9, 3-8, 3-7, 3-6, 3-5, 3-4, 4-10, 4-9, 4-8, 4-7, 4-6, 4-5, 5-10, 5-9, 5-8, 5-7, 5-6, 6-10, 6-9, 6-8, 6-7, 7-10, 7-9, 7-8, 8-10, 8-9, or 9-10 times relative to a control.

A control, in some embodiments, is the anti-antigenic polypeptide (e.g., an anti-hMPV, anti-PIV3, anti-RSV, anti-MeV and/or anti-BetaCoV antigenic polypeptide) antibody titer produced in a subject who has not been administered a respiratory virus RNA (e.g., mRNA) vaccine of the present disclosure. In some embodiments, a control is an anti-antigenic polypeptide (e.g., an anti-hMPV, anti-PIV3, anti-RSV, anti-MeV and/or anti-BetaCoV antigenic polypeptide) antibody titer produced in a subject who has been administered a live attenuated hMPV, PIV3, RSV, MeV and/or BetaCoV vaccine. An attenuated vaccine is a vaccine produced by reducing the virulence of a viable (live). An attenuated virus is altered in a manner that renders it harmless or less virulent relative to live, unmodified virus. In some embodiments, a control is an anti-antigenic polypeptide (e.g., an anti-hMPV, anti-PIV3, anti-RSV, anti-MeV and/or anti-BetaCoV antigenic polypeptide) antibody titer produced in a subject administered inactivated hMPV, PIV3, RSV, MeV and/or BetaCoV vaccine. In some embodiments, a control is an anti-antigenic polypeptide (e.g., an anti-hMPV, anti-PIV3, anti-RSV, anti-MeV and/or anti-BetaCoV antigenic polypeptide) antibody titer produced in a subject administered a recombinant or purified hMPV, PIV3, RSV, MeV and/or BetaCoV protein vaccine. Recombinant protein vaccines typically include protein antigens that either have been produced in a heterologous expression system (e.g., bacteria or yeast) or purified from large amounts of the pathogenic organism. In some embodiments, a control is an anti-antigenic polypeptide (e.g., an anti-hMPV, anti-PIV3, anti-RSV, anti-MeV and/or anti-BetaCoV antigenic polypeptide) antibody titer produced in a subject who has been administered an hMPV, PIV3, RSV, MeV and/or BetaCoV virus-like particle (VLP) vaccine. For example, an hMPV VLP vaccine used as a control may be a hMPV VLPs, comprising (or consisting of) viral matrix (M) and fusion (F) proteins, generated by expressing viral proteins in suspension-adapted human embryonic kidney epithelial (293-F) cells (see, e.g., Cox R G et al., *J Virol.* 2014 June; 88(11): 6368-6379, the contents of which are herein incorporated by reference).

In some embodiments, an effective amount of a respiratory virus RNA (e.g., mRNA) vaccine is a dose that is reduced compared to the standard of care dose of a recombinant hMPV, PIV3, RSV, MeV and/or BetaCoV protein vaccine. A “standard of care,” as provided herein, refers to a medical or psychological treatment guideline and can be general or specific. “Standard of care” specifies appropriate treatment based on scientific evidence and collaboration between medical professionals involved in the treatment of a given condition. It is the diagnostic and treatment process that a physician/clinician should follow for a certain type of patient, illness or clinical circumstance. A “standard of care dose,” as provided herein, refers to the dose of a recombinant or purified hMPV, PIV3, RSV, MeV and/or BetaCoV protein vaccine, or a live attenuated or inactivated hMPV, PIV3, RSV, MeV and/or BetaCoV vaccine, that a physician/clinician or other medical professional would administer to a subject to treat or prevent hMPV, PIV3, RSV, MeV and/or BetaCoV, or a hMPV-, PIV3-, RSV-, MeV- and/or BetaCoV-related condition, while following the standard of care

guideline for treating or preventing hMPV, PIV3, RSV, MeV and/or BetaCoV, or a hMPV-, PIV3-, RSV-, MeV- and/or BetaCoV-related condition.

In some embodiments, the anti-antigenic polypeptide (e.g., an anti-hMPV, anti-PIV3, anti-RSV, anti-MeV and/or anti-BetaCoV antigenic polypeptide) antibody titer produced in a subject administered an effective amount of a respiratory virus RNA (e.g., mRNA) vaccine is equivalent to an anti-antigenic polypeptide (e.g., an anti-hMPV, anti-PIV3, anti-RSV, anti-MeV and/or anti-BetaCoV antigenic polypeptide) antibody titer produced in a control subject administered a standard of care dose of a recombinant or purified hMPV, PIV3, RSV, MeV and/or BetaCoV protein vaccine or a live attenuated or inactivated hMPV, PIV3, RSV, MeV and/or BetaCoV vaccine.

In some embodiments, an effective amount of a respiratory virus RNA (e.g., mRNA) vaccine is a dose equivalent to an at least 2-fold reduction in a standard of care dose of a recombinant or purified hMPV, PIV3, RSV, MeV and/or BetaCoV protein vaccine. For example, an effective amount of a respiratory virus RNA (e.g., mRNA) vaccine may be a dose equivalent to an at least 3-fold, at least 4-fold, at least 5-fold, at least 6-fold, at least 7-fold, at least 8-fold, at least 9-fold, or at least 10-fold reduction in a standard of care dose of a recombinant or purified hMPV, PIV3, RSV, MeV and/or BetaCoV protein vaccine. In some embodiments, an effective amount of a respiratory virus RNA (e.g., mRNA) vaccine is a dose equivalent to an at least at least 100-fold, at least 500-fold, or at least 1000-fold reduction in a standard of care dose of a recombinant or purified hMPV, PIV3, RSV, MeV and/or BetaCoV protein vaccine. In some embodiments, an effective amount of a respiratory virus RNA (e.g., mRNA) vaccine is a dose equivalent to a 2-, 3-, 4-, 5-, 6-, 7-, 8-, 9-, 10-, 20-, 50-, 100-, 250-, 500-, or 1000-fold reduction in a standard of care dose of a recombinant or purified hMPV, PIV3, RSV, MeV and/or BetaCoV protein vaccine. In some embodiments, the anti-antigenic polypeptide antibody titer produced in a subject administered an effective amount of a respiratory virus RNA (e.g., mRNA) vaccine is equivalent to an anti-antigenic polypeptide antibody titer produced in a control subject administered the standard of care dose of a recombinant or protein hMPV, PIV3, RSV, MeV and/or BetaCoV protein vaccine or a live attenuated or inactivated hMPV, PIV3, RSV, MeV and/or BetaCoV vaccine. In some embodiments, an effective amount of a respiratory virus RNA (e.g., mRNA) vaccine is a dose equivalent to a 2-fold to 1000-fold (e.g., 2-fold to 100-fold, 10-fold to 1000-fold) reduction in the standard of care dose of a recombinant or purified hMPV, PIV3, RSV, MeV and/or BetaCoV protein vaccine, wherein the anti-antigenic polypeptide antibody titer produced in the subject is equivalent to an anti-antigenic polypeptide antibody titer produced in a control subject administered the standard of care dose of a recombinant or purified hMPV, PIV3, RSV, MeV and/or BetaCoV protein vaccine or a live attenuated or inactivated hMPV, PIV3, RSV, MeV and/or BetaCoV vaccine.

In some embodiments, the effective amount of a respiratory virus RNA (e.g., mRNA) vaccine is a dose equivalent to a 2 to 1000-, 2 to 900-, 2 to 800-, 2 to 700-, 2 to 600-, 2 to 500-, 2 to 400-, 2 to 300-, 2 to 200-, 2 to 100-, 2 to 90-, 2 to 80-, 2 to 70-, 2 to 60-, 2 to 50-, 2 to 40-, 2 to 30-, 2 to 20-, 2 to 10-, 2 to 9-, 2 to 8-, 2 to 7-, 2 to 6-, 2 to 5-, 2 to 4-, 2 to 3-, 3 to 1000-, 3 to 900-, 3 to 800-, 3 to 700-, 3 to 600-, 3 to 500-, 3 to 400-, 3 to 3 to 00-, 3 to 200-, 3 to 100-, 3 to 90-, 3 to 80-, 3 to 70-, 3 to 60-, 3 to 50-, 3 to 40-, 3 to 30-, 3 to 20-, 3 to 10-, 3 to 9-, 3 to 8-, 3 to 7-, 3 to 6-, 3 to

5-, 3 to 4-, 4 to 1000-, 4 to 900-, 4 to 800-, 4 to 700-, 4 to 600-, 4 to 500-, 4 to 400-, 4 to 4 to 00-, 4 to 200-, 4 to 100-, 4 to 90-, 4 to 80-, 4 to 70-, 4 to 60-, 4 to 50-, 4 to 40-, 4 to 30-, 4 to 20-, 4 to 10-, 4 to 9-, 4 to 8-, 4 to 7-, 4 to 6-, 4 to 5-, 4 to 4-, 5 to 1000-, 5 to 900-, 5 to 800-, 5 to 700-, 5 to 600-, 5 to 500-, 5 to 400-, 5 to 300-, 5 to 200-, 5 to 100-, 5 to 90-, 5 to 80-, 5 to 70-, 5 to 60-, 5 to 50-, 5 to 40-, 5 to 30-, 5 to 20-, 5 to 10-, 5 to 9-, 5 to 8-, 5 to 7-, 5 to 6-, 6 to 1000-, 6 to 900-, 6 to 800-, 6 to 700-, 6 to 600-, 6 to 500-, 6 to 400-, 6 to 300-, 6 to 200-, 6 to 100-, 6 to 90-, 6 to 80-, 6 to 70-, 6 to 60-, 6 to 50-, 6 to 40-, 6 to 30-, 6 to 20-, 6 to 10-, 6 to 9-, 6 to 8-, 6 to 7-, 7 to 1000-, 7 to 900-, 7 to 800-, 7 to 700-, 7 to 600-, 7 to 500-, 7 to 400-, 7 to 300-, 7 to 200-, 7 to 100-, 7 to 90-, 7 to 80-, 7 to 70-, 7 to 60-, 7 to 50-, 7 to 40-, 7 to 30-, 7 to 20-, 7 to 10-, 7 to 9-, 7 to 8-, 8 to 1000-, 8 to 900-, 8 to 800-, 8 to 700-, 8 to 600-, 8 to 500-, 8 to 400-, 8 to 300-, 8 to 200-, 8 to 100-, 8 to 90-, 8 to 80-, 8 to 70-, 8 to 60-, 8 to 50-, 8 to 40-, 8 to 30-, 8 to 20-, 8 to 10-, 8 to 9-, 9 to 1000-, 9 to 900-, 9 to 800-, 9 to 700-, 9 to 600-, 9 to 500-, 9 to 400-, 9 to 300-, 9 to 200-, 9 to 100-, 9 to 90-, 9 to 80-, 9 to 70-, 9 to 60-, 9 to 50-, 9 to 40-, 9 to 30-, 9 to 20-, 9 to 10-, 10 to 1000-, 10 to 900-, 10 to 800-, 10 to 700-, 10 to 600-, 10 to 500-, 10 to 400-, 10 to 300-, 10 to 200-, 10 to 100-, 10 to 90-, 10 to 80-, 10 to 70-, 10 to 60-, 10 to 50-, 10 to 40-, 10 to 30-, 10 to 20-, 20 to 1000-, 20 to 900-, 20 to 800-, 20 to 700-, 20 to 600-, 20 to 500-, 20 to 400-, 20 to 300-, 20 to 200-, 20 to 100-, 20 to 90-, 20 to 80-, 20 to 70-, 20 to 60-, 20 to 50-, 20 to 40-, 20 to 30-, 30 to 1000-, 30 to 900-, 30 to 800-, 30 to 700-, 30 to 600-, 30 to 500-, 30 to 400-, 30 to 300-, 30 to 200-, 30 to 100-, 30 to 90-, 30 to 80-, 30 to 70-, 30 to 60-, 30 to 50-, 30 to 40-, 40 to 1000-, 40 to 900-, 40 to 800-, 40 to 700-, 40 to 600-, 40 to 500-, 40 to 400-, 40 to 300-, 40 to 200-, 40 to 100-, 40 to 90-, 40 to 80-, 40 to 70-, 40 to 60-, 40 to 50-, 40 to 40-, 40 to 30-, 40 to 20-, 40 to 10-, 50 to 1000-, 50 to 900-, 50 to 800-, 50 to 700-, 50 to 600-, 50 to 500-, 50 to 400-, 50 to 300-, 50 to 200-, 50 to 100-, 50 to 90-, 50 to 80-, 50 to 70-, 50 to 60-, 50 to 50-, 50 to 40-, 50 to 30-, 50 to 20-, 50 to 10-, 60 to 1000-, 60 to 900-, 60 to 800-, 60 to 700-, 60 to 600-, 60 to 500-, 60 to 400-, 60 to 300-, 60 to 200-, 60 to 100-, 60 to 90-, 60 to 80-, 60 to 70-, 60 to 60-, 60 to 50-, 60 to 40-, 60 to 30-, 60 to 20-, 60 to 10-, 70 to 1000-, 70 to 900-, 70 to 800-, 70 to 700-, 70 to 600-, 70 to 500-, 70 to 400-, 70 to 300-, 70 to 200-, 70 to 100-, 70 to 90-, 70 to 80-, 70 to 70-, 70 to 60-, 70 to 50-, 70 to 40-, 70 to 30-, 70 to 20-, 70 to 10-, 80 to 1000-, 80 to 900-, 80 to 800-, 80 to 700-, 80 to 600-, 80 to 500-, 80 to 400-, 80 to 300-, 80 to 200-, 80 to 100-, 80 to 90-, 80 to 80-, 80 to 70-, 80 to 60-, 80 to 50-, 80 to 40-, 80 to 30-, 80 to 20-, 80 to 10-, 90 to 1000-, 90 to 900-, 90 to 800-, 90 to 700-, 90 to 600-, 90 to 500-, 90 to 400-, 90 to 300-, 90 to 200-, 90 to 100-, 100 to 1000-, 100 to 900-, 100 to 800-, 100 to 700-, 100 to 600-, 100 to 500-, 100 to 400-, 100 to 300-, 100 to 200-, 200 to 1000-, 200 to 900-, 200 to 800-, 200 to 700-, 200 to 600-, 200 to 500-, 200 to 400-, 200 to 300-, 300 to 1000-, 300 to 900-, 300 to 800-, 300 to 700-, 300 to 600-, 300 to 500-, 300 to 400-, 400 to 1000-, 400 to 900-, 400 to 800-, 400 to 700-, 400 to 600-, 400 to 500-, 500 to 1000-, 500 to 900-, 500 to 800-, 500 to 700-, 500 to 600-, 500 to 500-, 500 to 400-, 500 to 300-, 500 to 200-, 500 to 100-, 600 to 1000-, 600 to 900-, 600 to 800-, 600 to 700-, 600 to 600-, 600 to 500-, 600 to 400-, 600 to 300-, 600 to 200-, 600 to 100-, 700 to 1000-, 700 to 900-, 700 to 800-, 700 to 700-, 700 to 600-, 700 to 500-, 700 to 400-, 700 to 300-, 700 to 200-, 700 to 100-, 800 to 1000-, 800 to 900-, or 900 to 1000-fold reduction in the standard of care dose of a recombinant hMPV, PIV3, RSV, MeV and/or BetaCoV protein vaccine. In some embodiments, the anti-antigenic polypeptide antibody titer produced in the subject is equivalent to an anti-antigenic polypeptide antibody titer produced in a control subject administered the standard of care dose of a recombinant or purified hMPV, PIV3, RSV, MeV and/or BetaCoV protein vaccine or a live attenuated or inactivated hMPV, PIV3, RSV, MeV and/or BetaCoV vaccine. In some embodiments, the effective amount is a dose equivalent to (or equivalent to an at least) 2-, 3-, 4-, 5-, 6-, 7-, 8-, 9-, 10-, 20-, 30-, 40-, 50-, 60-, 70-, 80-, 90-, 100-, 110-, 120-, 130-,

140-, 150-, 160-, 170-, 1280-, 190-, 200-, 210-, 220-, 230-, 240-, 250-, 260-, 270-, 280-, 290-, 300-, 310-, 320-, 330-, 340-, 350-, 360-, 370-, 380-, 390-, 400-, 410-, 420-, 430-, 440-, 450-, 4360-, 470-, 480-, 490-, 500-, 510-, 520-, 530-, 540-, 550-, 560-, 5760-, 580-, 590-, 600-, 610-, 620-, 630-, 640-, 650-, 660-, 670-, 680-, 690-, 700-, 710-, 720-, 730-, 740-, 750-, 760-, 770-, 780-, 790-, 800-, 810-, 820-, 830-, 840-, 850-, 860-, 870-, 880-, 890-, 900-, 910-, 920-, 930-, 940-, 950-, 960-, 970-, 980-, 990-, or 1000-fold reduction in the standard of care dose of a recombinant hMPV, PIV3, RSV, MeV and/or BetaCoV protein vaccine. In some embodiments, an anti-antigenic polypeptide antibody titer produced in the subject is equivalent to an anti-antigenic polypeptide antibody titer produced in a control subject administered the standard of care dose of a recombinant or purified hMPV, PIV3, RSV, MeV and/or BetaCoV protein vaccine or a live attenuated or inactivated hMPV, PIV3, RSV, MeV and/or BetaCoV vaccine.

In some embodiments, the effective amount of a respiratory virus RNA (e.g., mRNA) vaccine is a total dose of 50-1000 µg. In some embodiments, the effective amount of a respiratory virus RNA (e.g., mRNA) vaccine is a total dose of 50-1000, 50-900, 50-800, 50-700, 50-600, 50-500, 50-400, 50-300, 50-200, 50-100, 50-90, 50-80, 50-70, 50-60, 60-1000, 60-900, 60-800, 60-700, 60-600, 60-500, 60-400, 60-300, 60-200, 60-100, 60-90, 60-80, 60-70, 70-1000, 70-900, 70-800, 70-700, 70-600, 70-500, 70-400, 70-300, 70-200, 70-100, 70-90, 70-80, 80-1000, 80-900, 80-800, 80-700, 80-600, 80-500, 80-400, 80-300, 80-200, 80-100, 80-90, 90-1000, 90-900, 90-800, 90-700, 90-600, 90-500, 90-400, 90-300, 90-200, 90-100, 100-1000, 100-900, 100-800, 100-700, 100-600, 100-500, 100-400, 100-300, 100-200, 200-1000, 200-900, 200-800, 200-700, 200-600, 200-500, 200-400, 200-300, 200-200, 200-100, 300-1000, 300-900, 300-800, 300-700, 300-600, 300-500, 300-400, 400-1000, 400-900, 400-800, 400-700, 400-600, 400-500, 500-1000, 500-900, 500-800, 500-700, 500-600, 600-1000, 600-900, 600-800, 600-700, 700-1000, 700-900, 700-800, 800-1000, 800-900, or 900-1000 µg. In some embodiments, the effective amount of a respiratory virus RNA (e.g., mRNA) vaccine is a total dose of 50, 100, 150, 200, 250, 300, 350, 400, 450, 500, 550, 600, 650, 700, 750, 800, 850, 900, 950 or 1000 µg. In some embodiments, the effective amount is a dose of 25-500 µg administered to the subject a total of two times. In some embodiments, the effective amount of a respiratory virus RNA (e.g., mRNA) vaccine is a dose of 25-500, 25-400, 25-300, 25-200, 25-100, 25-50, 50-500, 50-400, 50-300, 50-200, 50-100, 100-500, 100-400, 100-300, 100-200, 150-500, 150-400, 150-300, 150-200, 200-500, 200-400, 200-300, 250-500, 250-400, 250-300, 300-500, 300-400, 350-500, 350-400, 400-500 or 450-500 µg administered to the subject a total of two times. In some embodiments, the effective amount of a respiratory virus RNA (e.g., mRNA) vaccine is a total dose of 25, 50, 100, 150, 200, 250, 300, 350, 400, 450, or 500 µg administered to the subject a total of two times.

Examples of Additional Embodiments of the Disclosure

Additional embodiments of the present disclosure are encompassed by the following numbered paragraphs:

1. A respiratory virus vaccine, comprising: at least one ribonucleic acid (RNA) polynucleotide having an open reading frame encoding at least one, at least two, at least three, at least four or at least five antigenic polypeptides selected from human *Metapneumovirus* (hMPV) antigenic

polypeptides or immunogenic fragments thereof, human parainfluenza virus type 3 (PIV3) antigenic polypeptides or immunogenic fragments thereof, respiratory syncytial virus (RSV) antigenic polypeptides or immunogenic fragments thereof, measles virus (MeV) antigenic polypeptides or immunogenic fragments thereof, and *Betacoronavirus* (BetaCoV) antigenic polypeptides or immunogenic fragments thereof.

2. The respiratory virus vaccine of paragraph 1, comprising: at least one RNA polynucleotide having an open reading frame encoding a hMPV antigenic polypeptide or an immunogenic fragment thereof and a PIV3 antigenic polypeptide or an immunogenic fragment thereof; or

at least two RNA polynucleotides, one having an open reading frame encoding a hMPV antigenic polypeptide or an immunogenic fragment thereof and one having an open reading frame encoding a PIV3 antigenic polypeptide or an immunogenic fragment thereof.

3. The respiratory virus vaccine of paragraph 2, wherein the hMPV antigenic polypeptide comprises an amino acid sequence identified by any one of SEQ ID NO: 5-8 or an amino acid sequence having at least 90% or 95% identity to an amino acid sequence identified by any one of SEQ ID NO: 5-8, and/or wherein the PIV3 antigenic polypeptide comprises an amino acid sequence identified by any one of SEQ ID NO: 12-13 or an amino acid sequence having at least 90% or 95% identity to an amino acid sequence identified by any one of SEQ ID NO: 12-13.

4. The respiratory virus vaccine of paragraph 1, comprising: at least one RNA polynucleotide having an open reading frame encoding a hMPV antigenic polypeptide or an immunogenic fragment thereof and a RSV antigenic polypeptide or an immunogenic fragment thereof; or

at least two RNA polynucleotides, one having an open reading frame encoding a hMPV antigenic polypeptide or an immunogenic fragment thereof and one having an open reading frame encoding a RSV antigenic polypeptide or an immunogenic fragment thereof.

5. The respiratory virus vaccine of paragraph 4, wherein the hMPV antigenic polypeptide comprises an amino acid sequence identified by any one of SEQ ID NO: 5-8 or an amino acid sequence having at least 90% or 95% identity to an amino acid sequence identified by any one of SEQ ID NO: 5-8.

6. The respiratory virus vaccine of paragraph 1, comprising: at least one RNA polynucleotide having an open reading frame encoding a hMPV antigenic polypeptide or an immunogenic fragment thereof and MeV antigenic polypeptide or an immunogenic fragment thereof; or

at least two RNA polynucleotides, one having an open reading frame encoding a hMPV antigenic polypeptide or an immunogenic fragment thereof and one having an open reading frame encoding a MeV antigenic polypeptide or an immunogenic fragment thereof.

7. The respiratory virus vaccine of paragraph 6, wherein the hMPV antigenic polypeptide comprises an amino acid sequence identified by any one of SEQ ID NO: 5-8 or an amino acid sequence having at least 90% or 95% identity to an amino acid sequence identified by any one of SEQ ID NO: 5-8, and/or wherein the MeV antigenic polypeptide comprises an amino acid sequence identified by any one of SEQ ID NO: 47-50 or an amino acid sequence having at least 90% or 95% identity to an amino acid sequence identified by any one of SEQ ID NO: 47-50.

8. The respiratory virus vaccine of paragraph 1, comprising: at least one RNA polynucleotide having an open reading frame encoding a hMPV antigenic polypeptide or an immu-

ing an open reading frame encoding a RSV antigenic polypeptide or an immunogenic fragment thereof, one having an open reading frame encoding a MeV antigenic polypeptide or an immunogenic fragment thereof, and one having an open reading frame encoding a BetaCoV antigenic polypeptide or an immunogenic fragment thereof.

51. The respiratory virus vaccine of paragraph 50, wherein the PIV3 antigenic polypeptide comprises an amino acid sequence identified by any one of SEQ ID NO: 12-13 or an amino acid sequence having at least 90% or 95% identity to an amino acid sequence identified by any one of SEQ ID NO: 12-13, wherein the MeV antigenic polypeptide comprises an amino acid sequence identified by any one of SEQ ID NO: 47-50 or an amino acid sequence having at least 90% or 95% identity to an amino acid sequence identified by any one of SEQ ID NO: 47-50, and/or wherein the BetaCoV antigenic polypeptide comprises an amino acid sequence identified by any one of SEQ ID NO: 24-34 or an amino acid sequence having at least 90% or 95% identity to an amino acid sequence identified by any one of SEQ ID NO: 24-34.

52. The respiratory virus vaccine of paragraph 1, comprising:

at least one RNA polynucleotide having an open reading frame encoding a hMPV antigenic polypeptide or an immunogenic fragment thereof, a PIV3 antigenic polypeptide or an immunogenic fragment thereof, a RSV antigenic polypeptide or an immunogenic fragment thereof, a MeV antigenic polypeptide or an immunogenic fragment thereof, and a BetaCoV antigenic polypeptide or an immunogenic fragment thereof; or

at least two, three, four or five RNA polynucleotides, one having an open reading frame encoding a hMPV antigenic polypeptide or an immunogenic fragment thereof, one having an open reading frame encoding a PIV3 antigenic polypeptide or an immunogenic fragment thereof, one having an open reading frame encoding a RSV antigenic polypeptide or an immunogenic fragment thereof, one having an open reading frame encoding a MeV antigenic polypeptide or an immunogenic fragment thereof, and one having an open reading frame encoding a BetaCoV antigenic polypeptide or an immunogenic fragment thereof.

53. The respiratory virus vaccine of paragraph 52, wherein the hMPV antigenic polypeptide comprises an amino acid sequence identified by any one of SEQ ID NO: 5-8 or an amino acid sequence having at least 90% or 95% identity to an amino acid sequence identified by any one of SEQ ID NO: 5-8, wherein the PIV3 antigenic polypeptide comprises an amino acid sequence identified by any one of SEQ ID NO: 12-13 or an amino acid sequence having at least 90% or 95% identity to an amino acid sequence identified by any one of SEQ ID NO: 12-13, wherein the MeV antigenic polypeptide comprises an amino acid sequence identified by any one of SEQ ID NO: 47-50 or an amino acid sequence having at least 90% or 95% identity to an amino acid sequence identified by any one of SEQ ID NO: 47-50, and/or wherein the BetaCoV antigenic polypeptide comprises an amino acid sequence identified by any one of SEQ ID NO: 24-34 or an amino acid sequence having at least 90% or 95% identity to an amino acid sequence identified by any one of SEQ ID NO: 24-34.

54. The vaccine of any one of paragraphs 1-53, wherein at least one RNA polynucleotide has less than 80% identity to wild-type mRNA sequence.

55. The vaccine of any one of paragraphs 1-53, wherein at least one RNA polynucleotide has at least 80% identity to wild-type mRNA sequence, but does not include wild-type mRNA sequence.

56. The vaccine of any one of paragraphs 1-55, wherein at least one antigenic polypeptide has membrane fusion activity, attaches to cell receptors, causes fusion of viral and cellular membranes, and/or is responsible for binding of the virus to a cell being infected.

57. The vaccine of any one of paragraphs 1-56, wherein at least one RNA polynucleotide comprises at least one chemical modification.

58. The vaccine of paragraph 57, wherein the chemical modification is selected from pseudouridine, N1-methylpseudouridine, N1-ethylpseudouridine, 2-thiouridine, 4'-thiouridine, 5-methylcytosine, 5-methyluridine, 2-thio-1-methyl-1-deaza-pseudouridine, 2-thio-1-methyl-pseudouridine, 2-thio-5-aza-uridine, 2-thio-dihydropseudouridine, 2-thio-dihydrouridine, 2-thio-pseudouridine, 4-methoxy-2-thio-pseudouridine, 4-methoxy-pseudouridine, 4-thio-1-methyl-pseudouridine, 4-thio-pseudouridine, 5-aza-uridine, dihydropseudouridine, 5-methoxyuridine and 2'-O-methyluridine.

59. The vaccine of paragraph 57 or 58, wherein the chemical modification is in the 5-position of the uracil.

60. The vaccine of any one of paragraphs 57-59, wherein the chemical modification is a N1-methylpseudouridine or N1-ethylpseudouridine.

61. The vaccine of any one of paragraphs 57-60, wherein at least 80%, at least 90% or 100% of the uracil in the open reading frame have a chemical modification.

62. The vaccine of any one of paragraphs 1-61, wherein at least one RNA polynucleotide further encodes at least one 5' terminal cap, optionally wherein the 5' terminal cap is 7mG(5')ppp(5')NlmpNp.

63. The vaccine of any one of paragraphs 1-62, wherein at least one antigenic polypeptide or immunogenic fragment thereof is fused to a signal peptide selected from: a HuIgGk signal peptide (METPAQLLFLLLLWLPDITG; SEQ ID NO: 15); IgE heavy chain epsilon-1 signal peptide (MDWTWILFLVAAATRVHS; SEQ ID NO: 16); Japanese encephalitis PRM signal sequence (MLGSNSGQRVVFTILLLLVAPAYS; SEQ ID NO: 17); VSVG protein signal sequence (MKCLLYLAFLFIGVNCA; SEQ ID NO: 18) and Japanese encephalitis JEV signal sequence (MWLVSLAIVTACAGA; SEQ ID NO: 19).

64. The vaccine of paragraph 63, wherein the signal peptide is fused to the N-terminus or the C-terminus of at least one antigenic polypeptide.

65. The vaccine of any one of paragraphs 1-64, wherein the antigenic polypeptide or immunogenic fragment thereof comprises a mutated N-linked glycosylation site.

66. The vaccine of any one of paragraphs 1-65 formulated in a nanoparticle, optionally a lipid nanoparticle.

67. The vaccine of paragraph 66, wherein the lipid nanoparticle comprises a cationic lipid, a PEG-modified lipid, a sterol and a non-cationic lipid; optionally wherein the lipid nanoparticle carrier comprises a molar ratio of about 20-60% cationic lipid, 0.5-15% PEG-modified lipid, 25-55% sterol, and 25% non-cationic lipid; optionally wherein the cationic lipid is an ionizable cationic lipid and the non-cationic lipid is a neutral lipid, and the sterol is a cholesterol; and optionally wherein the cationic lipid is selected from 2,2-dilinoleyl-4-dimethylaminoethyl-[1,3]-dioleane (DLin-KC2-DMA), dilinoleyl-methyl-4-dimethylaminobutyrate (DLin-MC3-DMA), and di((Z)-non-2-en-1-yl) 9-((4-(dimethylamino)butanoyl)oxy)heptadecanedioate (L319). Formula (II)

68. The vaccine of paragraph 66 or 67, wherein the nanoparticle (e.g., lipid nanoparticle) comprises a compound of

Formula (I) and/or Formula (II), optionally Compound 3, 18, 20, 25, 26, 29, 30, 60, 108-112, or 122.

69. The vaccine of any one of paragraphs 1-68 further comprising an adjuvant, optionally a flagellin protein or peptide that optionally comprises an amino acid sequence identified by any one of SEQ ID NO: 54-56.

70. The vaccine of any one of paragraphs 1-69, wherein the open reading frame is codon-optimized.

71. The vaccine of any one of paragraphs 1-70 formulated in an effective amount to produce an antigen-specific immune response.

72. A method of inducing an immune response in a subject, the method comprising administering to the subject the vaccine of any one of paragraphs 1-71 in an amount effective to produce an antigen-specific immune response in the subject.

73. The method of paragraph 72, wherein the subject is administered a single dose of the vaccine, or wherein the subject is administered a first dose and then a booster dose of the vaccine.

74. The method of paragraph 72 or 73, wherein the vaccine is administered to the subject by intradermal injection or intramuscular injection.

75. The method of any one of paragraphs 72-74, wherein an anti-antigenic polypeptide antibody titer produced in the subject is increased by at least 1 log relative to a control, and/or wherein the anti-antigenic polypeptide antibody titer produced in the subject is increased at least 2 times relative to a control.

76. The method of any one of paragraphs 72-75, wherein the control is an anti-antigenic polypeptide antibody titer produced in a subject who has not been administered a vaccine against the virus, and/or wherein the control is an anti-antigenic polypeptide antibody titer produced in a subject who has been administered a live attenuated vaccine or an inactivated vaccine against the virus, and/or, wherein the control is an anti-antigenic polypeptide antibody titer produced in a subject who has been administered a recombinant protein vaccine or purified protein vaccine against the virus, and/or wherein the control is an anti-antigenic polypeptide antibody titer produced in a subject who has been administered a VLP vaccine against the virus.

77. The method of any one of paragraphs 72-76, wherein the effective amount is a dose equivalent to an at least 2-fold reduction in the standard of care dose of a recombinant protein vaccine or a purified protein vaccine against the virus, and wherein an anti-antigenic polypeptide antibody titer produced in the subject is equivalent to an anti-antigenic polypeptide antibody titer produced in a control subject administered the standard of care dose of a recombinant protein vaccine or a purified protein vaccine against the virus, respectively; and/or wherein the effective amount is a dose equivalent to an at least 2-fold reduction in the standard of care dose of a live attenuated vaccine or an inactivated vaccine against the virus, and wherein an anti-antigenic polypeptide antibody titer produced in the subject is equivalent to an anti-antigenic polypeptide antibody titer produced in a control subject administered the standard of care dose of a live attenuated vaccine or an inactivated vaccine against the virus, respectively; and/or wherein the effective amount is a dose equivalent to an at least 2-fold reduction in the standard of care dose of a VLP vaccine against the virus, and wherein an anti-antigenic polypeptide antibody titer produced in the subject is equivalent to an anti-antigenic polypeptide antibody titer produced in a control subject administered the standard of care dose of a VLP vaccine against the virus.

78. The method of any one of paragraphs 72-77, wherein the effective amount is a total dose of 50 µg-1000 µg, optionally wherein the effective amount is a dose of 25 µg, 100 µg, 400 µg, or 500 µg administered to the subject a total of two times.

79. The method of any one of paragraphs 72-78, wherein the efficacy of the vaccine against the virus is greater than 65%; and/or wherein the vaccine immunizes the subject against the virus for up to 2 years or wherein the vaccine immunizes the subject against the virus for more than 2 years.

80. The method of any one of paragraphs 72-79, wherein the subject has an age of about 5 years old or younger or wherein the subject has an age of about 60 years old or older; and/or wherein the subject has a chronic pulmonary disease; and/or the subject has been exposed to the virus, wherein the subject is infected with the virus, or wherein the subject is at risk of infection by the virus; and/or wherein the subject is immunocompromised.

81. The respiratory virus vaccine of any one of paragraphs 1-71, comprising at least one (e.g., at least two, at least three, at least four, or at least five) RNA polynucleotide having an open reading frame encoding at least one (e.g., at least two, at least three, at least four, or at least five) antigenic polypeptide selected from hMPV antigenic polypeptides (SEQ ID NO: 5-8), PIV3 antigenic polypeptides (SEQ ID NO: 12-13), RSV antigenic polypeptides, MeV antigenic polypeptides (SEQ ID NO: 47-50) and BetaCoV antigenic polypeptides (e.g., MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH or HCoV-HKU1; (SEQ ID NO: 24-34)), formulated in a cationic lipid nanoparticle

- (a) having a molar ratio of about 20-60% cationic lipid, about 5-25% non-cationic lipid, about 25-55% sterol, and about 0.5-15% PEG-modified lipid, and/or
- (b) comprising a compound of Formula (I) and/or Formula (II),

wherein the at least one (e.g., at least two, at least three, at least four, or at least five) RNA polynucleotide comprises at least one chemical modification.

82. The respiratory virus vaccine of any one of paragraphs 1-71, comprising at least one (e.g., at least two, at least three, at least four, or at least five) RNA polynucleotide having an open reading frame encoding at least one (e.g., at least two, at least three, at least four, or at least five) antigenic polypeptide selected from hMPV antigenic polypeptides (SEQ ID NO: 5-8), PIV3 antigenic polypeptides (SEQ ID NO: 12-13), RSV antigenic polypeptides, MeV antigenic polypeptides (SEQ ID NO: 47-50) and BetaCoV antigenic polypeptides (e.g., MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH or HCoV-HKU1; (SEQ ID NO: 24-34)), formulated in a cationic lipid nanoparticle

- (a) having a molar ratio of about 20-60% cationic lipid, about 5-25% non-cationic lipid, about 25-55% sterol, and about 0.5-15% PEG-modified lipid, and/or
- (b) comprising at least one (e.g., at least 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, or 14) Compound selected from Compounds 3, 18, 20, 25, 26, 29, 30, 60, 108-112 and 122.

83. The respiratory virus vaccine of paragraphs 81 or 82, wherein the at least one antigenic polypeptide is selected from hMPV antigenic polypeptides (e.g., SEQ ID NO: 5-8).

84. The respiratory virus vaccine of any one of paragraphs 81-83, wherein the at least one antigenic polypeptide is selected from PIV3 antigenic polypeptides (e.g., SEQ ID NO: 12-13).

85. The respiratory virus vaccine of any one of paragraphs 81-84, wherein the at least one antigenic polypeptide is selected from RSV antigenic polypeptides.

86. The respiratory virus vaccine of any one of paragraphs 81-85, wherein the at least one antigenic polypeptide is selected from MeV antigenic polypeptides (e.g., SEQ ID NO: 47-50).

87. The respiratory virus vaccine of any one of paragraphs 81-86, wherein the at least one antigenic polypeptide is selected from BetaCoV antigenic polypeptides (e.g., SEQ ID NO: 24-34).

88. The respiratory virus vaccine of paragraph 87, wherein the BetaCoV antigenic polypeptides are MERS antigenic polypeptides.

89. The respiratory virus vaccine of paragraph 87, wherein the BetaCoV antigenic polypeptides are SARS antigenic polypeptides.

90. The respiratory virus vaccine of any one of paragraphs 81-89, wherein the at least one (e.g., at least two, at least three, at least four, or at least five) RNA polynucleotide comprises at least one chemical modification (e.g., selected from pseudouridine, N1-methylpseudouridine, N1-ethylpseudouridine, 2-thiouridine, 4'-thiouridine, 5-methylcytosine, 5-methyluridine, 2-thio-1-methyl-1-deaza-pseudouridine, 2-thio-1-methyl-pseudouridine, 2-thio-5-aza-uridine, 2-thio-dihydropseudouridine, 2-thio-dihydrouridine, 2-thio-pseudouridine, 4-methoxy-2-thio-pseudouridine, 4-methoxy-pseudouridine, 4-thio-1-methyl-pseudouridine, 4-thio-pseudouridine, 5-aza-uridine, dihydropseudouridine, 5-methoxyuridine and 2'-O-methyl uridine).

91. A respiratory virus vaccine, comprising:

at least one messenger ribonucleic acid (mRNA) polynucleotide having a 5' terminal cap, an open reading frame encoding at least one respiratory virus antigenic polypeptide, and a 3' polyA tail.

92. The vaccine of paragraph 91, wherein the at least one mRNA polynucleotide comprises a sequence identified by any one of SEQ ID NO: 57-80.

93. The vaccine of paragraph 91 or 92, wherein the 5' terminal cap is or comprises 7mG(5')ppp(5')NlmpNp.

94. The vaccine of any one of paragraphs 91-93, wherein 100% of the uracil in the open reading frame is modified to include N1-methyl pseudouridine at the 5-position of the uracil.

95. The vaccine of any one of paragraphs 91-94, wherein the vaccine is formulated in a lipid nanoparticle comprising: DLin-MC3-DMA; cholesterol; 1,2-Distearoyl-sn-glycero-3-phosphocholine (DSPC); and polyethylene glycol (PEG) 2000-DMG.

96. The vaccine of paragraph 95, wherein the lipid nanoparticle further comprises trisodium citrate buffer, sucrose and water.

97. A respiratory syncytial virus (RSV) vaccine, comprising:

at least one messenger ribonucleic acid (mRNA) polynucleotide having a 5' terminal cap 7mG(5')ppp(5')NlmpNp, a sequence identified by any one of SEQ ID NO: 57-80 and a 3' polyA tail, formulated in a lipid nanoparticle comprising DLin-MC3-DMA, cholesterol, 1,2-Distearoyl-sn-glycero-3-phosphocholine (DSPC), and polyethylene glycol (PEG) 2000-DMG, wherein the uracil nucleotides of the sequence identified by any one of SEQ ID NO: 57-80 are modified to include N1-methyl pseudouridine at the 5-position of the uracil nucleotide.

This disclosure is not limited in its application to the details of construction and the arrangement of components set forth in the following description or illustrated in the drawings. The disclosure is capable of other embodiments and of being practiced or of being carried out in various ways. Also, the phraseology and terminology used herein is for the purpose of description and should not be regarded as

limiting. The use of "including," "comprising," or "having," "containing," "involving," and variations thereof herein, is meant to encompass the items listed thereafter and equivalents thereof as well as additional items.

EXAMPLES

Example 1: Manufacture of Polynucleotides

According to the present disclosure, the manufacture of polynucleotides and/or parts or regions thereof may be accomplished utilizing the methods taught in International Publication WO2014/152027, entitled "Manufacturing Methods for Production of RNA Transcripts," the contents of which is incorporated herein by reference in its entirety.

Purification methods may include those taught in International Publication WO2014/152030 and International Publication WO2014/152031, each of which is incorporated herein by reference in its entirety.

Detection and characterization methods of the polynucleotides may be performed as taught in International Publication WO2014/144039, which is incorporated herein by reference in its entirety.

Characterization of the polynucleotides of the disclosure may be accomplished using polynucleotide mapping, reverse transcriptase sequencing, charge distribution analysis, detection of RNA impurities, or any combination of two or more of the foregoing. "Characterizing" comprises determining the RNA transcript sequence, determining the purity of the RNA transcript, or determining the charge heterogeneity of the RNA transcript, for example. Such methods are taught in, for example, International Publication WO2014/144711 and International Publication WO2014/144767, the content of each of which is incorporated herein by reference in its entirety.

Example 2: Chimeric Polynucleotide Synthesis

According to the present disclosure, two regions or parts of a chimeric polynucleotide may be joined or ligated using triphosphate chemistry. A first region or part of 100 nucleotides or less is chemically synthesized with a 5' monophosphate and terminal 3'desOH or blocked OH, for example. If the region is longer than 80 nucleotides, it may be synthesized as two strands for ligation.

If the first region or part is synthesized as a non-positionally modified region or part using in vitro transcription (IVT), conversion the 5'monophosphate with subsequent capping of the 3' terminus may follow.

Monophosphate protecting groups may be selected from any of those known in the art.

The second region or part of the chimeric polynucleotide may be synthesized using either chemical synthesis or IVT methods. IVT methods may include an RNA polymerase that can utilize a primer with a modified cap. Alternatively, a cap of up to 130 nucleotides may be chemically synthesized and coupled to the IVT region or part.

For ligation methods, ligation with DNA T4 ligase, followed by treatment with DNase should readily avoid concatenation.

The entire chimeric polynucleotide need not be manufactured with a phosphate-sugar backbone. If one of the regions or parts encodes a polypeptide, then such region or part may comprise a phosphate-sugar backbone.

Ligation is then performed using any known click chemistry, orthoclick chemistry, solulink, or other bioconjugate chemistries known to those in the art.

Synthetic Route

The chimeric polynucleotide may be made using a series of starting segments. Such segments include:

(a) a capped and protected 5' segment comprising a normal 3'OH (SEG. 1)

(b) a 5' triphosphate segment, which may include the coding region of a polypeptide and a normal 3'OH (SEG. 2)

(c) a 5' monophosphate segment for the 3' end of the chimeric polynucleotide (e.g., the tail) comprising cordycepin or no 3'OH (SEG. 3)

After synthesis (chemical or IVT), segment 3 (SEG. 3) may be treated with cordycepin and then with pyrophosphatase to create the 5' monophosphate.

Segment 2 (SEG. 2) may then be ligated to SEG. 3 using RNA ligase. The ligated polynucleotide is then purified and treated with pyrophosphatase to cleave the diphosphate. The treated SEG. 2-SEG. 3 construct may then be purified and SEG. 1 is ligated to the 5' terminus. A further purification step of the chimeric polynucleotide may be performed.

Where the chimeric polynucleotide encodes a polypeptide, the ligated or joined segments may be represented as: 5'UTR (SEG. 1), open reading frame or ORF (SEG. 2) and 3'UTR+PolyA (SEG. 3).

The yields of each step may be as much as 90-95%.

Example 3: PCR for cDNA Production

PCR procedures for the preparation of cDNA may be performed using 2×KAPA HIFI™ HotStart ReadyMix by Kapa Biosystems (Woburn, Mass.). This system includes 2×KAPA ReadyMix 12.5 μl; Forward Primer (10 μM) 0.75 μl; Reverse Primer (10 μM) 0.75 μl; Template cDNA 100 ng; and dH₂O diluted to 25.0 μl. The reaction conditions may be at 95° C. for 5 min. The reaction may be performed for 25 cycles of 98° C. for 20 sec, then 58° C. for 15 sec, then 72° C. for 45 sec, then 72° C. for 5 min, then 4° C. to termination.

The reaction may be cleaned up using Invitrogen's PURELINK™ PCR Micro Kit (Carlsbad, Calif.) per manufacturer's instructions (up to 5 μg). Larger reactions may require a cleanup using a product with a larger capacity. Following the cleanup, the cDNA may be quantified using the NANODROP™ and analyzed by agarose gel electrophoresis to confirm that the cDNA is the expected size. The cDNA may then be submitted for sequencing analysis before proceeding to the in vitro transcription reaction.

Example 4: In Vitro Transcription (IVT)

The in vitro transcription reaction generates RNA polynucleotides. Such polynucleotides may comprise a region or part of the polynucleotides of the disclosure, including chemically modified RNA (e.g., mRNA) polynucleotides. The chemically modified RNA polynucleotides can be uniformly modified polynucleotides. The in vitro transcription reaction utilizes a custom mix of nucleotide triphosphates (NTPs). The NTPs may comprise chemically modified NTPs, or a mix of natural and chemically modified NTPs, or natural NTPs.

A typical in vitro transcription reaction includes the following:

1) Template cDNA	1.0 μg
2) 10× transcription buffer (400 mM Tris-HCl pH 8.0, 190 mM MgCl ₂ , 50 mM DTT, 10 mM Spermidine)	2.0 μl

-continued

3) Custom NTPs (25 mM each)	0.2 μl
4) RNase Inhibitor	20 U
5) T7 RNA polymerase	3000 U
6) dH ₂ O	up to 20.0 μl. and
7) Incubation at 37° C. for 3 hr-5 hrs.	

The crude IVT mix may be stored at 4° C. overnight for cleanup the next day. 1 U of RNase-free DNase may then be used to digest the original template. After 15 minutes of incubation at 37° C., the mRNA may be purified using Ambion's MEGACLEAR™ Kit (Austin, Tex.) following the manufacturer's instructions. This kit can purify up to 500 μg of RNA. Following the cleanup, the RNA polynucleotide may be quantified using the NanoDrop and analyzed by agarose gel electrophoresis to confirm the RNA polynucleotide is the proper size and that no degradation of the RNA has occurred.

Example 5: Enzymatic Capping

Capping of a RNA polynucleotide is performed as follows where the mixture includes: IVT RNA 60 μg-180 μg and dH₂O up to 72 μl. The mixture is incubated at 65° C. for 5 minutes to denature RNA, and then is transferred immediately to ice.

The protocol then involves the mixing of 10× Capping Buffer (0.5 M Tris-HCl (pH 8.0), 60 mM KCl, 12.5 mM MgCl₂) (10.0 μl); 20 mM GTP (5.0 μl); 20 mM S-Adenosyl Methionine (2.5 μl); RNase Inhibitor (100 U); 2'-O-Methyltransferase (400U); Vaccinia capping enzyme (Guanylyl transferase) (40 U); dH₂O (Up to 28 μl); and incubation at 37° C. for 30 minutes for 60 μg RNA or up to 2 hours for 180 μg of RNA.

The RNA polynucleotide may then be purified using Ambion's MEGACLEAR™ Kit (Austin, Tex.) following the manufacturer's instructions. Following the cleanup, the RNA may be quantified using the NANODROP™ (ThermoFisher, Waltham, Mass.) and analyzed by agarose gel electrophoresis to confirm the RNA polynucleotide is the proper size and that no degradation of the RNA has occurred. The RNA polynucleotide product may also be sequenced by running a reverse-transcription-PCR to generate the cDNA for sequencing.

Example 6: PolyA Tailing Reaction

Without a poly-T in the cDNA, a poly-A tailing reaction must be performed before cleaning the final product. This is done by mixing capped IVT RNA (100 μl); RNase Inhibitor (20 U); 10× Tailing Buffer (0.5 M Tris-HCl (pH 8.0), 2.5 M NaCl, 100 mM MgCl₂) (12.0 μl); 20 mM ATP (6.0 μl); Poly-A Polymerase (20 U); dH₂O up to 123.5 μl and incubation at 37° C. for 30 min. If the poly-A tail is already in the transcript, then the tailing reaction may be skipped and proceed directly to cleanup with Ambion's MEGACLEAR™ kit (Austin, Tex.) (up to 500 μg). Poly-A Polymerase may be a recombinant enzyme expressed in yeast.

It should be understood that the processivity or integrity of the polyA tailing reaction may not always result in an exact size polyA tail. Hence, polyA tails of approximately between 40-200 nucleotides, e.g., about 40, 50, 60, 70, 80, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100, 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 150-165, 155, 156, 157,

158, 159, 160, 161, 162, 163, 164 or 165 are within the scope of the present disclosure.

Example 7. Natural 5' Caps and 5' Cap Analogues

5'-capping of polynucleotides may be completed concomitantly during the in vitro-transcription reaction using the following chemical RNA cap analogs to generate the 5'-guanosine cap structure according to manufacturer protocols: 3'-O-Me-m7G(5')ppp(5') G [the ARCA cap]; G(5') ppp(5')A; G(5')ppp(5')G; m7G(5')ppp(5')A; m7G(5')ppp(5')G (New England BioLabs, Ipswich, Mass.). 5'-capping of modified RNA may be completed post-transcriptionally using a Vaccinia Virus Capping Enzyme to generate the "Cap 0" structure: m7G(5')ppp(5')G (New England BioLabs, Ipswich, Mass.). Cap 1 structure may be generated using both Vaccinia Virus Capping Enzyme and a 2'-O methyl-transferase to generate: m7G(5')ppp(5')G-2'-O-methyl. Cap 2 structure may be generated from the Cap 1 structure followed by the 2'-O-methylation of the 5'-antepenultimate nucleotide using a 2'-O methyl-transferase. Cap 3 structure may be generated from the Cap 2 structure followed by the 2'-O-methylation of the 5'-preantepenultimate nucleotide using a 2'-O methyl-transferase. Enzymes are preferably derived from a recombinant source.

When transfected into mammalian cells, the modified mRNAs have a stability of between 12-18 hours or more than 18 hours, e.g., 24, 36, 48, 60, 72 or greater than 72 hours.

Example 8: Capping Assays

Protein Expression Assay

Polynucleotides (e.g., mRNA) encoding a polypeptide, containing any of the caps taught herein, can be transfected into cells at equal concentrations. The amount of protein secreted into the culture medium can be assayed by ELISA at 6, 12, 24 and/or 36 hours post-transfection. Synthetic polynucleotides that secrete higher levels of protein into the medium correspond to a synthetic polynucleotide with a higher translationally-competent cap structure.

Purity Analysis Synthesis

RNA (e.g., mRNA) polynucleotides encoding a polypeptide, containing any of the caps taught herein can be compared for purity using denaturing Agarose-Urea gel electrophoresis or HPLC analysis. RNA polynucleotides with a single, consolidated band by electrophoresis correspond to the higher purity product compared to polynucleotides with multiple bands or streaking bands. Chemically modified RNA polynucleotides with a single HPLC peak also correspond to a higher purity product. The capping reaction with a higher efficiency provides a more pure polynucleotide population.

Cytokine Analysis

RNA (e.g., mRNA) polynucleotides encoding a polypeptide, containing any of the caps taught herein can be transfected into cells at multiple concentrations. The amount of pro-inflammatory cytokines, such as TNF-alpha and IFN-beta, secreted into the culture medium can be assayed by ELISA at 6, 12, 24 and/or 36 hours post-transfection. RNA polynucleotides resulting in the secretion of higher levels of pro-inflammatory cytokines into the medium correspond to a polynucleotides containing an immune-activating cap structure.

Capping Reaction Efficiency

RNA (e.g., mRNA) polynucleotides encoding a polypeptide, containing any of the caps taught herein can be ana-

lyzed for capping reaction efficiency by LC-MS after nuclease treatment. Nuclease treatment of capped polynucleotides yield a mixture of free nucleotides and the capped 5'-5-triphosphate cap structure detectable by LC-MS. The amount of capped product on the LC-MS spectra can be expressed as a percent of total polynucleotide from the reaction and correspond to capping reaction efficiency. The cap structure with a higher capping reaction efficiency has a higher amount of capped product by LC-MS.

Example 9: Agarose Gel Electrophoresis of Modified RNA or RT PCR Products

Individual RNA polynucleotides (200-400 ng in a 20 µl volume) or reverse transcribed PCR products (200-400 ng) may be loaded into a well on a non-denaturing 1.2% Agarose E-Gel (Invitrogen, Carlsbad, Calif.) and run for 12-15 minutes, according to the manufacturer protocol.

Example 10: Nanodrop Modified RNA Quantification and UV Spectral Data

Chemically modified RNA polynucleotides in TE buffer (1 µl) are used for Nanodrop UV absorbance readings to quantitate the yield of each polynucleotide from a chemical synthesis or in vitro transcription reaction.

Example 11: Formulation of Modified mRNA Using Lipidoids

RNA (e.g., mRNA) polynucleotides may be formulated for in vitro experiments by mixing the polynucleotides with the lipidoid at a set ratio prior to addition to cells. In vivo formulation may require the addition of extra ingredients to facilitate circulation throughout the body. To test the ability of these lipidoids to form particles suitable for in vivo work, a standard formulation process used for siRNA-lipidoid formulations may be used as a starting point. After formation of the particle, polynucleotide is added and allowed to integrate with the complex. The encapsulation efficiency is determined using a standard dye exclusion assays.

Example 12: Immunogenicity Study

The instant study is designed to test the immunogenicity in mice of candidate hMPV vaccines comprising a mRNA polynucleotide encoding Fusion (F) glycoprotein, major surface glycoprotein G, or a combination thereof, obtained from hMPV.

Mice are immunized intravenously (IV), intramuscularly (IM), or intradermally (ID) with candidate vaccines. Candidate vaccines are chemically modified or unmodified. A total of four immunizations are given at 3-week intervals (i.e., at weeks 0, 3, 6, and 9), and sera are collected after each immunization until weeks 33-51. Serum antibody titers against Fusion (F) glycoprotein or major surface glycoprotein (G) protein are determined by ELISA. Sera collected from each mouse during weeks 10-16 are pooled, and total IgG purified. Purified antibodies are used for immunoelectron microscopy, antibody-affinity testing, and in vitro protection assays.

Example 13: hMPV Rodent Challenge

The instant study is designed to test the efficacy in cotton rats of candidate hMPV vaccines against a lethal challenge using an hMPV vaccine comprising mRNA encoding Fusion

(F) glycoprotein, major surface glycoprotein G, or a combination of both antigens obtained from hMPV. Cotton rats are challenged with a lethal dose of the hMPV.

Animals are immunized intravenously (IV), intramuscularly (IM), or intradermally (ID) at week 0 and week 3 with candidate hMPV vaccines with and without adjuvant. Candidate vaccines are chemically modified or unmodified. The animals are then challenged with a lethal dose of hMPV on week 7 via IV, IM or ID. Endpoint is day 13 post infection, death or euthanasia. Animals displaying severe illness as determined by >30% weight loss, extreme lethargy or paralysis are euthanized. Body temperature and weight are assessed and recorded daily.

In experiments where a lipid nanoparticle (LNP) formulation is used, the formulation may include a cationic lipid, non-cationic lipid, PEG lipid and structural lipid in the ratios 50:10:1.5:38.5. The cationic lipid is DLin-KC2-DMA (50 mol %) or DLin-MC3-DMA (50 mol %), the non-cationic lipid is DSPC (10 mol %), the PEG lipid is PEG-DOMG (1.5 mol %) and the structural lipid is cholesterol (38.5 mol %), for example.

Example 14: Immunogenicity of hMPV mRNA Vaccine in BALB/c Mice

The instant study was designed to test the immunogenicity in BALB/c mice of hMPV vaccines comprising an mRNA polynucleotide encoding the hMPV Fusion (F) glycoprotein. The mRNA polynucleotide encodes the full-length fusion protein and comprises the wild-type nucleotide sequence obtained from the hMPV A2a strain. Mice were divided into 3 groups (n=8 for each group) and immunized intramuscularly (IM) with PBS, a 10 µg dose of mRNA vaccines encoding hMPV fusion protein, or a 2 µg dose of mRNA vaccines encoding hMPV fusion protein. A total of two immunizations were given at 3-week intervals (i.e., at weeks 0, and 3 weeks), and sera were collected after each immunization according to the schedule described in Table 1. Serum antibody titers against hMPV fusion glycoprotein were determined by ELISA and antibodies were detected in the sera collected on day 14 onward. Both vaccine doses tested induced comparable levels of immune response in mice (FIGS. 2A-2C).

Additionally, mice sera were used for IgG isotyping (FIGS. 3A-3C). Both hMPV fusion protein-specific IgG1 and IgG2a were detected in mice sera. hMPV fusion protein mRNA vaccine also induced Th1 and Th2 cytokine responses, with a Th1 bias.

Sera from mice immunized with either 10 µg or 2 µg doses of the hMPV fusion protein mRNA vaccine contain neutralizing antibodies. The ability of these antibodies to neutralize hMPV B2 strain was also tested. The antibody-containing sera successfully neutralized the hMPV B2 virus (FIG. 4).

Example 15: T-Cell Stimulation

The instant study was designed to test T-cell stimulation in the splenocytes of mice immunized with mRNA vaccines encoding hMPV fusion protein, as described herein. Immunization of BALB/c mice was performed as described in Example 14. The splenocytes for each group were pooled and split into two parts. One part of splenocytes from each group of mice was stimulated with hMPV-free media, Concanavalin A or a hMPV fusion protein peptide pool comprising 15-mers (15 amino acids long); while the other part of splenocytes from each group of mice was stimulated with hMPV-free media, Concanavalin A or inactivated hMPV

virus. Secreted mouse cytokines were measured using the Meso Scale Discovery (MSD) assay.

Cytokines specific to Th1 or Th2 responses were measured. For Th1 response, IFN-γ, IL2 and IL12 were detected from splenocytes stimulated with the hMPV fusion protein peptide pool at a level comparable to that of Concanavalin A (FIGS. 5A-5C). For a Th2 response, the hMPV fusion protein peptide pool induced the secretion of detectable IL10, TNF-α, IL4 and IL, but not IL5, while Concanavalin A stimulated the secretion of all the above-mentioned Th2 cytokines (FIGS. 6A-6E) at a much higher level.

In contrast, inactivated hMPV virus only induced the secretion of IL2 in the Th1 response comparable to that of Concanavalin A (FIGS. 7A-7C). For the Th2 response, the inactivated hMPV virus induced the secretion of detectable IL10, TNF-α, IL4 and IL6, but not IL5, while Concanavalin A stimulated the secretion of all the above-mentioned Th2 cytokines (FIGS. 8A-8E) at a much higher level.

Example 16: hMPV Rodent Challenge in Cotton Rats Immunized with mRNA Vaccine Encoding hMPV Fusion Protein

The instant study was designed to test the efficacy in cotton rats of hMPV vaccines against a lethal challenge. mRNA vaccines encoding hMPV fusion protein were used. The mRNA polynucleotide encodes a full-length fusion protein and comprises the wild-type nucleotide sequence obtained from the hMPV A2a strain.

Cotton rats were immunized intramuscularly (IM) at week 0 and week 3 with the mRNA vaccines encoding hMPV fusion protein with either 2 µg or 10 µg doses for each immunization. The animals were then challenged with a lethal dose of hMPV in week 7 post initial immunization via IV, IM or ID. The endpoint was day 13 post infection, death or euthanasia. Viral titers in the noses and lungs of the cotton rats were measured. The results (FIGS. 9A and 9B) show that a 10 µg dose of mRNA vaccine protected the cotton mice 100% in the lung and drastically reduced the viral titer in the nose after challenge (~2 log reduction). Moreover, a 2 µg dose of mRNA vaccine showed a 1 log reduction in lung viral titer in the cotton mice challenged.

Further, the histopathology of the lungs of the cotton mice immunized and challenged showed no pathology associated with vaccine-enhanced disease (FIG. 10).

Example 17. Immunogenicity Study

The instant study is designed to test the immunogenicity in mice of candidate PIV3 vaccines comprising a mRNA polynucleotide encoding hemagglutinin-neuraminidase or fusion protein (F or F0) obtained from PIV3.

Mice are immunized intravenously (IV), intramuscularly (IM), or intradermally (ID) with candidate vaccines. Candidate vaccines are chemically modified or unmodified. A total of four immunizations are given at 3-week intervals (i.e., at weeks 0, 3, 6, and 9), and sera are collected after each immunization until weeks 33-51. Serum antibody titers against hemagglutinin-neuraminidase or fusion protein (F or F0) are determined by ELISA. Sera collected from each mouse during weeks 10-16 are, optionally, pooled, and total IgGs are purified. Purified antibodies are used for immunoelectron microscopy, antibody-affinity testing, and in vitro protection assays.

Example 18: PIV3 Rodent Challenge

The instant study is designed to test the efficacy in cotton rats of candidate PIV3 vaccines against a lethal challenge

using a PIV3 vaccine comprising mRNA encoding hemagglutinin-neuraminidase or fusion protein (F or F0) obtained from PIV3. Cotton rats are challenged with a lethal dose of the PIV3.

Animals are immunized intravenously (IV), intramuscularly (IM), or intradermally (ID) at week 0 and week 3 with candidate PIV3 vaccines with and without adjuvant. Candidate vaccines are chemically modified or unmodified. The animals are then challenged with a lethal dose of PIV3 on week 7 via IV, IM or ID. Endpoint is day 13 post infection, death or euthanasia. Animals displaying severe illness as determined by >30% weight loss, extreme lethargy or paralysis are euthanized. Body temperature and weight are assessed and recorded daily.

In experiments where a lipid nanoparticle (LNP) formulation is used, the formulation may include a cationic lipid, non-cationic lipid, PEG lipid and structural lipid in the ratios 50:10:1.5:38.5. The cationic lipid is DLin-KC2-DMA (50 mol %) or DLin-MC3-DMA (50 mol %), the non-cationic lipid is DSPC (10 mol %), the PEG lipid is PEG-DOMG (1.5 mol %) and the structural lipid is cholesterol (38.5 mol %), for example.

Example 19: hMPV/PIV Cotton Rat Challenge

The instant study was designed to test the efficacy in cotton rats of candidate hMPV mRNA vaccines, PIV3 mRNA vaccines, or hMPV/PIV combination mRNA vaccines against a lethal challenge using PIV3 strain or hMPV/A2 strain. The study design is shown in Table 9.

Cotton rats of 10-12 weeks old were divided into 12 groups (n=5), and each group was vaccinated with mRNA vaccines indicated in Table 9. The PIV3 vaccine comprises mRNA encoding hemagglutinin-neuraminidase or fusion protein (F or F0) obtained from PIV3. The hMPV mRNA vaccine encodes the full-length hMPV fusion protein. The hMPV/PIV combination mRNA vaccine is a mixture of the PIV3 vaccine and hMPV vaccine at a 1:1 ratio.

Cotton rats were immunized intramuscularly (IM) at week 0 and week 3 with candidate vaccines with the doses indicated in Table 9. Cotton rats immunized with hMPV mRNA vaccines or hMPV/PIV combination mRNA vaccines were challenged with a lethal dose of hMPV/A2 strain on week 7 via IM. Cotton rats immunized with PIV mRNA vaccines or hMPV/PIV combination mRNA vaccines were challenged with a lethal dose of PIV3 strain on week 7 via IM.

The endpoint was day 13 post infection, death or euthanasia. Animals displaying severe illness as determined by >30% weight loss, extreme lethargy or paralysis were euthanized. Body temperature and weight were assessed and recorded daily.

Lung and nose hMPV/A2 (FIG. 12) or PIV3 (FIG. 13) viral titers were assessed. Lung histopathology of the immunized and challenged cotton rat immunized and challenged were assessed to determine pathology associated with vaccine enhance disease. Neutralization antibody titers in the serum of immunized cotton rats on day 0 and 42 post immunization were assessed (FIG. 11).

hMPV/A2 (FIG. 14) or PIV3 (FIG. 15) neutralizing antibody titers in the serum samples of the immunized cotton rat 42 days post immunization were measured. All mRNA vaccines tested induced strong neutralizing antibodies cotton rats. Lung histopathology of the immunized cotton rats were also evaluated (FIG. 16). Low occurrence of

alevolutis and interstitial pneumonia was observed, indicating no antibody-dependent enhancement (ADE) of hMPV or PIV associated diseases.

Example 20: *Betacoronavirus* Immunogenicity Study

The instant study is designed to test the immunogenicity in rabbits of candidate *Betacoronavirus* (e.g., MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH or HCoV-HKU1 or a combination thereof) vaccines comprising a mRNA polynucleotide encoding the spike (S) protein, the S1 subunit (S1) of the spike protein, or the S2 subunit (S2) of the spike protein obtained from a *Betacoronavirus* (e.g., MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH or HCoV-HKU1).

Rabbits are vaccinated on week 0 and 3 via intravenous (IV), intramuscular (IM), or intradermal (ID) routes. One group remains unvaccinated and one is administered inactivated *Betacoronavirus*. Serum is collected from each rabbit on weeks 1, 3 (pre-dose) and 5. Individual bleeds are tested for anti-S, anti-S1 or anti-S2 activity via a virus neutralization assay from all three time points, and pooled samples from week 5 only are tested by Western blot using inactivated *Betacoronavirus* (e.g., inactivated MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH or HCoV-HKU1).

In experiments where a lipid nanoparticle (LNP) formulation is used, the formulation may include a cationic lipid, non-cationic lipid, PEG lipid and structural lipid in the ratios 50:10:1.5:38.5. The cationic lipid is DLin-KC2-DMA (50 mol %) or DLin-MC3-DMA (50 mol %), the non-cationic lipid is DSPC (10 mol %), the PEG lipid is PEG-DOMG (1.5 mol %) and the structural lipid is cholesterol (38.5 mol %), for example.

Example 21: *Betacoronavirus* Challenge

The instant study is designed to test the efficacy in rabbits of candidate *Betacoronavirus* (e.g., MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-HKU1 or a combination thereof) vaccines against a lethal challenge using a *Betacoronavirus* (e.g., MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-HKU1 or a combination thereof) vaccine comprising mRNA encoding the spike (S) protein, the S1 subunit (S1) of the spike protein, or the S2 subunit (S2) of the spike protein obtained from *Betacoronavirus* (e.g., MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH or HCoV-HKU1). Rabbits are challenged with a lethal dose (10×LD90; ~100 plaque-forming units; PFU) of *Betacoronavirus* (e.g., MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH or HCoV-HKU1).

The animals used are 6-8 week old female rabbits in groups of 10. Rabbits are vaccinated on weeks 0 and 3 via an IM, ID or IV route of administration. Candidate vaccines are chemically modified or unmodified. Rabbit serum is tested for microneutralization (see Example 14). Rabbits are then challenged with ~1 LD90 of *Betacoronavirus* (e.g., MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH or HCoV-HKU1) on week 7 via an IN, IM, ID or IV route of administration. Endpoint is day 13 post infection, death or euthanasia. Animals displaying severe illness as determined by >30%

weight loss, extreme lethargy or paralysis are euthanized. Body temperature and weight are assessed and recorded daily.

Example 22: Microneutralization Assay

Nine serial 2-fold dilutions (1:50-1:12,800) of rabbit serum are made in 50 μ l virus growth medium (VGM) with trypsin in 96 well microtiter plates. Fifty microliters of virus containing ~50 pfu of *Betacoronavirus* (e.g., MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH or HCoV-HKU1) is added to the serum dilutions and allowed to incubate for 60 minutes at room temperature (RT). Positive control wells of virus without sera and negative control wells without virus or sera are included in triplicate on each plate. While the serum-virus mixtures incubate, a single cell suspension of Madin-Darby Canine-Kidney cells are prepared by trypsinizing (Gibco 0.5% bovine pancrease trypsin in EDTA) a confluent monolayer and suspended cells are transferred to a 50 ml centrifuge tube, topped with sterile PBS and gently mixed. The cells are then pelleted at 200 g for 5 minutes, supernatant aspirated and cells resuspended in PBS. This procedure is repeated once and the cells are resuspended at a concentration of 3×10^5 /ml in VGM with porcine trypsin. Then, 100 μ l of cells are added to the serum-virus mixtures and the plates incubated at 35° C. in CO₂ for 5 days. The plates are fixed with 80% acetone in phosphate buffered saline (PBS) for 15 minutes at RT, air dried and then blocked for 30 minutes containing PBS with 0.5% gelatin and 2% FCS. An antibody to the S proteins, S1 protein or S2 protein is diluted in PBS with 0.5% gelatin/2% FCS/0.5% Tween 20 and incubated at RT for 2 hours. Wells are washed and horseradish peroxidase-conjugated goat anti-mouse IgG added, followed by another 2 hour incubation. After washing, 0-phenylenediamine dihydrochloride is added and the neutralization titer is defined as the titer of serum that reduced color development by 50% compared to the positive control wells.

Example 23: MERS CoV Vaccine Immunogenicity Study in Mice

The instant study was designed to test the immunogenicity in mice of candidate MERS-CoV vaccines comprising a mRNA polynucleotide encoding the full-length Spike (S) protein, or the S2 subunit (S2) of the Spike protein obtained from MERS-CoV.

Mice were vaccinated with a 10 μ g dose of MERS-CoV mRNA vaccine encoding either the full-length MERS-CoV Spike (S) protein, or the S2 subunit (S2) of the Spike protein on days 0 and 21. Sera were collected from each mice on days 0, 21, 42, and 56. Individual bleeds were tested for anti-S, anti-S2 activity via a virus neutralization assay from all four time points.

As shown in FIG. 17, the MERS-CoV vaccine encoding the full-length S protein induced strong immune response after the boost dose on day 21. Further, full-length S protein vaccine generated much higher neutralizing antibody titers as compared to S2 alone (FIG. 18).

Example 24: MERS CoV Vaccine Immunogenicity Study in New Zealand White Rabbits

The instant study was designed to test the immunogenicity of candidate MERS-CoV mRNA vaccines encoding the full-length Spike (S) protein. The New Zealand white rabbits

used in this study weighed about 4-5 kg. The rabbits were divided into three groups (Group 1a, Group 1b, and Group 2, n=8). Rabbits in Group 1a were immunized intramuscularly (IM) with one 20 μ g dose of the MERS-CoV mRNA vaccine encoding the full-length Spike protein on day 0. Rabbits in Group 1b were immunized intramuscularly (IM) with one 20 μ g dose of the MERS-CoV mRNA vaccine encoding the full-length Spike protein on day 0, and again on day 21 (booster dose). Group 2 received placebo (PBS). The immunized rabbits were then challenged and samples were collected 4 days after challenge. The viral loads in the lungs, bronchoalveolar lavage (BAL), nose, and throat of the rabbits were determined, e.g., via quantitative PCR. Replicating virus in the lung tissues of the rabbits were also detected. Lung histopathology were evaluated and the neutralizing antibody titers in serum samples of the rabbits were determined.

Two 20 μ g doses of MERS-CoV mRNA vaccine resulted in a 3 log reduction of viral load in the nose and led to complete protection in the throat of the New Zealand white rabbits (FIG. 19A). Two 20 μ g doses of MERS-CoV mRNA vaccine also resulted in a 4 log reduction of viral load in the BAL of the New Zealand white rabbits (FIG. 19B). One 20 μ g dose of MERS-CoV mRNA vaccine resulted in a 2 log reduction of viral load, while two 20 μ g doses of MERS-CoV mRNA vaccine resulted in an over 4 log reduction of viral load in the lungs of the New Zealand white rabbits (FIG. 19C).

Quantitative PCR results show that two 20 μ g doses of MERS-CoV mRNA vaccine reduced over 99% (2 log) of viruses in the lungs of New Zealand white rabbits (FIG. 20A). No replicating virus were detected in the lungs (FIG. 20B).

Further, as shown in FIG. 21, two 20 μ g doses of MERS-CoV mRNA vaccine induced significant amount of neutralizing antibodies against MERS-CoV (EC₅₀ between 500-1000). The MERS-CoV mRNA vaccine induced antibody titer is 3-5 fold better than any other vaccines tested in the same model.

Example 25: Immunogenicity Study

The instant study is designed to test the immunogenicity in mice of candidate MeV vaccines comprising a mRNA polynucleotide encoding MeV hemagglutinin (HA) protein, MeV Fusion (F) protein or a combination of both.

Mice are immunized intravenously (IV), intramuscularly (IM), or intradermally (ID) with candidate vaccines. Up to three immunizations are given at 3-week intervals (i.e., at weeks 0, 3, 6, and 9), and sera are collected after each immunization until weeks 33-51. Serum antibody titers against MeV HA protein or MeV F protein are determined by ELISA.

Example 26: MeV Rodent Challenge

The instant study is designed to test the efficacy in transgenic mice of candidate MeV vaccines against a lethal challenge using a MeV vaccine comprising mRNA encoding MeV HA protein or MeV F protein. The transgenic mice express human receptor CD46 or signaling lymphocyte activation molecule (SLAM) (also referred to as CD150). Humans are the only natural host for MeV infection, thus transgenic lines are required for this study. CD46 is a complement regulatory protein that protects host tissue from complement deposition by binding to complement components C3b and C4b. Its expression on murine fibroblast and

lymphoid cell lines renders these otherwise refractory cells permissive for MeV infection, and the expression of CD46 on primate cells parallels the clinical tropism of MeV infection in humans and nonhuman primates (Rall G F et al. *PNAS USA* 1997; 94(9):4659-63). SLAM is a type 1 membrane glycoprotein belonging to the immunoglobulin superfamily. It is expressed on the surface of activated lymphocytes, macrophages, and dendritic cells and is thought to play an important role in lymphocyte signaling. SLAM is a receptor for both wild-type and vaccine MeV strains (Sellin C I et al. *J Virol.* 2006; 80(13):6420-29).

CD46 or SLAM/CD150 transgenic mice are challenged with a lethal dose of the MeV. Animals are immunized intravenously (IV), intramuscularly (IM), or intradermally (ID) at week 0 and week 3 with candidate MeV vaccines

with and without adjuvant. The animals are then challenged with a lethal dose of MeV on week 7 via IV, IM or ID. Endpoint is day 13 post infection, death or euthanasia. Animals displaying severe illness as determined by >30% weight loss, extreme lethargy or paralysis are euthanized. Body temperature and weight are assessed and recorded daily.

In experiments where a lipid nanoparticle (LNP) formulation is used, the formulation may include a cationic lipid, non-cationic lipid, PEG lipid and structural lipid in the ratios 50:10:1.5:38.5. The cationic lipid is DLin-KC2-DMA (50 mol %), the non-cationic lipid is DSPC (10 mol %), the PEG lipid is PEG-DOMG (1.5 mol %) and the structural lipid is cholesterol (38.5 mol %), for example.

TABLE 1

hMPV Immunogenicity studies bleeding schedule										
Animal groups			Day							
			-2	0	7	14	21	28	35	56
Placebo	Group 1 (n = 8)	PBS (IM)	Pre-Bleed	Prime	Bleeds	Bleeds	Bleeds/Boost	Bleeds	Bleeds	Harvest Spleens/Terminal Bleeds
10 µg Dose	Group 2 (n = 8)	10 µg (IM)								
2 µg Dose	Group 3 (n = 8)	2 µg (IM)								

Total n = 24

Each of the sequences described herein encompasses a chemically modified sequence or an unmodified sequence which includes no nucleotide modifications.

TABLE 2

Description	Sequence	SEQ ID NO:
hMPV Nucleic Acid Sequences		
gi 122891979 gb EP051124.1 Human metapneumo virus isolate TN/92-4 fusion protein gene, complete genome	ATGAGCTGGAAGGTGGTGATTATCTTCAGCCTGCTGATTA CACCTCAACACGGCCTGAAGGAGAGCTACCTGGAAGAGA GCTGCTCCACCATCACCGAGGGCTACTGAGCGTGTCTGC GGACCGGCTGGTACACCAACGTGTTACCCCTGGAGTGG GCGACGTGGAGAACCTGACCTGCAGCGACGGCCCTAGCC TGATCAAGACCGAGCTGGACCTGACCAAGAGCGCTCTGA GAGAGCTGAAGACCGTGTCCGCCGACAGCTGGCCAGAG AGGAACAGATCGAGAACCCTCGGCAGAGCAGATTCTGTG TGGGCGCCATCGCTCTGGGAGTCGCCGCTGCCGCTGCAG TGACAGCTGGAGTGGCCATTGCTAAGACCATCAGACTGG AAAGCGAGGTGACAGCCATCAACAATGCCCTGAAGAAG ACCAACGAGGCCGTGAGCACCTGGGCAATGGAGTGAGA GTGCTGGCCACAGCCGTGCGGGAGCTGAAGGACTTCGTG AGCAAGAACCTGACCAGAGCCATCAACAAGAACCAAGTG CGACATCGATGACCTGAAGATGGCCGTGAGCTTCTCCCA GTTCAACAGACGGTTCTTGAACGTGGTGAGACAGTTCTC CGACAACGCTGGAATCACACCTGCCATTAGCCTGGACCT GATGACCGACGCCGAGCTGGCTAGAGCCGTGCCAACAT GCCCACCAGCGCTGGCCAGATCAAGCTGATGCTGGAGAA CAGAGCCATGGTGGGAGAAAGGGCTTCGGCATCTGAT TGGGGTGTATGGAAGCTCCGTGATCTACATGGTGCAGCT GCCCATCTTCGGCGTGATCGACACACCTGTGTTGATCGTG AAGGCCGCTCCTAGCTGCTCCGAGAAGAAAGGAACTAT GCCTGTCTGTGAGAGAGGACCAGGGCTGGTACTGCCAG AACGCCGGAAGCACAGTGTACTATCCCAACGAGAAGGAC TGCAGAGACCAGAGGCCGACACGTGTTCTGCGACACCCT GCCGGAATCAACGTGGCCGAGCAGACGAAGGAGTGCAA CATCAACATCAGCACCAACCACTACCCCTGCAAGGTGAG CACCGGACGGCACCCATCAGCATGGTGGCTCTGAGCCC TCTGGGCGCTCTGGTGGCCTGCTATAAGGGCGTGTCTGT AGCATCGCAGCAATCGGGTGGGCATCATCAAGCAGCTG	1

TABLE 2 -continued

Description	Sequence	SEQ ID NO:
gb AY525843.1 : 3065-4684 Human metapneumo virus isolate NL/1/99, complete genome	<p>AACAAAGGGATGCTCCTACATCAACCAACAGGACGCGAC ACCGTGACCATCGACAACACCGTGTACCAGCTGAGCAAG GTGGAGGGCGAGCAGCACGTGATCAAGGGCAGACCCGT GAGCTCCAGCTTCGACCCCATCAAGTTCCTGAGGACCA GTTCAACGTGGCCCTGGACCAAGGTGTTGAGAATCGA GAACAGCCAGGCCCTGGTGGACCAGAGCAACAGAATCCT GTCCAGCGCTGAGAGGGCAACACCGGCTTCATCATTGT GATCATTCTGATCGCCGTGCTGGGCAGCTCCATGATCCTG GTGAGCATCTTCATCATTATCAAGAAGCAAGAACC ACCGGAGCCCTCCTGAGCTGAGCGGCGTGACCAACAAT GGCTTCATTCCCACAACCTGA</p> <p>ATGCTTTGGAAAGTGATGATCATCATTTTCGTTACTCATAA CACCCAGCACGGGCTAAAGGAGAGTTATTTGGAAGAAT CATGTAGTACTATAACTGAGGGATACCTCAGTGTTTAAG AACAGGCTGGTACACTAATGTCTTACATAGAAAGTTGGT GATGTTGAAAATCTTACATGTACTGATGGACCTAGCTTAA TCAAACAGAACTTGATCTAACAAAAAGTGTCTAAGGG AACTCAAACAGCTCTCTGTGATCAGTTGGCGAGAGAGG AGCAAATTGAAAATCCAGACAATCAAGATTTGTCTTAG GTGCGATAGCTCTCGGAGTTGCTACAGCAGCAGCAGTCA CAGCAGGCATTGCAATAGCCAAAACCATTAAGGCTTGAGA GTGAGGTGAATGCAATTAAGGTGCTCTCAAACAACCTA ATGAAGCAGTATCCACATTAGGGAATGGTGTGCGGGTCC TAGCCACTGCAGTGAGAGAGCTAAAAGAAATTTGTGAGCA AAAACCTGACTAGTGAATCAACAGGAACAAATGTGACA TTGCTGATCTGAAGATGGCTGTCAGCTTCAGTCAATTCAA CAGAAAGATTTCTAAATGTTGTGCGGCAGTTTTTCAGACAAT GCAGGGATAACACCAGCAATATCATTGGACCTGATGACT GATGCTGAGTTGGCCAGAGCTGTATCATACATGCAACA TCTGCAGGGCAGATAAACTGATGTTGGAGAACCAGCGCA ATGGTAAGGAGAAAAGGATTTGGAATCCTGATAGGGGTC TACCGAAGCTCTGTGATTTACATGGTTCAATGCGGATCT TTGGTGTCTAGATACACCTTGTGGATCATCAAGGCAGC TCCCTCTTGTCTCAGAAAAAACGGGAATTTATGCTTGCCCT CTAAGAGAGGATCAAGGGTGGTATTGTAATAAATGCAGGA TCTACTGTTTACTACCCAAATGAAAAGACTGCGAAACA AGAGGTGATCATGTTTTTTGTGACACAGCAGCAGGGATC AATGTTGCTGAGCAATCAAGAGAATGCAACATCAACATA TCTACTACCAACTACCCATGCAAAGTCAGCAGGAAAGA CACCCTATAAGCATGGTTGCACTATCACCTCTCGGTGCTT TGGTGGCTTGCTATAAAGGGGTAAGCTGCTCGATTGGCA GCAATTGGGT</p> <p>TGGAATCATCAAACAATTACCCAAAGGCTGCTCATACAT AACCAACCAGGATGCAGACACTGTAACAATTGACAATAC CGTGTATCAACTAAGCAAAGTTGAAGGTGAACAGCATGT AATAAAGGGGAGACCAGTTTCAAGCAGTTTGTATCCAAT CAAGTTTCTGAGGATCAGTTCAATGTTGCGCTTGATCAA GTCTTCGAAAGCATTGAGAACAGTCAGGCACCTAGTGGAC CAGTCAAACAAAATTTCTAAACAGTGCAGAAAAAGGAAA CACTGGTTTCAATATCGTAGTAATTTGGTTGCTGTTCTTG GTCTAACCATGATTTTCAGTGTGAGCATCATCATATAATCAA GAAAAAAGGAAAGCCACAGGAGCACCTCCAGAGCTGA ATGGTGTCAACACGGCGGTTTCATACCACATAGTTA</p>	2
gb KJ627414.1 : 3015-4634 Human metapneumo virus strain hMPV/ <i>Homo sapiens</i> /PER/ CFI0497/2010/B, complete genome	<p>ATGCTTTGGAAAGTGATGATTATCATTTTCGTTACTCATAA CACCTCAGCATGGACTAAAAGAAAGTTATTTAGAAGAA CATGTAGTACTATAACTGAAGGATATCTCAGTGTTTAAG AACAGGTTGGTACCAATGTCCTTTACATAGAAAGTTGGT GATGTTGAAAATCTTACATGTACTGATGGACCTAGCTTAA TCAAACAGAACTTGACCTAACCAAAAGTGTCTAAGAG AACTCAAACAGTTTCTGTGATCAGTTAGCGAGAGAAG AACAAATTGAAAATCCAGACAATCAAGGTTTGTCTTAG GTGCAATAGCTCTGGAGTTGCCACAGCAGCAGCAGTCA CAGCAGGCATTGCAATAGCCAAAACATAAGGCTTGAGA GTGAAGTGAATGCAATCAAAGGTGCTCTCAAACAACCA ATGAGGCAGTATCAACACTAGGAAATGGAGTGCAGGCTCC TAGCCACTGCAGTAAGAGAGCTGAAAGAAATTTGTGAGCA AAAACCTGACTAGTGCATCAACAAGAACAAGTGTGACA TTGCTGATTTGAAGATGGCTGTCAGCTTCAGTCAATCAA CAGAAGATTTCTAAATGTTGTGCGGCAGTTTTTCAGACAAT GCAGGGATAACACCAGCAATATCATTGGACCTGATGAAT GATGCTGAGCTGGCCAGAGCTGTATCATACATGCCAACA TCTGCAGGACAGATAAACTAATGTTAGAGAACCCTGCA ATGGTGTGAGGAGAAAAGGATTTGGAATCTTGA TAGGGGTC TACCGAAGCTCTGTGATTTACATGTTCCAGCTGCCGATCT</p>	3

TABLE 2 -continued

Description	Sequence	SEQ ID NO:
gb KJ723483.1 : 5586-7310 Human respiratory syncytial virus strain RSV A/ <i>Homo sapiens</i> /USA/84I-215A-01/1984, complete genome	TTGGTGTCTATAAATACACCTTGTGGATAATCAAGGCAGC TCCCTCTTGTTCAGAAAAAGATGGAAATTATGCTTGCCCTC CTAAGAGAGGATCAAGGGTGGTATTGTAATAATGCAGGA TCCACTGTTTACTACCCAATGAAAAGACTGCGAAACA AGAGGTGATCATGTTTTTTGTGACACAGCAGCAGGGATC AATGTTGCTGAGCAATCAAGAGAATGCAACATCAACATA TCTACCACCAACTACCCATGCAAAAGTCAGCACAGGAAGA CACCCTATCAGCATGGTTGCACATCACCTCTCGGTGCTT TGGTAGCTTGCTACAAAGGGTTAGCTGCTCGACTGGCA GTAATCAGGTGGAAATAAACAACACTACCTAAAGGCT GCTCATACATAACTAACAGGACGCAGACACTGTAACAA TTGACAACACTGTGTATCAACTAAGCAAAGTTGAGGGTG AACAGCATGTAATAAAAGGGAGACCAGTTTCAAGCAGTT TTGATCCAATCAGGTTTCTGAGGATCAGTTCAATGTTGC GCTTGATCAAGTCTTGAAGCATTGAAAACAGTCAAGC ACTAGTGGACCAGTCAAAACAAATTTCTGACAGTGCAGA AAAAGGAAACACTGGT TTCATTATTGTAATAATTTGATTGCTGTTCTTGGTTAAAC CATGATTTTCAGTGAGCATCATCATATAATCAAAAAAC AAGGAAGCCACAGGGGCACCTCCGGAGCTGAATGGTGT TACCAACGGCGGTTTCATACCGCATAGTTAG ATGGAGTTGCCAATCCTCAAAACAAATGCAATTACCACA ATCCTTGCTGCAGTCACACTCTGTTTCGCTTCCAGTCAAA ACATCACTGAAGAAATTTTATCAATCAACTGCAGTGCAG TTAGCAAAGGCTATCTTAGTGTCTAAGAACGGTTGGTA TACTAGTGTTATAACTATAGAATTAAGTAATATCAAGGA AAATAAGTGTAAATGGAACAGATGCTAAGGTAAAATGAT AAAACAAGAATTAGATAAATATAAAAAATGCTGTAACAGA ATTGCAAGTTGCTCATGCAAGGACACCCAGCAGCCAAACA TCGAGCCAGAAGAGAACTACCAAGGTTTATGAATTATAC ACTCAATAATACCAAAAAACCAATGTAACATTAAGCAA GAAAAGGAAAAGAAAGATTCTTGGCTTTTGTAGGTGTT GGATCTGCAATCGCCAGTGGCATTGCTGTATCTAAGGTCC TGCACCTAGAAGGGGAGTGAACAAAATCAAAGTGCTC TACTATCCACAACCAAGGCTGTAGTCAGCTTATCAAATG GAGTTAGTGTCTTAACAGCAAGTGTAGACCTCAAAA ACTATATAGATAAAACAGTTGTTACCTATTGTGAACAAGC AAAGCTGCAGCATATCAACATTTGAACTGTGATAGAGT TCCAACAAAAGAACCAACAGACTACTAGAGATTACCAGGG AATTTAGTGTAAATGCAGGTGTAACACCTGTAAGCAC TTATATGTTAACTAATAGTGAATTTATCAATTAATCAAT GATATGCTTATAACAAATGATCAGAAAAGTTAATGTCC AACAAATGTTCAAATAGTTAGACAGCAAAGTTACTCTATC ATGTCCATAATAAAGGAGGAGTCTTAGCATATGTAGTA CAATTACCACTATATGGTGAATAGATACACCTGTTGGA AACTGCACACATCCCTCTATGTACAACCAACACAAGG AAGGGTCCAACATCTGCTTAACAAGAACCGACAGAGGAT GGTATGTGACAATGCAGGATCAGTATCTTCTTCCACA AGCTGAAACATGTAAGTTCAATCGAATCCGGGTATTTGT GACACAATGAAACAGTTAACATTTACCAAGTGAAGTAAAT CTCTGCAACATTGACATATTAACCCCAATATGATTGCA AAATATGACTTCAAAAAAGATGTAAGCAGCTCCGTTA TCACATCTTAGGAGCCATTGTGTATGCTATGGCAAAAC TAAATGTACAGCATCCAATAAAAATCGTGGGATCATAAA GACATTTTCTAACGGGTGTGATTTATGATCAAAATAAGGG GGTGGATACTGTGTCTGTAGGTAATACATTAATTATGTA AATAAGCAAGAAGGCAAAAGTCTCTATGTAAGGTTGAA CCAATAATAAATTTCTATGACCCATTAGTGTTCCTCTCTG ATGAATTTGATGCATCAATATCTCAAGTCAATGAGAAGA TTAACCGAGCCTAGCATTTATTCGTAATCCGATGAATT ATTACATAATGTAATGCTGGTAAATCCACCACAAATAT CATGATAACTACTATAATATAGTGTATATAGTAATATTG TTATCATTAATTGCAGTTGGACTGCTCTATACTGCAAGG CCAGAAGCACACCAGTCAACATAAGTAAGGATCAACTGA GTGGTATAAATAATATTGCATTAGTAACCTGA	4
hMPV mRNA Sequences		
gi 122891979 gb EF051124.11 Human metapneumo virus isolate TN/92-4 fusion protein gene, complete genome	AUGAGCUGGAAGGUGUGAUUAUCUUCAGCCUGCUGAU UACACCUCAACACCGGCCUGAAGGAGAGCUACUGGAAG AGAGCUGCUCCACCAUCAACGGGGCUACUGAGCGUG CUGCGGACCGGUGUACACCAACGUGUUCACCCUGGA GGUGGGCGACGUGGAGAACUGACCUGCAGCGACGGCC CUAGCCUGAUAAGACCGAGCUGGACCUAGCAAGAGC GUCUGAGAGAGCUGAAGACCGUGUCCGCGACCGAGCU	57

TABLE 2 -continued

Description	Sequence	SEQ ID NO:
gb AY525843.1 : 3065-4684 Human metapneumo virus isolate NL/1/99, complete genome	GGCCAGAGAGGAACAGAU CGAGA ACCUCGCGAGAGCA GAUUCGUGCUGGGCGCCAU CGCUCUGGGAGUCGCGCGCU GCCCGUCAGUGACAGCUGGAGUGGCCAUUGCUAAGAC CAUCAGACUGGAAAGCGAGGUGACAGCCAUCAACA AUG CCCUGAAGAAGACCAACGAGGCCGUGAGCACCCUGGGC AAUGGAGUGAGAGUGCUGGCCACAGCCUGCGGGAGCU GAAGGACUUCGUGAGCAAGAACCUGACCAGAGCCAUCA ACAAGAACAAGUGCGACAUCGAUGACCUGAAGAUGGCC GUGAGCUUCUCCAGUUAACAGACGGUUCUGAACGU GGUGAGACAGUUCUCCGACAACCGCUGGAUACACCCUG CCAUUAAGCCUGGACCCUGAUGACCGCCGAGCUGGGCU AGAGCCGUGCCCAACAUGCCACCAGCGCUGGCAGAU CAAGCUGAUGCUGGAGAA CAGAGCC AUGGUGCGGAGAA AGGGCUUCGGCAUCUGAUGGGGUGUAUGGAAGCUC GUGAUCAACAUGGUGCAGCUGCCAUUUCGCGUGAU CGACACACCUCGUGGAUCGUGAAGGCCGUCUAGCU GUCUCCGAGAAGAAAGAAACUAUGCCUGUCUGCUGAGA GAGGACCAGGGCUGGUACUGCCAGAACCGGAGGCAC AGUGUACUAUCCCAACGAGAGGACUGCGAGACCAGAG GCGACCACGUGUUCUGCGACACCGCUGCCGAAUACAC GUGGCCGAGCAGAGCAAGGAGUGCAACAACAUCAG CACAACCAACUACCCUGCAAGGUGAGCACCGGACGGC ACCCAUCAGCAUGGUGGCUUGAGCCUCUGGGCGCU CUGGUGGCCUGCUAUAAGGGCUGUCCUGUAGCAUCGG CAGCAUCCGGUGGGCAUCAUAAGCAGCUGAACAAAGG GAUGCUCUACAUACCAACAGGACCGCCAGCACCCGUG ACCAUCGACAAACACCGUGUACAGCUGAGCAAGGUGGA GGGCGAGCAGCAGCUGAUCAAGGGCAGACCCUGAGCU CCAGCUUCGACCCAUCAAGUUCUCCUGAGGACCAGUUC AACGUGGCCUGGACCAGGUGUUGAGAAACAUCGAGAA CAGCCAGGCCUGGUGGACCAGAGCAACAGAAUCCUGU CCAGCGCUGAGAAGGGCAACACCGGCUUCAUUAUGUG AUCAUUCUGAUCGCCGUGCUGGGCAGCUCUAGAUCCU GGUGAGCAUCUUAUCAUUAUCAAGAAAGCCAAAGAAC CCACCGAGCCUUCUGAGCUGAGCGGCGUAGCCAAC AAUGGCUUCAUCCCCCAACUGA AUGUCUUGGAAAGUGAUGAUCAUUUCGUUACUCAU AACACCCAGCACGGGCUAAAGGAGAGUUAUUGGAAG AAUCAUGUAGUACUUAACUGAGGGAUACCUAGUGUU UUAAGAACAGGCUGGUACACUAAUGUCUUCACAUAGA AGUUGGUGAUGUUGAAAUCUUAACAUUGUACUGAUGGA CCUAGCUUAAUCAAACAGAACUUGAUUUAACAAAAG UGCUUUAAGGGAACUAAAACAGUCUCUGCUGAUCAGU UGGCGAGAGAGGAGCAAAUUGAAAAUCCAGACAAUCA AGAUUUGUCUUAAGGUGCGAUAGCUCUCGGAGUUGCUAC AGCAGCAGCAGUCACAGCAGGCAUUGCAAUAGCCAAAA CCAUAAGGCUCUGAGAGUGAGGUAUGCAAUUAAGG UGCUCUCAAACAAACUUAUUAAGCAGUACCAAUUAG GGAAUGGUGUGCGGUCUAGCCACUGCAGUGAGAGAG CUAAAAGAAUUGUGAGCAAAAACCUAGCUAGUGCAAU CAACAGGAACAAUUGUACA UUGCUGAUCUGAAGAUUGG CUGUCAGCUUCAGUCAAUUCAACAGAAAGAUUCUAAU GUUGGCGGCAGUUUUCAGACAAUGCAGGGAUAAACACC AGCAAUAUCAUUGGACCUGAUGACUGAUGCUGAGUUGG CCAGAGCUGUAUCAUAUGCCAACAUUGCAGGGCAG AUAAAACUGAUGUUGGAGAACCGCCAAUGGUAAGGAG AAAAGGAUUUGGAAUUCUGAUAGGGGUUACGGAAAGCU CUGUGAUUUACAUGGUCAAUUGCCGAUCUUUGGUGUC AUAGAUAACCCUUGUUGGAUCAUAAGGCAGCUCUCCUC UUGCUCAGAAAAAACGGGAUUUAGCUCUCCUUA GAGAGGAUCAAGGGUGGUUUUUAUUAAAUGCAGGAUC UACUGUUUAUCUACCAAUUGAAAAAGACUGCGAAACAA GAGGUGAUCAGUUUUUGUGACACAGCAGCAGGGAUUC AAUGUUGCUGAGCAAUCAAGGAAUGCAACAUCAACAU AUCUAUCAACCAUCACCAUGCAAGUCAGCACAGGAA GACACCCUAUAAGCAUGGUUGCACAUCACCCUCUGGU GCUUUGGGGCUUGCUUUAAGGGUUAAGCUGCUCGAU UGGCAGCAAUUGGCU UGGAAUCAUCAACAAUUAACCAAAGGCUGCUCAUACA UAACCAACCAGGAUGCAGACACUGUAACA AUUGACAAU ACCGUGUAUCAACUAAAGCAAGUUGAAGGUGAACAGCA UGUAAUAAAAGGGAGACCAGUUUCAAGCAGUUUGAUC CAAUCAAGUUUCUGAGGUAUCAGUCAAUGUUGCGCU GAUCAAGUCUUCGAAAGCAUUGAGAACAGUCAGGCACU AGUGGACCAGUCAACAAA AUUCAACAGUCAGGAAA	58

TABLE 2 -continued

Description	Sequence	SEQ ID NO:
gb KJ627414.1 : 3015-4634 Human metapneumo virus strain hMPV/ <i>Homo sapiens</i> /PER/ CFI0497/2010/B, complete genome	<p>AAGGAAACACUGGUUUCAUUAUCGUAUAAUUUUGGU UGCUGUUCUUGGUCUAACCAUGAUUUUCAGUGAGCAUCA UCAUCAUAAUCAAGAAAAACAAGGAAGCCACAGGAGCA CCUCCAGAGCUGAAUGGUGUCACCAACGGCGGUUCAU ACCACAUAGUUAG</p> <p>AUGUCUUGGAAAGUGAUGAUUAUCAUUUCGUUACUCAU AACACCUCAGCAUGGACUAAAAGAAAGUUUUUAGAAG AAUCAUGUAGUACUAUAACUGAAGGAUUAUCAGUGUU UUAGAACAGGUUGUACACCAAGUCUUUAUCAUUAGA AGUUGGUGAUGUUGAAAAUCUUACAUGUACUGAUGGA CCUAGCUUAAUCAAACAGAACUUGACCUAACCAAAG UGC UUUAAGAGAACUCAAAACAGUUUUCGUGAUCAGU UAGCGAGAGAAGAACAAUUGAAAAUCCAGACAAUCA AGGUUUUGUCUAGGUGCAUAGCUCUUGGAGUUUCAC AGCAGCAGCAGUCACAGCAGGCAUUGCAUAGCCAAA CUAUAAGGCUCUGAGAGUGAAGUGAAUGCAAUCAAAG UGCUCUCAAAAACAACCAUAGGGCAGUAUCAACACUAG GAAUUGGAGUGCGGUUCUAGCCACUGCAGUAAAGAGAG CUGAAGAAUUUGUGAGCAAAAACUGACUAGUGCGAU CAACAAGAAACAAGUGUGACAUUGCUGAUUUUGAAGUUG CUGUCAGCUUCAGUCAGUUAACAAGAAAUUCUAAAU GUUGUGCGGCAGUUUCAGACAAGCAGGGAUAACACC AGCAAUAUCAUUGGACCUAGAAUGAUGCUGAGCUGG CCAGAGCUGUAUCAUACUAGCAACAUUCGAGGACAG AUAAAACUAAUGUAGAGAACCUGCAAUGGUGAGGA GAAAAGGAUUUGGAUUCUUGAUAGGGGUUCAAGGAAG CUCUGUGAUUUACAUGGUCCAGCUGCCGUAUCUUUGGUG UCAUAAAUAACCUUGUUGGAUUAUCAAGGCAGCUC UCUUGUUCAGAAAAAGAUAGAAUUAUGCUUGCCUUCU AAGAGAGGAUCAAGGGUGUUAUUGAUAUAAAUGCAGGA UCCACUGUUUAUCACCAAUUGAAAAGACUGCGAAAC AAGAGGUGAUC AUGUUUUUGUGACACAGCAGCAGGGA UCAAUUGUCUGAGCAAUCAAGAGAUAUGCAAUCAAC AUAUCUACCACCAACUACCAUGCAAAGUCAGCACAGG AAGACACCCUAUCAGCAUGGUUGCAUCAACCUUCUG GUGCUUUGGUAUCUACAAAGGGUUAGCUGCUCG ACUGGCAGUAAUCAGGUUGGAAUUAACAACAAUAC UAAAGGCUGCUCAUACAUAACAACAGGACGCAGACA CUGUAACAUAUGACAACACUGUGUAUCAUAAGCAA GUUGAGGGUGAACAGCAUGUAUAAAAGGGAGACCAG UUUCAAGCAGUUUUGAUCCAAUCAGGUUUCCUGAGGAU CAGUUCAAUGUUGCGCUUGAUCAGUUCUUUGAAAGCAU UGAAAACAGUCAAGCAUCAGUGGAC CAGUCAAAACAAA UUCUGAACAGUGCAGAAAAGGAAACAUCUGGU UUCAUUAUUGUAAUUAUUGAUGCUGUUCUUGGGU UAAACAUGAUUCAGUGAGCAUCAUCAUAAUCAA AAAAACAAGGAAGCCACAGGGGCACUCCGGAGCUGAA UGGUGUUACCAACGGCGGUUCAUACCGCAUAGUUAG</p>	59
gb KJ723483.1 : 5586-7310 Human respiratory syncytial virus strain RSVA/ <i>Homo sapiens</i> /USA/84I- 215A-01/1984, complete genome	<p>AUGGAGUUGCCAAUCCUCAAAAACAAGCAAUACCAC AAUCCUUGCUGCAGUCACACUCUGUUUCGCUUCAGUC AAAACAUCACUGAAGAAUUUAUCAAUCAACUAGCAGU GCAGUUAGCAAAGGCUAUCUUAUGUCUUAAGAACUGG UUGUAUACUAGUGUUUAACAUAUAGAAUUAAGUAAU AUCAAGGAAAAUAAGUGUAAUGGAACAGAUUCUAGG UAAAAUUGAUAACAAGAAUUAAGAUAAAUAUAAAA UGCUGUAACAGAAUUGCAGUUGCUAUGCAAAGCACAC CAGCAGCCAAACUAGCCAGAGAGAAACUACCAAGG UUUAUGAAUUAUACACUCAAUAAUACAAAAAUACCAA UGUAACAUAUAGCAAGAAAAGGAAAAGAAUUCUU GGCUUUUUGUUAGGUGUUGGAUCUGCAAUCGCGAGUGG CAUUGCUGUAUCUAAGGUCCUGCACUAGAAAGGGGAAG UGAACAAAUCAAAAGUGUCUACUAUCCACAAACAG GCUGUAGUCAGCUUAUCAAAUGGAGUUAGUGUCUUAAC CAGCAAAGUGUAGACCUCAAAAACUAUAUAGAUAAAC AGUUGUUACCUAUUGUAACAAGCAAAGCUGCAGCAUA UCAACAUAUGAAACUGUGAUAGAUUCCAAACAAAAGAA CAACAGACUACUAGAGAUUACAGGGAUUUAGUGUUA AUGCAGGUGUAACUACACUGUAAGCAUUAUAGUUA ACUAUAGUGAAUUAUUAUCAUUAUCAAUGAUUUGCC UAUUAACAAGAUACAGAAAAGUUAAUGUCCAAACAAUG UUCAAAUAGUUAGACAGCAAGUUACUUAUAGUUC AUAAUAAAAGGAGGAGUCUAGCAUAGUAGUACAAU UACCACUAUAGGUGUAUAGAUACACCCUUGUUGGAAA CUGCACACAUCCCUUAUGUAACAACAACAAGGA</p>	60

TABLE 2 -continued

Description	Sequence	SEQ ID NO:
	AGGGUCCAACAUCUGCUUAAACAAGAACCACAGAGGAU GGUAUUGGACAAUGCAGGAUCAGUAUCUUUCUCCCA CAAGCUGAAACAUGUAAAGUUCAAUCGAAUCGGGUAUU UUGUGACACAUGAACAGUUUAAACAUUACCAAGUGAAG UAAAUUCUCUGCAACAUCAGUAUUUACCCCAAUUAU GAUUGCAAAAUUAUGACUUCAAAAACAGUAAGCAG CUCCGUUAUCACAUUCUAGGAGCCAUUGUGUCAUGCU AUGGCAAAACUAAAUGUACAGCAUCCAAUAAAAUUCGU GGGAUCAAAAAGACAUUUUCUACGGGUGUGAUUUG UAUCAAUAAGGGGGUGGAUACUGUGUCUGUAGGUAA UACAUUAUUAUUGUAAAUAAGCAAGAGGCAAAAGU CUCUAUGUAAAAGGUGAACCAUUAUAAAUUUCUAUGA CCCAUUGUGUUCUCCUUGAUGAAUUGAUGCAUCA UAUCUCAAGUCAAUAGAGAAGAUUACAGAGCCUAGCA UUUAUUCGUAAAUCGGAUUAUUUACAUAAUGUAA AUGCUGGUAUUUCCACCAAAAUAUCAUGAUACUACU AUAAUUUAUGUAUUAUGUAUUAUUUGUUAUCAUUA UUGCAGUUGGACUGCUCUUAUCUGCAAGGCCAGAAAGC ACACCAGUCACACUAAGUAAGGAUCAUGAGUGGUUU AAAAUUAUUGCAUUUAGUAACUGA	

TABLE 3

hMPV Amino Acid Sequences		
Description	Sequence	SEQ ID NO:
gi 122891979 gb EF051124.1 Human metapneumo virus isolate TN/92-4 fusion protein gene, complete cds	MSWKVVIIFSLITPQHGLKESYLEESCSTITEGYLSVLRGTGW YTNVFTLEVGDVENLTCSDBGSLIKTELDLTKSALRELKTVS ADQLAREEQIENPRQSRFVLGAIALGVAAAAVATGAVIAK TIRLESEVTAINNALKKTNEAVSTLNGNVRVLTAVRELKD FVSKNLTRAINKNKCDIDDLKMAVFSQFNRRFLNVVRQFS DNAGITPAISLDLMTDAELARAVPNMPTSAQIKLMLNRA MVRKGFGLIGVYGS SVIYVQLPIFGVIDTPCWIKAAPS CSEKKNYAACLREDQGWYCKNAGSTVYYPNEKDCETRG DHFVCDTAAGINVAEQSKECNINISTTNYPCKVSTGRHPI SM VALSPLGALVACYKGVSCSIGSNRVGIKQLNKGCSYITNQD ADTVTIDNTVYQLSKVEGEQHVIKGRPVSSSFDPIKFPEDQF NVALDQVFENIENSQALVDQSNRILSSAEKGNTEGFIIVVILIAV LGSMSILVSIIFIIKKTRKPTGAPPELNGVTNNGFIPHN	5
gb AY525843.1 : 3065-4684 Human metapneumo virus isolate NL/1/99, complete cds	MSWKVMIISLLITPQHGLKESYLEESCSTITEGYLSVLRGTGW YTNVFTLEVGDVENLTCTDGP SLIKTELDLTKSALRELKTVS ADQLAREEQIENPRQSRFVLGAIALGVATAAAVATGAIIAKT IRLESEVNAIKGALKQTNEAVSTLNGNVRVLTAVRELKEF VSKNLTSAINRNKCDIADLKMAVFSQFNRRFLNVVRQFSD NAGITPAISLDLMTDAELARAVSYMPTSAQIKLMLNRAM VRRKGFGLIGVYGS SVIYVQLPIFGVIDTPCWIKAAPSCS EKNGNYACLLEDQGWYCKNAGSTVYYPNEKDCETRGDH VPCDTAAGINVAEQSRECNINISTTNYPCKVSTGRHPI SMVA LSPLGALVACYKGVSCSIGSNVVGIIKQLPKGCSYITNQDAD TVTIDNTVYQLSKVEGEQHVIKGRPVSSSFDPIKFPEDQFN ALDQVFESIENSQALVDQSNKILNSAEKGNTEGFIIVVILVAVL GLTMSVSIIFIIKKTRKPTGAPPELNGVTNNGFIPHS	6
gb KJ627414.1 : 3015-4634 Human metapneumo virus strain hMPV/Homo sapiens/PER/CFI04 97/2010/B, complete cds	MSWKVMIISLLITPQHGLKESYLEESCSTITEGYLSVLRGTGW YTNVFTLEVGDVENLTCTDGP SLIKTELDLTKSALRELKTVS ADQLAREEQIENPRQSRFVLGAIALGVATAAAVATGAIIAKT IRLESEVNAIKGALKTTNEAVSTLNGNVRVLTAVRELKEF VSKNLTSAINKNKCDIADLKMAVFSQFNRRFLNVVRQFSD NAGITPAISLDLMDAELARAVSYMPTSAQIKLMLNRAM VRRKGFGLIGVYGS SVIYVQLPIFGVINTPCWIKAAPSCS EKDGNYAACLLEDQGWYCKNAGSTVYYPNEKDCETRGDH VPCDTAAGINVAEQSRECNINISTTNYPCKVSTGRHPI SMVA LSPLGALVACYKGVSCSTGNSQVGIKQLPKGCSYITNQDAD TVTIDNTVYQLSKVEGEQHVIKGRPVSSSFDPIRFPEDQFN ALDQVFESIENSQALVDQSNKILNSAEKGNTEGFIIVVILVAVL LTMISVSIIFIIKKTRKPTGAPPELNGVTNNGFIPHS	7
gb KJ723483.1 : 5586-7310 Human	MELPILKTNAITTILAAVTLCPASSQNITEEFYQSTCSAVSKG YLSALRTGWYTSVITIELSNIKENKNGTDAKVKLIKQELDK	8

TABLE 3 -continued

hMPV Amino Acid Sequences		SEQ ID NO:
Description	Sequence	
respiratory syncytial virus strain R5VA/ <i>Homo sapiens</i> /USA/84I- 215A-01/1984, complete cds	YKNAVTEQLQLMQSTPAANNRARRRELPRFMNYTLNNTKNT NVTLSKKRKRRLGFLLVGSAIASGIAVSKVLHLEGEVVKI KSALLSTNKAVVSLNGVSVLTSTKVLDLKNIYIDKQLLPVNV KQSCSISNIEVIEFQKNNRLEI TRFESVFNAGVTPVSTYVM LTNSELLESLINDMPITNDQKKLMSNNVQIVRQQSYSIMSIKKE EVLAVVYVQLPLYGVIDTPCWKLTHTSPLCTNTTKEGSNICLTR TDRGWYCDNAGSVSFFPQAETCKVQSNRVFCDTMNSLTLP SEVNLCNIDIFNPKYDCKIMTSKTDVSSSVITSLGAIIVSCYK TKCTASNKNRGIKTFSENGCDVVSNGKVDTVSVGNTLYVNV KQEGKSLYVKGEPINFYDPLVFPSPDEFDASISQVNEKINQSL AFIRKSDELLHNVNAGKSTTNIMITIIIVIVILLSLIAVGLLL YCKARSTPVTLSKQQLSGINNIAFSN	

TABLE 4

hMPV NCBI Accession Numbers (Amino Acid Sequences)	
Virus	GenBank Accession
F [Human metapneumovirus] [Human metapneumovirus]	AEK26895.1
fusion glycoprotein [Human metapneumovirus]	ACJ53565.1
fusion glycoprotein [Human metapneumovirus]	ACJ53566.1
fusion glycoprotein [Human metapneumovirus]	ACJ53569.1
fusion protein [Human metapneumovirus]	AEZ52347.1
fusion glycoprotein [Human metapneumovirus]	ACJ53574.1
fusion glycoprotein [Human metapneumovirus]	AHV79473.1
fusion glycoprotein [Human metapneumovirus]	ACJ53570.1
fusion glycoprotein [Human metapneumovirus]	ACJ53567.1
fusion protein [Human metapneumovirus]	AAS22125.1
fusion glycoprotein [Human metapneumovirus]	AHV79795.1
fusion glycoprotein [Human metapneumovirus]	AHV79455.1
fusion glycoprotein [Human metapneumovirus]	ACJ53568.1
fusion protein [Human metapneumovirus]	AAS22109.1
fusion glycoprotein [Human metapneumovirus]	AGU68417.1
fusion glycoprotein [Human metapneumovirus]	AGJ74228.1
fusion glycoprotein [Human metapneumovirus]	ACJ53575.1
fusion protein [Human metapneumovirus]	AAU25820.1
fusion glycoprotein [Human metapneumovirus]	AGU68377.1
fusion glycoprotein [Human metapneumovirus]	AGU68371.1
fusion glycoprotein [Human metapneumovirus]	AGJ74087.1
fusion glycoprotein [Human metapneumovirus]	ACJ53560.1
fusion glycoprotein [Human metapneumovirus]	AHV79858.1
fusion glycoprotein [Human metapneumovirus]	ACJ53577.1
fusion protein [Human metapneumovirus]	AAS22085.1
fusion protein [Human metapneumovirus]	AEZ52348.1
fusion glycoprotein [Human metapneumovirus]	AGJ74044.1
fusion glycoprotein [Human metapneumovirus]	ACJ53563.1
fusion glycoprotein precursor [Human metapneumovirus]	YP_012608.1
fusion glycoprotein [Human metapneumovirus]	AGJ74053.1
fusion protein [Human metapneumovirus]	BAM37562.1
fusion glycoprotein [Human metapneumovirus]	ACJ53561.1
fusion glycoprotein [Human metapneumovirus]	AGU68387.1
fusion [Human metapneumovirus]	AGL74060.1
fusion glycoprotein precursor [Human metapneumovirus]	AAV88364.1
fusion protein [Human metapneumovirus]	AAN52910.1
fusion protein [Human metapneumovirus]	AAN52915.1
fusion protein [Human metapneumovirus]	BAM37564.1
fusion glycoprotein precursor [Human metapneumovirus]	BAH59618.1
fusion protein [Human metapneumovirus]	AAQ90144.1
fusion glycoprotein [Human metapneumovirus]	AHV79446.1
fusion protein [Human metapneumovirus]	AEL87260.1
fusion glycoprotein [Human metapneumovirus]	AHV79867.1
fusion protein [Human metapneumovirus]	ABQ66027.2
fusion glycoprotein [Human metapneumovirus]	ACJ53621.1
fusion protein [Human metapneumovirus]	AAN52911.1
fusion glycoprotein [Human metapneumovirus]	AHV79536.1
fusion glycoprotein [Human metapneumovirus]	AGU68411.1
fusion protein [Human metapneumovirus]	AEZ52346.1
fusion protein [Human metapneumovirus]	AAN52913.1
fusion protein [Human metapneumovirus]	AAN52908.1
fusion glycoprotein [Human metapneumovirus]	ACJ53553.1

TABLE 4-continued

Virus	GenBank Accession
fusion glycoprotein [Human metapneumovirus]	AIY25727.1
fusion protein [Human metapneumovirus]	ABM67072.1
fusion protein [Human metapneumovirus]	AEZ52361.1
fusion protein [Human metapneumovirus]	AAS22093.1
fusion glycoprotein [Human metapneumovirus]	AGH27049.1
fusion protein [Human metapneumovirus]	AAK62968.2
fusion glycoprotein [Human metapneumovirus]	ACJ53556.1
fusion glycoprotein [Human metapneumovirus]	ACJ53620.1
fusion protein [Human metapneumovirus]	ABQ58820.1
F [Human metapneumovirus] [Human metapneumovirus]	AEK26886.1
fusion glycoprotein [Human metapneumovirus]	ACJ53619.1
fusion glycoprotein [Human metapneumovirus]	ACJ53555.1
fusion [Human metapneumovirus]	AGL74057.1
fusion protein [Human metapneumovirus]	ABD27850.1
fusion protein [Human metapneumovirus]	AEZ52349.1
fusion protein [Human metapneumovirus]	ABD27848.1
fusion protein [Human metapneumovirus]	ABD27846.1
fusion protein [Human metapneumovirus]	ABQ66021.1
fusion protein [Human metapneumovirus]	AFM57710.1
fusion protein [Human metapneumovirus]	AFM57709.1
fusion protein [Human metapneumovirus]	ABH05968.1
fusion protein [Human metapneumovirus]	AEZ52350.1
fusion protein [Human metapneumovirus]	AFM57712.1
fusion protein [Human metapneumovirus]	AEZ52364.1
fusion protein [Human metapneumovirus]	AAN52912.1
fusion protein [Human metapneumovirus]	AEZ52363.1
fusion [Human metapneumovirus]	AGL74059.1
fusion glycoprotein [Human metapneumovirus]	ACJ53583.1
fusion protein [Human metapneumovirus]	AEZ52356.1
fusion protein [Human metapneumovirus]	AEZ52353.1
fusion glycoprotein [Human metapneumovirus]	ACJ53581.1
fusion glycoprotein [Human metapneumovirus]	ACJ53578.1
fusion protein [Human metapneumovirus]	AAS22117.1
fusion protein [Human metapneumovirus]	BAN75965.1
fusion protein [Human metapneumovirus]	AGF92105.1
fusion protein [Human metapneumovirus]	AAS22077.1
fusion protein [Human metapneumovirus]	AAN52909.1
fusion glycoprotein [Human metapneumovirus]	ACJ53586.1
fusion protein [Human metapneumovirus]	AAQ90145.1
fusion glycoprotein [Human metapneumovirus]	AGT75042.1
fusion [Human metapneumovirus]	AGL74058.1
fusion protein [Human metapneumovirus]	AEI.87263.1
fusion glycoprotein [Human metapneumovirus]	AGH27057.1
fusion glycoprotein [Human metapneumovirus]	AHV79491.1
F [Human metapneumovirus] [Human metapneumovirus]	AEK26906.1
fusion glycoprotein [Human metapneumovirus]	ACJ53580.1
fusion protein [Human metapneumovirus]	AEZ52354.1
fusion protein [Human metapneumovirus]	AAN52914.1
G [Human metapneumovirus] [Human metapneumovirus]	AEK26901.1
glycoprotein [Human metapneumovirus]	AFI56738.1
glycoprotein [Human metapneumovirus]	AFI56739.1
glycoprotein [Human metapneumovirus]	AFI56745.1
G protein [Human metapneumovirus]	AAQ62718.1
G protein [Human metapneumovirus]	AAQ62719.1
attachment glycoprotein G [Human metapneumovirus]	AGH27104.1
G protein [Human metapneumovirus]	AAQ62729.1
G protein [Human metapneumovirus]	AAQ62728.1
glycoprotein [Human metapneumovirus]	AFI56753.1
glycoprotein [Human metapneumovirus]	AFI56746.1
glycoprotein [Human metapneumovirus]	AFI56750.1
glycoprotein [Human metapneumovirus]	AFI56747.1
G protein [Human metapneumovirus]	AAQ62721.1
glycoprotein [Human metapneumovirus]	AAT46573.1
glycoprotein [Human metapneumovirus]	AFI56748.1
glycoprotein [Human metapneumovirus]	AFI56736.1
glycoprotein [Human metapneumovirus]	AFI56749.1
attachment glycoprotein G [Human metapneumovirus]	AGH27131.1
attachment glycoprotein G [Human metapneumovirus]	AHV79558.1
glycoprotein [Human metapneumovirus]	AFI56740.1
glycoprotein [Human metapneumovirus]	AFI56741.1
glycoprotein [Human metapneumovirus]	AFI56744.1
attachment glycoprotein G [Human metapneumovirus]	AHV79790.1
attachment glycoprotein G [Human metapneumovirus]	AGH27122.1
attachment glycoprotein G [Human metapneumovirus]	AHV79763.1
attachment glycoprotein G [Human metapneumovirus]	AGZ48849.1
glycoprotein [Human metapneumovirus]	AFI56743.1

TABLE 4-continued

hMPV NCBI Accession Numbers (Amino Acid Sequences)	
Virus	GenBank Accession
attachment glycoprotein G [Human metapneumovirus]	AHV79450.1
glycoprotein [Human metapneumovirus]	AFI56751.1
attachment glycoprotein [Human metapneumovirus]	AAS48482.1
attachment glycoprotein G [Human metapneumovirus]	AHV79889.1
attachment surface glycoprotein [Human metapneumovirus]	AGW43050.1
glycoprotein [Human metapneumovirus]	AFI56754.1
attachment glycoprotein G [Human metapneumovirus]	AHV79601.1
glycoprotein [Human metapneumovirus]	AFI56752.1
attachment glycoprotein G [Human metapneumovirus]	AHV79871.1
G protein [Human metapneumovirus]	AEZ68099.1
attachment glycoprotein G [Human metapneumovirus]	AHV79817.1
attachment glycoprotein G [Human metapneumovirus]	AHV79943.1
attachment glycoprotein G [Human metapneumovirus]	BAN75968.1
attachment surface glycoprotein [Human metapneumovirus]	AGW43045.1
attachment glycoprotein G [Human metapneumovirus]	AHV79628.1
attachment glycoprotein [Human metapneumovirus]	AFK49783.1
G protein [Human metapneumovirus]	AAQ62723.1
attachment glycoprotein [Human metapneumovirus]	ABD27839.1
attachment surface glycoprotein [Human metapneumovirus]	AGW43046.1
G protein [Human metapneumovirus]	AAQ62717.1
glycoprotein [Human metapneumovirus]	AFI56742.1
attachment protein [Human metapneumovirus]	ABQ44522.1
glycoprotein [Human metapneumovirus]	AFI56735.1
attachment surface glycoprotein [Human metapneumovirus]	AGW43065.1
G protein [Human metapneumovirus]	AAQ62724.1
attachment surface glycoprotein [Human metapneumovirus]	AGW43075.1
attachment surface glycoprotein [Human metapneumovirus]	AGW43062.1
glycoprotein [Human metapneumovirus]	AAT46579.1
attachment surface glycoprotein [Human metapneumovirus]	AGW43064.1
attachment surface glycoprotein [Human metapneumovirus]	AGW43054.1
attachment surface glycoprotein [Human metapneumovirus]	AGW43042.1
attachment surface glycoprotein [Human metapneumovirus]	AGW43078.1
attachment surface glycoprotein [Human metapneumovirus]	AGW43067.1
G protein [Human metapneumovirus]	AAQ62722.1
attachment surface glycoprotein [Human metapneumovirus]	AGW43063.1
glycoprotein [Human metapneumovirus]	AAT46571.1
glycoprotein [Human metapneumovirus]	AAT46578.1
attachment glycoprotein G [Human metapneumovirus]	AGJ74232.1
glycoprotein [Human metapneumovirus]	AAT46580.1
glycoprotein [Human metapneumovirus]	AAT46574.1
attachment surface glycoprotein [Human metapneumovirus]	AGW43061.1
attachment glycoprotein [Human metapneumovirus]	AFK49791.1
attachment surface glycoprotein [Human metapneumovirus]	AGW43047.1
glycoprotein [Human metapneumovirus]	ABC26386.1
attachment glycoprotein [Human metapneumovirus]	AAS48466.1
attachment surface glycoprotein [Human metapneumovirus]	AGW43048.1
attachment glycoprotein G [Human metapneumovirus]	AGH27140.1
attachment surface glycoprotein [Human metapneumovirus]	AGW43049.1
attachment glycoprotein G [Human metapneumovirus]	AGJ74082.1
attachment glycoprotein G [Human metapneumovirus]	AHV79442.1
attachment glycoprotein G [Human metapneumovirus]	AGJ74091.1
attachment glycoprotein G [Human metapneumovirus]	AHV79477.1
attachment surface glycoprotein [Human metapneumovirus]	AGW43056.1
attachment protein [Human metapneumovirus]	ABQ44523.1
attachment glycoprotein G [Human metapneumovirus]	BAH59622.1
attachment surface glycoprotein [Human metapneumovirus]	AGW43070.1
glycoprotein [Human metapneumovirus]	AAT46585.1
attachment glycoprotein G [Human metapneumovirus]	AGU68409.1
attachment glycoprotein G [Human metapneumovirus]	AGJ74223.1
attachment glycoprotein [Human metapneumovirus]	AAS22129.1
attachment glycoprotein G [Human metapneumovirus]	AGJ74048.1
G protein [Human metapneumovirus]	AAQ62725.1
glycoprotein [Human metapneumovirus]	ABC26384.1
attachment protein [Human metapneumovirus]	ABQ44525.1
attachment glycoprotein G [Human metapneumovirus]	YP_012612.1
attachment surface glycoprotein [Human metapneumovirus]	AGW43071.1
attachment glycoprotein G [Human metapneumovirus]	AGJ74162.1
attachment glycoprotein G [Human metapneumovirus]	AGH27095.1
attachment glycoprotein G [Human metapneumovirus]	AHV79531.1
G protein [Human metapneumovirus]	AAQ62726.1
attachment glycoprotein [Human metapneumovirus]	AAS48465.1
attachment surface glycoprotein [Human metapneumovirus]	AGW43058.1
P [Human metapneumovirus] [Human metapneumovirus]	AEK26894.1
phosphoprotein [Human metapneumovirus]	AHV79631.1
phosphoprotein [Human metapneumovirus]	AHV79901.1
phosphoprotein [Human metapneumovirus]	AHV79570.1

TABLE 4-continued

hMPV NCBI Accession Numbers (Amino Acid Sequences)	
Virus	GenBank Accession
phosphoprotein [Human metapneumovirus]	AGJ74076.1
phosphoprotein [Human metapneumovirus]	AAS22123.1
phosphoprotein [Human metapneumovirus]	ABB16895.1
phosphoprotein [Human metapneumovirus]	AHV79579.1
phosphoprotein [Human metapneumovirus]	AGJ74244.1
phosphoprotein [Human metapneumovirus]	AHV79856.1
phosphoprotein [Human metapneumovirus]	ACJ70113.1
phosphoprotein [Human metapneumovirus]	AGZ48843.1
phosphoprotein [Human metapneumovirus]	AHV79498.1
phosphoprotein [Human metapneumovirus]	AHV79480.1
phosphoprotein [Human metapneumovirus]	ABQ43382.1
phosphoprotein [Human metapneumovirus]	AAS22107.1
phosphoprotein [Human metapneumovirus]	ABB16898.1
phosphoprotein [Human metapneumovirus]	AGH27134.1
phosphoprotein [Human metapneumovirus]	ABB16899.1
phosphoprotein [Human metapneumovirus]	AGH27098.1
phosphoprotein [Human metapneumovirus]	AAN52866.1
phosphoprotein [Human metapneumovirus]	AAS22083.1
phosphoprotein [Human metapneumovirus]	YP_012606.1
phosphoprotein [Human metapneumovirus]	AHV79973.1
phosphoprotein [Human metapneumovirus]	AHV79462.1
phosphoprotein [Human metapneumovirus]	AGJ74042.1
phosphoprotein [Human metapneumovirus]	AAV88362.1
P [Human metapneumovirus] [Human metapneumovirus]	AIL23591.1
phosphoprotein [Human metapneumovirus]	AHV79453.1
phosphoprotein [Human metapneumovirus]	AGJ74261.1
phosphoprotein [Human metapneumovirus]	AGH27116.1
phosphoprotein [Human metapneumovirus]	ABB16444.1
phosphoprotein [Human metapneumovirus]	ABB16445.1
phosphoprotein [Human metapneumovirus]	AHV79507.1
phosphoprotein [Human metapneumovirus]	BAH59616.1
phosphoprotein [Human metapneumovirus]	ABB16443.1
phosphoprotein [Human metapneumovirus]	ABQ43388.1
phosphoprotein [Human metapneumovirus]	ABQ43389.1
phosphoprotein [Human metapneumovirus]	ABQ43395.1
phosphoprotein [Human metapneumovirus]	ABQ43385.1
phosphoprotein [Human metapneumovirus]	AAP84042.1
phosphoprotein [Human metapneumovirus]	AAN52868.1
phosphoprotein [Human metapneumovirus]	AAP84041.1
phosphoprotein [Human metapneumovirus]	AGH27080.1
phosphoprotein [Human metapneumovirus]	ABQ43387.1
phosphoprotein [Human metapneumovirus]	AAS22099.1
phosphoprotein [Human metapneumovirus]	ABB16896.1
phosphoprotein [Human metapneumovirus]	AGJ74094.1
phosphoprotein [Human metapneumovirus]	AEZ68089.1
phosphoprotein [Human metapneumovirus]	ABK97002.1
phosphoprotein [Human metapneumovirus]	AAPI3486.1
phosphoprotein [Human metapneumovirus]	AHV79444.1
phosphoprotein [Human metapneumovirus]	AHV79865.1
phosphoprotein [Human metapneumovirus]	AGJ74226.1
phosphoprotein [Human metapneumovirus]	ABQ43383.1
phosphoprotein [Human metapneumovirus]	AAN52863.1
phosphoprotein [Human metapneumovirus]	AHV79775.1
phosphoprotein [Human metapneumovirus]	AEZ68094.1
phosphoprotein [Human metapneumovirus]	AHV79883.1
phosphoprotein [Human metapneumovirus]	AEZ68092.1
phosphoprotein [Human metapneumovirus]	ABQ43390.1
phosphoprotein [Human metapneumovirus]	ABQ43386.1
phosphoprotein [Human metapneumovirus]	ABQ43391.1
phosphoprotein [Human metapneumovirus]	ACS16062.1
phosphoprotein [Human metapneumovirus]	AEZ68090.1
phosphoprotein [Human metapneumovirus]	AAK62967.1
phosphoprotein [Human metapneumovirus]	AEZ68093.1
phosphoprotein [Human metapneumovirus]	AEZ68088.1
phosphoprotein [Human metapneumovirus]	ABQ43392.1
phosphoprotein [Human metapneumovirus]	ABQ43393.1
phosphoprotein [Human metapneumovirus]	ABQ43384.1
phosphoprotein [Human metapneumovirus]	ABQ43394.1
phosphoprotein [Human metapneumovirus]	ABK96999.1
phosphoprotein [Human metapneumovirus]	AHV79489.1
phosphoprotein [Human metapneumovirus]	AGJ74235.1
phosphoprotein [Human metapneumovirus]	AAS22075.1
phosphoprotein [Human metapneumovirus]	AAS22115.1
phosphoprotein [Human metapneumovirus]	AIII17601.1
phosphoprotein [Human metapneumovirus]	ABK97000.1
phosphoprotein [Human metapneumovirus]	AHV79561.1

TABLE 4-continued

hMPV NCBI Accession Numbers (Amino Acid Sequences)	
Virus	GenBank Accession
phosphoprotein [Human metapneumovirus]	AGT75040.1
phosphoprotein [Human metapneumovirus]	AAN52864.1
phosphoprotein [Human metapneumovirus]	ABK97001.1
phosphoprotein [Human metapneumovirus]	AGT74979.1
phosphoprotein [Human metapneumovirus]	AHV79955.1
phosphoprotein [Human metapneumovirus]	AGH27055.1
phosphoprotein [Human metapneumovirus]	AAV88361.1
phosphoprotein [Human metapneumovirus]	ABQ43397.1
phosphoprotein [Human metapneumovirus]	AGJ74173.1
P [Human metapneumovirus] [Human metapneumovirus]	AEK26904.1
phosphoprotein [Human metapneumovirus]	ACJ70104.1
phosphoprotein [Human metapneumovirus]	ABK97003.1
phosphoprotein [Human metapneumovirus]	AGT74955.1
phosphoprotein [Human metapneumovirus]	AAN52856.1
phosphoprotein [Human metapneumovirus]	AAN52862.1
phosphoprotein [Human metapneumovirus]	AGJ74138.1
phosphoprotein [Human metapneumovirus]	AHV79613.1
phosphoprotein [Human metapneumovirus]	AGJ74060.1
phosphoprotein [Human metapneumovirus]	AAQ67684.1
phosphoprotein [Human metapneumovirus]	AEA02278.1
N [Human metapneumovirus] [Human metapneumovirus]	AEK26899.1
nucleoprotein [Human metapneumovirus]	ACS16061.1
nucleoprotein [Human metapneumovirus]	AAS88425.1
nucleoprotein [Human metapneumovirus]	YP_012605.1
nucleoprotein [Human metapneumovirus]	AHV79882.1
nucleoprotein [Human metapneumovirus]	AHV79774.1
nucleocapsid protein [Human metapneumovirus]	AAN52886.1
nucleoprotein [Human metapneumovirus]	AAS22082.1
nucleoprotein [Human metapneumovirus]	AHV79864.1
nucleoprotein [Human metapneumovirus]	AHV79828.1
nucleoprotein [Human metapneumovirus]	AGJ74084.1
nucleocapsid protein [Human metapneumovirus]	AAN52888.1
N [Human metapneumovirus] [Human metapneumovirus]	AIL23590.1
nucleoprotein [Human metapneumovirus]	AAK62966.1
nucleoprotein [Human metapneumovirus]	AHV79972.1
nucleoprotein [Human metapneumovirus]	AHV79470.1
nucleoprotein [Human metapneumovirus]	AHV79452.1
nucleoprotein [Human metapneumovirus]	AGJ74243.1
nucleoprotein [Human metapneumovirus]	AHV79533.1
nucleoprotein [Human metapneumovirus]	AGJ74181.1
nucleoprotein [Human metapneumovirus]	AHV79497.1
nucleoprotein [Human metapneumovirus]	AHV79702.1
nucleoprotein [Human metapneumovirus]	AHV79648.1
nucleoprotein [Human metapneumovirus]	AHV79435.1
putative nucleoprotein [Human metapneumovirus]	AGJ74260.1
nucleocapsid protein [Human metapneumovirus]	AAN52887.1
nucleoprotein [Human metapneumovirus]	AGU68386.1
nucleocapsid protein [Human metapneumovirus]	AAN52899.1
nucleoprotein [Human metapneumovirus]	AAR17673.1
nucleocapsid protein [Human metapneumovirus]	AAN52898.1
nucleoprotein [Human metapneumovirus]	AEA02277.1
nucleoprotein [Human metapneumovirus]	AHV79612.1
nucleoprotein [Human metapneumovirus]	AGU68416.1
nucleoprotein [Human metapneumovirus]	AGU68408.1
nucleoprotein [Human metapneumovirus]	AGU68370.1
nucleoprotein [Human metapneumovirus]	AAQ67683.1
nucleoprotein [Human metapneumovirus]	AGJ74137.1
nucleoprotein [Human metapneumovirus]	AGU68344.1
nucleocapsid protein [Human metapneumovirus]	ABK96997.1
nucleoprotein [Human metapneumovirus]	AGU68413.1
nucleocapsid protein [Human metapneumovirus]	AAN52891.1
nucleoprotein [Human metapneumovirus]	AGU68360.1
nucleoprotein [Human metapneumovirus]	AGU68353.1
nucleocapsid protein [Human metapneumovirus]	ABK96996.1
nucleoprotein [Human metapneumovirus]	AAR17666.1
N [Human metapneumovirus] [Human metapneumovirus]	AEK26903.1
nucleoprotein [Human metapneumovirus]	AGT75039.1
nucleoprotein [Human metapneumovirus]	AGU68410.1
nucleoprotein [Human metapneumovirus]	AAS22074.1
nucleoprotein [Human metapneumovirus]	AHV79560.1
nucleoprotein [Human metapneumovirus]	AGT74978.1
nucleoprotein [Human metapneumovirus]	AGJ74128.1
nucleoprotein [Human metapneumovirus]	AAR17663.1
nucleoprotein [Human metapneumovirus]	AAR17662.1
nucleoprotein [Human metapneumovirus]	AAR17664.1
nucleoprotein [Human metapneumovirus]	AAR17657.1

TABLE 4-continued

hMPV NCBI Accession Numbers (Amino Acid Sequences)	
Virus	GenBank Accession
nucleoprotein [Human metapneumovirus]	AAR17659.1
nucleoprotein [Human metapneumovirus]	AAR17661.1
nucleoprotein [Human metapneumovirus]	AGU68352.1
nucleoprotein [Human metapneumovirus]	AGU68373.1
nucleoprotein [Human metapneumovirus]	AGU68376.1
nucleoprotein [Human metapneumovirus]	AGU68342.1
nucleoprotein [Human metapneumovirus]	AGU68365.1
nucleoprotein [Human metapneumovirus]	AGU68363.1
nucleoprotein [Human metapneumovirus]	AGU68398.1
nucleoprotein [Human metapneumovirus]	AGU68348.1
nucleoprotein [Human metapneumovirus]	AGU68354.1
nucleoprotein [Human metapneumovirus]	AGU68391.1
nucleoprotein [Human metapneumovirus]	AGU68389.1
nucleoprotein [Human metapneumovirus]	AGU68399.1
nucleoprotein [Human metapneumovirus]	AGU68337.1
nucleoprotein [Human metapneumovirus]	AAR17660.1
nucleoprotein [Human metapneumovirus]	AAR17667.1
nucleoprotein [Human metapneumovirus]	AGU68402.1
nucleoprotein [Avian metapneumovirus type C]	CDN30025.1
nucleoprotein [Avian metapneumovirus]	AGZ87947.1
Nucleoprotein [Avian metapneumovirus type C]	CAL25113.1
nucleocapsid protein [Avian metapneumovirus]	ABO42286.1
nucleocapsid protein [Avian metapneumovirus]	AAK38430.1
nucleocapsid protein [Avian metapneumovirus]	AAK54155.1
nucleocapsid protein [Avian metapneumovirus]	AAK38426.1
nucleocapsid protein [Avian metapneumovirus]	AAK38425.1
nucleocapsid protein [Avian metapneumovirus]	AAK38424.1
nucleocapsid protein [Avian metapneumovirus]	AAF05909.1
nucleocapsid protein [Avian metapneumovirus]	AAK38435.1
nucleocapsid protein [Avian metapneumovirus]	AAK38428.1
nucleoprotein [Human metapneumovirus]	AAR17669.1
nucleocapsid protein [Avian metapneumovirus]	AAK38429.1
nucleocapsid protein [Avian metapneumovirus]	AAK38427.1
nucleocapsid protein [Avian metapneumovirus]	AAK38423.1
nucleocapsid protein [Avian metapneumovirus]	AAK38434.1
nucleoprotein [Human metapneumovirus]	AGU68338.1
nucleoprotein [Avian metapneumovirus]	YP_443837.1
nucleoprotein [Human metapneumovirus]	AGU68384.1
nucleocapsid protein [Avian metapneumovirus]	AAK38431.1
nucleoprotein [Human metapneumovirus]	AGU68405.1
nucleoprotein [Human metapneumovirus]	AGU68382.1
nucleoprotein [Human metapneumovirus]	AGU68395.1
nucleocapsid [Human metapneumovirus]	AAL35389.3
nucleoprotein [Human metapneumovirus]	AEZ68064.1

TABLE 5

Description	Sequence	SEQ ID NO:
PIV3 Nucleic Acid Sequences		
>gb KJ672601.1 : 4990-6609 Human parainfluenza virus 3 strain HPiV3/Homo sapiens/ PER/FLA4815/2008 [fusion glycoprotein F0]	ATGCCAATTTCAATACTGTTAATTATTACAACCATGATC ATGGCATCACACTGCCAAATAGACATCACAACCACTACA GCATGTAGGTGTTATGGTCAACAGTCCCAAAAGGGATGA AGATATCACAACCACTCGAAACAAGATATCTAATCCTGA GTCTCATACCAAAATAGAAATTTCACTCTGTGGTG ACCAACAGATCAAGCAATACAAGAGGTTATTGGATAGA CTGATCATTCCCTTATATGATGGACTAAGATTACAGAAG GATGTGATAGTGACTAATCAAGAATCCAATGAAAACAC TGATCCAGAACAGAACGATTCTTTGGAGGGGTAATTGG AACTATTGCTCTAGGAGTAGCAACCTCAGCACAAATTAC AGCAGCAGTTGCTCTGGTTGAAGCCAAGCAGGCAAGAT CAGACATTGAAAACTCAAGGAAGCAATCAGGGACACA AATAAAGCAGTGCAGTCAGTTCAAGCTCTGTAGGAAA TTTGATAGTAGCAATTAAATCAGTCCAGGATTATGTCAA CAAAGAAATCGTGCCATCGATTGCGAGACTAGGTTGTG AAGCAGCAGGACTTCAGTTAGGATTGCATTAACACAG CATTACTCAGAATTACAAATATATTGGTGATAACATA GGATCGTTACAAGAAAAAGGAATAAAATTACAAAGGTAT AGCATCATTATACCGTACAAATATCACAGAAATATTAC AACATCAACAGTTGACAAATATGATATTTATGATCTATT	9

TABLE 5 -continued

Description	Sequence	SEQ ID NO:
	ATTTACAGAATCAATAAAGGTGAGAGTTATAGATGTTGA TTTGAATGATTACTCAATAACCCCTCCAAGTCAGACTCCC TTTATTGACCAGACTGCTGAACACTCAAATCTACAAAGT AGATTCCATATCATACAAATATCCAAAATAGAGAATGGTA TATCCCTCTTCCAGCCATATCATGACGAAAAGGGGCATT TCTAGGTGGAGCAGATGTCAAAGAATGCATAGAAGCAT TCAGCAGTTATATATGCCCCTTCTGATCCAGGATTTGTA AAACCATGAAAATGGAGAGCTGTCTATCAGGAAACATAT CCCAATGTCCAAGAACCACAGTCACATCAGACATAGTTC CTAGGTATGCATTTGTCAATGGAGGAGTGGTTGCGAATT GTATAACAACACTACATGTACATGCAATGGTATCGGTAATA GAATCAACCAACCACCTGATCAAGGAGTCAAATTATA ACACATAAAGAATGTAATACAATAGGTATCAACGGAA GCTATTCAACACAAAACAAGAAGGAACCTTTGCATTCTA CACACCAGACGACATAACATTAACAATTCTGTGCACT TGATCCGATTGACATATCAATCGAGCTCAACAGGCCAA ATCAGATCTTGAGGAATCAAAGAATGGATAAGAAGGT CAAATCAAAGCTAGATTCTATTGGAAGTTGGCATCAAT CTAGCACTACAATCATAGTTATTTGATAATGATGATTA TATTGTTTATAAATTAATAACAATAATTACAATTGCAA TTAAGTATTACAGAATTCAAAAGAGAAATCGAGTGGAT CAAAATGATAAGCCGTATGTATTAACAACAAG	
gi 612507167 gb AHX22430.1 hemagglutinin- neuraminidase [Human parainfluenza virus 3]	ATGGAATACTGGAAGCACACCAACCAGGAAAGGATGC TGGTAATGAGCTGGAGACATCCACAGCCACTCATGGCA ACAAGCTCACCACAAAGATAACATATATATTGGGACG ATAACCCCTGGTGTATTATCAATAGTCTTCAATCAGT CTAACATAATCCATCAAAGTGAAGGCCCCGCGAATC ATTGCTACAAGACATAAATAATGAGTTTATGGAAGTTAC AGAAAAGATCCAAGTGGCATCGGATAAATACTAATGATC TAATAACAGTCAGGAGTGAATACAAGGCTTCTTACAATC AGAGTCATGTCCAGAATTATATACCAATATCATTGACAC AACAAATATCGGATCTTAGGAAATTCATTAGTGAATTA CAATTAGAAATGATAATCAAGAAGTGCCACCACAAGA ATAACACATGATGTGGGTATAAAACCTTTAAATCCAGAT GATTTCTGGAGATGCACGCTCGGCTTCCATCTTTGATG AAAACTCCAAAATAAGATTAAATGCCGGGACCAGGATT ATTAGCTATGCCAACGACTGTTGATGGCTGTGTGAGAAC CCCGCTCTTAGTGAATAATGATCTGATTTATGCTTACAC CTCAAATCTAATTAATCGAGGTTGCCAGGATATAGGGAA ATCATATCAAGTATTACAGATAGGATAAATACTGTAAA CTCAGACTTGGTACCTGACTTAAATCCTAGGATCTCTCA TACCTTCAACATAAATGACAATAGAAAGTCATGTTCTCT AGCACTCCTAAATACAGATGTATATCACTGTGTTCAAC CCCAAAAGTTGATGAAAGATCAGATTATGCATCATCAG GCATAGAAGATATTGTACTTGTATTTGTCAATTATGATG GCTCAATCTCGACAACAAGATTTAAGAATAAATAATATA GTTTTGATCAACCATATGCGGCATTATACCCATCTGTTG GACCAGGGATATCTACAAGGCAAAATAATATTTCTC GGGTATGGAGGCTTGAACATCCAATAATGAGAAATGC AATCTGCAACAACAATGGGTGTCCTGGGAAAACACAGA GAGACTGTAATCAAGCATCTCATAGTCCATGGTTTTTCAG ATAGAAGGATGGTCAACTCTATAATGTTGTTGACAAAGG GCTTGAACCTCAGTTCCAAAATTGAAGGTATGGACGATA CTATGAGACAAAATTAATGGGGTTCAGAGGAAGATTA CTTCTACTAGGTAACAAGATCTACATATACACAAGATCT ACAAGTTGGCAGCAAGTTACAATTAGGAAATTAATGA CATTACTGACTACAGTATATAAGGATAAAATGGACAT GGCATAATGTGCTATCAAGACCAGGAAACAATGAATGT CCATGGGGACATTCATGTCCGGATGGATGATAACGGG AGTATATACCGATGCATATCCACTCAATCCCACAGGAAG CATTGTATCATCTGTCATATTGGACTCACAAAATCGAG AGTCAACCCAGTCAATACTTACTCAACAGCAACCGAAA GGGTAAACGAGCTGGCTATCCGAAACAAAACACTCTCA GCTGGGTACACAACAACAGCTGCATTACACACTATAA CAAAAGGTATTGTTTCAATATAGTAGAATAAATCATAA AAGCTTAAACATTTCAACCCATGTTGTTCAAAACAGA GATTCAAAAGCTGCAGT	10
HPIV3_HN_Codon Optimized	ATGGAATACTGGAAGCACACCAACCAGGCAAGGACGC CGGCAACGAGCTGGAACACAGCACAGCCACACACGGCA ACAAGCTGACCAACAAGATCACTACATCTCTGTGGACC ATCACCCCTGGTGTCTGCTGAGCATCGTGTTCATCATCGTG CTGACCAATAGCATCAAGAGCGAGAAGGCCAGAGAGAG CCTGCTGACGGACATCAACAACGAGTTTCATGGAAGTGA CCGAGAAGATCCAGGTGGCCAGCGCAACACCAACGAC	11

TABLE 5 -continued

Description	Sequence	SEQ ID NO:
HPiV3_F_Codon Optimized	<p>CTGATCCAGAGCGGCGTGAACACCCGGCTGCTGACCATC CAGAGCCACGTGCAGAACTACATCCCCATCAGCCTGACC CAGCAGATCAGCGACCTGCGGAAGTTCATCAGCGAGAT CACCATCCGGAACGACAAACCAGGAAGTGCCCCCAGAA GAATCACCACGACGTGGGCATCAAGCCCTGAACCCC GACGATTTCTGGCGGTGTACAAGCGGCTGCCAGCCTG ATGAAGACCCCAAGATCCGGCTGATGCCCTGGCCCTGG ACTGCTGGCCATGCTACACAGTGGATGGCTGTGTGCG GACCCCGAGCCTCGTGATCAACGATCTGATCTACGCCTA CACCAGCAACCTGATCACCCTGGGGCTGCCAGGATATCG GCAAGAGCTACCAGGTGCTGCAGATCGGCATCATCACC GTGAACTCCGACCTGGTGCCCGACCTGAACCTCGGATC AGCCACACCTTCAACATCAACGACAAAGAAAGAGCTG CAGCCTGGCTCTGCTGAACACCGAGCTGTACAGCTGTG CAGCACCCCAAGGTGGACGAGAGAAGCGACTACGCCA GCAGCGGCATCGAGGATATCGTGCTGGACATCGTGAAC TACGACGGCAGCATCAGCACCCCGGTTCAAGAACA CAACATCAGCTTCGACCAAGCCTACGCCCGCTGTACCC TTCTGTGGCCCTGGCATCTACTACAAGGGCAAGATCAT CTTCTGGGCTACGGCGGCTGGAACACCCCATCAACGA GAACGCCATCTGCAACACACCGGCTGCCCTGGCAAGA CCCAGAGAGACTGCAATCAGGCCAGCCACAGCCCTGG TTCAGCGACCGCAGAAATGGTCAACTCTATCATCGTGGT GACAAGGGCTGAAACAGCTGCCAAGCTGAAAGTGTG GACAATCAGCATGCCCGGAACTACTGGGGCAGCGAGG GCAGACTTCTGCTGCTGGAAACAAGATCTACATCTACA CCCGTTCCACAGCTGGCACAGCAACTGCAGCTGGGA ATCATCGACATCACCGACTACAGCGACATCCGGATCAA GTGGACCTGGCACAACGTGCTGAGCAGACCCGGCAACA ATGAGTGCCCTTGGGGCCACAGCTGCCCGATGGATGTA TCACCGGCGTGTACACCGACGCTACCCCTGAATCCTA CCGGCTCCATCGTGTCCAGCGTGTCTGGACAGCCAGA AAAGCAGAGTGAACCCCGTGATCATAACAGCACCGCC ACCGAGAGAGTGAACGAACTGGCCATCAGAAACAAGAC CCTGAGCGCGGCTACACCACCAAGCTGCATCACAC ACTACAACAAGGGCTACTGCTTCCACATCGTGAATCA ACCACAAGTCCCTGAACACCTTCCAGCCCATGCTGTTCA AGACCGAGATCCCCAAGAGCTGCTCC</p> <p>ATGCCCATCAGCATCCTGCTGATCATCACCACAATGATC ATGGCCAGCCACTGCCAGATCGACATCACCAGCTGCA GCACGTGGGCGTGCCTGTAACAGCCCCAAGGGCATGA AGATCAGCCAGAACTTCGAGACACGCTACTGATCCTGA GCCTGATCCCCAAGATCGAGGACAGCAACAGCTGCCGC GACCAGCAGATCAAGCAGTACAAGCGGCTGCTGGACAG ACTGATCATCCCCCTGTACGACGGCTGCGGCTGCAGAA AGACGTGATCGTGACCAACCAGGAAGCAACGAGAACA CCGACCCCGGACCGAGAGATTCTCGGCGGCTGATCG GCACAATCGCCCTGGGAGTGGCCACAAGCGCCAGATT ACAGCCGCTGTGGCCCTGGTGGAAAGCAAGCAGGCGAG AAGCGACATCGAGAAGCTGAAAGAGGCCATCCGGGACA CCAACAAGGCCGTGCAGAGCTGCAGTCCAGCGTGGGC AATCTGATCGTGGCCATCAAGTCCGTGCAGGACTACGTG AACAAAGAAATCGTGCCCTCTATCGCCCGGCTGGGCTG GAAGCTGCCGGACTGCAGCTGGGCATTCGCTGACACA GCACCTACAGCGAGCTGACCAACATCTTCGGCGACAACA TCGGCAGCCTGCAGGAAAAGGCATTAAGCTGCAGGGA ATCGCCAGCCTGTACCGCACCAACATCACCAGATCTTC ACCACCAGCACCGTGGATAAGTACGACATCTACGACCT GCTGTTCACCGAGAGCATCAAAGTGCAGCGTGCAGCTG GGACCTGAACGACTACAGCATCACCTGCAAGTGCAGG TGCCCTGCTGACCAGACTGCTGAACACCCAGATCTACA AGGTGGACAGCATCTCCTACAACATCCAGAACCGCGAG TGGTACATCCCTCTGCCAGCCACATTAAGCAAGGGC GCCTTTCTGGGCGGAGCCGACGTGAAAGAGTGCATCGA GGCTTCAGCAGCTACATCTGCCCGAGCAGCTTGGCTT CGTGTGAACACGAGATGGAAGCTGCTGAGCGGCA ACATCAGCCAGTGCACCAAGACCCGCTGACCTCCGAC ATCGTGCCAGATAAGCCTTCGTGAATGGCGCGTGGTG GCCAATGCATCACCACACCTGTACTGCAACGGCATC GGCAACCGGATCAACCAGCCTCCGATCAGGGCGTGAA GATTAACCCACAAGAGTGAACACCATCGGCATCA ACGGCATGCTGTCAATCAACAAGAGGGCACCTG GCCTTCTACACCCCGACGATATCACCTGAACAACCTCC GTGGCTTGGACCCCATCGACATCTCCATCGAGCTGAAC AAGGCCAAGAGCGACCTGGAAGAGTCCAAGAGTGGAT</p>	12

TABLE 5 -continued

Description	Sequence	SEQ ID NO:
	CCGGCGGAGCAACCAGAGCTGGACTCTATCGGCAGCT GGCACCAGAGCAGCACCACCATCATCGTGATCCTGATTA TGATGATTATCCTGTTCATCATCAACATTACCATCATCAC TATCGCCATTAAGTACTACCGGATCCAGAAACGGAAACC GGGTGGACCAGAATGACAAGCCCTACGTGCTGACAAAC AAG	
PIV3 mRNA Sequences		
>gb KJ672601.1 : 4990-6609 Human parainfluenza virus 3 strain HPIV3/ <i>Homo sapiens</i> / PER/FLA4815/ 2008 [fusion glycoprotein F0]	AUGCCAAUUUCAAUACUGUUAUUUAUACAACCAUGA UCAUGGCAUCACACUGCCAAAUAGACAUCACAAAACU ACAGCAUGUAGGUGUAUUGGUCAACAGUCCCAAAGGG AUGAAGAUUAUCACAAAACUUCGAAAACAGAUUAUCUAA UCCUGAGUCUCAUACCAAAAUAAGAAGAUUCUAUCUC UUGUGGUGACCAACAGAUCAAGCAAAUAACAAGAGGUUA UUGGAUAGACUGAUCAUUCUUUAUAUGAUGGACUAA GAUUAACAGAAGGAUGUGAUGUGACUAAUACAAGAAUC CAAUGAAAACAUGAUCCAGAACAGAAACGAUUUUUU GGAGGGUAAUUGGAACUUAUUGCUCUAGGAGUAGCAA CCUCAGCACAAAUAACAGCAGCAGUUGUCUGGUUGA AGCCAAGCAGGCAAGAUCAGACAUUGAAAAACUCAAG GAAGCAUUCAGGGACACAAAUAAGCAGUUCAGUCAG UUCAGAGCUCUGUAGGAAUUUGAUAGUAGCAAUUAA AUCAGUCCAGGAUUUUGUCAACAAAAGAAUUCGUGCCA UCGAUUGCGAGACUAGGUUGUGAAGCAGCAGGACUUC AGUUAAGGAAUUGCAUUAACACAGCAUUAUCAGAAU AACAAAUAUUAUUGGUGAUAACAUAAGGAUCGUUACAA GAAAAGGAUUAUUAACAAGGUUAUGCAUUAUUAU ACCGUACAAUAUCACAGAAUUAUACAACAUCAAC AGUUGACAAUAUGAUUUUAUGAUCUAUUUUUAACA GAAUCAAUAAAGGUGAGAGUUAUAGAUUGUUAUUGA AUGAUUACUCAAUAACCCUCCAGUCAGACUCCUUU AUUGACCAGACUGCUGAACACUCAAUUCUACAAAGUA GAUUCCAUAUCAUACAUAUCCAAAUAUGAGAAUGGU AUAUCCUCUUCACAGCAUAUCAUGCAGAAAGGGGC AUUUUAAGGUGGAGCAGAUUGCAAGAAUAGCAUAGAA GCAUUCAGCAGUUAUAUUGCCUUCUGAUCAGGAU UUGUAUCAAAACAUAGAAUUGGAGCUGUCUAUCAGG AAACAUAUCCAAUUGUCCAAAGAACACAGUCACAUCA GACAUAGUUCUAGGUUAUGCAUUUGCAUUGGAGGAG UGGUUGCGAAUUGUAUAAACAUCUAUGUACAUUGCAA UGGUUACGGUAAUAGAAUCAACCAACCACUGAUCAA GGAGUCAAAAUAUAAACAUAUAAAGAAUGUAAUACAA UAGGUUAUACCGAAUUGCUAUUAACAACAACAAGA AGGAAUCUUGCAUUCUACACCCAGACGACAUAAACA UUAACAUAUUCUGUUGCACUUGAUCCGAUUGACAUUA CAAUCGAGCUCAAAGGCCAAAUCAGAUUCUUGAGGA AUCAAAAGAAUGGAUAAGAAGGUCAAUCAAAGCUA GAUUCUAUUGGAAGUUGGCAUCAAUUCAGCAUACAA UCAUAGUUAUUUGAUAAUGAUGAUUAUUAUUGUUUAU AAUUAUAUAACAUAUUAUUAUUAUUAUUAUUAUUAU UACAGAAUUCAAAAGAGAAUUCGAGUGGUAUCAAUUG AUAAGCCGUUGUUAUUAACAACAAG	61
gi 612507167 gb AHX22430.1 hemagglutinin- neuraminidase [Human parainfluenza virus 3]	AUGGAAUACUGGAAGCACACCAACCACGGAAAGGAUG CUGGUAAUGAGCUGGAGCAUCCACAGCCACUCAUGG CAACAAGCUCACCAACAAGAUAAUAUAUUAUUGGG ACGAUAACCUGGGUUAUUAUCAAUAGUCUUAUCA UAGUUCUAACUAAUUCUAUCAAAGUGAAAAGGCCG CGAAUCAUUGCUACAAGAUAUAAUUAUUGAGUUUAUG GAAGUUACAGAAAAGAUCCAGUGGCAUCGGAAUUA CUAAUGAUCUAAUACAGUCAGGAGUGAAUACAAAGGCU UCUUAACAUAUUCAGAGUCAUGUCCAGAAUUUAUACCA AUAUCAUUGACACAACAUAUUCGGAUCUUAGGAAU UCAUUAUGAAUUACAUAUAGAAUAGAUAAUCAAGA AGUGCCACCACAAAAGAAUAAACAUAUGUUGGUUAUA AAACCUUUAAAUCCAGAUGAUUUCUGGAGAUAGCAGU CUGGUCUCCAUUCUUGAUGAAAACUCCAAAUAUAG AUUUAUGCCGGACAGGAUUAUUAUUAUUAUUAUUAU ACUGUUGAUGGUCUGUUCAGAACCCCGUCUUAUGA UAAUAGAUUGAUUUUAUGCUUACACCUCAAUUCUAAU UACUCGAGGUUCCAGGAUAUAGGAAUUAUUAUUAUUA GUUAUACAGAUAGGGAUAAUUAUCUGUAAACUCAGACU UGGUUACUGACUUAUUAUUCUAGGAUCUCUAUACCU CAACAUAUUAUGACAUAUAGAAAGUCAUUGUUCUUA GUCAUCCUAAUACAGAUUAUUAUUAUUAUUAUUAUUA	62

TABLE 5 -continued

Description	Sequence	SEQ ID NO:
HPiV3_HN_Codon Optimized	<p>CAAAAGUUGAUGAAAGAU CAGAUUUGCAUC AUCAGG CAUAGAAGAUUUGUACUUGAUUUGUCAAUUUGAU GGCUCAAUUCGACAAACAGAUUUUAGAAUAAUAAUA UAGUUUUGAUCACCAUUAUGCGGCAUUAUACCCAUC UGUUGGAC CAGGGAUUAUCUACAAAGGCAAAAUAUA UUUUCGCGUAUGGAGGUUUGAACAUCCAAUAAAUG AGAAUGCAAUCUGCAACAACUGGGUGUCCUGGGAA AACACAGAGAGACUGUAAUCAAGCAUCUAUAGUCA UGGUUUUCAGAUAGAAGGAUGGUCAACUCUAUAAUUG UUGUUGAC AAGGGCUUGAACUCAGUUCCAAAUUGAA GGUAUGGACGAUUAUCUAGAGACAAAUUACUGGGGG UCAGAAGGAAGAUUACUUCUACUAGGUAAACAAGAU CU ACAUUAACAACAAGAUUCAAGUUGGCACAGCAAGUU ACAUUUAGGAAUUAUUGCAUUAUCUGACUACAGUGAU AUAAGGAUAAAUGGACAUUGGCAUAAUGUCUAUCAA GACCAGGAACAAGAUUGUCAUGGGGCAUUCUUG UCCGGUUGGAUGUAUACGGGAGUAUUAUCCGAGUCA UAUCCACUCAAUCCACAGGAAGCAUUGUAUCAUCUG UCAUAUUGGACUCAAAAUCGAGAGUCAACCCAGU CAUAACUUAUCUACACAGCAACCGAAAGGUAAAACGAG CUGGCUAUCCGAAAACAACACUCUCAGCUGGGUACA CAACAACAAGCUGCAUUAACAUCUAACAAGGGUA UUGUUUUAUUAUGUAGAAUAAUUAUAAAAGCUUA AACACAUUUCAACCCAUUGUUUCAAACAGAGAUUC CAAAAGCUGCAGU</p>	
HPiV3_HN_Codon Optimized	<p>AUGGAAUACUGGAAGCACACCAACCAGGCAAGGACG CCGGCACGAGCUGGAAACCAGCACAGCCACACCGGC AACAAGCUGACCAACAAGAUCAUCCUUGUGGA CCAUCACCCUGGUGCUGCUGAGCAUCGUGUUCAUCAUC GUGCUGACCAUAGCAUC AAGAGCGAGAGGCCAGAG AGAGCCUGCUGCAGGACAUACAACAGGUUCAUGGA AGUGACCGAGAAGAUCCAGGUGGCCAGCGACAACCC AACGACCGUAUCCAGAGCGGCGUAAACCCGGCUGCU GACCAUCCAGAGCCACGUGCAGAACUACAUC CCAUCA GCCUGACCCAGCAGAUCAAGCAGCCUGCGGAAGUUAUC AGCGAGAUCAUCAUCCGGAACGACAACAGGAAGUGC CCCCCAGAGAUAUACCCACGACGUGGGCAUCAAGCCC CUGAACCCGACGAUUUCUGGCGGUGUAACAAGCGCC UGCCAGCCUGAUGAAGACCCCAAGAUCCGGCUGAUG CCUGGCCUGGACUGCUGGCCAUGCCUACCAAGUGGA UGGCUGUGUGCGGACCCAGCCUCGUGAUCAACGAUC UGAUCUACGCCUACACCAAGCAUCCAGGAGCAGCCGGGC UGCCAGGAUUAUCGGCAAGAGCUACAGGUGCUGCAGA UCGGCAUCAUCACCGUGAACUCCGACCCUGGUGCCCGAC CUGAACCCUUGGAUCAGCCACACCUUAACAUCACGA CAACAGAAAGAGCUGCAGCCUGGCUUCUGUGAACCC GACGUGUAC CAGCUGUGCAGCACCCCAAGGUGGACG AGAGAAGCGACUACGCCAGCAGCGGCAUCGAGGAUUA CGUGCUGGACAUCUGAAUCUACGACGGCAGCAUCAGC ACCACCCGGUUCAAGAACAACAUCAGCUUCGACCA GCCCUACGCCGCCUGUACCCUUCUGUGGGCCUGGCA UCUACUACAAGGGCAAGAUCAUCCUUGGGCUACGG CGGCCUGGAACACCCCAUCAACGAGAACGCCAUUCGCA ACACCACCGGCUGCCUGGCAAGACCCAGAGAGACUGC AAUCAGGCCAGCCACAGCCUUGGUUACGCGACCCGAG AAUGGUCAACUCUAUCAUCGUGGUGGACAAGGGCCUG AACAGCUGGCCAAGCUGAAAGUGUGGACAUCAGCA UGCGCCAGAACUACUGGGCAGCGAGGGCAGACUUCU GCUGCUGGAAACAAGAUCAUCAUCUACACCCGCUCC ACCAGCUGGCA CAGCAAAUCGAGCUGGGAUUAUCG ACAUACCCGACUACAGCGACAUCCGGAUCAAGUGGACC UGGCAACAAGUCUGGAGCAGACCCGGCAACAAGAGU GCCCUUGGGGCCACAGCUGCCCGAUGGAGUUAUACCC GGCGUGUACACCGAGCCUACCCUUGAAUCUACCGG CUCCAUCGUGUCCAGCGUAUCCUGGACAGCCAGAAA AGCAGAGUGAACCCCGUGAUCAUAACAGCACCCGCCAC CGAGAGAGUGAACGAAUCUGGCCAUCAAGAACAGACC CUGAGCGCCGGCUACACCAACAAGCUGCAUCACACA CUACAACAAGGGCUACUGCUUCCAUUCGUGGAAUUC AACCACAAGUCCUGAACACCUCCAGCCCAUGCUGUU CAAGACCGAGAUCCCAAGAGCUGCUC</p>	63
HPiV3_F_Codon Optimized mRNA sequence	<p>AUGCCCAUCAGCAUCCUGCUGAUCAUCCACAUGAU CAUGCCAGCCACUGCCAGAUCAUCAUCCCAAGCUGC AGCACGUGGGCUGCUGUGAACAGCCCCAAGGGCAU</p>	64

TABLE 5 -continued

Description	Sequence	SEQ ID NO:
	GAAGAUCAGCCAGAACUUCGAGACACGCUACCCUGAUC CUGAGCCUGAUCCCCAAGAUCCGAGGACAGCAACAGCU GCGGCGACCAGCAGAUCAAGCAGUACAAGCGGCGUCU GGACAGACUGAUCAUCCCCUGUACGACGGCCUGCGGC UGCAGAAAGACGUGAUCGUGACCAACCAGGAAAGCAA CGAGAACCACCGACCCCGGACCAGAGAUUCUUCGGCG GCGUGAUCGGCACAUCGCCUGGGAGUGGCCACAAG CGCCAGAUUACAGCCCGUGUGGCCUGGUGGAGCCA AGCAGGCCAGAAGCGACAUCGAGAAGCUGAAAAGGGC CAUCCGGGACACCAACAAGGCCGUGCAGAGCGUGCAG UCCAGCGUGGGCAAUCUGAUCGUGGCCAUCAAGUCCG UGCAGGACUACGUGAACAAAGAAAUCGUGCCUCUAU CGCCCGGCGGGCUGUGAAGCUGCCGGACUGCAGCUG GGCAUUGCCUGACACAGCACUACAGCGAGCUGACCAA CAUCUUCGGCGACAACAUCCGACGCCUGCAGGAAAAG GGCAUUAAGCUGCAGGGAAUCGCCAGCCUGUACCGCA CCAACAUCACCGAGAUUCACCACAGCACCUGGGAU AAGUACGACAUUACGACCUGCUGUUCACCGAGAGCA UCAAGUGCGCGUGAUCGACGUGGACCUGAACGACUA CAGCAUCACCCUGCAAGUGCGGCGUCCUGCUGACCA GACUGCUGAACACCCAGAUUCAAGGUGGACAGCAU CUCCUACAACAUCAGAACCGGAGUGGUACAUCUCUC UGCCAGCCACAUAUGACCAAGGGCGCCUUCUGGGC GGAGCCGACGUGAAAGAGUGCAUCGAGGCCUUCAGCA GCUACAUCUGCCCAGCGACCCUGGCUUCGUGCUGAAC CACGAGAUGGAAAGCUGCCUGAGCGGCAACAUCAGCC AGUGCCCCAGAACCACCGUACUCGACAUUCGUGCC AGAUACGCCUUCGUGAUGGCGGCGUGGUGGCCAACU GCAUCACCAACCACCGUAUCUGCAACGGCAUCGGAAC CGGAUCAACAGCCUCCGAUCAGGGCGUGAAGAUUA UACCCACAAGAGUGUAACCAUCGCGCAUCAACGGC AUGCUGUCAAUAACCAACAAGAGGGCACCCUGGCCU UCUACACCCCGACGAUAUCACCCUGAACACUCCGUG GCUCUGGACCCCAUCGACAUUCUCAUCGAGCUGAACAA GGCCAAAGAGCGACCUGAAGAGUCCAAGAGUGGAUC CGGCGGAGCAACCAGAAGCUGGACUUAUCGGCAGCU GGCACAGAGCAGCACCAUCAUCGUGAUCUGGAU AUGAUGAUUUCUGUUAUCAUCAACAUUACCAUCA UCACUAUCGCCAUUAAGUACUACCGGAUCAGAAAACG GAACCGGGUGGACCAGAAUGACAAGCCUACGUGCUG ACAACAAG	

TABLE 6

PIV3 Amino Acid Sequences

Description	Sequence	SEQ ID NO:
>gi 612507166 gb AHX22429.1 fusion glycoprotein Fo [Human parainfluenza virus 3]	MPISILLIITMIMASHCQIDITKLQHVGLVNSPKGMKISQ NFETRYLILSLIPKIEDSNCSGDQQIKQYKRLDLRIIPLVDG LRLQKDVIVTNQESNENTDPRTERFFGGVIGTIALGVATSA QITAAVALVEAKQARSDEKLKEAIRDTNKAVQSVQSSVG NLIVAIKSVQDYVNIKEIVPSIARLGCEAAGLQLGIALTQHY ELTNI FGDNI GSLQEKGIKLQGIASLYRTNI TEI FTTSV D KY DIYDL LFTES IKVRVIDVDLNDYSITLQVRLPLLTRL LNTQIY KVDSISYNIQNREWYIPLPSHIMTKGAF LGGADVKECEI EAFS SYICPSDPGFV LNHEMESCLSGNISQCPRTTVTSDIVPRYAF VNGGVVANCITTTCTCNGIGNRINQPPDQGVKII THKECNTI GINGMLFNTNKEGLAFYTPDDITLNN SVALDPIDISIELNK AKSDLEESKEWIRRSNQKLD SIGSWHQSSTTIIVILIMMIILFI INITIITIAIKYRIQKRNRVDQNDKPYVLTNK	13
gi 612507167 gb AHX22430.1 hemagglutinin-neuraminidase [Human parainfluenza virus 3]	MEYWKHTNHGKDAGNELETSTATHGNKLTNKITYILWIT LVLLSIVFIIIVLTNSIKSEKARESLLQDINNEFMEVTEKIQVA SDNTNDLIQSGVNTRLTIQSHVQNYIPIISLTQQISDLRKFIS EITIRNDNQEVPPQRI THDVGIKPLNPDDEFWRCTSGLPSLMK TPKIRLMPGPGLLAMP TTV DGCVRTPSLVINDLIYAYTSNLI TRGCDIGKSYQVLQIGITVNSDLVPLNPRISHTFNINDN RKCSLALLNTD VYQLCSTPKVDRSDYASSGIEDIVLDIV NYDGSISTTRFKNNNISFDQPYAALYPSVGPYIYKGIIFL GYGGLEHPINENAINNTGCPGKTQRDCNQASHSPWFSDR	14

TABLE 6-continued

PIV3 Amino Acid Sequences		SEQ ID NO:
Description	Sequence	
	RMVNSIIVVDKGLNSVPLKLVVTISMRQNYWGSEGRLLLL GNKIYYTRSTSWHSLQLGIIDITDYSDIRIKWTHNVLRS PGNNECPWGHSCPDCITGVYTDAYPLNPTGSIVSSVILDS QKSRVNPVITYSTATERNELAIRNKTLGAGYTTTSCITHY NKGYCFHIVEINHKS LNTFQPMLFKTEIPKSCS	

TABLE 7

PIV3 NCBI Accession Numbers (Nucleic Acid and Amino Acid Sequences)	
Description	GenBank Accession
Fusion glycoprotein F0 [Human parainfluenza virus 3] HPIV3/ <i>Homo sapiens</i> /PER/FLA4815/2008	KJ672601.1 : 4990-6609 AHX22429 (Fusion protein)
hemagglutinin-neuraminidase [Human parainfluenza virus 3] HPIV3/ <i>Homo sapiens</i> /PER/FLA4815/2008	KJ672601.1 : 6724-8442 AHX22430 (HN protein)
Recombinant PIV3/PIV1 virus fusion glycoprotein (F) and hemagglutinin (HN) genes, complete cds; and RNA dependent RNA polymerase (L) gene, partial cds.	AF016281 AAC23947 (hemagglutinin)
Recombinant PIV3/PIV1 virus fusion glycoprotein (F) and hemagglutinin (HN) genes, complete cds; and RNA dependent RNA polymerase (L) gene, partial cds.	AF016281 AAC23947 (fusion protein)
hemagglutinin-neuraminidase [Human parainfluenza virus 3]	BAO32044.1
hemagglutinin-neuraminidase [Human parainfluenza virus 3]	BAO32051.1
C protein [Human parainfluenza virus 3]	NP_599251.1
C protein [Human parainfluenza virus 3]	ABZ85670.1
C protein [Human parainfluenza virus 3]	AGT75164.1
C protein [Human parainfluenza virus 3]	AAB48686.1
C protein [Human parainfluenza virus 3]	AHX22115.1
C protein [Human parainfluenza virus 3]	AGW51066.1
C protein [Human parainfluenza virus 3]	AGW51162.1
C protein [Human parainfluenza virus 3]	AGT75252.1
C protein [Human parainfluenza virus 3]	AGT75188.1
C protein [Human parainfluenza virus 3]	AGW51218.1
C protein [Human parainfluenza virus 3]	AGW51074.1
C protein [Human parainfluenza virus 3]	AGT75323.1
C protein [Human parainfluenza virus 3]	AGT75307.1
C protein [Human parainfluenza virus 3]	AHX22131.1
C protein [Human parainfluenza virus 3]	AGW51243.1
C protein [Human parainfluenza virus 3]	AGT75180.1
C protein [Human parainfluenza virus 3]	AGT75212.1
C protein [Human parainfluenza virus 3]	AGW51186.1
C protein [Human parainfluenza virus 3]	AHX22075.1
C protein [Human parainfluenza virus 3]	AHX22163.1
C protein [Human parainfluenza virus 3]	AGT75196.1
C protein [Human parainfluenza virus 3]	AHX22491.1
C protein [Human parainfluenza virus 3]	AHX22139.1
C protein [Human parainfluenza virus 3]	AGW51138.1
C protein [Human parainfluenza virus 3]	AGW51114.1
C protein [Human parainfluenza virus 3]	AGT75220.1
C protein [Human parainfluenza virus 3]	AHX22251.1
RecName: Full = Protein C; AltName: Full = VP18 protein	P06165.1
C protein [Human parainfluenza virus 3]	AHX22187.1
C protein [Human parainfluenza virus 3]	AGT75228.1
C protein [Human parainfluenza virus 3]	AHX22179.1
C protein [Human parainfluenza virus 3]	AHX22427.1
C protein [Human parainfluenza virus 3]	AGW51210.1
nonstructural protein C [Human parainfluenza virus 3]	BAA00922.1
C protein [Human parainfluenza virus 3]	AHX22315.1
C protein [Human parainfluenza virus 3]	AGW51259.1
C protein [Human parainfluenza virus 3]	AHX22435.1
C protein [Human parainfluenza virus 3]	AHX22123.1
C protein [Human parainfluenza virus 3]	AHX22299.1
C protein [Human parainfluenza virus 3]	AGW51267.1
unnamed protein product [Human parainfluenza virus 3]	CAA28430.1
C protein [Human parainfluenza virus 3]	AGW51178.1
C protein [Human parainfluenza virus 3]	AHX22411.1
RecName: Full = Protein C	P06164.1

TABLE 7-continued

PIV3 NCBI Accession Numbers (Nucleic Acid and Amino Acid Sequences)	
Description	GenBank Accession
phosphoprotein [Human parainfluenza virus 3]	NP_067149.1
phosphoprotein [Human parainfluenza virus 3]	AAB48685.1
phosphoprotein [Human parainfluenza virus 3]	AHX22498.1
phosphoprotein [Human parainfluenza virus 3]	AHX22490.1
phosphoprotein [Human parainfluenza virus 3]	AGT75259.1
phosphoprotein [Human parainfluenza virus 3]	AGW51137.1
phosphoprotein [Human parainfluenza virus 3]	AGW51145.1
phosphoprotein [Human parainfluenza virus 3]	AGT75298.1
phosphoprotein [Human parainfluenza virus 3]	AGW51113.1
phosphoprotein [Human parainfluenza virus 3]	AGT75203.1
phosphoprotein [Human parainfluenza virus 3]	AGT75163.1
phosphoprotein [Human parainfluenza virus 3]	AHX22506.1
phosphoprotein [Human parainfluenza virus 3]	AGW51129.1
phosphoprotein [Human parainfluenza virus 3]	AHX22194.1
phosphoprotein [Human parainfluenza virus 3]	AGT75211.1
phosphoprotein [Human parainfluenza virus 3]	AHX22258.1
phosphoprotein [Human parainfluenza virus 3]	AGW51121.1
phosphoprotein [Human parainfluenza virus 3]	AGT75282.1
phosphoprotein [Human parainfluenza virus 3]	AHX22146.1
phosphoprotein [Human parainfluenza virus 3]	AHX22138.1
phosphoprotein [Human parainfluenza virus 3]	AHX22322.1
phosphoprotein [Human parainfluenza virus 3]	AHX22370.1
phosphoprotein [Human parainfluenza virus 3]	AHX22098.1
phosphoprotein [Human parainfluenza virus 3]	AHX22130.1
phosphoprotein [Human parainfluenza virus 3]	AHX22418.1
phosphoprotein [Human parainfluenza virus 3]	AHX22114.1
phosphoprotein [Human parainfluenza virus 3]	AHX22410.1
phosphoprotein [Human parainfluenza virus 3]	AGT75306.1
phosphoprotein [Human parainfluenza virus 3]	AHX22170.1
phosphoprotein [Human parainfluenza virus 3]	AHX22266.1
phosphoprotein [Human parainfluenza virus 3]	AHX22090.1
phosphoprotein [Human parainfluenza virus 3]	AGT75195.1
phosphoprotein [Human parainfluenza virus 3]	AHX22226.1
phosphoprotein [Human parainfluenza virus 3]	AHX22178.1
phosphoprotein [Human parainfluenza virus 3]	AHX22122.1
phosphoprotein [Human parainfluenza virus 3]	AHX22186.1
phosphoprotein [Human parainfluenza virus 3]	AHX22066.1
phosphoprotein [Human parainfluenza virus 3]	AHX22522.1
phosphoprotein [Human parainfluenza virus 3]	AGW51225.1
phosphoprotein [Human parainfluenza virus 3]	BAN29032.1
phosphoprotein [Human parainfluenza virus 3]	ABZ85669.1
phosphoprotein [Human parainfluenza virus 3]	AHX22426.1
phosphoprotein [Human parainfluenza virus 3]	AHX22058.1
phosphoprotein [Simian Agent 10]	ADR00400.1
phosphoprotein [Human parainfluenza virus 3]	AHX22250.1
phosphoprotein [Human parainfluenza virus 3]	AHX22434.1
phosphoprotein [Human parainfluenza virus 3]	AHX22298.1
phosphoprotein [Human parainfluenza virus 3]	AHX22442.1
phosphoprotein [Human parainfluenza virus 3]	AHX22074.1
phosphoprotein [Human parainfluenza virus 3]	AGW51153.1
phosphoprotein [Human parainfluenza virus 3]	AGW51241.1
phosphoprotein [Human parainfluenza virus 3]	AHX22210.1
phosphoprotein [Human parainfluenza virus 3]	AGW51105.1
phosphoprotein [Human parainfluenza virus 3]	AGT75251.1
phosphoprotein [Human parainfluenza virus 3]	AHX22362.1
phosphoprotein [Human parainfluenza virus 3]	AHX22474.1
phosphoprotein [Human parainfluenza virus 3]	AGW51217.1
phosphoprotein [Human parainfluenza virus 3]	AIG60038.1
phosphoprotein [Human parainfluenza virus 3]	AHX22378.1
phosphoprotein [Human parainfluenza virus 3]	AGW51057.1
phosphoprotein [Human parainfluenza virus 3]	AGT75187.1
phosphoprotein [Human parainfluenza virus 3]	AGW51233.1
phosphoprotein [Human parainfluenza virus 3]	AHX22482.1
phosphoprotein [Human parainfluenza virus 3]	AGW51161.1
phosphoprotein [Human parainfluenza virus 3]	AHX22306.1
phosphoprotein [Human parainfluenza virus 3]	AHX22162.1
phosphoprotein [Human parainfluenza virus 3]	ACJ70087.1
phosphoprotein [Human parainfluenza virus 3]	AHX22466.1
phosphoprotein [Human parainfluenza virus 3]	AHX22346.1
phosphoprotein [Human parainfluenza virus 3]	AGW51089.1
phosphoprotein [Human parainfluenza virus 3]	AGW51073.1
phosphoprotein [Human parainfluenza virus 3]	AGW51185.1
phosphoprotein [Human parainfluenza virus 3]	AGW51065.1
phosphoprotein [Human parainfluenza virus 3]	ABY47603.1
phosphoprotein [Human parainfluenza virus 3]	AGW51049.1
phosphoprotein [Human parainfluenza virus 3]	AHX22330.1

TABLE 7-continued

Description	GenBank Accession
phosphoprotein [Human parainfluenza virus 3]	AGW51250.1
phosphoprotein [Human parainfluenza virus 3]	AGT75227.1
phosphoprotein [Human parainfluenza virus 3]	AGW51282.1
phosphoprotein [Human parainfluenza virus 3]	AGW51209.1
phosphoprotein [Human parainfluenza virus 3]	AGW51193.1
phosphoprotein [Human parainfluenza virus 3]	AGT75322.1
phosphoprotein [Human parainfluenza virus 3]	AGT75219.1
phosphoprotein [Human parainfluenza virus 3]	AGW51258.1
phosphoprotein [Human parainfluenza virus 3]	AGW51041.1
phosphoprotein [Human parainfluenza virus 3]	ACD99698.1
phosphoprotein [Human parainfluenza virus 3]	AGW51266.1
phosphoprotein [Human parainfluenza virus 3]	AGT75179.1
phosphoprotein [Human parainfluenza virus 3]	AHX22282.1
phosphoprotein [Human parainfluenza virus 3]	AGW51169.1
phosphoprotein [Human parainfluenza virus 3]	AGW51274.1
phosphoprotein [Human parainfluenza virus 3]	AGW51201.1
phosphoprotein [Human parainfluenza virus 3]	AGW51177.1
RecName: Full = Phosphoprotein; Short = Protein P	P06162.1
P protein [Human parainfluenza virus 3]	AAA66818.1
phosphoprotein [Human parainfluenza virus 3]	AAA46866.1
phosphoprotein [Human parainfluenza virus 3]	BAA00031.1
polymerase-associated nucleocapsid phosphoprotein (version 2) - parainfluenza virus type 3 [Human parainfluenza virus 3]	RRNZP5
phosphoprotein [Human parainfluenza virus 3]	AGT75171.1
phosphoprotein [Human parainfluenza virus 3]	BAA00921.1
D protein [Human parainfluenza virus 3]	NP_599250.1
D protein [Human parainfluenza virus 3]	AHX22377.1
D protein [Human parainfluenza virus 3]	AHX22121.1
D protein [Human parainfluenza virus 3]	AGT75297.1
D protein [Human parainfluenza virus 3]	AGW51136.1
D protein [Human parainfluenza virus 3]	AGW51242.1
D protein [Human parainfluenza virus 3]	AGW51112.1
D protein [Human parainfluenza virus 3]	AHX22497.1
D protein [Human parainfluenza virus 3]	AHX22145.1
D protein [Human parainfluenza virus 3]	AGT75202.1
D protein [Human parainfluenza virus 3]	AHX22385.1
D protein [Human parainfluenza virus 3]	AGW51216.1
D protein [Human parainfluenza virus 3]	AGT75281.1
D protein [Human parainfluenza virus 3]	AGT75194.1
D protein [Human parainfluenza virus 3]	AHX22521.1
D protein [Human parainfluenza virus 3]	AGW51120.1
D protein [Human parainfluenza virus 3]	AGT75313.1
D protein [Human parainfluenza virus 3]	AHX22249.1
D protein [Human parainfluenza virus 3]	AHX22097.1
D protein [Human parainfluenza virus 3]	AGW51144.1
D protein [Human parainfluenza virus 3]	AHX22089.1
D protein [Human parainfluenza virus 3]	AHX22225.1
D protein [Human parainfluenza virus 3]	AHX22137.1
D protein [Human parainfluenza virus 3]	AHX22065.1
D protein [Human parainfluenza virus 3]	AGW51224.1
D protein [Human parainfluenza virus 3]	AGT75210.1
D protein [Human parainfluenza virus 3]	AHX22393.1
D protein [Human parainfluenza virus 3]	AGT75258.1
D protein [Human parainfluenza virus 3]	AHX22345.1
D protein [Human parainfluenza virus 3]	AGT75250.1
D protein [Human parainfluenza virus 3]	AHX22113.1
D protein [Human parainfluenza virus 3]	AGW51232.1
D protein [Human parainfluenza virus 3]	AHX22057.1
D protein [Human parainfluenza virus 3]	AHX22209.1
D protein [Human parainfluenza virus 3]	AGW51056.1
D protein [Human parainfluenza virus 3]	AHX22161.1
D protein [Simian Agent 10]	ADR00402.1
D protein [Human parainfluenza virus 3]	AHX22361.1
D protein [Human parainfluenza virus 3]	AGW51281.1
D protein [Human parainfluenza virus 3]	AGW51184.1
D protein [Human parainfluenza virus 3]	AGW51160.1
D protein [Human parainfluenza virus 3]	AHX22465.1
D protein [Human parainfluenza virus 3]	AHX22329.1
D protein [Human parainfluenza virus 3]	AGW51064.1
D protein [Human parainfluenza virus 3]	AGW51040.1
D protein [Human parainfluenza virus 3]	AGT75226.1
D protein [Human parainfluenza virus 3]	AHX22425.1
D protein [Human parainfluenza virus 3]	AHX22305.1
D protein [Human parainfluenza virus 3]	AGW51249.1
D protein [Human parainfluenza virus 3]	AHX22481.1

TABLE 7-continued

PIV3 NCBI Accession Numbers (Nucleic Acid and Amino Acid Sequences)	
Description	GenBank Accession
D protein [Human parainfluenza virus 3]	AHX22281.1
D protein [Human parainfluenza virus 3]	AGW51048.1
D protein [Human parainfluenza virus 3]	AHX22297.1
D protein [Human parainfluenza virus 3]	AGW51088.1
D protein [Human parainfluenza virus 3]	AGT75305.1
D protein [Human parainfluenza virus 3]	AHX22185.1
D protein [Human parainfluenza virus 3]	AGW51104.1
D protein [Human parainfluenza virus 3]	AHX22081.1
D protein [Human parainfluenza virus 3]	AGW51192.1
D protein [Human parainfluenza virus 3]	AHX22489.1
D protein [Human parainfluenza virus 3]	AHX22441.1
D protein [Human parainfluenza virus 3]	AHX22409.1
D protein [Human parainfluenza virus 3]	AHX22369.1
D protein [Human parainfluenza virus 3]	AHX22321.1
D protein [Human parainfluenza virus 3]	AHX22073.1
D protein [Human parainfluenza virus 3]	AGW51152.1
D protein [Human parainfluenza virus 3]	AGW51072.1
D protein [Human parainfluenza virus 3]	AGT75321.1
D protein [Human parainfluenza virus 3]	AHX22257.1
D protein [Human parainfluenza virus 3]	AHX22129.1
D protein [Human parainfluenza virus 3]	AHX22417.1
D protein [Human parainfluenza virus 3]	AGT75218.1
D protein [Human parainfluenza virus 3]	AHX22265.1
D protein [Human parainfluenza virus 3]	AGT75178.1
D protein [Human parainfluenza virus 3]	AHX22433.1
D protein [Human parainfluenza virus 3]	AGW51273.1
D protein [Human parainfluenza virus 3]	AGW51208.1
D protein [Human parainfluenza virus 3]	AGT75170.1
D protein [Human parainfluenza virus 3]	AGT75162.1
D protein [Human parainfluenza virus 3]	AGW51257.1
D protein [Human parainfluenza virus 3]	AGW51200.1
D protein [Human parainfluenza virus 3]	AGW51176.1
D protein [Human parainfluenza virus 3]	AGT75186.1
D protein [Human parainfluenza virus 3]	AGW51265.1
D protein [Human parainfluenza virus 3]	AGW51168.1

35

TABLE 8

Signal Peptides		
Description	Sequence	SEQ ID NO:
HuIgG _k signal peptide	METPAQLLFLLL LWLPDTTG	15
IgE heavy chain epsilon -1 signal peptide	MDWTWILFLVAA ATRVHS	16
Japanese encephalitis PRM signal sequence	MLGSNSGQRVVF TILLLLVPAYS	17
VSVg protein signal sequence	MKCLLYLAFLFI GVNCA	18
Japanese encephalitis JEV signal sequence	MWLVS LAIVTAC AGA	19

TABLE 9

hMPV/PIV Cotton Rat Challenge Study Design						
Group	n	Test Article	[conc]/µg	Route	Challenge	
1	5	Placebo	n/a	IM	hMPV/A2	
2	5	hMPV vaccine mRNA	30	IM	hMPV/A2	
3	5	hMPV vaccine mRNA	15	IM	hMPV/A2	
4	5	hMPV vaccine mRNA	10	IM	hMPV/A2	
5	5	hMPV/PIV3 vaccine mRNA (15/15)	30	IM	hMPV/A2	
6	5	FI-hMPV	n/a	IM	hMPV/A2	
7	5	Placebo	n/a	IM	PIV3	
8	5	PIV3 vaccine mRNA	30	IM	PIV3	
9	5	PIV3 vaccine mRNA	15	IM	PIV3	
10	5	PIV3 vaccine mRNA	10	IM	PIV3	
11	5	hMPV/PIV3 vaccine mRNA (15/15)	30	IM	PIV3	
12	5	FI-PIV3	n/a	IM	PIV3	
	60					

55

TABLE 10

Strain	Nucleic Acid Sequence	SEQ ID NO:
Betacoronavirus Nucleic Acid Sequence		
gb KJ156934.1 :	ATGATACACTCAGTGTCTTCTACTGATGTTCTTGTTAACACC	20
21405-25466 Middle	TACAGAAAGTTACGTTGATGTAGGCCAGATTCTGTTAAG	
East respiratory	TCTGCTTGATTGAGGTTGATATACAACAGACCTTCTTTGA	

TABLE 10-continued

Strain	Nucleic Acid Sequence	SEQ ID NO:
syndrome coronavirus isolate Riyadh_14_2013, spike protein (nucleotide)	TAAAACTGGCCTAGGCCAATTGATGTTTCTAAGGCTGAC GGTATTATATACCCCTCAGGCCGTACATATTCTAACATAA CTATCACTTATCAAGGCTTTTTCCCTATCAGGGAGACCAT GGTGATATGTATGTTACTCTGCAGGACATGCTACAGGCA CAACTCCACAAAAGTTGTTGTAGTCTAATCTCAGGA CGTCAAACAGTTTGGCTAATGGGTTTGTGCTCCGTATAGGA GCAGCTGCCAATCCACTGGCACTGTTATATTAGCCCATC TACCAGCGCTACTATACGAAAATTACCCTGCTTTTATGC TGGGTTCTTCAGTTGGTAATTTCTCAGATGGTAAAATGGG CCGCTTCTCAATCATACTCTAGTTCTTTGCCCGATGGAT GTGGCACTTACTTAGAGCTTTTATTGTATTCTAGAGCCT CGCTCTGGAATCATTTGCTGCTGGCAATTCCTATACCTC TTTTGCCACTTATCACACTCCTGCAACAGATTGTTCTGATG GCAATTACAATCGTAATGCCAGTCTGAACTCTTTAAGGA GTATTTAATTTACGTAACCTGCACCTTTATGTACACTTATA ACATTACCGAAGATGAGATTTTAGAGTGGTTTGGCATTAC ACAAACTGCTCAAGGTGTTCACTCTTCTCATCTCGGTATG TTGATTTGTACGGCGCAATATGTTTCAATTTGCCACCTTG CCTGTTTATGATACTATTAAGTATTATTCTATCATTCCCA CAGTATTCGTTCTATCCAAAGTGATAGAAAAGCTTGGGCT GCCTTCTACGTATATAAACTTCAACCGTTAACTTTCTGTT GGATTTTCTGTTGATGGTTATATACGAGAGCTATAGACT GTGGTTTTAATGATTTGTCAAACTCCACTGCTCATATGAA TCCTTCGATGTTGAATCTGGAGTTTATTCAGTTTCGTCCTT CGAAGCAAAACCTTCTGGCTCAGTTGTGGAACAGGCTGAA GGTGTTGAATGTGATTTTCACTCTTCTGTCTGGCACACC TCCTCAGGTTTATAATTTCAAGCGTTTGGTTTTTACCAATT GCAATTATAATCTTACCAAATGCTTTCACTTTTTCTGTG AATGATTTTACTTGTAGTCAAATATCTCCAGCAGCAATTGC TAGCAACTGTTATTCTTCACTGATTTGGATTATTTTCAT ACCCACTAGTATGAAATCCGATCTCAGTGTAGTTCTGCT GGTCCAATATCCAGTTTAAATATAAACAGTCTTTTCTAA TCCCACATGTTGATCTTAGCGACTGTTCTCATAACCTTA CTAATTAATAAGCCTCTAAAGTACAGCTATATTAACAA GTGCTCTCGTCTTCTTCTGATGATCGTACTGAAGTACCTC AGTTAGTGAACGCTAATCAATACTCACCTGTGTATCCATT GTCCCATCCACTGTGTGGGAGACGGTGATTATATAGGA AACAACTATCTCCACTTGAAGGTGGTGGCTGGCTTGTGTC TAGTGGCTCAACTGTTGCATGACTGAGCAATTACAGATG GGCTTTGGTATTACAGTTCAATATGGTACAGACCAATA GTGTTTGGCCCAAGCTTGAATTTGCTAATGACACAAAAT TGCTCTCAATTAGGCAATTTGCGTGGAAATTTCCCTCTATG GTGTTTCCGGCCGTTGGTGTTTTTCAGAAATGCACAGCTGTA GGTGTTCCGACAGCAGCGCTTTGTTTATGATGCGTACCAGA ATTTAGTTGGCTATTATTCTGATGATGGCACTACTACTGT CTGCGTGTCTTGTGTAGTGTCTCTGTTTCTGTCTATGTA TAAAGAACTAAAACCCACGCTACTCTATTTGGTAGTGT GCATGTGAACACATTTCTTACCATGTCTCAATACTCCCG TTCTACGCGATCAATGCTTAAACGGCGAGATCTACATAT GGCCCCCTTCCAGACCTGTGGTGTGTCCTAGGACTTGT TAATTCCTCTTGTTCGTAGAGGACTGCAAGTTGCCTCTCG GTCAATCTCTCTGTGCTCTTCTGACACACCTAGTACTCTC ACACCTCGCAGTGTGCGCTCTGTGCCAGGTGAAATGCGCT TGGCATCCATTGCTTTAATCATCCATTGAGTTGATCAA CTTAATAGTAGTATTTTAAATTAAGTATACCCACTAATTT TTCTTTGGTGTGACTCAGGAGTACATTAGACAAACCATTC AGAAAGTTACTGTTGATTGTAACAGTACGTTTGAATGG TTTCCAGAAGTGTGAGCAATTACTGCGGAGTATGGCCAG TTTTGTCCAAAATAAACAGGCTCTCCATGGTGCCAATTT ACGCCAGGATGATTCTGTACGTAATTTGTTTGGCAGCGTG AAAAGCTCTCAATCATCTCCTATCATACCAGTTTGGAG GTGACTTTAATTTGACACTCTAGAACCTGTTTCTATATCT ACTGGCAGTCGTAGTGCACGTAGTCTATTGAGGATTTGC TATTTGACAAAAGTCACTATAGCTGATCCTGGTTATATGCA AGGTTACGATGATTGTATGCAGCAAGGTCAGCATCAGCT CGTGATCTTATTTGTGCTCAATATGTTGGCTGGTTATAAAGT ATTACCTCCTTTATGGATGTTAATATGGAAGCCGCGTATA CTTCACTTTGCTTGGCAGCATAGCAGGTGTTGGCTGGACT GCTGGCTTATCCTCTTTGCTGCTATTCATTTGCACAGAG TATYTTTTATAGGTTAAACGGTGTGGCATTACTCAACAG GTTCTTTAGAGAACCAAAGCTTATTGCAATAAGTTTA ATCAGGCTCTGGGAGCTATGCAAAACAGGCTTCACTACAAC TAATGAAGCTTTTCCGGAAGTTTCCAGGATGCTGTGAACAC AATGCACAGGCTCTATCCAAATAGCTAGCAGCTATCTA ATACTTTTGGTGTATTTCCGCTCTATTGGAGACATCATA CAACGCTTGTGATGTTCTCGAACAGGACGCCAAAATAGACA GACTTATTAATGGCCGTTTGCACAACTAAAATGCTTTTGT	

TABLE 10-continued

Strain	Nucleic Acid Sequence	SEQ ID NO:
	GCACAGCAGCTTGTTCGTTCGAATCAGCTGCTCTTCCGC TCAATTGGCTAAAGATAAAGTCAATGAGTGTCAAGGCA CAATCCAAGCGTTCGGATTTTGGCGTCAAGGCACACATA TAGTGTCTTTTGTGTAATGCCCTAATGGCCTTACTTT ATGCATGTTGGTTATTACCTAGCAACACATTGAGGTTGT TTCTGCTTATGGTCTTTCGATGCAGCTAACCTACTAATT GTATAGCCCCTGTTAATGGCTACTTTATAAACTAATAAC ACTAGGATTGTTGATGAGTGGTCATATACCTGCTCGCTCT CTATGCACCTGAGCCCATCACCTCTCTAATACTAAGTATG TTGCCACAGGTGACATACCAAAACATTTCTACTAACCT CCCTCCTCCTTCTCGGCAATTCACCGGGATTGACTTCC AAGATGAGTTGGATGAGTTTTTCAAAAATGTTAGCACCAG TATACCTAATTTGGTTCCTAACACAGATTAACTACTACAT TACTCGATCTTACCTACGAGATGTTGCTCTTCAACAGTT GTTAAAGCCCTAATGAGTCTTACATAGACCTTAAAGAGC TTGGCAATTATACTTATTACAACAATGGCCGTGGTACAT TTGGCTTGGTTTCATGCTGGCTTGTGCTTAGCTCTAT GCGTCTTCTCATACTGTGCTGCCTGGTGTGGCACAAAC TGTATGGGAAAACCTAAGTGAATCGTTGTTGTGATAGAT ACGAGGAATACGACCTCGAGCCGCATAAGGTTTCATGTTCA CTAA	
MERS S FL SPIKE 2cEMC/2012 (XBaI change (T to G)) (nucleotide)	ATGATACACTCAGTGTCTACTGATGTTCTTGTAAACACC TACAGAAAGTTACGTTGATGTAGGGCCAGATTCTGTAAAG TCTGCTTGTATTGAGGTTGATATACAACAGACTTTCTTGA TAAAACCTGGCCTAGGCCAATGATGTTTCTAAGCGTGAC GGTATTATATACCCCTCAAGGCCGTACATATTCTAACATAA CTATCACTTATCAAGGCTTTTTCCCTATCAGGGAGACCAT GGTGATATGATGTTTACTCTGCAGGACATGCTACAGGCA CAACCTCCACAAAAGTTGTTTGTAGCTAACTATTCTCAGGA CGTCAAAACAGTTGCTAATGGGTTTGTGCTCGTATAGGA GCAGCTGCCAATTCACCTGGCACTGTTATTATAGCCCATC TACCAGCGCTACTATACGAAAATTTACCTGCTTTTATGC TGGGTTCTTCAGTTGGTAATTTCTCAGATGGTAAAATGGG CCGCTTCTTCAATCATACTCTAGTTCTTTGCCCAGATGGAT GTGGCACTTTACTTAGAGCTTTTTATTGTATTCTGGAGCCT CGCTCTGGAAAATCATTGCTCTGCTGGCAATTCCTATACCTC TTTTGGCCACTTATCACACTCCTGCAACAGATTGTTCTGATG GCAATTACAATCGTAATGCCAGTCTGAACCTTTTAAGGA GTATTTAATTTACGTAACCTGCACCTTTATGTACACTATA ACATTAACCGAAGATGAGATTTAGAGTGGTTTGGCATTAC ACAAACCTGCTCAAGGTGTTCACTCTTCTCATCTCGGTATG TTGATTTGTACGGCGGCAATATGTTTCAATTTGCCACCTTG CCTGTTTATGATACTATTAAATATTCTATCATTCCTCA CAGTATTCGTTCTATCCAAAGTGATAGAAAAGCTTGGGCT GCCTCTACGTATATAAACTTCAACCGTTAACTTTCTGTT GGATTTTCTGTGATGGTTATATACGAGAGCTATAGACT GTGGTTTTAATGATTTGTCACAACTCCACTGCTCATATGAA TCCTTCGATGTTGAATCTGGAGTTTATTCAGTTTCGCTTT CGAAGCAAACCTTCTGGCTCAGTTGTGGAACAGGCTGAA GGTGTTGAATGTGATTTTTCACTCTTCTGCTGGCACACC TCCTCAGGTTTATAATTTCAAGCGTTGGTTTTTACCAATT GCAATFATAATCTTACCAAAATGCTTTCACTTTTTCTGTG AATGATTTACTTGTAGTCAAATATCTCCAGCAGCAATTGC TAGCAACTGTTATTCTTCACTGATTTGGATTACTTTTCAT ACCCACTTAGTATGAAATCCGATCTCAGTGTAGTCTGCT GGTCCAATATCCAGTTTAAATATAAACAGTCCCTTTCTAA TCCACATGTTTGAATTTAGCGACTGTTCTCATAACCTTA CTACTATTACTAAGCCTCTTAAGTACAGCTATATTAACAA GTGCTCTCGTCTTCTTCTGATGATCGTACTGAAGTACCTC AGTTAGTGAACGCTAATCAATACTCACCTGTGTATCCATT GTCCCATCCACTGTGTGGGAGACGGTGATTTATATAGGA ACAAATATCTCCACTTGAAGGTGGTGGCTGGCTTGTGTC TAGTGGCTCAACTGTTGCCATGACTGAGCAATACAGATG GGCTTTGGTATTACAGTTCAATATGGTACAGACACCAATA GTGTTTGGCCCAAGCTTGAATTTGCTAATGACACAAAAAT TGCCCTCAATTAGGCAATTCGCTGGAATATTCCTCTATG GTGTTTCGGGCCGTGGTGTTCAGAAATGACACAGCTGTA GGTGTTTCGACAGCAGCGCTTGTGTTATGATGCGTACCAGA ATTTAGTTGGCTATTATTCTGATGATGGCAACTACTACTGT TTGCGTGTCTGTGTAGTGTCTCTGTTCTGTCATCTATGAT AAAGAACTAAAACCCAGCTACTCTATTGGTAGTGTG CATGTGAACACATTTCTTCTACCATGCTCAATACTCCCGT TCTACCGGATCAATGCTTAAACGGCGAGATTCTACATATG GCCCCTTCAGACACCTGTTGGTGTGCTCCTAGGACTTGT AATTCTCTTTGTTTCGTAGAGGACTGCAAGTTGCCTCTTGG TCAATCTCTCTGTGCTCTTCTGACACACTAGTACTCTCA	21

TABLE 10-continued

Strain	Nucleic Acid Sequence	SEQ ID NO:
	CACCTCGCAGTGTGCGCTCTGTTCCAGGTGAAATGCGCTT GGCATCCATTGCTTTTAAATCATCCTATTACAGGTGATCAAC TTAATAGTAGTATTTTTAAATTAAGTATACCCACTAATTTT TCCTTTGGTGTGACTCAGGAGTACATTAGACAACCATTC AGAAAGTACTGTTGATTGTAACAGTACGTTTGAATGG TTCCAGAAGTGTGAGCAATTAAGTGTGCGGAGTATGGCCAG TTTTGTCCAAAATAAACAGGCTCTCCATGGTGC AATTT ACGCCAGGATGATTCTGTACGTAATTTGTTTGCAGCGTG AAAAGCTCTCAATCATCTCCTATCATACAGGTTTGGAG GTGACTTTAATTGACACTTCTGGAACCTGTTCTATATCT ACTGGCAGTCTGTAGTGCACGTAGTGTATTGAGGATTTGC TATTTGACAAAAGTCACTATAGCTGATCTGGTTATATGCA AGGTTACGATGATTGCATGCAGCAAGGTCAGCATCAGCT CGTGATCTTATTTGCTCAATATGTTGGTGGTTACAAAGT ATTACCTCCTCTTATGGATGTTAATATGGAAGCCGCGTATA CTTCACTTTGCTTGGCAGCATAGCAGGTGTTGGCTGGACT GCTGGCTTATCCTCCTTTGCTGCTATCCATTGACACAGAG TATCTTTTATAGGTTAAACGGTGTGGCATTACTCAACAGG TTCTTTGAGAGAACC AAAAGCTTATGCCAA TAAGTTTAA TCAGGCTCTGGGAGCTATGCAACAGGCTTCACTACAACT AATGAAGCTTTTCAGAAGGTTCAAGGATGCTGTGAACAACA ATGCACAGGCTCTATCCAAATTAGCTAGCAGCTATCTAA TACTTTGGTGTATTTCCGCTCTATTGGAGACATCATA AACGCTTGATGTTCTCGAACAGGACGCCAAAATAGACAG ACTTATTAATGGCCGTTTGACAACACTAAATGCTTTGTTG CACAGCAGCTTGTGTTCCGAATCAGCTGCTCTTCCGCT CAATTGGCTAAAGATAAAGTCAATGAGTGTGCAAGGCAC AATCCAAGCGTTCTGGATTTTCCGGTCAAGGCACACATAT AGTGTCTTTGTTGTAATGCCCCTAATGGCCTTTACTTCA TGCATGTTGGTTATTAACCTAGCAACCACATTGAGGTTGTT TCTGCTTATGGTCTTGGCATGCAGCTAACCTACTAATTTG TATAGCCCCTGTTAATGGCTACTTTATAAAATAATAACA CTAGGATGTTGATGAGTGGTCATATACTGGCTCGTCTTC TATGCACCTGAGCCCATACCTCCCTAATACTAAGTATGT TGCACCACAGGTGACATACCAAAACATTTCTACTAACCTC CCTCCTCCTCTTCTCGGCAATCCACCGGATGACTTCCA AGATGAGTTGGATGAGTTTTTCAAAAATGTTAGCACCAGT ATACCTAATTTGGTTCCTAACACAGATTAATACTACATT ACTCGATCTTACCTACGAGATGTTGCTCTTCAACAAGTTG TTAAAGCCCTTAATGAGTCTTACATAGACTTAAAGAGCT TGGCAATTAATACTTATTAACAATAATGGCCGTTGATAC TGGCTTGGTTTCATTGCTGGGCTTGTGCCTTAGCTCTATG CGTCTTCTTCACTGTGCTGCACTGGTTGTGGCAAACT GTATGGGAAAACCTAAGTGAATCGTTGTTGTGATAGATA CGAGGAATACGACCTCGAGCCGATAGGTTATGTTCCAC TAA	
Novel_MERS_S2_sub- unit_trimeric vaccine (nucleotide)	ATGATCCACTCCGTTCTCCTCATGTTCTGTTGACCCC CACTGAGTCAGACTGCAAGCTCCCGCTGGGACAGTCCCCTG TGTGCGCTGCCGTGACACTCTAGCACTCTGACCCACGCTC CGTGCGGTGCGTGCCTGGCGAAATGCGGCTGGCCCTCCATC GCCTTCAATCACCCAATCAAGTGGATCAGCTGAATAGCT CGTATTTCAAGCTGTCCATCCCACGAACCTCTCGTTCGGG GTCACCCAGGAGTACATCCAGACCACAATTCAGAAGGTCA CCGTCGATTGCAAGCAATACGTGTGCAACGGCTTCAGAA GTGCGAGCAGCTGCTGAGAGAATACGGGCAGTTTTCAGC AAGATCAACCAGGCGCTGCATGGAGCTAACTTGCACCAGG ACGACTCCGTGCGCAACCTCTTTGCTCTGTGAAGTCAATC CAGTCTCCCAATCATCCGGGATTCGGAGGGGACTTCA ACCTGACCCCTCTGAGCCCGTGTGATCAGCACCCGCTAG CAGATCGGCGCGCTCAGCCATTGAAGATCTTCTGTTGAC AAGGTCACCATCGCCGATCCGGGCTACATGCAGGGATACG ACGACTGTATGCAGCAGGACAGCCTCCGCGAGGGACCT CATCTGCGCGCAATACGTGGCCGGTACAAAGTGTGCTGCT CCTCTGATGGATGTGAACATGGAGGCCGCTTATACTTCGT CCCTGCTCGGCTCTATCGCCGCTGGGGTGGACCCGCGG CCTGTCTCTTTCGCCGCTATCCCTTTGCACAATCCATTT TCTACCGGCTCAACGGCGTGGGCATTACTCAACAAGTCTCT GTCCGAGAACCAGAAGTTGATCGCAACCAAGTTCAATCA GGCCCTGGGGCCATGCAGACTGGATTCACTACGACTAAC GAAGCGTTCAGAAGGTCAGGACGCTGTGAACAACAAC GCCCAGGCGCTCTCAAGCTGGCCTCCGAACCTAGCAACA CCTTCGGAGCCATCAGCGCATCGATCGGTGACATAATTCA GCGGCTGGACGTGCTGGAGCAGGACGCCAGATCGACCG CCTCATCAACGACGGCTGACCACCTTGAATGCCCTTCGTG GCACAACAGCTGGTCCGGAGCGAATCAGCGGCACTTCCG CCCAACTCGCCAAGGACAAGTCAACGAATGCGTGAAG	22

TABLE 10-continued

Strain	Nucleic Acid Sequence	SEQ ID NO:
	CCCAGTCCAAGAGGTCGGTTTCTGCGGTCAAGGAACCCA TATTGTGTCCTTCGTGCGTGAACGCGCCCAACGGTCTGTACT TTATGCACGTCGGCTACTACCCGAGCAATCATATCGAAGT GGTGTCCGCTACGGCCTGTGCGATGCCGCTAACCCCACT AACTGTATTGCCCTGTGAACGGATATTTTATTAAGACCA ACAACACCCGCATTGTGGACGAATGGTCATACACCCGGTTC GTCCTTCTACGCGCCCGAGCCATCACTTCACTGAACACC AAATACGTGGCTCCGCAAGTGACCTACCAGAATCTCCA CCAATTTGCGCGCCGCTGCTCGGAAACAGCACCCGGAAT TGATTTCCAAGATGAACTGGACGAATTTCAAGAACGTG TCCACTTCCATTCCCACTTCGGAGCCTGACACAGATCA ACACCCACCTTCTCGACCTGACCTACGAGATGCTGAGCCT TCAACAAGTGGTCAAGGCCCTGAACGAGAGCTACATCGAC CTGAGGAGCTGGGCAACTATACCTACTACAACAAGTGGC CGGACAAGATTGAGGAGATTCTGTGCGAAAATCTACCACAT TGA AACGAGATCGCCAGAATCAAGAAGCTTATCGGCGA AGCC	
MERS_S0_Full- length_Spike protein (nucleotide, codon optimized)	ATGGA AACCCCTGCCAGCTGCTGTCTGCTGCTGCTGTG GCTGCTGATACCACCGG CAGCTATGTGGACGTGGGCC GATAGCGTGAAGTCCGCC TGTATCGAAGTGGACATCCAGC AGACCTTTTTCGACAAGACCTGGCC CAGACCCATCGACGT GTCCAAGGCCGACGGCAT CATCTATCCACAAGGCCGGACC TACAGCAACATCACCATTACCTACCAGGGCCTGTTCCCAT ATCAAGGCGACCACGGCGATATGTACGTGTA CTCTGCGCG CCACGCCACCGGCACACACCC CAGAAACTGTTCGTGGCC AACTACAGCCAGGACGTGAAGCAGTTCGCCAACGGCTTCG TCGTGCAGATTGGCGCGCTGCCAATAGCACCGGCACAGT GATCATCAGCCCCAGCAC CAGCGCCACCATCCGGAAGATC TACCCCGCCTTCATGCTGGGCAGCTCCGTGGGCAATTTCA GCGACGGCAAGATGGGCCGTTCTTCAACACACCC TGGT GCTGCTGCCCGATGGCTGTGGCACACTGCTGAGAGCCTTC TACTGCATCCTGGAACCCAGAAGCGGCACCCACTGCCCTG CCGGCAATAGCTACACCAGCTTCGCCACCTACCACACACC CGCCACCGATTGCTCCGACGGCAACTACAAACCGAACGCC AGCCTGAACAGCTTCAAAGAGTACTTCAACCTGCGGAACT GCACCTTCATGTACACCTACAATATCACCGAGGACGAGAT CCTGGAATGGTTCCGCATCACCCAGACCGCCAGGGCGTG CACCTGTTCCAGCAGAGATACCTGGACCTGTACGGCGGCA ACATGTTCCAGTTTGCCACCCTGCCCGTGTACGACACCAT AAGTACTACAGCATCATCCCCACAGCATCCGGTCCATCC AGAGCGACAGAAAGCCTGGGCCGCTTCTACGTGTACAA GCTGCAGCCCCGACCTTCTGCTGGACTTCAGCGTGGAC GGCTACATCAGACGGCCATCGACTGCGGCTTCAACGACC TGAGCCAGCTGCACTGCTCCTACGAGAGCTTCGACGTGGA AAGCGCGTGTACAGCGTGTCCAGCTTCGAGGCCAAGCCT AGCGGCAGCGTGGTGGAAACAGGCTGAGGGCGTGAATGC GACTTCAGCCCTCTGCTGAGCGGCACCCCTCCCAGGTGT ACAACTTCAAGCGGCTGGTGTTCACCAACTGCAATTACAA CCTGACCAAGCTGCTGAGCCTGTTCTCCGTGAACGACTTC ACCTGTAGCCAGATCAGCCCTGCCGCCATTGCCAGCAACT GCTACAGCAGCCTGATCCTGGACTACTTCAGTACCCCT GAGCATGAAGTCCGATCTGAGCGTGTCTCCGCCGGACCC ATCAGCCAGTTCAACTACAAGCAGAGCTTCAGCAACCCTA CCTGCCTGATTCTGGCCACCCTGCCCACTTCTGACCAC CATCACCAGCCCTGAAGTACAGTACATCAACAAGTGC AGCAGACTGCTGTCCGACGACCGGACCGAAGTGC CCCAGC TCGTGAACGCCAACCAGTACAGCCCTGCGTGTCCATCGT GCCCAGCACCGTGTGGGAGGACGGGACTACTACAGAAA GCAGCTGAGCCCTTGAAGGCGGGGATGGCTGGTGGCT TCTGGAAGCACAGTGGCCATGACCGAGCAGCTGCAGATG GGCTTTGGCATCACCGTGCAGTACGGCACCGACACCAACA GCGTGTGCCCAAGCTGGAATTCGCCAATGACACCAAGAT CGCCAGCCAGCTGGGAACTGCGTGGAACTACTCCTGTAT GGCGTGTCCGGACGGGGCTGTTCAGAAATTGCACAGCAG TGGGAGTGCAGCAGAGATTCGTGTACGATGCCTACCA GAACCTCGTGGGCTACTACAGCAGCAGCGCAATTACTAC TGCTGCGGGCCTGTGTGTCGCTGCCCTGTCCGTGATCTA CGACAAAGAGACAAAGACCCACGCCACACTGTTCCGGCTCC GTGGCCTGCGAGCACATCAGCTCCCATGAGCCAGTACT CCCGCTCCACCCGGTCCATGCTGAAGCGGAGAGATAGCAC CTACGGCCCCCTGCAGACACCTGTGGGATGTGTGCTGGGC CTCGTGAACAGCTCCTGTTTGTGGAAGATTGCAAGCTGC CCCTGGGCCAGAGCCTGTGTGCCCTGCCAGATACCCCTAG CACCCTGACCCCTAGAAGCGTGCCTCTGTGCCCGGGAA ATGCGGCTGGCCTCTATCGCCTTCAATCACCCTATCCAGT GGACAGCTGAACTCCAGCTACTTCAAGCTGAGCATCCCC	23

TABLE 10-continued

Strain	Nucleic Acid Sequence	SEQ ID NO:
	<p>ACCAACTTCAGCTTCGGCGTGACCCAGGAGTACATCCAGA CCACAAATCCAGAAAGTGACCGTGGACTGCAAGCAGTACGT GTGCAACGGCTTTCAGAAAGTGCAGAACAGCTGCTGCGCGAG TACGGCCAGTTCTGCAGCAAGATCAACCAGGCCCTGCACG GCGCCAACTGAGACAGGATGACAGCGTGCAGAACCTGTT CGCCAGCGTGAAAAGCAGCCAGTCCAGCCCCATCATCCCT GGCTTCGGCGGCGACTTTAACCTGACCCCTGCTGGAACCTG TGTCCATCAGCACCGGCTCCAGAAGCGCCAGATCCGCCAT CGAGGACCTGCTGTTTCGACAAAGTGACCATTTGCCGACCCC GGCTACATGCAGGGCTACGACGATTGCATGCAGCAGGGCC CAGCCAGCGCCAGGGATCTGATCTGTGCCAGTATGTGGC CGGCTACAAGGTGCTGCCCCCCCTGATGGACGTGAACATG GAAGCCGCTACACCTCCAGCCTGCTGGGCTCTATTGCTG GCGTGGGATGGACAGCCGGCTGTCTAGCTTTGCCGCCAT CCCTTTCGCCCAGAGCATCTTCTACCGGTGAACGGCGTG GGCATCACACAACAGGTGCTGAGCGAGAACCAGAAGCTG ATCGCCACAAGTTTAAACAGGCACCTGGGCGCCATGCAGA CCGGCTTACCACCACCAACGAGGCCCTTCAGAAAGGTGCA GGACCGCGTGAACAACAACGCCAGGCTCTGAGCAAGCT GGCTCCGAGCTGAGCAATACCTTCGGCGCCATCAGCGCC TCCATCGGCGCATCATCAGCGGCTGGACGTGCTGGAAC AGGACGCCAGATCGACCGGCTGATCAACGGCAGACTGA CCACCTGAACGCTTTCGTGGCACAGCAGCTCGTCCGGAG CGAATCTGCCGCTCTGCTGCTCAGCTGGCCAAAGGACAAA GTGAACGAGTGCCTGAAGGCCAGTCCAAGCGGAGCGGC TTTTGTGGCCAGGGCACCCACATCGTGTCTTCTGCTGAA TGCCCCAACGGCTGTACTTTATGCACGTGGGCTATTACC CCAGCAACCACATCGAGGTGGTGTCCGCTATGGCTGTG CGACGCCGCAATCTTACCACTGTATCGCCCCCGTGAAC GGCTACTTCATCAAGACCAACAACCCGGATCGTGGACG AGTGGTCTTACACAGGCAGCAGCTTCTACGCCCCGAGCC CATCACCTCCCTGAACACCAAATACGTGGCCCCCAAGTG ACATACCAGAACATCTCCACCAACCTGCCCTCCACTGC TGGGAAATTCACCGGCATCGACTTCAGGACGAGCTGGA CGAGTCTTCAAGACGTGTCCACCTCCATCCCAACTTCG GCAGCTGACCAGATCAACACCCTCTGCTGGACCTGAC CTACGAGATGCTGTCCCTGCAACAGGTGCTGAAAGCCCTG AACGAGAGCTACATCGACCTGAAAGAGCTGGGGAACCTAC ACCTACTACAACAAGTGGCCCTTGGTACATTTGGCTGGCT TTATCGCCGGCTGGTGGCCCTGGCCCTGTGCTGTTCTTC ATCCTGTGCTGCACCGGCTGCGGCACCAATTGCATGGGCA AGCTGAAATGCAACCGGCTGCTGCGACAGATACGAGGAAT ACGACCTGGAACTCACAAAGTGCATGTGCAC</p>	
	Betacoronavirus mRNA Sequences	
<p>gb KJ156934.1 : 21405-25466 Middle East respiratory syndrome coronavirus isolate Riyadh_14_2013, spike protein (nucleotide)</p>	<p>AUGAUAACACUCAGUGUUUCUACUGAUGUUCUUGUUAAC ACCUACAGAAAGUUACGUUGAUGUAGGGCCAGAUUCUG UUAAGUCUGUUGUAUUGAGGUUGUAUAACAACAGACC UUCUUUGAUAAAACUUGGCCUAGGCCAAUUGAUGUUUC UAAGGCUGACGGUUAUUUAUACCCUCAAGGCCGUAUACU AUUUAACAUAACUUAUCUUAUCAAGGUUUUUUUCCCU AUCAGGGAGACCAUGGUGUAUUGUUAUGUUUACUCUGCA GGACAUGCUACAGGCACAACUCCACAAAAGUUGUUUGU AGCUAAACUUAUCAGGACGUCAAAACAGUUUGCUAAUG GGUUUUGUCGUCGUAUAGGAGCAGCUGCCAAUUCACUG GCACUGUUUUUUAGCCCAUCUACAGCGCUACUAUAC GAAAAAUUUACCCGCUUUUAUGCUGGGUUUCUUCAGUU GGUAAUUUCAGAUUGGUAAAAGGGCCGCUUCUCAA UCAUACUCUAGUUCUUUUGCCGAUGGAUGGGCACUU UACUUAGAGCUUUUUAUUUAUUUCUAGAGCCUCGCUUCU GGAAAUCAUUGUCCUGCUGGCAAUUCCUAUACUUCUUU UGCCACUUUAUCACACUCCUGCAACAGAUUGUUCUGAUGG CAUUUAACAUCGUAUAGCCAGUCUGAACUCUUUUUAGG AGUAUUUUAAUUUACGUAACUGCACUUUUAUGUACACU UAUAACAUUUACCGAAGUAGAUUUUAGAGUGGUUUUGG CAUUUAACAACUUCGCUAAGGUGUUAACCUUCUUCUACU UCGGUUAGUUGAUUUUGUACGGCGGCAAUUAGUUUCAU UUGCCACCUUGCCUGUUUAUGAUACUUUAAGUUAUUU UCUUAUCAUUCCUCAAGUAUUCGUUCUUAUCCAAAGUGAU AGAAAAGCUUGGGCUGCCUUUCUACGUUAUAACAUCU ACCGUUAACUUUCCUGUUGGAUUUUUCUGUUGAUGGUU AUAUACGACAGCUAUAGACUGUGUUUUUAUGAUUUUG UCACAACUCACUGCUCAUAUGAAUUCUUCGAUGUUGAA UCUGGAGUUUAUUCAGUUUCGUUCUUCGAGCAAAACC UUCUGGCUAGUUGGGAACAGGCGUAGGUGUUGAAU GUGAUUUUUACCUUCUUCUGUCUGGCACACCUUCUAGG</p>	65

TABLE 10-continued

Strain	Nucleic Acid Sequence	SEQ ID NO:
	<p>UUUAUAAUUUCAAGCGUUUGGUUUUACCAAUUGCAAU UAUAUUCUUACCAAUUGCUUUUCACUUUUUUUCUGUGAA UGAUUUUACUUGUAGUCAAAUUCUCCAGCAGCAAUUG CUAGCAACUGUUAUUCUUCACUGAUUUUGGAUUUUUU UCAUACCCACUUAUGUAUGAAUCCGAUCUCAGUGUUG UUCUGCUGGUCCAAUAUCCAGUUUUUUUAUAAACAGU CCUUUUUCAAUCCCAUGUUUGAUUUAGCGACUGUUUC CUCUAUACCUUAUCUAUUACUAAGCCUCUUAAGUACA GCUAUAUUAAACAGUGUCUCUCGUCUUUUUCUGAUGAU CGUACUGAAGUACCCAGUUAGUGAACGCUAUCAAUA CUCACCCUGUGUAUCCAUUGUCCAUCCAGUGUGGGGA AGACGGUGAUUUUAUAGGAAACAUAUCUCCACUUG AAGGUGGUGGCUUGGUUGCUAGUGGCUAACUGUU GCCAUGACUGAGCAAUAUAGUGGCUUUUGUAUUC AGUUCAAUAGUGUACAGACACCAAUAGUUUGCCCCA AGCUUGAAUUUGCUAAUGACACAAAAUUUGCCUCUCAA UUAGGCAUUGCGUGGAUAUUUCCUCUAUGGUGUUUC GGGCCGUGGUGUUUUUAGAAUUGCACAGCUGUAGGUG UUCGACAGCAGCGCUUUUUUAUGAUGCGUACCAGAAU UUAGUUGGCUAUAUUUCUGAUGAUGGCAACUACUACUG UCUGCGUGCUUGGUUAGUGUUCCUGUUUCUGUCAUCU AUGAUAAAGAAACUAAAAACCACGCUAUCUUAUUUGGU AGUUGUUGCAUGUGAACACAUUUUCUACCAUGUCUCA AUACUCCCGUUCUACGCGAUCAAUGCUUAAACGGCGAGA UUCUAUAUUGGCCCCUUCAGACACCGUUUGGUUGUGU CCUAGGACUUGUUAUUCUCUUUUGUUCGUAAGGACU GCAAGUUGCCUCUCGGUCAUUCUCUGUCUCUCCUG ACACACCUAGUACUCUACACCUCGCAUGUGCGCUCUG UGCAGGUGAAUUGCGCUUGGCAUCUUAUGUUUUAAU CAUCCAUUCAGGUUGAUCAAUUAAUAGUAGUUUUUU UAAUUUAAGUAUACCCACUAAUUUUUUCUUUGGUGUGA CUCAGGAGUACAUUCAGACAACCAUUCAGAAAGUUACU GUUGAUUGUAAACAGUACGUUUUGCAAUGUUUCAGAA GUGUGAGCAAUUAUCUGCGCGAGUAUUGCCAGUUUUUU CCAAAUAACAGGUCUCUACUGGUGCCAUUUUACGCC AGGAUGAUUCUGUACGUAAUUUGUUUGCGAGCGUGAAA AGCUCUCAUUCUUCUUAUACUACAGGUUUUGGAGGU GACUUUAUUUAGACAUUCUAGAACCUGUUUCUAUAUC UACUGGCAGUCGUAGUCACGUAGUCUAUUAGGAAU UGCUAUUUGACAAAGUACAUUAGCUGAUCCUGGUUU AUGCAAGGUUACGAUGAUUGUAUGCAGCAAGGUCCAGC AUCAGCUCGUGAUUUUUUGUGCUAAUUGUGGCGUC GUUUUAAGUAUUACCUCUCUUUUGGAGUUAUAUUG GAAGCCGCGUAUACUUCUUCUUGUUGGCGAGCAUAGCA GGUGUUGGCGUAGCUGCGGUUUUCCUCUUGGUGCU AUUCCAUUUGCACAGAGAUUUUUUUAUAGGUUAAACGG UGUUGGCAUUAUCUACAGGUUUUUUAGAGAAACAAA AGCUUAUUGCCAAUAGUUUAUACAGGCUUGGGAGCU AUGCAAACAGGCUUCACUACAACUAAUGAAGCUUUUCG GAAGGUUACAGGAGUCUGUAAACAACUAGCAGGCUUC UAUCCAAUUAGCUAGCGAGCUAUAUACUUUUUGGU GCUUUUUCCGCUUCUUAUUGGAGACUAUACAAACGUCU GAUGUUUCGAACAGGACGCCCAAUAGACAGACUUUAU UAAUGGCCUUUGACAACACUAAUUGCUUUUGUUGCAC AGCAGCUUGUUCGUUCCGAAUCAGCUGCUUUUCCGCU AAUUGGCUAAAGAUAAAGUCAAUAGUGUGUCAAAGGCA CAAUCCAAGCGUUCUGGAUUUUUGCGGUCAGGCACACAU AUAGUGUCCUUUGUUAUAAUGCCCUAAUGGCUUUUA CUUUUAGCAUGUUGGUUAUUACCCUAGCAACCAUUG AGGUUUUUUCUGCUUAUGGUCUUUGCGAUGCAGCUAAC CCUAUAUUUGUAUAGCCUUGUUAAUGGCUACUUUAU UAAAAUAUAACAUAAGGAUUUGUAGUAGUGGUCAU AUAUGGUCUGUCCUUUAUGCACCUGAGCCCAUACCU CUCUUAAUAUAAGUAUUGUACACACAGGUGACAUACC AAAACAUUUUAUAUACCUCCUCCUCUUCUUCUGGCA AUUCCACCGGAUUAGCUUCCAAAGUAGUUUGGAGUAG UUUUUCAAAAAUGUAGCACAGUAUACCUAAUUUUUG UUCUCUAACACAGAUUAUAUACUAUACUUCGAUCUUAC CUACGAGAUGUUGUCUUAACAAGUUGUUAAAGCCC UUAUAGAGUCUUAUAGACCUUAAAGAGCUUGGCAAU UAUAUUUAUAACAACAAUUGGCCUGGUAUAUUUGGCU UGGUUUAUUGCUGGCUUGUUGCCUUAAGCUUAUGCG UCUCUUAUAUUGUUGCUACUUGGUUGGCAACAACU GUAUGGGAACCUAAAGUUAUUCGUUGUUGUAGUAAGA UACGAGGAUACGACCUCGAGCCGCAUAGGUUCAUGU UCACUAA</p>	

TABLE 10-continued

Strain	Nucleic Acid Sequence	SEQ ID NO:
MERS S FL SPIKE 2cEMC/2012 (XbaI change (U to G)) (nucleotide)	AUGAUACACUCAGUGUUUCUACUGAUGUUUCUUGUUUAAAC ACCUACAGAAAGUUACGUUGAUGUAGGGCCAGAUUCUG UUAAGUCUGCUUGUAUUGAGGUUGAUUAACAACAGACU UUCUUUGAUAAAACUUGGCCUAGGCCAAUUGAUGUUUC UAAGGCUGACGGUAUUUAUACCCUACAGGCCGUAACAU AUUCUAACAUAACUAUCAUUUAUCAAGGUCUUUUUCCCU AUCAGGGAGACCAUGGUGAUUUGUAUGUUUAUCUGCA GGACAUGCUCAGGCACAACUCCACAAAAGUUGUUUGU AGCUAAACUAUUCUCAGGACGUCAAAACAGUUUGCUAAUG GGUUUUGUCGUCGUAUAGGAGCAGCUGCCAAUUCACUG GCACUGUUAUUUAGCCCAUCUACAGCGCUACUAUAC GAAAAUUUACCCUGCUUUUAUGCUGGGUUCUUCAGUU GGUAAUUUCUCAGAUGGUAAAUGGCCGCUUCUCAA UCAUAUCUAGUUCUUUUGCCGAUGGUAUGGGCAUU UACUUAGAGCUUUUAUUGUAUUCUGGAGCCUCGCUCU GGAAAUCAUUGCCUGCUGGCAAUUCCUAUAUCUUCUU UGCCACUUAUCACUCCUGCAACAGAUUGUUCUGAUGG CAAUUACAUCGUAUUGCCAGUCUGAACUCUUUUAAAGG AGUAAUUUAAUUUACGUAACUGCACUUUAUGUACACU UAUACAUAUACCGAAGAUAGAUUUUAGAGUGGUUUGG CAUUAACAACUGCUCAAGGUGUUCACCCUUCUCUACU UCGUAUGUUGAUUUUGUACGGCGGCAUAUGUUUCAAU UUGCCACCUUGCCUGUUUAUGAUACUAUUAAGUAUUU UCUAUCAUUCCUCACAGUAUUCGUUCUAUCCAAGUGAU AGAAAAGCUUGGGCUGCCUUCACGUAUAUAAAACUUCA ACCGUUAACUUUCCUGUUGGAUUUUUCGUUGAUGGUU AUUAACGCAGACUAUAGACUGUGUUUUAAUGAUUUUG UCACAACUCCAUGCUCAUAUGAAUCCUUCGAGUUGAA UCUGGAGUUUAUUCAGUUUCGUUUUCGAGCAAACC UUCUGGCUCAGUUGGGAACAGGCUGAAGGUUGUAAU GUGAUUUUUCACCUUCUUGUCUGGCACACCUCUCAGG UUUUAUUUUAAGCGUUUGGUUUUACCAAUUGCAAU UAUAAUCUUACCAAUUGCUUUCACUUUUUUCUGUGAA UGAUUUUACUUUGUAUCAAUAUUCUCCAGCAGCAAUUG CUAGCAACUGUUAUUUCUACUGAUUUUGGAUUACUUU UCAUAACCCACUUAGUAUGAAUCCGAUCUCAGUUGUAG UUCUGCUGGUCCAAUAUCCAGUUUAAUUUAAAACAGU CCUUUUUCAAUCCCAUGUUUGAUUUUAGCGACUGUU CUCUAACCUUACUACUAUUACUAAGCCUUCUAAGUACA GCUUAUUAAACAGUGCUUCUGUCUUUCUUGAUGAU CGUACUGAAGUACCUAGUUAGUAACGCUAUAUCAUA CUCACCCUGUGUAUCCAUGUCCCAUCCACUGUGUGGGA AGACGGUGAUUUUUUAGGAAACAACUAUCUCCACUUG AAGGUGGUGGCUGGCUUGUUGCUAGUGGCUCAACUGUU GCCAUGACUGAGCAAUAUCAGAUUGGCUUUGGUUUAC AGUUCAAUAUGGUAACAGACCAUAUAGUUUUGCCCA AGCUUGAAUUUGCUAAUGACACAAAAUUUGCCUCUCAA UUAGGCAAUUGCGGAAUAUUCCUUAUGGUGUUUC GGGCCGUGGUGUUUUUUCAGAAUUGCACAGCUUAGGUG UUCGACAGCAGCGCUUUGUUUAUGAUGCGUACCGAAU UUAGUUGGCUAUAUUUCGAUGAUGGCAACUACUACUG UUUUGCGUCUUUGUUAGUUUCCUGUUUCUGUCAUCU AUGAUAAAGAAACUAAAACCCACGCUACUCUAUUUGGU AGUGUUGCAUGGAAACACAUUUUCUACCAUGUCUCA AUAUCCCGUUUAUCGCGAUCAAUGCUUAAAACGGCGAGA UUCUACAUAUGGCCCCUUCAGACACCCUGUUGGUUGUGU CCUAGGACUUGUUAAUUCUUCUUUGUUCGUAAGGACU GCAAAGUUGCCUUCUUGGUCAAUCUUCUGUGCUCUCCUG ACACACCUAGUACUCUACACCCUCGAGUGGCGCUCUG UUCAGGUGAAUUGCGCUUGGCAUCCAUUGCUUUUAU CAUCCUAUUCAGGUUGAUCAACUUAAUAGUAUUUUUU UAAAUUAAGUAUACCCACUAUUUUUUUCUUGGUGUGA CUCAGGAGUACAUUCAGACAACAUUCAGAAAGUUACU GUUGAUUGUAAACAGUACGUUUUGCAAUGGUUUCAGAA GUGUGAGCAAUACUGCGCGAGUAUGGCCAGUUUUUGU CCAAAUUAACAGGCUCUCCAUUGGUCCAAUUUACGCC AGGAUGAUUCUGUAUGUAUUUUUGCGAGCGUGAAA AGCUCUCAUUCUUCUUAUCUAUACAGGUUUUGGAGGU GACUUUAUUUGACACUUUCUGGAACUGUUUCUAUAUC UACUGGCAGUCGUAUGGACGUAUGUCUAUUAGGAAU UGCUAUUUGACAAAGUCAUAUAGCUGAUCCUGGUUAU AUGCAAGGUUACGAUGAUUGCAUGCAGCAAGGUCCAGC AUCAGCUCGUAUCUUUUUUUGGUCUAUAUAGUGGUCG GUUACAAGUAUUACCCUCUUAUUGGAGUUAUAUAG GAAGCCGCGUAUACUUCAUCUUUGCUGGACGAUAGCA GGUGUUGGCUGGACUGCUGGCUUAUCCUUCUUUGCUGCU AUUCCAUUUGCACAGAGUAUCUUUUUAUGGUUAAACGG	66

TABLE 10-continued

Strain	Nucleic Acid Sequence	SEQ ID NO:
Novel_MERS_S2_sub-unit_trimeric_vaccine (nucleotide)	<p>UGUUGGCAUUAUCUACACAGGUUCUUUCAGAGAACCAAA AGCUUAUUGCCAAUAAAGUUUAAUCAGGCUCUGGGAGCU AUGCAAACAGGCUUCACUACAACUAAUGAAGCUUUUCA GAAGGUUCAGGAUGCUGUGAACAAACAUGCACAGGCUC UAUCCAAAUUAGCUAGCGAGCUAUCUAAUACUUUUGGU GCUAUUUCCGCUCUAUUGGAGACAUACAACCGUCUU GAUUGUCUGAACAGGACGCCCAAUAGACAGACUUUU UAAUGGCCGUUGAGCAACACUAAUUGCUUUUGUUGCAC AGCAGCUUGUUCGUUCGAAUCAGCUGCUUUUCCGCUC AAUUGGCUAAAGAAUAAAGUCAUAGAGUGUGUCAAGGCA CAAUCCAAGCGUUCUGGAUUUUGCGGUCAAGGCACACAU AUAGUGUCUUUGUUGUAAUAGCCCCUAAUGGCCUUUA CUUCAUGCAUGUUGGUUUUUACCCUAGCAACACAUUGA GGUUGUUUCUGCUUUGGUCUUUGCAUGCAGCUAAC CUACUAAUUGUAUAGCCCUGUUAAUGGCUCUUUUUU AAAACUAAUAAACUAGGAUUGUUGAUGAGUGGUCAUA UACUGGCUCGUCCUUCUUAUGCACCGAGGCCAUUACCU CCUAAUACUAAUAGUUGCACCACAGGUGACAUACCA AAAACAUUUUCUAUAACCUCCUCCUCCUUCUCGCGCAA UUCACCGGGAUUGACUUCCAAAGAUAGUUGGAUGAGU UUUUCAAAAUGUAGCACAGUAUACCUAAUUUUGGU UCCCUAAACACAGAUAAUACUACAUUACUCGAUCUUACC UACGAGAUUGUUCUUCAACAAGUUGUUAAAGCCCU UAAUGAGUCUUACAUAGACCUUAAAGAGCUUGGCAAUU AUACUUUUUACAAACAAUUGCCGUGGUACAUUUUGCUU GGUUUCAUUGCUGGCUCUUGUCCUAGCUCUAUGCGU CUUCUUAUACUGUCUGCACUGGUUGGCAACAACUG UAUGGAAAACUUAAAGUUAUUCGUUUGUUGAUAGAU ACGAGGAUACGACUCGAGCCGCAUAAAGGUUCAUGUUC ACUAA</p> <p>AUGAUCCACUCGUGUUCUCUCUAGUUCCUGUUGACC CCCACUGAGUCAGACUGCAAGCUCUCCUGGGACAGUCC CUGUGUGCGCUGCCUGACACUCCUAGCACUCUGACCCCA CGCUCUGUGCGGUCGUGUCUUGGCCAAUUGCGGUCGGCC UCCAUCGCCUUCAAUCACCCAAUCCAAGUGGAUCAGCUG AAUAGCUCGUAUUUCAAAGCUGUCCAUCCCAAGAACUUU UCGUUCGCGGUCAACCAGGAGUACAUCCAGACCAAUU CAGAAGGUCACCGUCGAUUGCAAGCAUACGUGUGCAAC GCUUCCAGAAUGCGAGCAGCUGCUGAGAGAAUACGG GCAGUUUUGCAGCAAGAUCAACCAGCGCUGCAUGGAGC UAAUUGCGCCAGGACGACUCCGUGCGCAACCUUUUGC CUCUGUAGAUCAUCCAGUCCUCCCAAUACUCCCGG AUUCGAGGGGACUUCAACUGACCUCUUGGAGCCCGU GUCGAUCAGCACCGGUAGCAGAUCCGCGCGCUCAGCCAU UGAAAGAUUUUCUGUUCGACAAGGUCAACAUCCGCGAUCC GGGCUACAUAGCAGGAUACGACGACUGUAUGCAGCAGG GACCAGCCUCCGCGAGGGACCUCAUCUGCGCGCAAUACG UGGCCGGGUACAAAUGUCUGCCUCCUUGAUUGGAGUG AACAUUGGAGGCCGCUUAUACUUUCGUCCUUGCUCGGCUCU AUCCGCGCGUGGGUGGACCGCCGCGCUCUCCUUCUUC GCCGCUAUCCCUUUGCACAAUCCAUUUUUACCGGCUC AACGGCUGGGCAUUAUCUCAAAGUCUUGUCGAGAAC CAGAAGUUGAUCCGAAACAAGUUAUUCAGGCCUUGGG GGCCAUAGCAGACUGGAUUCACUACGACUAAAGAGCGUU CCAGAAGGUCCAGGACGUCUGAACAAACGCCCCAGGC GCUUCAAGCUGGCCUCCGAACUCAGCAACACCUUCCG AGCCAUAGCGCAUCGAUCGGUGACAUAUUUAGCGGCU GGACGUGCUGGAGCAGGACGCCAGAUCCGACCGCCUACU CAAAGGACGGCUGACCACCUUGAUGCCUUCGUGGCACA ACAGCUGGUCGAGGACGAAUACAGCGGCACUUUCGCCCCA ACUCGCCAAGGACAAAGUCAACGAAUUGCUGAAGGCCCA GUCCAAAGGUCGCGUUUCUGCGGUCAAGGAACCCAUUU UGUGUCCUUCGUCGUGAACGCGCCAAAGGUCUGUACUU UAUGCAGUCGCGUACUACCCGAGCAAUCAUUCGAGU GGUGUCCGCUACCGCCUGUGCGAUGCCGCUAACCCAC UAAUCGUUUUGCCCUGUGAACGGAAUUUUUAAUAAAGA CCAACAACACCCGCAUUGUGGACGAAUGGUCUAUACCCG GUUCGUCUUUCUACCGCCCGGAGCCAUACUUCACUGA ACACCAAUACGUGGCUCGCAAGUGACCUUACGAGAACA UCUCACCAAUUUGCCGCGCCGCGCUGCUCGGAAACAGCA CCGGAAUUGAUUUCCAAGAUGAACUGGACGAAUUCUUC AAGAACGUGUCACUUCCAUCCCAACUUUGGAAGCCUG ACACAGAUCAACACACCCUUCUCGACCUAGCCUACGAG AUGCUGAGCCUUCACAAGUGGUCUAGGCCUUGAACGAG AGCUACAUCGACCUUGAAGGAGCUGGGCAACUUAUACCUAC UACAACAAGUGGCCGACAGAUUGAGGAGAUUCUGUC</p>	67

TABLE 10-continued

Strain	Nucleic Acid Sequence	SEQ ID NO:
MERS_S0_Full-length Spike protein (nucleotide, codon optimized)	<p>GAAAAUCUACCAUUGAAAACGAGAUCCGCAAAUCA AGAAGCUUAUCGGCGAAGCC</p> <p>AUGGAAACCCUGCCAGCUGUGUCCUGCUGCUGCUG UGGCUGCCUGAUACACCCGGCAGCUAUGUGGACGUGGGC CCC GAUAGCGUAAGUCCGCCUGUAUCGAAGUGGACAU CAGCAGACCUUUUUCGACAAGACCCUGGCCAGACCAUC GACGUGUCCAGGGCGACGGCAUCUUAUCACCAAGGC CGGACCUACAGCAACAUCACCAUUAUCCAGGGCCUG UUCCAUAUCAAGGCGACCACGGCGAUUAGUACGUGUAC UCUGCCGGCCACGCCACCCGGCAACACCCAGAAACUG UUCGUGGCCAACUACAGCAGGACGUAAGCAGUUCGCC AACGGCUUCGUCGUGCGGAUUGGCCCGCGUCCAAUAGC ACCGGCACAGUGAUCAUCAGCCACAGCAGCGCCACC AUCCGGAAGAUCAACCCGCCUUCUAGCUGGGCAGCUC GUGGGCAUUUCAGCGACGGCAAGUAGGGCCGGUUCU CAACCACACCCUGGUGCUGGCCGUAUGGCUGUGGCAC ACUGCUGAGAGCCUUCUACUGCAUCCUGGAACCCAGAAG CGGCAACCAUCGCCUGCCGGCAUAGCUACACCAAGCU CGCCACCUAACCACACCCCGCCAGAUUUGCUCGACGG CAACUACAACCGGAACGCCAGCCUGAACAGCUUCAAGA GUACUUAACCCUGCGGAACUGCACCUCUAGUACACCUA CAAUAUCACCGAGGACGAGAUCCUGGAUUGGUUCGGCA UCACCCAGACCCCGCCAGGGCGUGCACCUGUUCAGCAGCA GAUACGUGGACCUUACGCGCGCAACAUGUUCAGUUU GCCACCCUGCCGUGUACGACCAUCAAGUACUACAGC AUAUCCCCCAGCAUCCGGUCCAUCCAGAGCGACAGA AAAGCCUGGGCCGCCUUCUACGUGUACAGCUGCAGCCC CUGACCUUCUGCUGGACUUCAGCGUGGACGGCUACAUC AGACGGGCCAUUCGACUGCGGCCUUAACGACCUGAGCCAG CUGCACUGCUCUACGAGAGCUUCGACGUGGAAAGCGGC GUGUACAGCGUGUCAGCUUCGAGGCCAAGCCUAGCGGC AGCGUGGUGGAACAGGCUGAGGGCGUGGAUUGCGACU CAGCCCUUCUGCUGAGCGGCACCCUCCAGGUGUACAA CUUAAGCGGCUGGUGUUCACCAACUGCAAUUAACCU GACCAAGCUGCUGAGCCUGUUCUCCGUGAACGACUUCAC CUGUAGCCAGAUACGCCUUCGCGCAUUGCCAGCAACUG CUACAGCAGCCUGAUCCUGGACUACUUCAGCUACCCCU GAGCAUGAAGUCCGAUCUGAGCGUGUCCUCCGCCGACC CAUCAGCCAGUUAACUAACAAGCAGAGCUUCAGCAACCC UACCGUCUGAUUCUGGCCACCGUGCCCCACAUCUGAC CACCAUACCAAGCCUUGAAGUACAGCUACAUCAACA GUGCAGCAGACUGCUGUCGACGACCGGACCGAAGUGCC CCAGCUCUGUAACGCCAACAGUACAGCCUUCGCGUGUC CAUCGUGCCAGCACCGUGUGGGAGGACGGCGACUACUA CAGAAAGCAGCUGAGCCUUGGAAGCGCGGAUUGGCU GGUGGCUCUGGAAGCACAGUGGCCAUGACCAGCAGCU GCAGAUGGGCUUUGGCAUACCCGUGCAGUACGGCACCGA CACCAACAGCGUGUGCCCAAGCUGGAUUCGCCAAUGA CACCAAGAUCCGAGCAGCUGGGAAACUGCGUGGAUA CUCCUGUAUGGCGUGUCGGACGGGGCGUGUUCAGAA UUGCACAGCAGUGGGAGUGCGCGCAGCAGAGAUUCGUGU ACGAUGCUCUACAGAACCUUGUGGGCUACUACAGCGACG ACGGCAAUUAUCUACUGCCUGCGGGCUGUGUUCGGUGC CCGUGUCGUGAUUCAGCAAAAGAGCAAAGACCCACG CCACACUGUUCGGCUCUGUGGCCUGCGAGCAUCAGCU CCACCAUGAGCCAGUAUCUCCCGCUCACCCGGUCCAU UGAAGCGGAGAGAUAGCACCUACGGCCUUCGAGACAC CUGUGGGAUUGUGCUGGGCCUCGUGAACAGCUCCUGU UUGUGGAAGAUUGCAAGCUGCCUUGGGCCAGAGCCUGU GUGCCUUGCCAGAUACCCUAGCACCCUAGACCCUAGAA GCGUGCGCUUCUGCCCGGCGAAUUGCGGCGUGCCUCUA UCGCCUUCAAUCACCCUACAGGUGGACAGCUGAACU CCAGCUACUUAAGCUGAGCAUCCCAACCAUUCAGCU UCGGCGUGACCCAGGAGUACAUCCAGACCACAAUCAGA AAGUGACCGUGGACUGCAAGCAGUACGUGUGCAACGGC UUUCAGAGUGCGAACAGCUGCUGCGCAGUACGGCCAG UUCUGCAGCAAGAUCAACAGGCCUUGCACGGCGCAAC CUGAGACAGGAUGACAGCUGCGGAAACUGUUCGCCAGC GUGAAAGCAGCCAGUCCAGCCCAUACUCCUGGCUUC GGCGGCGACUUUAACCCUGACCUCUGUGGAACCUUGUCC AUCAGCACCGGCUCCAGAAAGCCAGAUCCGCCAUCGAG GACCUGCUGUUCGACAAAGUGACCAUUGCCGACCCCGC UACAUAGCAGGGCUACGACGAUUGCAUGCAGCAGGGCCCA GCCAGCCAGGGAUUCAGUUCUGGCCAGUAUUGGGCC GGCUACAAGGUGCUGCCUCCUGAUGGACGUGAACAU GAGCCGCCUACACUCCAGCCUGCUGGGCUUAUUGCU</p>	68

TABLE 10-continued

Strain	Nucleic Acid Sequence	SEQ ID NO:
	GGCGUGGAUGGACAGCCGGCCUGUCUAGCUUUGCCGCC AUCUUUUUCGCCAGAGCAUUCUACCGGUGAACGGC GUGGGCAUCACACAAGGUGUCUGAGCGAGAACCAGAA GCUGAUCGCCAACAAGUUUAACAGGCACUGGGCGCCAU GCAGACCGGCUUACACCACCAACGAGGCCUUCAGAAA GGUGCAGGACGCCGUGAACAAACGCCAGGCUCUGAG CAAGCUGGCCUCCGAGCUGAGCAUACUUCGGCGCCAU CAGCGCCUCCAUCGGCGCAUCAUCAGCGGCGUGACGU GCUGGAACAGGACGCCAGAUACGACCGGUGAUCAACGG CAGACUGACCACCCUGAACGCCUUCGUGGCACAGCAGCU CGUGCGGAGCGAAUCUGCCGCUUGUCUGCUCAGCUGGC CAAGGACAAAGUGAACGAGUGCGUGAAGGCCAGUCCA AGCGGAGCGGCCUUUGUGGCCAGGGCACCAUCGUGU CCUUCGUCGUGAAUCCCCAACCGCCUGUAUUUAUGC ACGUGGGCUAUUACCCAGCAACCAUCGAGGUGGUGU CCGCCUAUGGCCUGUGCGAGCCGCCAAUCCUACCAACU GUAUCGCCCCCGUGAACGGCUACUUCUACAGACCAACA ACACCCGAUCGUGGACGAGUGGUCUACACAGGCAGCA GCUUCUACGCCCCGAGCCAUACCCUCCUGAACACCA AAUACGUGGCCCCCAAGUGCAUACAGAAUCAUCCA CCAACCUGCCCCUCCACUGCUGGGAAAUCCACCCGGCA UCGACUUCAGGACGAGCUGGACGAGUUCUCAAAGAACG UGUCCACCUCAUCCCAACUUCGGCAGCCUGACCAGA UCAACACCACUCUGCUGGACCGUACGAGAUCCUGU CCCUGCAACAGGUCGUGAAGCCUGAACGAGAGCUACA UCGACCUGAAAGAGCUGGGGAACUACCCUACUACAACA AGUGGCCUUGGUACAUUUGGCGUGGCCUUUAUCGCCGCC UGGUGGCCUGGCCUGGCGUGUUCUUCUACUUGUGCU GCACCGGCGCGGCACCAUUGCAUGGGCAAGCUGAAA GCAACCGGUGCUGCGACAGAUACGAGGAUACGACCUGG AACCUCAAAAGUGCAUGGUCAC	

TABLE 11

Betacoronavirus Amino Acid Sequences

Strain	Amino Acid Sequence	SEQ ID NO:
gb KJ156934.1 : 21405-25466 Middle East respiratory syndrome coronavirus isolate Riyadh_14_2013, spike protein (amino acid)	MIHSVFLLMFLLTPTESYVDVGPDSVKSACIEVDIQQTFPDK TWPRPIDVSKADGIIYPQGRTYSNITITYQGLFPYQGDHGD YVYSAGHATGTTpQKLFVANYSQDVKQFANGFVVRIGAAANS TGTVIISPSTSATIRKIYPAPFLMGSSVGNFSDGKMRFFNHT LVLLPDGCGTLRAFYCILEPRSGNHCPAGNSYTSFATYHTP ATDCSDGNYNRNASLNSFKYFNLRNCTFMYYINI TEDEILE WFGITQTAQGVHLFSSRYVDLYGGNMFQFATLPVYDTIKYYS IIPHSIRSIQSDRKAWAAFVYVKLQPLTFLDFSDVGYIRRA IDCGFNDLSQLHCSYSEFDVESGVYSVSSFEAKPSGSVVEQA EGVECDFSPLLSGTTPQVYNFKRLVFTNCNYLTKLLSLFSV NDFtCSQISPAAIASNCYSLSLILDYFSPYPLSMKSDLSVSAG PISQFNKQSFNSPTCLILATVPHNLTITKPLKYSYINKCS RLLSDDRTEVPQLVNANQYSPCVSIVPSTVWEDGYRKRQLS PLEGGGWLVASGSTVAMTEQLQMGFGITVQYGTDTNSVCPKL EFANDTKIASQLGNCVEYSLYGVSGRQVQNTAVGVRQRF VYDAYQNLVGYSDDGNYCLRACVSPVSVIYDKETKTHAT LFGSVACEHISSTMSQYSRSTRSMLKRRDSTYGPLQTPVGCV LGLVNSSLFVEDCKPLGQSLCALPDTPTSTLTPRSVRSVPGE MRLASIAFNHPIQVDQLNSSFYKLSIPTNFSFGVTQEYIQT IQKVTVDCKQYVNCNGFQKCEQLLREYGFCSKINqALHGANL RQDSDVRNLFASVKSSQSP IIPGFGGDFNLTLLEPVSISTG SRARSATIEDLLFDKVTIADPGYMQGYDDCMQQGPASARDLI CAQYVAGYKVLPLMDVNMEAYTSLLGSIAGVGWTAGLSS FAAPFAQSIYFRLNGVITQQVLSENQKLIANKFNQALGAM QTGFTTTNEAFrKVQDAVNNAQALSKLASELSNTFGAISAS IGDIIQRLDVLEQDAQIDRLINGRLTTLNAFVAQQLVRSESA ALSAQLAQDKVNECVKAQSKRSFGCGQTHIVSFVNAPNGL YFMHVGYPSNHI EVVSAYGLCDAANPTNCIAPVNGYFIKTN NTRIVDEWSTGSSFYAPEPITSLNTKYVAPQVTYQNIISTNL PPLLLGNSTGIDFQDELDEFKKNVSTSI PNFGSLTQINTLL DLTYEMLSLQQVVKALNESYIDLKELGNITYYKWPWYIWL FIAGLVALALCVFFILCCTGCGTNCMGKLCNRCDDRYEYD LEPHKVHVH	24

TABLE 11-continued

Betacoronavirus Amino Acid Sequences		
Strain	Amino Acid Sequence	SEQ ID NO:
MERS S FL SPIKE 2cEMC/2012 (XBaI change (T to G)) (amino acid)	MIHSVFLMFLLTPTESYVDVGPDSVKSACIEVDIQOTFFDK TWPRPIDVSKADGIIYPQGRTYSNITITYQGLFPYQGDHGM YVYSAGHATGTPQKLFVANYSQDVKQFANGFVVRIGAAANS TGTVIISPSTSATIRKIYPAPMLGSSVGNFSDGKMGRRFNHT LVLLPDGCGTLRAFYCILEPRSGNHCPAGNSYTSFATYHTP ATDCSDGNYNRNASLNSFKEYFNLRNCTFMYTYNI TEDEILE WFGITQTAQGVHLFSSRYVDLYGGNMFQFATLPVYDTIKYYS IIPHSIRSIQSDRKAWAAPVYVKLQPLTFLLDFSV DGYIRRA IDCGFNLDLQHCSEYDFVESGVYSVSSFEAKPSGSVVEQA EGVECDFSPLLSGTTPQVYNFKRLVFTNCNYNLTKLLSLFSV NDFTCSQISPAIASNCYSSLLLDYFSPYLSMKSDLSVSSAG PISQFNKQSFNSPTCLILATVPHNLTTITKPLKYSYINKCS RLLSDDRTEVPQLVNNANQYSPCVSIVPSTVWEDGDYRQKLS PLEGGGWLVASGSTVAMTEQLQMGFGITVQYGTDTNSVCPKL EFANDTKIASQLGNCVEYSLYGVSGRQVFNCTAVGVRQORF VYDAYQNLVGYYSDDGNYCLRACVSPVSVIYDKETKTHAT LFGSVACEHISSTMSQYSRSTRSMLKRRDSTYGPLQTPVGCV LGLVNSSLFVEDCKPLGQSLCALPDTPTSTLTPRSVRSVPGE MRLASIAFNHPIQVDQLNSSFYKLSIPTNFSFGVTQEYIQT IQKVTVDCKQYV CNGFQKCEQLLREYGFQPCSKINQALHGANL RQDSDVRNLFASVKSQSSPIIPGFGGDFNLTLLEPVSISTG SRSARSAIEDLLFDKVTIADPGYMQGYDDCMQQGPASARDLI CAQYVAGYKVL PPLMDVNMEAA YTSLLGSIAGVGW TAGLSS FAAIPFAQSIFYRLNGVGTQQVLS ENQKLIANKFNQALGAM QTGFTTNEAFQKQVD AVNNAQALS KLA SELSNTFGAISAS IGDIIQRLDVL EQDAQIDRLINGRLTTLNFAVQQLVRSESA ALSAQLAKDKVNECVKAQSKRS GF CGQGT H I V S F V V N A P N G L YFMHVGYPSNHI EVVSAYGLCDAANPTNCIAPVNGYFIKTN NTRIVDEWSTGSDIFQDELDEFKKNVSTSI PNFGSLTQINTLL DLTYEMLSLQQVVKALNESYIDLKELGNYTYNKWPYIWL FIAGLVALALCVFFILCCTGCGTNCMGKLCNRCDDRYEYD LEPHKVVHV	25
Novel_MERS_S2_sub- unit_trimeric vaccine (amino acid)	MIHSVFLMFLLTPTESDCKPLGQSLCALPDTPTSTLTPRSV RSVPGEMRLASIAFNHPIQVDQLNSSFYKLSIPTNFSFGVTQ EYIQTTIQKVTVDCKQYV CNGFQKCEQLLREYGFQPCSKINQA LHGANLRQDSDVRNLFASVKSQSSPIIPGFGGDFNLTLLEP VSI STGSRARS AIEDLLFDKVTIADPGYMQGYDDCMQQGPA SARDL ICAQYVAGYKVL PPLMDVNMEAA YTSLLGSIAGVGW TAGLSSFAAIPFAQSIFYRLNGVGTQQVLS ENQKLIANKFN QALGAMQTGFTTNEAFQKQVD AVNNAQALS KLA SELSNTF GAI SASIGDIIQRLDVL EQDAQIDRLINGRLTTLNFAVQQL VRSESAALSAQLAKDKVNECVKAQSKRS GF CGQGT H I V S F V V NAPNGLYFMHVGYPSNHI EVVSAYGLCDAANPTNCIAPVNG YFIKTNTRIVDEWSTGSDIFQDELDEFKKNVSTSI PNFGSLTQ NISTNLPPPLGNSTGIDFQDELDEFKKNVSTSI PNFGSLTQ INTLLDLYEMLSLQQVVKALNESYIDLKELGNYTYNKWP DKIEELSKIYHIENEIARIKKLIGEA	26
Isolate A1- Hasa_1_2013 (NCBI accession #AGN70962)	MIHSVFLMFLLTPTESYVDVGPDSVKSACIEVDIQOTFFDK TWPRPIDVSKADGIIYPQGRTYSNITITYQGLFPYQGDHGM YVYSAGHATGTPQKLFVANYSQDVKQFANGFVVRIGAAANS TGTVIISPSTSATIRKIYPAPMLGSSVGNFSDGKMGRRFNHT LVLLPDGCGTLRAFYCILEPRSGNHCPAGNSYTSFATYHTP ATDCSDGNYNRNASLNSFKEYFNLRNCTFMYTYNI TEDEILE WFGITQTAQGVHLFSSRYVDLYGGNMFQFATLPVYDTIKYYS IIPHSIRSIQSDRKAWAAPVYVKLQPLTFLLDFSV DGYIRRA IDCGFNLDLQHCSEYDFVESGVYSVSSFEAKPSGSVVEQA EGVECDFSPLLSGTTPQVYNFKRLVFTNCNYNLTKLLSLFSV NDFTCSQISPAIASNCYSSLLLDYFSPYLSMKSDLSVSSAG PISQFNKQSFNSPTCLILATVPHNLTTITKPLKYSYINKCS RLLSDDRTEVPQLVNNANQYSPCVSIVPSTVWEDGDYRQKLS PLEGGGWLVASGSTVAMTEQLQMGFGITVQYGTDTNSVCPKL EFANDTKIASQLGNCVEYSLYGVSGRQVFNCTAVGVRQORF VYDAYQNLVGYYSDDGNYCLRACVSPVSVIYDKETKTHAT LFGSVACEHISSTMSQYSRSTRSMLKRRDSTYGPLQTPVGCV LGLVNSSLFVEDCKPLGQSLCALPDTPTSTLTPRSVRSVPGE MRLASIAFNHPIQVDQLNSSFYKLSIPTNFSFGVTQEYIQT IQKVTVDCKQYV CNGFQKCEQLLREYGFQPCSKINQALHGANL RQDSDVRNLFASVKSQSSPIIPGFGGDFNLTLLEPVSISTG SRSARSAIEDLLFDKVTIADPGYMQGYDDCMQQGPASARDLI CAQYVAGYKVL PPLMDVNMEAA YTSLLGSIAGVGW TAGLSS FAAIPFAQSIFYRLNGVGTQQVLS ENQKLIANKFNQALGAM	27

TABLE 11-continued

Betacoronavirus Amino Acid Sequences		
Strain	Amino Acid Sequence	SEQ ID NO:
	QTGFTTTNEAFRKVQDAVNNNAQALSKLASELSNTFGAISAS IGDIIQRLDVLEQDAQIDRLINGRLTTLNAFVAQQLVRSESA ALSAQLAKDKVNECVKAQSKRSFGCGQGTHTIVSFVFNAPNGL YFMHVGYPSNHI EVVSAYGLCDAANPTNCIAPVNGYFIIKTN NTRIVDEWSTGSSFYAPEPITSLNTKYVAPHVTYQNI STNL PPLLGNSTGIDFQDELDEFKVNSTSI PNFGSLTQINTLL DLTYEMLSLQQVVKALNESYIDLKELGNYTYYNKPWYIWL FIAGLVALALCVFFILCCTGCGTNCMGKLCNRCDDRYEYD LEPHKVHVH	
Middle East respiratory syndrome coronavirus S protein UniProtKB- R9UQ53	MIHSVFLMLFLLTPTESYVDVGPDSVKSACIEVDIQOTFFDK TWPRPIDVSKADGIIYPQGRTYSNITITYOGLFPYQGDHGM YVYSAGHATGTPQKLFVANYSDVQKQFANGFVVRIGAAANS TGTVIISPSTSATIRKIYPAFMLGSSVGNFSDGKMRFFNHT LVLLPDGCGTLRAFYCI LEPRSGNHCPAGNSYTSFATYHTP ATDCSDGNYNRNASLNSFKEYFNLRNCTFMITYNI TEDEILE WFGITQTAQGVHLFSSRYVDLYGGNMFQFATLPVYDTIKYYS IIPHSIRSIQSDRKAWAIFYVYKLPPLTFLDFSV DGYIRRA IDCGFNDSLQHLCSYESPDVESGVYVSSSFEAKPSGSVVEQA EGVECDFSPLLSGTPPQVYNFKRLVFTNCNINLTKLLSLFSV NDFTCSQISPAIASNCYSSLLIDYFSYPLSMKSDLSVSSAG PISQFNKQSFNSPTCLILATVPHNLTTITKPLKYSYINKCS RLLSDDRTEVPQLVNNANQYSPCVSIVPSTVWEDGDYRKLQSL PLEGGGWLVASGSTVAMTEQLQMGFGITVQYGTDTNSVCPKL EFANDTKIASQLGNCVEYSLYGVSGRQVFNCTAVGVRQORF VYDAYQNLVGYYSDDGNYVCLRAVSVVPSVYDKETKTHAT LFGSVACEHISSTMSQYSRSTRSMLKRRDSTYGPLQTPVGCV LGLVNSSLFVEDCKLPLGQSLCALPDTPTSTLTPRSVRSVPGE MRLASIAFNHPIQVDQLNSSYFKLSIPTNFSFGVTQEYIQT IQKVTVDCKQYVCGFKQCEQLLREYGFQCSKINQALHGANL RQDSDVRNLFASVKSQSSPIIPGFGGDFNLTLLEPVSISTG SRSARSAIEDLLDFDKVTIADPGYMQYDDCMQGGPASARDLI CAQYVAGYKVLPLMDVNMEAAYSLSLLGSIAGVGTAGLSS FAAIPFAQSIFYRLNGVITQQVLS ENQKLIANKFNQALGAM QTGFTTTNEAFRKVQDAVNNNAQALSKLASELSNTFGAISAS IGDIIQRLDVLEQDAQIDRLINGRLTTLNAFVAQQLVRSESA ALSAQLAKDKVNECVKAQSKRSFGCGQGTHTIVSFVFNAPNGL YFMHVGYPSNHI EVVSAYGLCDAANPTNCIAPVNGYFIIKTN NTRIVDEWSTGSSFYAPEPITSLNTKYVAPHVTYQNI STNL PPLLGNSTGIDFQDELDEFKVNSTSI PNFGSLTQINTLL DLTYEMLSLQQVVKALNESYIDLKELGNYTYYNKPWYIWL FIAGLVALALCVFFILCCTGCGTNCMGKLCNRCDDRYEYD LEPHKVHVH	28
Human SARS coronavirus (SARS-CoV) (Severe acute respiratory syndrome coronavirus) Spike glycoprotein UniProtKB- P59594	MFIFLLFLTLTSGSDDLDRCTTFDDVQAPNYTQHTSSMRGVYY PDEIFRSDTLYLTDQLFLPFYSNVTGFHTINHTFGNPVPIPK DGIYFAATEKSNVVRGWVFGSTMNKSQSVI IINNSTNVVIR ACNFELCDNPFVAVSKPMGTQHTMI FDNANFCTFEYISDAF SLDVSEKSGNFKHLREFVFKNDGFLYVYKGYQPIDVVRDLP SGFNLTLPKIPKLPGLINI TNFRAILTAFAQADIWGTSAAAY FVGYLKP TTFMLKYDENGTI TDAVDCSQNPLAELKCSVKSFE IDKGIYQTSNFRVVPVSGDVVRFPNI TNLCPFGVEFNATKFPS VYAWERKKISNCVADYSVLYNSTFFSFPKCYGVSA TKLNDLC FSNVYADSFVVGDDVRQIAPGQTVIADYNYKLPDDFMGCV LAWNTRNIDATSTGNVNYKYRYLRHGKLRPFPERDISNVPFSP DGKPCPPALNCYWPLNDYGFYTTTIGYQPYRVVLSPELL NAPATVCGPKLSTDLIKNQCVNFNENGLTGTGVLTPSSKRFP PFQQFGRDVSDFTDSDVRDPKTSEILDISPSCFGGVSVITPGT NASSEVAVLYQDVNCTDVSTAIHADQLTPAWRIYSTGNVFPQ TQAGCLIGAHEVDTSYECDIPIGAGI CASYHTVSLRSTSQK SIVAYTMSLGDSSIAYSNNTIAIPTNFSISITTEVMPVSMA KTSVDNMYICGDSTECANLLQYGSFCTQLNRALSGIAAEQ DRNTRVFAQVQMYKPTPLKYFGGFNFSQI LPDPLKPTKRS FIEDLLFNKVTLADAGFMKQYGECLGINARDLICAQKFNGL TVLPPLLTDDMIAAYTAALVSGTATAGWTFGAGAAQIPFAM QMAYRFNGIGVTQNVLYENQKQIANQFNKAI SQIQESLTTTS TALGKLQDVVNQNAQALNTLVKQLSSNFGAI SSVLNDILSRL DKVEAEVQIDRLITGRLLQSLQTYVTQQLIRAAEIRASANLAA TKMSECVLGQSKRVDFCGKGYHLMSFPQAAPHGVVFLHVTVV PSQERNFTTAPAI CHEGKAYFPREGVVFVNGTSWFI TQRNFF SPQIITTDNTFVSGNCDVVI GI INNTVYDPLQPELDSFKEEL DKYFKNHTSPDVLGDISGINASVVNIQKEIDRLNEVAKNLN ESLIDLQELGKYEQYIKWPWYVWLGFIAGLIAIVMVTILLCC MTSCCSCLKGACSCGSCCKFDEDDSEPVVKGVKLHYT	29

TABLE 11-continued

Betacoronavirus Amino Acid Sequences		
Strain	Amino Acid Sequence	SEQ ID NO:
Human coronavirus OC43 (HCoV-OC43) Spike glycoprotein UniProtKB-P36334	MFLILLISLPTAFAVIGDLKCTSDNINDKDTGPPPISDTDVTVDVTNGLGTYVLDREVYLNLTFLFLNGYYPTSGSTYRNMALKGSVLLSRLWFKPPFLSDFINGIFAKVKNTKVIKDRVMYSFPAITIGSTFVNTSYSVVVQPRINSTQDQDNKLGLELVSVCCQYNMCEYPQTI CHPNLGNHRKELWHLDTGVVSCLYKRNFTYDYNADYLYFHFYQEGGTFYAYFTDTGVVTKFLFNVYLGMLASHYVVMPLTCNSKLTLEYWVTPLTSRQYLLAFNQDGIIFNAEDCMSDFMSEIKCKTQSIAPPTGVYELNGYTVQPIADVYRRKPNLPNCNIEAWLNDKSVPSPLNWERKTFNCFNFMNSLMSFIQADSFCTC NNIDAAKIYGMCFSSI TIDKFAIPNKRKVDLQGLNGLYLQSFNYRIDTTATSCQLYLNLPAAVSVSRFNPSTWKRFGFIEDSVFKPRPAGVLTNHDVVYAQHCFKAPKNFCCKLNGSCVGS GP GKNNGIGTCTPAGTNYLTCNLTCPDPITFTGTGKCPQTKSLV GIGEHCSGLAVKSDYCGGNSCTCRPQAFGLWSADSCLQGDKCNIFANFILHDVNSGLTCS TD LQKANTDII LGVCVNV DLYGILGQGI FVEVNATYYNSWQNLLYDSNGNLYGFRDYIINRTPMIRSCYSGRVSAAPHANSSEPALLFRNIKCNVFNNSLTRQLQPINYFDSYLGCVVNAYNSTAI SVQTCDLTVGSGYCVDSKNRRS RGAITTG YRFTNFPEPTVNSVNDSELPVGGLEYEQIPSEFTI GNMVEFIQTSSPKVTIDCAAFVCGDYAACKSQLVEYGSFCDNINAILTEVNELD TTQLQVANS LMNGVTLTKLKDGVNPNVD DINFSPVLGCLGSECSKASSRS AIEDLLDFDKVLS DVGPFVEAYNCTGGAEIRDLCVQSYKGIKVL PPLLENQISGYTLAAT SASLFP PWTAAAGV PPFYLNQYR INGLGVTMDVLSQNQLIANAFNNALYAIQEGFDATNSALVKIQAVVNANAEALNNLLQQLSNRFGAISASLQEI LSRDLDALEAEAQIDRLINGRLTALNAYV SQQLSDSTLVKFSAAQAMEKVNCEVKSQS SRINFCGNGNHIISLVQNAPYGLYFIHFSYVPTKYVTARVSPGLCIAGDRGIAPKSGYFVNVTWYTGSGYYP EPI TENNVVMS TCAVNYTKA PYVMLNTSIPNLDPDFKEELDQWFKNQTSVAPDLSLDYINVTFLDLQVEMNRLQEAIKVLNQS YINLKD IGTYYEYVVKWPWYVWLLICLAGVAMLVLLFFIC CCTGCGTSCFKKCGGCCDDYTG YQELVIKTSHDD	30
Human coronavirus HKU1 (isolate N5) (HCoV-HKU1) Spike glycoprotein UniProtKB-Q0ZME7	MFLIIFILPTTLAVIGDFNCTNSFININDYKTIIPRI SEDVVVDSLGLGTYVLDNRVYLNLTLLFTGYFPKSGANFRDLALKGSIIYLSLWYKPPFLSDFNNGIFSKVKNTKLYVNNTLYSEFSTIVI GSVFVNTSYTI VVQPHNGILEITACQYTMCEYPTVCCKSKGS IRNESWHIDSSEPLCLFKKNFTYVNSADWLYPHFYQERGVFY AYYADVGMPTTFLFSLYLGITL SHYVVMPLTCNAISSNTDNETLEYWVTPLSRRQYLLNPFDEHGVITNAVDCSSFLSEIQCKTQSFAPNTGVYDLSGFTVKPVATVYRRIPNLPCDIDNWLNNV SVPSPLNWERRIFSNCFNLSLTLRLVHVDSPFCNNLDKSKI FGSFPNSITVDKFAIPNRRRDDQLGSSGFLQSSNYKIDISS SSCQLYSLPLVNVITINNFPNSWNRRYGFGS FNLSYDVVYSDHCFVNSDFPCADPSVNSCAKSKPPSAICPAGTKYRHC DLDTTLYVKNWCRCCLPDP ISTYSPNTCPQKVVVGIGEHCPGLGINEEKCGTQLNHSSCF CSPDAFLGWSFDCISNNRCNIFSNFI FNGINSGTTCNDLLYSNTEISTGVCVNYDLYGITGQ GIPKEVSAAYYNNWQNLLYDSNGNIIGPKDFLTNKYTTILPC YSGRVSAAFYQNS SPALLYRNLCYSVYLNNSIFISQPPYFD SYLGCVLNAVNLTSYVSSCDLRMGSGFCIDYALPSSRRKRRGISSPYRFVTFEPFNVSFVNDSEVETVGGLEI QIP TNFTIAGHEEFIQTSSPKVTIDCSAFVCSNYAACHDLLSEYGTFCDNIN SILNEVNDLLDITQLQVANALMQGVTLSSNLNTNLHSDVDNIDFKSLLGCLGSCGSSRSLEDDL FNKVKLSDVGFVEAYNCTGGSEIRDLLCVQSFNGIKVLPPLSETQISGYTTAATVAA MFPWASAAGV PPSLNVQYR INGLGVTMDV LNKNQKLIANAFNKALLSIQNGFATNSALAKIQSVVNANAQALNSLLQQLFNKFGAISSSLQEI LSRDLNLEAQVQIDRLINGRLTALNAYV SQQLSDSTLVKFSAAQAMEKVNCEVKSQS SRINFCGNGNHIISLVQNAPYGLYFIHFSYKPTSPKTVLVS PGLCLSGDRGIAPKQGYFIKQND SWMFTGSYYYPEPISDKNVVFMNSCSVNFTKAPFI YLNNSIPNLSDFEAELSLWFKNHTSIAPNLT FN SHINATFLDLYYEMNVIQESIKSLNSSF INLKEIGTYEMYVKWPWYI WLLIVILFII FLMLLFFIC CCTGCGSACFSKCHNCDEYGGHNDFV IKASHDD	31
Novel_SARS_S2	MFI FLLFLT L TSGS D LDRALSGIAAEQDRNTREVFQVKQMYKTPTLKYFGGFNFSQILPDP LKPTKR SFI EDLLFNKVTLADAGPMKQYGECLGDINARDLICAQKFNGLTVLPPLTDDMIAAYTAALVSGTATAGWTFGAGAA LQIPFAMQ MAYRENGI GVTQNVLYENQKQIANQFNKAI S QIQESLTTTSTALGKQLQDVVNQNAQALNTLVKQLSSNFGAISSVLNDILSRDLKVEAEVQIDRLITGRLQSLQTYV TQQLIRAAEIRASANLAA TKMSECVLGO SKRVD	32

TABLE 11-continued

Betacoronavirus Amino Acid Sequences		
Strain	Amino Acid Sequence	SEQ ID NO:
	FCGKGYHLMSFPQAAPHGVVFLHVTVVPSQERNFTTAPAICH EGKAYFPREGVVFVNGTSWFITQRNFFSPQIITTDNTFVSGN CDVVIGIINNTVYDPLQPELDSFKEELDKYFKNHTSPDVDLG DISGINASVVNIQKEIDRLNEVAKNLNESLIDLQELGKYEQY IKWPWYVWLGFIAGLIAIVMVTILLCCMTSCCSCLKGACSCG SCCKFDEDDSEPVKGVKLYHT	
Novel_MERS_S2	MHISVFLMLFLLTPTESDCKLPLGQSLCALPDTPTSLTPRSV RSVPGEMRLASIAFNHPIQVDQLNSSYFKLSIPTNFSFGVTQ EYIQTTIQKVTVDCKQYVNGPKCEQLLREYGFQFCSKINQA LHGANLRQDDSVRNLFASVKSSQSSPIIPGFGGDFNLTLLEP VSI STGSRARSASAI EDLLPDKVTIADPGYMQGYDDCMQGGPA SARDLICAQYVAGYKVLPLPMDVNMEAAYSLLGSIAGVGW TAGLSSFAAIPPAQSI FYRLNGVGITQQVLSENQKLIANKFN QALGAMQTGFTTNEAFQKVQDAVNNAQALSKLASELSNTF GAI SASIGDIIQRLDVLEQDAQIDRLINGRLTTLNFAVVAQQL VRSESAAALSAQLAKDKVNECVKAQSKRSFGCGQTHIVSFVV NAPNGLYFMHVGYYPNHNIEVVSAYGLCDAANPTNCIAPVNG YFIKTNTRIVDEWSYTGSSFYAPEPITSLNTKYVAPQVTYQ NISTNLPPPLLGNSTGIDFQDELDEFFKNVSTSI PNFGSLTQ INTTLLDLTYEMLSLQQVVKALNESYIDLKELGNYYYNKWP	33
Novel_Trimeric_SARS_S2	MFIFLLFLTLTSGSDLDRALSGIAAEQDRNTREVFQVQKQMY KTPTLKYFGGFNFSQILPDPKPKRFSIEDLLFNKVTLADA GFMKQYGECLGDI NARDLICAQKFNGLTVLPLLLTDDMTAAAY TAALVSGTATAGWTFGAGAALQIPFAMQAYRENGIGVTONV LYENQKQIANQFNKAI SQIQESLTTTSTALGKLQDVVNQNAQ ALNTLVKQLSSNFAGAISSVLNDILSRLDKVEAEVQIDRLITG RLQSLQTYVVTQQLIRAAEIRASANLAATKMSCEVLGQSKRVD FCGKGYHLMSFPQAAPHGVVFLHVTVVPSQERNFTTAPAICH EGKAYFPREGVVFVNGTSWFITQRNFFSPQIITTDNTFVSGN CDVVIGIINNTVYDPLQPELDSFKEELDKYFKNHTSPDVDLG DISGINASVVNIQKEIDRLNEVAKNLNESLIDLQELGKYEQY IKWPWYVWLGFIAGLIAIVMVTILLCCMTSCCSCLKGACSCG SCCKFDEDDSEPVKGVKLYHT	34

TABLE 12

Full-length Spike Glycoprotein Amino Acid Sequences (<i>Homo sapiens</i> strains)				
GenBank Accession	Country	Collection Date	Release Date	Virus Name
AFY13307	United Kingdom	2012 Sep. 11	2012 Dec. 5	Betacoronavirus England 1, complete genome
AFS88936		2012 Jun. 13	2012 Sep. 27	Human betacoronavirus 2c EMC/2012, complete genome
AGG22542	United Kingdom	2012 Sep. 19	2013 Feb. 27	Human betacoronavirus 2c England-Qatar/2012, complete genome
AHY21469	Jordan	2012	2014 May 4	Human betacoronavirus 2c Jordan-N3/2012 isolate MG167, complete genome
AGH58717	Jordan	2012 April	2013 Mar. 25	Human betacoronavirus 2c Jordan-N3/2012, complete genome
AGV08444	Saudi Arabia	2013 May 7	2013 Sep. 17	Middle East respiratory syndrome coronavirus isolate Al-Hasa_12_2013, complete genome
AGV08546	Saudi Arabia	2013 May 11	2013 Sep. 17	Middle East respiratory syndrome coronavirus isolate Al-Hasa_15_2013, complete genome
AGV08535	Saudi Arabia	2013 May 12	2013 Sep. 17	Middle East respiratory syndrome coronavirus isolate Al-Hasa_16_2013, complete genome
AGV08558	Saudi Arabia	2013 May 15	2013 Sep. 17	Middle East respiratory syndrome coronavirus isolate Al-Hasa_17_2013, complete genome
AGV08573	Saudi Arabia	2013 May 23	2013 Sep. 17	Middle East respiratory syndrome coronavirus isolate Al-Hasa_18_2013, complete genome
AGV08480	Saudi Arabia	2013 May 23	2013 Sep. 17	Middle East respiratory syndrome coronavirus isolate Al-Hasa_19_2013, complete genome

TABLE 12-continued

Full-length Spike Glycoprotein Amino Acid Sequences (<i>Homo sapiens</i> strains)				
GenBank Accession	Country	Collection Date	Release Date	Virus Name
AGN70962	Saudi Arabia	2013 May 9	2013 Jun. 10	Middle East respiratory syndrome coronavirus isolate Al-Hasa_1_2013, complete genome
AGV08492	Saudi Arabia	2013 May 30	2013 Sep. 17	Middle East respiratory syndrome coronavirus isolate Al-Hasa_21_2013, complete genome
AHI48517	Saudi Arabia	2013 May 2	2014 Feb. 6	Middle East respiratory syndrome coronavirus isolate Al-Hasa_25_2013, complete genome
AGN70951	Saudi Arabia	2013 Apr. 21	2013 Jun. 10	Middle East respiratory syndrome coronavirus isolate Al-Hasa_2_2013, complete genome
AGN70973	Saudi Arabia	2013 Apr. 22	2013 Jun. 10	Middle East respiratory syndrome coronavirus isolate Al-Hasa_3_2013, complete genome
AGN70929	Saudi Arabia	2013 May 1	2013 Jun. 10	Middle East respiratory syndrome coronavirus isolate Al-Hasa_4_2013, complete genome
AGV08408	Saudi Arabia	2012 Jun. 19	2013 Sep. 17	Middle East respiratory syndrome coronavirus isolate Bisha_1_2012, complete genome
AGV08467	Saudi Arabia	2013 May 13	2013 Sep. 17	Middle East respiratory syndrome coronavirus isolate Buraidah_1_2013, complete genome
AID50418	United Kingdom	2013 Feb. 10	2014 Jun. 18	Middle East respiratory syndrome coronavirus isolate England/2/2013, complete genome
AJD81451	United Kingdom	2013 Feb. 10	2015 Jan. 18	Middle East respiratory syndrome coronavirus isolate England/3/2013, complete genome
AJD81440	United Kingdom	2013 Feb. 13	2015 Jan. 18	Middle East respiratory syndrome coronavirus isolate England/4/2013, complete genome
AHB33326	France	2013 May 7	2013 Dec. 7	Middle East respiratory syndrome coronavirus isolate FRA/UAE, complete genome
AIZ48760	USA	2014 June	2014 Dec. 14	Middle East respiratory syndrome coronavirus isolate Florida/USA-2_Saudi Arabia_2014, complete genome
AGV08455	Saudi Arabia	2013 Jun. 4	2013 Sep. 17	Middle East respiratory syndrome coronavirus isolate Hafir-Al-Batin_1_2013, complete genome
AHI48561	Saudi Arabia	2013 Aug. 5	2014 Feb. 6	Middle East respiratory syndrome coronavirus isolate Hafir-Al-Batin_2_2013, complete genome
AHI48539	Saudi Arabia	2013 Aug. 28	2014 Feb. 6	Middle East respiratory syndrome coronavirus isolate Hafir-Al-Batin_6_2013, complete genome
AIZ74417	France	2013 Apr. 26	2015 Mar. 10	Middle East respiratory syndrome coronavirus isolate Hu-France (UAE) - FRA1_1627-2013_BAL_Sanger, complete genome
AIZ74433	France	2013 May 7	2015 Mar. 10	Middle East respiratory syndrome coronavirus isolate Hu-France - FRA2_130569-2013_IS-HTS, complete genome
AIZ74439	France	2013 May 7	2015 Mar. 10	Middle East respiratory syndrome coronavirus isolate Hu-France - FRA2_130569-2013_InSpu_Sanger, complete genome
AIZ74450	France	2013 May 7	2015 Mar. 10	Middle East respiratory syndrome coronavirus isolate Hu-France - FRA2_130569-2013_Isolate_Sanger, complete genome
AKK52602	Saudi Arabia	2015 Feb. 10	2015 Jun. 8	Middle East respiratory syndrome coronavirus isolate Hu/Riyadh_KSA_2959_2015, complete genome
AKK52612	Saudi Arabia	2015 Mar. 1	2015 Jun. 8	Middle East respiratory syndrome coronavirus isolate Hu/Riyadh_KSA_4050_2015, complete genome

TABLE 12-continued

Full-length Spike Glycoprotein Amino Acid Sequences (<i>Homo sapiens</i> strains)				
GenBank Accession	Country	Collection Date	Release Date	Virus Name
AHN10812	Saudi Arabia	2013 Nov. 6	2014 Mar. 24	Middle East respiratory syndrome coronavirus isolate Jeddah_1_2013, complete genome
AID55071	Saudi Arabia	2014 Apr. 21	2014 Nov. 12	Middle East respiratory syndrome coronavirus isolate Jeddah_C10306/KSA/2014-04-20, complete genome
AID55066	Saudi Arabia	2014	2014 Nov. 12	Middle East respiratory syndrome coronavirus isolate Jeddah_C7149/KSA/2014-04-05, complete genome
AID55067	Saudi Arabia	2014	2014 Nov. 12	Middle East respiratory syndrome coronavirus isolate Jeddah_C7569/KSA/2014-04-03, complete genome
AID55068	Saudi Arabia	2014 Apr. 7	2014 Nov. 12	Middle East respiratory syndrome coronavirus isolate Jeddah_C7770/KSA/2014-04-07, complete genome
AID55069	Saudi Arabia	2014 Apr. 12	2014 Nov. 12	Middle East respiratory syndrome coronavirus isolate Jeddah_C8826/KSA/2014-04-12, complete genome
AID55070	Saudi Arabia	2014 Apr. 14	2014 Nov. 12	Middle East respiratory syndrome coronavirus isolate Jeddah_C9055/KSA/2014-04-14, complete genome
AHE78108	Saudi Arabia	2013 Nov. 5	2014 May 1	Middle East respiratory syndrome coronavirus isolate MERS-CoV-Jeddah-human-1, complete genome
AKL59401	South Korea	2015 May 20	2015 Jun. 9	Middle East respiratory syndrome coronavirus isolate MERS-CoV/KOR/KNIH/002_05_2015, complete genome
ALD51904	Thailand	2015 Jun. 17	2015 Jul. 7	Middle East respiratory syndrome coronavirus isolate MERS-CoV/THA/CU/17_06_2015, complete genome
AID55072	Saudi Arabia	2014 Apr. 15	2014 Nov. 12	Middle East respiratory syndrome coronavirus isolate Makkah_C9355/KSA/Makkah/2014-04-15, complete genome
AHC74088	Qatar	2013 Oct. 13	2013 Dec. 23	Middle East respiratory syndrome coronavirus isolate Qatar3, complete genome
AHC74098	Qatar	2013 Oct. 17	2013 Dec. 23	Middle East respiratory syndrome coronavirus isolate Qatar4, complete genome
AHI48572	Saudi Arabia	2013 Aug. 15	2014 Feb. 6	Middle East respiratory syndrome coronavirus isolate Riyadh_14_2013, complete genome
AGV08379	Saudi Arabia	2012 Oct. 23	2013 Sep. 17	Middle East respiratory syndrome coronavirus isolate Riyadh_1_2012, complete genome
AID55073	Saudi Arabia	2014 Apr. 22	2014 Nov. 12	Middle East respiratory syndrome coronavirus isolate Riyadh_2014KSA_683/KSA/2014, complete genome
AGV08584	Saudi Arabia	2012 Oct. 30	2013 Sep. 17	Middle East respiratory syndrome coronavirus isolate Riyadh_2_2012, complete genome
AGV08390	Saudi Arabia	2013 Feb. 5	2013 Sep. 17	Middle East respiratory syndrome coronavirus isolate Riyadh_3_2013, complete genome
AHI48605	Saudi Arabia	2013 Mar. 1	2014 Feb. 6	Middle East respiratory syndrome coronavirus isolate Riyadh_4_2013, complete genome
AHI48583	Saudi Arabia	2013 Jul. 2	2014 Feb. 6	Middle East respiratory syndrome coronavirus isolate Riyadh_5_2013, complete genome
AHI48528	Saudi Arabia	2013 Jul. 17	2014 Feb. 6	Middle East respiratory syndrome coronavirus isolate Riyadh_9_2013, complete genome

TABLE 12-continued

Full-length Spike Glycoprotein Amino Acid Sequences (<i>Homo sapiens</i> strains)				
GenBank Accession	Country	Collection Date	Release Date	Virus Name
AHI48594	Saudi Arabia	2013 Jun. 12	2014 Feb. 6	Middle East respiratory syndrome coronavirus isolate Taif_1_2013, complete genome
AHI48550	Saudi Arabia	2013 Jun. 12	2014 Feb. 6	Middle East respiratory syndrome coronavirus isolate Wadi-Ad-Dawasir_1_2013, complete genome
AIY60558	United Arab Emirates	2014 Mar. 7	2014 Dec. 6	Middle East respiratory syndrome coronavirus strain Abu Dhabi/Gayathi_UAE_2_2014, complete genome
AIY60538	United Arab Emirates	2014 Apr. 10	2014 Dec. 6	Middle East respiratory syndrome coronavirus strain Abu Dhabi_UAE_16_2014, complete genome
AIY60528	United Arab Emirates	2014 Apr. 10	2014 Dec. 6	Middle East respiratory syndrome coronavirus strain Abu Dhabi_UAE_18_2014, complete genome
AIY60588	United Arab Emirates	2014 Apr. 13	2014 Dec. 6	Middle East respiratory syndrome coronavirus strain Abu Dhabi_UAE_26_2014, complete genome
AIY60548	United Arab Emirates	2014 Apr. 19	2014 Dec. 6	Middle East respiratory syndrome coronavirus strain Abu Dhabi_UAE_30_2014, complete genome
AIY60568	United Arab Emirates	2014 Apr. 17	2014 Dec. 6	Middle East respiratory syndrome coronavirus strain Abu Dhabi_UAE_33_2014, complete genome
AIY60518	United Arab Emirates	2014 Apr. 7	2014 Dec. 6	Middle East respiratory syndrome coronavirus strain Abu Dhabi_UAE_8_2014, complete genome
AIY60578	United Arab Emirates	2013 Nov. 15	2014 Dec. 6	Middle East respiratory syndrome coronavirus strain Abu Dhabi_UAE_9_2013, complete genome
AKJ80137	China	2015 May 27	2015 Jun. 5	Middle East respiratory syndrome coronavirus strain ChinaGD01, complete genome
AHZ64057	USA	2014 May 10	2014 May 14	Middle East respiratory syndrome coronavirus strain Florida/USA-2_Saudi Arabia_2014, complete genome
AKM76229	Oman	2013 Oct. 28	2015 Jun. 23	Middle East respiratory syndrome coronavirus strain Hu/Oman_2285_2013, complete genome
AKM76239	Oman	2013 Dec. 28	2015 Jun. 23	Middle East respiratory syndrome coronavirus strain Hu/Oman_2874_2013, complete genome
AKI29284	Saudi Arabia	2015 Jan. 6	2015 May 27	Middle East respiratory syndrome coronavirus strain Hu/Riyadh-KSA-2049/2015, complete genome
AKI29265	Saudi Arabia	2015 Jan. 21	2015 May 27	Middle East respiratory syndrome coronavirus strain Hu/Riyadh-KSA-2343/2015, complete genome
AKI29255	Saudi Arabia	2015 Jan. 21	2015 May 27	Middle East respiratory syndrome coronavirus strain Hu/Riyadh-KSA-2345/2015, complete genome
AKI29275	Saudi Arabia	2015 Jan. 26	2015 May 27	Middle East respiratory syndrome coronavirus strain Hu/Riyadh-KSA-2466/2015, complete genome
AKK52582	Saudi Arabia	2015 Feb. 10	2015 Jun. 8	Middle East respiratory syndrome coronavirus strain Hu/Riyadh_KSA_2959_2015, complete genome
AKK52592	Saudi Arabia	2015 Mar. 1	2015 Jun. 8	Middle East respiratory syndrome coronavirus strain Hu/Riyadh_KSA_4050_2015, complete genome

TABLE 12-continued

Full-length Spike Glycoprotein Amino Acid Sequences (<i>Homo sapiens</i> strains)				
GenBank Accession	Country	Collection Date	Release Date	Virus Name
AHZ58501	USA	2014 Apr. 30	2014 May 13	Middle East respiratory syndrome coronavirus strain Indiana/USA-1_Saudi Arabia_2014, complete genome
AGN52936	United Arab Emirates	2013	2013 Jun. 10	Middle East respiratory syndrome coronavirus, complete genome

TABLE 13

Description	Sequence	SEQ ID NO:
MeV Nucleic Acid Sequences		
GC_F_MEASLES_B3.1 Sequence, NT (5' UTR, ORF, 3' UTR) Sequence Length: 1864	TCAAGCTTTTGGACCTCGTACAGAAGCTAATACGACT CACTATAGGGAATAAGAGAGAAAAGAAGAGTAAGAA GAAATATAAGAGCCACCATGGGTCTCAAGGTGAACGTC TCTGCCGTATTATGGCAGTACTGTTAACTCTCCAAAACA CCCGCCGGTCAAATTCATGGGCAATCTCTAAGAT AGGGGTAGTAGGAATAGGAAGTGCAAGCTACAAAGTT ATGACTCGTTCAGCCATCAATCATAGTCAAAAATT AATGCCAATAATACTCTCCTCAATAACTGCACGAGGG TAGAGATTGCAGAATACAGGAGACTACTAAGAACAGTT TTGGAACCAATAGGGATGCACCTAATGCAATGACCCA GAACATAAGGCCGGTTCAGAGCGTAGCTTCAAGTAGGA GACACAAGAGATTTGCCGGGAGTAGTCTTGGCAGGTGGC GCCCTAGGTGTTGCCACAGCTGCTCAGATAACAGCCGG CATTGCACCTTACCCTGTCATGCTGAACTCTCAGGCCAT CGACAATCTGAGAGCGAGCCTGGAACTACTAATCAGG CAATGAGGCAATCAGACAAGCAGGGCAGGAGATGAT ATTGGCTGTTCAAGGGTGTCCAAGACTACATCAATAATG AGCTGATACCGTCTATGAACCAGCTATCTTGTGATCTA ATCGGTGAGAAGCTCGGGCTCAAATGCTTAGATACTA TACAGAAATCCTGTCTATTATTGGCCCCAGCCTACGGG ACCCCATATCTGCCGAGATATCTATCCAGGCTTTGAGTT ATGCACTGGAGGAGATCAATAAGGTGTTAGAAAAG CTCGGATACAGTGGAGGCGATTACTAGGCATCTTAGA GAGCAGAGGAATAAAGGCTCGGATAACTCACGTCGAC ACAGAGTCTACTTTCATAGTCTCAGTATAGCCATCCG ACGCTGTCCGAGATTAAGGGGGTATTGTTCCACCGGCT AGAGGGGGTCTCGTACAAATAGGCTCTCAAGAGTGGT ATACCAGTGTGCCAAGTATGTTGCAACCAAGGGGTAC CTTATCTCGAATTTGATGAGTCACTCATGACTTTTATG CCAGAGGGGACTGTGTGCAGCCAAAATGCCTTGTAACC GATGAGTCTCTGCTCCAAGAATGCCTCCGGGGTCCA CCAAGTCTGTGCTCGTACACTCGTATCCGGGTCTTTG GGAACCGTTCATTTATCACAGGGAACCTAATAGCC AATTGTGCATCAATCTTTGTAAGTGTACACAACAGGT ACGATTATTAATCAAGACCTGACAAGATCCTAACATA CATTGCTGCCGATCGCTGCCCGGTAGTCGAGGTGAACG GCGTGACCATCCAAGTCCGGGAGCAGGAGGTATCCAGA CGCTGTGTAAGTGCACAGAATTGACCTCGGTCTCCCAT ATCATTTGGAGAGGTGGACGTAGGACAAATCTGGGG AATGCAATTGCCAAATGGAGGATGCCAAGGAATTGTT GGAATCATCGGACAGATATGAGAAGTATGAAAGGTT TATCGAGCACTAGCATAGTCTACATCCTGATTGCAGTG TGTCTTGGAGGGTGTATAGGGATCCCCACTTTAATATGT TGCTGCAGGGGGCGTTGTAACAAAAGGGAGAACAAAG TTGGTATGTCAAGACCAGGCTAAAGCCTGACCTTACA GGAACATCAAAATCCTATGTAAGATCGCTTTGATGATA ATAGGCTGGAGCCTCGGTGGCCAAGCTTCTTGCCTTT GGGCTTCCCCCAGCCCCCTCCCTTCTTGCACCCGT ACCCCGTGGTCTTTGAATAAAGTCTGAGTGGGCGGC	35
GC_F_MEASLES_B3.1 ORF Sequence, NT	ATGGGTCTCAAGGTGAACGTCTCTGCCGTATTCATGGC AGTACTGTTAACTCTCCAAACACCCCGGGTCAAATTC ATTGGGGCAATCTCTAAGATAGGGGTAGTAGGAATA GGAAAGTGCAGCTCAAAGTTATGACTCGTTCAGCCA TCAATCATTAGTCATAAAATTAATGCCAATATAACTCT CCTCAATAACTGCACGAGGGTAGAGATTGCAGAATACA GGAGACTACTAAGAACAGTTTTGGAACCAATTAGGGAT	36

TABLE 13-continued

Description	Sequence	SEQ ID NO:
	GCACTTAATGCAATGACCCAGAACATAAGGCCGGTTCA GAGCGTAGCTTCAAGTAGGAGACACAAGAGATTGCG GGAGTAGTCCTGGCAGGTGCGGCCCTAGGTGTTGCCAC AGCTGCTCAGATAACAGCCGGCATTGCACTTACCAGGT CCATGCTGAACCTCAGGCCATCGACAATCTGAGAGCG AGCCTGGAAACTACTAATCAGGCAATTGAGGCAATCAG ACAAGCAGGGCAGGAGATGATATTGGCTGTTAGGGTG TCCAGACTACATCAATAATGAGCTGATACCGTCTATG AACCAGCTATCTTGTGATCTAATCGGTGAGAAGCTCGG GCTCAAATGCTTAGATACTATACAGAAATCCTGTCATT ATTTGGCCCAGCCTACGGGACCCCATATCTGCGGAGA TATCTATCCAGGCTTTGAGTTATGCACTTGGAGGAGAT ATCAATAAGGTGTTAGAAAAGCTCGGATACAGTGGAG GCGATTACTAGGCATCTTAGAGAGCAGAGGAATAAAG GCTCGGATAACTCAGCTGACACAGAGTCCCTACTTTCAT AGTCTCAGTATAGCCTATCCGACGCTGTCGAGATTA AGGGGGTGATTGTCACCGGCTAGAGGGGTCTCGTAC AACATAGGCTCTCAAGAGTGTATACCCTGTGCCCAA GTATGTTGCAACCCAGGGTACCTTATCTCGAATTTGA TGAGTCATCATGTACTTTTATGCCAGAGGGGACTGTGT GCAGCCAAAATGCCTTGTACCGGATGAGTCCCTGTCTC CAAGAATGCCTCCGGGGTCCACCAAGTCCCTGTGCTCG TACACTCGTATCCGGGCTTTTGGGAACCGGTCATTTT ATCACAAGGGAACCTAATAGCCAATTGTGCATCAATTC TTTGTAAGTGTACACAACAGGTACGATTATTAATCAA GACCCTGACAAGATCCTAACATACATTTGCTGCCGATCG CTGCCCGGTAGTCGAGGTGAACGGCGTGACCATCCAAG TCGGGAGCAGGAGGTATCCAGACGCTGTGTAATGTCAC AGAATTGACCTCGGTCCTCCATATCATTGGAGAGGT GGACGTAGGGCAAATCTGGGAATGCAATTGCCAAA TTGGAGGATGCCAAGGAATTGTTGGAATCATCGACCA GATATGAGAAGTATGAAAGGTTTATCGAGCACTAGCA TAGTCTACATCTGATGTCAGTGTGTCTTGGAGGGTTGA TAGGGATCCCCACTTAAATATGTTGCTGCAGGGGGCGT TGTAACAAAAGGGAGAACAGTTGGTATGTCAAGAC CAGGCCAAAGCCTGACCTTACAGGAACATCAAAATCC TATGTAAGATCGCTTGA	
GC_F_MEASLES_B3.1 mRNA Sequence (assumes T100 tail) mRNA Sequence Length: 1925	G*GGGAAATAAGAGAGAAAAGAAGAGTAAAGAAGAAAT ATAAGAGCCACCATGGGTCTCAAGGTGAACGTCCTGTC CGTATTCATGGCAGTACTGTAACTCTCCAAACACCCG CCGGTCAAATTCATTGGGGCAATCTCTAAGATAGGG GTAGTAGGAATAGGAAGTGAAGTACAAAGTTATGA CTCGTTCAGCCATCAATCATTAGTCATAAAATTAATGC CCAATATAACTCTCTCAATAACTGCACGAGGGTAGAG ATTGCAGAATACAGGAGACTACTAAGAACAGTTTGGGA ACCAATTAGGGATGCACTTAATGCAATGACCCAGAACA TAAGGCCGGTTCAGAGCGTAGCTTCAAGTAGGAGACAC AAGAGATTGCGGGAGTAGTCTTGGCAGGTGCGGCCCT AGGTGTTGCCACAGCTGCTCAGATAACAGCCGGCATTG CACTTCACCGGTCCATGCTGAACCTCAGGCCATCGAC AATCTGAGAGCGAGCCTGGAACTACTAATCAGGCAAT TGAGGCAATCAGACAAGCAGGGCAGGAGATGATATTG GCTGTTAGGGTGTCCAAGACTACATCAATAATGAGCT GATACCGTCTATGAACAGCTATCTTGTGATCTAATCG GTCAGAAGCTCGGGCTCAAATGCTTAGATACTATACA GAAATCCTGTCAATTATTTGGCCCCAGCCTACGGGACCC CATATCTCGGAGATATCTATCCAGGCTTTGAGTTATG ACTTGGAGGAGATATCAATAAGGTGTTAGAAAAGCTCG GATACAGTGGAGGCGATTTACTAGGCATCTTAGAGAGC AGAGGAATAAAGGCTCGGATAACTCACGTCGACACAG AGTCTACTTTCATAGTCTCAGTATAGCCTATCCGACGC TGTCCGAGATTAAGGGGGTGTGTTCCACCGGCTAGAG GGGGTCTCGTACAAATAGGCTCTCAAGAGTGGTATAC CACTGTGCCAAGTATGTTGCAACCCAGGGTACCTTA TCTCGAATTTTGTAGTATCATGTAATTTTATGCCAG AGGGGACTGTGTGCAGCCAAAATGCCTGTATCCCGATG AGTCTCTGCTCCAAGAAATGCCTCCGGGGGTCCACCAA GTCCTGTGCTCGTACACTCGTATCCGGGCTTTTGGGAA CCGGTTCAATTTTATCACAGGGAACCTAATAGCCAATT GTGCATCAATCTTTGTAAGTGTACACAACAGGTACG ATTATTAATCAAGACCCTGACAAGATCCTAACATACAT TGCTGCCGATCGCTGCCCGTAGTCCAGGTGAACGGCG TGACCATCCAAGTCCGGAGCAGGAGGTATCCAGACGCT GTGTAATGACAGAAATGACCTCGGTCTCCCATATCA TTGGAGAGGTTGGACGTAGGGCAAATCTGGGAATG CAATTGCCAAATGGAGGATGCCAAGGAATTGTTGGAA	37

TABLE 13-continued

Description	Sequence	SEQ ID NO:
GC_F_MEASLES_D8 Sequence, NT (5' UTR, ORF, 3' UTR) Sequence Length: 1864	<p>TCATCGGACCAGATATTGAGAAGTATGAAAGGTTTATC GAGCACTAGCATAGTCTACATCCTGATTGCAGTGTGTC TTGGAGGGTTGATAGGGATCCCCACTTTAATATGTTGCT GCAGGGGGCGTTGTAAACAAAAAGGGAGAACAAAGTTGG TATGTCAAGACCAGGCCTAAAGCCTGACCTTACAGGAA CATCAAAATCCTATGTAAGATCGCTTTGATGATAATAG GCTGGAGCCTCGGTGGCCAAGCTTCTTGCCCTTGGGC CTCCCCCAGCCCTCCTCCCTTCTGCACCCGTACCC CCGTGGTCTTTGAATAAAGTCTGAGTGGGCGGCAAAAA AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA AAAAAAAAAAAAAAAAAAAAAAAAAATCTAG</p> <p>TCAAGCTTTGGACCTCGTACAGAAGCTAATACGACT CACTATAGGGAATAAGAGAGAAAAAGAGTAAGAA GAAATATAAGAGCCCAATGGGTCTCAAGGTGAACGTC TCTGTCAATTCATGGCAGTACTGTTAATCTTCAACA CCCACCGGTCAAATCCATTGGGGCAATCTCTAAGAT AGGGGTGGTAGGGTAGGAAGTGCAGCTACAAAGTT ATGACTCGTCCAGCCATCAATCATAGTCAATAAGTT AATGCCAATAAATCTCTCAACAATTGCACGAGGG TAGGGATTGCAGAAATACAGGAGACTACTGAGAACGTT CTGGAACCAATTAGAGATGCACCTAATGCAATGACCCA GAATATAAGACCAGTTTCAAGTGTAGCTTCAAGTAGGA GACACAAGAGATTTGCGGGAGTGTCTTGGCAGGTGCG GCCCTAGGCGTTGCCACAGCTGCTCAATAACAGCCGG TATTGCACCTTACCAGTCCATGCTGAACCTCAAGCCAT CGACAATCTGAGAGCGAGCCTAGAACTACTAATCAGG CAATTGAGGCAATCAGACAAAGCAGGGCAGGAGATGAT ATTGGCTGTTCAAGGGTGTCCAAGACTACATCAATAATG AGCTGATACCGTCTATGAATCAACTATCTTGTGATTTAA TCGGCCAGAAGCTAGGGCTCAAAATGCTCAGATACTAT ACAGAAATCCTGTCATTATTTGGCCCCAGCTTACGGGA CCCCATATCTGCGGAGATATCTATCCAGGCTTTGAGCT ATGCGCTTGGAGGAGATATCAATAAGGTGTTGAAAAG CTCGGATACAGTGGAGGTGATCTACTGGGCATCTTAGA GAGCAGAGGAAATAAGGCCCGGATAACTCACGTCGAC ACAGAGTCCACTTCAATGACTCAGTATAGCCTATCCG ACGCTATCCGAGATTAAGGGGTGATTGCCACCGGCT AGAGGGGTCTCGTACAACATAGGCTCTCAAGAGTGGT ATACCACTGTGCCAAGTATGTTGCAACCAAGGGTAC CTTATCTCGAATTTTGATGAGTCATCATGCACTTTTATG CCAGAGGGGACTGTGTGCAGCCAGAATGCCTTGTACCC GATGAGTCCCTGCTCCAAGAATGCCTCCGGGGTCCA CTAAGTCCGTGCTCGTACACTCGTATCCGGGTCTTTCG GGAACCGGTTCAATTTATCACAGGGGAACCTAATAGCC AATTGTGCATCAATCCTTTGCAAGTGTACACAACAGG AACAATCATTAATCAAGACCCCTGACAAGATCCTAACAT ACATTGCTGCCGATCACTGCCCGGTGGTCGAGGTGAAT GGCGTGACCATCCAAGTCGGGAGCAGGAGGTATCCGG ACGCTGTGACTTGACACAGGATTGACCTCGGTCTCCC ATATCTTTGGAGAGGTGGACGTAGGGACAAATCTGGG GAATGCAATGTGTAAGTTGGAGGATGCCAAGGAATGTT TGGAGTCAATCGGACCAGATATTGAGGAGTATGAAAGGT TTATCGAGCACTAGTATAGTTTACATCCTGATTGCAGTG TGCTTTGGAGGATTGATAGGGATCCCCGCTTTAATATGT TGCTGCAGGGGGCGTTGTAAACAAGAGGGAGAACAG TTGGTATGTCAAGACCAGCCTAAAGCCTGATCTTACA GGAACATCAAAATCCTATGTAAGGTCACTCTGATGATA ATAGGCTGGAGCCTCGGTGGCCAAGCTTCTTGCCCTT GGCCCTCCCCCAGCCCCCTCCCTCCCTTCTGCACCCGT ACCCCGTGGTCTTTGAATAAAGTCTGAGTGGGCGGC</p>	38
GC_F_MEASLES_D8 ORF Sequence, NT	<p>ATGGGTCTCAAGGTGAACGTCCTGTCATATTCATGGC AGTACTGTTAACTCTTCAAACACCCACCGGTCAAATCC ATTGGGGCAATCTCTCAAGATAGGGGTGGTAGGGGTA GGAAGTGAAGCTACAAAGTTATGACTCGTTCAGCCA TCAATCATTAGTCATAAAGTAAATGCCAATATAACTCT CCTCAACAATTCACAGGGTAGGGATTGCAGAATACA GGAGACTACTGAGAACAGTTCTGGAACCAATTAGAGAT GCACCTAATGCAATGACCAGAATATAAGACCAGGTTC GAGTGTAGCTTCAAGTAGGAGACACAAGAGATTTGCGG GAGTTGTCTTGCAGGTGCGGCCCTAGGCGTTGCCACA GCTGCTCAAAATACAGCCGGTATTGCACCTTACCAGTC CATGCTGAACCTCTCAAGCATCGACAATCTGAGAGCGA GCCTAGAACTACTAATCAGGCAATTGAGGCAATCAGA CAAGCAGGGCAGGAGATGATATTGGCTGTTCAAGGTGT</p>	39

TABLE 13-continued

Description	Sequence	SEQ ID NO:
GC_F_MEASLES_D8 mRNA Sequence (assumes T100 tail) Sequence Length: 1925	<p>CCAAGACTACATCAATAATGAGCTGATACCGTCTATGA ATCAACTATCTTGTGATTTAATCGGCCAGAAGCTAGGG CTCAAATTGCTCAGATACTATACAGAAATCCTGTCATT ATTTGGCCCCAGCTTACGGGACCCCATATCTGCGGAGA TATCTATCCAGGCTTTGAGCTATGCGCTTGGAGGAGAT ATCAATAAGGTGTTGGAAAAGCTCGGATACAGTGGAG GTGATCTACTGGGCATCTAGAGAGCAGAGGAATAAAG GCCCGGATAACTCAGCTGACACAGAGTCTACTTCAT TGACTCAGTATAGCCTATCCGACGCTATCCGAGATTA AGGGGTGATTGTCCACCGGCTAGAGGGGTCTCGTAC AACATAGGCTCTCAAGAGTGGTATACCACGTGCCCAA GTATGTTGCAACCAAGGGTACCTTATCTCGAATTTTGA TGAGTCATCATGCACTTTCATGCCAGAGGGGACTGTGT GCAGCCAGAATGCCCTGTACCCGATGAGTCTCTGTCTC CAAGAATGCCCTCCGGGGTCCACTAAGTCTGTGCTCG TACACTCGTATCCGGGTCTTTCGGGAACCGGTCATTTT ATCACAGGGGAACCTAATAGCCAATTGTGCATCAATCC TTTGCAAGTGTACACAACAGGAACAATCATTAAATCAA GACCCGTGACAAGATCCTAACATACATTGCTGCCGATCA CTGCCCGGTGGTCCAGGTGAATGGCGTGACCATCCAAG TCGGGAGCAGGAGGTATCCGGACGCTGTGACTTGCAC AGGATTGACCTCGGTCTCCCATATCTTGGAGAGGTT GGACGTAGGGACAATCTGGGGAATGCAATTGCTAAGT TGGAGGATGCCAAGGAATGTTGGAGTCATCCGACCAG ATATTGAGGAGTATGAAAGGTTTATCGAGCACTAGTAT AGTTTACATCTGTATGCAAGTGTCTTGGAGGATTTGAT AGGGATCCCGCTTAAATATGTTGCTGCAGGGGGCGTT GTAACAAGAAGGGAGAACAAGTGGTATGTCGAAGACC AGGCCATAAGCCTGATCTACAGGAACATCAAATCCT ATGTAAGGTCACCTCTGA</p> <p>G*GGGAAATAAGAGAGAAAGAGAGTAAAGAAGAAAT ATAAGAGCCACCATGGGTCTCAAGGTGAACGCTCTCTGT CATATTCATGGCAGTACTGTTAACTCTTCAAACACCCAC CGGTCAAATCCATTGGGGCAATCTCTTAAGATAGGGG TGGTAGGGTAGGAAGTGCAAGCTACAAGTTATGACT CGTTCAGCCATCAATCATTAGTCATAAAGTTAATGCC CAATAAATCTCTCTCAACAATGACACGAGGGTAGGGA TTGCAGAATACAGGAGACTACTGAGAACAGTTCTGGAA CCAATTAGAGATGCACTTAATGCAATGACCCAGAAATAT AAGACCGGTTACAGTGTAGCTTCAAGTAGGAGACACA AGAGATTTGCGGGAGTGTCTGGCAGGTGCGGCCCTA GGCGTTGCCACAGCTGCTCAAATAACAGCCGGTATTGC ACTTCACCAAGTCCATGCTGAACTCTCAAGCCATCGACA ATCTGAGAGCGAGCCTAGAACTACTAATCAGGCAATT GAGGCAATCAGACAAGCAGGGCAGGAGATGATATTGG CTGTTACAGGGTGTCCAAGACTACATCAATAATGAGCTG ATACCGTCTATGAATCAACTATCTTGTGATTTAATCGGC CAGAAGCTAGGGCTCAAATTGCTCAGATACTATACAGA AATCTGTCTATTATTGGCCCGAGCTTACGGGACCCCAT ATCTGCGGAGATATCTATCCAGGCTTTGAGCTATGCGC TTGGAGGAGATATCAATAAGGTGTTGGAAAAGCTCGGA TACAGTGGAGGTGATCTACTGGGCATCTTAGAGAGCAG AGGAATAAAGGCCCGGATAACTCACGTCGACACAGAG TCCACTTCAATTGTAATCAGTATAGCCTATCCGACGCTA TCCGAGATTAAGGGGTGATTGTCCACCGGCTAGAGGG GGTCTCGTACAACATAGGCTCTCAAGAGTGGTATACCA CTGTGCCCAAGTATGTTGCAACCAAGGGTACCTTATC TCGAATTTGATGAGTCATCATGCACTTTCATGCCAGAG GGGACTGTGTGCAGCCAGAATGCCTTGTACCCGATGAG TCCCTGTCTCCAAGAATGCCCTCCGGGGTCCACTAAGT CCTGTGCTCGTACACTCGTATCCGGGTCTTTCGGGAACC GGTTCATTTTATCACAGGGGAACCTAATAGCCAATTGT GCATCAATCCTTTCAGAGTGTACACAACAGGAACAAT CATTAATCAAGACCTGACAAGATCCTAACATACATTG CTGCCGATCACAGCCGGTGGTCCAGGTGAATGGCGTG ACCATCCAAGTCCGGAGCAGGAGGTATCCGGACGCTGT GTAATGACAGGATGACCTCGGTCTTCCATATCTTT GGAGAGGTTGGACGTAGGGACAATCTGGGGAATGCA ATTGCTAAGTTGGAGGATGCCAAGGAATGTTGGAGTC ATCGGACAGATATTGAGGAGTATGAAAGGTTTATCGA GCACTAGTATAGTTTACATCTGATGTCAGTGTCTTTC GAGGATTTGATAGGGATCCCGCTTAAATGTTGCTGC AGGGGGCGTTGTAACAAGAAGGGAGAACAAGTTGGTA TGTCAAGACCAGGCTAAAGCCTGATCTTACAGGAACA TCAAATCCTATGTAAGGTCACCTCTGATGATAATAGGC TGGAGCCTCGGTGGCCAAGCTTCTTGCCCTTGGGCCCTC</p>	40

TABLE 13-continued

Description	Sequence	SEQ ID NO:
GC_H_MEASLES_B3 Sequence, NT (5' UTR, ORF, 3' UTR) Sequence Length: 2065	<p>CCCCAGCCCCCTCCCCTTCTGCACCCGTACCCCCG TGGTCTTTGAATAAAGTCTGAGTGGCGGCAAAAAA AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA AAAAAAAAAAAAAAAAAAAAATCTAG</p> <p>TCAAGCTTTTGGACCTCGTACAGAAGCTAATACGACT CACTATAGGGAATAAGAGAGAAAAGAGAGTAAGAA GAAATATAAGAGCCACCATGTCCACCGCAACGAGACCG GATAAATGCCTTCTACAAGATAACCTTATCCCAAGG GAAGTAGGATAGTTATTAACAGAGAACATCTTATGATT GACAGACCCATGTTCTGCTGGCTGTTCTGTTCTGTCATG TTTCTGAGCTTGATCGGATTGCTGGCAATTGCAGGCATT AGACTTCATCGGGCAGCCATCTACACCGCGGAGATCCA TAAAAGCCTCAGTACCAATCTGGATGTGACTAACTCCA TCGAGCATCAGGTCAAGGACGTGCTGACCCACTCTTT AAAATCATCGGGGATGAAGTGGCCCTGAGAACACCTC AGAGATTCAGTACCTAGTAAATTCATCTCGGACAAG ATTAATTCCTTAATCCGATAGGGAGTACGACTTCAG AGATCTCACTGGTGCATCAACCCGCGAGAGGATCA AACTAGATTATGATCAACTGTGCGAGATGTGGCTGCT GAAGAGCTCATGAATGCATTGGTGAACCTCAACTTACT GGAGACCAGAACCAACCTCAGTTCCTAGCTGTCTCAA AGGAAAAGTCTCAGGGCCCACTACAATCAGAGGTCA ATTCTCAAACATGTGCTGTCTTGTGGACTTGTAATT AGGTCGAGGTTACAATGTGTCTATAGTCACTATGA CATCCAGGGAATGTATGGGGAACTACCTAGTTGAA AAGCCTAATCTGAAACAGCAAGGGTCAAGTTGTCA ACTGAGCATGTACCGAGTGTGAGTAGGTGTGATCA GAAACCCGGGTTGGGGGCTCCGGTGTCCATATGACA AACTATTTGAGCAACAGTCAAGTAAAGTTCGGCAA CTGTATGTTGGCTTGGGGGAGCTCAAACCTCGAGCCC TTTGTACGGGACGATTCTATCATAATCCCTATCAGG GATCAGGGAAAAGGTGTGAGCTTCCAGCTCGTCAAGCTG GGTGTCTGGAAATCCCAACCGACATGCATCTGGGT CCCCTTATCAACGGATGATCCAGTGGTAGACAGGCTTT ACCTCTCATCTCACAGAGGTGTCATCGCTGACAATCAA GCAAAATGGGCTGTCCCGACAACACGACAGATGACA AGTTGCGAATGGAGACATGCTTCCAGCAGGCGTGTAAA GGTAAAATCCAAGCACTCTGCGAGAATCCGAGTGGGT ACCATTGAAGGATAACAGGATTCCTTCATACGGGGTCC TGTCTGTTGATCTGAGTCTGACGGTTGAGCTTAAAATCA AAATTGCTTCGGGATTGGGCCATTGATCACACACGGC TCAGGGATGGACCTATACAAATCCAACCTGCAACAATGT GTATTGGCTGACTATCCGCCAATGAGAAATCTAGCCT TAGGCGTAATCAACACATGGAGTGGATACCGAGATT AAGGTTAGTCCCAACCTCTTCACTGTCCAAATTAAGGA AGCAGGCGAAGACTGCCATGCCCAACATACCTACCTG CGGAGGTGGACGGTGTGTCAAACTCAGTTCCAACTG GTGATCTACCTGGTCAAGATCTCCAATATGTTTGGCA ACCTACGATACCTCAGGTTGAGCATGCTGTGGTTTA TTACGTTTACAGCCCAAGCCGCTCATTCTTACTTTTA TCCTTTTAGGTTGCCCTATAAAGGGGTCCCAATCGAAC TACAAGTGAATGCTTACATGGGATCAAAAACCTGCG TGCCGTCACCTCTGTGTGCTTGGGACTCAGAATCCGGT GGACTTATCACTCACTCTGGGATGGTGGCATGGGAGT CAGCTGCACAGTACCCGGGAAGATGGAACCAATCGC AGATAATGATAATAGGCTGGAGCCTCGGTGGCCAAGCT TCTTGCCCTTGGGCTCCTCCAGCCCTCCTCCCTT CCTGCACCCGTACCCCGTGGTCTTTGAATAAAGTCTG AGTGGGCGGC</p>	41
GC_H_MEASLES_B3 ORF Sequence, NT	<p>ATGTACCAGCAACGAGACCGGATAAATGCCTTCTACAA AGATAACCCTTATCCCAAGGGAAGTAGGATAGTTATTA ACAGAGAACATCTTATGATTGACAGACCCATGTTCTG CTGGCTGTTCTGTTCTGTCATGTTCTGAGCTTGATCGGA TTGCTGGCAATGACAGGCAATAGACTTCATCGGGCAGC CATCTACACCGCGGAGATCCATAAAGCCTCAGTACCA ATCTGGATGTGACTAACTCCATCGAGCATCAGGTCAAG GACGTGCTGACACCACTCTTAAAATCATCGGGATGA AGTGGGCTGAGAACACCTCAGAGATTCACTGACCTAG TGAAATTCATCTCGGACAAGATTAATTCCTTAATCCG GATAGGGAGTACGACTTCAGAGATCTCACTTGGTGCAT CAACCCGCGAGAGGATCAAACCTAGATTATGATCAAT ACTGTGAGATGTGGCTGCTGAAGAGCTCATGAATGCA TTGGTGAACCTCAACTTACTGGAGACCGAACCAACCTC TCAGTTCCTAGTGTCTCAAAGGGAACCTGCTCAGGGC</p>	42

TABLE 13-continued

Description	Sequence	SEQ ID NO:
GC_H_MEASLES_B3 mRNA Sequence (assumes T100 tail) Sequence Length: 2126	<p>CCACTACAATCAGAGGTCAATTCTCAAACATGTCGCTG TCCTTGTGGACTTGTACTTAGGTCGAGGTTACAATGTG TCATCTATAGTCACTATGACATCCCAGGGAAATGTATGG GGGAACCTACCTAGTTGAAAAGCCTAATCTGAACAGCA AAGGGTCAGAGTTGTCACAACTGAGCATGTACCGAGTG TTGAAAGTAGGTGTGATCAGAAAACCCGGGTTTGGGGC TCCGGTGTCCATATGACAAAATATTTGAGCAACAG TCAGTAATGGTCTCGGCAACTGTATGGTGGCTTTGGGG GAGCTCAAACCTCGCAGCCCTTTGTACGGGGACGATTC TATCATAATTCCCTATCAGGGATCAGGGAAGGTGTCA GCTTCCAGCTCGTCAAGCTGGGTGTCTGGAAATCCCA ACCGACATGCAATCCTGGGTCCCCTTATCAACGGATGA TCCAGTGGTAGACAGGCTTACCTCTCATCTCACAGAG GTGTATCGCTGACAATCAAGCAAAATGGGCTGTCCCG ACAACACGAACAGATGACAAGTTGCGAATGGAGACAT GCTTCCAGCAGGCGTGTAAAGGTAATAATCAAGCACTC TGCGAGAATCCCGAGTGGGTACCATTGAAGGATAACAG GATTCCTTCATACGGGGTCTGTCTGTGATCTGAGTCT GACGGTTGAGCTTAAAATCAAATGCTTCGGGATTCG GGCCATTGATCACACACGGCTCAGGGATGGACCTATAC AAATCCAACGCAACAATGTGTATTGGCTGACTATTC GCCAATGAGAAATCTAGCCTTAGGGTAATCAACACAT TGGAGTGGATACCGAGATTAAGGTAGTCCCAACCTC TTCCTGTCCCAATTAAGGAAGCAGGCGAAGACTGCCA TGCCCCAACATACTACCCTGCGGAGGTGGACGGTATG TCAAACCTCAGTCCCAACCTGGTGTCTACCTGGTCAA GATCTCCAATATGTTTGGCAACCTACGATACCTCCAG GGTTGAGCATGCTGTGGTTTATACGTTTACAGCCCAA GCCGCTCATTTTCTACTTTTATCCTTTTAGGTGCTTAT AAAGGGGGTCCCAATCGAACTACAAGTGGAAATGCTTCA CATGGGATCAAAAATCTGGTCCCGTCACTTCTGTGTG CTTGCGGACTCAGAAATCCGGTGGACTTATCACTCACTC GGGATGGTGGGCATGGGAGTCAAGTGCACAGCTACCCG GGAAGATGGAAACCAATCGCAGATAA</p> <p>G*GGGAAATAAGAGAGAAAAGAAGTAAGAAGAAAT ATAAGAGCCACCATGTCAACCGCAACGAGACCGGATAA ATGCCCTTCTACAAAAGATAACCCCTTATCCCAAGGGAAAT AGGATAGTTATTAACAGAGAATCACTTATGATTGACAG ACCCTATGTTCTGCTGGCTGTTCTGTTGCTCATGTTCT GAGCTTGATCGGATGCTGGCAATGACAGGCATTAGAC TTCATCGGGCAGCCATCTACACCGCGGAGATCCATAAA AGCCTCAGTACCAATCTGGATGTACTAACTCCATCGA GCATCAGGTCAAGGACGTGCTGACACCCTCTTAAAA TCATCGGGGATGAAGTGGCCCTGAGAACACCTCAGAG ATTCACTGACCTAGTGAATTCATCTCGGACAAAGATTA AATTCCTTAATCCGGATAGGGAGTACGACTTCAGAGAT CTCACTTGGTGCATCAACCCGCCAGAGAGGATCAAAC AGATTATGATCAATACTGTGCAGATGTGGCTGCTGAAG AGCTCATGAATGCATTTGGTGAACCACTCTACTGGAG ACCAGAACAACCACTCAGTTCCTAGCTGTCTCAAAGG AAACTGCTCAGGGCCCACTACAATCAGAGGTCAATTC CAAACATGTCGCTGCTCTGTTGGACTTGACTTAGGT GAGGTTACAATGTGTCATCTATAGTCACTATGACATCC CAGGGAATGTATGGGGAACTACCTAGTTGAAAAGCC TAATCTGAACAGCAAGGGTCAGAGTTGTCAACATGA GCATGTACCGAGTGTGAAAGTAGGTGTGATCAGAAAC CCGGGTTTGGGGGCTCCGGTGTCCATATGACAAACTA TTTGTAGCAACAGTCAAGTAAATGGTCTCGGCAACTGTA TGGTGGCTTTGGGGGAGCTCAAACCTCGCAGCCCTTGT CACGGGGACGATTCATCATAATTCCTTATCAGGGATC AGGGAAGGTGTGAGCTTCCAGCTCGTCAAGCTGGGTG TCTGAAAATCCCAACCGACATGCAATCCTGGGTCCTC TTATCAACGGATGATCCAGTGGTAGACAGGCTTACCT CTCATCTCACAGAGGTGTATCGCTGACAATCAAGCAA AATGGGCTGTCCCGACAACACGAACAGATGACAAGTTG CGAATGGAGACATGCTTCCAGCAGGCGTGTAAAGGTAA AATCCAAGCACTCTGCGAGAATCCCGAGTGGGTACCAT TGAAGGATAACAGGATTCCTTCATACGGGGTCTGTCT GTTGATCTGAGTCTGACGGTTGAGCTTAAAATCAAAT TGCTTCGGGATTCGGGCCATTGATCACACACGGCTCAG GGATGGACCTATACAAATCCAACGCAACATGTGTAT TGGCTGACTATCCGCCAATGAGAAATCTAGCCTTAGG CGTAATCAACATTTGGAGTGGATACCGAGATCAAGG TTAGTCCCAACCTTCACTGTCCCAATTAAGGAAGCA GGCGAAGACTGCCATGCCCAACATACCTACCTGCGGA GGTGGACGGTGTGTCAAACCTAGTCCACCTGTTGA</p>	43

TABLE 13-continued

Description	Sequence	SEQ ID NO:
GC_H_MEASLES_D8 Sequence, NT (5' UTR, ORF, 3' UTR) Sequence Length: 2065	<p>TTCTACCTGGTCAAGATCTCCAATATGTTTTGGCAACCT ACGATACCTCCAGGGTTGAGCATGCTGTGGTTTATAC GTTTACAGCCCAAGCCGCTCATTTCCTACTTTTATCCT TTTAGGTGCGCTATAAAGGGGGTCCAATCGAACTACA AGTGGAAATGCTTCACATGGGATCAAACCTCTGGTGCC GTCACCTCTGTGTGCTTGGGACTCAGAATCCGGTGGA CTTATCACTCACTCTGGGATGGTGGGCATGGGAGTCAG CTGCACAGCTACCCGGGAAGATGGAACCAATCGCAGAT AATGATAATAGGCTGGAGCCTCGGTGGCCAGCTTCTT GCCCCTTGGGCCTCCCCCAGCCCCCTCCCTCCCTTCTG CACCCGTACCCCGTGGTCTTTGAATAAAGTCTGAGTG GGCGGCAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAATC TAG</p>	44
GC_H_MEASLES_D8 ORF Sequence, NT	<p>TCAAGCTTTGGACCTCGTACAGAAGCTAATACGACT CACTATAGGGAATAAGAGAGAAAAGAAGAGTAAGAA GAAATATAAGAGCCCACTGTCAACACACGAGACCG GATAAATGCCTTCTACAAAGACAACCCCATCCTAAGG GAAGTAGGATAGTTATTAACAGAGAACATCTTATGATT GATAGACCTTATGTTTTGCTGGCTGTTCTATTCGTCATG TTCTGAGCTTGATCGGGTTGCTAGCCATTCGAGGCATT AGACTTCATCGGGCAGCCATCTACACCCGAGAGATCCA TAAAAGCCTCAGCACCAATCTGGATGTAACCTAACTCAA TCGAGCATCAGGTTAAGGACGTGCTGACACCACTCTC AAGATCATCGGTGATGAAGTGGGCTTGAGGACACCTCA GAGATCACTGACCTAGTGAAGTTCATCTCTGACAAGA TTAAATTCCTTAATCCGGACAGGGAATACGACTTCAGA GATCTCACTTGGGTATCAACCCGCCAGAGAGAATCAA ATTGGATTATGATCAATACTGTGCAGATGTGGCTGCTG AAGAACTCATGAATGCATTGGTGAACCTCACTCTACTG GAGACCAGGGCAACCAATCAGTTCCTAGCTGTCTCAA GGAAACTGCTCAGGGCCCACTACAATCAGAGGCCAAT TCTCAAACATGTCGCTGTCCCTGTTGGACTTGATTTAA GTGAGGTTACAATGTGTCTATAGTCACTATGACA TCCCAGGGAATGTACGGGGAACTTACCTAGTGGAAAA GCCTAATCTGAGCAGCAAAGGGTCAGAGTTGTCAAC TGAGCATGCACCGAGTGTGTAAGTAGGTGTTATCAGA AATCCGGGTTTGGGGCTCCGGTATTCATATGACAAA CTATCTTGAGCAACCACTCAGTAATGATTTTCAGCACT GCATGGTGGCTTGGGGGAGCTCAAGTTCGACGCCCTC TGTACAGGGAAGATTCTATCACAATCCCTATCAGGG ATCAGGGAAGGTGTCAGCTCCAGCTTGTCAGCTAG GTGCTGGAATCCCAACCGACATGCAATCTGGGTC CCCCATCAACGGATGATCCAGTATAGACAGGCTTTA CCTCTCATCTCACAGAGGCGTTATCGCTGACAATCAAG CAAAATGGGCTGTCCGACAACACGGACAGATGACAA GTTGCGAATGGAGACATGCTTCCAGCAGGCGTGAAGG GTAAATCCAAGCACTTTCGAGAAATCCGAGTGGACA CCATTGAAGGATAACAGGATTCCTTCATACGGGGTCTT GTCTGTTGATCTGAGTCTGACAGTTGAGCTTAAATCA AAATGTTTCAGGATTCGGGCCATTGATCACACCGGT TCAGGGATGGACCTATACAAATCCAAACCAACAATAT GTATTGGCTGACTATCCCGCAATGAAGAACCTGGCCT TAGGTGTAATCAACACATTCGAGTGGATACCGAGATTC AAGGTTAGTCCCAACCTTCACTGTTCCAATTAAGGA AGCAGGCGAGGACTGCCATGCCCAACATACCTACCTG CGGAGTGGATGGTATGTCAAACTCAGTTCCAATCTG GTGATTCACCTGGTCAAGATCTCCAATATGTTCTGGCA ACCTACGTAATTCAGAGTTGAACATGCTGTAGTTTAT TACGTTTACAGCCCAAGCCGCTCATTTCCTTACTTTTAT CCTTTTAGGTTGCTGTAAGGGGGTCCCCATTGAATTA CAAGTGGAAATGCTTACATGGGACCAAAAACCTGGTG CCGTCACTTCTGTGTCTTGGGACTCAGAACTCTGGTGG ACATATCACTCACTCTGGGATGGTGGGCATGGGAGTCA GCTGCACAGCCACTCGGGAAGATGGAACCGACCCGAG ATAGTGATAATAGGCTGGAGCCTCGGTGGCCAAAGCTC TTGCCCTTGGGCCTCCCCCAGCCCCCTCCCTCCCTTCC TGCACCCGTACCCCGTGGTCTTTGAATAAAGTCTGAG TGGCGGC</p>	45

TABLE 13-continued

Description	Sequence	SEQ ID NO:
	ATCTACACCGCAGAGATCCATAAAAAGCCTCAGCACCAA TCTGGATGTAACCTAATCGAGCATCAGGTTAAGG ACGTGCTGACACCCTCTTCAAGATCATCGGTGATGAA GTGGGCTTGAGGACACCTCAGAGATCACTGACCTAGT GAAGTTCATCTCTGACAGATTAATATTCCTAATCCGG ACAGGGAATACGACTTCAGAGATCTCACTTGGTGTATC AACCCGCCAGAGAGAATCAAATGGATTATGATCAATA CTGTGCAGATGTGGCTGCTGAAGACTCATGAATGCAT TGGTGAACCTCAACTCTACTGGAGACCAGGGCAACCAAT CAGTTCCTAGCTGTCTCAAAGGGAACCTGCTCAGGGCC CACTACAATCAGAGGCCAATTCCAAACATGTGCTGT CCCTGTTGACTTGTATTAAAGTCGAGGTTACAATGTGT CATCTATAGTCACTATGACATCCCAGGGAATGTACGGG GGAACCTTACCTAGTGGAAAAGCCTAATCTGAGCAGCAA AGGGTCAGAGTTGTCAACTGAGCATGCACCGAGTGT TTGAAGTAGGTGTTATCAGAAATCCGGGTTTGGGGGCT CCGGTATTCCATATGACAACTATCTTGAGCAACCAAGT CAGTAATGATTTCAAGCACTGCATGGTGGCTTTGGGGG AGCTCAAGTTCGCAGCCCTCTGTCAAGGGAAGATTCT ATCACAATTCCTATCAGGGATCAGGGAAGGTGTGAG CTTCCAGCTTGTCAAGCTAGGTGTCTGAAAATCCCAA CCGACATGCAATCCTGGGTCCCTTATCAACGGATGAT CCAGTGATAGACAGGCTTACCTCTCATCTCACAGAGG CGTTATCGCTGACAATCAAGCAAAAATGGGCTGTCCCGA CAACACGGACAGATGACAAGTTGCGAATGGAGACATG CTTCCAGCAGGCGGTGTAAGGGTAAAATCCAAGCACTT GCGAGAATCCCGAGTGGACACCATTGAAGGATAACAG GATTCCTTCATACGGGGTCTTGTCTGTGATCTGAGTCT GACAGTTGAGCTTAAATCAAATTTGTTTCAAGGATTCG GGCCATTGATCACACACGGTTCAGGGATGGACCTATAC AAATCCAACCAACAATATGATTGGCTGACTATCCC GCCAATGAAGAACCCTGGCCTTAGGTGTAATCAACACAT TGGAGTGGATAACCGAGATCAAGGTTAGTCCCAACCTC TTCACTGTTCCAATTAAGGAAGCAGGCGAGGACTGCCA TGCCCCAACATACCTACCTGCGGAGGTGGATGGTGTG TCAAATCAGTTCAAATCTGGTGATTCTACCTGGTCAAG ATCTCCAATATGTTCTGGCAACCTACGATACTCCAGA GTTGAACATGCTGTAGTTTATTACGTTTACAGCCCAAGC CGCTCATTTTCTTACTTTTATCCTTTTAGGTTGCCTGTAA GGGGGTCCCCATTGAATTACAAGTGGAAATGCTTCACA TGGGACCAAAAATCTGGTGGCCTCACTTCTGTGTGCTT GCGGACTCAGAATCTGGTGGACATACACTCACTCTGG GATGGTGGGCA TGGGAGT CAGCTGCACAGCCACTCGGG AAGATGGAACACGCGCAGATAG	
GC_H_MEASLES_D8 mRNA Sequence (assumes T100 tail) Sequence Length: 2126	G*GGGAAATAAGAGAGAAAAGAAGAGTAAAGAAAT ATAAGAGCCACCATGTCACCACAACGAGACCGGATAA ATGCCCTTACAAAGACAACCCCATCCTAAGGGAAGT AGGATAGTTATTAACAGAGAACATCTTATGATTGATAG ACCTTATGTTTGTGCTGGCTGTTCTATTGCTCATGTTCTG AGCTTGATCGGGTGTCTAGCCATTGCAGGCATTAGACT TCATCGGGCAGCCATCTACACCGCAGAGATCCATAAAA GCCTCAGCACCAATCTGGATGTAACTAATCAATCGAG CATCAGGTTAAGGACGTGCTGACACCCTCTTCAAGAT CATCGGTGATGAAGTGGGCTTGAGGACACCTCAGAGAT TCACTGACCTAGTGAAGTTCATCTGACAAGATTAAA TTCTTAATCCGGACAGGGAATACGACTTCAGAGATCT CACTTGGTGTATCAACCCGACAGAGAAATCAAATGG ATTATGATCAATCTGTGAGATGTGGCTGCTGAAGAA CTCATGAATGCATTGGTGAACCTCACTCTACTGGAGAC CAGGGCAACCAATCAGTTCCTAGCTGTCTCAAAGGGA ACTGCTCAGGGCCCACTACAATCAGAGGCCAATTCFA AACATGTGCTGTCCCTGTTGGACTTGTATTTAAGTGA GGTTACAATGTGTCATCTATAGTCACTATGACATCCCA GGGAAATGACGGGGGAACCTTACTAGTGGAAAAGCCT AATCTGAGCAGCAAAGGGTCAGAGTTGTCAACCTGAG CATGCACCGAGTGTGTAAGTAGGTGTATCAGAAATC CGGGTTTGGGGGCTCCGGTATTCCATATGACAACTAT CTTGAGCAACCAAGTCAAGTATGATTTAGCAACTGCAT GGTGGCTTTGGGGGAGCTCAAGTTCGCAGCCCTCTGT ACAGGGAAGATTCTATCAAAATCCCTATCAGGGATCA GGGAAAGGTGTGAGCTTCAGCTTGTCAAGCTAGGTGT CTGAAAATCCCAACCGACATGCAATCTGGGTCCCC TATCAACGGATGATCCAGTGTAGACAGGCTTACCTC TCATCTCACAGAGCGGTTATCGCTGACAAATCAAGCAA ATGGGCTGTCCGCAACACCGACAGATGACAAGTTGC GAATGGAGACATGCTTCCAGCAGGCGTGAAGGTTAA	46

TABLE 13-continued

Description	Sequence	SEQ ID NO:
	AATCCAAGCACTTTGCGAGAATCCCAGTGGACCCAT TGAAGGATAACAGGATTCCTTCATACGGGGTCTTGCT GTTGATCTGAGTCTGACAGTTGAGCTTAAAAACAAAAT TGTTTCAGGATTCGGGCCATTGATCACACACGGTTCAG GGATGGACCTATACAAATCCAACCAACAATATGTAT TGGCTGACTATCCCGCCAATGAAGAACCCTGGCCCTAGG TGTAATCAACACATTGGAGTGGATACCGAGATTCAAGG TTAGTCCCACCTCTTCACTGTCCAATTAAGGAAGCA GGCGAGGACTGCCATGCCCAACATACCTACCTGCCGA GGTGGATGGTGTGTCAAACTCAGTTCCAATCTGGTGA TTCTACCTGGTCAAGATCTCCAATATGTTCTGGCAACCT ACGATACTTCCAGAGTTGAACATGCTGTAGTTTATTAC GTTTACAGCCCAAGCCGCTCATTCTTACTTTTATCCT TTTAGGTGCTGTAAAGGGGGTCCCATTGAATTACA AGTGGAAATGCTTACATGGGACCAAAAACCTCGTGGC GTCACTTCTGTGTGCTTGGGACTCAGAATCTGGTGA CATATCACTCACTCTGGGATGGTGGGCATGGGAGTCAG CTGCACAGCCACTCGGGAAGATGGAACAGCCGCAGA TAGTGATAATAGGCTGGAGCCTCGGTGGCCAAGCTTCT TGCCCTTGGGCCTCCCCAGCCCTCCTCCCTTCCT GCACCCGTACCCCGTGGTCTTTGAATAAAGTCTGAGT GGGCGGCAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA CTAG	
MeV mRNA Sequences		
GC_F_MEASLES_B3.1 Sequence, NT (5' UTR, ORF, 3' UTR) Sequence Length: 1864	UCAAGCUUUUGGACCUCGUACAGAAAGCUAAUACGAC UCACUUAUGGGAAUUAAGAGAGAAAAGAGUAAG AAGAAUUAUAGAGCCACCAUGGGUCUCAAGGUGAA CGUCUCUGCCGUUAUCAUGGCAGUACUGUUAACUCUC CAAACACCCGCGUCAAAUUAUUGGGCAUUCUCU CUAAGAUAGGGUAGUAGGAAUAGGAAGUGCAAGCU ACAAGUUAUGACUCGUUCCAGCCAUCAUUAUAGU CAUAAAAUUAUGCCAAUUAUACUCUCUCAUUAAC UGCACGAGGGUAGAGAUUGCAGAAUACAGGAGACUA CUAAGAACAGUUUGGAACCAUUAAGGGUAGCACUU AAUGCAAUGACCAGAACAUAGGC CGGUUCAGAGCG UAGCUUCAAGUAGGAGACACAAGAGAUUUGCGGGAG UAGUCUGGCAGGUGCGGCCUAGGUGUUGCCACAGC UGCUCAGUAACAGCCGGCAUUGCACUUCACCGGUCC AUGCUGAACUCUCAGGCCAUCGACAAUCUGAGAGCGA GCCUGGAAACUACUAAUCAGGCAAUUGAGGCAUUCAG ACAAGCAGGGCAGGAGAUUAUUGGUGUUCAGGG UGUCCAAGACUACAUCAAUUAUAGGUCGUAUCCGUCU AUGAACAGCUAUCUUGGAUCUAAUCGGUCAGAAAGC UCGGGCUCAAAUUGCUUAUAUACUACAGAAUUCU GUCAUUAUUUGCCCCAGCCUACGGGACCCCAUUCU GCGGAGAUUUCUUAUCAGGCUUUGAGUUAUGCACUU GGAGGAGUAUCAUUAAGGUGUUAAGAAAGCUCGGA UACAGUGGAGGCGAUUAUCAAGGCAUCUUAAGAGAC AGAGGAAUAAAGGCUCGGUAUACUCACGUCGACACAG AGUCCUACUUCUAGUCCUCAGUUAAGCCUACCCGAC GCUGUCCGAGAUUAAGGGGUGAUUGUCCACCGGCUA GAGGGGUCUCGUACAACAUAGGCUUCUAAAGAGUGG UAUACCACUGGCCAAGUAUGUUGCAACCCAGGGU ACCUUAUCUCGAAUUUUGAGUAGUCAUUGUACUU UCAUGCCAGAGGGGACUGUGGACGCAAAUUGCCUU GUACCCGAGAGUCCUCUGUCUCAAGAAUGCCUCCGG GGGUCCACCAAGUCCUGUCUCGUACAUCGUUUCG GGUCUUUUGGGAACCGGUUCAUUUUAUCAAGGGA ACCUAAUAGCCAAUUGUGCAUAAUUCUUUGAAGU GUUACACAACAGGUACGAUUUAUUAUCAAGACCCGA CAAGAUUCUAAUUAUUAUUGUCGCGAUCGUCGCCG GUAGUCGAGGUAACGGGUGACCAUCCAGUCGGGA GCAGGAGGUUAUCCAGACGUCUGUUAUCUUGCAAGAAU UGACCUCCGUCUCUCCAUUAUCAUUGGAGAGGUUGGAC GUAGGGACAAAUCUGGGAAUGCAAUUGCCAAUUG GAGGAUGCCAAAGAAUUGUUGAAUCAUCGGACCAG AUUAUUGAGAAGUAUGAAAGGUUUUAUCGAGCACUAGC AUAGUCUACAUCCGAUUGCAGUUGUCUUGGAGGG UUGAUAGGGAUCCACAUUUAAUUAUUGUCUCAGG GGGCGUUGUAAACAAAAGGGAGAACAAUUGGUUUG UCAAGACCAGGCCUAAAGCCUGACCUUACAGGAACAU CAAAUCUUAUGUAAGAUCCGUUGAUGUAUUAAGG CUGGAGCCUCGGUGGCCAAGCUUCUUGCCCUUGGGC	69

TABLE 13-continued

Description	Sequence	SEQ ID NO:
GC_F_MEASLES_D8 Sequence, NT (5' UTR, ORF, 3' UTR) Sequence Length: 1864	<p>ACUGUGCCCAAGUAUGUUGCAACCCAAGGGUACCUUA UCUCGAAUUUUUGAUGAGUCAUC AUGUACUUUUAUGCC AGAGGGGACUGUGUGCAGCCAAAUGCCUUGUACCCG AUGAGUCCUCUGUCUCCAAGAAUGCCUCCGGGGGUC CCAAGUCCUGUGUCUGUACACUCGUUACCGGGUCUUU UGGGAACCGGUUCAUUUUUAUCACAAGGGAACCUAAU AGCCAAUUGUGCAUCAAUUCUUUUAAGUUAUACAC AACAGGUACGAUUUAUAUCAAGACCUCUGACAGAUC CUAACAUACAUUGCUGCCGAUCGUCGCCGGUAGUCG AGGUGAACGGCGUGACCAUCCAGUCGGGAGCAGGAG GUAUCCAGACGCUGUGUA CUUGCACAGAAUUGACCCUC GGUCCUCCAUUACAUUGGAGAGGUUGGACGUAGGG ACAAAUCUGGGGAAUGCAAUUGCCAAAUUGGAGGAU GCCAAGGAAUUGUUGGAAUCAUCGACAGAAUUAUG AGAAGUAUGAAAGGUUUUAUCGAGCACUAGCAUAGUC UACAUCCUGAUUGCAGUGUGUCUUGGAGGGUUGAUA GGGAUCCCCACUUUAUAUGUUGUCGAGGGGGCGUU GUAACAAAAGGGGAGAACAGUUGGUAUGUCAAGAC CAGGCCUAAAGCCUGACCUUACAGGAAUCAAAAUC CUAUGUAAGAUCCGUUUGAUGAUAUAGGCGUGGAGC CUCGGUGGCAAGCUUUCUGCCCCUUGGGCCUCCCC CAGCCCCUCCUCCUUCUGCACCCGUAACCCCGUGG UCUUUGAAUAAAGUCUGAGUGGGCGCAAAAAAAA AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA AAAAAAAAAAAAAAAAAAAAAAAAAAAAUCUAG</p> <p>UCAAGCUUUGGACCCUCGUACAGAGCUAAUACGAC UCACUAUAGGGAAAUAAGAGAGAAAAGAGUAAG AAGAAUUAUAGAGCCACCAUGGGUCUCAAGGUGAA CGUCUCUGUCAUAUUCAGGCAUACGUUAACUCUU CAAACACCACCGGUCAAAUCUAUUGGGCAUUCUCU CUAAGAUAGGGGUGGUAAGGGUAGGAUGUCAAGCU ACAAAGUUAUGACUCGUUCCAGCCAUCAUUAUAGU CAUAAGUUAUGCCCAUAUAACUCUCUCAACAAU UGCACGAGGGUAGGUAUGCAGAAUACAGGAGACUA CUGAGAACAGUUCUGGAACCAUUAAGAGUAGCAUU AAUGCAAUGACCCAGAAUAUAAGACCGGUUCAGAGU GUAGCUCAAGUAGGAGACACAAGAGAUUUGCGGGA GUUGUCCUGGACGGUGCGCCUAGGCGUUGCCACAG CUGUCUCAAUAACAGCCGGUUAUGCAUUCACAGUC CAUGCUGAACUCUCAAGCCAUUCGCAUUCUGAGGCG AGCCUAGAAACUACUAUACAGGCAUUGAGGCAUCA GACAGCAGGGCAGGAGUAUAUUGGCUUGUUCAGG GUGUCAAGACUACAUCAAUAUAGGCUAGUACCGUC UAUGAAUCAACUAUCUUGUGAUUUAAUCGGCCAGAA GCUAGGGUCUAAAUGUCUAGAUACUAACAGAAUUC CUGUCAUUUUUGGCCCCAGCUUACGGGACCCAUU CUGCGGAGAUUCUAUCCAGGCUUUGAGCUAUGCGCU UGGAGGAGAUUCAUAAGGUGUUGGAAAGUCUGG AUAACUGGAGGUAUCUACUGGGCAUCUAGAGAG CAGAGGAUAUAAAGGCCCGGAUAACUCAUCGACACA GAGUCCUACUUAUUGUACUCAGUAUAGCUAUCCGA CGCUAUCGAGAUUAAGGGGUGAUUUGCACCGGCU AGAGGGGUCUCGUACAAUAAGGUCUCAAGAGUG GUAUACCACUGUGCCAAAGUAUGUUGCAACCAGGG UACCUUAUCUGAAUUUUUGAUGAGUCAUUGCACUU UCAUGCCAGAGGGACUGUGGACCCAGAAUGCCUU GUACCCGAUGAGUCUCUGUCUCAAGAAUGCCUCCGG GGGUCACUAAGUCUGUGUCUGUACUCUGUAUCCG GGUUCUUUGGAAACCGGUUCAUUUUUAUCAGGGGA ACCUAAUAGCCAAUUGUGCAUCAUCCUUUGCAAGUG UUACACAACAGGAACAUAUUAUUAAGACCCUGAC AAGAUCCUAACAUAUAUUGCUGCCGAUCUUGCCGG UGGUCGAGGUAUUGGCGUGACCAUCCAGUCGGGA GCAGGAGGUAUCCGAGCUGUGUAUCUUGCACAGGAU UGACCUCGGUCUCUCAUUCUUUGGAGAGGUUGGAC GUAGGGACAAAUCUGGGGAAUGCAAUUGCUAAGUUG GAGGAUCCAGGAUUGUUGGAGUCAUCGGACCAG AUAUUGAGGAGUAUGAAAGGUUUUAUCGAGCAUAGU AUAGUUUAUCAUCCUGAUUGCAGUGUGUCUUGGAGGA UUGAUAGGGAUCCCGCUUUAUUGUUGUCGAGG GGGCUUUGUAACAAGAAGGGAGAACAGUUGGUAUG UCAAGACCAGGCCUAAAGCCUGAUCUUAACAGGAACA CAAAAUCUUAUGUAAGGUCACUCUGAUGAUAUAGG CUGGAGCCUCGGUGGCCAAGCUUUCUUGCCUUGGGC CUCCCCCAGCCCCUCCUCCUUCUGCACCCGUACC</p>	72

TABLE 13-continued

Description	Sequence	SEQ ID NO:
GC_F_MEASLES_D8 ORF Sequence, NT	<p>CCCUGGUCUUUGAAUAAAGUCUGAGUGGGCGGC</p> <p>AUGGGUCUCAAGGUGAACGUCUCUGUCAUAUUC AUG GCAGUACUGUUAACUCUUCAAAACACCCACCGGUCAAA UCCA UUGGGGCAAUUCUCUUAAGAUAGGGGUGGUAG GGUAGGAAGUGCAAGCUCAAAAGUUAUGACUCGUU CCAGCCAUCAUAUAGUCAUAAAGUUAUAGCCCAA UAUAUCUCUCCUCAACAUUGCAGGAGGUGGGAAU GCAGAAUACAGGAGACUACUGAGAACAGUUCUGGAA CCAAUUGAGAUGCACUUAUGCAAUGACCCAGAAUA UAAGACCGGUUCAGAGUGUAGCUUCAAGUAGGAGAC ACAAGAGAUUUGCGGGAGUUGUCUUGGCAGGUGCGG CCUAGGCGUUGCCACAGCUCGUCAAAUAACAGCCGG UAUUGCACUUCACAGUC CAUGCUGAACUCUCAAGCC AUCGACAAUCUGAGAGCGAGCCUAGAAACUACUAAUC AGGCAAUUGAGGCAAUCAGACAAGCAGGGCAGGAGA UGAUUUGGCUUUCAGGUGUCCAGACUACAUCA AUAAUGAGCUGAUCCGUCUAUGAAUCAAUCUUCU GUGAUUUUAUCGGCCAGAAGCUAGGUCUCAAUUGC UCAGAUACUAUACAGAAUUCUGUCAUUAUUGGCC CAGCUUACGGGACCCAUUUCUGCGGAGAUUUAUC CAGGCUUUGAGCUAUGCGCUUGGAGGAGAUUCAAU AAGGUGUUGGAAAAGCUCGGAUACAGUGGAGGUGAU CUACUGGGCAUCUAGAGAGCAGAGGAAUAAAGCCC GGAAUACUCACGUCGACACAGAGUCUACUUCAUUGU ACUCAGUAUAGCCUUCGACGCUAUCGAGAUUAG GGGUGAUUGUCCACCGGCUAGAGGGGUCUCGUACA ACAUAAGGUCUCAAGAGUGUAUACCAUCUGGCCCAA GUAUGUUGCAACCAGGUAUCUUAUCUGAAUUUU GAUGAGUCAUCAGCACUUAUGCCAGAGGGGACUG UGUGCAGCCAGAAUGCUUGUACCCGAGUAGUCCUC GCUCCAAGAAUGCCUCCGGGGUCCAUAGUCCUGU GCUCGUACACUCGUUUCGGGUCUUCGGAAACCGGU UCAUUUUUAUCAGGGGAACCUAAUAGCCAAUUGGUC AUCAAUCUUUGCAAGUGUUACACACAGGAACAUC AUAAUCAAAGACCCUGACAAGAUCUACAUAUUAUG CUGCCGAUCACUGCCCGGUGGUCGAGGUGAAUGGCGU GACCAUC AAGUCGGGAGCAGGAGUAUUCGGACGCU GUGUACUUGCACAGGAUUGACUCGGUCCUCUCAAU CUUUGGAGAGGUUGGACGUAAGGACAUAUCUGGGGA AUGCAAUUGCUAAGUUGGAGGUAUCGAGGAUUGU UGGAGUCAUCGGACCAGAUUUGAGGAGUAUGAAAG GUUUUCGAGCACUAGUAUAGUUUAUUCUUGAUUG CAGUGUGUCUUGGAGAUUAGUAGGUAUCUCCGCUU UAAUAUGUUGUCUGCAGGGGGCGUUGAAACAAGAGG GAGAAACAAGUUGGUUAGUCAAGACCAGGCCUAAAGCC UGAUCUUAACAGGAACAUCAAAUCUUAUGUAAGGUC ACUCUGA</p>	73
GC_F_MEASLES_D8 mRNA Sequence (assumes T100 tail) Sequence Length: 1925	<p>G*GGGAAUAAGAGAGAAAAGAGUAAGAAGAAA UAUAAGAGCCCAUGGGUCUCAAGGUGAACGUCUCU GUCAUUAUCUAGGCAGUAUCGUUAACUCUUCAAAAC CCACCGGUCAAAUUCAUUGGGGCAUUCUCUUAAGAU AGGGGUGUAGGGUAGGAAGUGCAAGCUACAAGU UAUGACUCGUUCCAGCCAUAUAUAGUCUUAAG UUAUAGCCCAAUAUAACUCUCCUACAUAUUGCAGGA GGUAGGGAUUGCAGAAUACAGGAGACUACUGAGAA CAGUUCUGGAACCAAUAAGAGAUAGCUCUUAUGCAA UGACCCAGAAUAUAAGACCGGUUCAGAGUGUAGCUUC AAGUAGGAGACACAAGAUUUGCGGGAGUUGUCCU GGCAGGUGCGGCCCUGAGCGUUGCCACAGCUCUCUCAA AUAAACAGCCGUAUUGCAUCUACAGUCUAGUCUGA ACUCUCAAGCCAUUCGACAUAUCUGAGAGCGAGCCUAGA AACUACUAUUCAGGCAUUGAGGCAUUCAGACAAGCA GGGCAGGAGAUGAUUAUGGUCUUCAGGGUGUCCAA GACUACAUAUAUAGAGCUGAUACCGUCUUAUGAAUC AACUUCUUGGAUUAUUCGGCCAGAGCUAGGGC UCAAAUUGCUCAGAUACUAUACAGAAUUCUGUCAUU AUUUGGCCCCAGCUUACGGGACCCAUUUCUGCGGAG AUUAUCUUCAGGCUUUGAGCUAUGCGCUUGGAGGA GAUAUCAUAAGGUGUUGGAAAGCUCGGAUACAGU GGAGGUGAUUCACUGGGCAUCUUAAGAGAGCAGAGGA AUAAAGGCCCGGAUAAUCACGUCGACACAGAGUCU ACUUCAUUGUACUCAGUAUAGCCUUAUCGACGCUAUC CGAGAUUAAGGGGUGAUUUGUCCACCGGCUAGAGGG GGUCUCGUACAACAUAAGGUCUCAAGAGUGGUAUACC ACUGUGCCCAAGUAUGUUGCAACCCAGGGUACCUUA</p>	74

TABLE 13-continued

Description	Sequence	SEQ ID NO:
GC_H_MEASLES_B3 Sequence, NT (5' UTR, ORF, 3' UTR) Sequence Length: 2065	<p>UCUCGAAUUUUGAUGAGUCAUCAUGCACUUUCAUGCC AGAGGGGACUGUGUGCAGCCAGAAUGCCUUGUACCCG AUGAGUCCUCUGUCUCCAAGAAUGCCUCCGGGGGUC CUAAGUCCUGUGUCGUAACACUCGUAUCCGGGUCUUU CGGGAAACCGGUUCAUUUUAUCAAGGGGAACCUAAUA GCCAAUUGUGCAUCAAUUCUUUGCAAGUGUUACACAA CAGGAACAUAUCAUAAUCAAGACCCUGACAAGAUCU AACAUACAUAUGCUGCCGAUCACUGCCCGGUGUCGAG GUGAAUUGGCUGACCAUCCAAGUCGGGAGCAGGAGG UAUCCGGACGUCUGUACUUGCACAGGAUUGACCU GUCCUCCCAUAUCUUUGGAGAGGUUGGACGUAAGGAC AAAUUCGGGAAUGCAAUUGCUAAGUUGGAGGAUGC CAAGGAAUUGUUGGAGUCAUCGGAC CAGAUUUUGAG GAGUAUGAAAGGUUAUCGAGCACUAGUAUAGUUUA CAUCCUGAUUGCAGUGUGUCUUGGAGGAUUGAUAGG GAUCCCGCUUUAUAUAGUUGUCUGCAGGGGGCGUUGU AACAGAAAGGGAGAACAGUUGGUUUGUCAAGACCA GGCCUAAAGCCUGAUCUACAGGAACAUCAAAUCU AUGUAAGGUCAUCUGAUGAUAAUAGGCUUGGAGCCU CGGUGGC AAGCUUCUUGCCCUUGGGCCUCCCCCA GCCCCUCCUCCUUCUGCACCCGUACCCCGUGGUC UUUGAAUAAAGUCUGAGUGGGCGCAAAAAAAAAA AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA AAAAAAAAAAAAAAAAAAAAAAAAAUCUAG</p> <p>UCAAGCUUUUGACCCUCGUACAGAAAGCUAAUACGAC UCACUAUAGGGAAAUAAGAGAGAAAAGAGAGUAAG AAGAAUAUAAGAGCCACCAUGUCACCGCAACGAGAC CGGAUAAAUGCCUUCUACAAGAUAAACCUUUAUCCCA AGGGAAGUAGGAUAGUUUAUACAAGAGAACAUUCUA UGAUUGACAGACCCUAUGUUUCUGCGGCUUGUCUGUU CGUCAUGUUUCUGAGCUUGAUCGGAUUGCUGGCAU UGCAGGCAUUAAGAUUCUACGGGACCAUCUACACC GCGGAGAUCCAUAAGCCUCAGUACCAUUCUGAUG UGACUAACUCCAUUGAGCAUCAGGUAAGGACGUGCU GACACCAUCUUAUAAUUAUUCGGGGAUGAAGUGGGC CUGAGAACACUCAGAGAUUCAGUACCUAGUGAAU UCAUCUCGGACAAAGAUAAUUCUUAUCCGGUAG GGAGUACGACUUCAGAGAUUCACUUGGUGCAUAC CCGCCAGAGAGGAUCAAAUCAGAUUAUGAUCAAUCU GUGCAGAUUGGCGUCUGAAGAGCUAUGAAUGCAU UGGUGAACUCAACUCUACUGGAGACAGAACACCAC UCAGUUCUAGCUGUCUCAAGGGAAACUGUCAGGG CCCACUACAACAGAGGUAUUCUCAAACUAGUCGC UGUCCUUGUUGGACUUGUACUAGGUCGAGGUACA AUGUGUCAUCUAUAGUCACUAGCAUCCAGGGAAU GUAUGGGGAAACCUACCUAGUUGAAAGCCUAAUCU GAACAGCAAAGGGUCAGAGUUGUCAACUAGGCAU GUACCGAGUGUUUAGGUAGGUGAUCAGAAACCC GGGUUUGGGGUCUGGUGUCCAUUAGCAAAUCUA UUUUGAGCAACAGUCAGUAUUGGUCUGGCAACUGU AUGGUGGCUUUGGGGAGCUCAAACUCGACGCCUUU GUCACGGGACGAUUCUAUCAUAAUUCUUAUCAGGG AUCAGGAAAGGUGUCAGUUCAGUCUGCAGCAGCUG GGUGUCUGGAAUCCCAACCGCAUGCAUCCUGGG UCCCUUAUCAACGGAUGAUCAGUGGUAAGCAGGCU UAACUCUCAUCACAGAGGUGUCAUCGUGACAAU CAAGCAAAUUGGUCUGCCGACACAGCAAGAU ACAAGUUGCGAAUGGAGCAUGCUUCAGCAGGCGUG UAAAGGUAUAAUCCAGCACUCUGCGAGAAUCCCGAG UGGGUACCAUUGAAGGAUAAAGGAUCCUUAUAC GGGUCCUGUCUGUUGAUUCUGAGUCAGCGUUGAG CUUAAAUCAAAUUGCUUCGGGAUUCGGGCAUUG AUCACACCGGUCAGGGAGGACCUAUAACAAUCCA ACUGCAACAUGUUAUUGGUCAGUUAUCCGCCAAU GAGAAUCUAGCCUAGGCGUAAUCAAACAUUGGA GUGGAUACCGAGAUUCAAGGUUAGUCCCAACCUUC ACUGUCCAAUUAAGGAAGCAGGCGAAGACUGCCAU CCCCAACAUACCUAUCUGCGGAGGUGGACGGUGAUGU CAAACUCAGUCCAAACCGGUGAUUCUACUGGUCAA GAUCUCAAUUAUGUUUGGCAACCUACGAUACCCCA GGGUUGAGCAUGCUUGGUUUUAUACGUUAACAGCC CAAGCCGCUCAUUUUCUUAUUAUUCUUUAGGUU GCCUUAUAAAGGGGUCCAAUCGAACUACAAGUGGAA UGCUUCACAUGGGAUCAAAAUCUGGUGCCGUCACU UCUGUGUCUUGCGGACUCAGAAUCGGUGGACUUUAU</p>	75

TABLE 13-continued

Description	Sequence	SEQ ID NO:
GC_H_MEASLES_B3 ORF Sequence, NT	CACUCACUCUGGGAUGGUGGGCAUGGGAGUCAGCUGC ACAGCUACCCGGGAAGAUAGGAAACCAUCCGAGAUAAU GAUAAUAGGCUGGAGCCUCGGUGGCCAAGCUUCUUGC CCCUUGGGCCUCCCCCAGCCCCUCCUCCCCUUCUGC ACCCGUACCCCGUGGUCUUUGAAUAAAGUCUGAGUG GGCGGC AUGUCACCGCAACGAGACCGGAUAAUAGCCUUCUACA AAGUAACCCUUAUCCCAAGGGAAGUAGGAUAGUUA UUAACAGAGAAACAUUUAUGAUUAGACAGCCCUAUG UUCUGCUGGCUGUUCUGUUCGUAUGUUUCUGAGCUU GAUCGGAUUGCUGGCAUUGCAGGCAUAGACUUCU UCGGGCAGCCAUCUACACCGCGGAGAUCCAUAAGGC CUCAGUACCAUUCUGGAUGUGACUAACUCCAUCGAGC AUCAGGUCAGGACGUGCUGACACCACUUCUAAAAU CAUCGGGGAUGAAGUGGGCCUGAGAACCUCAGAGA UUCACUGACCUCAGUGAAUUCUUCUGGCAAGAUUA AAUUCUUAUCCGGAUAGGGAGUACGACUUCAGAG AUCUCACUUGGUGCAUCAACCCGCGAGAGGAUCAA ACUAGAUUAUGAUCAAUCUGUGCAGAUUGGCUGC UGAAGAGCUCAUAAUGCAUUGGUGAACUCAACUCU ACUGGAGACCAGAAACACACUCAGUUCUAGCUGUC UCAAAGGGAAACUGUCAGGGCCACUCAAUCAGAG GUCAAUUCUCAAACUUGCUGUCUUCUUGGAGCUU GUACUUAGGUCGAGGUUACAAUGUGUCAUCUAVAGU CACUAGACAUCCAGGGAAUGUAGGGGGAACCUAC CUAGUUGAAAAGCCUUAUCUGAACAGCAAGGGUCA GAGUUGUCAACAUCGAGCAUGUACCGAGUGUUGAA GUAGGUGUGAUCAGAAACCCGGGUUUGGGGCUCCG GUGUCCAUUAGACAACAUUUUUGAGCAACAGUCA GUAAUGGUCUCGGCAACUGUAUGGUGCUUUGGGGG AGCUCAAACUCGCGACCCUUGUCACGGGGAAGAUUC UAUCUAAUUCUUAUCAGGGAUACGGGAAAGGUGU CAGCUUCAGCUCGUAAGCUGGGUGUCUGGAAAUCC CCAACCGACAUGCAUUCUGGUCUCCUUAUCAAAGG AUGAUCCAGUGGAGACAGGCUUUAUCUUCUACA CAGAGGUGUCAUCGUGCAAAUCAAAGCAAAUUGGCU GUCGCGACAACAGCAAGAGUACAGUUGCGAAUGG AGACAUGCUUCAGCAGGCGUGUAAAGGUAAAAUCA AGCACUCUGCGAGAAUCCGAGUGGUACAUUGAAG GAUAAACAGGAUUCUUAUCAGGGGUCUUGUCUGUUG AUCUGAGUCUGACGGUUGAGCUAAAAUCAAAUUG CUUCGGGAUUCGGGCAUUGAUACACACGGCUCAGG GAUGGACCUUAUACAAUCCACUGCAACAAUGUGUUA UGGCUGACUUAUCCGCCAAUGAGAAUUCUAGCCUAG GCGUAAUCAACACAUUGGAGUGGAUCCGAGAUUCA AGGUUAGUCCCAACCUUCACUGUCCAAUUAAGGA AGCAGGCGAAGACUGCCAUUGCCCAACAUACUACCU GCGGAGGUGGACGGUGAUGUCAAACUCAGUUCCAACC UGGUGAUUCUACUGGUCAGAUUCUCAAUUAUGUUU UGGCAACCUACGAUACUCCAGGGUUGAGCAUGCUGU GGUUUUAUACGUUUACAGCCCAAGCCGCUCAUUUCU UACUUUUUCCUUUAGGUUGCCUUAAGGGGGUC CCAAUCGAAUCACAAGUGGAAUGCUUCAUGGGAU AAAAAUCUGGUGCCGUCACUUCUGUGUCUUGCGGA CUCAGAAUCGGUGGACUUAUCACUCUUCUGGGAG GUGGGCAUGGGAGUCAGCUGCACAGCUACCCGGGAAG AUGGAACCAAUCGAGAUAA	76
GC_H_MEASLES_B3 mRNA Sequence (assumes T100 Tail) Sequence Length: 2126	G*GGGAAUUAAGAGAGAAAAGAGAUAGAAGAAA UAUAAGAGCCACCAUGUCACCGCAACGAGACCGGAUA AAUGCCUUCUCAAAGAUAAACCCUUAUCCCAAGGGAA GUAGGAUAGUUUAUAAAGAGAAACUUAUGAUUG ACAGACCUAUGUUCUGCUGGUGUUCUUGUUCGUAU GUUUCUGAGCUUGAUCGGAUUGCUGGCAUUGCAGG CAUUAGACUUCUACGGGCAGCAUCUACCCGCGGAG AUCUAAAAGCCUAGUACCAUUCUGGAUGUGACUA ACUCCAUUCGAGCAUCAGGUCAAGGACGUGCUGACCC ACUCUUAAAAUCAUCGGGAUGAAGUGGGCCUGAG AACACCUAGAGAUUCACUGACCUAGUGAAUUCUUC UCGGACAAGAUUAAAUUCUUAUUCGGAUAGGGAG UACGACUUCAGAGAUUCACUUGGUGCAUACCCCGC CAGAGAGGAUCAAUAGAUUAUGAUCAAUUCUGUG CAGAUUGGCGUCUGAAGAGCUCAUGAAUGCAUUGG UGAACUAAUCUUCUGGAGACCAGAACACCAUCUCA GUUCCUAGCUGUCUCAAAGGAAACUGUCAGGGGCC ACUACAAUCAGAGGUCAAUUCUCAAACAUGCGCUGU	77

TABLE 13-continued

Description	Sequence	SEQ ID NO:
GC_H_MEASLES_D8 Sequence, NT (5' UTR, ORF, 3' UTR) Sequence Length: 2065	<p>CCUUGUUGGACUUGUACUUAGGUCGAGGUUACA AUG UGUCAUCUAUAGUCACUAUGACAUC CCGGGAAUGUA UGGGGGAACCUACCUAGUUGAAAAGCCUAAUCUGAAC AGCAAAGGGUCAGAGUUGUCACAACUGAGCAUGUACC GAGUUGUUUGAAGUAGGUGUGAUCAGAAAACCCGGGUU UGGGGGCUCGGGUGUUCCAUAUGACAACUAUUUUG AGCAACCAGUCAGUAAUGGUCUCGGCAACUGUAUGGU GGUUUUGGGGAGCUCAAACUCGACGCCUUUGUCAC GGGGACGAUUCUAUCAUAUUCCUAUCAGGGUACAG GGAAAGGUGUCAGCUUCAGCUCGUAAGCUGGGUGU CUGGAAUUC CCAACCGAUGCAUUCUGGGUCCCC UUAUCAACGGAUGAUCCAGUGGAGACGGCUUACC UCUCAUUCACAGAGGUGUCAUCGUCAGCAUAACAAGC AAAAUGGGCUGUCCGACAAACGAAACAGAUACAAG UUGCAGUUGGAGACAUUCUCCAGCAGGCGUGUAAA GGUAAAUC CAAGCACUCUGCGAGAAUCCGAGUGGG UACCAUUGAAGGAUAACAGGAUUCUUAUAUCGGGG UCCUGUCUGUUGAUUCGAGUCUGACGGUUGAGCUUA AAAUCAAAAUUGCUUCGGGAUUCGGGCCAUUGAUCAC ACACGGCUCAGGGAUGGACCUUAUACAUAUCCAAUCG ACAAUUGUUAUUGGUCGACUAUUCCGCAAUGAGA AAUCUAGCCUUAGGCGUAUAACAACAUAUGGAGUGG AUACCGAGAUUCAAGGUUAGUCCCAACCUUCUACUG UCCCAAUAAGGAAGCAGGCGAAGACUGCCAUGCCCC AACAUACCUACUGCGGAGGUGGACGGUGAUGUCAAA CUCAGUUC CAAACUGGUAUUCUACUGGUC AAGAU UCCAAUAUGUUUGGCAACCUACGAUACUCCAGGGU UGAGCAUGCUGUGGUUUAUUAUACGUUUAAGCCAAAGC CGCUCAUUUUCUUAUUUAUUCUUUUAGGUUGCCUA UAAAGGGGGUCCAAUCGAAUCACAAUGGAAUUGCU UCACAUUGGGAUCAAACUCUGGUGCCGUCAUUCUG UGUGCUUGCGGACUCAGAAUCCGGUGGACUUAUCACU CACUCUGGGAUGGUGGCAUGGGAGUCAGCUGCACAG CUACCCGGGAAGAUUGGAAACCAUUCGAGUAUAUGUA AUAGGCUGGAGCCUCGGUGGCGAAGCUUCUUGCCCU UGGGCCUCCCCAGCCCCUCCUCCCUUCCUGCACCC GUACCCCGUGGUCUUUGAAUAAAAGUCUGAGUGGGCG GCAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA UCAAGCUUUUGGACCCUCGUACAGAAAGCUAAUACGAC UCACUAUAGGGAAAUAAGAGAGAAAAGAAAGUAAG AAGAAUAUAAGAGCCACCAUGUCACCAACAGAGAC CGGAUAAAUGCCUUCACAAAGACAACCCCAUCCUA AGGGAAGUAAGGAUAGUUAUUAACAGAGAAACUUCUA UGAUUGAUAGACCUUAUGUUUUGCUGGCUUGUCUAU UCGUCAUGUUUCUGAGCUUGAUCGGGUUGCUAGCCAU UGCAGGCAUUAAGACUUCUUCGGGACCCAUUCACACC GCAGAGAUCCAUAAGCCUCAGCACCAUUCUGGAUG UAAUAACUCAAUCGAGCAUCAGGUUAAGGACGUGCU GACACCAUCUUCUACAAGAUCAUCGGUGAUGAAGUGGGC UUGAGGACACCUACAGAUUACUGACCUAGUGAAGU UCAUCUCUGACAAGAUAAAUCUUAUCCGGACAG GGAAUACGACUUCAGAGAUUCACUUGGUGUAUCAAC CCGCCAGAGAGAAUCAAAUUGGAUUAUGAUCAAUAC UGUGCAGAUGUGGCGUCGAGAAGACUAUGAAUGCA UUGGUGAACUC AACUCUACUGGAGACCGGGCAACCA AUCAGUUCUAGCUGUCUCAAAGGGAAACUGCUCAGG GCCCACUACAAUCAGAGGCCAAUUCUCAAACUUGCG CUGUCCUUGUUGGACUUGUAUUUAAGUCGAGGUUAC AAUGUGUCAUCUAUAGUCACUAUGACAUC CAGGGAA UGUACGGGGAAACUUAUCUAGUGGAAAAGCCUAAUC UGAGCAGCAAAGGUCAGAGUUGUCACAACUGAGCA UGCACCGAGUGUUUGAAGUAGGUGUUAUCAGAAU CCGGUUUGGGGUC CCGUAUUC CAUAUGACAACUA UCUUGAGCAAC CAGUCAGUAUUGAUUU CAGCAACU AUGGUGGCUUUUGGGGAGCUC AAGUUCGACGCCUCU GUCACAGGGAAGAUUCUAUCAAAUUCUUAUCAGGG AUCAGGGAAGGUGUCAGCUUC CAGCUUGUC AAGCUA GGUGUCUGGAAUUC CCAACCGACAUGCAAUCCUGGG UCCCCUUAUCAACGGAUGAUCCAGUUAUGACAGGCU UUAACUUCAUUCUCACAGAGCGUUAUCGUCACAAU CAAGCAAAUUGGCGUGUC CCGACAACCGGACAGAU ACAAGUUGCGAAUGGAGCAUGCUUC CAGCAGGCGUG UAAGGGUAAAUAUCAAGCACUUUGCGAGAAUCCCGAG UGGACACCAUUGAAGGAUAACAGGAUUCUUAUCG</p>	78

TABLE 13-continued

Description	Sequence	SEQ ID NO:
GC_H_MEASLES_D8 ORF Sequence, NT	GGGUCUUGUCUGUUGAUCUGAGUCUGACAGUUGAGC UUAAAUAUCAAUUGUUU CAGGAUUCGGGCCAUUGA UCACACACGGUUCAGGGAUGGACCUAUACAAUCCAA CCACAACAAUUAUGUAUUGGCGUACUAUCCCGCAAUG AAGAACUUGGCCUUAAGGUGUAUUAACACAUUGGAG UGGAUACCAGAUUCAAGGUUAGUCCCAACCUUUA CUGUUCCAAUUAAGGAAGCAGGCGAGGACUGCCAU CCCAACAUACCUACUUGCGGAGGUGGUGGUGAUGUC AAACUCAGUUCCAAUCUGGUAUUCUACUUGGUAAG AUCUCCAAUUAUGUUCUGGCAACCUACGAUACUUCAG AGUUGAACAUUGCUUAGUUUAUUAACGUUACAGCC AAGCCGCUCAUUUUUUAUUUUUUAUUUUUAGGUUG CCUGUAAGGGGGUCCCAUUGAAUUAUUAAGUGAA UGCUUCACAUUGGACC AAAACUCUGGUGCCGUCACU UCUGUGUGCUUGCGGACUCAGAAUCUGGUGGACUA UCACUCACUCUGGGAUGGUGGCAUGGAGUCAGCUG CACAGCCACUCGGGAAGAUUGAACAGCCGCAGAUAG UGAUAAUAGGCGGAGCCUGGUGGCCAAGCUUCUUG CCCCUGGGCCUCCCCAGCCUCCUCCUUCUUCUG CACCCGUACCCCGUGGUUUUGAAUAAAGUCUGAGU GGGCGGC	79
GC_H_MEASLES_D8 mRNA Sequence (assumes T100 tail)	G*GGGAAUUAAGAGAGAAAAGAAGUAAGAAGAAA UAUAAGAGCCACCAUGUCACCAACAACGAGACCGGAUA AAUGCCUUCUACAAGACACCCCAUCCUAAGGGAA	80

TABLE 13-continued

Description	Sequence	SEQ ID NO:
Sequence Length: 2126	GUAGGAUAGUUUUUAAACAGAGAACAUCUUUUGAUUG AUAGACCUUUUGUUUUGCUGGCUGUUUCUUAUUCGUC UGUUUUUGAGCUGUAUCGGGUUGCUAGCCAUUUGCAG GCAUUAGACUUCAUCGGGCAGCACAUCUACACCGCAGA GAUCCAUAAAAGCCUCAGCACCAUUCUGGAUGUAACU AACUCAAUUCGAGCAUCAGGUUAAAGGACGUGCUGACAC CACUCUUCAGAUCAUCGGUGAUGAAGUGGGCUUGA GGACACCUUCAGAGAUUCAUGACCUUAGUGAAGUUCAU CUCUGACAAGAUAAAUCUUAUUCGACAGGGAA UACGACUUCAGAGAUCCACUUGGUUUAUCAACCCGC CAGAGAGAAUCAAAUGGAUUAUGAUCAAUACUGUG CAGAUGUGGCUGCUGAAGAUCUUGAAUGCAUUGG UGAACUCAACUCUACUGGAGACCAGGGCAACCAUCA GUUCCUAGCUGUCUCAAAGGGAAACUGUCAGGGCCC ACUACAUCAGAGGCCAAUUCUAAAACUUGCGCUGU CCCUGUUGGACUUGUAAUUUAGUGCGAGGUUACAAUG UGUCAUCUAUAGUCAUAUGACAUCUCCAGGGAAUGUA CGGGGAACUUACCUGGAAAAGCCUAAUUCUGAGC AGCAAAGGGUCAGAGUUGUCAACUGAGCAUGCACCC GAGUGUUUGAAGUAGGUGUUUUCAGAAAUCCGGGU UGGGGGCUCCGGUAUCCAUUGACAACUUCUUGA GCAACCAAGUCAGUAAGAUUUCAGCAACUGCAUGGUG GCUUUGGGGGAGUCUAAGUUCGAGCCUCUGUCA GGGAAAGAUUCUAUCAAAUUCUUAUCAGGGUACAGG GAAAGGUGUCAGCUUCAGCUUGUCAAGCUAGGUGUC UGGAAUCCCCAACCAGCAGCAAUCCUGGGUCCCCC UAUCAACCGAUGAUCCAGUGAUGACAGGCUUUACCU CUCAUCUCAAGAGGCGUUAUCGUCAGCAAUCAAGCA AAAUGGGUCUCGACAAACAGGACAGUAAGCAAGU UGCGAAUGGAGACUUGCUUCAGCAGGCGUGUAAGG GUAAAUCCAAGCAUUUGCGAGAAUCUUCAGUGGAC ACCAUUGAAGGAUAAACAGGAUUCUUAUACGGGGUC UUGUCUGUUGAUCUGAGUCUGACAGUUGAGCUAAA AUCAAAAUUGUUUUCAGGAUUUCCGGCCAUUGAUCACAC ACGGUUCAGGGUAGGACCUAUAACAUCUUAACCAA CAUUAUGUAUUGGUCAGCUAUUCUCCCAUGAAGAAC CUGGCCUUAGGUGUAAUACAACAUAUUGGAGUGGAUA CCGAGAUCUAAAGUUAUUCUCAAUCUUCUGUUC CAUUUAAAGAAAGCAGGCGAGGACUCCAUUCGCCAAC AUACCUAUCUGCGGAGGUUGAUGGUAUGUCAAACUC AGUUCCAUCUGGUGAUUCUACUUGGUCUAGAUUCC AAUAUGUUCUGGCAACCUACGAUUCUUCAGAGUUGA ACAUGCUGUAGUUUAUACGUUUUACAGCCCAAGCCGC UCAUUUUUUAUUUUUUCUUAUUCUUUUGGUGUCCUGUA AGGGGGUCCC AUUGAAUUAAGAUGGAUUGCUUC ACAUGGGACAAAAACUCUGGUGCCGUCACUUCUGUG UGCUUGCGGACUCAGAAUCUGGUGGACAUUACUCA CUCUGGGAUUGGUGGCAUGGGAGUCAGUCACAGCC ACUCGGGAAGUUGAACCAGCCAGAUAGUGAUA UAGGCUGGAGCUCGUGGCAAGCUUCUUGCCCUU GGGCCUCCCCAGCCCUCUCCCCUUCUGCACCCG UACCCCGUGGUCUUUAAUAAAGUCUGAGUGGGCGG CAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAUCUAG	

TABLE 14

MeV Amino Acid Sequences

Description	Sequence	SEQ ID NO:
GC_F_MEASLES_B3.1 ORF Sequence, AA	MGLKVNVSAPFMAVLLTLQTPAGQIHWGNLSKIGVVG IGSASYKVMTRSSHQSLVIKLPNITLNNCTRVEIA EYRLLRTVLEPIRDALNMTQNIRPVQSVASSRRHK RFAGVVLGAAALGVATAAQITAGIALHRSMLNSQAID NLRASLETNQAIETIRQAGQEMILAVQGVQDYINNE LIPSMNQLSDDLIGQKLGKLLRYYTEILSLFGPSLR DPISAEISIQALSALGGDINKVLEKLGYSGDLLGI LESRGIKARITHVDTESYFIVLSIAYPTLSEIKGVIV HRLEGVSYNIGSQEWYTVTPKYVATQGYLISNFDESS CTFMPEGTVCSQNALYPMSPLLQECRGTSTKSCARTL VSGSFGNRFILSQNLIANCASILCKCYTTGTIINQD	47

TABLE 14-continued

MeV Amino Acid Sequences		
Description	Sequence	SEQ ID NO:
	PDKILTYIAADRCPVVEVNGVTIQVGSRRYPDAVYLH RIDLGPPISLERLDVGTNLGNIAKLEDAKELLESSD QILRSMKGLSSTSIIVYILIAVCLGGLIGIPTLICCCR GRCNKKGEQVGMSPGLKPDLTGTSTKSYVRS*	
GC_F_MEASLES_D8 ORF Sequence, AA	MGLKVNVSIVFMAVLLTLQPTGQIHWGNLSKIGVVG VGSASYKVMTRS SHQSLVIKLM PNITLLNNCTR VGIA EYRRLRLRTVLEPIRDALNMTQNI RPQSVASSRRHK RFAGVVLGAGALGVATAAQITAGIALHQSM LNSQ AID NLRASLET TNQAI EAI RQAGQEMILAVQGVQDYINNE LIPSMNQLSCDLIGQKLGKLLRYYTEILSLFGPSLR DPISAEISIQALSYALGGDINKVLEKLGYSGGDLLGI LESRGIKARITHVDTESYFIVLSIAYPTLSEIKGVIV HRLEGVSYNIGSQEWYTTVPKYVATQGYLISNFDESS CTFMPEGTVC SQNALYPMSP LQECLRGSTKSCARTL VSGSFGNRFILSQGNLIANCASTLCKCYTTGTIINQD PDKILTYIAADHCPVVEVNGVTIQVGSRRYPDAVYLH RIDLGPPISLERLDVGTNLGNIAKLEDAKELLESSD QILRSMKGLSSTSIIVYILIAVCLGGLIGIPALICCCR GRCNKKGEQVGMSPGLKPDLTGTSTKSYVRS*	48
GC_H_MEASLES_B3 ORF Sequence, AA	MSPQRDRINAFYKDNPPYKGSRIVINREHLMIDRPYV LLAVLFVMFSLIGLLA TAGIRLHRAA IYTA EIHKSL STNLDVTNSIEHQVKDVLTPFKIIGDEVGLRTPQRF TDLVKFISDKIKFLNPDREYDFRDLTWCINPPERIKL DYDQCADVAEELMNALVNSTLLETRTTQFLAVSK GNCSGPTTIRGQFSNMSLSLDDL YLGRGYNVSSIVTM TSQMGYGGTYLVEKPNLNSKGSSELSQLSMRVFEVGV IRNPLGAPVPHMTNYFEQPVSNGLGNCMV ALGELKL AALCHGDDSIIPYQSGGKVSFQLVKLG VWSPTDM QSWVPLSTDDPVVDRLYLSSH RGV IADNQA KAVVPTT RTDDKLRMETCFQQACKGKI QALCENPEWVPLKDNRI PSYGVLSVDLSLTVELKIKI ASGFGLI THGSGMDLY KSNCNVYWLTI PPMRNALGVINTLEWI PRFKVSPN LFTVPIKEAGEDCHAPTYLPAEVDGDV KLSNLVILP GQDLQYVLATYDTSRVEHAVVYVYSPSRSPSYFYFP RLPVIRGVP IELQVECF TWQK LWRHFCV LADSESGG LITHSGVMGMVSC TATREDGTNR*	49
GC_H_MEASLES_D8 ORF Sequence, AA	MSPQRDRINAFYKDNPPYKGSRIVINREHLMIDRPYV LLAVLFVMFSLIGLLA TAGIRLHRAA IYTA EIHKSL STNLDVTNSIEHQVKDVLTPFKIIGDEVGLRTPQRF TDLVKFISDKIKFLNPDREYDFRDLTWCINPPERIKL DYDQCADVAEELMNALVNSTLLETRATN QFLAVSK GNCSGPTTIRGQFSNMSLSLDDL YLSRGYNVSSIVTM TSQMGYGGTYLVEKPNLNSKGSSELSQLSMHRVFEVGV IRNPLGAPVPHMTNYLEQPVSNDFSNCMVALGELKF AALCHREDSTIIPYQSGGKVSFQLVKLG VWSPTDM QSWVPLSTDDPVIDRLYLSSH RGV IADNQA KAVVPTT RTDDKLRMETCFQQACKGKI QALCENPEWVPLKDNRI PSYGVLSVDLSLTVELKIKI VSGFGLI THGSGMDLY KSNHNMYWLTI PPMKNLALGVINTLEWI PRFKVSPN LFTVPIKEAGEDCHAPTYLPAEVDGDV KLSNLVILP GQDLQYVLATYDTSRVEHAVVYVYSPSRSPSYFYFP RLPVIRGVP IELQVECF TWQK LWRHFCV LADSESGG HITHSGVMGMVSC TATREDGTSRR*	50

TABLE 15

MeV NCBI Accession Numbers (Amino Acid Sequences)		
Type	Virus Name	GenBank Accession
hemagglutinin	hemagglutinin [Measles virus strain Moraten]	AAF85673.1
hemagglutinin	hemagglutinin [Measles virus strain Rubeovax]	AAF85689.1
hemagglutinin	hemagglutinin [Measles virus]	AAF89824.1
hemagglutinin	hemagglutinin protein [Measles virus]	CAA91369.1
hemagglutinin	hemagglutinin [Measles virus]	BAJ23068.1
hemagglutinin	hemagglutinin protein [Measles virus]	BAB39848.1
hemagglutinin	hemagglutinin [Measles virus]	AAA50551.1
hemagglutinin	RecName: Full = Hemagglutinin glycoprotein	P08362.1
hemagglutinin	hemagglutinin [Measles virus]	AAB63802.1

TABLE 15-continued

MeV NCBI Accession Numbers (Amino Acid Sequences)		
Type	Virus Name	GenBank Accession
hemagglutinin	hemagglutinin [Measles virus]	AAA56650.1
hemagglutinin	hemagglutinin [Measles virus]	AAA56642.1
hemagglutinin	hemagglutinin [Measles virus]	AAA74936.1
hemagglutinin	hemagglutinin protein [Measles virus]	BAH56665.1
hemagglutinin	hemagglutinin [Measles virus]	ACC86105.1
hemagglutinin	hemagglutinin [Measles virus strain Edmonston-Zagreb]	AAF85697.1
hemagglutinin	hemagglutinin [Measles virus]	AAR89413.1
hemagglutinin	hemagglutinin [Measles virus]	AAA56653.1
hemagglutinin	RecName: Full = Hemagglutinin glycoprotein	P35971.1
hemagglutinin	Hemagglutinin [Measles virus]	CAB94916.1
hemagglutinin	hemagglutinin [Measles virus]	AAC03036.1
hemagglutinin	hemagglutinin [Measles virus]	AAF85681.1
hemagglutinin	Hemagglutinin [Measles virus]	CAB94927.1
hemagglutinin	Hemagglutinin [Measles virus]	CAB94925.1
hemagglutinin	hemagglutinin protein [Measles virus]	BAB39835.1
hemagglutinin	Hemagglutinin [Measles virus]	CAB94931.1
hemagglutinin	hemagglutinin [Measles virus genotype A]	AFO84712.1
hemagglutinin	hemagglutinin [Measles virus]	AAA56639.1
hemagglutinin	Hemagglutinin [Measles virus]	CAB94926.1
hemagglutinin	hemagglutinin protein [Measles virus]	BAB39836.1
hemagglutinin	Hemagglutinin [Measles virus]	CAB94929.1
hemagglutinin	RecName: Full = Hemagglutinin glycoprotein	P06830.1
hemagglutinin	Hemagglutinin [Measles virus]	CAB94928.1
hemagglutinin	hemagglutinin protein [Measles virus]	BAB39837.1
hemagglutinin	hemagglutinin [Measles virus]	AAA74935.1
hemagglutinin	hemagglutinin protein [Measles virus]	CAB43780.1
hemagglutinin	hemagglutinin [Measles virus]	BAA09952.1
hemagglutinin	hemagglutinin protein [Measles virus]	CAB43815.1
hemagglutinin	hemagglutinin [Measles virus]	AAF28390.1
hemagglutinin	Hemagglutinin [Measles virus]	CAB94923.1
hemagglutinin	hemagglutinin protein [Measles virus]	CAB43785.1
hemagglutinin	hemagglutinin [Measles virus]	ABD34001.1
hemagglutinin	hemagglutinin protein [Measles virus]	CAB43782.1
hemagglutinin	hemagglutinin protein [Measles virus]	CAB43781.1
hemagglutinin	hemagglutinin [Measles virus]	BAH22353.1
hemagglutinin	hemagglutinin [Measles virus]	AAC35878.2
hemagglutinin	hemagglutinin protein [Measles virus]	AAL86996.1
hemagglutinin	hemagglutinin [Measles virus]	CAA76066.2
hemagglutinin	hemagglutinin [Measles virus]	AAA46428.1
hemagglutinin	hemagglutinin protein [Measles virus]	CAB43803.1
hemagglutinin	Hemagglutinin [Measles virus]	CAB94918.1
hemagglutinin	hemagglutinin [Measles virus]	AAF72162.1
hemagglutinin	hemagglutinin [Measles virus]	AAM70154.1
hemagglutinin	hemagglutinin protein [Measles virus]	CAB43776.1
hemagglutinin	hemagglutinin [Measles virus genotype D4]	ACT78395.1
hemagglutinin	hemagglutinin [Measles virus genotype D7]	AAL02030.1
hemagglutinin	hemagglutinin protein [Measles virus]	CAB43789.1
hemagglutinin	hemagglutinin protein [Measles virus]	CAB43774.1
hemagglutinin	Hemagglutinin [Measles virus]	CAB94920.1
hemagglutinin	Hemagglutinin [Measles virus]	CAB94922.1
hemagglutinin	hemagglutinin [Measles virus]	ABB59491.1
hemagglutinin	hemagglutinin protein [Measles virus]	BAB39843.1
hemagglutinin	hemagglutinin protein [Measles virus]	CAB43804.1
hemagglutinin	hemagglutinin [Measles virus]	AAX52048.1
hemagglutinin	Hemagglutinin [Measles virus]	CAB94930.1
hemagglutinin	hemagglutinin [Measles virus]	AAA74526.1
hemagglutinin	hemagglutinin protein [Measles virus]	CAB43814.1
hemagglutinin	hemagglutinin [Measles virus]	ABB59493.1
hemagglutinin	hemagglutinin [Measles virus genotype D4]	AAL02019.1
hemagglutinin	Hemagglutinin [Measles virus]	CAB94919.1
hemagglutinin	hemagglutinin protein [Measles virus]	AAL86997.1
hemagglutinin	hemagglutinin [Measles virus genotype C2]	AAL02017.1
hemagglutinin	hemagglutinin protein [Measles virus]	CAB43769.1
hemagglutinin	hemagglutinin protein [Measles virus]	CAB43808.1
hemagglutinin	hemagglutinin [Measles virus]	BAO97032.1
hemagglutinin	hemagglutinin protein [Measles virus]	CAB43805.1
hemagglutinin	hemagglutinin protein [Measles virus]	CAB43777.1
hemagglutinin	hemagglutinin [Measles virus]	AAL67793.1
hemagglutinin	hemagglutinin [Measles virus]	AAF89816.1
hemagglutinin	hemagglutinin [Measles virus genotype D4]	AAL02020.1
hemagglutinin	hemagglutinin protein [Measles virus]	CAB43786.1
hemagglutinin	hemagglutinin protein [Measles virus strain MV1/New Jersey,USA/45.05]	AEP40452.1
hemagglutinin	hemagglutinin [Measles virus]	AAA74531.1
hemagglutinin	hemagglutinin [Measles virus]	AAB63800.1
hemagglutinin	hemagglutinin [Measles virus]	AAO21711.1

TABLE 15-continued

MeV NCBI Accession Numbers (Amino Acid Sequences)		
Type	Virus Name	GenBank Accession
hemagglutinin	hemagglutinin [Measles virus genotype D8]	ALE27189.1
hemagglutinin	hemagglutinin protein [Measles virus]	CAB43810.1
hemagglutinin	hemagglutinin [Measles virus]	AAF89817.1
hemagglutinin	hemagglutinin [Measles virus genotype D6]	AAL02022.1
hemagglutinin	hemagglutinin protein [Measles virus]	CAB43800.1
hemagglutinin	hemagglutinin protein [Measles virus genotype B3]	AGA17219.1
hemagglutinin	hemagglutinin protein [Measles virus]	CAB43770.1
hemagglutinin	hemagglutinin protein [Measles virus strain MVi/Texas.USA/4.07]	AEP40444.1
hemagglutinin	hemagglutinin [Measles virus]	AAX52047.1
hemagglutinin	hemagglutinin [Measles virus]	AAB63794.1
hemagglutinin	hemagglutinin [Measles virus]	AAB63796.1
hemagglutinin	hemagglutinin [Measles virus]	AAA74528.1
hemagglutinin	hemagglutinin [Measles virus]	AAB63774.1
hemagglutinin	hemagglutinin [Measles virus]	AAB63795.1
hemagglutinin	hemagglutinin [Measles virus]	AAA74519.1
hemagglutinin	hemagglutinin protein [Measles virus]	CAB43778.1
fusion protein	fusion protein [Measles virus strain Moraten]	AAF85672.1
fusion protein	fusion protein [Measles virus]	AAA56645.1
fusion protein	fusion protein [Measles virus strain Rubeovax]	AAF85688.1
fusion protein	fusion protein [Measles virus]	AAF85680.1
fusion protein	fusion protein [Measles virus]	AEF30359.1
fusion protein	fusion protein [Measles virus]	BAA09957.1
fusion protein	fusion protein [Measles virus]	AAV84957.1
fusion protein	fusion protein [Measles virus MeV-eGFP_Edm-tag]	AII16636.1
fusion protein	fusion protein [Measles virus]	ABY58018.1
fusion protein	fusion protein [Measles virus]	BAA19838.1
fusion protein	fusion protein [Measles virus]	AAA56641.1
fusion protein	F protein [Measles virus]	ABK40529.1
fusion protein	fusion protein [Measles virus]	AAA56652.1
fusion protein	fusion protein [Measles virus]	ABY58017.1
fusion protein	fusion protein [Measles virus]	ABB71645.1
fusion protein	fusion protein [Measles virus]	NP_056922.1
fusion protein	fusion protein [Measles virus strain AIK-C]	AAF85664.1
fusion protein	fusion protein [Measles virus]	BAB60865.1
fusion protein	fusion protein [Measles virus]	BAA09950.1
fusion protein	fusion protein [Measles virus strain MVi/New York.USA/26.09/3]	AEP40403.1
fusion protein	fusion protein [Measles virus]	AAA74934.1
fusion protein	fusion protein [Measles virus]	CAB38075.1
fusion protein	fusion protein [Measles virus strain MVi/Texas.USA/4.07]	AEP40443.1
fusion protein	fusion protein [Measles virus]	AAF02695.1
fusion protein	fusion protein [Measles virus]	AAF02696.1
fusion protein	fusion protein [Measles virus]	AAT99301.1
fusion protein	fusion protein [Measles virus]	ABB71661.1
fusion protein	fusion protein [Measles virus]	BAK08874.1
fusion protein	fusion protein [Measles virus]	AAF02697.1
fusion protein	fusion protein [Measles virus genotype D4]	AFY12704.1
fusion protein	fusion protein [Measles virus strain MVi/California.USA/16.03]	AEP40467.1
fusion protein	fusion protein [Measles virus genotype D8]	AHN07989.1
fusion protein	fusion protein [Measles virus]	AAA46421.1
fusion protein	fusion protein [Measles virus]	AAA56638.1
fusion protein	fusion protein [Measles virus strain MVi/Virginia.USA/15.09]	AEP40419.1
fusion protein	fusion protein [Measles virus genotype D8]	ALE27200.1
fusion protein	fusion protein [Measles virus genotype D8]	AFY12695.1
fusion protein	fusion protein [Measles virus genotype D8]	ALE27248.1
fusion protein	fusion protein [Measles virus genotype D8]	ALE27224.1
fusion protein	fusion protein [Measles virus]	AAT99300.1
fusion protein	fusion protein [Measles virus]	BAH96592.1
fusion protein	fusion protein [Measles virus strain MVi/California.USA/8.04]	AEP40459.1
fusion protein	fusion protein [Measles virus genotype D8]	AIG94081.1
fusion protein	fusion protein [Measles virus]	BAA09951.1
fusion protein	fusion protein [Measles virus genotype D8]	ALE27194.1
fusion protein	fusion protein [Measles virus]	BAA33871.1
fusion protein	fusion protein [Measles virus strain MVi/Washington.USA/18.08/1]	AEP40427.1
fusion protein	fusion protein [Measles virus]	ABY21182.1
fusion protein	fusion protein [Measles virus genotype D8]	ALE27284.1
fusion protein	fusion protein [Measles virus]	ACA09725.1
fusion protein	fusion protein [Measles virus genotype D8]	ALE27314.1
fusion protein	fusion protein [Measles virus genotype G3]	AFY12712.1
fusion protein	fusion protein [Measles virus genotype D8]	ALE27368.1

TABLE 15-continued

MeV NCBI Accession Numbers (Amino Acid Sequences)		
Type	Virus Name	GenBank Accession
fusion protein	RecName: Full = Fusion glycoprotein F0; Contains: RecName: Full = Fusion glycoprotein F2; Contains: RecName: Full = Fusion glycoprotein F1; Flags: Precursor	P35973.1
fusion protein	fusion protein [Measles virus genotype H1]	AIG53713.1
	unnamed protein product [Measles virus]	CAA34588.1
fusion protein	fusion protein [Measles virus]	CAA76888.1
fusion protein	fusion protein [Measles virus genotype B3.1]	AIY55563.1
fusion protein	fusion protein [Measles virus]	ADO17330.1
fusion protein	fusion protein [Measles virus genotype H1]	AIG53703.1
fusion protein	fusion protein [Measles virus genotype B3]	AGA17208.1
fusion protein	fusion protein [Measles virus]	AAL29688.1
fusion protein	fusion protein [Measles virus genotype H1]	AIG53706.1
fusion protein	fusion protein [Measles virus genotype H1]	AIG53701.1
fusion protein	fusion protein [Measles virus genotype B3]	ALE27092.1
fusion protein	fusion protein [Measles virus genotype H1]	AIG53714.1
fusion protein	fusion protein [Measles virus genotype H1]	AIG53694.1
fusion protein	fusion protein [Measles virus genotype H1]	AIG53668.1
fusion protein	fusion protein [Measles virus]	ACC86094.1
fusion protein	fusion protein [Measles virus genotype H1]	AIG53670.1
fusion protein	fusion protein [Measles virus genotype H1]	AIG53707.1
fusion protein	fusion protein [Measles virus genotype B3]	AGA17216.1
fusion protein	fusion protein [Measles virus genotype H1]	AIG53671.1
fusion protein	fusion protein [Measles virus strain MVi/New Jersey.USA/45.05]	AEP40451.1
fusion protein	fusion protein [Measles virus genotype H1]	AIG53684.1
fusion protein	fusion protein [Measles virus genotype H1]	AIG53688.1
fusion protein	fusion protein [Measles virus genotype B3]	AGA17214.1
fusion protein	fusion protein [Measles virus genotype H1]	AIG53683.1
fusion protein	fusion protein [Measles virus genotype H1]	AIG53667.1
fusion protein	fusion protein [Measles virus genotype H1]	AIG53686.1
fusion protein	fusion protein [Measles virus genotype H1]	AIG53685.1
fusion protein	fusion protein [Measles virus genotype H1]	AIG53681.1
	unnamed protein product [Measles virus]	CAA34589.1
fusion protein	fusion protein [Measles virus genotype H1]	AIG53678.1
fusion protein	fusion protein [Measles virus genotype H1]	AIG53710.1
fusion protein	fusion protein [Measles virus genotype H1]	AIG53669.1
fusion protein	fusion protein [Measles virus genotype H1]	AIG53664.1
fusion protein	fusion protein [Measles virus]	AAA50547.1
fusion protein	fusion protein [Measles virus genotype H1]	AIG53679.1
fusion protein	fusion protein [Measles virus genotype H1]	AIG53709.1
fusion protein	fusion protein [Measles virus genotype H1]	AIG53672.1
fusion protein	fusion protein [Measles virus genotype H1]	AIG53697.1
fusion protein	fusion protein [Measles virus genotype H1]	AIG53689.1
fusion protein	fusion protein [Measles virus genotype H1]	AIG53676.1
fusion protein	fusion protein [Measles virus genotype H1]	AIG53675.1
fusion protein	fusion protein [Measles virus genotype H1]	AIG53663.1
fusion protein	fusion protein [Measles virus]	BAA19841.1
fusion protein	fusion protein [Measles virus]	AAF02701.1
fusion protein	fusion protein [Measles virus genotype H1]	AIG53680.1
fusion protein	fusion protein [Measles virus genotype H1]	AIG53674.1
C protein	C protein [Measles virus strain Moraten]	AAF85670.1
C protein	RecName: Full = Protein C	P03424.1
C protein	C protein [Measles virus]	ACN54404.1
C protein	C protein [Measles virus]	ACN54412.1
C protein	RecName: Full = Protein C	P35977.1
C protein	C protein [Measles virus]	AAF85678.1
C protein	C protein [Measles virus]	ABD33998.1
C protein	unnamed protein product [Measles virus]	CAA34586.1
C protein	C protein [Measles virus]	BAJ51786.1
C protein	C protein [Measles virus]	BAA33869.1
C protein	virulence factor [Measles virus]	ABO69700.1
C protein	C protein [Measles virus]	NP_056920.1
C protein	C protein [Measles virus]	ADO17333.1
C protein	C protein [Measles virus]	ACC86082.1
C protein	C protein [Measles virus]	BAA33875.1
C protein	C protein [Measles virus]	ABY21189.1
C protein	C protein [Measles virus]	BAE98296.1
C protein	C protein [Measles virus]	ADU17782.1
C protein	C protein [Measles virus strain MVi/Virginia.USA/15.09]	AEP40417.1
C protein	C protein [Measles virus]	ADU17814.1
C protein	C protein [Measles virus]	ADU17798.1
C protein	C protein [Measles virus genotype D4]	AFY12700.1
C protein	C protein [Measles virus]	ADU17784.1
C protein	C protein [Measles virus strain MVi/California.USA/16.03]	AEP40465.1

TABLE 15-continued

MeV NCBI Accession Numbers (Amino Acid Sequences)		
Type	Virus Name	GenBank Accession
C protein	C protein [Measles virus]	ABB71643.1
C protein	C protein [Measles virus]	AEI91027.1
C protein	C protein [Measles virus]	ADU17874.1
C protein	C protein [Measles virus]	ADU17903.1
C protein	C protein [Measles virus]	CAA34579.1
C protein	C protein [Measles virus]	ADU17790.1
C protein	C protein [Measles virus]	ADU17800.1
C protein	C protein [Measles virus]	ABB71667.1
C protein	unnamed protein product [Measles virus]	CAA34572.1
C protein	C protein [Measles virus strain MVi/Arizona.USA/11.08/2]	AEP40433.1
C protein	C protein [Measles virus]	ADU17830.1
C protein	C protein [Measles virus]	ADU17947.1
C protein	C protein [Measles virus]	ADU17818.1
C protein	C protein [Measles virus strain MVi/New Jersey.USA/45.05]	AEP40449.1
C protein	C protein [Measles virus strain MVi/Texas.USA/4.07]	AEP40441.1
C protein	C protein [Measles virus]	ADU17864.1
C protein	C protein [Measles virus]	ADU17838.1
C protein	C protein [Measles virus]	ADU17881.1
C protein	C protein [Measles virus strain MVi/Washington.USA/18.08/1]	AEP40425.1
C protein	C protein [Measles virus]	ADU17927.1
C protein	C protein [Measles virus]	ADU17953.1
C protein	C protein [Measles virus]	ADU17889.1
C protein	C protein [Measles virus]	ADU17963.1
C protein	C protein [Measles virus]	ADU17893.1
C protein	C protein [Measles virus]	ADU17820.1
C protein	C protein [Measles virus]	ABB71651.1
C protein	C protein [Measles virus]	ADU17786.1
C protein	C protein [Measles virus]	ADU17862.1
C protein	C protein [Measles virus]	ADU17923.1
C protein	C protein [Measles virus]	ADU17959.1
C protein	C protein [Measles virus]	ADU17951.1
C protein	C protein [Measles virus]	ADU17916.1
C protein	C protein [Measles virus]	ADU17957.1
C protein	C protein [Measles virus]	ADU17925.1
C protein	C protein [Measles virus]	ADU17901.1
C protein	C protein [Measles virus]	ADU17887.1
C protein	C protein [Measles virus]	ADU17832.1
C protein	C protein [Measles virus]	ADU17891.1
C protein	C protein [Measles virus]	ADU17961.1
C protein	C protein [Measles virus]	ADU17872.1
C protein	C protein [Measles virus]	ADU17929.1
C protein	C protein [Measles virus]	ADU17908.1
C protein	C protein [Measles virus]	ADU17910.1
C protein	C protein [Measles virus]	ADU17921.1
C protein	C protein [Measles virus]	ADU17824.1
C protein	C protein [Measles virus strain MVi/Pennsylvania.USA/20.09]	AEP40473.1
C protein	C protein [Measles virus]	ADU17828.1
C protein	C protein [Measles virus]	ADU17812.1
C protein	C protein [Measles virus genotype D8]	AFY12692.1
C protein	nonstructural C protein [Measles virus]	ABA59559.1
C protein	RecName: Full = Protein C	Q00794.1
C protein	nonstructural C protein [Measles virus]	ADO17934.1
C protein	nonstructural C protein [Measles virus]	ACJ66773.1
C protein	C protein [Measles virus genotype G3]	AFY12708.1
C protein	RecName: Full = Protein C	P26035.1
C protein	C protein [Measles virus]	BAA84128.1
nucleoprotein	RecName: Full = Nucleoprotein; AltName: Full = Nucleocapsid protein; Short = NP; Short = Protein N	Q77M43.1
nucleoprotein	nucleocapsid protein [Measles virus strain Rubeovax]	AAF85683.1
nucleoprotein	RecName: Full = Nucleoprotein; AltName: Full = Nucleocapsid protein; Short = NP; Short = Protein N	Q89933.1
nucleoprotein	nucleocapsid protein [Measles virus strain AIK-C]	AAF85659.1
nucleoprotein	nucleoprotein [Measles virus]	ABI54102.1
nucleoprotein	nucleoprotein [Measles virus]	AAA56643.1
nucleoprotein	nucleoprotein [Measles virus]	AAC03050.1
nucleoprotein	nucleoprotein [Measles virus]	AAA18990.1

TABLE 15-continued

MeV NCBI Accession Numbers (Amino Acid Sequences)		
Type	Virus Name	GenBank Accession
nucleoprotein	nucleoprotein [Measles virus]	AAA56640.1
nucleoprotein	RecName: Full = Nucleoprotein; AltName: Full = Nucleocapsid protein; Short = NP; Short = Protein N	P35972.1
nucleoprotein	RecName: Full=Nucleoprotein; AltName: Full = Nucleocapsid protein; Short = NP; Short = Protein N	P10050.1
nucleoprotein	N protein [Measles virus]	BAB60956.1
nucleoprotein	RecName: Full = Nucleoprotein; AltName: Full = Nucleocapsid protein; Short = NP; Short = Protein N	B1AAA7.1
nucleoprotein	nucleoprotein [Measles virus]	AAA18991.1
nucleoprotein	nucleoprotein [Measles virus]	CAB46894.1
nucleoprotein	nucleoprotein [Measles virus]	CAB46871.1
nucleoprotein	nucleoprotein [Measles virus]	CAB46872.1
nucleoprotein	nucleoprotein [Measles virus]	ABU49606.1
nucleoprotein	nucleocapsid protein [Measles virus]	AAA75494.1
nucleoprotein	nucleoprotein [Measles virus]	CAB46883.1
nucleoprotein	nucleoprotein [Measles virus]	CAB46892.1
nucleoprotein	unnamed protein product [Measles virus]	CAA34584.1
nucleoprotein	nucleoprotein [Measles virus]	AAA18997.1
nucleoprotein	nucleoprotein [Measles virus]	CAB46863.1
nucleoprotein	nucleoprotein [Measles virus]	AEF30352.1
nucleoprotein	nucleoprotein [Measles virus]	ABI54103.1
nucleoprotein	nucleocapsid protein [Measles virus]	AAA46433.1
nucleoprotein	nucleoprotein [Measles virus]	CAB46902.1
nucleoprotein	nucleoprotein [Measles virus]	CAB46873.1
nucleoprotein	nucleoprotein [Measles virus]	CAB46906.1
nucleoprotein	nucleoprotein [Measles virus]	AAA74547.1
nucleoprotein	nucleoprotein [Measles virus]	AAA74537.1
nucleoprotein	nucleoprotein [Measles virus]	CAB46862.1
nucleoprotein	nucleocapsid protein [Measles virus]	BAA09961.1
nucleoprotein	nucleoprotein [Measles virus]	AAO15875.1
nucleoprotein	nucleoprotein [Measles virus]	AAO15871.1
nucleoprotein	nucleoprotein [Measles virus]	CAB46882.1
nucleoprotein	nucleoprotein [Measles virus]	CAB60124.1
nucleoprotein	nucleoprotein [Measles virus]	ABI54104.1
nucleoprotein	nucleoprotein [Measles virus]	CAB46869.1
nucleoprotein	nucleoprotein [Measles virus]	CAB46880.1
nucleoprotein	nucleoprotein [Measles virus]	AAA74541.1
nucleoprotein	nucleocapsid protein [Measles virus strain MVi/New Jersey.U.S.A/45,05]	AEP40446.1
nucleoprotein	nucleoprotein [Measles virus]	ABI54110.1
nucleoprotein	nucleoprotein [Measles virus]	CAB46903.1
nucleoprotein	nucleoprotein [Measles virus]	CAB46899.1
nucleoprotein	nucleoprotein [Measles virus]	CAB46901.1
nucleoprotein	nucleocapsid protein [Measles virus]	ABB71640.1
nucleoprotein	nucleoprotein [Measles virus]	CAB60113.1
nucleoprotein	nucleoprotein [Measles virus]	CAB60114.1
nucleoprotein	nucleoprotein [Measles virus]	CAB60116.1
nucleoprotein	nucleoprotein [Measles virus]	CAB46895.1
nucleoprotein	nucleoprotein [Measles virus]	CAB60121.1
nucleoprotein	nucleoprotein [Measles virus]	ABI54111.1
nucleoprotein	nucleoprotein [Measles virus]	CAB46889.1
nucleoprotein	nucleoprotein [Measles virus]	CAB46898.1
nucleoprotein	nucleoprotein [Measles virus genotype B3]	ALE27083.1
nucleoprotein	nucleoprotein [Measles virus]	CAB60118.1
nucleoprotein	nucleocapsid protein [Measles virus]	CAA34570.1
nucleoprotein	nucleoprotein [Measles virus]	AAC29443.1
nucleoprotein	nucleocapsid protein [Measles virus strain MVi/Washington.U.S.A/18,08/1]	AEP40422.1
nucleoprotein	nucleoprotein [Measles virus]	AAO15872.1
nucleoprotein	nucleoprotein [Measles virus]	CAB46874.1
nucleoprotein	nucleoprotein [Measles virus]	AAA74550.1
nucleoprotein	nucleocapsid protein [Measles virus]	ABB71648.1
nucleoprotein	nucleoprotein [Measles virus]	CAB46900.1
nucleoprotein	nucleoprotein [Measles virus]	BAH22440.1
nucleoprotein	nucleocapsid protein [Measles virus]	AAA46432.1
nucleoprotein	nucleocapsid protein [Measles virus]	BAA33867.1
nucleoprotein	nucleoprotein [Measles virus]	AAA74539.1
nucleoprotein	nucleoprotein [Measles virus]	CAB60115.1
nucleoprotein	nucleoprotein [Measles virus]	CAB60123.1
nucleoprotein	nucleocapsid protein [Measles virus]	ABB71664.1
nucleoprotein	nucleoprotein [Measles virus]	CAB60125.1
nucleoprotein	nucleoprotein [Measles virus]	AAA74546.1
nucleoprotein	nucleoprotein [Measles virus]	CAB46886.1

TABLE 15-continued

MeV NCBI Accession Numbers (Amino Acid Sequences)		
Type	Virus Name	GenBank Accession
nucleoprotein	nucleoprotein [Measles virus]	BAH22350.1
nucleoprotein	nucleoprotein [Measles virus]	CAB46867.1
nucleoprotein	nucleocapsid protein [Measles virus]	BAA09954.1
nucleoprotein	nucleoprotein [Measles virus]	AAO15873.1
nucleoprotein	nucleocapsid protein [Measles virus]	AEP95735.1
nucleoprotein	nucleoprotein [Measles virus]	AAL37726.1
nucleoprotein	nucleoprotein [Measles virus]	AAA74549.1
nucleoprotein	RecName: Full = Nucleoprotein; AltName: Full = Nucleocapsid protein; Short = NP; Short = Protein N	P26030.1
nucleoprotein	nucleoprotein [Measles virus ETH55/99]	AAK07777.1
nucleoprotein	nucleoprotein [Measles virus genotype B3]	AGA17238.1
nucleoprotein	nucleoprotein [Measles virus]	AEF30351.1
nucleoprotein	nucleoprotein [Measles virus genotype B3]	AGA17242.1
nucleoprotein	nucleoprotein [Measles virus ETH54/98]	AAK07776.1
nucleoprotein	nucleoprotein [Measles virus]	AAA74548.1
nucleoprotein	nucleoprotein [Measles virus]	AAA19221.1
nucleoprotein	nucleoprotein [Measles virus]	AAC03039.1
nucleoprotein	nucleoprotein [Measles virus]	AAA19223.1
nucleoprotein	nucleoprotein [Measles virus genotype B3]	AGA17241.1
nucleoprotein	nucleoprotein [Measles virus]	CAB60122.1
nucleoprotein	nucleoprotein [Measles virus]	CAC34599.1
nucleoprotein	nucleoprotein [Measles virus]	AAC03042.1
nucleoprotein	nucleoprotein [Measles virus]	CAC34604.1
nucleoprotein	nucleoprotein [Measles virus]	AAA74544.1
nucleoprotein	nucleocapsid protein [Measles virus]	NP_056918.1
V Protein	RecName: Full = Non-structural protein V	Q9IC37.1
V Protein	RecName: Full = Non-structural protein V	Q9EMA9.1
V Protein	V protein [Measles virus]	ACN54411.1
V Protein	V protein [Measles virus]	ACN54403.1
V Protein	V protein [Measles virus]	AEP95742.1
V Protein	V protein [Measles virus strain MVi/Virginia.USA/15.09]	AEP40416.1
V Protein	V protein [Measles virus]	ADU17801.1
V Protein	V protein [Measles virus]	ADU17849.1
V Protein	V protein [Measles virus]	ABB71642.1
V Protein	V protein [Measles virus genotype D8]	AFY12693.1
V Protein	V protein [Measles virus]	YP_003873249.2
V Protein	V protein [Measles virus strain MVi/Arizona.USA/11.08/2]	AEP40432.1
V Protein	RecName: Full = Non-structural protein V	P26036.1
V Protein	V protein [Measles virus strain MVi/California.USA/16.03]	AEP40464.1
V Protein	V protein [Measles virus strain MVi/California.USA/8.04]	AEP40456.1
V Protein	V protein [Measles virus]	ABY21188.1
V Protein	V protein [Measles virus strain MVi/Washington.USA/18.08/1]	AEP40424.1
V Protein	V protein [Measles virus]	BAH96581.1
V Protein	V protein [Measles virus]	ABB71666.1
V Protein	RecName: Full = Non-structural protein V	P60168.1
V Protein	V protein [Measles virus]	BAH96589.1
V Protein	V protein [Measles virus]	ADU17954.1
V Protein	V protein [Measles virus strain MVi/New York.USA/26.09/3]	AEP40400.1
V Protein	V protein [Measles virus]	ABY21196.1
V Protein	virulence factor [Measles virus]	ABO69701.1
V Protein	V protein [Measles virus]	ABB71650.1
V Protein	V protein [Measles virus]	ACC86086.1
V Protein	V protein [Measles virus genotype D4]	AFY12702.1
V Protein	V protein [Measles virus strain MVi/New Jersey.USA/45.05]	AEP40448.1
V Protein	V protein [Measles virus]	BAE98295.1
V Protein	V protein [Measles virus]	ACC86083.1
V Protein	V protein [Measles virus]	ACU5139.1
V Protein	V protein [Measles virus]	ADO17334.1
V Protein	V protein [Measles virus]	ADU17930.1
V Protein	V protein [Measles virus genotype G3]	AFY12710.1
V Protein	V protein [Measles virus strain MVi/Pennsylvania.USA/20.09]	AEP40472.1
V Protein	phosphoprotein [Measles virus]	ADU17839.1
V Protein	V protein [Measles virus]	ADU17894.1
V Protein	V protein [Measles virus]	ACN50010.1

TABLE 15-continued

MeV NCBI Accession Numbers (Amino Acid Sequences)		
Type	Virus Name	GenBank Accession
V Protein	V protein [Measles virus]	ADU17892.1
	unnamed protein product [Measles virus]	CAA34585.1
V Protein	V protein [Measles virus]	ABD33997.1

TABLE 16

Name	Sequence	SEQ ID NO:
Flagellin Nucleic Acid Sequences		
NT (5' UTR, ORF, 3' UTR)	<p>TCAAGCTTTTGGACCCCTCGTACAGAAGCTAATACGACTCACTAT AGGGAAATAAGAGAGAAAAGAGAGTAAGAAGAAATATAAG AGCCACCATGGCACAGTCAATTAATACAAACAGCCTGTCGCTG TTGACCCAGAAATAACCTGAACAAATCCCAGTCCGCACTGGGCA CTGCTATCGAGCGTTTGTCTTCCGGTCTGCGTATCAACAGCGCG AAAGACGATGCGGCAGGACAGGCGATTGCTAACCGTTTACCG CGAACATCAAGGCTGACTCAGGCTTCCCGTAACGCTAACGA CGGTATCTCCATTGCGCAGACCACTGAAGGCGCGCTGAACGAA ATCAACAACAACCTGCAGCGTGTGCGTGAACCTGGCGGTTTCA CTGCGAATGGTACTAACTCCCAGTCTGACCTCGACTCCATCCAG GCTGAAATCACCCAGCGCTGAACGAAATCGACCGTGTATCCG GCCAGACTCAGTTCAACGGCGTGAAAGTCTGGCGCAGGACAA CACCCTGACCAATCCAGGTTGGTGCCAACGACGGTGAACATATC GATATTGATTTAAAAGAAATCAGCTCTAAAACACTGGGACTTG ATAAGCTTAAATGTCGAAGATGCCTACACCCGAAAGAAACTGC TGTAACCGTTGATAAAAACCTACCTATAAAAATGGTACAGATCCT ATTACAGCCAGAGCAATACTGATATCCAACTGCAATTGGCG GTGGTGCAACGGGGTTACTGGGGCTGATATCAAATTTAAAGA TGGTCAATACTATTTAGATGTTAAAGGCGGTGCTTCTGCTGGTG TTTATAAAGCCACTTATGATGAACTACAAAGAAAGTTAATAT TGATACGACTGATAAACTCCGTTGGCAACTGCGGAAGCTACA GCTATTTCGGGGAACGGCCACTATAACCCACAACCAAAATGCTG AAGTAACAAAAGAGGGTGTGATACGACCACAGTTGCGGCTCA ACTTCTGTCAGCAGGGGTTACTGGCGCCGATAAGGACATACT AGCCTTGTAAAACATTCGTTTGGAGATAAAAACGGTAAGGTTA TTGATGGTGGCTATGCAGTGAAAATGGGCGACGATTTCTATGC CGCTACATATGATGAGAAAACAGGTGCAATTAAGTCTAAAAC ACTACTTATACAGATGGTACTGGCGTTGCTCAAACCTGGAGCTG GAAATTTGGTGGCGCAATGGTAAATCTGAAGTTGTTACTGCT ACCGATGGTAAGACTTACTTAGCAAGCGACTTGACAACATA ACTTCAGAACAGGCGGTGAGCTTAAAGAGGTTAATACAGATAA GACTGAAAACCACTGCAGAAAATGATGCTGCCTTGGCACAG GTTGATACACTCGTTCGACTGGGTGCGGTTGCAACCCGTT CAACTCCGCTATACCAACCTGGGCAATACCGTAATAACCTG TCTTCTGCCCGTAGCCGTATCGAAGATTCGACTACGCACCCGA AGTCTCCAACATGCTCGCGCGCAGATTCTGCAGCAGGCGGGT ACCTCCGTTCTGGCGCAGGCGAACCAGGTTCCGCAAAACGTC TCTCTTACTGCGTTGATAATAGGCTGGAGCCTCGGTGGCCATG CTCTTGCCTTGGGCTCCCGCCAGCCCTCCTCCCTTCTCT CACCCGTACCCCGTGGTCTTTGAATAAAGTCTGAGTGGGCGG C</p>	51
ORF Sequence, NT	<p>ATGGCACAGTCATTAATACAAACAGCCTGTCGCTGTTGACCC AGAATAACCTGAACAAATCCCAGTCCGCACTGGGCACTGCTAT CGAGCGTTTGTCTTCCGGTCTGCGTATCAACAGCGCGAAAGAC GATGCGGCAGGACAGGCGATTGCTAACCGTTTACCGCAACA TCAAAGGTCTGACTCAGGCTTCCCCTAACGCTAACGACGGTAT CTCCATTGCGCAGACCCTGAAGGCGCGCTGAACGAAATCAAC AACAACTGCAGCGTGTGCGTGAACCTGGCGGTTCACTGCGGA ATGGTACTAATCCAGTCTGACCTCGACTCCATCCAGGCTGAA ATCACCCAGCGCCTGAACGAAATCGACCGTGTATCCGGCCAGA CTCAGTTCACCGCGTGAAGTCTTGGCGCAGGACAAACCCCT GACCATCCAGGTTGGTGCCACGACGGTGAAACTATCGATATT GATTTAAAAGAAATCAGCTCTAAAACACTGGGACTTGATAAGC TTAATGTCCAAGATGCTTACACCCCGAAAGAAACTGCTGTAAC CGTTGATAAAAACCTACTATAAAAATGGTACAGATCCTATTACA GCCCAGAGCAATACTGATATCCAAACTGCAATTGGCGGTGGTG CAACGGGGTTACTGGGGCTGATATCAAATTTAAAGATGGTCA ATACTATTTAGATGTTAAAGGCGGTGCTTCTGCTGGTGTTTATA AAGCCACTTATGATGAAACTACAAAGAAAGTTAATATTGATAC GACTGATAAAAACCTCGTGGCAACTGCGGAAGCTACAGCTATT CGGGGAACGGCCACTATAACCCACAACCAAAATGCTGAAGTAA</p>	52

TABLE 16-continued

Name	Sequence	SEQ ID NO:
	CAAAAGAGGGTGTGATACGACCACAGTTGCGGCTCAACTTGC TGCAGCAGGGTTACTGGCCCGGTAAGGACAATACTAGCCTT GTAAAACTATCGTTTGAGGATAAAAAACGGTAAGGTTATTGATG GTGGCTATGCAGTAAAAATGGGCGACGATTTCTATGCGCTAC ATATGATGAGAAAACAGGTGCAATTAAGTCTAAACCACTACT TATACAGATGGTACTGGCGTTGCTCAAACCTGGAGCTGTGAAAT TTGGTGGCGCAAATGGTAAATCTGAAAGTTGTTACTGCTACCGAT GGTAAGACTTACTTAGCAAGCGACCTTGACAAACATAACTTCA GAACAGGCGGTGAGCTTAAGAGGTTAATACAGATAAGACTG AAAAACCCTGCAGAAAAATGATGCTGCCTGGCACAGGTGA TACACTTCGTTCTGACCTGGGTGCGGTTCAGAACCGTTTCAACT CCGCTATCACCAACCTGGGCAATACCGTAAATAACCTGTCTTCT GCCCGTAGCCGATCGAAGATTCGACTACGCAACCGAAGTCT CCAACATGTCTCGCGCGCAGATTCTGCAGCAGGCGGTACCTC CGTTCGGCGCAGGCGAACCAGGTTCCGCAAAACGTCCTCTCT TACTGCGT	
mRNA Sequence (assumes T100 tail)	G*GGGAAAUAGAGAGAAAAGAAGAGUAAGAAGAAAUUAA GAGCCACCAUGGCACAAGUCAUUAAUACAACAGCCUGUCGC UGUUGACCAGAAUAAACUGAACAAUCCAGUCCGCACUGG GCACUGCUAUCGAGCGUUGUCUUCGCGUCUGCGUAUCAACA GCGCGAAAGACGAUGCAGCAGGACAGGCGAUUGCUAACCGUU UUAACGCGAACAUCAAAGGUCUGAUCUAGGCUUCCGUAACG CUAACGACGGUAUCUCAUGCGCAGACCACUGAAGGCGCGC UGAAACGAAUACAACAACACCUGCAGCGUUGCGUGAAACUGG CGGUUCAGUCUGCAUUGGUAUAUAUCUCCAGUCUGACCUCG ACUCCAUCAGGCGUAAUACCCAGCGCCUGAACGAAUUCG ACCGUGUAUCCGCGCAGACUCAGUUAACGCGGUGAAAGUCC UGGCGCAGGACAACACCUGAACAUCAGGUUGGUGCCAACG ACGGUGAAACUAUCGAUAUGAUUUAAAAGAAUACAGCUU AAAACACUGGGACUUGAUAAAGCUAAAGUCCAAAGUCCUAC ACCCGAAAGAAAACUGCUGUAACCUGUUAUAAAACUACCUAU AAAAAUGGUACAGAUCUAUUACAGCCAGAGCAAUUCUGAU AUCCAAACUGCAAUUGCGGUGGUGCAACGCGGGUUACUGG GCGCUAUAUAAAUUAAAAGUUGGUCUAUAUUUAGAUUG UUAAGGCGGUUCUCUGUGGUGUUUAAAAGCCACUUAU GAUGAAACUACAAGAAAGUUAAUUAUGAUACGACUGAUAA AACUCCGUUGGCAACUGCGGAAGCUCAGCUUUCGCGGAAC GGCCACUAUAACCCACAACCAAUUGCGAAGUAACAAAAGA GGGUUGUUAUCGACCAACAGUUGCGGUCAAACUUGCUGCAGC AGGGGUUAUCUGCGCGUAUAAAGGCAUAUAUCAGCCUUGUA AACUAUCGUUUUAGGAUAAAACGGUAAGGUUAUUGAUGGU GGCUAUGCAGUAAAAGGCGACGAUUUCUAUGCCGCUAC UAUGAUGAGAAAACAGGUGCAAUUAUCUGCUAAAACCAUAC UUAUACAGAUUGUACUGCGUUCUAAACUGGAGCUGUGA AAUUUGGUUGCGCAAUUGGUAAAUCUGAAGUUGUUAUCUGCU ACCGAUGGUUAGACUUAUCUUAAGCAAGCGACCUUGACAACAU AACUUCAGAACAGGCGGUGAGCUAAAGAGGUUAUAUCAGA UAAGACUGAAAACCCACUGCAGAAAUAUGAUGCUCUUGGC ACAGGUUGAUAACAUUCGUUCUGACCUGGUGCGGUUCAGAA CCGUUAACUCCGUAUACCAACCUGGGCAAUCCGUAUA UAACCUGUCUUCUGCCCGUAGCCGUAUCGAAAGAUUCCGACUA CGCAACCGAAGUCUCAACAUUGUCUCGCGCGCAGAUUCUGCA GCAGGCGGUACUCCGUUCUGGCGCAGGCGAACCAGGUUCC GCAAAAACGUCUUCUUAUCUGCGUUGAUAAUAGGCGGAGC CUCGGUGGCCAUGCUUCUUGCCCUUGGGCUCCCCCAGCC CCUCCUCCCUUCCUGCACCCGUACCCCGUGGUCUUUGAAU AAAGUCUGAGUGGCGGCAAAAAAAAAAAAAAAAAAAAAAA AA AA AAUCUAG	53
<hr/> Flagellin mRNA Sequences		
NT (5' UTR, ORF, 3' UTR)	UCAAGCUUUUGGACCCUCGUAACAGAAAGCUAAUACGACUCACU AUAGGGAAAUAAGAGAGAAAAGAAAGAGUAAGAAGAAAUAUA AGAGCCACCAGUCCACAAAGUCAUUAAUACAACAGCCUGUCG CUGUUGACCAGAAUAAACUGAACAAUCCAGUCCGCAUCG GGCAUCGUAUCGAGCGUUUGUCUUCGCGUUCGCGUAUCAAC AGCGCGAAAGACGAUGCGCGAGGACAGGCGAUUGCUAACCGU UUUACCGGAACAUCAAAAGGUUGACUCAGGCUUCCGUAAC GCUAACGACGGUAUCUCAUUGCGCAGACCACUGAAGGCGCG CUGAACGAAAUCAACAACACUCGACGCGUGGCGUGAUCUG GCGGUUCAGUCUGCGAAUGGUACUAAUCUCCAGUCUGACUC GACUCCAUCCAGGCGUAAUACCCAGCGCCUGAACGAAUUC GACCUGUAUCGCGCCAGACUCAGUUAACCGCGUGAAGGUC CUGGCGCAGGACAAACACCUGACCAUCCAGGUUGGUGCCAAC GACGGUGAACUAUCGAUAUUGAUUUAAAAGAAUUCAGCUC	81

TABLE 16-continued

Name	Sequence	SEQ ID NO:
	UAAAAACUGGGACUUGAUAGCUAAUGUCCAAGAUGC ACACCCCGAAAGAAACUGCUGUAACCGUUGAUAAAACUACCU AUAAAAAUGGUACAGAUCCUAUUACAGCCAGAGCAAUACUG AUAUCCAAACUGCAAUUGGCGGUGGUGCAACGGGGUUACU GGGGUGAUUUAUAAAUUAAAGAUUGGUCAAUACUUAUAGA UGUUAAAGGCGGUGUCUUGCUGGUGUUUAAAGCCACUU AUGAUGAAACUACAAGAAGUUAAUUAUGAUACGACUGAU AAAACUCCGUUGGCAACUGCGGAAGCUACAGCUAUUCGGGA ACGGCCACUUAACCCACAACCAAUUGCUGAAGUAACAAA GAGGGUUGUAUACGACCACAGUUGCGGCUAACUUGCUGCA GCAGGGUUACUGGCGCCGAUAAAGGACAAUACUAGCCUUGUA AAACUUAUCGUUUGAGGAUAAAACGGUAAGGUUAUUGAUGG UGGCUAUGCAGUGAAAUGGGCGAGAUUUUAUGCCGCUAC AUUAUGAGAGAAAACAGGUGCAAUUAUCGCUAAAACCAUA CUUAUACAGAUAGGUACUGGCGUUGCUAAAACUGGAGCUGG AAAUUUGGUGGCGCAAUUGGUAAAUCUGAAGUUGUUAUCUG UACCGAUGGUAAGACUUAUCUAGCAAGCACCUGACAAACA UAACUUCAGAACAGGCGGUGAGCUUAAAAGAGGUAAUACAG AUAAGACUGAAAACCAUCGACAGAAAUAUGAUGCUGCCUUGG CACAGGUUGAUACACUUCGUUCUGACCUGGGUGCGGUUCAGA ACCGUUUCACUCGCUUAACCAACUGGGCAUACCGUA AUAACCGUUCUUCGCGUAGCCGUAUCGAAAGUUCGACU ACGCAACCGAAGUCUCCAAUUGUCUCGCGCAGAUUCUGC AGCAGGCCGGUACUCCGUUCUGGCGCAGGCGAACCGGUUC CGCAAACCGUUCUUCUUAUCUGCGUUGAUAAUAGGCGGAG CCUCGUGGCCAUGCUUCUUGCCCUUGGGCCUCCCCCAGC CCCUCCUCCCCUCCUGCACCCGUAACCCCGGUGUUAUUGAA UAAAUGUCGAGUGGGCGGC	
ORF Sequence, NT	AUGGCACAAGUCAUUAAUCAAACAGCCUGUCGUGUAGCC CAGAAUAAACCGAAACAAUCCAGUCCGACUGGGCACUGCU AUCGAGCGUUUGUCUUCGGUUCUGCGUAUCAACAGCGCGAAA GACGAUGCGGCAGGACAGGCGAUUGCUAACCGUUUACCGCG AACAUCAAAGGUCUGACUCAGGCUUCCGUAACGCUAACGAC GGUUUCUCUUAUGCGCAGACACUGAAGGCGCGCUGAACGAA AUCAAACAACCCUGCAGCGUGGCGUAAACUGGCGGUUCAG UCUGCGAAUGGUACUAAUCCAGUCUGACUCGACUCCAUUC CAGGCUGAAAUACCCAGCGCUGAACGAAUCCGACCGUGUA UCCGGCCAGACUCAGUUCACCGGCGUAAAGUCCUGGCGCAG GACAACACCCUGACCAUCCAGGUUGGUGCCAAACGACGGUGAA ACUAUCGAUUAUGAUUUAAAAGAAUACGCUUAUAAACACU GGGACUUGAUAAGCUUAAUGUCCAAGAUGCCUACACCCCGAA AGAAACUGCUGUAACCGUUGAUAAAACUACCUAUAUAAAUG GUACAGAUCCUUAUACAGCCAGAGCAAUAUCGAUUAUCCAAA CUGCAAUUGGCGGUGGUGCAACGGGGUUAUCUGGGGUGAU AUCAAAUUAAAAGAUUGGUCAAUACUUAUUAUAGAUUAAAGG CGGUGCUUCUGCUGGUGUUUAUAAAGCCACUUAUGAUGAAA CUACAAGAAAAGUUAAUUAUGAUACGACUGAUAUAAACUCCG UUGGCAACUGCGGAAGCUACAGCUAUUCGGGAACGGCCACU AUAACCCACAACCAAUUGCUGAAGUAAACAAAGAGGGUGU UGAUACGACCAACAGUUGCGGCUAACUUGCUGCAGCAGGGGU UACUGGCGCGGAUAAAGGACAAUACUAGCUUGUAAAACUUAU GUUUGAGGAUAAAACGGUAAGGUUAUUGAUGGUGGCUAUG CAGUGAAAUGGGCGACGAUUUCUUAUGCCGCUACAUUAGAU GAGAAAACAGGUGCAAUUAUCGCUAAAACCAUACUUAUAC GAUGGUACUGGCGUUGCUCAAACUGGAGCUUGAUAUUUGG UGGCGCAAUUGGUAAUUCUGAAGUUGUUAUCGCUAACCGAUG GUAAAGCUUAUUAAGCAAGCGACCUUGACAAACAUAAAUUCA GAACAGGCGGUGAGCUUAAAGAGGUUAUACAGAUAAAGACU GAAAACCCACUGCAGAAAUAUGAUGCUCUUGGACAGGUU GAUACAUUCGUUCUGACUUGGUGCGGUUCAGAACCGUUUC AACUCGCUUAUACCAACUGGGCAAUCCGUAAAUAACUG UCUCUGCCCGUAGCCGUAUCGAAGAUUCGACUACGCAACC GAAGUCUCAACAUGUCUCGCGCAGAUUCUGCAGCAGGCC GGUACCUCCGUUCUGGCGCAGGCGAACAGGUUCCGCAAAAC GUCCUCUUAUACUGCGU	82
mRNA Sequence (assumes T100 tail)	G*GGGAAUAGAGAGAAAAGAGUAAGAAGAAAUUA GAGCCACCAUGGCACAAGUCAUUAAUACAAACAGCCUGUCG UGUUAGACCAGAAUACUGAACAACUCCAGUCCGCAUUGG GCACUGCUAUCGAGCGUUUGUCUUCGGUUCUGCGUAUACA GCGGAAAAGACGAUGCGGACAGGCGAUUGCUAACCGUU UUAACCGGAACAUCAAAGGUCUGACUCAGGCUUCCGUAACG CUAACGACGGUUAUCUUAUGCGCAGACCAUGAAGGCGCG UGAACGAAAUCAAACAACUUGCAGCGUGUGCGUAACUGG CGGUUCAGUCUGCAAUGGUACUAAUCUCCAGUCUGACCUUG ACUCCAUCCAGGCUAAAUACCCAGCGCCUGAACGAAUUCG	83

TABLE 16-continued

Name	Sequence	SEQ ID NO:
	ACCGUGUAUCCGGCCAGACUCAGUUAACGGCGUGAAAGUCC UGGCGCAGGACAAACCCUGACCAUCCAGGUUGGUGCCAACG ACGGUGAAACUAUCGAUUAUGAUUAAAAGAAAUCAGCUU AAAACACUGGGACUUGAUAAAGCUAAUGUCCAAGAUGCCUAC ACCCGAAAGAAAUCUGUGUAACCGUUGAUAAAACUACCUAU AAAAAUGGUACAGAUCCUUAUACAGCCAGAGCAAUAUCUGAU AUCCAAACUGCAAUUGGGCGGUGGUGCAACGGGGUUAUCUGG GGCUGAUUCAAUUUAAAAGUUGUCAUUAUUUAGAUG UUAAGGCGGUGCUUCUGCUGGUGUUUUAAGCCACUUAU GAUGAAACUACAAAGAAAGUUAAUUAUGAUACGACUGAUAA AACUCCGUUGGCAACUGCGGAAGCUACAGCUAUUCGGGGAAC GGCCACUAUAACCCACAACCAAUUGCGAAGUAAACAAAGA GGGUUGUUAUCGACCACAGUUGCGGCUCAACUUGCUGCAGC AGGGGUUAUCUGGCGCGAUAAAGCAAUAUACUAGCCUUGUAA AACUAUCGUUUGAGGUAUAAAACGGUAAGGUUAUUGAUGGU GGCUAUGCAGUAAAUGGGCGACGAUUUCUAGCCGCUAC UAUGAUGAAGAAAACAGGUGCAAUUAUCGUAAAACCAUAC UUAUACAGAUUGGUACUGGCGUUGCUCAAACUGGAGCUUGA AAUUUGGUGGCGCAAUUGGUAUUAUCUGAAGUUGUUAUCGCU ACCGAUGGUAAGACUUAUCUAGCAAGCGACCUUGACAACA AACUUCAGAACAGGCGGUGAGCUAAAGAGGUUAUAUCAGA UAAGACUGAAAACCCACUGCAGAAAUAUGCUGCCUUGGC ACAGGUGUAUACUUCGUUCUGACUUGGGUGCGGUUCAGAA CCGUUUCAAUCCGCUAUCACCAACUUGGCAUAUACCGUAAA UAACCGUCUUCUGCCCGUAGCCGUUAUCGAAGUUCGACUA CGCAACCGAAGUCUCAACAUUGUCUGCGCGCAGAUUCUGCA GCAGGCGGUACCUCCGUUCUGGCGCAGCGAACAGGUUCC GCAAAAACGUCCUCUUAUCUGCGUUGAUAAUAGGCUUGGAGC CUCGGUGGCAUUGCUUCUUGCCUUGGGCCUCCCCAGCC CCUCUCCUUCUGCACCCGUACCCCGUGGUCUUGAAU AAAGUCUGAGUGGGCGCAAAAAAAAAAAAAAAAAAAAAAA AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAUCUAG	

TABLE 17

Flagellin Amino Acid Sequences

Name	Sequence	SEQ ID NO:
ORF Sequence, AA	MAQVINTNSLSLLTQNNLNKSQSALGTAIERLSSGLRINSKDDAA GQAIANRFTANIKGLTQASRNANDGISIAQTTBEGALNEINNNLQRV RELAVQSANGTNSQSDLDSIQAEITQRLNEIDRVSGQTQFNGVKVL AQDNTLTIQVGANDGETIDIDLKEISSKTLGLDKLNVQDAYTPKET AVTVDKTTYKNGTDPITAQSNTDIQTAIGGGATGVTGADIKFKDGO YLVDVKGASAGVYKATYDETTKKVNIDTTDKTPLATAEATAIRGT ATITHNQIAEVTKEGVDTTVAQLAAAGVTGADKNTSLVKLSE DKNGKVIDGGYAVKMGDDFYAATYDEKGTGAI TAKTTTYTDGTGVAQ TGAVKFGGANGKSEVVTATDGTLYASDLDKHNFRTGGELKEVNTD KTENPLQKIDAALAQVDTLRSDLGAVQNRFNSAITNLGNTVNNLSS ARSRIEDSDYATEVSNMSRAQILQQAGTSVLAQANQVPQNVLSLLR	54
Flagellin- GS linker- circumspor- ozoite protein (CSP)	MAQVINTNSLSLLTQNNLNKSQSALGTAIERLSSGLRINSKDDAA GQAIANRFTANIKGLTQASRNANDGISIAQTTBEGALNEINNNLQRV RELAVQSANGTNSQSDLDSIQAEITQRLNEIDRVSGQTQFNGVKVL AQDNTLTIQVGANDGETIDIDLKQINSQTLGLDNLNVQKQYKVS AATVTGYADTTIALDNSTPKASATGLGGTDQKIDGDLKFPDDTTGKY YAKVTVTGGTGKDGYYEVSVDKTNGEVTLAGGATSPLTGGLPATAT EDVKNVQVANADLTEAKAALTAAGVTGTASVVKMSYTDNNGKTIDG GLAVKVGDDYYSATQNKDGSISINTTKYTADDGTSKTLNKLGGAD GKTEVVSIGGKTYAASKAEGHNFKAQPDLAEEAAATTENPLQKIDA ALAQVDTLRSDLGAVQNRFNSAITNLGNTVNNLTSARSRIEDSDYA TEVSNMSRAQILQQAGTSVLAQANQVPQNVLSLLRGGGGGGGGSM MAPDPNANPNANPNANPNANPNANPNANPNANPNANPNANPNANPN ANPNANPNANPNANPNANPNANPNANPNANPNANPNANPNKNNQNGQGH NMPNDPNRNVDENANANNAVKNNNNEEPSDKHIEQYLKIKNSIST EWSPCSVT CGNGIQVRIKPGSANKPKDELDEYENDIEKKICKMEKCS SVFNVVNS	55
Flagellin- RPVT linker-	MMAPDPNANPNANPNANPNANPNANPNANPNANPNANPNANPNANPN ANPNANPNANPNANPNANPNANPNANPNANPNANPNANPNKNNQNGQGH HNPNDPNRNVDENANANNAVKNNNNEEPSDKHIEQYLKIKNSIST	56

TABLE 17-continued

Flagellin Amino Acid Sequences		SEQ ID NO:
Name	Sequence	
<u>circumsporozoite protein (CSP)</u>	<u>TEWSPCSVTCGNGIQVRIKPGSANKPKDELVDYENDIEKKICKMEKC</u> <u>SSVFNVNNSRPVTMAQVINTNSLSLLTONNLKKSQALGTAIERLS</u> <u>SGLRINSKDDAAGQAIANRFTANIKGLTQASRNANDGISIAQTTE</u> <u>GALNEINNNLQRVRELAVQSANS TNSQS DLDSIQAEITQRLNEIDR</u> <u>VSGQTQFNGVKVLAQDNTLTIQVGANDGETIDIDLKQINSQTLGLD</u> <u>TLNVQOKYKVS DTAATV TGYADTTIALDNSTPKASATGLGGTDOKI</u> <u>DGDLKFDDTGGKYAKVTVTGGTGKDGYYEVSVDKTNGEVTLAGGA</u> <u>TSPLTGGLPATATEDVKNVQVANADLTEAKAALTAAGVTGTASVVK</u> <u>MSYTDNNGKTIDGGLAVKVGDDYYSATONKDGSI SINTTKYTADDG</u> <u>TSKTALNKLGGADGKTEVVSI GSKTYAASKAEGHNFKAQPDLAEEA</u> <u>ATTENP LQIDAALAQVD TLRSDLGAVQNRFN SAI TNLGNTVNNL</u> <u>TSARSRIEDSDYATEVSNMSRAQILQOAGTSVLAQANQVFNVLSL</u> <u>LR</u>	

TABLE 18

Human Metapneumovirus Mutant Amino Acid Sequences		SEQ ID NO:
Strain	Sequence	
HMPV_SC_DSCAV1_4MMV	MSWKVVIIFSLLLITPQHGLKESYLEESCSTITEGYLSVLRGTGWYTNVFTLE VGDVENLTCSDGSPSLIKTELDLTKSALRELKTVSADQLAREEQIENPGSGS FVLGAIALGVAAAAAVTAGVAICKTIRLESEVTAINNALKKTNEAVSTLGN GVRVLAVRELKDFVSKNLTRAINKNKCDIDDLKMAVSPSQFNRRFLNVV RQFSDNAGITPAISLDLMTDAELARAVPNMPTSAGQIKMLLENRAMVRRKG FGILCGVYGSSVIYMQQLPIFGVIDTPCWIIVKAAPSCSEKKNYACLLRED QGWCQNAGSTVYYPNEKDCETRGDHVFCDTAAGINVAEQSKECNINI STT NYPCKVSTGRHPISMVALSPLGALVACYKGVSCSISGNRVGIKQLNKGC YITNQDADTVTIDNTVYQLSKVEGEQHVIKGRPVSSSFDPIKFPEDQFVA LDQVFENIENSQALVDQSNRILSSAEKNGTGFIVIIILIAVLGSSMILVSI FIIIKKTKKPTGAPPEL SGVTNNGFIPHN	85
HMPV_SC_DSTRIC_4MMV	MSWKVVIIFSLLLITPQHGLKESYLEESCSTITEGYLSVLRGTGWYTNVFTLE VGDVENLTCSDGSPSLIKTELDLTKSALRELKTVSADQLAREEQIENPGSGS FVLGAIALGVAAAAAVTAGVAICKTIRLESEVTAINNALKKTNEAVSTLGN GVRVLAVRELKDFVSKNLTRAINKNKCDIDDLKMAVSPSQFNRRFLNVV RQFSDNAGITPAISLDLMTDAELARAVPNMPTSAGQIKMLLENRAMVRRKG FGILCGVYGSSVIYMQQLPIFGVIDTPCWIIVKAAPSCSEKKNYACLLRED QGWCQNAGSTVYYPNEKDCETRGDHVFCDTAAGINVAEQSKECNINI STT NYPCKVSTGRHPISMVALSPLGALVACYKGVSCSISGNRVGIKQLNKGC YITNQDADTVTIDNTVYQLSKVEGEQHVIKGRPVSSSFDPIKFPEDQFVA LDQVFENIENSQALVDQSNRILSSAEKNGTGFIVIIILIAVLGSSMILVSI FIIIKKTKKPTGAPPEL SGVTNNGFIPHN	86
HMPV_SC_DM_Krarup_T74LD185P	MSWKVVIIFSLLLITPQHGLKESYLEESCSTITEGYLSVLRGTGWYTNVFTLE VGDVENLTCSDGSPSLIKTELDLTKSALRELKTVSADQLAREEQIENPGSGS FVLGAIALGVAAAAAVTAGVAIAKTIRLESEVTAINNALKKTNEAVSTLGN GVRVLAVRELKDFVSKNLTRAINKNKCDIDDLKMAVSPSQFNRRFLNVV RQFSDNAGITPAISLDLMTDAELARAVPNMPTSAGQIKMLLENRAMVRRKG FGILGVYGS SVIYMQQLPIFGVIDTPCWIIVKAAPSCSEKKNYACLLRED QGWCQNAGSTVYYPNEKDCETRGDHVFCDTAAGINVAEQSKECNINI STT NYPCKVSTGRHPISMVALSPLGALVACYKGVSCSISGNRVGIKQLNKGC YITNQDADTVTIDNTVYQLSKVEGEQHVIKGRPVSSSFDPIKFPEDQFVA LDQVFENIENSQALVDQSNRILSSAEKNGTGFIVIIILIAVLGSSMILVSI FIIIKKTKKPTGAPPEL SGVTNNGFIPHN	87
HMPV_SC_TM_Krarup_T74LD185PD454N	MSWKVVIIFSLLLITPQHGLKESYLEESCSTITEGYLSVLRGTGWYTNVFTLE VGDVENLTCSDGSPSLIKTELDLTKSALRELKTVSADQLAREEQIENPGSGS FVLGAIALGVAAAAAVTAGVAIAKTIRLESEVTAINNALKKTNEAVSTLGN GVRVLAVRELKDFVSKNLTRAINKNKCDIDDLKMAVSPSQFNRRFLNVV RQFSDNAGITPAISLDLMTDAELARAVPNMPTSAGQIKMLLENRAMVRRKG FGILGVYGS SVIYMQQLPIFGVIDTPCWIIVKAAPSCSEKKNYACLLRED QGWCQNAGSTVYYPNEKDCETRGDHVFCDTAAGINVAEQSKECNINI STT NYPCKVSTGRHPISMVALSPLGALVACYKGVSCSISGNRVGIKQLNKGC YITNQDADTVTIDNTVYQLSKVEGEQHVIKGRPVSSSFDPIKFPEDQFVA LDQVFENIENSQALVDQSNRILSSAEKNGTGFIVIIILIAVLGSSMILVSI FIIIKKTKKPTGAPPEL SGVTNNGFIPHN	88
HMPV_SC_4M_Krarup_T74LS170LD185P	MSWKVVIIFSLLLITPQHGLKESYLEESCSTITEGYLSVLRGTGWYTNVFTLE VGDVENLTCSDGSPSLIKTELDLTKSALRELKTVSADQLAREEQIENPGSGS FVLGAIALGVAAAAAVTAGVAIAKTIRLESEVTAINNALKKTNEAVSTLGN GVRVLAVRELKDFVSKNLTRAINKNKCDIDDLKMAVSPSQFNRRFLNVV RQFSDNAGITPAISLDLMTDAELARAVPNMPTSAGQIKMLLENRAMVRRKG FGILGVYGS SVIYMQQLPIFGVIDTPCWIIVKAAPSCSEKKNYACLLRED QGWCQNAGSTVYYPNEKDCETRGDHVFCDTAAGINVAEQSKECNINI STT NYPCKVSTGRHPISMVALSPLGALVACYKGVSCSISGNRVGIKQLNKGC YITNQDADTVTIDNTVYQLSKVEGEQHVIKGRPVSSSFDPIKFPEDQFVA LDQVFENIENSQALVDQSNRILSSAEKNGTGFIVIIILIAVLGSSMILVSI FIIIKKTKKPTGAPPEL SGVTNNGFIPHN	89

TABLE 18-continued

Human Metapneumovirus Mutant Amino Acid Sequences		
Strain	Sequence	SEQ ID NO:
	GVRVLATAVRELKDFV_LKNLTRAINKNKCDI_PDLKMAVSFSQFNRRFLNVV RQFSDNAGITPAISLDLMTDAELARAVPNMPTSAGQIKMLENRAMVRRKG FGILIGVYGSSVIYMQQLPIFGVIDTPCWIIVKAAPSCSEKKGNYACLLED QGWCQNAGSTVYYPNEKDCETRGDHVFCDTAAGINVAEQSKECNINI STT NYPCKVSTGRHPISMVALSPLGALVACYKGVSCSIGSNRVGIKQLNKGCS YITNQDADTVTIDNTVYQLSKVEGEQHVIGKRPVSSSFDPKFPPEQFQVA LDQVFENIENSQALVDQSNRILSSAEKGN TGFIIVIIILIAVLGSSMILVSI FII IKTKKPTGAPPEL SGVTNNGFI PHN	
HMPV_SC_5M_Krarup_T74LS170LD185PD454N	MSWKVVIIFSLLLITPQHGLKESYLEESCSTITEGYLSVLR TGWYTNVFTLE VGDVENLTCSDGSPSLIKTELDLLKSALRELKTVSADQLAREEQIENPGSGS FVLGAIALGVAAA AVTAGVAIAKTIRLESEVTAINNALKKTNEAVSTLGN GVRVLATAVRELKDFV_LKNLTRAINKNKCDI_PDLKMAVSFSQFNRRFLNVV RQFSDNAGITPAISLDLMTDAELARAVPNMPTSAGQIKMLENRAMVRRKG FGILIGVYGSSVIYMQQLPIFGVIDTPCWIIVKAAPSCSEKKGNYACLLED QGWCQNAGSTVYYPNEKDCETRGDHVFCDTAAGINVAEQSKECNINI STT NYPCKVSTGRHPISMVALSPLGALVACYKGVSCSIGSNRVGIKQLNKGCS YITNQDADTVTIDNTVYQLSKVEGEQHVIGKRPVSSSFDPKFPPEQFQVA LDQVFENIENSQALVDQSNRILSSAEKGN TGFIIVIIILIAVLGSSMILVSI FII IKTKKPTGAPPEL SGVTNNGFI PHN	90
HMPV_SC_DM_Krarup_E51PT74L	MSWKVVIIFSLLLITPQHGLKESYLEESCSTITEGYLSVLR TGWYTNVFTLE VGDVENLTCSDGSPSLIKTELDLLKSALRELKTVSADQLAREEQIENPGSGS FVLGAIALGVAAA AVTAGVAIAKTIRLESEVTAINNALKKTNEAVSTLGN GVRVLATAVRELKDFVSKNLTRAINKNKCDIDDLKMAVSFSQFNRRFLNVV RQFSDNAGITPAISLDLMTDAELARAVPNMPTSAGQIKMLENRAMVRRKG FGILIGVYGSSVIYMQQLPIFGVIDTPCWIIVKAAPSCSEKKGNYACLLED QGWCQNAGSTVYYPNEKDCETRGDHVFCDTAAGINVAEQSKECNINI STT NYPCKVSTGRHPISMVALSPLGALVACYKGVSCSIGSNRVGIKQLNKGCS YITNQDADTVTIDNTVYQLSKVEGEQHVIGKRPVSSSFDPKFPPEQFQVA LDQVFENIENSQALVDQSNRILSSAEKGN TGFIIVIIILIAVLGSSMILVSI FII IKTKKPTGAPPEL SGVTNNGFI PHN	91
HMPV_SC_TM_Krarup_E51PT74LD454N	MSWKVVIIFSLLLITPQHGLKESYLEESCSTITEGYLSVLR TGWYTNVFTLE VGDVENLTCSDGSPSLIKTELDLLKSALRELKTVSADQLAREEQIENPGSGS FVLGAIALGVAAA AVTAGVAIAKTIRLESEVTAINNALKKTNEAVSTLGN GVRVLATAVRELKDFVSKNLTRAINKNKCDIDDLKMAVSFSQFNRRFLNVV RQFSDNAGITPAISLDLMTDAELARAVPNMPTSAGQIKMLENRAMVRRKG FGILIGVYGSSVIYMQQLPIFGVIDTPCWIIVKAAPSCSEKKGNYACLLED QGWCQNAGSTVYYPNEKDCETRGDHVFCDTAAGINVAEQSKECNINI STT NYPCKVSTGRHPISMVALSPLGALVACYKGVSCSIGSNRVGIKQLNKGCS YITNQDADTVTIDNTVYQLSKVEGEQHVIGKRPVSSSFDPKFPPEQFQVA LDQVFENIENSQALVDQSNRILSSAEKGN TGFIIVIIILIAVLGSSMILVSI FII IKTKKPTGAPPEL SGVTNNGFI PHN	92
HMPV_SC_StabilizeAlpha_T74L	MSWKVVIIFSLLLITPQHGLKESYLEESCSTITEGYLSVLR TGWYTNVFTLE VGDVENLTCSDGSPSLIKTELDLLKSALRELKTVSADQLAREEQIENPGSGS FVLGAIALGVAAA AVTAGVAIAKTIRLESEVTAINNALKKTNEAVSTLGN GVRVLATAVRELKDFVSKNLTRAINKNKCDIDDLKMAVSFSQFNRRFLNVV RQFSDNAGITPAISLDLMTDAELARAVPNMPTSAGQIKMLENRAMVRRKG FGILIGVYGSSVIYMQQLPIFGVIDTPCWIIVKAAPSCSEKKGNYACLLED QGWCQNAGSTVYYPNEKDCETRGDHVFCDTAAGINVAEQSKECNINI STT NYPCKVSTGRHPISMVALSPLGALVACYKGVSCSIGSNRVGIKQLNKGCS YITNQDADTVTIDNTVYQLSKVEGEQHVIGKRPVSSSFDPKFPPEQFQVA LDQVFENIENSQALVDQSNRILSSAEKGN TGFIIVIIILIAVLGSSMILVSI FII IKTKKPTGAPPEL SGVTNNGFI PHN	93
HMPV_SC_StabilizeAlpha_V55L	MSWKVVIIFSLLLITPQHGLKESYLEESCSTITEGYLSVLR TGWYTNVFTLE VGDLENLTCSDGSPSLIKTELDLTKSALRELKTVSADQLAREEQIENPGSGS FVLGAIALGVAAA AVTAGVAIAKTIRLESEVTAINNALKKTNEAVSTLGN GVRVLATAVRELKDFVSKNLTRAINKNKCDIDDLKMAVSFSQFNRRFLNVV RQFSDNAGITPAISLDLMTDAELARAVPNMPTSAGQIKMLENRAMVRRKG FGILIGVYGSSVIYMQQLPIFGVIDTPCWIIVKAAPSCSEKKGNYACLLED QGWCQNAGSTVYYPNEKDCETRGDHVFCDTAAGINVAEQSKECNINI STT NYPCKVSTGRHPISMVALSPLGALVACYKGVSCSIGSNRVGIKQLNKGCS YITNQDADTVTIDNTVYQLSKVEGEQHVIGKRPVSSSFDPKFPPEQFQVA LDQVFENIENSQALVDQSNRILSSAEKGN TGFIIVIIILIAVLGSSMILVSI FII IKTKKPTGAPPEL SGVTNNGFI PHN	94
HMPV_SC_StabilizeAlpha_S170L	MSWKVVIIFSLLLITPQHGLKESYLEESCSTITEGYLSVLR TGWYTNVFTLE VGDVENLTCSDGSPSLIKTELDLTKSALRELKTVSADQLAREEQIENPGSGS FVLGAIALGVAAA AVTAGVAIAKTIRLESEVTAINNALKKTNEAVSTLGN GVRVLATAVRELKDFV_LKNLTRAINKNKCDIDDLKMAVSFSQFNRRFLNVV RQFSDNAGITPAISLDLMTDAELARAVPNMPTSAGQIKMLENRAMVRRKG FGILIGVYGSSVIYMQQLPIFGVIDTPCWIIVKAAPSCSEKKGNYACLLED	95

TABLE 18-continued

Human Metapneumovirus Mutant Amino Acid Sequences		
Strain	Sequence	SEQ ID NO:
	QGWYCNAGSTVYYPNEKDCETRGDHFCDTAAGINVAEQSKECNINISTT NYPCKVSTGRHPISMVALSPLGALVACYKGVSCSIGSNRVGIKQLNKGCS YITNQDADTVTIDNTVYQLSKVEGEQHVIGKRPVSSSFDPKFPEDQFQVA LDQVFENIENSQALVDQSNRILSSAEKGNMGFIIVIIILIAVLGSSMILVSI FIIIKTKKPTGAPPELSGVTNNGFIPHN	
HMPV_SC_StabilizeAlpha_T174W	MSWKVVIIFSLLLITPQHGLKESYLEESCSTITEGYLSVLRGTGWYTNVFTLE VGDVENLTCSDGPSLIKTELDLTKSALRELKTVSADQLAREEQIENPGSGS FVLGAIALGVAAAAAVTAGVAIAKTIRLESEVTAINNALKKTNEAVSTLGN GVRVLATAVRELKDFVSKNLWRAINKNKCDIDDLKMAVFSQFNRRFLNVV RQFSDNAGITPAISLDLMTDAELARAVPNMPTSAGQIKMLLENRAMVRRKG FGILIGVYGSSVIYMQVLPFVVIDTPCWIVKAAPSCSEKKGNYACLLED QGWYCNAGSTVYYPNEKDCETRGDHFCDTAAGINVAEQSKECNINISTT NYPCKVSTGRHPISMVALSPLGALVACYKGVSCSIGSNRVGIKQLNKGCS YITNQDADTVTIDNTVYQLSKVEGEQHVIGKRPVSSSFDPKFPEDQFQVA LDQVFENIENSQALVDQSNRILSSAEKGNMGFIIVIIILIAVLGSSMILVSI FIIIKTKKPTGAPPELSGVTNNGFIPHN	96
HMPV_SC_4M_Stabilize- Alpha_V55LT74LS170LT174W	MSWKVVIIFSLLLITPQHGLKESYLEESCSTITEGYLSVLRGTGWYTNVFTLE VGDLENLTCSDGPSLIKTELDLTKSALRELKTVSADQLAREEQIENPGSGS FVLGAIALGVAAAAAVTAGVAIAKTIRLESEVTAINNALKKTNEAVSTLGN GVRVLATAVRELKDFVSKNLWRAINKNKCDIDDLKMAVFSQFNRRFLNVV RQFSDNAGITPAISLDLMTDAELARAVPNMPTSAGQIKMLLENRAMVRRKG FGILIGVYGSSVIYMQVLPFVVIDTPCWIVKAAPSCSEKKGNYACLLED QGWYCNAGSTVYYPNEKDCETRGDHFCDTAAGINVAEQSKECNINISTT NYPCKVSTGRHPISMVALSPLGALVACYKGVSCSIGSNRVGIKQLNKGCS YITNQDADTVTIDNTVYQLSKVEGEQHVIGKRPVSSSFDPKFPEDQFQVA LDQVFENIENSQALVDQSNRILSSAEKGNMGFIIVIIILIAVLGSSMILVSI FIIIKTKKPTGAPPELSGVTNNGFIPHN	97
HMPV_ProlineStab_E51P	MSWKVVIIFSLLLITPQHGLKESYLEESCSTITEGYLSVLRGTGWYTNVFTLE VGDVENLTCSDGPSLIKTELDLTKSALRELKTVSADQLAREEQIENPGSGS FVLGAIALGVAAAAAVTAGVAIAKTIRLESEVTAINNALKKTNEAVSTLGN GVRVLATAVRELKDFVSKNLTRAINKNKCDIDDLKMAVFSQFNRRFLNVV RQFSDNAGITPAISLDLMTDAELARAVPNMPTSAGQIKMLLENRAMVRRKG FGILIGVYGSSVIYMQVLPFVVIDTPCWIVKAAPSCSEKKGNYACLLED QGWYCNAGSTVYYPNEKDCETRGDHFCDTAAGINVAEQSKECNINISTT NYPCKVSTGRHPISMVALSPLGALVACYKGVSCSIGSNRVGIKQLNKGCS YITNQDADTVTIDNTVYQLSKVEGEQHVIGKRPVSSSFDPKFPEDQFQVA LDQVFENIENSQALVDQSNRILSSAEKGNMGFIIVIIILIAVLGSSMILVSI FIIIKTKKPTGAPPELSGVTNNGFIPHN	98
HMPV_ProlineStab_D185P	MSWKVVIIFSLLLITPQHGLKESYLEESCSTITEGYLSVLRGTGWYTNVFTLE VGDVENLTCSDGPSLIKTELDLTKSALRELKTVSADQLAREEQIENPGSGS FVLGAIALGVAAAAAVTAGVAIAKTIRLESEVTAINNALKKTNEAVSTLGN GVRVLATAVRELKDFVSKNLTRAINKNKCDIDDLKMAVFSQFNRRFLNVV RQFSDNAGITPAISLDLMTDAELARAVPNMPTSAGQIKMLLENRAMVRRKG FGILIGVYGSSVIYMQVLPFVVIDTPCWIVKAAPSCSEKKGNYACLLED QGWYCNAGSTVYYPNEKDCETRGDHFCDTAAGINVAEQSKECNINISTT NYPCKVSTGRHPISMVALSPLGALVACYKGVSCSIGSNRVGIKQLNKGCS YITNQDADTVTIDNTVYQLSKVEGEQHVIGKRPVSSSFDPKFPEDQFQVA LDQVFENIENSQALVDQSNRILSSAEKGNMGFIIVIIILIAVLGSSMILVSI FIIIKTKKPTGAPPELSGVTNNGFIPHN	99
HMPV_ProlineStab_D183P	MSWKVVIIFSLLLITPQHGLKESYLEESCSTITEGYLSVLRGTGWYTNVFTLE VGDVENLTCSDGPSLIKTELDLTKSALRELKTVSADQLAREEQIENPGSGS FVLGAIALGVAAAAAVTAGVAIAKTIRLESEVTAINNALKKTNEAVSTLGN GVRVLATAVRELKDFVSKNLTRAINKNKCDIDDLKMAVFSQFNRRFLNVV RQFSDNAGITPAISLDLMTDAELARAVPNMPTSAGQIKMLLENRAMVRRKG FGILIGVYGSSVIYMQVLPFVVIDTPCWIVKAAPSCSEKKGNYACLLED QGWYCNAGSTVYYPNEKDCETRGDHFCDTAAGINVAEQSKECNINISTT NYPCKVSTGRHPISMVALSPLGALVACYKGVSCSIGSNRVGIKQLNKGCS YITNQDADTVTIDNTVYQLSKVEGEQHVIGKRPVSSSFDPKFPEDQFQVA LDQVFENIENSQALVDQSNRILSSAEKGNMGFIIVIIILIAVLGSSMILVSI FIIIKTKKPTGAPPELSGVTNNGFIPHN	100
HMPV_ProlineStab_E131P	MSWKVVIIFSLLLITPQHGLKESYLEESCSTITEGYLSVLRGTGWYTNVFTLE VGDVENLTCSDGPSLIKTELDLTKSALRELKTVSADQLAREEQIENPGSGS FVLGAIALGVAAAAAVTAGVAIAKTIRLPESEVTAINNALKKTNEAVSTLGN GVRVLATAVRELKDFVSKNLTRAINKNKCDIDDLKMAVFSQFNRRFLNVV RQFSDNAGITPAISLDLMTDAELARAVPNMPTSAGQIKMLLENRAMVRRKG FGILIGVYGSSVIYMQVLPFVVIDTPCWIVKAAPSCSEKKGNYACLLED QGWYCNAGSTVYYPNEKDCETRGDHFCDTAAGINVAEQSKECNINISTT NYPCKVSTGRHPISMVALSPLGALVACYKGVSCSIGSNRVGIKQLNKGCS YITNQDADTVTIDNTVYQLSKVEGEQHVIGKRPVSSSFDPKFPEDQFQVA LDQVFENIENSQALVDQSNRILSSAEKGNMGFIIVIIILIAVLGSSMILVSI FIIIKTKKPTGAPPELSGVTNNGFIPHN	101

TABLE 18-continued

Human Metapneumovirus Mutant Amino Acid Sequences		
Strain	Sequence	SEQ ID NO:
	LDQVFENIENSQALVDQSNRILSSAEKGTGFIIVIIILIAVLGSSMILVSI FIIIKTKKPTGAPPELGGVTTNNGFIPHN	
HMPV_ProlineStab_D447P	MSWKVVIIFSLLLITPQHGLKESYLEESCSTITEGYLSVLRGTGWYTNVFTLE VGDVENLTCSDGPSLIKTELDLTKSALRELKTVSADQLAREEQIENPGSGS FVLGAIALGVAAAAAVTAGVAIAKTIRLESEVTAINNALKKTNEAVSTLGN GVRVLATAVRELKDFVSKNLTRAINKNKCDIDDLKMAVSPSQFNRRFLNVV RQFSDNAGITPAISLDLMTDAELARAVPNMPTSAGQIKMLLENRAMVRRKG FGILIGVYSSVIYMQQLPIFGVIDTPCWIVKAAPSCSEKKGNVACLLRED QGWCQNAGSTVYYPNEKDCETRGDHVFCDTAAGINVAEQSKECNINISTT NYPCKVSTGRHPISMVALSPLGALVACYKGVSCSIGSNRVGIKQLNKGCS YITNQDADTVTIDNTVYQLSKVEGEQHVIGKRPVSSSFDPKFPEDQFQVA LDQVFENIENSQALVDQSNRILSSAEKGTGFIIVIIILIAVLGSSMILVSI FIIIKTKKPTGAPPELGGVTTNNGFIPHN	102
HMPV_TramerRepulsionD454N	MSWKVVIIFSLLLITPQHGLKESYLEESCSTITEGYLSVLRGTGWYTNVFTLE VGDVENLTCSDGPSLIKTELDLTKSALRELKTVSADQLAREEQIENPGSGS FVLGAIALGVAAAAAVTAGVAIAKTIRLESEVTAINNALKKTNEAVSTLGN GVRVLATAVRELKDFVSKNLTRAINKNKCDIDDLKMAVSPSQFNRRFLNVV RQFSDNAGITPAISLDLMTDAELARAVPNMPTSAGQIKMLLENRAMVRRKG FGILIGVYSSVIYMQQLPIFGVIDTPCWIVKAAPSCSEKKGNVACLLRED QGWCQNAGSTVYYPNEKDCETRGDHVFCDTAAGINVAEQSKECNINISTT NYPCKVSTGRHPISMVALSPLGALVACYKGVSCSIGSNRVGIKQLNKGCS YITNQDADTVTIDNTVYQLSKVEGEQHVIGKRPVSSSFDPKFPEDQFQVA LDQVFENIENSQALVDQSNRILSSAEKGTGFIIVIIILIAVLGSSMILVSI FIIIKTKKPTGAPPELGGVTTNNGFIPHN	103
HMPV_TramerRepulsionE453N	MSWKVVIIFSLLLITPQHGLKESYLEESCSTITEGYLSVLRGTGWYTNVFTLE VGDVENLTCSDGPSLIKTELDLTKSALRELKTVSADQLAREEQIENPGSGS FVLGAIALGVAAAAAVTAGVAIAKTIRLESEVTAINNALKKTNEAVSTLGN GVRVLATAVRELKDFVSKNLTRAINKNKCDIDDLKMAVSPSQFNRRFLNVV RQFSDNAGITPAISLDLMTDAELARAVPNMPTSAGQIKMLLENRAMVRRKG FGILIGVYSSVIYMQQLPIFGVIDTPCWIVKAAPSCSEKKGNVACLLRED QGWCQNAGSTVYYPNEKDCETRGDHVFCDTAAGINVAEQSKECNINISTT NYPCKVSTGRHPISMVALSPLGALVACYKGVSCSIGSNRVGIKQLNKGCS YITNQDADTVTIDNTVYQLSKVEGEQHVIGKRPVSSSFDPKFPEDQFQVA LDQVFENIENSQALVDQSNRILSSAEKGTGFIIVIIILIAVLGSSMILVSI FIIIKTKKPTGAPPELGGVTTNNGFIPHN	104
HMPV_StabilizeAlphaF196W	MSWKVVIIFSLLLITPQHGLKESYLEESCSTITEGYLSVLRGTGWYTNVFTLE VGDVENLTCSDGPSLIKTELDLTKSALRELKTVSADQLAREEQIENPGSGS FVLGAIALGVAAAAAVTAGVAIAKTIRLESEVTAINNALKKTNEAVSTLGN GVRVLATAVRELKDFVSKNLTRAINKNKCDIDDLKMAVSPSQFNRRFLNVV RQFSDNAGITPAISLDLMTDAELARAVPNMPTSAGQIKMLLENRAMVRRKG FGILIGVYSSVIYMQQLPIFGVIDTPCWIVKAAPSCSEKKGNVACLLRED QGWCQNAGSTVYYPNEKDCETRGDHVFCDTAAGINVAEQSKECNINISTT NYPCKVSTGRHPISMVALSPLGALVACYKGVSCSIGSNRVGIKQLNKGCS YITNQDADTVTIDNTVYQLSKVEGEQHVIGKRPVSSSFDPKFPEDQFQVA LDQVFENIENSQALVDQSNRILSSAEKGTGFIIVIIILIAVLGSSMILVSI FIIIKTKKPTGAPPELGGVTTNNGFIPHN	105

TABLE 19

Human Metapneumovirus Mutant Nucleic Acid Sequences		
Strain	Nucleic Acid Sequence	SEQ ID NO:
HMPV_SC_DSCAV1_4MMV	ATGAGCTGGAAGGTGGTCATCATCTTCAGCCTGCTGATCA CACCTCAGCACGGCCTGAAAGAGAGCTACCTGGAAGAGT CCTGCAGCACCATCACAGAGGGCTACCTGTCTGTGCTGAG AACCAGGCTGGTACACCAACGTGTTCACTGGAAGTGGGC GACCTCGAGAATCTGACATGCTCTGATGGCCCTAGCCTGA TCAAGACCGAGCTGGATCTGACCAAGAGCGCCCTGAGAG AACTCAAGACCGTGTCTGCCGATCAGCTGGCCAGAGAGGA ACAGATCGAGAATCTGGCAGCGCAGCTTTGTCTGGGA GCCATTGCTCTTGGAGTGGCTGTCTGTGACGCTGTTACAG CAGGCGTGGCCATCTGCAAGCCATCAGACTGGAAGCG AAGTGACCGCATCAACAACGCCCTGAAGAAGACAACG AGGCCGTGACACACTCGGCAATGGCGTTAGAGTGTCTGGC CTTTGCGGTGCGGAGCTGAAGGACTTCGTGTCCAAGAAC CTGACACGGGCCCTGAACAAGAACAAGTGCACATCGAC	106

TABLE 19-continued

Strain	Nucleic Acid Sequence	SEQ ID No:
HMPV_SC_DSTRIC_4MMV	<p>GACCTGAAGATGGCCGTGTCCTTTAGCCAGTTC AACCGGC GGTTCCTGAACGTGTCGGCAGTTAGCGACAACGCCGG AATCACACCAGCCATCAGCC TGGACCTGATGACAGATGCT GAGCTGGCTAGAGCCGTGCC TAACATGCCTACATCTGCCG GCCAGATCAAGCTGATGCTCGAGAATAGAGCCATGGTCCG ACGGAAAGGCTTCGGCATTCTGTGTGGCGTACGGCAGC AGCGTGATCTATATGGTGCAGCTGCCTATCTTCGGCGTGA TCGACACACCCTGCTGGATTGTGAAGGCCGCTCCTAGCTG TAGCGAGAAGAAGGGCAATTACGCCCTGCCTGCTGAGAGA GGACCAAGGCTGGTATTGTCAGAACGCCGGCAGCACCGTG TACTACCCTAACGAGAAGGACTGCGAGACAAGAGGCGAC CACGTGTTCTGTGATACCGCCGCTGGAATCAATGTGGCCG AGCAGAGCAAAGAGTGCAACATCAACATCAGCACCAACA ACTATCCCTGCAAGGTGCCACCGGCAGGCACCTATTTC TATGGTGGCTCTGTCTCCTCTGGGAGCCCTGGTGGCTTGT ATAAGGGCGTCTCCTGTAGCATCGGCAGCAACAGAGTGG GCATCATCAAGCAGCTGAACAAGGGCTGCAGCTACATCAC CAACCAGGACGCCGATACCGTGACCATCGACAACCCGTG TATCAGCTGAGCAAGGTGGAAGGCGAACAGCACGTGATC AAGGGCAGACCTGTGTCCAGCAGCTTCGACCTATCAAGT TCCCTGAGGATCAGTTC AACCTGGCCCTGGACCAGGTGTT CGAGAACATCGAGAATTCCCAGGCTCTGGTGGACCAGTCC AACAGAATCCTGTCTAGCGCCGAGAAGGGAACACCGGC TTCATCATCGTGATCATCCTGATCGCCGCTGGGCAGCTC CATGATCCTGGTGTCCATCTCATCATATCAAGAAGACC AAGAAGCCACCGGCGCTCCTCCAGAACTGAGCGGAGTG ACCAACAAATGGCTTCATCCCTCACAAAC</p>	107
HMPV_SC_DM_Krarup_T74LD185P	<p>ATGAGCTGGAAGGTGGTCATCATCTTCAGCCTGCTGATCA CACCTCAGCACGGCCTGAAAGAGAGCTACCTGGAAGAGT CCTGCAGCACCATCACAGAGGGCTACCTGTCTGTGCTGAG AACCGGCTGGTACACCAACGTGTT CACACTGGAAGTGGC GACGTCGAGAATCTGACATGCTCTGATGGCCCTAGCCTGA TCAAGACCGAGCTGGATCTGCTCAAGAGCGCCCTGAGAGA AACTCAAGACCGTGTCTGCGGATCAGCTGGCCAGAGAGGA ACAGATCGAGAATCCTGGCAGCGGAGCTTTGTGCTGGGA GCCATTGCTCTTGGAGTGGCTGCTGCTGCAGCTGTTACAG CAGGCGTGGCCATCTGCAAGACCATCAGACTGGAAGCG AAGTGACCGCCATCAACAACGCCCTGAAGAAGACAAACG AGGCCGTGAGCACACTCGGC AATGGCGTTAGAGTGTGGC CACAGCCGTGCGCGAGCTGAAGGACTTCGTGTCCAAGAAC CTGACACGGGCCATTAACAAGAACAAGTGCACATCGAC GACCTGAAGATGGCCGTGTCCTTTAGCCAGTTC AACCGGC GGTTCCTGAACGTGTCGGCAGTTAGCGACAACGCCCG AATCACACCAGCCATCAGCC TGGACCTGATGACAGATGCT GAGCTGGCTAGAGCCGTGCC TAACATGCCTACATCTGCCG GCCAGATCAAGCTGATGCTCGAGAATAGAGCCATGGTCCG ACGGAAAGGCTTCGGCATTCTGTGTGGCGTACGGCAGC AGCGTGATCTATATGGTGCAGCTGCCTATCTTCGGCGTGA TCGACACACCCTGCTGGATTGTGAAGGCCGCTCCTAGCTG TAGCGAGAAGAAGGGCAATTACGCCCTGCCTGCTGAGAGA GGACCAAGGCTGGTATTGTCAGAACGCCGGCAGCACCGTG TACTACCCTAACGAGAAGGACTGCGAGACAAGAGGCGAC CACGTGTTCTGTGATACCGCCGCTGGAATCAATGTGGCCG AGCAGAGCAAAGAGTGCAACATCAACATCAGCACCAACA ACTATCCCTGCAAGGTGCCACCGGCAGGCACCTATTTC TATGGTGGCTCTGTCTCCTCTGGGAGCCCTGGTGGCTTGT ATAAGGGCGTCTCCTGTAGCATCGGCAGCAACAGAGTGG GCATCATCAAGCAGCTGAACAAGGGCTGCAGCTACATCAC CAACCAGGACGCCGATACCGTGACCATCGACAACCCGTG TATCAGCTGAGCAAGGTGGAAGGCGAACAGCACGTGATC AAGGGCAGACCTGTGTCCAGCAGCTTCGACCTATCAAGT TCCCTGAGCACCAGTGGCATGTGGCCCTGGACCAGGTGTT CGAGAACATCGAGAATTCCCAGGCTCTGGTGGACCAGTCC AACAGAATCCTGTCTAGCGCCGAGAAGGGAACACCGGC TTCATCATCGTGATCATCCTGATCGCCGCTGGGCAGCTC CATGATCCTGGTGTCCATCTCATCATATCAAGAAGACC AAGAAGCCACCGGCGCTCCTCCAGAACTGAGCGGAGTG ACCAACAAATGGCTTCATCCCTCACAAAC</p>	108

TABLE 19-continued

Strain	Nucleic Acid Sequence	SEQ ID No:
	CAGATCGAGAATCCTGGCAGCGGCAGCTTTGTGCTGGGAG CCATTGCTCTTTGGAGTGGCTGCTGCTGCAGCTGTACAGC AGGCGTGGCCATCGCTAAGACCATCAGACTGGAAGCGA AGTGACCGCCATCAACAACGCCCTGAAGAAGACAAACGA GGCCGTCAGCACACTCGGCAATGGCGTTAGAGTGTGGCC ACAGCCGTGCGGAGCTGAAGGACTTCGTGTCCAAGAACC TGACACGGGCCATTAAACAAGAACAAGTCCGACATCCCTGA CCTGAAGATGGCCGTGTCCTTTAGCCAGTTCAACCGGCGG TTTCTGAACGTCGTGGCGAGTTTAGCGACAACGCCGGAA TCACACCAGCCATCAGCCTGGACCTGATGACAGATGCTGA GCTGGCTAGAGCCGTGCCAATGACATGCTACATCTGCCGGC CAGATCAAGCTGATGCTCGAGAATAGAGCCATGGTCCGAC GGAAGGCTTCGGCATTCTGATTGGCGTGTACGGCAGCAG CGTGATCTATATGGTGCAGCTGCCATCTTCGGCGTGATCG ACACACCCTGCTGGATTGTGAAGGCCGCTCCTAGCTGTAG CGAGAAGAAGGGCAATTACGCCCTGCCTGCTGAGAGAGGA CCAAGGCTGGTATTGTGAGAAGCGCGGACCGGTGTAC TACCCTAACGAGAAGGACTGCGAGACAAGAGGGGACCAC GTGTTCTGTGATAACCGCGCTGGAATCAATGTGGCCGAGC AGAGCAAGAGTGAACATCAACATCAGCACCACCAACT ATCCCTGCAAGGTGTCCACCGGCAGGCACCTATTTCTAT GGTGGCTCTGTCTCCTCTGGGAGCCTGGTGGCTTGTATA AGGGCGTGTCTGTAGCATCGGCAGCAACAGAGTGGGCAT CATCAAGCAGCTGAACAAGGGCTGCAGCTACATCACCAC CAGGACGCCGATAACCGTGACCATCGACAACCCGTGTATC AGCTGAGCAAGGTGGAAGGCGAACAGCACGTGATCAAGG GCAGACCTGTGTCAGCAGCTTCGACCCTATCAAGTTCCC TGAGGATCAGTTCAGGTGGCCCTGGACCAGGTGTTCGAG AACATCGAGAATTCCAGGCTCTGGTGGACCAGTCCAACA GAATCCTGTCTAGCGCCGAGAAGGGAAACCCGGCTTCAT CATCGTATCATCCTGATCGCCGTGCTGGGCAGCTCCATG ATCCTGGTGTCCATCTTCATCATTATCAAGAAGACCAAGA AGCCACCGGCGCTCCTCCAGAACTGAGCGGAGTGACCAA CAATGGCTTCATCCCTCACAAC	
HMPV_SC_TM_Krarup_T74LD185PD454N	ATGAGCTGGAAGGTGGTTCATCATCTTCAGCCTGCTGATCA CACCTCAGCAGCGCCGTAAGAAGAGCTACCTGGAAGAGT CCTGCAGCACCATCAGAGGGCTACCTGTCTGTGCTGAG AACCGGCTGGTACACCAACGTGTTACACTGGAAGTGGGC GACGTCGAGAATCTGACATGCTCTGATGGCCCTAGCCTGA TCAAGACCGAGCTGGATCTGCTCAAGAGCGCCCTGAGAGA ACTCAAGACCGTGTCTGCCGATCAGCTGGCCAGAGAGGAA CAGATCGAGAATCCTGGCAGCGGCAGCTTTGTGCTGGGAG CCATTGCTCTTTGGAGTGGCTGCTGCTGCAGCTGTACAGC AGGCGTGGCCATCGCTAAGACCATCAGACTGGAAGCGA AGTGACCGCCATCAACAACGCCCTGAAGAAGACAAACGA GGCCGTCAGCACACTCGGCAATGGCGTTAGAGTGTGGCC ACAGCCGTGCGGAGCTGAAGGACTTCGTGTCCAAGAACC TGACACGGGCCATTAAACAAGAACAAGTCCGACATCCCTGA CCTGAAGATGGCCGTGTCCTTTAGCCAGTTCAACCGGCGG TTTCTGAACGTCGTGGCGAGTTTAGCGACAACGCCGGAA TCACACCAGCCATCAGCCTGGACCTGATGACAGATGCTGA GCTGGCTAGAGCCGTGCCAATGACATGCTACATCTGCCGGC CAGATCAAGCTGATGCTCGAGAATAGAGCCATGGTCCGAC GGAAGGCTTCGGCATTCTGATTGGCGTGTACGGCAGCAG CGTGATCTATATGGTGCAGCTGCCATCTTCGGCGTGATCG ACACACCCTGCTGGATTGTGAAGGCCGCTCCTAGCTGTAG CGAGAAGAAGGGCAATTACGCCCTGCCTGCTGAGAGAGGA CCAAGGCTGGTATTGTGAGAAGCGCGGACCGGTGTAC TACCCTAACGAGAAGGACTGCGAGACAAGAGGGGACCAC GTGTTCTGTGATAACCGCGCTGGAATCAATGTGGCCGAGC AGAGCAAGAGTGAACATCAACATCAGCACCACCAACT ATCCCTGCAAGGTGTCCACCGGCAGGCACCTATTTCTAT GGTGGCTCTGTCTCCTCTGGGAGCCTGGTGGCTTGTATA AGGGCGTGTCTGTAGCATCGGCAGCAACAGAGTGGGCAT CATCAAGCAGCTGAACAAGGGCTGCAGCTACATCACCAC CAGGACGCCGATAACCGTGACCATCGACAACCCGTGTATC AGCTGAGCAAGGTGGAAGGCGAACAGCACGTGATCAAGG GCAGACCTGTGTCAGCAGCTTCGACCCTATCAAGTTCCC TGAGAACCAGTTCAGGTGGCCCTGGACCAGGTGTTCGAG AACATCGAGAATTCCAGGCTCTGGTGGACCAGTCCAACA GAATCCTGTCTAGCGCCGAGAAGGGAAACCCGGCTTCAT CATCGTATCATCCTGATCGCCGTGCTGGGCAGCTCCATG ATCCTGGTGTCCATCTTCATCATTATCAAGAAGACCAAGA AGCCACCGGCGCTCCTCCAGAACTGAGCGGAGTGACCAA CAATGGCTTCATCCCTCACAAC	109

TABLE 19-continued

Strain	Nucleic Acid Sequence	SEQ ID No:
HMPV_SC_4M_Krarup_T74LS170LD185P	ATGAGCTGGAAGGTGGTCATCATCTTCAGCCTGCTGATCA CACCTCAGCACGGCTGAAAGAGAGCTACCTGGAAGAGT CCTGCAGCACCATCACAGAGGGCTACCTGTCTGTGCTGAG AACCGGCTGGTACACCAACGTGTTACACTGGAAGTGGGC GACGTCGAGAATCTGACATGCTCTGATGGCCCTAGCCTGA TCAAGACCGAGCTGGATCTGCTCAAGAGCGCCCTGAGAGA ACTCAAGACCGTGTCTGCCGATCAGCTGGCCAGAGAGGAA CAGATCGAGAATCCTGGCAGCGGCAGCTTTGTGCTGGGAG CCATTGCTCTTGGAGTGGCTGCTGCTGCAGCTGTTACAGC AGGCGTGGCCATCGCTAAGACCATCAGACTGGAAGCGA AGTGACCGCCATCAACAACGCCCTGAGAGAGACAACGA GGCCGTCAGCACACTCGGCAATGGCGTTAGAGTGTGGCC ACAGCCGTGCGCGAGCTGAAGGACTTCGTGCTTAAGAACC TGACACGGGCCATTAAACAAGAACAAAGTGCACATCCCTGA CCTGAAGATGGCCGTGTCCTTTAGCCAGTTCAACCGGCGG TTTCTGAACGTCGTGCCGAGTTTAGCGACAACGCCGGAA TCACACCAGCCATCAGCCTGGACCTGATGACAGATGCTGA GCTGGCTAGAGCCGTGCCAATACATGCCATCTGCGCGC CAGATCAAGCTGATGCTCGAGAATAGAGCCATGGTCCGAC GGAAAGGCTTCGGCATCTGATTGGCGTGTACGGCAGCAG CGTGATCTATATGGTGCAGCTGCCATCTTCGGCGTGATCG ACACACCCTGCTGGATTGTGAAGCCGCTCCTAGCTGTAG CGAGAAGAAGGGCAATTACGCCCTGCCCTGCTGAGAGAGGA CCAAGGCTGGTATTGTGAGAAGCCGGCAGCACCGTGTAC TACCCTAACGAGAAGGACTGCGAGACAAGAGGCGACCAC GTGTTCTGTGATACCGCCGCTGGAATCAATGTGGCCGAGC AGAGCAAGAGTGAACATCAACATCAGCACCCCAACT ATCCCTGCAAGGTGTCACCGGCAGGCACCTATTTCAT GGTGGCTCTGTCTCCTCTGGGAGCCCTGGTGGCTTGTATA AGGGCGTGTCTGTAGCATCGGCAGCAACAGAGTGGGCAT CATCAAGCAGCTGAACAAGGCTGCAGCTACATCACCAAC CAGGACGCCGATACCGTGACCATCGACAACCCGTGTATC AGCTGAGCAAGGTGGAAGGCAACAGCACCGTGTCAAGG GCAGACCTGTGTCCAGCAGCTTCGACCCATCAAGTTCCC TGAGGATCAGTTCAGGTGGCCCTGGACCAAGTGTTCGAG AACATCGAGAATCCAGGCTCTGGTGGACCAAGTCCAA GAATCCTGTCTAGCGCCGAGAAGGGAACAACCGGCTTCAT CATCGTGTATCCTGATCGCCGTGCTGGGCGAGCTCCATG ATCCTGGTGTCCATCTTCATATTATCAAGAAGACCAAGA AGCCACCGGCGCTCCTCAGAAGTGAAGCGAGTGACCAA CAATGGCTTCATCCCTCAAC	110
HMPV_SC_5M_Krarup_T74LS170LD185PD454N	ATGAGCTGGAAGGTGGTCATCATCTTCAGCCTGCTGATCA CACCTCAGCACGGCTGAAAGAGAGCTACCTGGAAGAGT CCTGCAGCACCATCACAGAGGGCTACCTGTCTGTGCTGAG AACCGGCTGGTACACCAACGTGTTACACTGGAAGTGGGC GACGTCGAGAATCTGACATGCTCTGATGGCCCTAGCCTGA TCAAGACCGAGCTGGATCTGCTCAAGAGCGCCCTGAGAGA ACTCAAGACCGTGTCTGCCGATCAGCTGGCCAGAGAGGAA CAGATCGAGAATCCTGGCAGCGGCAGCTTTGTGCTGGGAG CCATTGCTCTTGGAGTGGCTGCTGCTGCAGCTGTTACAGC AGGCGTGGCCATCGCTAAGACCATCAGACTGGAAGCGA AGTGACCGCCATCAACAACGCCCTGAGAGAGACAACGA GGCCGTCAGCACACTCGGCAATGGCGTTAGAGTGTGGCC ACAGCCGTGCGCGAGCTGAAGGACTTCGTGCTTAAGAACC TGACACGGGCCATTAAACAAGAACAAAGTGCACATCCCTGA CCTGAAGATGGCCGTGTCCTTTAGCCAGTTCAACCGGCGG TTTCTGAACGTCGTGCCGAGTTTAGCGACAACGCCGGAA TCACACCAGCCATCAGCCTGGACCTGATGACAGATGCTGA GCTGGCTAGAGCCGTGCCAATACATGCCATCTGCGCGC CAGATCAAGCTGATGCTCGAGAATAGAGCCATGGTCCGAC GGAAAGGCTTCGGCATCTGATTGGCGTGTACGGCAGCAG CGTGATCTATATGGTGCAGCTGCCATCTTCGGCGTGATCG ACACACCCTGCTGGATTGTGAAGCCGCTCCTAGCTGTAG CGAGAAGAAGGGCAATTACGCCCTGCCCTGCTGAGAGAGGA CCAAGGCTGGTATTGTGAGAAGCCGGCAGCACCGTGTAC TACCCTAACGAGAAGGACTGCGAGACAAGAGGCGACCAC GTGTTCTGTGATACCGCCGCTGGAATCAATGTGGCCGAGC AGAGCAAGAGTGAACATCAACATCAGCACCCCAACT ATCCCTGCAAGGTGTCACCGGCAGGCACCTATTTCAT GGTGGCTCTGTCTCCTCTGGGAGCCCTGGTGGCTTGTATA AGGGCGTGTCTGTAGCATCGGCAGCAACAGAGTGGGCAT CATCAAGCAGCTGAACAAGGCTGCAGCTACATCACCAAC CAGGACGCCGATACCGTGACCATCGACAACCCGTGTATC AGCTGAGCAAGGTGGAAGGCAACAGCACCGTGTCAAGG GCAGACCTGTGTCCAGCAGCTTCGACCCATCAAGTTCCC TGAGAACAGTTCAGGTGGCCCTGGACCAAGTGTTCGAG	111

TABLE 19-continued

Strain	Nucleic Acid Sequence	SEQ ID No:
HMPV_SC_DM_Krarup_E51PT74L	<p>AACATCGAGAATTCCAGGCTCTGGTGGACCAGTCCAACA GAATCCTGTCTAGCGCCGAGAAGGGAAACACCGGCTTCAT CATCGTGATCATCTGATCGCCGTGCTGGGCAGCTCCATG ATCCTGGTGTCCATCTTCATCATTATCAAGAAGACCAAGA AGCCACCGGCGCTCCTCCAGAACTGAGCGGAGTGACCAA CAATGGCTTCATCCCTCACAAAC</p>	112
HMPV_SC_TM_Krarup_E51PT74LD454N	<p>ATGAGCTGGAAGGTGGTCATCATCTTCAGCCTGTGATCA CACCTCAGCAGCGCCTGAAAGAGAGCTACCTGGAAGAGT CCTGCAGCACCATCACAGAGGGCTACCTGTCTGTGCTGAG AACCGGCTGGTACACCAACGTGTTCCACTGCCTGTGGGC GACGTGAGAAATCTGACATGCTCTGATGGCCCTAGCCTGA TCAAGACCGAGCTGGATCTGCTCAAGAGCGCCCTGAGAGA ACTCAAGACCGTGTCTGCCGATCAGCTGGCCAGAGAGGAA CAGATCGAGAATCCTGGCAGCGGCAGCTTTGTGCTGGGAG CCATTGCTCTTGGAGTGGCTGCTGCTGCAGCTGTTACAGC AGGCGTGGCCATCGCTAAGACCATCAGACTGGAAGCGA AGTGACCGCCATCAACAACGCCCTGAAGAAGACAAACGA GGCCGTGAGCACACTCGGCAATGGCGTTAGAGTGTGGCC ACAGCCGTGCGGAGCTGAAGGACTTCGTGTCCAAGAAC TGACACGGGCCATTAACAAGAACAAGTGCACATCGACG ACCTGAAGATGGCCGTGCTTTAGCCAGTTCAACCGGCG GTTCTGAACGTCGTGCGGCAGTTTAGCGACAACGCCGGA ATCACCAGCCATCAGCCTGGACCTGATGACAGATGCTG AGCTGGCTAGAGCCGTGCTAACATGCCTACATCTGCCG CCAGATCAAGCTGATGCTCGAGAATAGAGCCATGGTCCGA CGAAAGGCTTCGGCATTCTGATTGGCGTGTACGGCAGCA GCGTGATCTATATGGTGCAGCTGCCTATCTTCGGCGTGATC GACACACCCTGCTGGATTGTGAAGCCGCTCCTAGCTGTA GCGAGAAGAAGGGCAATTACGCCCTGCCCTGCTGAGAGAGG ACCAAGGCTGGTATTGTCAGAACCGCGCAGCACCGTGTA CTACCCTAACGAGAAGGACTGCGAGACAAGAGGCGACCA CGTGTTCTGTGATACCGCCGCTGGAATCAATGTGGCCGAG CAGAGCAAGAGTGCACATCAACATCAGCACCCACCAAC TATCCCTGCAAGGTGTCCACCGGCAGGCACCTATTTCTAT</p>	113

TABLE 19-continued

Strain	Nucleic Acid Sequence	SEQ ID No:
HMPV_SC_StabilizeAlpha_T74L	<p>GGTGGCTCTGTCTCCTCTGGGAGCCCTGGTGGCTTGTATA AGGGCGTGTCTGTAGCATCGGCAGCAACAGAGTGGGCAT CATCAAGCAGCTGAACAAGGGCTGCAGCTACATCACC AAC CAGGACGCCGATACCGTGACCATCGACAACCCGTGTATC AGCTGAGCAAGGTGGAGGGCGAACAGCACGTGATCAAGG GCAGACCTGTGTCCAGCAGCTTCGACCCTATCAAGTTCCC TGAGAACCAGTTCAGGTGGCCCTGGACCAGGTGTCGAG AACATCGAGAATCCAGGCTCTGGTGGACCAGTCCAACA GAATCCTGTCTAGCGCCGAGAAGGGAAACCCGGCTTCAT CATCGTGATCATCCTGATCGCCGTGCTGGGCAGCTCCATG ATCCTGGTGTCCATCTTCATCATTATCAAGAAGACCAAGA AGCCACCGCGCTCCTCCAGAACTGAGCGGAGTGACCAA CAATGGCTTCATCCCTCACAAAC</p>	114
HMPV_SC_StabilizeAlpha_V55L	<p>ATGAGCTGGAAGGTGGTCATCATCTTCAGCCTGCTGATCA CACCTCAGCACGGCCTGAAAAGAGAGCTACCTGGAAGAGT CCTGCAGCACCATCACAGAGGGCTACCTGTCTGTGCTGAG AACCGGCTGGTACACCAACGTGTTCACTGGAAGTGGGC GACCTCGAGAATCTGACATGCTCTGATGGCCCTAGCCTGA TCAAGACCGAGCTGGATCTGACCAAGAGCGCCCTGAGAG AACTCAAGACCGTGTCTGCCGATCAGCTGGCCAGAGAGGA ACAGATCGAGAATCCTGGCAGCGCAGCTTTGTGCTGGGA GCCATGTCTCTGGAGTGGCTGTGCTGCAGCTGTACAG CAGGCGTGGCCATCGCTAAGACCATCAGACTGGAAGCG AAGTGACCGCCATCAACAACGCCCTGAAGAAGACAAACG AGGCCGTGAGCACACTCGGCAATGGCGTTAGAGTGCTGGC CACAGCCGTGCGCGAGCTGAAGGACTTCGTGTCCAAGAAC CTGACACGGCCATTAACAAGAACAAGTGCGACATCGAC GACCTGAAGATGGCCGTGCTTTAGCCAGTTC AACCGGC GGTTTCTGAACGCTGTCGCGCAGTTTAGCCGACAACCGCG AATCACACCAGCCATCAGCCTGGACCTGATGACAGATGCT GAGCTGGCTAGAGCCGTGCCAATCATGCTTACATCTGCCG GCCAGATCAAGCTGATGCTCGAGAATAGAGCCATGGTCCG ACGGAAAGGCTTCGGCATCTGATTGGCGTGTACGGCAGC AGCGTGATCTATATGGTGCAGCTGCCATCTTCGGCGTGA</p>	115

TABLE 19-continued

Strain	Nucleic Acid Sequence	SEQ ID No:
HMPV_SC_StabilizeAlpha_S170L	<p>TCGACACACCCTGCTGGATTGTGAAGCCGCTCCTAGCTG TAGCGAGAAGAAGGGCAATTACGCCTGCCTGCTGAGAGA GGACCAAGGCTGGTATTGTCAGAACGCCGGCAGCACCGTG TACTACCCTAACGAGAAGGACTGCGAGACAAGAGGCGAC CACGTGTCTGTGATACCGCCGCTGGAATCAATGTGGCCG AGCAGAGCAAAGAGTGCAACATCAACATCAGCACCACCA ACTATCCCTGCAAGGTGCCACCGCAGGCACCCATATTC TATGGTGGCTCTGTCTCCTCTGGGAGCCCTGGTGGCTTGT ATAAGGGCGTGTCTGTAGCATCGGCAGCAACAGAGTGG GCATCATCAAGCAGCTGAACAAGGGCTGCAGCTACATCAC CAACCAGGACGCCGATACCGTGACCATCGACAACACCGTG TATCAGCTGAGCAAGGTGGAAGGCGAACAGCACGTGATC AAGGGCAGACCTGTGTCCAGCAGCTTCGACCCTATCAAGT TCCCTGAGGATCAGTTCAGGTGGCCCTGGACCAGGTGTT CGAGAACATCGAGAATCCCAGGCTCTGGTGGACCAGTCC AACAGAATCCTGTCTAGCGCCGAGAAGGAAACACCGGC TTCATCATCTGTGATCATCTGATCGCCGTGTGGCAGCTC CATGATCCTGGTGTCCATCTTCATCATTATCAAGAAGACC AAGAAGCCACCGCGCTCCTCCAGAACTGAGCGGAGTG ACCAACAATGGCTTCATCCCTCACAA</p>	116
HMPV_SC_StabilizeAlpha_T174W	<p>ATGAGCTGGAAGGTGGTCATCATCTTCAGCCTGCTGATCA CACCTCAGCACGGCTGAAAGAGAGCTACCTGGAAGAGT CCTGCAGCACCATCACAGAGGGCTACCTGTCTGTGCTGAG AACCGGCTGGTACACCAACGTGTTCAACTGGAAGTGGGC GACGTCGAGAATCTGACATGCTCTGATGGCCCTAGCCTGA TCAAGACCGAGCTGGATCTGACCAAGAGCGCCCTGAGAG AACTCAAGACCGTGTCTGCCGATCAGCTGGCCAGAGAGGA ACAGATCGAGAATCCTGGCAGCGCAGCTTTGTCTGGGA GCCATTGCTCTGGAGTGGCTGTCTGTGCAGCTGTTACAG CAGGCGTGGCCATCGCTAAGACCATCAGACTGGAAGCG AAGTGACCGCATCAACAACGCCCTGAAGAAGACAAACG AGGCCGTGAGCAGCTCGGCAATGGCGTTAGAGTGTGGC CACAGCCGTGCGGAGCTGAAGGACTTCGTGTCAAGAAC CTGTGCGGGCCATTAAACAAGAACAGTGCACATCGAC GACCTGAAGATGGCCGTCTTTAGCCAGTTCAACCGGC GGTTTCTGAACGTCGTGCGGAGTTTAGCGACAACGCCGG AATCACACCGCCATCAGCCTGGACCTGATGACAGATGCT GAGCTGGCTAGAGCCGTGCCAATGCTTACATCTGCCG GCCAGATCAAGCTGATGCTCGAGAATAGAGCCATGGTCCG ACGGAAAGGCTTCGGCATTCGTATTGGCGTGTACGGCAGC AGCGTGATCTATATGGTGCAGCTGCCTATCTTCGGCGTGA TCGACACACCCTGCTGGATTGTGAAGCCGCTCCTAGCTG TAGCGAGAAGAAGGGCAATTACGCCTGCCTGCTGAGAGA GGACCAAGGCTGGTATTGTCAGAACGCCGGCAGCACCGTG TACTACCCTAACGAGAAGGACTGCGAGACAAGAGGCGAC CACGTGTCTGTGATACCGCCGCTGGAATCAATGTGGCCG AGCAGAGCAAAGAGTGCAACATCAACATCAGCACCACCA ACTATCCCTGCAAGGTGCCACCGCAGGCACCCATATTC TATGGTGGCTCTGTCTCCTCTGGGAGCCCTGGTGGCTTGT ATAAGGGCGTGTCTGTAGCATCGGCAGCAACAGAGTGG GCATCATCAAGCAGCTGAACAAGGGCTGCAGCTACATCAC CAACCAGGACGCCGATACCGTGACCATCGACAACACCGTG TATCAGCTGAGCAAGGTGGAAGGCGAACAGCACGTGATC AAGGGCAGACCTGTGTCCAGCAGCTTCGACCCTATCAAGT TCCCTGAGGATCAGTTCAGGTGGCCCTGGACCAGGTGTT CGAGAACATCGAGAATCCCAGGCTCTGGTGGACCAGTCC AACAGAATCCTGTCTAGCGCCGAGAAGGAAACACCGGC TTCATCATCTGTGATCATCTGATCGCCGTGTGGCAGCTC CATGATCCTGGTGTCCATCTTCATCATTATCAAGAAGACC AAGAAGCCACCGCGCTCCTCCAGAACTGAGCGGAGTG ACCAACAATGGCTTCATCCCTCACAA</p>	117

TABLE 19-continued

Strain	Nucleic Acid Sequence	SEQ ID No:
HMPV_SC_4M_Stabilize-Alpha_V55LT74LS170LT174W	<p>GACCTGAAGATGGCCGTGTCCTTTAGCCAGTTC AACCGGC GGTTCCTGAACGTGCTGCGGAGTTTAGCGACAACGCCGG AATCACACCAGCCATCAGCCTGGACCTGATGACAGATGCT GAGCTGGCTAGAGCCGTGCCATAACATGCCTACATCTGCCG GCCAGATCAAGCTGATGCTCGAGAATAGAGCCATGGTCCG ACGGAAAGGCTTCGGCATTCTGATTGGCGTGTACGGCAGC AGCGTGATCTATATGGTGCAGCTGCCTATCTTCGGCGTGA TCGACACACCCTGCTGGATTGTGAAGGCCGCTCCTAGCTG TAGCGAGAAGAAGGGCAATTACGCCCTGCCTGCTGAGAGA GGACCAAGGCTGGTATTGTTCAGAACGCCGGCAGCACCGTG TACTACCCTAACGAGAGGACTGCGAGACAAAGAGCGGAC CACGTGTTCTGTGATACCGCCGCTGGAATCAATGTGGCCG AGCAGAGCAAAGAGTGAACATCAACATCAGCACCAACA ACTATCCCTGCAAGGTGCCACCGGCAGGCACCTATTTC TATGGTGGCTCTGTCTCCTCTGGGAGCCCTGGTGGCTTGT ATAAGGGCGTCTCTGTAGCATCGGCAGCAACAGAGTGG GCATCATCAAGCAGCTGAACAAGGGCTGCAGCTACATCAC CAACCAGGACGCCGATACCGTGACCATCGACAACACCGTG TATCAGCTGAGCAAGGTGGAAGGGCAACAGCACGTGATC AAGGGCAGACCTGTGTCCAGCAGCTTCGACCTATCAAGT TCCCTGAGGATCAGTTCAGGTGGCCCTGGACCAGGTGTT CGAGAACATCGAGAATTCCCAGGCTCTGGTGGACCAGTCC AACAGATCTGTCTAGCGCCGAGAAGGGAAACACCGGC TTCATCATCGTGATCATCCTGATCGCCGCTGGGCAGCTC CATGATCCTGGTGTCCATCTCATCATATCAAGAAGACC AAGAAGCCACCGCGCTCCTCCAGAACTGAGCGGAGTG ACCAACAAATGGCTTCATCCCTCACAAC</p>	118
HMPV_ProlineStab_E51P	<p>ATGAGCTGGAAGGTGGTCATCATCTTCAGCCTGCTGATCA CACCTCAGCACGGCCTGAAAGAGAGCTACCTGGAAGAGT CCTGCAGCACCATCACAGAGGGCTACCTGTCTGTGCTGAG AACCGGCTGGTACACCAACGTGTTCACTGCTGTGGGC GACCTCGAGAATCTGACATGCTCTGATGGCCCTAGCCTGA TCAAGACCGAGCTGGATCTGCTCAAGAGCCCTGAGAGA ACTCAAGACCGTGTCTGCCGATCAGCTGGCCAGAGAGGAA CAGATCGAGAATCCTGGCAGCGGCAGCTTTGTGCTGGGAG CCATTGCTCTTGGAGTGGCTGCTGCTGCAGCTGTTACAGC AGGCGTGGCCATCGCTAAGACCATCAGACTGGAAGGGA AGTGACCGCCATCAACAACGCCCTGAAGAAGACAACGA GGCCGTCAGCACACTCGGCAATGGCGTTAGAGTGTGGCC ACAGCCGTGCGGAGCTGAAGGACTTCGTGCTTAAGAACC TGTGGCGGGCCATTAACAAGAACAAGTGCGACATCGACG ACCTGAAGATGGCCGTGTCCTTTAGCCAGTTCAACCGCG GTTTCGAACTCGTGCAGGAGTTTAGCGACAACCGCCGGA ATCACACCAGCCATCAGCCTGGACCTGATGACAGATGCTG AGCTGGCTAGAGCCGTGCCATAACATGCCTACATCTGCCG CCAGATCAAGCTGATGCTCGAGAATAGAGCCATGGTCCGA CGGAAAGGCTTCGGCATTCTGATTGGCGTGTACGGCAGCA GCGTGATCTATATGGTGCAGCTGCCTATCTTCGGCGTGATC GACACACCCTGCTGGATTGTGAAGGCCGCTCCTAGCTGTA GCGAGAAGAAGGGCAATTACGCCCTGCCCTGCTGAGAGAGG ACCAAGGCTGGTATTGTTCAGAACGCCGGCAGCACCGTGTA CTACCTTAACGAGAAGGACTGCGAGACAAGAGGCGACCA CGTGTCTGTGATACCGCCGCTGGAATCAATGTGGCCGAG CAGAGCAAAGAGTGAACATCAACATCAGCACCAACCAAC TATCCCTGCAAGGTGTCCACCGCAGGCACCTATTTCTAT GGTGGCTCTGTCTCCTCTGGGAGCCCTGGTGGCTTGTATA AGGGCGTCTCTGTAGCATCGGCAGCAACAGAGTGGGCAT CATCAAGCAGCTGAACAAGGGCTGCAGCTACATCACCAAC CAGGACGCCGATACCGTGACCATCGACAACACCGTGTATC AGCTGAGCAAGGTGGAAGGGCAACAGCACGTGATCAAGG GCAGACCTGTGTCCAGCAGCTTCGACCTATCAAGTTCCC TGAGGATCAGTTCAGGTGGCCCTGGACCAGGTGTTCCGAG AACATCGAGAATTCACAGGCTCTGGTGGACCAGTCCACA GAATCCTGTCTAGCGCCGAGAAGGGAAACACCGGCTTCAT CATCGTGATCATCCTGATCGCCGCTGGGCAGCTCCATG ATCCTGGTGTCCATCTCATCATATCAAGAAGCAAGA AGCCACCGCGCTCCTCCAGAACTGAGCGGAGTGACCAA CAATGGCTTCATCCCTCACAAC</p>	119

TABLE 19-continued

Strain	Nucleic Acid Sequence	SEQ ID No:
	ACAGATCGAGAATCCTGGCAGCGCAGCTTTGTGCTGGGA GCCATTGCTCTGGAGTGGCTGCTGCTGCAGCTGTTACAG CAGGCGTGGCCATCGCTAAGACCATCAGACTGGAAGCG AAGTGACCGCCATCAACAACGCCCTGAAGAAGACAAACG AGGCCGTGAGCAGCTCGGCATGGCGTTAGAGTGCTGGC CACAGCCGTGCGCAGCTGAAGGACTTCGTGTCGAAGAAC CTGACACGGGCCATTAACAAGAACAAGTGGCAGATCGAC GACCTGAAGATGGCCGTGCTTTAGCCAGTTCACCCGGC GGTTTCTGAACGTGCTGCGGCAGTTTAGCGACAACGCCGG AATCACACCAGCCATCAGCCTGGACCTGATGACAGATGCT GAGCTGGCTAGAGCGTGCCTAACATGCCTACATCTGCCG GCCAGATCAAGCTGATGCTCGAGAATAGAGCCATGGTCCG ACGGAAAGGCTTCGGCATTTGATTGGCGGTACGGCAGC AGCGTGATCTATATGGTGCAGCTGCCTATCTTCGGCGTGA TCGACACACCCTGCTGGATTGTGAAGGCCGCTCCTAGCTG TAGCGAGAAGAAGGCCAATTACGCCTGCCCTGCTGAGAGA GGACCAAGGCTGGTATTGTCAGAACGCCCGCAGCACCGTG TACTACCCTAACGAGAAGGACTGCGAGACAAGAGGGCAGC CACGTGTTCTGTGATACCGCCGCTGGAATCAATGTGGCCG AGCAGAGCAAAGAGTGCAACATCAACATCAGCACCCACCA ACTATCCCTGCAAGGTGTCCACCGCAGGCACCCTATTTTC TATGGTGGCTCTGTCTCCTCTGGGAGCCCTGGTGGCTGT ATAAGGGCGTCTCTGTAGCATCGGCAGCAACAGAGTGG GCATCATCAAGCAGCTGAACAGGGCTGCAGCTACATCAC CAACCAGGACGCCGATACCGTGACCATCGACAAACCCGTG TATCAGCTGAGCAAGGTGGAAGGGCAACAGCACGTGATC AAGGGCAGACCTGTGTCCAGCAGCTTCGACCCATCAAGT TCCCTGAGGATCAGTTCCAGGTGGCCCTGGACCAAGGTGT CGAGAACATCGAGAATCCCAGGCTCTGGTGGACCAAGTCC AACAGAATCCTGTCTAGCGCCGAGAAGGAAACACCCGGC TTCATCATCGTGATCATCCTGATCGCCGTGCTGGCAGCTC CATGATCCTGGTGTCCATCTTCATCATATCAAGAAGACC AAGAAGCCACCGCGCTCCTCCAGAATGAGCGGAGTG ACCAACATGGCTTCATCCCTCACAAAC	
HMPV_ProlineStab_D185P	ATGAGCTGGAAGGTGGTTCATCATCTTCAGCCTGCTGATCA CACCTCAGCAGCGCCCTGAAAGAGAGCTACCTGGAAGAGT CCTGCAGCACCATCACAGAGGGCTACCTGTCTGTGCTGAG AACCGGCTGGTACACCAACGTGTTACACTGGAAGTGGGC GACGTCGAGAATCTGACATGCTCTGATGGCCCTAGCCTGA TCAAGACCGAGCTGGATCTGACCAAGAGCGCCCTGAGAG AACTCAAGACCGTGTCTGCCGATCAGCTGGCCAGAGAGGA ACAGATCGAGAATCCTGGCAGCGCAGCTTTGTGCTGGGA GCCATTGCTCTGGAGTGGCTGCTGCTGCAGCTGTTACAG CAGGCGTGGCCATCGCTAAGACCATCAGACTGGAAGCG AAGTGACCGCCATCAACAACGCCCTGAAGAAGACAAACG AGGCCGTGAGCAGCTCGGCATGGCGTTAGAGTGCTGGC CACAGCCGTGCGCAGCTGAAGGACTTCGTGTCGAAGAAC CTGACACGGGCCATTAACAAGAACAAGTGGCAGATCCTTG ACCTGAAGATGGCCGTGCTTTAGCCAGTTCAACCCGGC GTTCTGAACGTGCTGCGGCAGTTTAGCGACAACGCCCGGA ATCACACCAGCCATCAGCCTGGACCTGATGACAGATGCTG AGCTGGCTAGAGCCGTGCCTAACATGCCTACATCTGCCGG CCAGATCAAGCTGATGCTCGAGAATAGAGCCATGGTCCGA CGGAAAGGCTTCGGCATTTGATTGGCGGTACGGCAGCA GCGTGATCTATATGGTGCAGCTGCCTATCTTCGGCGTGATC GACACACCCTGCTGGATTGTGAAGGCCCTCCTAGCTGTA GCGAGAAGAAGGGCAATTACGCCTGCCCTGCTGAGAGAGG ACCAAGGCTGGTATTGTCAGAACGCCCGCAGCACCGTGTA CTACCCTAACGAGAAGGACTGCGAGACAAGAGGCGACCA CGTGTCTGTGATAACCGCCGCTGGAATCAATGTGGCCGAG CAGAGCAAAGAGTGCAACATCAACATCAGCACCCACCAAC TATCCCTGCAAGGTGTCCACCGCAGGCACCCTATTTCTAT GGTGGCTCTGTCTCCTCTGGGAGCCCTGGTGGCTTGTATA AGGGCGTGTCTGTAGCATCGGCAGCAACAGAGTGGGCAT CATCAAGCAGCTGAACAAGGGCTGCAGCTACATCACCAC CAGGACGCCGATACCGTGACCATCGACAACCCGTGATC AGCTGAGCAAGGTGGAAGGGCAACAGCACGTGATCAAGG GCAGACCTGTGTCCAGCAGCTTCGACCCATATCAAGTTCCC TGAGGATCAGTTCCAGGTGGCCCTGGACCAAGGTGTTCGAG AACATCGAGAATCCCAGGCTCTGGTGGACCAAGTCCAACA GAATCCTGTCTAGCGCCGAGAAGGAAACACCGGCTTCAT CATCGTGATCATCCTGATCGCCGTGCTGGCAGCTCCATG ATCCTGGTGTCCATCTTCATCATTATCAAGAAGACCAAGA AGCCACCGGCGCTCCTCCAGAATGAGCGGAGTGACCAA CAATGGCTTCATCCCTCACAAAC	120

TABLE 19-continued

Strain	Nucleic Acid Sequence	SEQ ID No:
HMPV_ProlineStab_D183P	ATGAGCTGGAAGGTGGTCATCATCTTCAGCCTGCTGATCA CACCTCAGCACGGCTGAAAGAGAGGTACCTGGAAGAGT CCTGCAGCACCATCACAGAGGGCTACCTGTCTGTGCTGAG AACCGGCTGGTACACCAACGTGTTCACTGGAAGTGGGC GACGTCGAGAATCTGACATGCTCTGATGGCCCTAGCCTGA TCAAGACCGAGCTGGATCTGACCAAGAGCGCCCTGAGAG AACTCAAGACCGTGTCTGCCGATCAGCTGGCCAGAGAGGA ACAGATCGAGAATCCTGGCAGCGCAGCTTTGTCTGGGA GCCATTGCTCTTGAGTGGCTGTCTGTGCAGCTGTTACAG CAGGCGTGGCCATCGCTAAGACCATCAGACTGGAAGCG AAGTGACCGCCATCAACAACGCCCTGAAGAAGACAAACG AGGCCGTGAGCAGCTCGGCAATGGCGTTAGAGTGTGGC CACAGCCGTGCGCGAGCTGAAGGACTTCGTGTCCAAGAAC CTGACACGGCCATTAAACAAGAACAGTGCCTATCGACG ACCTGAAGATGGCCGTCTTTAGCCAGTTCAACCGGCG GTTTCTGAACGTCTGCGGCAGTTTAGCGACAAACGCGGA ATCACACCGCCATCAGCCTGGACCTGATGACAGATGCTG AGCTGGCTAGAGCCGTGCCTAACATGCCTACATCTGCCG CCAGATCAAGCTGATGCTCGAGAATAGAGCCATGGTCCGA CGGAAAGGCTTCGGCATCTGATTGGCGGTACGGCAGCA GCGTGATCTATATGGTGCAGCTGCCTATCTTCGGCGTGATC GACACACCTGTCTGGATTGTGAAGGCCGCTCCTAGCTGTA GCGAGAAGAGGGCAATTACGCTGCCTGCTGAGAGAGG ACCAAGGCTGGTATTGTGACAACCGCGCAGCACCGTGTA CTACCTAACGAGAAGGACTGCGAGACAAGGGCGACCA CGTGTCTGTGATAACCGCGCTGGAATCAATGTGGCCGAG CAGAGCAAGAGTGAACATCAACATCAGCACCACCAAC TATCCCTGCAAGGTGTCCACCGGCAGGCACCTATTTCTAT GGTGGCTCTGTCTCCTCTGGGAGCCCTGGTGGCTTGTATA AGGGCGTGTCTGTAGCATCGGCAGCAACAGAGTGGGCAT CATCAAGCAGCTGAACAAGGGCTGCAGCTACATCACC AAC CAGGACGCCGATACCGTGACCATCGACAACACCGTGTATC AGCTGAGCAAGGTGGAAGGCAACAGCACCGTGATCAAGG GCAGACCTGTGTCCAGCAGCTTCGACCTATCAAGTTCCC TGAGGATCAGTTCAGGTGGCCCTGGACCAAGTGTTCGAG AACATCGAGAATCCCAGGCTCTGGTGGACCAAGTCCAA GAATCCTGTCTAGCGCCGAGAAGGGAACAACCGGCTTCAT CATCGTGATCATCTGATCGCCGTGCTGGGCGAGCTCCATG ATCCTGGTGTCCATCTTCATATTATCAAGAAGACCAAGA AGCCACCGGCGCTCCTCAGAAGTGAAGCGAGTGACCAA CAATGGCTTCATCCCTCAAC	121
HMPV_ProlineStab_E131P	ATGAGCTGGAAGGTGGTCATCATCTTCAGCCTGCTGATCA CACCTCAGCACGGCTGAAAGAGAGGTACCTGGAAGAGT CCTGCAGCACCATCACAGAGGGCTACCTGTCTGTGCTGAG AACCGGCTGGTACACCAACGTGTTCACTGGAAGTGGGC GACGTCGAGAATCTGACATGCTCTGATGGCCCTAGCCTGA TCAAGACCGAGCTGGATCTGACCAAGAGCGCCCTGAGAG AACTCAAGACCGTGTCTGCCGATCAGCTGGCCAGAGAGGA ACAGATCGAGAATCCTGGCAGCGCAGCTTTGTCTGGGA GCCATTGCTCTTGAGTGGCTGTCTGTGCAGCTGTTACAG CAGGCGTGGCCATCGCTAAGACCATCAGACTGCCTAGCGA AGTGACCGCCATCAACAACGCCCTGAAGAAGACAAACGA GGCCGTGAGCAGCTCGGCAATGGCGTTAGAGTGTGGCC ACAGCCGTGCGCGAGCTGAAGGACTTCGTGTCCAAGAACC TGACACGGGCAATTAACAAGAACAGTGCACATCGACG ACCTGAAGATGGCCGTCTTTAGCCAGTTCAACCGGCG GTTTCTGAACGTCTGCGGCAGTTTAGCGACAAACGCGGA ATCACACCGCCATCAGCCTGGACCTGATGACAGATGCTG AGCTGGCTAGAGCCGTGCCTAACATGCCTACATCTGCCG CCAGATCAAGCTGATGCTCGAGAATAGAGCCATGGTCCGA CGGAAAGGCTTCGGCATCTGATTGGCGGTACGGCAGCA GCGTGATCTATATGGTGCAGCTGCCTATCTTCGGCGTGATC GACACACCTGTCTGGATTGTGAAGGCCGCTCCTAGCTGTA GCGAGAAGAGGGCAATTACGCTGCCTGCTGAGAGAGG ACCAAGGCTGGTATTGTGACAACCGCGCAGCACCGTGTA CTACCTAACGAGAAGGACTGCGAGACAAGGGCGACCA CGTGTCTGTGATAACCGCGCTGGAATCAATGTGGCCGAG CAGAGCAAGAGTGAACATCAACATCAGCACCACCAAC TATCCCTGCAAGGTGTCCACCGGCAGGCACCTATTTCTAT GGTGGCTCTGTCTCCTCTGGGAGCCCTGGTGGCTTGTATA AGGGCGTGTCTGTAGCATCGGCAGCAACAGAGTGGGCAT CATCAAGCAGCTGAACAAGGGCTGCAGCTACATCACC AAC CAGGACGCCGATACCGTGACCATCGACAACACCGTGTATC AGCTGAGCAAGGTGGAAGGCAACAGCACCGTGATCAAGG GCAGACCTGTGTCCAGCAGCTTCGACCTATCAAGTTCCC TGAGGATCAGTTCAGGTGGCCCTGGACCAAGTGTTCGAG	122

TABLE 19-continued

Strain	Nucleic Acid Sequence	SEQ ID No:
HMPV_ProlineStab_D447P	<p>AACATCGAGAATTCCAGGCTCTGGTGGACCAGTCCAACA GAATCCTGTCTAGCGCCGAGAAGGGAAACACCGGCTTCAT CATCGTGATCATCTGATCGCCGTGCTGGGCAGCTCCATG ATCCTGGTGTCCATCTTCATCATTATCAAGAAGACCAAGA AGCCACCGGCGCTCCTCCAGAACTGAGCGGAGTGACCAA CAATGGCTTCATCCCTCACAAAC</p>	123
HMPV_TrimerepulsionD454N	<p>ATGAGCTGGAAGGTGGTCATCATCTTCAGCCTGTGATCA CACCTCAGCAGCGCCTGAAAGAGAGCTACCTGGAAGAGT CCTGCAGCACCATCACAGAGGGCTACCTGTCTGTGCTGAG AACCGGCTGGTACACCAACGTGTTCACTGGAAGTGGGC GACGTGAGAATCTGACATGCTCTGATGGCCCTAGCCTGA TCAAGACCGAGCTGGATCTGACCAAGAGCGCCCTGAGAG AACTCAAGACCGTGTCTGCCGATCAGCTGGCCAGAGAGGA ACAGATCGAGAATCCTGGCAGCGGAGCTTTGTGCTGGGA GCCATTGCTCTTGGAGTGGCTGCTGCTGCAGCTGTACAG CAGGCGTGGCCATCGCTAAGACCATCAGACTGGAAGCG AAGTGACCGCCATCAACAACGCCCTGAAGAAGACAAACG AGGCCGTGAGCACACTCGGCATGGCGTTAGAGTGTGGC CACAGCCGTGCGCGAGCTGAAGGACTTCGTGTCCAAGAAC CTGACACGGGCCATTAACAAGAACAAGTGCACATCGAC GACCTGAAGATGGCCGTGCTCTTAGCCAGTTCAACCGGC GGTTCCTGAACGTGCTGCGGAGTTAGCGACAACGCCCG AATCACACCAGCCATCAGCCGACCTGATGACAGATGCT GAGCTGGTAGAGCCGTGCCAATGCTTACATCTGCGCG GCCAGATCAAGCTGATGCTCAGAAATAGAGCCATGGTCCG ACGGAAAGGCTTCGGCATTCGATTGGCGTGTACGGCAGC AGCGTGATCTATATGGTGCAGCTGCCTATCTTCGGCGTGA TCGACACACCCTGCTGGATTGTGAAGGCCGCTCCTAGCTG TAGCGAGAAGAAGGGCAATTACGCCCTGCCTGCTGAGAGA GGCAAGGCTGGTATTGTCAGAACCGCGGAGCACCCTG TACTACCCTAACGAGAAGGACTGCGAGACAAAGGGCGAC CACGTGTTCTGTGATACCGCCGCTGGAATCAATGTGGCCG AGCAGAGCAAAGAGTGCAACATCAACATCAGCACCAACCA ACTATCCCTGCAAGGTGTCCACCGGACGGCACCTATTTTC TATGGTGGCTCTGTCTCCTCTGGGAGCCCTGGTGGCTTGT ATAAGGGCGTCTCTGTAGCATCGGCAGCAACAGAGTGG GCATCATCAAGCAGCTGAACAAGGGCTGCAGCTACATCAC CAACCAGGACGCCGATACCGTGACCATCGACAACACCGTG TATCAGCTGAGCAAGGTGGAAGGGCAACAGCAGCTGATC AAGGGCAGACCTGTGTCCAGCAGCTTCCACCTATCAAGT TCCCTGAGGATCAGTTCAGGTGGCCCTGGACCAGGTGTT CGAGAATCGAGAATTCAGGCTCTGGTGGACCAGTCC AACAGATCTGTCTAGCGCCGAGAAGGGAAACACCGGC TTCATCATCGTGATCATCCTGATCGCCGTGCTGGGCAGCTC CATGATCCTGGTGTCCATCTTCATCATATCAAGAAGACC AAGAAGCCACCGGCGCTCCTCCAGAACTGAGCGGAGTG ACCAACAAATGGCTTCATCCCTCACAAAC</p>	124

TABLE 19-continued

Strain	Nucleic Acid Sequence	SEQ ID No:
	TATGGTGGCTCTGTCTCCTCTGGGAGCCCTGGTGGCTTGT ATAAGGGCGTGTCTGTAGCATCGGCAGCAACAGAGTGG GCATCATCAAGCAGCTGAACAGGGCTGCAGCTACATCAC CAACCAGGACGCCGATACCGTGACCATCGACAACACCGTG TATCAGCTGAGCAAGGTGGAAGGCGAACAGCACCTGATC AAGGGCAGACCTGTGTCCAGCAGCTTCGACCCATCAAGT TCCCTGAGAACCAGTTCAGGTGGCCCTGGACCAGGTGTT CGAGAACATCGAGAATCCCAGGCTCTGGTGGACCAGTCC AACAGAATCTGTCTAGCGCCGAGAAGGAAACACCGGC TTCATCATCGTGATCATCTGATCGCCGTGCTGGGCAGCTC CATGATCCTGGTGTCCATCTTCATCATATCAAGAAGACC AAGAAGCCCACCGGCGCTCCTCCAGAATGAGCGGAGTG ACCAACATGGCTTCATCCCTCACAAAC	
HMPV_TrimerRepulsionE453N	ATGAGCTGGAAGGTGGTCATCATCTTCAGCCTGCTGATCA CACCTCAGCACGGCCTGAAAGAGAGCTACCTGGAAGAGT CCTGCAGCACCATCACAGAGGGCTACCTGTCTGTGCTGAG AACCGGCTGGTACACCAACGTGTTCACTGGAAGTGGGC GACGTCGAGAATCTGACATGCTCTGATGGCCCTAGCCTGA TCAAGACCGAGCTGGATCTGACCAAGAGCGCCCTGAGAG AACTCAAGACCGTGTCTGCCGATCAGCTGGCCAGAGAGGA ACAGATCGAGAATCCTGGCAGCGCAGCTTGTGCTGGGA GCCATTGCTCTGGAGTGGCTGTGCTGCAGCTGTACAG CAGGCGTGGCCATCGTAAGACCATCAGACTGGAAGCG AAGTGACCGCCATCAACAACGCCCTGAAGAAGACAAACG AGGCCGTGAGCAGACTCGGCATGGCGTTAGAGTGCTGGC CACAGCCGTGCGCGAGCTGAAGGACTTCGTGTCCAAGAAC CTGACACGGGCCATTAAACAAGAACAAGTGCGACATCGAC GACCTGAAGATGGCCGTGCTTTAGCCAGTTCACCGGC GGTTTCTGAACGTCGTGCGGCAGTTTAGCCGACAACCGCG AATCACACCAGCCATCAGCCTGGACCTGATGACAGATGCT GAGCTGGCTAGAGCCGTGCCATAACATGCCTACATCTGCCG GCCAGATCAAGCTGATGCTCGAGAATAGAGCCATGGTCCG ACGGAAAGGCTTCGGCATTCGATTGGCGTGTACGGCAGC AGCGTGATCTATATGGTGCAGCTGCCTATCTTCGGCGTGA TCGACACACCCTGCTGGATTGTGAAGGCCGCTCCTAGCTG TAGCGAGAAGAAGGCCAATTACGCCTGCCTGCTGAGAGA GGACCAAGGCTGGTATTGTGCAAGCGCCGCGAGCACCGTG TACTACCCTAACGAGAAGGACTGCGAGACAAGAGGGCGAC CACGTGTCTGTGATACCGCGCTGGAATCAATGTGGCCG AGCAGAGCAAAGAGTGCAACATCAACATCAGCACCCACCA ACTATCCCTGCAAGGTGTCCACCGGAGGCACCCATTTTC TATGGTGGCTCTGTCTCCTCTGGGAGCCCTGGTGGCTTGT ATAAGGGCGTGTCTGTAGCATCGGCAGCAACAGAGTGG GCATCATCAAGCAGCTGAACAGGGCTGCAGCTACATCAC CAACCAGGACGCCGATACCGTGACCATCGACAACACCGTG TATCAGCTGAGCAAGGTGGAAGGCGAACAGCACCTGATC AAGGGCAGACCTGTGTCCAGCAGCTTCGACCCATCAAGT TCCCTCAGGATCAGTTCAGGTGGCCCTGGACCAGGTGTT CGAGAACATCGAGAATCCCAGGCTCTGGTGGACCAGTCC AACAGAATCTGTCTAGCGCCGAGAAGGAAACACCGGC TTCATCATCGTGATCATCTGATCGCCGTGCTGGGCAGCTC CATGATCCTGGTGTCCATCTTCATCATATCAAGAAGACC AAGAAGCCCACCGGCGCTCCTCCAGAATGAGCGGAGTG ACCAACATGGCTTCATCCCTCACAAAC	125
HMPV_StabilizeAlphaF196W	ATGAGCTGGAAGGTGGTCATCATCTTCAGCCTGCTGATCA CACCTCAGCACGGCCTGAAAGAGAGCTACCTGGAAGAGT CCTGCAGCACCATCACAGAGGGCTACCTGTCTGTGCTGAG AACCGGCTGGTACACCAACGTGTTCACTGGAAGTGGGC GACGTCGAGAATCTGACATGCTCTGATGGCCCTAGCCTGA TCAAGACCGAGCTGGATCTGACCAAGAGCGCCCTGAGAG AACTCAAGACCGTGTCTGCCGATCAGCTGGCCAGAGAGGA ACAGATCGAGAATCCTGGCAGCGCAGCTTGTGCTGGGA GCCATTGCTCTGGAGTGGCTGTGCTGCAGCTGTACAG CAGGCGTGGCCATCGTAAGACCATCAGACTGGAAGCG AAGTGACCGCCATCAACAACGCCCTGAAGAAGACAAACG AGGCCGTGAGCAGACTCGGCATGGCGTTAGAGTGCTGGC CACAGCCGTGCGCGAGCTGAAGGACTTCGTGTCCAAGAAC CTGACACGGGCCATTAAACAAGAACAAGTGCGACATCGAC GACCTGAAGATGGCCGTGCTTTAGCCAGTGGACCGGC GGTTTCTGAACGTCGTGCGGCAGTTTAGCCGACAACCGCG AATCACACCAGCCATCAGCCTGGACCTGATGACAGATGCT GAGCTGGCTAGAGCCGTGCCATAACATGCCTACATCTGCCG GCCAGATCAAGCTGATGCTCGAGAATAGAGCCATGGTCCG ACGGAAAGGCTTCGGCATTCGATTGGCGTGTACGGCAGC AGCGTGATCTATATGGTGCAGCTGCCTATCTTCGGCGTGA	126

TABLE 19-continued

Strain	Nucleic Acid Sequence	SEQ ID No:
	TCGACACACCCTGCTGGATTGTGAAGGCCGCTCCTAGCTG TAGCGAGAAGAAGGGCAATTACGCCTGCCTGCTGAGAGA GGACCAAGGCTGGTATTGTCAGAACGCCGGCAGCACCGTG TACTACCCTAACGAGAAGGACTGCGAGACAAGAGGCGAC CACGTGTCTGTGATACCGCCGCTGGAATCAATGTGGCCG AGCAGAGCAAAGAGTGAACATCAACATCAGCACCCACA ACTATCCCTGCAAGGTGTCCACCGGAGGCAACCTATTTT TATGGTGGCTGTCTCCTCTGGGAGCCCTGGTGGCTTGT ATAAGGGCGTGTCTGTAGCATCGGCAGCAACAGAGTGG GCATCATCAAGCAGCTGAACAAGGGCTGCAGCTACATCAC CAACCAGGACGCCGATACCGTGACCATCGACAACCCGTG TATCAGCTGAGCAAGGTGAAGGCGAACAGCACGTGATC AAGGGCAGACCTGTGTCCAGCAGCTTCGACCCTATCAAGT TCCCTGAGGATCAGTTCAGGTGGCCCTGGACCAGGTGTT CGAGAACATCGAATATCCAGGCTCTGGTGGACCAGTCC AACAGAAATCTGTCTAGCGCCGAGAAGGGAACACCGGC TTCATCATCTGTGATCATCTGATCGCCGTGTGGGAGCTC CATGATCCTGGTGTCCATCTTCATCATTATCAAGAAGACC AAGAAGCCACCGGCGCTCCTCCAGAACTGAGCGGAGTG ACCAACAATGGCTTCATCCCTCACAAC	
Human Metapneumovirus mRNA Sequences		
HMPV_SC_DSCAV1_4MMV	AUGAGCUGGAAGGUGGUCAUCAUCUACGCCUGCUGAU CACACCU CAGCACGGCCUGAAAGAGAGCUACCCUGGAAGA GUCCUGCAGCACCAUCAAGAGGGCUACCUUGUCUGUGCU GAGAAACGGCUGGUACACCAACGUGUUCACACUGGAAGU GGGCGACGUCGAGAAUCUGACAUGCUCUGAUGGCCCUAG CCUGAUC AAGACCGAGCUGGAUCUGACCAAGAGCGCCCU GAGAGAACUCAAGACCGUGUCUGCCGAUCAGCUGGCCAG AGAGGAACAGAUCCGAGAAUCUGGCAGCGGAGCUUUG UGCUGGGAGCCAUUGCUCUUGGAGUGGCUGCUGCUGCA GCUGUUA CAGCAGGCGUGGCCAUCUGCAAGACCAUCAGA CUGGAAAGCGAAGUGACCGCCAUCAACAACGCCCUAGAAG AAGACAAACGAGGCGUCAGCACACUCGGCAUUGGCGUU AGAGUGCUGGCCUUUGCCGUGCGGAGCUGAAGGACUUC GUGUCCAGAACCUGACACGGGCCUGAACAAAGAACAG UGCGACAUCGACGACCUGAAGAUUGGCCUGUCCUUUAGC CAGUUAACCGGGCGUUUCUGAACGUCUGCGGCGAGUUU AGCGACAACCGCGAAUCACACCAGCCAUAGCCUGGAC CUGAUGACAGAUUGCUGAGCUGGCUGAGCCGUGCCUAC AUGCCUA CAUCUGCCGGCCAGAUCAAGCUGAUGCUCGAG AAUAGAGCCAUGGUCCGACGAAAGGCUUCGGCAUUCU GUGUGGCUGUACGGCAGCAGCGUGAUCUAUUAUGGUGC AGCUGCCUAUCUUGCGGUGAUCGACACCCUUGCUGGA UUGUGAAGGCCGCUCCUAGCUGUAGCGAGAAGAAGGGC AAUUAACGCCUGCCUGGAGAGAGGACCAGGGCUGGUA UUGUCAGAACGCCGGCAGCACCGUGUACUACCCUAACGA GAAGGACUGCGAGACAAGAGGCGACCCGUGUUUCUGUG AUACCGCCGUGGAAUCAUUGUGCCGAGCAGAGCAAAG AGUGCAACAUCACAUCAGCACCCACCAUCUACCCUGCA AGGUGUCCACCGGACGGCACCCUAUUUCUAUGGUGGCUC UGUUCUCUCUGGGAGCCUGGUGGCUUGUUAUUAAGGGC GUGUCUGUAGCAUCGGCAGCAACAGAGUGGGCAUCAUC AAGCAGCUGAACAAAGGGCUGCAGCUACAUCACCAACCAG GACGCCGAUACCGUGACCAUCGACAACACCGUGUAUCAG CUGAGCAAGGUGGAAGGGCAACAGCACGUGAUC AAGGG CAGACCU GUGUCCAGCAGCUUCGACCCUAUCAAGUUC UGAGGAUCAGUUAACGUGGCCUGGACCAAGGUGUUCG AGAACAU CGAGAAUUCACAGGCUUCUGGUGGACAGUCCA ACAGAAUCCUGUCUAGCGCCGAGAAGGGAACAACCGGCU UCAUCAUCGUGAUCAUCCUGAUCGCCGUGCUGGGCAGCU CCAUGAUCUGGUGUCCAUUCUAUCAUUAUCAAGAAGA CCAAGAAGCCACCGGCGCUCCUCCAGAACTGAGCGGAG UGACCAACA AUGGCUUCAUCUCCUACAAC	127
HMPV_SC_DSURIC_4MMV	AUGAGCUGGAAGGUGGUCAUCAUCUACGCCUGCUGAU CACACCU CAGCACGGCCUGAAAGAGAGCUACCCUGGAAGA GUCCUGCAGCACCAUCAAGAGGGCUACCUUGUCUGUGCU GAGAAACGGCUGGUACACCAACGUGUUCACACUGGAAGU GGGCGACGUCGAGAAUCUGACAUGCUCUGAUGGCCCUAG CCUGAUC AAGACCGAGCUGGAUCUGACCAAGAGCGCCCU GAGAGAACUCAAGACCGUGUCUGCCGAUCAGCUGGCCAG AGAGGAACAGAUCCGAGAAUCUGGCAGCGGAGCUUUG UGCUGGGAGCCAUUGCUCUUGGAGUGGCUGCUGCUGCA GCUGUUA CAGCAGGCGUGGCCAUCUGCAAGACCAUCAGA CUGGAAAGCGAAGUACCGCCAUCAACACGCCCUAGAAG	128

TABLE 19-continued

Strain	Nucleic Acid Sequence	SEQ ID No:
	AAGACAAACGAGGCCGUCAGCACACUCGGCAAUGGCGUU AGAGUGCUGGCCACAGCCGUGCGCGAGCUGAAGGACUUC GUGUCCAAGAACCUGACACGGGCCAUUAACAAGAAACAAG UGCGACAUCGACGACCCUGAAGAUGGCCGUGUCCUUUAGC CAGUUCACACGGCCGUGUUCUGAACGUCGUGCGGCAGUUU AGCGACAACGCCGGAAUACACACAGCCAUACGCGGAC CUGAUGACAGAUGCUGAGCUGGCUGAGCCGUGCCUAAAC AUGCCUACAUCUGCCGGCCAGAUCAAGCUGAUGCUCGAG AAUAGAGCCAUGGUCCGACGGAAAGGCUCGGCAUUCU GUGUGCGGUGUACGGCAGCAGCGUGAUCUAUAGGUGC AGCUGCCUAUCUUCGGCGUGAUCGACACACCCUGCUGGA UUGUGAAGGCCCGCUCUAGCUGUAGCGAGAAGAAGGGC AAUUAACGCCUGCCUGGAGAGAGGACCAAGGCUGGUA UUGUCAGAACGCCGGCAGCACCGUGUACUACCCUAACGA GAAGGACUGCGAGACAAGAGGCGACCCGUGUUCUGUG AUACCCGCGCUGGAAUCAAUGUGGCCGAGCAGACAAAG AGUGCAAUCAACAUCAGCACCAACCAUAUCCUGCA AGGUGUCCACCGGCAGGCACCUAUUUUAUAGGUGGCUC UGUCUCCUCUGGGAGCCUUGGUGGUUUAUAAGGGC GUGUCCUGUAGCAUCGGCAGCAACAGAGUGGGCAUCAUC AAGCAGCUGAACAAAGGGCUGCAGCUACUACCAACCCAG GACGCCGAUACCGUGACCAUCGACAACCCGUGUAUCAG CUGAGCAAGGUGGAAGGCAGACAGCAGCUGAUCAGGG CAGACCGUGUCCAGCAGCUUCGACCCUAUCAAGUUCUCC UGAGCACAGUGGCAUGUGGCCUGGACCCAGGUGUUCGA GAAUCAUCGAGAAUUCAGGCUCUGGUGGACAGUCCAA CAGAAUCUGUACGCGCCGAGAAGGGAAACACCGGCUC CAUCAUCGUAUCAUCUGAUCGCGUGCUGGGCAGCUC CAUGAUCUGGUGUCCAUUCUAUCAUUAUCAAGAAGAC CAAGAAGCCACCGGCUCUCUCCAGAAUCUGAGCGGAGU GACCAACAAGGCUUCAUCCUCAAC	
HMPV_SC_DM_Krarup_U74LD185P	AUGAGCUGGAAGGUGGUCAUCAUCUACGCCUGCUGAU CACACCUAGCACGGCCUGAAGAGAGCUACCCUGGAAGA GUCCUGCAGCACCAUCAAGAGGGCUACCCUGUCUGUGCU GAGAACCAGGCGUGUACCAACCGUGUUCACACUGGAAGU GGGCGAGCUCGAGAAUCUGAUCGUCUGAUGGCCUAG CCUGAUCAGACCGAGCUGGUAUCGUCUACAGAGCGCCU GAGAGAAUCUAGACCGUGUCUGCCGUAUCAGCUGGCCAG AGAGGAACAGAUAGGAAUCUGGCAGCGCAGCUUUG UGCUGGGAGCCAUUGCUUCUGGAGUGGUCUGCUGCA GCUGUAACAGCAGGCGUGGCCAUCGCUAAGACCAUCAGA CUGGAAAGCGAAGUGACCGCAUCAACAACCCUGAAG AAGACAACAGGGCCGUCAGCACACUCGGCAAUGGCGUU AGAGUGCUGGCCACAGCCGUGCGCAGCUGAAGGACUUC GUGUCCAAGAACCUGACACGGGCCAUUAACAAGAACAAG UGCGACAUCUCCUAGCCUGAAGAUGGCCGUGUCCUUUAGC CAGUUCACACGGCCGUGUUCUGAACGUCGUGCGGCAGUUU AGCGACAACGCCGGAAUACACACAGCCAUACGCGUGGAC CUGAUGACAGAUGCUGAGCUGGCUGAGCCGUGCCUAAAC AUGCCUACAUCUGCCGGCCAGAUCAAGCUGAUGCUCGAG AAUAGAGCCAUGGUCCGACGGAAAGGCUCGGCAUUCU GAUUGGCUGUACGGCAGCAGCGUGAUCUAUAGGUGC AGCUGCCUAUCUUCGGCGUGAUCGACACACCCUGCUGGA UUGUGAAGGCCGCUCCUAGCUGUAGCGAGAAGAAGGGC AAUUAACGCCUGCCUGGAGAGAGGACCAAGGCUGGUA UUGUCAGAACGCCGGCAGCACCGUGUACUACCCUAACGA GAAGGACUGCGAGACAAGAGGCGACCCGUGUUCUGUG AUACCCGCGCUGGAAUCAAUGUGGCCGAGCAGAGCAAAG AGUGCAAUCAACAUCAGCACCAACCAUAUCCUGCA AGGUGUCCACCGGCAGGCACCUAUUUUAUAGGUGGCUC UGUCUCCUCUGGGAGCCUUGGUGGUUUAUAAGGGC GUGUCUGUAGCAUCGGCAGCAACAGAGUGGGCAUCAUC AAGCAGCUGAACAAAGGGCUGCAGCUACUACCAACCCAG GACGCCGAUACCGUGACCAUCGACAACCCGUGUAUCAG CUGAGCAAGGUGGAAGGGCAACAGCAGCUGAUCAGGG CAGACCGUGUCCAGCAGCUUCGACCCUAUCAAGUUCUCC UGAGGAUCAGUUCAGGUGGCCUGGACCCAGGUGUUCG AGAACAUUCGAGAAUUCAGGCUCUGGUGGACAGUCCA ACAGAAUCCUGUCUAGCGCCGAGAAGGGAAACAACCGGCU UCAUCAUCGUAUCAUCUGAUCGCGGUGCUGGGCAGCU CCAUGAUCUGGUGUCCAUUCUAUCAUUAUCAAGAAGA CCAAGAAGCCACCGGCUCUCUCCAGAAUCUGAGCGGAG UGACCAACAAGGCUUCAUCCUCAAC	129
HMPV_SC_UM_Krarup_U74LD185PD454N	AUGAGCUGGAAGGUGGUCAUCAUCUACGCCUGCUGAU CACACCUAGCACGGCCUGAAGAGAGCUACCCUGGAAGA	130

TABLE 19-continued

Strain	Nucleic Acid Sequence	SEQ ID No:
	GUCCUGCAGCACCAUCACAGAGGGCUACCUGUCUGUGCU GAGAACCGGCGUGUACACCAACGUGUUCACACUGGAGAGU GGGCGACGUCGAGAAUCUGACAUGCUCUGAUGGCCUAG CCUGAUCAGACCGAGCUGGUAUCUGCUCAAGAGCGCCU GAGAGAACUCAAGACCGUGUCUGCCGUAUCAGCUGGCCAG AGAGGAAACAGAUCCGAGAAUCUGGCAGCGGCAGCUUUG UGCUGGGAGCCAUUGCUCUUGGAGUGGCUGCUGCUGCA GCUGUUAACGACAGCGUGGCCAUCGCUAAGACCAUCAGAA CUGGAAAGCGAAGUGACCGCCAUCAACAACGCCUGAAG AAGACAACCGAGGCGUCAGCACACUCGGCAAUGGCGUU AGAGUGCUGGCCACAGCCGUGCGGAGCUGAAGGACUUC GUGUCCAAGAACCUGACACGGGCCAUUAACAAGAACAG UGCACAUCUCCUGAACCUGAAGAGGCGGUGUCUUAAGC CAGUUAACCGGCGUUUCUGAACGUCGUGCGGCAGUUU AGCGACAACCGCGAAUCACACAGCCAUACGCGUGGAC CUGAUGACAGAUUCUGAGCUGGCUGAGCCGUGCCUAA AUGCCUAUCAUCUGCCGGCCAGAUCAAGCUGAUGCUCGAG AAUAGAGCCAUGGUCGCGAAAGGCUUCGGCAUUCU GAUUGGCGUGUACGGCAGCAGCUGUAUCUAUAUGGUGC AGCUGCCUAUCUUCGGCGUGAUCGACAACCCUGCUGGA UUGUGAAGGCCGCUCCUAGCUGUAGCGAGAAGAAGGGC AAUUAACGCGUGCCUGCUGAGAGAGGACCAAGGCUUGUA UUGUCAGAACCGCCGAGCACCGUGUAUCUACCUAACGA GAAGGACUGCGAGACAAGAGGCGACCAAGUUCUGUG AUACCGCGCUGGAAUCAUUGGCGGAGCAGAGCAAAG AGUGCAAUCAACAUCAGCACCAACCAUCUACCCUGCA AGGUGUCCACCGGCGAGCCAUUUUCUAUGGUGGCUC UGUUCUCCUGGGAGCCUUGGUGCUUGUUUAAGGGC GUGUCUGUAGCAUCGGCAGCAACAGAGUGGGCAUCAUC AAGCAGCUGAACAAAGGCGUGCAGCUACAUCAACCAAG GACCGCAUACCGUGACCAUCGACAACCCGUGUAUCAG CUGAGCAAGGUGGAAAGGCAACAGCACGUGAUCAGGG CAGACUGUGUCCAGCAGCUUCGACCCUAUCAAGUUCU UGAGAACCAGUUCAGGUGGCCUGGACCAAGGUGUUCGA GAAUCAUCGAGAAUCCAGGCUUCUGGUGGACAGUCCAA CAGAAUCUGUCUAGCGCGAGAAGGAAACACCGGCUU CAUCAUCGUAUCAUCUGAUCGCGGUGCUGGGCAGCUC CAUGAUCUGGUGUCCAUUCUAUCAUUAUCAAGAAGAC CAAGAAGCCACCGGCGUCUCCAGAACUGAGCGGAGU GACCAACAAGGCUUCAUCCUCAACA	
HMPV_SC_4M_Krarup_U74LS170LD185P	AUGAGCUGGAAGGUGGUAUCAUCUUCAGCCUGCUGAU CACACCUAGCACGGCCUGAAAGAGAGCUACCUGGAGA GUCCUGCAGCACCAUCACAGAGGGCUACCUGUCUGUGCU GAGAACCGGCGUGUACACCAACGUGUUCACACUGGAGU GGGCGACGUCGAGAAUCUGACAUGCUCUGAUGGCCUAG CCUGAUCAGACCGAGCUGGUAUCUGCUCAAGAGCGCCU GAGAGAACUCAAGACCGUGUCUGCCGAUCAGCUGGCCAG AGAGGAAACAGAUCCGAGAAUCUGGCAGCGGCAGCUUUG UGCUGGGAGCCAUUGCUCUUGGAGUGGCUGCUGCUGCA GCUGUUAACGACAGCGUGGCCAUCGCUAAGACCAUCAGA CUGGAAAGCGAAGUGACCGCCAUCAACAACGCCUGAAG AAGACAACCGAGGCGUCAGCACACUCGGCAAUGGCGUU AGAGUGCUGGCCACAGCCGUGCGGAGCUGAAGGACUUC GUGCUUAAGAACCUGACACGGGCCAUUAACAAGAACA GUGCGACAUCUCCUGACCGUAAGAUGGCUGUCUUAAG CCAGUUAACCGGCGUUUCUGAACGUCUGCGGCAGUU UAGCGACAACCGCGGAUCAACAGCCAUACAGCCUGGA CCUGAUGACAGAUUCGAGCUGGCUAGAGCCGUGCCUAA CAUGCCUAUCUCCGGCCAGAUCAAGCUGAUGCUCGA GAAUAGGCCAUGGUCGACGGAAGGCUUCGGCAUUC UGAUUGGCGUGUACGGCAGCAGCUGAUCUAUAUGGUG CAGCUGCCUAUCUUCGGCGUAUCGACACACCCUGCUGG AUUGUGAAGGCCGCUUCUAGCUGUAGCGAGAAGAAGGG CAAUUAACGCUUGCCUGCUGAGAGAGGACCAAGGCUUGUA UUGUCAGAACCGCCGAGCACCGUGUAUCUACCUAACGA GAAGGACUGCGAGACAAGAGGCGACCAAGUUCUGUG AUACCGCGCUGGAAUCAUUGGCGGAGCAGAGCAAAG AGUGCAAUCAACAUCAGCACCAACCAUCUACCCUGCA AGGUGUCCACCGGCGAGCCAUUUUCUAUGGUGGCUC UGUUCUCCUGGGAGCCUUGGUGCUUGUUUAAGGGC GUGUCUGUAGCAUCGGCAGCAACAGAGUGGGCAUCAUC AAGCAGCUGAACAAAGGCGUGCAGCUACAUCAACCAAG GACCGCAUACCGUGACCAUCGACAACCCGUGUAUCAG CUGAGCAAGGUGGAAAGGCAACAGCACGUGAUCAGGG CAGACUGUGUCCAGCAGCUCGACCCUAUCAAGUUCU UGAGGAUCAGUUCAGGUGGCCUGGACCAAGGUGUUCG	131

TABLE 19-continued

Strain	Nucleic Acid Sequence	SEQ ID No:
HMPV_SC_5M_Krarup_U74LS170LD185PD454N	AGAACAU CGAGAAU UCCAGGCUCUGGUGACCAGUCCA ACAGAAU CCUGUCUAGCGCCGAGAGGGAAACACCGGCU UCAUCAUCGUGAUCUCCUGAUCGCCGUGCUGGGCAGCU CCAUGAUCUGGUGUCAUCUUCUCAUUAUCAAGAAGA CCAAGAGCCACCGGGCUCUCCAGAACUGAGCGGAG UGACCAACAAUGGCUUCAUCCUCACAAC	132
HMPV_SC_DM_Krarup_E51PU74L	AUGAGCUGGAAGGUGGUAUCAUCUUCAGCCUGCUGAU CACACCU CAGCACGGCCUGAAGAGAGCUACCCUGGAAGA GUCCUGCAGCACCAUCACAGAGGGCUACCCUGUCUGUGCU GAGAACCGGCUGGUACACCAACGUGUUCACACUGCCUGU GGGCGACGUCGAGAAUCUGAUCUUCUGAUGGCCUAG CCUGAUC AAGACCGAGCUGGAUCUGUCU CAGAGCGCCCU GAGAGAACUCAAGACCGUGUCUGCCGUAUCAGCUGGCCAG AGAGGAACAGAU CGAGAAUCUGGCAGCGCAGCUUUG UGCUGGGAGCCAUUGCUCUUGGAGUGGCUGCUGCUGCA GCUGUUA CAGCAGCGGUGGCCAUUCGUAAGACCAUCAGA CUGGAAAGCGAAGUGACCGCCAUCAACAACGCCUGAAG AAGACAAACGAGGCGUCAGCACACUCGGCAAUGGCGUU AGAGUGCUGGCCACAGCCGUGCGGAGCUGAAGGACUUC GUGUCCAGAAACUGACACGGGCCAUUAACAAGAACAG UGCGACAU CGACGACUGAAGAUUGGCCUGUCCUUUAGC CAGUUAACCGGGCGUUUCUGAACGUCGUGCGGAGUUU AGCGACACCGCGGAAUCACACCGCCAUACGCUGGAC CUGAUGACAGAUUGCUGAGCUGGCUGAGCCGUGCCUAC AUGCCUA CAUCUGCCGGCCAGAUCAAGCUGAUGCUGGAG AAUAGAGCCAUUGUCCGACGAAAGGCUUCGGCAUUCU GAUUGGCUGUACGGCAGCAGCUGAUCUAUUGGUGC AGCUGCCUAUCUGCGGUGAUCGACACCCUGCUGGA UUGUAGAAGCCGCUCCUAGCUGUAGCGAGAAGAAGGC AAUUA CGCCUGCCUGGAGAGAGGACCAAGGCUGGUA UUGUCAGAACCGGGCAGCACCGUGUAUACCCUAACGA GAAGGACUGCGAGACAAGAGGCGACCAUGUUCUGUG AUACCGCGCUGGAUCAAUGUGCGGAGCAGAGCAAAG	133

TABLE 19-continued

Strain	Nucleic Acid Sequence	SEQ ID No:
HMPV_SC_UM_Krarup_E51PU74LD454N	AGUGCAACAACAUCAGCACCACCAACUAUCCUGCA AGGUGUCACCGGCAGGCACCCUAUUUCUAUGGUGGCUC UGUCUCCUCUGGGAGCCUGGUGGCUUUAUAAGGGC GUGUCUAGCAUCGGCAGCAACAGAGUGGGCAUCAUC AAGCAGCUGAACAGGGCUGCAGCUACAUCAACCACAG GACGCCGAUACCGUGACCAUCGACACACCCGUAUCAG CUGAGCAAGGUGGAAGGCAGCAGCAGGUAUCAAGGG CAGACCUUGUCCAGCAGCUUCGACCCUAUCAAGUUC UGAGGAUCAGUUCAGGUGGCCUGGACAGGUGUUCG AGAACAUCAAGAAUUCAGGCUCUGGUGACAGUCCA ACAGAAUCCUGUCUAGCGCCGAGAGGGAAACACCGCU UCAUCAUCGUAUCAUCUGAUCGCGGUCUGGGCAGCU CCAUGAUCUGGUGUCAUCUUAUCAUUAUCAAGAAGA CCAAGAGCCACCGGCUCUCCAGAACUGAGCGGAG UGACCAACAAGGCUUCAUCCUCACAAC	134
HMPV_SC_SUabilizeAlpha_U74L	AUGAGCUGGAAGGUGGUAUCAUCUUCAGCCUGCUGAU CACACCUAGCAGCGCCUGAAAGAGAGCUACCGGAAGA GUCCUGCAGCACCAUCACAGAGGGCUACCGUCUGUGCU GAGAACCGGCUGGUACACCAACGUGUUCACACUGGAAGU GGGCGACGUCGAGAAUCGACAUUCUUGGCGCCUAG CCUGAUCAGACCGAGCUGGUAUCGUCUAGAGAGCGCCU GAGAGAACUCAAGACCGUGUCGCGAUCAGCUGGCCAG AGAGGAACAGAUUCGAGAAUUCUGGCAGCGGAGCUUUG UGCUGGGAGCCAUUGCUUCUGGAGUGGCUUCUGCUGCA GCUGUACAGCAGCGUGGCCAUCGCUAAGACCAUCAGA CUGGAAAGCGAAGUGACCGCAUCAACAACCGCCUGAAG AAGACAAACGAGGCCGUCAGCACACUCGGCAUUGGCGUU AGAGUGCUGGCACAGCCGUGCGGAGCUGAAGGACUUC GUGUCCAGAACCCUGACACGGGCCAUUAACAAGAACAG UGCAGAUUCGACGACCCUGAAGAUUGGCCUGUCCUUAAGC CAGUUCAAACCGGCUGUUUGAACGUCGUGCGGAGUUU AGCGACAACCGCGAAUCACACAGCCAUACGCUUGGAC CUGAUGACAGAUUCGAGCUGGCCUAGAGCCGUGCUAAC	135

TABLE 19-continued

Strain	Nucleic Acid Sequence	SEQ ID No:
HMPV_SC_SUabilizeAlpha_V55L	<p>AUGCCUACAUCUGCCGGCCAGAUAAGCUGAUGCUGAG AAUAGAGCCAUGGUCCGACGGAAAGGCUUCGGCAUUCU GAUUGGCUGUACGGCAGCAGCGUGAUCUAUUAUGGUGC AGCUGCCUAUCUUCGGCGUGAUCGACACACCCUGCUGGA UUGUGAAGGCCCGUCUAGCUGUAGCGAGAAGAAGGGC AAUUACGCCUGCCUGCUGAGAGAGGACCAAGGCUGGUA UUGUCAGAACGCCGGCAGCACCGUGUACUACCUAACGA GAAGGACUGCGAGACAGAGGCGACCAAGUUCUGUG AUACCGCCGUGGAAUCAUUGGGCCGAGCAGAGCAAAG AGUGCAACAACAUCAGCACCAACUAUCCUGCA AGGUGUCACCGGCAGGCACCUAUUUCUAUGGUGGCUC UGUCUCCUCUGGGAGCCUGGUGGCUUUAUAAGGGC GUGUCUGUAGCAUCGGCAGCAACAGAGUGGGCAUAC AAGCAGCUGAACAAGGGCUGCAGCUACUACCAACAG GACGCCGAUACCGUGACCAUCGACAACCCGUGUAUCAG CUGAGCAAGGUGGAAGGCGAACAGCAGCUGAUCAGGG CAGACCUUGUCCAGCAGCUUCGACCUAUCAAGUUC UGAGGAUCAGUCCAGGUGGCCUGGACAGGUGUCG AGAACAUAGAAUUCAGGCUUCUGGUGACAGUCCA ACAGAAUCCUGUCUAGCGCCGAGAAGGGAAACCCGGCU UCAUCAUCGUGAUCUCCUGAUCGCGGUGCUGGGCAGCU CCAUGAUCUGGUGUCAUCUUAUCAUUAUCAAGAAGA CCAAGAGCCACCGGGCGUCUCCAGAACUGAGCGGAG UGACCAACAAGGCUUCAUCCUCACAAC</p>	136
HMPV_SC_SUabilizeAlpha_S170L	<p>AUGAGCUGGAAGGUGGUCAUCAUUCAGCCUGCUGAU CACACCUAGCACGGCCUGAAAGAGAGCUACUGGAAGA GUCCUGCAGCACCAUCACAGAGGGCUACUUGUCUGUGCU GAGAACCGGCUGGUACACCAACGUGUUCACACUGGAAGU GGGCGACGUCGAGAAUCUGAUCUUCUGAUGGCCUAG CCUGAUCAGACCGAGCUGGUAUCGACCAAGAGCGCCU GAGAGAACUCAAGACCGUGUCUGCCGUAUCAGCUGGCCAG AGAGGAACAGAUCCGAGAAUCUGGCAGCGCAGCUUUG UGCUGGGAGCCAUUGCUUUGGAGUGGCUGCUGCUGCA GCUGUUAACAGCAGCGUGGCCAUUCGCUAAGACCAUCAGA CUGGAAAGCGAAGUGACCGCAUCAACAACCGCCUGAAG AAGACAACCGAGGCGUCAGCACUCGGCAUUGGCGUU AGAGUGCUGGCCACAGCCGUGCGGAGCUGAAGGACUUC GUGUCCAAAGAACUGACACGGGCCAUUAACAAGAACAG UGCGACAUCGACGACCCUGAAGAUUGGCCGUGUCCUUAAGC CAGUUAACCGGGGCUUCUGAACGUCGUGCGGAGUUC AGCGACAACCGCGAAUCACACAGCCAUACGACCGUGGAC CUGAUCAGAUUCUGAGCUGGCUAGAGCCGUGCCUAC AUGCCUACAUCUGCCGGCCAGAUCAAGCUGAUCUCGAG AAUAGAGCCAUGGUCGACGGAAAGGCUCGCGCAUUCU GAUUGGCUGUACGGCAGCAGCUGAUCUAUUAUGGUGC AGCUGCCUAUCUUCGGCGUGAUCGACACCCUGCUGGA UUGUGAAGGCCCGUCUAGCUGUAGCGAGAAGAAGGGC AAUUACGCCUGCCUGCUGAGAGAGGACCAAGGCUGGUA UUGUCAGAACGCCGGCAGCACCGUGUACUACCUAACGA GAAGGACUGCGAGACAAGAGGCGACCAAGUUCUGUG AUAACCGCCGUGGAAUCAUUGGGCCGAGCAGAGCAAAG AGUGCAACAACAUCAGCACCAACUAUCCUGCA AGGUGUCACCGGCAGGCACCUAUUUCUAUGGUGGCUC UGUCUCCUCUGGGAGCCUGGUGGCUUUAUAAGGGC GUGUCUGUAGCAUCGGCAGCAACAGAGUGGGCAUAC AAGCAGCUGAACAAGGGCUGCAGCUACUACCAACAG GACCGGAUACCGUGACCAUCGACAACCCGUGUAUCAG CUGAGCAAGGUGGAAGGCGAACAGCAGCUGAUCAGGG CAGACCUUGUCCAGCAGCUUCGACCUAUCAAGUUC UGAGGAUCAGUUCAGGUGGCCUGGACCAAGGUGUUCG AGAACAUAGAAUUCAGGCUUCUGGUGGACAGUCCA ACAGAAUCCUGUCUAGCGCCGAGAAGGGAAACCCGGCU UCAUCAUCGUGAUCUCCUGAUCGCGGUGCUGGGCAGCU CCAUGAUCUGGUGUCAUCUUAUCAUUAUCAAGAAGA CCAAGAGCCACCGGGCGUCUCCAGAACUGAGCGGAG UGACCAACAAGGCUUCAUCCUCACAAC</p>	137

TABLE 19-continued

Strain	Nucleic Acid Sequence	SEQ ID No:
HMPV_SC_SUabilizeAlpha_U174W	<p>GCUGUUAACAGCAGGCGUGGCCAUCGCUAAGACCAUCAGA CUGGAAAGCGAAGUGACCGCCAUCAACACGCCUCUGAAG AAGACAAACGAGGCGUCAGCACACUCGGCAAUUGGCGUU AGAGUGCUGGCCACAGCCGUGCGGAGCUGAAGGACUUC GUGCUUAAGAACCUGACACGGGCCAUUAACAAGAACAA GUGCGACAUCGACGACCUAGAAGUAGGCGUGUCUUUAG CCAGUUAACCGGGCGUUUCUGAACGUCGUGCGGACAGUU UAGCGACACCGCCGGAUACACACAGC CAUCAGCCUGGA CCUGAUGACAGAUGCUGAGCUGGCUAGAGCCGUGCCUAA CAUGCCUACAUCUGCCGGCCAGAUCAAGCUGAUGCUGA GAAUAGAGCCAUUGGUCGACGGAAAGGCUUCGGCAUUC UGAUUGGCGUGUACGGCAGCAGCGUGAUCUAUAUGGUG CAGCUGCCUAUCUUCGGCGUGAUCGACACCCUGCUGG AUUGUGAAGGCCGCUUCUAGCUGUAGCGAGAAGAGGG CAAUUACGCCUGCCUGCUGAGAGAGGACCAAGGCUUGUA UUGUCAGAACCGCCGAGCACCGUGUAUCUACCUAACGA GAAGGACUGCGAGACAAGAGCGCACCGUGUUCUGUG AUAACCGCCGUGGAAUCAUUGGCGGAGCAGAGCAAAG AGUGCAACAUCACAUCAGCACCCCAACUAUCCUGCA AGGUGUCACCGGCAGGCACCUAUUUUAUUGGUGGCUC UGUCUCCUCUGGGAGCCUGGUGGCUUUAUAAGGGC GUGUCUUGAGCAUCGGCAGCAACAGAGUGGGCAUCAUC AAGCAGCUGAACAGGGCUGCAGCUACUACCAACCCAG GACGCCGAUACCGUGACCAUCGACAACCCUGUAUCAG CUGAGCAAGGUGGAAGGCGAACAGCACGUGAUC AAGGG CAGACCUUGUCCAGCAGCUUCGACCUUAUCAAGUUC UGAGGAUCAGUUCAGGUGGCCUGGACCAAGGUGUUCG AGAACAU CGAGAAUUC CAGGCUUCUGGUGGACAGUCCA ACAGAAUCCUGUCUAGCGCCGAGAAGGGAAACACCGGCU UCAUCAUCGUGAUCUCCUGAUCGCGGUGCUGGGCAGCU CCAUGAUCUGGUGUCCAUUCUUAUCAUUAUCAAGAGA CCAAGAGCCACCGGCGUCUCCUCCAGAACUGAGCGGAG UGACCAACAAGGCUUCAUCCUCACAAC</p> <p>AUGAGCUGGAAGGUGGUCUAUCAUUCAGCCUGCUGAU CACACCUCAGCACGGCCUGAAGAGAGCUACCCUGGAAGA GUCCUGCAGCACCAUCACAGAGGGCUACCCUGUCUGUGCU GAGAACC GGCUUGUACACCAACGUGUUCACACUGGAAGU GGGCGACGUCGAGAAUCUGACAUGCUCUGAUGGCCUAG CCUGAUC AAGACCGAGCUGGUAUCGACCAAGAGCGCCU GAGAGAAUC AAGACCGUGUCUGCCGUAUCAGCUGGCCAG AGAGGAACAGAU CGAGAAUC CUGGAGCGGCGAGCUUUG UGCUGGGAGCCAUUGCUUCUUGGAGUGGCUUCUGCUGCA GCUGUUA CAGCAGGCGUGGCCAUCGCUAAGACCAUCAGA CUGGAAAGCGAAGUGACCGCCAUCAACAACCGCCUGAAG AAGACAACGAGGGCCGUCAGCACUCGGCAAUUGGCGUU AGAGUGCUGGCCACAGCCGUGCGGAGCUGAAGGACUUC GUGUC CAAGAACCUGUGGCGGGCCAUUAACAAGAACAA GUGCGCAUCGACGACCUAGAAGUAGGCGUGUCUUUAG CCAGUUAACCGGCGGUUCUGAACGUCGUGCGGACAGUU UAGCGACAACCGCGAAUACACACAGC CAUCAGCCUGGA CCUGAUGACAGAUGCUGAGCUGGCUAGAGCCUGCCUAA CAUGCCUACAUCUGCCGGCCAGAUCAAGCUGAUGCUCGA GAAUAGAGCCAUUGGUCGACGGAAAGGCUUCGGCAUUC UGAUUGGCGUGUACGGCAGCAGCGUGAUCUAUAUGGUG CAGCUGCCUAUCUUCGGCGUGAUCGACACCCUGCUGG AUUGUGAAGGCCGCUUCUAGCUGUAGCGAGAAGAAGGG CAAUUACGCCUGCCUGCUGAGAGAGGACCAAGGCUUGUA UUGUCAGAACCGCCGAGCACCGUGUAUCUACCUAACGA GAAGGACUGCGAGACAAGAGCGCACCGUGUUCUGUG AUAACCGCCGUGGAAUCAUUGGCGGAGCAGAGCAAAG AGUGCAACAUCACAUCAGCACCAACUAUCCUGCA AGGUGUCACCGGCAGGCACCUAUUUUAUUGGUGGCUC UGUUCUUCUGGGAGCCUGGUGGCUUUAUAAGGGC GUGUCUUGAGCAUCGGCAGCAACAGAGUGGGCAUCAUC AAGCAGCUGAACAGGGCUGCAGCUACUACCAACCCAG GACCGGAUACCGUGACCAUCGACAACCCGUGUAUCAG CUGAGCAAGGUGGAAGGCGAACAGCACGUGAUC AAGGG CAGACCUGUGUCCAGCAGCUUCGACCUUAUCAAGUUC UGAGGAUCAGUUCAGGUGGCCUGGACCAAGGUGUUCG AGAACAU CGAGAAUUC CAGGCUUCUGGUGGACAGUCCA ACAGAAUCCUGUCUAGCGCCGAGAAGGGAAACACCGGCU UCAUCAUCGUGAUCUCCUGAUCGCGGUGCUGGGCAGCU CCAUGAUCUGGUGUCCAUUCUUAUCAUUAUCAAGAGA CCAAGAGCCACCGGCGUCUCCUCCAGAACUGAGCGGAG UGACCAACAAGGCUUCAUCCUCACAAC</p>	138

TABLE 19-continued

Strain	Nucleic Acid Sequence	SEQ ID No:
HMPV_SC_4M_SUabilize-Alpha_V55LU74LS170LU174W	<p>AUGAGCUGGAAGGUGGUCAUCAUCUUCAGCCUGCUGAU CACACCCUCAGCACGGCCUGAAAGAGAGCUACCCUGGAGAG GUCCUGCAGCACCAUACAGAGGGCUACCCUGUCUGUGCU GAGAACCUGGUGUACACCAACGUGUUCACACUGGAAGU GGGCGACCUCGAGAAUCUGACAUGCUCUGAUGGCCCUAG CCUGAUCAGACCGAGCUGGAUCUGUCUAGAGAGCGCCU GAGAGAACUCAAGACCGUGUCUGCCGUAUCAGCUGGCCAG AGAGGAACAGAUUCGAGAAUCUGGCAGCGGCAGCUUUG UGCUGGGAGCCAUUGCUCUUGGAGUGGCUGCUGCUGCA GCUGUUAACAGCAGGCGUGGCCAUCGCUAAGACCAUCAGA CUGGAAAGCGAAGUGACCGCCAUCAACACCGCCUGAAG AAGACAAACGAGGCGUCAGCACACUCGGCAAUGGCGUU AGAGUGCUGGCCACAGCCGUGCGGAGCUGAAGGACUUC GUGCUUAAGAACCUGUGGCGGGCAUUAACAAGAACAA GUGCGACAUCGACGACCUAGAAGUGCCGUGUCUUUAG CCAGUUAACCGGCGGUUCUGAACGUCGUGCGCAGUU UAGCGACACCGCCGAAUCAACACAGCAUCAGCCUGGA CCUGAUGACAGAUUCGAGCUGGCCUAGAGCCGUGCCUAA CAUGCCUACAUCUGCCGGCCAGAUCAAGCUGAUGCUGA GAAUAGAGCCAUUGUCCGACGGAAGGCUUCGGCAUUC UGAUUGGCGUGUACGGCAGCAGCUGAUCUAUAUGGUG CAGCUGCCUAUCUUCGGCGUGAUCGACACCCUGCUGG AUUGUGAAGGCCGUCUUCAGCUGUAGCGAGAAGAGGG CAAUUCAGCCUGCCUGCUGAGAGAGGACCAAGGCUUGUA UUGUCAGAACCAGCGGACGACCGUGUACUACCCUAACGA GAAGGACUUCGAGACAAGAGGCGACCAUGUUCUGUG AUACCGCCGUGGAUUAUGUGGCCGAGCAGAGCAAAG AGUGCAACAUCACAUCAGCACCAACUUAUCCUGCA AGGUGUCACCGGCAGGCACCUAUUUUAUUGGUGGCUC UGUCUCCUCUGGGAGCCUGGUGGCUUGUUAUAAGGGC GUGUCUGUAGCAUCGGCAGCAACAGAGUGGGCAUCAUC AAGCAGCUGAACAAGGGCUGCAGCUACUACCAACCCAG GACGCGAUACCGUGACCAUCGACAACCCUGUAUCAG CUGAGCAAGGUGGAAGGCGAACAGCAGCUGAUAAGGG CAGACCUUGUCCAGCAGCUUCGACCCUAUCAAGUUC UGAGGAUCAGUUCAGGUGGCCUGGACCAAGGUGUUC AGAACAUUCGAGAAUUCAGGCUUCUGGUGGACAGUCCA ACAGAAUCCUGUCUAGCGCCGAGAAGGGAAACCGGCU UCAUCAUCGUAUCUUCUGAUCGCGGUGCUGGGCAGCU CCAUGAUCUGGUGUCCAUUCUUAUCAAGAAAGA CCAAGAGCCACCGGCGUCUUCAGAACUGAGCGGAG UGACCAACAAGGCUUCAUCCUCACAAAC</p>	139
HMPV_ProlineSUab_E51P	<p>AUGAGCUGGAAGGUGGUCAUCAUCUUCAGCCUGCUGAU CACACCCUCAGCACGGCCUGAAAGAGAGCUACCCUGGAGAG GUCCUGCAGCACCAUACAGAGGGCUACCCUGUCUGUGCU GAGAACCUGGUGUACACCAACGUGUUCACACUGCCUGU GGGCGACGUCGAGAAUCUGACAUGCUCUGAUGGCCCUAG CCUGAUCAGACCGAGCUGGAUCUGACCAAGAGCGCCU GAGAGAACUCAAGACCGUGUCUGCCGUAUCAGCUGGCCAG AGAGGAACAGAUUCGAGAAUCUGGCAGCGGCAGCUUUG UGCUGGGAGCCAUUGCUCUUGGAGUGGCUGCUGCUGCA GCUGUUAACAGCAGGCGUGGCCAUCGCUAAGACCAUCAGA CUGGAAAGCGAAGUGACCGCCAUCAACAACCGCCUGAAG AAGACAAACGAGGCGUACAGCACUCGGCAAUGGCGUU AGAGUGCUGGCCACAGCCGUGCGGAGCUGAAGGACUUC GUGUCCAAAGAACUGACCGGGCAUUAACAAGAACAG UGCAGCAUCGACGACCGGAAAGAGGCGUGUCCUUUAGC CAGUUAACCGGCGGUUCUGAACGUCGUGCGGCAUUC AGCGAACCGCGGAUUCACACCGCCAUACGACCCUGGAC CUGAUGACAGAUUCUGAGCUGGCUAGAGCCGUGCCUAC AUGCCUAUCAUCUGCCGGCAGAUCAAGCUGAUGCUGGAG AAUAGAGCCAUUGUCCGACGGAAGGCUUCGGCAUUCU GAUUGGCGUGUACGGCAGCAGCUGAUCUAUAUGGUGC AGCUGCCUAUCUUCGGCUGAUCGACACCCUGCUGGA UUGUGAAGGCCGCUUCAGCUGUAGCGAGAAGAAGGGC AAUUAACGCCUGCCUGCUGAGAGAGGACCAAGGCUUGUA UUGUCAGAACCAGCGGACGACCGUGUACUACCCUAACGA GAAGGACUGCGAGACAAGAGCGCACCAUGUUCUGUG AUAACCGCCUGGAUUAUUGGCGGAGCAGAGCAAAG AGUGCAACAUCACAUCAGCACCAACUUAUCCUGCA AGGUGUCACCGGCAGGCACCUAUUUUAUUGGUGGCUC UGUCUCCUCUGGGAGCCUGGUGGCUUGUUAUAAGGGC GUGUCCUGUAGCAUCGGCAGCAACAGAGUGGGCAUCAUC AAGCAGCUGAACAAGGGCUGCAGCUACUACCAACCCAG GACCGGAUACCGGACCAUCGACAACCCGUGUAUCAG CUGAGCAAGGUGGAAGGCGAACAGCACGUGAUCAGGG</p>	140

TABLE 19-continued

Strain	Nucleic Acid Sequence	SEQ ID No:
HMPV_ProlineSUab_D185P	<p>CAGACCUGUGUCCAGCAGCUUCGACCCUAUCAAGUUC UGAGGAUCAGUUCAGGUGGCCUGGACCAGGUUUCG AGAACAUCCGAGAAUUCAGGCUUCUGGUGGACCAGUCCA ACAGAAUCCUGUCUAGCGCCGAGAAGGAAACACCGGCU UCAUCAUCGUAUCUCCUGAUCGCCUGUGGCGAGCU CCAUGAUCCUGGUGUCAUCUUAUCAUUAACAAGAAGA CCAAGAAGCCACCGGCGUCCUCAGAACUGAGCGGAG UGACCAACAAUGGCUUCAUCCUCAAC</p>	141
HMPV_ProlineSUab_D183P	<p>AUGAGCUGGAAGGUGGUCAUCAUUCAGCCUGCUGAU CACACCUAGCAGCGCCUGAAAGAGAGCUACCCUGGAGA GUCCUGCAGCACCACAGAGGGCUACCCUGUCUGUGCU GAGAACCUGGUGUACACCAACGUGUUCACACUGGAAGU GGGCGACGUCGAGAAUCUGAUCGUCUGAUGGCCUAG CCUGAUCAGACCGAGCUGGACUGACCAAGAGCGCCU GAGAGAACUCAAGACCGUGUCUGCCGACUAGCUGGCCAG AGAGGAACAGUCCAGAAUUCUGGCAGCGGCGAGCUUUG UGCUGGGAGCCAUUGCUCUUGGAGUGGUCUGUCUGCA GCUGUACAGCAGGCGUGGCCAUCGCUAAGACCAUCAGA CUGGAAAGCGAAGUGACCGCCAUCAACACCGCCUGAAG AAGACAAACGAGGCGUACAGCACUCGGCAUUGGCGUU AGAGUGCUGGCCACAGCCGUGCGGAGCUGAAGGACUUC GUGUCCAGAAACUGACACGGCCAUUAACAAGAACAAG UGCCUUAUCGACGACCCUGAAGAUUGGCGUGUCCUUAAGC CAGUUAACCGGCGUUUCUGAACGUCUGCGGAGUUU AGCGAACACCGCGAAUCACACCGCCAUAGCCUGGAC CUGAUCAGAUUCUGAGCUGGCUAGAGCCGUGCCUAC AUGCCUACAUCUGCCGGCAGAUCAAGCUGAUGUCGAG AAUAGAGCCAUGGUCGACGAAAGGCUUCGGCAUUCU GAUUGGCGUGUACGGCAGCAGCUGAUCUAUAUGGUGC AGCUGCCUUAUCUGCGGUGAUCGACACCCUGCUGGA UUGUGAAGGCCGCUCCUAGCUGUAGCGAGAAGAGGGC AAUUAACCGCCUGCUGAGAGAGGACCAAGGCUUGUA UUGUCAGAACCGGCGAGCACCGUGUACUACCCUACGA GAAGGACUCCGAGACAGAGGCGACCAUGUUCUGUG AUACCGCCGUGGAAUCAUUGGCGGAGCAGAGCAAAG AGUGCAACAACAUCAGCACCAACUUAUCCUGCA AGGUGUCCACCGGAGGACCCUUAUUCUAUGGUGGCU UGUUCUCCUGGGAGCCUGGUGGCUUUAUAAGGGC GUGUCUGUAGCAUCGGCAGCAACAGAGUGGGCAUCU AAGCAGCUGAACAGGGCUGCAGCUACUACCAACAG GACGCGAUACCGUGACCAUCGACAACCCUGUAUCAG CUGAGCAAGGUGGAAGGCAACAGCAGCUGAUCAGGG CAGACCUUGUCCAGCAGCUUCGACCCUUAUCAAGUCCC UGAGGAUCAGUUCAGGUGGCCUGGACCAGGUGUCCG AGAACAUCCGAGAAUUCAGGCUUCUGGUGGACAGUCCA ACAGAAUCCUGUCUAGCGCCGAGAAGGAAACACCGGCU UCAUCAUCGUAUCUCCUGAUCGCCUGCUGGGCAGCU CCAUGAUCCUGGUGUCAUCUUAUCAUUAACAAGAAGA CCAAGAAGCCACCGGCGUCCUCAGAACUGAGCGGAG UGACCAACAAUGGCUUCAUCCUCAAC</p>	142

TABLE 19-continued

Strain	Nucleic Acid Sequence	SEQ ID No:
	GAAGGACUGCGAGACAAGAGGGGACCAACGUGUUCUGUG AUACCGCCGCGUGGAAUCAUUGUGGCCGAGCAGAGCAAG AGUGCAACAUCACAUAGCACCACCAACUACCCUGCA AGGUGUCCACCGGCAGGCACCCUAUUUCUUAUGGUGGCUC UGUCUCCUCUGGGAGCCUGGUGGCUUGUUAUAAGGGC GUGUCCUGUAGCAUCGGCAGCAACAGAGUGGGCAUCAUC AAGCAGCUGAACAAAGGGCUGCAGCUACAUCAACCAACCAG GACGCCGAUACCGUGACCAUCGACAACACCGUGUAUCAG CUGAGCAAGGUGGAAGGCGAACAGCACCGUGUAUCAGGG CAGACCUUGUCCAGCAGCUUCGACCCUAUCAAGUUC UGAGGAUCAGUUCAGGUGGCCUGGACACAGGUGUUCG AGAACAUCCGAGAAUUCACAGGCUUCUGGUGGACAGUCCA ACAGAAUCCUGUCUAGCGCCGAGAAGGGAAACACCGGCU UCAUCAUCGUAUCAUCUGAUCGCCGUGCUGGGCAGCU CCAUGAUCCUGGUGUCAUCUUAUCAUUAUCAAGAAGA CCAAGAAGCCACCGGCGUCUUCAGAACUGAGCGGAG UGACCAACAAGGCUUCAUCCUCACAAC	
HMPV_ProlineSUab_E131P	AUGAGCUGGAAGGUGGUCAUCAUCUUCAGCCUGCUGAU CACACCUAGCAGCGCCUGAAAGAGAGCUACCCUGGAGGA GUCCUGCAGCACCAUCACAGAGGGCUACCCUGUCUGUGCU GAGAACCAGGUGGUACACCAACGUGUUCACACUGGAAGU GGGCGACGUCGAGAAUCUGAUCUUCUGAUGGCCCUAG CCUGAUCAGACCGAGCUGGAUCUGACCAAGAGCGCCCU GAGAGAACUCAAGACCGUGUCUGCCGUAUCAGCUGGCCAG AGAGGAACAGAUCCGAGAAUCUGGCAGCGGCGAGCUUUG UGCUGGGAGCCAUUGCUUCUGGAGUGGCUGCUGCUGCA GCUGUUAACAGCAGGCGUGGCCAUCGCUAAGACCAUCAGA CUGCCUAGCGAAGUGACCGCAUCAACACCGCCUGAAG AAGACAAACGAGGCGUCAGCACACUCGGCAUUGGCGUU AGAGUCCUGGCCACAGCCGUGCGGAGCUGAAGGACUUC GUGUCCAGAACCGUACACGGGCAUUAACAAGAACAAAG UGCAGCAUCGACGACCGAAGAUUGGCGGUGUCCUUAGC CAGUUCACACCGCGGUUUCUGAACGUCGUGCGGAGUUU AGCGAACACCGCGAAUCACACAGCCAUACGCUUGGAC CUGAUGACAGAUCCUGAGCUGGCCUAGAGCCUGCCUAC AUGCCUACAUCUGCCGGCCAGAUCAAGCUGAUGCUCGAG AAUAGAGCCAUUGGCCGACGGAAGGCUUCGGCAUUCU GAUUGGCGUGUACGGCAGCAGCGUGAUCUAUAUGGUGC AGCUGCCUUAUCUUCGGCGUGAUCGACACCCUUCUGGGA UUGUGAAGGCCGCUCCUAGCUGUAGCGAGAAGAGGGC AAUUAACGCCUGCCUGCUGAGAGAGGACCAAGGCUUGUA UUGUCAGAACGCCGCGAGCAACGUGUAUCACCUAACGA GAAGGACUGCGAGACAAGAGGCGACCAAGUUCUGUG AUACCGCCGUGGAAUCAUUGGCGGAGCAGAGCAAG AGUGCAACAUCACAUAGCACCACCAACUACCCUGCA AGGUGUCCACCGGCAGGCACCCUAUUUCUUAUGGUGGCUC UGUCUCCUCUGGGAGCCUGGUGGCUUGUUAUAAGGGC GUGUCUGUAGCAUCGGCAGCAACAGAGUGGGCAUCAUC AAGCAGCUGAACAAAGGCGUGCAGCUACAUCAACCAACCAG GACGCCGAUACCGUACCAUCGACAACACCGUGUAUCAG CUGAGCAAGGUGGAAGGCGAACAGCACGUGAUCAGGG CAGACCUUGUCCAGCAGCUUCGACCCUAUCAAGUUC UGAGGAUCAGUUCAGGUGGCCUGGACACAGGUGUUCG AGAACAUCCGAGAAUUCACAGGCUUCUGGUGGACAGUCCA ACAGAAUCCUGUCUAGCGCCGAGAAGGGAAACACCGGCU UCAUCAUCGUAUCAUCUGAUCGCCGUGCUGGGCAGCU CCAUGAUCCUGGUGUCAUCUUAUCAUUAUCAAGAAGA CCAAGAAGCCACCGGCGUCUUCAGAACUGAGCGGAG UGACCAACAAGGCUUCAUCCUCACAAC	143
HMPV_ProlineSUab_D447P	AUGAGCUGGAAGGUGGUCAUCAUCUUCAGCCUGCUGAU CACACCUAGCAGCGCCUGAAAGAGAGCUACCCUGGAGGA GUCCUGCAGCACCAUCACAGAGGGCUACCCUGUCUGUGCU GAGAACCAGGUGGUACACCAACGUGUUCACACUGGAAGU GGGCGACGUCGAGAAUCUGAUCUUCUGAUGGCCCUAG CCUGAUCAGACCGAGCUGGAUCUGACCAAGAGCGCCCU GAGAGAACUCAAGACCGUGUCUGCCGUAUCAGCUGGCCAG AGAGGAACAGAUCCGAGAAUUCUGGCAGCGGCGAGCUUUG UGCUGGGAGCCAUUGCUUCUGGAGUGGCUGCUGCUGCA GCUGUUAACAGCAGGCGUGGCCAUCGCUAAGACCAUCAGA CUGGAAAGCGAAGUGACCGCAUCAACACCGCCUGAAG AAGACAAACGAGGCGUCAGCACACUCGGCAUUGGCGUU AGAGUCCUGGCCACAGCCGUGCGGAGCUGAAGGACUUC GUGUCAAGAACCUGACACGGGCAUUAACAAGAACAAAG UGCAGCAUCGACGACCGAAGAUUGGCGGUGUCCUUAGC CAGUUCACACCGCGGUUUCUGAACGUCGUGCGGAGUUU	144

TABLE 19-continued

Strain	Nucleic Acid Sequence	SEQ ID No:
HMPV_UrimerRepulsionD454N	<p>AGCGACAACGCGGAAUACACACCAGCCAUCAGCCUGGAC CUGAUGACAGAUUGCUGAGCUGGCUAGAGCCUGGCCUAC AUGCCUACAUCUGCCGGCCAGAUCAAGCUGAUGCUCGAG AAUAGAGCCAUGGUCCGACGGAAGGCUUCGGCAUUCU GAUUGGCUGUACGGCAGCAGCGUGAUCUAUAGGUGC AGCUGCCUAUCUUCGGCGUGAUCGACACCCUUGCUGGA UUGUGAAGGCCGCUCCUAGCUGUAGCGAGAAGAAGGGC AAUUAACGCCUGCCUGCUGAGAGAGGACCAAGGCUGGUA UUGUCAGAACGCGGCAGCAACCGUGUAUACCCUAACGA GAAGGACUGCGAGACAAGAGGCACCAAGUGUUCUGUG AUACCGCCGCGUGAAUCAUUGUGCCGAGCAGAGCAAAG AGUGCAACAUCACAUACAGCACCACCAUCUACCCUGCA AGGUGUCCACCGGCAGGCACCCUAUUUCUAUGGUGGCUC UGUUCCUCUGGGAGCCUGGUGGCUUGUAUAAGGGC GUGUCCUGAUGCAUCGGCAGCAACAGAGUGGGCAUCAUC AAGCAGCUGAACAAGGGCUGCAGCUACAUCACCAACCAG GACGCCGAUACCGUGACCAUCGACAACCCGUGUAUCAG CUGAGCAAGGUGGAAGGCGAACAGCACCUGAUAAGGG CAGACCUUGUCCAGCAGCUUCCACCUAUAAGUUCUCC UGAGGAUCAGUUCAGGUGGCCUGGACCAAGGUGUUCG AGAACAUCCGAGAUAUCCAGGCUCUGGUGGACAGUCCA ACAGAAUCCUGUCUAGCGCCGAGAAGGGAACAACCGGCU UCAUCAUCGUGAUCUCCUGAUCGCCUGCUGGGCAGCU CCAUGAUCUCCGUGUCCAUUCUAUCAUUAUCAAGAAGA CCAAGAAGCCACCGGCUCUCCAGAAUCUGAGCGGAG UGACCAACAAGGCUUCAUCCUCAACAAC</p>	145
HMPV_UrimerRepulsionE453N	<p>AUGAGCUGGAAGGUGGUCAUCAUCUACAGCCUGCUGAU CACACCUAGCAGCCGCGUGAAGAGAGCUACCCUGGAAGA GUCCUGCAGCACCACAGAGGGCUACCCUGUCUGUGCU GAGAACCAGGCGUGUACACCAACGUGUUCACACUGGAAGU GGGCGACGUCGAGAAUCUGAUCUUCUGAUGGCCUAG CCUGAUCAGACCGAGCUGGAUCUGACCAAGAGCGCCU GAGAGAACUCAAGACCGUGUCUGCCGAUCAGCUGGCCAG AGAGGAACAGAUCCGAGAUCUGGCAGCGGAGCUUUG UGCUGGGAGCCAUUGCUCUUGGAGUGGCUGCUGCUGCA GCUGUUAACAGCAGGCGUGGCCAUCGCUAAGACCAUCAGA CUGGAAAGCGAAGUGACCGCAUCAACAACGCCUGGAAG AAGACAACAGAGGCGUCAGCACACUCGGCAUUGGCGUU AGAGUUCUGGCCACAGCCGUGCGGAGCUGAAGGACUUC GUGUCCAGAACCUGACACGGGCCAUUAACAAGAACAG UGCGACAUCGACGACCCUGAAGAUUGGCCUGUCCUUAGC CAGUUCACCGGCGGUUUCUGAACGUCGCGGAGUUCU AGCGACAACGCGGAUUCACACAGCCAUACAGCCUGGAC CUGAUGACAGAUUGCUGAGCUGGCCUAGAGCCUGCCUAC AUGCCUACAUCUGCCGGCCAGAUCAAGCUGAUGCUCGAG AAUAGAGCCAUGGUCCGACGGAAGGCUUCGGCAUUCU GAUUGGCUGUACGGCAGCAGCGUGAUCUAUAGGUGC AGCUGCCUAUCUUCGGCGUGAUCGACACCCUUGCUGGA UUGUGAAGGCCGCUCCUAGCUGUAGCGAGAAGAAGGGC AAUUAACGCCUGCCUGCUGAGAGAGGACCAAGGCUGGUA UUGUCAGAACGCGGCAGCAACCGUGUAUACCCUAACGA GAAGGACUGCGAGACAAGAGGCACCAAGUGUUCUGUG AUACCGCCGCGUGAAUCAUUGGGCCGAGCAGAGCAAAG AGUGCAACAUCACAUCAGCACCACCAUCUACCCUGCA AGGUGUCCACCGGCAGGCACCCUAUUUCUAUGGUGGCUC UGUUCCUCUGGGAGCCUGGUGGCUUGUAUAAGGGC GUGUCCUGAUGCAUCGGCAGCAACAGAGUGGGCAUCAUC AAGCAGCUGAACAAGGGCUGCAGCUACAUCACCAACCAG GACGCCGAUACCGUGACCAUCGACAACCCUGUAUCAG CUGAGCAAGGUGGAAGGCGAACAGCAGCUGAUCAGGG CAGACCUUGUCCAGCAGCUUCGACCCUAUCAAGUUCUCC UGAGAACCAGUUCAGGUGGCCUGGACCAAGGUGUUCGA GAAUCAUCGAGAUAUCCAGGCUUGGUGGACAGUCCAA CAGAAUCUGUCUAGCGCCGAGAAGGGAACAACCGGCU CAUCAUCGUGAUCUCCUGAUCGCCUGCUGGGCAGCUC CAUGAUCUCCGUGUCCAUUCUAUCAUUAUCAAGAAGAC CAAGAAGCCACCGGCUCUCCAGAAUCUGAGCGGAGU GACCAACAAGGCUUCAUCCUCAACAAC</p>	146

TABLE 19-continued

Strain	Nucleic Acid Sequence	SEQ ID No:
HMPV_SUabilizeAlphaF196W	<p>AGAGGAACAGAU CGAGAAUCCUGGCAGCGCAGCUUUG UGCUGGGAGCCAUUGUCUUGGAGUGGCUGCUGCUGCA GCUGUUA CAGCAGGCGUGGC CAUCGCUAAGACC AU CAGA CUGGAAAGCGAAGUGACCGCCAUCAACAACGCCUGAAG AAGACAAACGAGGCGUCAGCACACUCGGCAAUGGCGUU AGAGUGCUGGCCACAGCCGUGCGGAGCUGAAGGACUUC GUGUCAAGAACCUGACACGGGCCAUUAACAAGAACAAG UGCGACAUCGACGACCUGAAGAUUGGCCUGUCCUUUAGC CAGUUC AACCGGCGUUUCUGAACGUCGUGCGGCAUUU AGCGACAACCGGAAUACACACAGCCAU CAGCCUGGAC CUGAUGACAGAU GCUAGCUGGCUAGAGCCGUGCCU AAC AUGCCUA CAUCUGCCGGCCAGAUCAAGCUGAUGCUGAG AAUAGAGCCAUGGUCCGACGGAAAGGCUUCGGCAUUCU GAUUGGCUGUACGGCAGCAGCGUGAUCUAU AUGGUGC AGCUGCCUAUCUUCGGCGUGAUCGACACCCUGCUGGA UUGUGAAGGCCGCUCCUAGCUGUAGCGAGAAGAAGGGC AAUUACGCCUGCCUGCUGAGAGAGGACC AAGGCUGGUA UUGUCAGAACGCCGGCAGCACCGUGUA CUACCCUAACGA GAAGGACUGCGAGACAAGAGGCGACCA CGUUUUCUGUG AUACCGCCGUCUGGAAUCAAUUGGCGGAGCAGAGCAAAG AGUGCAACAUCAACAU CAGCACCCACCAUCUACCCUGCA AGGUGUCCACCGGCGAGCACCCUAUUUCUAUGGUGGCUC UGUCCUCUCGGGAGCCUGGUGGCUUGUUAUAAGGGC GUGUCUGUAGCAUCGGCAGCAACAGAGUGGGCAUCAUC AAGCAGCUGAACAAGGGCUGCAGCUA CAUACCAACCAG GACCGCAUACCGUGACCAUCGACAACCCGUGUAUCAG CUGAGCAAGGUGGAAGGCGAACAGCACGUGAUC AAGGG CAGACCU GUGUCCAGCAGCUUCGACCCUAUCAAGUUC UCAGGAUCAGUUCAGGUGGCCUGGAC CAGGUGUUCGA GAACAUCGAGAAUCCAGGCUCUGGUGGAC CAGUCCAA CAGAAUCUGUCUAGCGCCGAGAAGGGAAACACCGGCUU CAUCAUCGUAUCAUCUGAUCGCGUGCUGGGCAGCUC CAUGAUCUGGUGUCCAUUCUAUCAUUAUCAAGAGAC CAAGAAGCCACCGGCGCUCUCCAGAACUGAGCGGAGU GACCAACAUGGCUUCAUCCUCAACAAC</p> <p>AUGAGCUGGAAGGUGGUCAUCAUCU CAGCCUGCUGAU CACACCU CAGCACGGCCUGAAAGAGAGCUACCCUGGAGA GUCUCG CAGCACCAUCA CAGAGGGCUACCUUGUCUGUCU GAGAACCGGCUGGUACACCAACGUGUUCACACUGGAAGU GGGCGACGUCGAGAAUCUGA CAUGCUCUGAUGGCCUAG CCUGAUC AAGACCAGGUGGAUCUGACCAAGAGCGCCU GAGAGAACUCAAGACCUGUCUGCCGAUCAGCUGGCCAG AGAGGAACAGAU CGAGAAUCCUGGCAGCGCAGCUUUG UGCUGGGAGCCAUUGCUCUUGGAGUGGCUGCUGCUGCA GCUGUUA CAGCAGGCGUGGC CAUCGCUAAGACCAUCAGA CUGGAAAGCGAAGUGACCGC CAUCAACAACGCCUGAAG AAGACAAACGAGGCGUCAGCACACUCGGCAAUGGCGUU AGAGUGCUGGCCACAGCCGUGCGGAGCUGAAGGACUUC GUGUCAAGAACCUGACACGGGCCAUUAACAAGAACAAG UGCGACAUCGACGACCUGAAGAUUGGCCUGUCCUUUAGC CAGUGGAACCGGCGUUUCUGAACGUCGUGCGGCAUUU UAGCGACAACCGCGAAUCA CACAGCCAU CAGCCUGGA CCUGAUGACAGAU GCUAGCUGGCUAGAGCCGUGCCUAA CAUGCCUACAUCUGCCGGCCAGAU CAAGCUGAUGCUCGA GAAUAGAGCCAUUGUCCGACGGAAGGCUUCGGCAUUC UGAUUGCGUGUACGGCAGCAGCGUGAUCUAU AUGGUG CAGCUGCCUAUCUUCGGCGUGAUCGACACCCUGCUGG AUUGUGAAGGCCGCUCCUAGCUGUAGCGAGAAGAAGGG CAAUUACGCCUGCCUGCUGAGAGAGGACCAAGGCUUGUA UUGUCAGAACGCCGGCAGCACCGUGUA CUACCCUAACGA GAAGGACUGCGAGACAAGAGGCGACCA CGUUUUCUGUG AUACCGCCGUCUGGAAUCAAUUGGCGGAGCAGAGCAAAG AGUGCAACAUCAACAU CAGCACCCACCAUCUACCCUGCA AGGUGUCCACCGGCGAGCACCCUAUUUCUAUGGUGGCUC UGUCCUCUCGGGAGCCUGGUGGCUUGUUAUAAGGGC GUGUCUGUAGCAUCGGCAGCAACAGAGUGGGCAUCAUC AAGCAGCUGAACAGGGCUGCAGCUA CAUACCAACCAG GACCGCAUACCGUGACCAUCGACAACCCGUGUAUCAG CUGAGCAAGGUGGAAGGCGAACAGCACGUGAUC AAGGG CAGACCU GUGUCCAGCAGCUUCGACCCUAUCAAGUUC UGAGGAUCAGUUCAGGUGGCCUGGAC CAGGUGUUCG AGAACAU CGAGAAUUC CAGGCUCUGGUGGAC CAGUCCA ACAGAAUCCUGUCUAGCGCCGAGAAGGAAACAACCGGCU UCAUCAUCGUGAUCAUCCUGAUCGCGGUGCUGGGCAGCU</p>	147

TABLE 19-continued

Strain	Nucleic Acid Sequence	SEQ ID NO:
	CCAUGAUCCUGGUGUCCAUCUUAUCAUUAUCAAGAAGA CCAAGAAGCCACCGGCGCUCUCCAGAACUGAGCGGAG UGACCAACAAUGGCUUCAUCCUCACAAC	

EQUIVALENTS

10

Those skilled in the art will recognize, or be able to ascertain using no more than routine experimentation, many equivalents to the specific embodiments of the disclosure described herein. Such equivalents are intended to be encompassed by the following claims. 15

All references, including patent documents, disclosed herein are incorporated by reference in their entirety.

SEQUENCE LISTING

<160> NUMBER OF SEQ ID NOS: 147

<210> SEQ ID NO 1

<211> LENGTH: 1620

<212> TYPE: DNA

<213> ORGANISM: Unknown

<220> FEATURE:

<223> OTHER INFORMATION: Human metapneumovirus

<400> SEQUENCE: 1

```

atgagctgga aggtggtgat tatcttcagc ctgctgatta cacctcaaca cggcctgaag      60
gagagctacc tggaagagag ctgctccacc atcaccgagg gctacctgag cgtgctgcgg      120
accggctggt acaccaacgt gttcaccctg gaggtgggcg acgtggagaa cctgacctgc      180
agcgacggcc ctagcctgat caagaccgag ctggacctga ccaagagcgc tctgagagag      240
ctgaagaccg tgccgcgga ccagctggcc agagaggaac agatcgagaa ccctcggcag      300
agcagattcg tgctgggctg catcgtctg ggagtcgccc ctgccgctgc agtgacagct      360
ggagtggcca ttgctaagac catcagactg gaaagcgagg tgacagccat caacaatgcc      420
ctgaagaaga ccaacgaggc cgtgagcacc ctgggcaatg gagtgagagt gctggccaca      480
gccgtgcggg agctgaagga cttcgtgagc aagaacctga ccagagccat caacaagaac      540
aagtgcgaca tcgatgacct gaagatggcc gtgagcttct cccagttcaa cagacggttc      600
ctgaacgtgg tgagacagtt ctccgacaac gctggaatca cacctgccat tagcctggac      660
ctgatgaccg acgccgagct ggetagagcc gtgcccaaca tgcccaccag cgtggccag      720
atcaagctga tgctggagaa cagagccatg gtgctggagaa agggcttcgg catcctgatt      780
ggggtgatg gaagctccgt gatctacatg gtgcagctgc ccatcttcgg cgtgatcgac      840
acaccctgct ggatcgtgaa ggcgctcct agctgctccg agaagaaagg aaactatgcc      900
tgtctgctga gagaggacca gggctggtac tgccagaacg ccggaagcac agtgactat      960
cccaacgaga aggactgcga gaccagaggc gaccacgtgt tctgcgacac cgctgccgga     1020
atcaacgtgg ccgagcagag caaggagtgc aacatcaaca tcagcacaac caactacccc     1080
tgcaagtgta gcaccggacg gcaccccatc agcatggtgg ctctgagccc tctgggctct     1140
ctggtggcct gctataaggg cgtgtcctgt agcatcgga gcaatcgggt gggcatcatc     1200
aagcagctga acaagggatg ctctacatc accaaccagg acgcccacac cgtgaccatc     1260
gacaacaccg tgtaccagct gagcaagtg gagggcgagc agcacgtgat caagggcaga     1320
    
```

-continued

```

cccgtagct ccagcttoga ccccatcaag ttcctgagg accagttcaa cgtggcctg 1380
gaccaggtgt ttgagaacat cgagaacagc caggccctgg tggaccagag caacagaatc 1440
ctgtccagcg ctgagaaggg caacaccggc ttcacattg tgatcattct gatcgccgtg 1500
ctgggcagct ccatgatcct ggtgagcacc ttcacatta tcaagaagac caagaaacct 1560
accggagccc ctctgagct gagcggcgtg accaacaatg gcttcattcc ccacaactga 1620

```

```

<210> SEQ ID NO 2
<211> LENGTH: 1620
<212> TYPE: DNA
<213> ORGANISM: Unknown
<220> FEATURE:
<223> OTHER INFORMATION: Human metapneumovirus

```

```

<400> SEQUENCE: 2

```

```

atgtcttggg aagtgatgat catcatttgc ttactcataa caccocagca cgggctaag 60
gagagttatt tggagaatc atgtagtact ataactgagg gatacctcag tgttttaaga 120
acaggctggt aactaatgt cttcacatta gaagtgggtg atgtgaaaa tcttacatgt 180
actgatggac ctagcttaat caaacagaa cttgatctaa caaaaagtgc ttttaaggaa 240
ctcaaacag tctctgctga tcagttggcg agagaggagc aaattgaaaa tcccagacaa 300
tcaagattg tcttaggtgc gatagctctc ggagttgcta cagcagcagc agtcacagca 360
ggcattgcaa tagccaaaac cataaggctt gagagtgagg tgaatgcaat taaaggtgct 420
ctcaaacaaa ctaatgaagc agtatccaca ttagggaatg gtgtgcccgt cctagccact 480
gcagtgagag agctaaaaga atttgtgagc aaaaacctga ctagtgcaat caacaggaac 540
aatgtgaca ttgctgatct gaagatggct gtcagcttca gtcaattcaa cagaagattt 600
ctaaatggtg tgcggcagtt ttcagacaat gcagggataa caccagcaat atcattggac 660
ctgatgactg atgctgagtt ggccagagct gtatcataca tgccaacatc tgcagggcag 720
ataaaactga tgttgagaaa ccgcgcaatg gtaaggagaa aaggatttgg aatcctgata 780
ggggtctacg gaagctctgt gatttacatg gttcaattgc cgatctttgg tgtcatagat 840
acacctgtgt ggatcatcaa ggcagctccc tcttctcag aaaaaacgg gaattatgct 900
tgcctcctaa gagaggatca aggggtggtat tgtaaaaatg caggatctac tgtttactac 960
ccaaatgaaa aagactcgga aacaagaggt gatcatgttt tttgtgacac agcagcaggg 1020
atcaatgttg ctgagcaatc aagagaatgc aacatcaaca tatctactac caactacca 1080
tgcaaatgca gcacaggaag acaccctata agcatgggtg cactatcacc tctcggtgct 1140
ttggtggctt gctataaagg ggtaaactgc tcgattggca gcaattgggt tggaatcacc 1200
aaacaattac ccaaggtctg ctcatcata accaaccagg atgcagacac tgtaacaatt 1260
gacaataccg tgtatcaact aagcaaagt gaaggtgaac agcatgtaat aaaagggaga 1320
ccagtttcaa gcagtttga tccaatcaag tttctgagg atcagttcaa tgttgcgctt 1380
gatcaagtct tcgaaagcat tgagaacagt caggcactag tggaccagtc aaacaaaatt 1440
ctaaacagtg cagaaaagg aaactcggc ttcattatcg tagtaatttt ggttgcgtgt 1500
cttggctcaa ccatgatttc agtgagcacc atcatcataa tcaagaaaac aaggaagccc 1560
acaggagcac ctccagagct gaatggtgtc accaacggcg gtttcatacc acatagttag 1620

```

```

<210> SEQ ID NO 3
<211> LENGTH: 1620
<212> TYPE: DNA
<213> ORGANISM: Unknown

```

-continued

<220> FEATURE:

<223> OTHER INFORMATION: Human metapneumovirus

<400> SEQUENCE: 3

```

atgtcttggg aagtgatgat tatcatttcg ttactcataa cacctcagca tggactaaaa    60
gaaagtatt tagaagaatc atgtagtact ataactgaag gatattctcag tgttttaaga    120
acaggttggg acaccaatgt ctttacatta gaagttgggt atgttgaaaa tcttacatgt    180
actgatggac ctgacttaat caaaacagaa cttgacctaa ccaaaagtgc ttaagagaa    240
ctcaaaacag tttctgctga tcagtttagc agagaagaac aaattgaaaa tcccagacaa    300
tcaaggttg tcctagggtc aatagctctt ggagtgcca cagcagcagc agtcacagca    360
ggcattgcaa tagccaaaac tataaggctt gagagtgaag tgaatgcaat caaaggtgct    420
ctcaaaacaa ccaatgagc agtatcaaca ctaggaaatg gagtgccggg cctagccact    480
gcagtaagag agctgaaaga atttgtgagc aaaaacctga ctagtgcgat caacaagaac    540
aagttgaca ttgctgatt gaagatggct gtcagcttca gtcagttcaa cagaagattc    600
ctaaatgtt tgccgagctt ttcagacaat gcagggataa caccagcaat atcattggac    660
ctgatgaatg atgctgagct ggccagagct gtatcataca tgccaacatc tgcaggacag    720
ataaaactaa tgtagagaa ccgtgcaatg gtgaggagaa aaggatttg aatcttgata    780
ggggtctacg gaagctctgt gatttacatg gtccagctgc cgatctttgg tgtcataaat    840
acacctgtt ggataatcaa ggcagctccc tcttgttcag aaaaagatgg aaattatgct    900
tgcctcctaa gagaggatca aggggtgat tgtaaaaatg caggatccac tgtttactac    960
ccaaatgaaa aagactcoga aacaagaggt gatcatgttt tttgtgacac agcagcaggg    1020
atcaatgtt ctgagcaatc aagagaatgc aacatcaaca tatctaccac caactacca    1080
tgcaaatgca gcacaggaag acaccctatc agcatgggtg cactatcacc tctcgggtgct    1140
ttgtagctt gctacaaagg ggttagctgc tcgactggca gtaatcaggt tggataaatc    1200
aaacaactac ctaaagggtg ctatacata actaaccagg acgcagacac tgtaacaatt    1260
gacaacactg tgtatcaact aagcaaagt gaggggtaac agcatgtaat aaaagggaga    1320
ccagtttcaa gcagtttga tccaatcagg tttcctgagg atcagttcaa tgttgcgctt    1380
gatcaagtct ttgaaagcat tgaaaacagt caagcactag tggaccagtc aaacaaaatt    1440
ctgaacagtg cagaaaaagg aaacactggt ttcattattg taataatatt gatttgetgt    1500
cttgggttaa ccatgatttc agtgagcacc atcatcataa tcaaaaaaac aaggaagccc    1560
acaggggac ctcggagct gaatgggtt accaacggcg gtttcatacc gcatagttag    1620

```

<210> SEQ ID NO 4

<211> LENGTH: 1725

<212> TYPE: DNA

<213> ORGANISM: Human respiratory syncytial virus

<400> SEQUENCE: 4

```

atggagttgc caatcctcaa aacaaatgca attaccacaa tccttgetgc agtcacactc    60
tgtttcgctt ccagtcaaaa catcactgaa gaattttatc aatcaacatg cagtgcagtt    120
agcaaaggct atcttagtgc tctaagaact ggttggtata ctagtgttat aactatagaa    180
ttaagtaata tcaaggaaaa taagtgtaat ggaacagatg ctaaggtaaa attgataaaa    240
caagaattag ataaatataa aaatgctgta acagaattgc agttgctcat gcaaagcaca    300
ccagcagcca acaatcgagc cagaagagaa ctaccaaggt ttatgaatta tacactcaat    360

```

-continued

```

aataccaaaa ataccaatgt aacattaagc aagaaaagga aaagaagatt tcttggttt 420
ttgttaggtg ttggatctgc aatcgccagt ggcattgctg tatctaaggt cctgcaccta 480
gaaggggaag tgaacaaaat caaaagtgtc ctactatcca caaacaaggc tgtagtcagc 540
ttatcaaatg gagttagtgt cttaccagc aaagtgttag acctcaaaaa ctatatagat 600
aacagttgt tacctattgt gaacaagcaa agctgcagca tatcaaacat tgaactgtg 660
atagagttcc aacaaaagaa caacagacta ctagagatta ccaggaatt tagtgtaat 720
gcaggtgtaa ctacacctgt aagcacttat atgttaacta atagtgaatt attatcatta 780
atcaatgata tgcctataac aaatgatcag aaaaagttaa tgtccaacaa tgttcaata 840
gttagacagc aaagttactc tatcatgtcc ataataaagg aggaagtctt agcatatgta 900
gtacaattac cactatatgg tgtaatagat acaccctgtt ggaaactgca cacatccct 960
ctatgtacaa ccaacacaaa ggaaggttcc aacatctgct taacaagaac cgacagagga 1020
tggattgtg acaatgcagg atcagtatct ttcttccac aagctgaaac atgtaaagtt 1080
caatcgaatc gggattttg tgacacaatg aacagtttaa cattaccaag tgaagtaaat 1140
ctctgcaaca ttgacatatt caaccccaaa tatgattgca aaattatgac ttcaaaaaca 1200
gatgtaagca gctccgttat cacatctcta ggagccattg tgtcatgcta tggcaaaact 1260
aatgtacag catccaataa aaatcgtggg atcataaaga cattttctaa cgggtgtgat 1320
tatgtatcaa ataagggggt ggatactgtg tctgtaggtg atacattata ttatgtaaat 1380
aagcaagaag gcaaaagtct ctatgtaaaa ggtgaaccaa taataaattt ctatgacca 1440
ttagtgttcc cctctgatga atttgatgca tcaatatctc aagtcaatga gaagattaac 1500
cagagcctag catttattcg taaatccgat gaattattac ataagttaa tgctggtaaa 1560
tccaccacaa atatcatgat aactactata attatagtga ttatagtaat attgttatca 1620
ttaattgcag ttggactgct cctatactgc aaggccagaa gcacaccagt cacactaagt 1680
aaggatcaac tgagtgggat aaataatatt gcatttagta actga 1725

```

<210> SEQ ID NO 5

<211> LENGTH: 539

<212> TYPE: PRT

<213> ORGANISM: Unknown

<220> FEATURE:

<223> OTHER INFORMATION: Human metapneumovirus isolate

<400> SEQUENCE: 5

```

Met Ser Trp Lys Val Val Ile Ile Phe Ser Leu Leu Ile Thr Pro Gln
1           5           10           15
His Gly Leu Lys Glu Ser Tyr Leu Glu Glu Ser Cys Ser Thr Ile Thr
20          25          30
Glu Gly Tyr Leu Ser Val Leu Arg Thr Gly Trp Tyr Thr Asn Val Phe
35          40          45
Thr Leu Glu Val Gly Asp Val Glu Asn Leu Thr Cys Ser Asp Gly Pro
50          55          60
Ser Leu Ile Lys Thr Glu Leu Asp Leu Thr Lys Ser Ala Leu Arg Glu
65          70          75          80
Leu Lys Thr Val Ser Ala Asp Gln Leu Ala Arg Glu Glu Gln Ile Glu
85          90          95
Asn Pro Arg Gln Ser Arg Phe Val Leu Gly Ala Ile Ala Leu Gly Val
100         105         110
Ala Ala Ala Ala Ala Val Thr Ala Gly Val Ala Ile Ala Lys Thr Ile
115         120         125

```


-continued

Arg Leu Glu Ser Glu Val Thr Ala Ile Asn Asn Ala Leu Lys Lys Thr
 130 135 140
 Asn Glu Ala Val Ser Thr Leu Gly Asn Gly Val Arg Val Leu Ala Thr
 145 150 155 160
 Ala Val Arg Glu Leu Lys Asp Phe Val Ser Lys Asn Leu Thr Arg Ala
 165 170 175
 Ile Asn Lys Asn Lys Cys Asp Ile Asp Asp Leu Lys Met Ala Val Ser
 180 185 190
 Phe Ser Gln Phe Asn Arg Arg Phe Leu Asn Val Val Arg Gln Phe Ser
 195 200 205
 Asp Asn Ala Gly Ile Thr Pro Ala Ile Ser Leu Asp Leu Met Thr Asp
 210 215 220
 Ala Glu Leu Ala Arg Ala Val Pro Asn Met Pro Thr Ser Ala Gly Gln
 225 230 235 240
 Ile Lys Leu Met Leu Glu Asn Arg Ala Met Val Arg Arg Lys Gly Phe
 245 250 255
 Gly Ile Leu Ile Gly Val Tyr Gly Ser Ser Val Ile Tyr Met Val Gln
 260 265 270
 Leu Pro Ile Phe Gly Val Ile Asp Thr Pro Cys Trp Ile Val Lys Ala
 275 280 285
 Ala Pro Ser Cys Ser Glu Lys Lys Gly Asn Tyr Ala Cys Leu Leu Arg
 290 295 300
 Glu Asp Gln Gly Trp Tyr Cys Gln Asn Ala Gly Ser Thr Val Tyr Tyr
 305 310 315 320
 Pro Asn Glu Lys Asp Cys Glu Thr Arg Gly Asp His Val Phe Cys Asp
 325 330 335
 Thr Ala Ala Gly Ile Asn Val Ala Glu Gln Ser Lys Glu Cys Asn Ile
 340 345 350
 Asn Ile Ser Thr Thr Asn Tyr Pro Cys Lys Val Ser Thr Gly Arg His
 355 360 365
 Pro Ile Ser Met Val Ala Leu Ser Pro Leu Gly Ala Leu Val Ala Cys
 370 375 380
 Tyr Lys Gly Val Ser Cys Ser Ile Gly Ser Asn Arg Val Gly Ile Ile
 385 390 395 400
 Lys Gln Leu Asn Lys Gly Cys Ser Tyr Ile Thr Asn Gln Asp Ala Asp
 405 410 415
 Thr Val Thr Ile Asp Asn Thr Val Tyr Gln Leu Ser Lys Val Glu Gly
 420 425 430
 Glu Gln His Val Ile Lys Gly Arg Pro Val Ser Ser Ser Phe Asp Pro
 435 440 445
 Ile Lys Phe Pro Glu Asp Gln Phe Asn Val Ala Leu Asp Gln Val Phe
 450 455 460
 Glu Asn Ile Glu Asn Ser Gln Ala Leu Val Asp Gln Ser Asn Arg Ile
 465 470 475 480
 Leu Ser Ser Ala Glu Lys Gly Asn Thr Gly Phe Ile Ile Val Ile Ile
 485 490 495
 Leu Ile Ala Val Leu Gly Ser Ser Met Ile Leu Val Ser Ile Phe Ile
 500 505 510
 Ile Ile Lys Lys Thr Lys Lys Pro Thr Gly Ala Pro Pro Glu Leu Ser
 515 520 525
 Gly Val Thr Asn Asn Gly Phe Ile Pro His Asn
 530 535

-continued

```

<210> SEQ ID NO 6
<211> LENGTH: 539
<212> TYPE: PRT
<213> ORGANISM: Unknown
<220> FEATURE:
<223> OTHER INFORMATION: Human metapneumovirus

<400> SEQUENCE: 6

Met Ser Trp Lys Val Met Ile Ile Ile Ser Leu Leu Ile Thr Pro Gln
1          5          10          15

His Gly Leu Lys Glu Ser Tyr Leu Glu Glu Ser Cys Ser Thr Ile Thr
          20          25          30

Glu Gly Tyr Leu Ser Val Leu Arg Thr Gly Trp Tyr Thr Asn Val Phe
          35          40          45

Thr Leu Glu Val Gly Asp Val Glu Asn Leu Thr Cys Thr Asp Gly Pro
50          55          60

Ser Leu Ile Lys Thr Glu Leu Asp Leu Thr Lys Ser Ala Leu Arg Glu
65          70          75          80

Leu Lys Thr Val Ser Ala Asp Gln Leu Ala Arg Glu Glu Gln Ile Glu
          85          90          95

Asn Pro Arg Gln Ser Arg Phe Val Leu Gly Ala Ile Ala Leu Gly Val
          100          105          110

Ala Thr Ala Ala Ala Val Thr Ala Gly Ile Ala Ile Ala Lys Thr Ile
          115          120          125

Arg Leu Glu Ser Glu Val Asn Ala Ile Lys Gly Ala Leu Lys Gln Thr
130          135          140

Asn Glu Ala Val Ser Thr Leu Gly Asn Gly Val Arg Val Leu Ala Thr
145          150          155          160

Ala Val Arg Glu Leu Lys Glu Phe Val Ser Lys Asn Leu Thr Ser Ala
          165          170          175

Ile Asn Arg Asn Lys Cys Asp Ile Ala Asp Leu Lys Met Ala Val Ser
          180          185          190

Phe Ser Gln Phe Asn Arg Arg Phe Leu Asn Val Val Arg Gln Phe Ser
          195          200          205

Asp Asn Ala Gly Ile Thr Pro Ala Ile Ser Leu Asp Leu Met Thr Asp
210          215          220

Ala Glu Leu Ala Arg Ala Val Ser Tyr Met Pro Thr Ser Ala Gly Gln
225          230          235          240

Ile Lys Leu Met Leu Glu Asn Arg Ala Met Val Arg Arg Lys Gly Phe
          245          250          255

Gly Ile Leu Ile Gly Val Tyr Gly Ser Ser Val Ile Tyr Met Val Gln
          260          265          270

Leu Pro Ile Phe Gly Val Ile Asp Thr Pro Cys Trp Ile Ile Lys Ala
          275          280          285

Ala Pro Ser Cys Ser Glu Lys Asn Gly Asn Tyr Ala Cys Leu Leu Arg
290          295          300

Glu Asp Gln Gly Trp Tyr Cys Lys Asn Ala Gly Ser Thr Val Tyr Tyr
305          310          315          320

Pro Asn Glu Lys Asp Cys Glu Thr Arg Gly Asp His Val Phe Cys Asp
          325          330          335

Thr Ala Ala Gly Ile Asn Val Ala Glu Gln Ser Arg Glu Cys Asn Ile
          340          345          350

Asn Ile Ser Thr Thr Asn Tyr Pro Cys Lys Val Ser Thr Gly Arg His
          355          360          365

```

-continued

Pro Ile Ser Met Val Ala Leu Ser Pro Leu Gly Ala Leu Val Ala Cys
 370 375 380

Tyr Lys Gly Val Ser Cys Ser Ile Gly Ser Asn Trp Val Gly Ile Ile
 385 390 395 400

Lys Gln Leu Pro Lys Gly Cys Ser Tyr Ile Thr Asn Gln Asp Ala Asp
 405 410 415

Thr Val Thr Ile Asp Asn Thr Val Tyr Gln Leu Ser Lys Val Glu Gly
 420 425 430

Glu Gln His Val Ile Lys Gly Arg Pro Val Ser Ser Ser Phe Asp Pro
 435 440 445

Ile Lys Phe Pro Glu Asp Gln Phe Asn Val Ala Leu Asp Gln Val Phe
 450 455 460

Glu Ser Ile Glu Asn Ser Gln Ala Leu Val Asp Gln Ser Asn Lys Ile
 465 470 475 480

Leu Asn Ser Ala Glu Lys Gly Asn Thr Gly Phe Ile Ile Val Val Ile
 485 490 495

Leu Val Ala Val Leu Gly Leu Thr Met Ile Ser Val Ser Ile Ile Ile
 500 505 510

Ile Ile Lys Lys Thr Arg Lys Pro Thr Gly Ala Pro Pro Glu Leu Asn
 515 520 525

Gly Val Thr Asn Gly Gly Phe Ile Pro His Ser
 530 535

<210> SEQ ID NO 7
 <211> LENGTH: 539
 <212> TYPE: PRT
 <213> ORGANISM: Unknown
 <220> FEATURE:
 <223> OTHER INFORMATION: Human metapneumovirus

<400> SEQUENCE: 7

Met Ser Trp Lys Val Met Ile Ile Ile Ser Leu Leu Ile Thr Pro Gln
 1 5 10 15

His Gly Leu Lys Glu Ser Tyr Leu Glu Glu Ser Cys Ser Thr Ile Thr
 20 25 30

Glu Gly Tyr Leu Ser Val Leu Arg Thr Gly Trp Tyr Thr Asn Val Phe
 35 40 45

Thr Leu Glu Val Gly Asp Val Glu Asn Leu Thr Cys Thr Asp Gly Pro
 50 55 60

Ser Leu Ile Lys Thr Glu Leu Asp Leu Thr Lys Ser Ala Leu Arg Glu
 65 70 75 80

Leu Lys Thr Val Ser Ala Asp Gln Leu Ala Arg Glu Glu Gln Ile Glu
 85 90 95

Asn Pro Arg Gln Ser Arg Phe Val Leu Gly Ala Ile Ala Leu Gly Val
 100 105 110

Ala Thr Ala Ala Ala Val Thr Ala Gly Ile Ala Ile Ala Lys Thr Ile
 115 120 125

Arg Leu Glu Ser Glu Val Asn Ala Ile Lys Gly Ala Leu Lys Thr Thr
 130 135 140

Asn Glu Ala Val Ser Thr Leu Gly Asn Gly Val Arg Val Leu Ala Thr
 145 150 155 160

Ala Val Arg Glu Leu Lys Glu Phe Val Ser Lys Asn Leu Thr Ser Ala
 165 170 175

Ile Asn Lys Asn Lys Cys Asp Ile Ala Asp Leu Lys Met Ala Val Ser
 180 185 190

-continued

Phe Ser Gln Phe Asn Arg Arg Phe Leu Asn Val Val Arg Gln Phe Ser
 195 200 205

Asp Asn Ala Gly Ile Thr Pro Ala Ile Ser Leu Asp Leu Met Asn Asp
 210 215 220

Ala Glu Leu Ala Arg Ala Val Ser Tyr Met Pro Thr Ser Ala Gly Gln
 225 230 235 240

Ile Lys Leu Met Leu Glu Asn Arg Ala Met Val Arg Arg Lys Gly Phe
 245 250 255

Gly Ile Leu Ile Gly Val Tyr Gly Ser Ser Val Ile Tyr Met Val Gln
 260 265 270

Leu Pro Ile Phe Gly Val Ile Asn Thr Pro Cys Trp Ile Ile Lys Ala
 275 280 285

Ala Pro Ser Cys Ser Glu Lys Asp Gly Asn Tyr Ala Cys Leu Leu Arg
 290 295 300

Glu Asp Gln Gly Trp Tyr Cys Lys Asn Ala Gly Ser Thr Val Tyr Tyr
 305 310 315 320

Pro Asn Glu Lys Asp Cys Glu Thr Arg Gly Asp His Val Phe Cys Asp
 325 330 335

Thr Ala Ala Gly Ile Asn Val Ala Glu Gln Ser Arg Glu Cys Asn Ile
 340 345 350

Asn Ile Ser Thr Thr Asn Tyr Pro Cys Lys Val Ser Thr Gly Arg His
 355 360 365

Pro Ile Ser Met Val Ala Leu Ser Pro Leu Gly Ala Leu Val Ala Cys
 370 375 380

Tyr Lys Gly Val Ser Cys Ser Thr Gly Ser Asn Gln Val Gly Ile Ile
 385 390 395 400

Lys Gln Leu Pro Lys Gly Cys Ser Tyr Ile Thr Asn Gln Asp Ala Asp
 405 410 415

Thr Val Thr Ile Asp Asn Thr Val Tyr Gln Leu Ser Lys Val Glu Gly
 420 425 430

Glu Gln His Val Ile Lys Gly Arg Pro Val Ser Ser Ser Phe Asp Pro
 435 440 445

Ile Arg Phe Pro Glu Asp Gln Phe Asn Val Ala Leu Asp Gln Val Phe
 450 455 460

Glu Ser Ile Glu Asn Ser Gln Ala Leu Val Asp Gln Ser Asn Lys Ile
 465 470 475 480

Leu Asn Ser Ala Glu Lys Gly Asn Thr Gly Phe Ile Ile Val Ile Ile
 485 490 495

Leu Ile Ala Val Leu Gly Leu Thr Met Ile Ser Val Ser Ile Ile Ile
 500 505 510

Ile Ile Lys Lys Thr Arg Lys Pro Thr Gly Ala Pro Pro Glu Leu Asn
 515 520 525

Gly Val Thr Asn Gly Gly Phe Ile Pro His Ser
 530 535

<210> SEQ ID NO 8
 <211> LENGTH: 574
 <212> TYPE: PRT
 <213> ORGANISM: Human respiratory syncytial virus
 <400> SEQUENCE: 8

Met Glu Leu Pro Ile Leu Lys Thr Asn Ala Ile Thr Thr Ile Leu Ala
 1 5 10 15

Ala Val Thr Leu Cys Phe Ala Ser Ser Gln Asn Ile Thr Glu Glu Phe
 20 25 30

-continued

Tyr Gln Ser Thr Cys Ser Ala Val Ser Lys Gly Tyr Leu Ser Ala Leu
 35 40 45

Arg Thr Gly Trp Tyr Thr Ser Val Ile Thr Ile Glu Leu Ser Asn Ile
 50 55 60

Lys Glu Asn Lys Cys Asn Gly Thr Asp Ala Lys Val Lys Leu Ile Lys
 65 70 75 80

Gln Glu Leu Asp Lys Tyr Lys Asn Ala Val Thr Glu Leu Gln Leu Leu
 85 90 95

Met Gln Ser Thr Pro Ala Ala Asn Asn Arg Ala Arg Arg Glu Leu Pro
 100 105 110

Arg Phe Met Asn Tyr Thr Leu Asn Asn Thr Lys Asn Thr Asn Val Thr
 115 120 125

Leu Ser Lys Lys Arg Lys Arg Arg Phe Leu Gly Phe Leu Leu Gly Val
 130 135 140

Gly Ser Ala Ile Ala Ser Gly Ile Ala Val Ser Lys Val Leu His Leu
 145 150 155 160

Glu Gly Glu Val Asn Lys Ile Lys Ser Ala Leu Leu Ser Thr Asn Lys
 165 170 175

Ala Val Val Ser Leu Ser Asn Gly Val Ser Val Leu Thr Ser Lys Val
 180 185 190

Leu Asp Leu Lys Asn Tyr Ile Asp Lys Gln Leu Leu Pro Ile Val Asn
 195 200 205

Lys Gln Ser Cys Ser Ile Ser Asn Ile Glu Thr Val Ile Glu Phe Gln
 210 215 220

Gln Lys Asn Asn Arg Leu Leu Glu Ile Thr Arg Glu Phe Ser Val Asn
 225 230 235 240

Ala Gly Val Thr Thr Pro Val Ser Thr Tyr Met Leu Thr Asn Ser Glu
 245 250 255

Leu Leu Ser Leu Ile Asn Asp Met Pro Ile Thr Asn Asp Gln Lys Lys
 260 265 270

Leu Met Ser Asn Asn Val Gln Ile Val Arg Gln Gln Ser Tyr Ser Ile
 275 280 285

Met Ser Ile Ile Lys Glu Glu Val Leu Ala Tyr Val Val Gln Leu Pro
 290 295 300

Leu Tyr Gly Val Ile Asp Thr Pro Cys Trp Lys Leu His Thr Ser Pro
 305 310 315 320

Leu Cys Thr Thr Asn Thr Lys Glu Gly Ser Asn Ile Cys Leu Thr Arg
 325 330 335

Thr Asp Arg Gly Trp Tyr Cys Asp Asn Ala Gly Ser Val Ser Phe Phe
 340 345 350

Pro Gln Ala Glu Thr Cys Lys Val Gln Ser Asn Arg Val Phe Cys Asp
 355 360 365

Thr Met Asn Ser Leu Thr Leu Pro Ser Glu Val Asn Leu Cys Asn Ile
 370 375 380

Asp Ile Phe Asn Pro Lys Tyr Asp Cys Lys Ile Met Thr Ser Lys Thr
 385 390 395 400

Asp Val Ser Ser Ser Val Ile Thr Ser Leu Gly Ala Ile Val Ser Cys
 405 410 415

Tyr Gly Lys Thr Lys Cys Thr Ala Ser Asn Lys Asn Arg Gly Ile Ile
 420 425 430

Lys Thr Phe Ser Asn Gly Cys Asp Tyr Val Ser Asn Lys Gly Val Asp
 435 440 445

-continued

Thr Val Ser Val Gly Asn Thr Leu Tyr Tyr Val Asn Lys Gln Glu Gly
 450 455 460
 Lys Ser Leu Tyr Val Lys Gly Glu Pro Ile Ile Asn Phe Tyr Asp Pro
 465 470 475 480
 Leu Val Phe Pro Ser Asp Glu Phe Asp Ala Ser Ile Ser Gln Val Asn
 485 490 495
 Glu Lys Ile Asn Gln Ser Leu Ala Phe Ile Arg Lys Ser Asp Glu Leu
 500 505 510
 Leu His Asn Val Asn Ala Gly Lys Ser Thr Thr Asn Ile Met Ile Thr
 515 520 525
 Thr Ile Ile Ile Val Ile Ile Val Ile Leu Leu Ser Leu Ile Ala Val
 530 535 540
 Gly Leu Leu Leu Tyr Cys Lys Ala Arg Ser Thr Pro Val Thr Leu Ser
 545 550 555 560
 Lys Asp Gln Leu Ser Gly Ile Asn Asn Ile Ala Phe Ser Asn
 565 570

<210> SEQ ID NO 9
 <211> LENGTH: 1617
 <212> TYPE: DNA
 <213> ORGANISM: Human parainfluenza virus 3

<400> SEQUENCE: 9

```

atgccaatTT caatactgTT aattattaca accatgatca tggcatcaca ctgccaata 60
gacatcacia aactacagca tgtagtgta ttggTcaaca gtcccaaagg gatgaagata 120
tcacaaaact tcgaacaag atatctaact ctgagtctca taccaaaaat agaagattct 180
aactcttgTg gtgaccaaca gatcaagcaa tacaagaggT tattggatag actgatcatt 240
cctttatatg atggactaag attacagaag gatgtgatag tgactaatca agaatccaat 300
gaaaacactg atcccagaac agaacgattc tttggagggg taattggaac tattgctcta 360
ggagtagcaa cctcagcaca aattacagca gcagttgctc tggTtgaagc caagcaggca 420
agatcagaca ttgaaaaact caaggaagca atcagggaca caaataaagc agtgcagtca 480
gttcagagct ctgtaggaaa tttgatagta gcaattaaat cagtccagga ttatgtcaac 540
aaagaaatcg tgccatcgat tgcgagacta ggtTgtgaag cagcaggact tcagttaggg 600
attgcattaa cacagcatta ctcagaatta acaaatatat ttgTtgataa cataggatcg 660
ttacaagaaa aaggaataaa attacaaggt atagcatcat tataccgtac aaatatcaca 720
gaaatattca caacatcaac agttgacaaa tatgatatt atgatctatt atttacagaa 780
tcaataaagg tgagagttat agatgttgat ttgaatgatt actcaataac cctccaagtc 840
agactccctt tattgaccag actgctgaac actcaaatct acaaagtaga ttccatatca 900
tacaatatcc aaaatagaga atggatatc cctcttccca gccatatcat gacgaaaggg 960
gcatttctag gtggagcaga tgtcaaagaa tgcatagaag cattcagcag ttatatatgc 1020
ccttctgatc caggatttgt actaaacct gaaatggaga gctgtctatc aggaaacata 1080
tcccaatgtc caagaaccac agtcacatca gacatagttc ctaggTatgc atttgTcaat 1140
ggaggagTgg ttgcgaattg tataacaact acatgtacat gcaatggTat cggtaataga 1200
atcaaccaac cacctgatca aggagTcaaa attataaac ataaagaatg taatacaata 1260
ggTatcaacg gaatgctatt caacacaaac aaagaaggaa ctcttgcatc ctacacacca 1320
gacgacataa cattaacaa ttctgttgca ctTgatccga ttgacatac aatcgagctc 1380
aacaaggcca aatcagatct tgaggaaTca aaagaatgga taagaaggTc aatcaaaag 1440
  
```

-continued

```

ctagattcta ttggaagttg gcatcaatct agcactacaa tcatagttat tttgataatg 1500
atgattatat tgtttataat taatataaca ataattacaa ttgcaattaa gtattacaga 1560
attcaaaaaga gaaatcgagt ggatcaaaaat gataagccgt atgtattaac aaacaag 1617

```

```

<210> SEQ ID NO 10
<211> LENGTH: 1716
<212> TYPE: DNA
<213> ORGANISM: Human parainfluenza virus 3

```

```

<400> SEQUENCE: 10

```

```

atggaatact ggaagcacac caaccacgga aaggatgctg gtaatgagct ggagacatcc 60
acagccactc atggcaacaa gctcaccaac aagataacat atatattgtg gacgataacc 120
ctggtgttat tatcaatagt cttcatcata gtgctaacta attccatcaa aagtgaaaag 180
gcccgcgaat cattgctaca agacataaat aatgagttta tggaaagtac agaaaagatc 240
caagtggcat cggataatac taatgatcta atacagtcag gagtgaatac aaggcttctt 300
acaattcaga gtcatgtoca gaattatata ccaatatcat tgacacaaca aatatcggat 360
cttaggaaat tcattagtga aattacaatt agaaatgata atcaagaagt gccaccacaa 420
agaataacac atgatgtggg tataaaacct ttaaatccag atgatttctg gagatgcacg 480
tctgtcttc catctttgat gaaaactcca aaaataagat taatgccggg accaggatta 540
ttagctatgc caacgactgt tgatggctgt gtcagaacct cgtccttagt gataaatgat 600
ctgatttatg cttacactc aaatctaatt actcgaggtt gccaggatat agggaaatca 660
tatcaagtat tacagatagg gataataact gtaaaactcag acttgggtacc tgacttaaat 720
cctaggatct ctcatacctt caacataaat gacaatagaa agtcatgttc tctagcactc 780
ctaaatacag atgtatatca actgtgttca accccaaaag ttgatgaaag atcagattat 840
gcatcatcag gcatagaaga tattgtactt gatattgtca attatgatgg ctcaatctcg 900
acaacaagat ttaagaataa taatataagt tttgatcaac catatgcggc attataccca 960
tctgttgac cagggatata ctcaaaaggc aaaataatat ttctcgggta tggaggtctt 1020
gaacatccaa taaatgagaa tgcaatctgc aacacaactg ggtgtcctgg gaaaacacag 1080
agagactgta atcaagcadc tcatagtcca tggttttcag atagaaggat ggtcaactct 1140
ataattgttg ttgacaaggg cttgaaactca gttccaaaat tgaaggtatg gacgatatct 1200
atgagacaaa attactgggg gtcagaagga agattacttc tactaggtaa caagatctac 1260
atatacacia gatctacaag ttggcacagc aagttacaat taggaataat tgacattact 1320
gactacagtg atataaggat aaaatggaca tggcataatg tgctatcaag accaggaaac 1380
aatgaatgtc catggggaca ttcattgtcc gatggatgta taacgggagt atataccgat 1440
gcatatccac tcaatcccac aggaagcatt gtatcatctg tcatattgga ctcaaaaaa 1500
tcgagagtca acccagtcac aacttactca acagcaaccg aaagggtaaa cgagctggct 1560
atccgaaaca aaacactctc agctgggtac acaacaacia gctgcattac aactataac 1620
aaagggtatt gttttcatat agtagaaata aatcataaaa gcttaaacac atttcaacce 1680
atggtgttca aaacagagat tccaaaaagc tgcagt 1716

```

```

<210> SEQ ID NO 11
<211> LENGTH: 1716
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:

```

-continued

<223> OTHER INFORMATION: Synthetic Polynucleotide

<400> SEQUENCE: 11

```

atggaatact ggaagcacac caaccacggc aaggacgccc gcaacgagct ggaaccagc   60
acagccacac acggcaacaa gctgaccaac aagatcacct acatcctgtg gaccatcacc   120
ctggtgctgc tgagcatcgt gttcatcacc gtgctgacca atagcatcaa gagcgagaag   180
gccagagaga gcctgctgca ggacatcaac aacgagttca tggaagtgac cgagaagatc   240
caggtggcca gcgacaacac caacgacctg atccagagcg gcgtgaacac ccggctgctg   300
accatccaga gccacgtgca gaactacatc cccatcagcc tgaccagca gatcagcgac   360
ctgcggaagt tcatcagcga gatcaccatc cggaaacgaca accaggaagt gccccccag   420
agaatcaccg acgacgtggg catcaagccc ctgaaccccg acgatttctg gcggtgtaca   480
agcggcctgc ccagcctgat gaagaccccc aagatccggc tgatgcctgg ccctggactg   540
ctggccatgc ctaccacagt ggatggctgt gtgcggaccc ccagcctcgt gatcaacgat   600
ctgatctaag cctacaccag caacctgatc acccggggct gccaggatat cggcaagagc   660
taccaggtgc tgcagatcgg catcatcacc gtgaactccg acctgggtgcc cgacctgaac   720
cctcggatca gccacacctt caacatcaac gacaacagaa agagctgcag cctggctctg   780
ctgaacacgg acgtgtacca gctgtgcagc acccccaggg tggacgagag aagcgactac   840
gccagcagcg gcacgcagga tatcgtgctg gacatcgtga actacgacgg cagcatcagc   900
accacccggg tcaagaacaa caacatcagc ttcgaccagc cctacgcccg cctgtaccct   960
tctgtgggcc ctggcatcta ctacaagggc aagatcatct tcctgggcta cggcggcctg  1020
gaacacccca tcaacgagaa cgccatctgc aacaccaccg gctgccctgg caagaccag   1080
agagactgca atcaggccag ccacagcccc tggttcagcg accgcagaat ggtcaactct  1140
atcatcgtgg tggacaaggg cctgaacagc gtgcccacgc tgaaagtgtg gacaatcagc  1200
atgcgccaga actactgggg cagcaggggc agacttctgc tgctgggaaa caagatctac  1260
atctacaccc ggtccaccag ctggcacagc aaactgcagc tgggaatcat cgacatcacc  1320
gactacagcg acatccggat caagtggacc tggcacaacg tgctgagcag acccggaac   1380
aatgagtgcc cttggggcca cagctgcccc gatggatgta tcaccggcgt gtacaccgac  1440
gcctaccccc tgaatcctac cggctccatc gtgtccagcg tgatcctgga cagccagaaa  1500
agcagagtga acccctgatc cacatacagc accgccaccg agagagtgaa cgaactggcc  1560
atcagaaaac agaccctgag cgccggctac accaccacaa gctgcatcac aactacaac  1620
aagggctact gcttccacat cgtggaaatc aaccacaagt ccctgaacac cttccagccc  1680
atgctgttca agaccgagat cccaagagc tgctcc   1716

```

<210> SEQ ID NO 12

<211> LENGTH: 1617

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic Polynucleotide

<400> SEQUENCE: 12

```

atgccccatca gcatcctgct gatcatcacc acaatgatca tggccagcca ctgccagatc   60
gacatcacca agctgcagca cgtgggctgt ctcgtgaaca gccccaggcg catgaagatc  120
agccagaact tcgagacacg ctacctgatc ctgagcctga tccccaaagt cgaggacagc  180
aacagctgog gcgaccagca gatcaagcag tacaagcggc tgctggacag actgatcatc  240

```


-continued

```

ccccgtacg acggcctgcg gctgcagaaa gacgtgatcg tgaccaacca ggaaagcaac   300
gagaacaccg acccccggac cgagagattc ttcggcggcg tgatcggcac aatcgccctg   360
ggagtggcca caagcgccca gattacagcc gctgtggccc tgggtggaagc caagcaggcc   420
agaagcgaca tcgagaagct gaaagaggcc atccgggaca ccaacaaggc cgtgcagagc   480
gtgcagtcca gcgtgggcaa tctgatcgtg gccatcaagt ccgtgcagga ctacgtgaac   540
aaagaaatcg tgcctctat cgcccggctg ggctgtgaag ctgccggact gcagctgggc   600
attgccctga cacagcacta cagcgagctg accaacatct tcggcgacaa catcggcagc   660
ctgcaggaaa agggcattaa gctgcaggga atcgccagcc tgtaccgcac caacatcacc   720
gagatcttca ccaccagcac cgtggataag tacgacatct acgacctgct gttcaccgag   780
agcatcaaag tgcgctgat cgacgtggac ctgaacgact acagcatcac cctgcaagtg   840
cggctgcccc tgctgaccag actgctgaac acccagatct acaaggtgga cagcatctcc   900
tacaacatcc agaaccgoga gtggtacatc cctctgcccc gccacattat gaccaagggc   960
gcctttctgg gcggagccga cgtgaaagag tgcacgagg ccttcagcag ctacatctgc  1020
cccagcgacc ctggcttctg gctgaaccac gagatggaaa gctgcttgag cggcaacatc  1080
agccagtgcc ccagaaccac cgtgacctcc gacatcgtgc ccagatacgc cttcgtgaat  1140
ggcggcgtgg tggccaactg catcaccacc acctgtacct gcaacggcat cggcaaccgg  1200
atcaaccagc ctcccgatca gggcgtgaag attatcacc acaagagtg taacaccatc  1260
ggcatcaaag gcatgctggt caataccaac aaagagggca ccctggcctt ctacaccccc  1320
gacgatatca cctgaaacaa ctccgtggct ctggacccca tcgacatctc catcggagctg  1380
aacaaggcca agagcgacct ggaagagtcc aaagagtgga tccggcggag caaccagaag  1440
ctggactcta tcggcagctg gcaccagagc agcaccacca tcatcgtgat cctgattatg  1500
atgattatcc tgttcatcat caacattacc atcatcacta tcgccattaa gtactaccgg  1560
atccagaaac ggaaccgggt ggaccagaat gacaagccct acgtgctgac aaacaag   1617

```

<210> SEQ ID NO 13

<211> LENGTH: 539

<212> TYPE: PRT

<213> ORGANISM: Human parainfluenza virus 3

<400> SEQUENCE: 13

```

Met Pro Ile Ser Ile Leu Leu Ile Ile Thr Thr Met Ile Met Ala Ser
 1             5             10             15
His Cys Gln Ile Asp Ile Thr Lys Leu Gln His Val Gly Val Leu Val
 20             25             30
Asn Ser Pro Lys Gly Met Lys Ile Ser Gln Asn Phe Glu Thr Arg Tyr
 35             40             45
Leu Ile Leu Ser Leu Ile Pro Lys Ile Glu Asp Ser Asn Ser Cys Gly
 50             55             60
Asp Gln Gln Ile Lys Gln Tyr Lys Arg Leu Leu Asp Arg Leu Ile Ile
 65             70             75             80
Pro Leu Tyr Asp Gly Leu Arg Leu Gln Lys Asp Val Ile Val Thr Asn
 85             90             95
Gln Glu Ser Asn Glu Asn Thr Asp Pro Arg Thr Glu Arg Phe Phe Gly
100            105            110
Gly Val Ile Gly Thr Ile Ala Leu Gly Val Ala Thr Ser Ala Gln Ile
115            120            125

```

-continued

Thr Ala Ala Val Ala Leu Val Glu Ala Lys Gln Ala Arg Ser Asp Ile
 130 135 140
 Glu Lys Leu Lys Glu Ala Ile Arg Asp Thr Asn Lys Ala Val Gln Ser
 145 150 155 160
 Val Gln Ser Ser Val Gly Asn Leu Ile Val Ala Ile Lys Ser Val Gln
 165 170 175
 Asp Tyr Val Asn Lys Glu Ile Val Pro Ser Ile Ala Arg Leu Gly Cys
 180 185 190
 Glu Ala Ala Gly Leu Gln Leu Gly Ile Ala Leu Thr Gln His Tyr Ser
 195 200 205
 Glu Leu Thr Asn Ile Phe Gly Asp Asn Ile Gly Ser Leu Gln Glu Lys
 210 215 220
 Gly Ile Lys Leu Gln Gly Ile Ala Ser Leu Tyr Arg Thr Asn Ile Thr
 225 230 235 240
 Glu Ile Phe Thr Thr Ser Thr Val Asp Lys Tyr Asp Ile Tyr Asp Leu
 245 250 255
 Leu Phe Thr Glu Ser Ile Lys Val Arg Val Ile Asp Val Asp Leu Asn
 260 265 270
 Asp Tyr Ser Ile Thr Leu Gln Val Arg Leu Pro Leu Leu Thr Arg Leu
 275 280 285
 Leu Asn Thr Gln Ile Tyr Lys Val Asp Ser Ile Ser Tyr Asn Ile Gln
 290 295 300
 Asn Arg Glu Trp Tyr Ile Pro Leu Pro Ser His Ile Met Thr Lys Gly
 305 310 315 320
 Ala Phe Leu Gly Gly Ala Asp Val Lys Glu Cys Ile Glu Ala Phe Ser
 325 330 335
 Ser Tyr Ile Cys Pro Ser Asp Pro Gly Phe Val Leu Asn His Glu Met
 340 345 350
 Glu Ser Cys Leu Ser Gly Asn Ile Ser Gln Cys Pro Arg Thr Thr Val
 355 360 365
 Thr Ser Asp Ile Val Pro Arg Tyr Ala Phe Val Asn Gly Gly Val Val
 370 375 380
 Ala Asn Cys Ile Thr Thr Thr Cys Thr Cys Asn Gly Ile Gly Asn Arg
 385 390 395 400
 Ile Asn Gln Pro Pro Asp Gln Gly Val Lys Ile Ile Thr His Lys Glu
 405 410 415
 Cys Asn Thr Ile Gly Ile Asn Gly Met Leu Phe Asn Thr Asn Lys Glu
 420 425 430
 Gly Thr Leu Ala Phe Tyr Thr Pro Asp Asp Ile Thr Leu Asn Asn Ser
 435 440 445
 Val Ala Leu Asp Pro Ile Asp Ile Ser Ile Glu Leu Asn Lys Ala Lys
 450 455 460
 Ser Asp Leu Glu Glu Ser Lys Glu Trp Ile Arg Arg Ser Asn Gln Lys
 465 470 475 480
 Leu Asp Ser Ile Gly Ser Trp His Gln Ser Ser Thr Thr Ile Ile Val
 485 490 495
 Ile Leu Ile Met Met Ile Ile Leu Phe Ile Ile Asn Ile Thr Ile Ile
 500 505 510
 Thr Ile Ala Ile Lys Tyr Tyr Arg Ile Gln Lys Arg Asn Arg Val Asp
 515 520 525
 Gln Asn Asp Lys Pro Tyr Val Leu Thr Asn Lys
 530 535

-continued

```

<210> SEQ ID NO 14
<211> LENGTH: 572
<212> TYPE: PRT
<213> ORGANISM: Human parainfluenza virus 3

<400> SEQUENCE: 14

Met Glu Tyr Trp Lys His Thr Asn His Gly Lys Asp Ala Gly Asn Glu
 1          5          10          15

Leu Glu Thr Ser Thr Ala Thr His Gly Asn Lys Leu Thr Asn Lys Ile
 20          25          30

Thr Tyr Ile Leu Trp Thr Ile Thr Leu Val Leu Leu Ser Ile Val Phe
 35          40          45

Ile Ile Val Leu Thr Asn Ser Ile Lys Ser Glu Lys Ala Arg Glu Ser
 50          55          60

Leu Leu Gln Asp Ile Asn Asn Glu Phe Met Glu Val Thr Glu Lys Ile
 65          70          75          80

Gln Val Ala Ser Asp Asn Thr Asn Asp Leu Ile Gln Ser Gly Val Asn
 85          90          95

Thr Arg Leu Leu Thr Ile Gln Ser His Val Gln Asn Tyr Ile Pro Ile
 100         105         110

Ser Leu Thr Gln Gln Ile Ser Asp Leu Arg Lys Phe Ile Ser Glu Ile
 115         120         125

Thr Ile Arg Asn Asp Asn Gln Glu Val Pro Pro Gln Arg Ile Thr His
 130         135         140

Asp Val Gly Ile Lys Pro Leu Asn Pro Asp Asp Phe Trp Arg Cys Thr
 145         150         155         160

Ser Gly Leu Pro Ser Leu Met Lys Thr Pro Lys Ile Arg Leu Met Pro
 165         170         175

Gly Pro Gly Leu Leu Ala Met Pro Thr Thr Val Asp Gly Cys Val Arg
 180         185         190

Thr Pro Ser Leu Val Ile Asn Asp Leu Ile Tyr Ala Tyr Thr Ser Asn
 195         200         205

Leu Ile Thr Arg Gly Cys Gln Asp Ile Gly Lys Ser Tyr Gln Val Leu
 210         215         220

Gln Ile Gly Ile Ile Thr Val Asn Ser Asp Leu Val Pro Asp Leu Asn
 225         230         235         240

Pro Arg Ile Ser His Thr Phe Asn Ile Asn Asp Asn Arg Lys Ser Cys
 245         250         255

Ser Leu Ala Leu Leu Asn Thr Asp Val Tyr Gln Leu Cys Ser Thr Pro
 260         265         270

Lys Val Asp Glu Arg Ser Asp Tyr Ala Ser Ser Gly Ile Glu Asp Ile
 275         280         285

Val Leu Asp Ile Val Asn Tyr Asp Gly Ser Ile Ser Thr Thr Arg Phe
 290         295         300

Lys Asn Asn Asn Ile Ser Phe Asp Gln Pro Tyr Ala Ala Leu Tyr Pro
 305         310         315         320

Ser Val Gly Pro Gly Ile Tyr Tyr Lys Gly Lys Ile Ile Phe Leu Gly
 325         330         335

Tyr Gly Gly Leu Glu His Pro Ile Asn Glu Asn Ala Ile Cys Asn Thr
 340         345         350

Thr Gly Cys Pro Gly Lys Thr Gln Arg Asp Cys Asn Gln Ala Ser His
 355         360         365

Ser Pro Trp Phe Ser Asp Arg Arg Met Val Asn Ser Ile Ile Val Val
 370         375         380

```

-continued

Asp Lys Gly Leu Asn Ser Val Pro Lys Leu Lys Val Trp Thr Ile Ser
 385 390 395 400
 Met Arg Gln Asn Tyr Trp Gly Ser Glu Gly Arg Leu Leu Leu Leu Gly
 405 410 415
 Asn Lys Ile Tyr Ile Tyr Thr Arg Ser Thr Ser Trp His Ser Lys Leu
 420 425 430
 Gln Leu Gly Ile Ile Asp Ile Thr Asp Tyr Ser Asp Ile Arg Ile Lys
 435 440 445
 Trp Thr Trp His Asn Val Leu Ser Arg Pro Gly Asn Asn Glu Cys Pro
 450 455 460
 Trp Gly His Ser Cys Pro Asp Gly Cys Ile Thr Gly Val Tyr Thr Asp
 465 470 475 480
 Ala Tyr Pro Leu Asn Pro Thr Gly Ser Ile Val Ser Ser Val Ile Leu
 485 490 495
 Asp Ser Gln Lys Ser Arg Val Asn Pro Val Ile Thr Tyr Ser Thr Ala
 500 505 510
 Thr Glu Arg Val Asn Glu Leu Ala Ile Arg Asn Lys Thr Leu Ser Ala
 515 520 525
 Gly Tyr Thr Thr Thr Ser Cys Ile Thr His Tyr Asn Lys Gly Tyr Cys
 530 535 540
 Phe His Ile Val Glu Ile Asn His Lys Ser Leu Asn Thr Phe Gln Pro
 545 550 555 560
 Met Leu Phe Lys Thr Glu Ile Pro Lys Ser Cys Ser
 565 570

<210> SEQ ID NO 15
 <211> LENGTH: 20
 <212> TYPE: PRT
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: Synthetic Polypeptide

<400> SEQUENCE: 15

Met Glu Thr Pro Ala Gln Leu Leu Phe Leu Leu Leu Leu Trp Leu Pro
 1 5 10 15
 Asp Thr Thr Gly
 20

<210> SEQ ID NO 16
 <211> LENGTH: 18
 <212> TYPE: PRT
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: Synthetic Polypeptide

<400> SEQUENCE: 16

Met Asp Trp Thr Trp Ile Leu Phe Leu Val Ala Ala Ala Thr Arg Val
 1 5 10 15
 His Ser

<210> SEQ ID NO 17
 <211> LENGTH: 24
 <212> TYPE: PRT
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: Synthetic Polypeptide

<400> SEQUENCE: 17

Met Leu Gly Ser Asn Ser Gly Gln Arg Val Val Phe Thr Ile Leu Leu
 1 5 10 15

-continued

Leu Leu Val Ala Pro Ala Tyr Ser
20

<210> SEQ ID NO 18
<211> LENGTH: 17
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic Polypeptide

<400> SEQUENCE: 18

Met Lys Cys Leu Leu Tyr Leu Ala Phe Leu Phe Ile Gly Val Asn Cys
1 5 10 15

Ala

<210> SEQ ID NO 19
<211> LENGTH: 15
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic Polypeptide

<400> SEQUENCE: 19

Met Trp Leu Val Ser Leu Ala Ile Val Thr Ala Cys Ala Gly Ala
1 5 10 15

<210> SEQ ID NO 20
<211> LENGTH: 4062
<212> TYPE: DNA
<213> ORGANISM: Unknown
<220> FEATURE:
<223> OTHER INFORMATION: Middle East respiratory syndrome coronavirus

<400> SEQUENCE: 20

atgatacact cagtgtttct actgatgttc ttgttaacac ctacagaaag ttacgttgat 60
gtagggccag attctgttaa gtctgcttgt attgaggttg atatacaaca gaccttcttt 120
gataaaaactt ggcctaggcc aattgatgtt tctaaggctg acggtattat ataccctcaa 180
ggccgtacat attctaacat aactatcact tatcaaggtc tttttcccta tcaggagac 240
catggtgata tgtatgttta ctctgcagga catgctacag gcacaactcc aaaaagttg 300
ttttagtcta actattctca ggacgtcaaa cagtttgcta atggggttgt cgtccgtata 360
ggagcagctg ccaattccac tggcactgtt attattagcc catctaccag cgctactata 420
cgaaaaattt accctgcttt tatgctgggt tcttcagttg gtaatttctc agatggtaaa 480
atgggccgct tcttcaatca tactctagtt cttttgcccg atggatgtgg cactttactt 540
agagcttttt attgtattct agagcctcgc tctggaatc attgtcctgc tggcaattcc 600
tatacttctt ttgccactta tcacactcct gcaacagatt gttctgatgg caattacaat 660
cgtaatgcc a gtctgaactc ttttaaggag tattttaatt tacgtaactg cacctttatg 720
tacacttata acattaccga agatgagatt ttagagtggg ttggcattac acaaactgct 780
caaggtgttc acctcttctc atctcggat gttgatttgt acggcggcaa tatgtttcaa 840
tttgccacct tgccgttcta tgatactatt aagtattatt ctatcattcc tcacagtatt 900
cgttctatcc aaagtgatag aaaagcttgg gctgccttct acgtatataa acttcaaccg 960
ttaactttcc tgttgattt ttctgttgat ggttatatac gcagagctat agactgtggt 1020
tttaatgatt tgtcacaact cactgctca tatgaatcct tcgatgttga atctggagtt 1080
tattcagttt cgtctttoga agcaaacct tctggctcag ttgtggaaca ggctgaaggt 1140

-continued

gttgaatgtg	atthttcacc	tcttctgtct	ggcacacctc	ctcaggttta	taatttcaag	1200
cgtttggttt	ttaccaattg	caattataat	cttaccaaaat	tgctttcact	tttttctgtg	1260
aatgatttta	ctttagtagca	aatatctcca	gcagcaattg	ctagcaactg	ttattcttca	1320
ctgatttttg	attatthttc	atacccactt	agtatgaaat	ccgatctcag	tgtagttct	1380
gctggtccaa	tatcccagtt	taattataaa	cagtcctttt	ctaatcccac	atgtttgatc	1440
ttagcgactg	ttcctcataa	ccttactact	attactaagc	ctcttaagta	cagctatatt	1500
aacaagtgtc	ctcgtcttct	ttctgatgat	cgtagtgaag	tacctcagtt	agtgaacgct	1560
aatcaatact	cacctgtgtg	atccattgtc	ccatccactg	tgtgggaaga	cggtgattat	1620
tataggaaac	aactatctcc	acttgaaggt	ggtggctggc	ttgttgctag	tggtccaact	1680
gttgccatga	ctgagcaatt	acagatgggc	tttggatta	cagttcaata	tggtacagac	1740
accaatagtg	tttgcccaa	gcttgaattt	gctaatagaca	caaaaattgc	ctctcaatta	1800
ggcaattgcg	tggaatatcc	cctctatggt	gtttcggggc	gtggtgtttt	tcagaattgc	1860
acagctgtag	gtgttcgaca	gcagcgcttt	gtttatgatg	cgtaccagaa	tttagttggc	1920
tattattctg	atgatggcaa	ctactactgt	ctgcgtgctt	gtgttagtgt	tcctgtttct	1980
gtcatctatg	ataaagaaac	taaaaccac	gctactctat	ttggtagtgt	tgcatgtgaa	2040
cacatttctt	ctaccatgtc	tcaatactcc	cgttctacgc	gatcaatgct	taaacggcga	2100
gattctacat	atggccccc	tcagacacct	gttggttgtg	tcctaggact	tgtaattcc	2160
tctttgttgc	tagaggactg	caagttgcct	ctcggccaat	ctctctgtgc	tcttcctgac	2220
acacctagta	ctctcacacc	tcgcagtgtg	cgctctgtgc	caggtgaaat	gcgcttgga	2280
tccattgctt	ttaatcatcc	cattcaggtt	gatcaactta	atagtagtta	ttttaaatta	2340
agtataccca	ctaathtttc	ctttggtgtg	actcaggagt	acattcagac	aaccattcag	2400
aaagttagtg	ttgattgtaa	acagtaagtt	tgcaatggtt	tccagaagtg	tgagcaatta	2460
ctgcgcgagt	atggccagtt	ttgttccaaa	ataaacccagg	ctctccatgg	tgccaattta	2520
cgccaggatg	attctgtacg	taatttggtt	gcgagcgtga	aaagctctca	atcatctcct	2580
atcataccag	gttttgagg	tgactttaat	ttgacacttc	tagaacctgt	ttctatatct	2640
actggcagtc	gtagtgcacg	tagtgctatt	gaggatttgc	tatttgacaa	agtcactata	2700
gctgatcccg	gttatagca	aggttacgat	gattgtatgc	agcaaggctc	agcatcagct	2760
cgtagactta	tttgtgctca	atatgtggct	ggttataaag	tattacctcc	tcttatggat	2820
gttaatatgg	aagccgcgta	tacttcatct	ttgcttgga	gcatagcagg	tggtgctgg	2880
actgctggct	tatcctcctt	tgtctgtatt	ccatttgca	agagtatytt	ttataggtta	2940
aacggtgttg	gcattactca	acaggttctt	tcagagaacc	aaaagcttat	tgccaataag	3000
tttaacagg	ctctgggagc	tatgcaaaca	ggcttcaacta	caactaatga	agcttttcgg	3060
aaggttcagg	atgctgtgaa	caacaatgca	caggctctat	ccaaattagc	tagcgagcta	3120
tctaataact	ttggtgctat	ttccgcctct	attggagaca	tcatacaacg	tcttgatggt	3180
ctcgaacagg	acgcccfaat	agacagactt	attaatggcc	gtttgacaac	actaaatgct	3240
tttgttgca	agcagcttgt	tcgttccgaa	tcagctgtct	tttccgctca	attggctaaa	3300
gataaagtca	atgagtgtgt	caaggcaca	tccaagcgtt	ctggattttg	cggtcaaggc	3360
acacatatag	tgctccttgt	tgtaaatgcc	cctaagggcc	ttactttat	gcatgttgg	3420
tattacccta	gcaaccacat	tgaggtgtgt	tctgcttatg	gtctttgcga	tgcagetaac	3480

-continued

```

cctactaatt gtatagcccc tgtaatggc tactttatta aaactaataa cactaggatt 3540
gttgatgagt ggcatatac tggctcgtcc ttctatgcac ctgagcccat cacctctctt 3600
aatactaagt atgttgacc acaggtgaca taccaaaaaca tttctactaa cctccctcct 3660
cctcttctcg gcaattccac cgggattgac ttccaagatg agttggatga gtttttcaaa 3720
aatgtagca ccagtatacc taattttgggt tctctaaccac agattaatac tacattactc 3780
gatcttacct acgagatggt gtctcttcaa caagttgta aagcccttaa tgagtcttac 3840
atagacctta aagagcttgg caattatact tattacaaca aatggccgtg gtacatttgg 3900
cttggttca ttgctgggct tgttgacctta gctctatgcg tcttcttcat actgtgctgc 3960
actggttggt gcacaaaactg tatgggaaaa cttaagtgtg atcgttgttg tgatagatac 4020
gaggaatacg acctcgagcc gcataaggtt catgttctact aa 4062

```

<210> SEQ ID NO 21

<211> LENGTH: 4062

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic Polynucleotide

<400> SEQUENCE: 21

```

atgatacaact cagtgtttct actgatgttc ttgtaaacac ctacagaaag ttacgttgat 60
gtagggccag attctgttaa gtctgcttgt attgagggtg atatacaaca gactttcttt 120
gataaaaactt ggcttaggcc aattgatggt tctaaggctg acggtattat ataccctcaa 180
ggccgtacat attctaacat aactatact tatcaaggtc tttttcccta tcaggagac 240
catggtgata tgtatgttta ctctgcagga catgctacag gcacaactcc aaaaagttg 300
ttttagteta actattctca ggacgtcaaa cagtttgeta atggggttgt cgtccgtata 360
ggagcagctg ccaattccac tggcactggt attattagcc catctaccag cgctactata 420
cgaaaaattht acctgctttt tatgctgggt tcttcagttg gtaatttctc agatggtaaa 480
atgggccgct tcttcaatca tactctagtt cttttgcccg atggatgtgg cactttactt 540
agagcttttt attgtattct ggagcctcgc tctggaatc attgtcctgc tggcaattcc 600
tatacttctt ttgccactta tcacactcct gcaacagatt gttctgatgg caattacaat 660
cgtaatgcca gtctgaaact ttttaaggag tattttaatt tacgtaactg cacctttatg 720
tacacttata acattaccga agatgagatt ttagagtggg ttggcattac acaaactgct 780
caaggtgttc acctcttctc atctcgggtt gttgatttgt acggcggcaa tatgtttcaa 840
tttgccacct tgctgtttha tgatactatt aagtattatt ctatcattcc tcacagtatt 900
cgttctatcc aaagtgatag aaaagcttgg gctgccttct acgtatataa acttcaaccg 960
ttaactttcc tgttggattt ttctgttgat ggttatatac gcagagctat agactgtggg 1020
tttaatgatt tgtcacaact ccactgctca tatgaatcct tcgatgttga atctggagtt 1080
tattcagttt cgtctttoga agcaaaacct tctggctcag ttgtggaaca ggctgaaggt 1140
gttgaatgtg atttttcacc tcttctgtct ggcacacctc ctcaggttta taatttcaag 1200
cgtttggttt ttaccaattg caattataat cttaccaaat tgctttcact tttttctgtg 1260
aatgatttta cttgtagtca aatatctcca gcagcaattg ctagcaactg ttattcttca 1320
ctgattttgg attacttttc ataccactt agtatgaaat ccgatctcag tgtagttct 1380
gctggtccaa tatcccagtt taattataaa cagtcctttt ctaatccac atgtttgatt 1440
ttagcgactg ttctcataa ccttactact attactaagc ctcttaagta cagctatatt 1500

```

-continued

aacaagtgct	ctcgtcttct	ttctgatgat	cgtactgaag	tacctcagtt	agtgaacgct	1560
aatcaatact	caccctgtgt	atccattgtc	ccatccactg	tgtgggaaga	cggtgattat	1620
tataggaaac	aactatctcc	acttgaaggt	ggtggctggc	ttgttgctag	tggtcaact	1680
gttgccatga	ctgagcaatt	acagatgggc	tttggтата	cagttcaata	tggtacagac	1740
accaatagtg	tttgccecaa	gcttgaattt	gctaatagaca	caaaaattgc	ctctcaatta	1800
ggcaattgog	tggaatatcc	cctctatggg	gtttcggggc	gtgggtgttt	tcagaattgc	1860
acagctgtag	gtgttcgaca	gcagcgcttt	gtttatgatg	cgtaccagaa	tttagttggc	1920
tattattctg	atgatggcaa	ctactactgt	ttgcgtgctt	gtgttagtgt	tcctgtttct	1980
gtcatctatg	ataaagaaac	taaaacccac	gctactctat	ttggtagtgt	tgcatgtgaa	2040
cacatttctt	ctaccatgtc	tcaatactcc	cgttctacgc	gatcaatgct	taaacggcga	2100
gattctacat	atggcccctc	tcagacacct	gttggttggtg	tcctaggact	tgtaattcc	2160
tctttgttgc	tagaggactg	caagttgcct	cttggtcaat	ctctctgtgc	tcttcctgac	2220
acacctagta	ctctcacacc	tcgcagtggtg	cgctctgttc	caggtgaaat	gcgcttgcca	2280
tcatttgctt	ttaatcatcc	tattcaggtt	gatcaactta	atagtagtta	ttttaaatta	2340
agtataccca	ctaatttttc	ctttggtgtg	actcaggagt	acattcagac	aaccattcag	2400
aaagttactg	ttgattgtaa	acagtaagtt	tgcaatgggt	tcagagaagt	tgagcaatta	2460
ctgcgcgagt	atggccagtt	ttgttccaaa	ataaaccagg	ctctccatgg	tgccaattta	2520
cgccaggatg	attctgtacg	taattttggt	gcgagcgtga	aaagctctca	atcatctcct	2580
atcataccag	gttttgagg	tgactttaat	ttgacacttc	tggaacctgt	ttctatatct	2640
actggcagtc	gtagtgacg	tagtgctatt	gaggatttgc	tatttgacaa	agtcactata	2700
gctgatccctg	gttatatgca	aggttacgat	gattgcacgc	agcaaggctc	agcatcagct	2760
cgtgatctta	tttgtgctca	atatgtggct	ggttacaagg	tattacctcc	tcttatggat	2820
gttaatatgg	aagccgcgta	tacttcatct	ttgcttgcca	gcatagcagg	tgttggtggg	2880
actgctggct	tatcctcctt	tgctgctatt	ccatttgcac	agagtatcct	ttataggtta	2940
aacggtgttg	gcattactca	acaggttctt	tcagagaacc	aaaagcttat	tgccaataag	3000
tttaatcagg	ctctgggagc	tatgcaaaca	ggcttccacta	caactaatga	agcttttcag	3060
aaggttcagg	atgctgtgaa	caacaatgca	caggtctctat	ccaaattagc	tagcagccta	3120
tctaataact	ttggtgctat	ttccgcctct	attggagaca	tcatacaacg	tcttgatggt	3180
ctcgaacagg	acgcccnaat	agacagactt	attaatggcc	gtttgacaac	actaaatgct	3240
tttgttgcac	agcagcttgt	tcgttccgaa	tcagctgctc	tttccgctca	attggctaaa	3300
gataaagtca	atgagtgtgt	caaggcacia	tcacaagcgtt	ctggattttg	cggtcaaggc	3360
acacatatag	tgtcctttgt	tgtaaatgcc	cctaattggcc	tttacttcat	gcatgttggg	3420
tattacccta	gcaaccacat	tgaggttggt	tctgcttatg	gtctttgcca	tgcaagctaac	3480
cctactaatt	gtatagcccc	tgtaaatggc	tactttatta	aaactaataa	caactaggatt	3540
gttgatgagt	ggcatatac	tggtctgtcc	ttctatgcac	ctgagcccat	tacctccctt	3600
aatactaagt	atgttgacc	acaggtgaca	tacaaaaaca	tttctactaa	cctccctcct	3660
cctcttctcg	gcaattccac	cgggattgac	ttccaagatg	agttggatga	gtttttcaaa	3720
aatgttagca	ccagtatacc	taattttggg	tcctaacac	agattaatac	tacattactc	3780
gatcttaact	acgagatggt	gtctcttcaa	caagttgta	aagcccttaa	tgagtcttac	3840

-continued

atagacctta aagagcttgg caattatact tattacaaca aatggccgtg gtacatttgg	3900
cttggtttca ttgctgggct tgttgccctta gctctatgcg tcttcttcat actgtgctgc	3960
actggttggtg gcacaaaactg tatgggaaaa cttaagtgta atcgttgttg tgatagatac	4020
gaggaatacg acctcgagcc gcataaggtt catgttcact aa	4062

<210> SEQ ID NO 22
 <211> LENGTH: 1845
 <212> TYPE: DNA
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: Synthetic Polynucleotide

<400> SEQUENCE: 22

atgatccact ccgtgttct cctcatgttc ctggtgacct ccaactgagtc agactgcaag	60
ctcccgcctgg gacagtcacct gtgtgcgctg cctgacactc cttagcaactc gaccccacgc	120
tccgtgcgggt cgggtgctgg cgaatgctgg ctggcctcca tcgcttcaa tcaccaatc	180
caagtggatc agctgaatag ctctgatttc aagctgtcca tccccacgaa cttctcgttc	240
ggggtcaccc aggagtacat ccagaccaca attcagaagg tcaccgtcga ttgcaagcaa	300
tacgtgtgca acggcttcca gaagtgcgag cagctgctga gagaatacgg gcagttttgc	360
agcaagatca accaggcgtc gcatggagct aacttgcgcc aggacgactc cgtgcgcaac	420
ctctttgctc ctgtgaagtc atcccagtc tccccaatca tccccggatt cggaggggac	480
ttcaacctga cctcctgga gccctgtctg atcagcacgc gtagcagatc ggcgcgctca	540
gccattgaag atcttctgtt cgacaaggtc accatcgccg atccgggcta catgcaggga	600
tacgacgact gtatgcagca gggaccagcc tccgcgaggg acctcatctg cgcgcaatac	660
gtggccgggt acaaaagtgt gctcctctg atggatgtga acatggaggc cgttataact	720
tcgtccctgc tcggtcttat cgcgcggctg ggggtggacc cggcctgtc ctctctgcc	780
gctatccctc ttgcacaatc cattttctac cggctcaacg gcgtgggcat tactcaaca	840
gtcctgtcgg agaaccagaa gttgatcgca aacaagttca atcaggccct gggggccatg	900
cagactggat tcactacgac taacgaagcg ttccagaagg tccaggacgc tgtgaacaac	960
aacgcccagg cgctctcaaa gctggcctcc gaactcagca acaccttcgg agccatcagc	1020
gcatcgatcg gtgacataat tcagcggctg gacgtgctgg agcaggacgc ccagatcgac	1080
cgctcatca acggacggct gaccacctg aatgccttcg tggcacaaca gctggtccgg	1140
agcgaatcag cggcactttc cgcaccaact gcccaaggaca aagtcaacga atgcgtgaag	1200
gcccagtcga agaggtcggg tttctgctgg caaggaacct atattgtgtc cttcgtctgt	1260
aacgcgcca acggtctgta ctttatgcac gtcggctact acccgagcaa tcatatcgaa	1320
gtggtgtccg cctacggcct gtgcgatgcc gctaaccaca ctaactgtat tgcccctgtg	1380
aacggatatt ttattaagac caacaacacc cgcattgtgg acgaatggtc atacaccggt	1440
tcgtcctctc acgcgcccga gcccatcact tcaactgaaca ccaaatacgt ggctccgcaa	1500
gtgacctacc agaacatctc caccaatttg ccgcgcgcgc tgctcggaaa cagcaccgga	1560
attgatttcc aagatgaact ggacgaattc ttcaagaacg tgtccacttc cattcccaac	1620
ttcggagacc tgacacagat caacaccacc cttctcgacc tgacctacga gatgctgagc	1680
cttcaacaag tggtaaggc cctgaacgag agctacatcg acctgaagga gctgggcaac	1740
tatacctact acaacaagtg gccggacaag attgaggaga ttctgtcgaa aatctaccac	1800
attgaaaacg agatcgccag aatcaagaag cttatcggcg aagcc	1845

-continued

```

<210> SEQ ID NO 23
<211> LENGTH: 4071
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic Polynucleotide

<400> SEQUENCE: 23
atggaaaccc ctgccagct gctgttctctg ctgctgctgt ggctgcctga taccaccggc    60
agctatgtgg acgtgggccc cgatagcgtg aagtcgcct gtatogaagt ggacatccag    120
cagacctttt tcgacaagac ctggcccaga cccatcgacg tgtccaaggc cgacggcatc    180
atctatccac aaggccggac ctacagcaac atcaccatta cctaccaggg cctgttccca    240
tatcaaggcg accacggcga tatgtacgtg tactctgccc gccacgccac cggcaccaca    300
ccccagaaac tgttcgtggc caactacagc caggacgtga agcagttcgc caacggcttc    360
gtcgtgcgga ttggcgccgc tgccaatagc accggcacag tgatcatcag ccccagcacc    420
agcggcacc a tccggaagat ctaccocgcc ttcctgctgg gcagctccgt gggcaatttc    480
agcgacggca agatgggccc gttcttcaac cacaccctgg tgctgctgcc cgatggctgt    540
ggcacactgc tgagagcctt ctactgcctc ctggaaccca gaagcggcaa cactgccttc    600
gcccggcaata gctacaccag cttcgccacc taccacacac ccgccaccga ttgctccgac    660
ggcaactaca accggaacgc cagcctgaac agcttcaaag agtacttcaa cctgcggaac    720
tgcaccttca tgtacaccta caatatcacc gaggacgaga tcctggaatg gttcggcatc    780
accagacggc cccagggcgt gcacctgttc agcagcagat acgtggaact gtacggcggc    840
aacatgttcc agtttgccac cctgcccgtg tacgacacca tcaagtacta cagcatcctc    900
ccccacagca tccgggtccat ccagagcggc agaaaagcct gggccgcctt ctacgtgtac    960
aagctgcagc ccctgacctt cctgctggac ttcagcgtgg acggctacat cagacgggcc    1020
atcgactcgc gcttcaacga cctgagccag ctgcaactgt cctacgagag cttcgaactg    1080
gaaagcggcg tgtacagcgt gtcacacctc gaggccaagc ctagcggcag cgtggtgga    1140
caggctgagg gcgtggaatg cgacttcagc cctctgctga gcggcaccac tcccaggtg    1200
tacaacttca agcggctggt gttcaccaac tgcaattaca acctgaccaa gctgctgagc    1260
ctgttctccg tgaacgactt cacctgtagc cagatcagcc ctgcccctat tgccagcaac    1320
tgctacagca gcctgatcct ggactacttc agctaccccc tgagcatgaa gtccgatctg    1380
agcgtgtcct ccgcccggacc catcagccag ttcaactaca agcagagctt cagcaaccct    1440
acctgcctga ttctggccac cgtgccccac aatctgacca ccatcaccaa gcccctgaag    1500
tacagctaca tcaacaagtg cagcagactg ctgtccgacg accggaccga agtgccccag    1560
ctcgtgaaag ccaaccagta cagcccctgc gtgtccatcg tgcccagcac cgtgtgggag    1620
gacggcgact actacagaaa gcagctgagc cccctggaag gcggcggatg gctggtggct    1680
tctggaagca cagtggccat gaccgagcag ctgcagatgg gctttggcat cacctgacag    1740
tacggcacgg acaccaacag cgtgtgcccc aagctggaat tcgccaatga caccaagatc    1800
gccagccagc tgggaaactg cgtggaatac tcctgtatg gcgtgtccgg acggggcgtg    1860
ttccagaatt gcacagcagt gggagtgcgg cagcagagat tcgtgtacga tgccatccag    1920
aacctcgtgg gctactacag cgacgacggc aattactact gcctgcgggc ctgtgtgtcc    1980
gtgcccgtgt ccgtgatcta cgacaaagag acaaagacc acgccacact gttcggctcc    2040

```

-continued

```

gtggcctgag agcacatcag ctccaccatg agccagctact cccgctccac ccggtccatg 2100
ctgaagcggg gagatagcac ctacggcccc ctgcagacac ctgtgggatg tgtgtggggc 2160
ctcgtgaaca gctccctggt tgtggaagat tgcaagctgc ccctgggcca gagcctgtgt 2220
gccctgccag atacccttag caccctgacc cctagaagcg tgcgctctgt gcccgggcaa 2280
atgcggtggt cctctatcgc cttcaatcac cccatccagg tggaccagct gaactccagc 2340
tacttcaagc tgagcatccc caccaacttc agcttcggcg tgaccaggga gtacatccag 2400
accacaatcc agaaagtgac cgtggactgc aagcagtagc tgtgcaacgg ctttcagaag 2460
tgcgaaacgc tgctgcgcga gtacggcccag ttctgcagca agatcaacca ggccctgcac 2520
ggcgccaacc tgagacagga tgacagcgtg cggaaacctg tcgcccagct gaaaagcagc 2580
cagtccagcc ccatcatccc tggcttcggc ggcgacttta acctgacctt gctggaacct 2640
gtgtccatca gcaccggctc cagaagcgcc agatccgcca tcgaggacct gctgttcgac 2700
aaagtgacca ttgccgacc cggctacatg cagggtacg acgattgcat gcagcagggc 2760
ccagccagcg ccagggatct gatctgtgcc cagtatgtgg ccggtacaa ggtgctgccc 2820
cccctgatgg acgtgaacat ggaagccgcc tacacctcca gcctgctggg ctctattgct 2880
ggcgtgggat ggacagccgg cctgtctagc ttgccgcca tcccttctgc ccagagcatc 2940
ttctaccggc tgaacggcgt gggcatcaca caacaggtgc tgagcgagaa ccagaagctg 3000
atcgccaaca agttaaacca ggcaactggc gccatgcaga ccggcttcac caccaccaac 3060
gaggccttca gaaaggtgca ggacgcccgt aacaacaacg cccaggtctt gagcaagctg 3120
gcctccgagc tgagcaatac cttcggcgcc atcagcgctt ccatcgcgca catcatccag 3180
cggctggagc tgctggaaca ggacgcccag atcgaccggc tgatcaacgg cagactgacc 3240
acctgaaagc ccttcgtggc acagcagctc gtgaggagcg aatctgcgc tctgtctgct 3300
cagctggcca aggacaaagt gaacgagctc gtgaaggccc agtccaagcg gagcgcttt 3360
tgtggccagg gcaccacat cgtgtccttc gtctggaatg cccccaacgg cctgtacttt 3420
atgcacgtgg gctattaacc cagcaaccac atcgaggtgg tgtccgccta tggcctgtgc 3480
gacgcccga atcctaccaa ctgtatcgcc cccgtgaaag gctacttcat caagaccaac 3540
aacaccggga tcgtggacga gtggctctac acaggcagca gcttctacgc ccccgagccc 3600
atcacctccc tgaacaccaa atacgtggcc cccaagtga cataccagaa catctccacc 3660
aacctgcccc ctccactgct gggaaattcc accggcatcg acttccagga cgagctggac 3720
gagttcttca agaacgtgct cacctccatc cccaactctg gcagcctgac ccagatcaac 3780
accactctgc tggacctgac ctacgagatg ctgtccctgc aacaggtcgt gaaagccctg 3840
aacgagagct acatcgacct gaaagagctg gggaaactaca cctactacaa caagtggcct 3900
tggtagattt ggctgggctt tatcgccggc ctggtggccc tggccctgtg cgtgttcttc 3960
atcctgtgct gcaccggctg cggcaccaat tgcatgggca agctgaaatg caaccgggtg 4020
tgcgacagat acgaggaata cgacctgaa cctcacaag tgcatgtgca c 4071

```

<210> SEQ ID NO 24

<211> LENGTH: 1353

<212> TYPE: PRT

<213> ORGANISM: Unknown

<220> FEATURE:

<223> OTHER INFORMATION: Middle East respiratory syndrome coronavirus

<400> SEQUENCE: 24

Met Ile His Ser Val Phe Leu Leu Met Phe Leu Leu Thr Pro Thr Glu

-continued

1	5	10	15
Ser Tyr Val Asp Val Gly Pro Asp Ser Val Lys Ser Ala Cys Ile Glu 20 25 30			
Val Asp Ile Gln Gln Thr Phe Phe Asp Lys Thr Trp Pro Arg Pro Ile 35 40 45			
Asp Val Ser Lys Ala Asp Gly Ile Ile Tyr Pro Gln Gly Arg Thr Tyr 50 55 60			
Ser Asn Ile Thr Ile Thr Tyr Gln Gly Leu Phe Pro Tyr Gln Gly Asp 65 70 75 80			
His Gly Asp Met Tyr Val Tyr Ser Ala Gly His Ala Thr Gly Thr Thr 85 90 95			
Pro Gln Lys Leu Phe Val Ala Asn Tyr Ser Gln Asp Val Lys Gln Phe 100 105 110			
Ala Asn Gly Phe Val Val Arg Ile Gly Ala Ala Ala Asn Ser Thr Gly 115 120 125			
Thr Val Ile Ile Ser Pro Ser Thr Ser Ala Thr Ile Arg Lys Ile Tyr 130 135 140			
Pro Ala Phe Met Leu Gly Ser Ser Val Gly Asn Phe Ser Asp Gly Lys 145 150 155 160			
Met Gly Arg Phe Phe Asn His Thr Leu Val Leu Leu Pro Asp Gly Cys 165 170 175			
Gly Thr Leu Leu Arg Ala Phe Tyr Cys Ile Leu Glu Pro Arg Ser Gly 180 185 190			
Asn His Cys Pro Ala Gly Asn Ser Tyr Thr Ser Phe Ala Thr Tyr His 195 200 205			
Thr Pro Ala Thr Asp Cys Ser Asp Gly Asn Tyr Asn Arg Asn Ala Ser 210 215 220			
Leu Asn Ser Phe Lys Glu Tyr Phe Asn Leu Arg Asn Cys Thr Phe Met 225 230 235 240			
Tyr Thr Tyr Asn Ile Thr Glu Asp Glu Ile Leu Glu Trp Phe Gly Ile 245 250 255			
Thr Gln Thr Ala Gln Gly Val His Leu Phe Ser Ser Arg Tyr Val Asp 260 265 270			
Leu Tyr Gly Gly Asn Met Phe Gln Phe Ala Thr Leu Pro Val Tyr Asp 275 280 285			
Thr Ile Lys Tyr Tyr Ser Ile Ile Pro His Ser Ile Arg Ser Ile Gln 290 295 300			
Ser Asp Arg Lys Ala Trp Ala Ala Phe Tyr Val Tyr Lys Leu Gln Pro 305 310 315 320			
Leu Thr Phe Leu Leu Asp Phe Ser Val Asp Gly Tyr Ile Arg Arg Ala 325 330 335			
Ile Asp Cys Gly Phe Asn Asp Leu Ser Gln Leu His Cys Ser Tyr Glu 340 345 350			
Ser Phe Asp Val Glu Ser Gly Val Tyr Ser Val Ser Ser Phe Glu Ala 355 360 365			
Lys Pro Ser Gly Ser Val Val Glu Gln Ala Glu Gly Val Glu Cys Asp 370 375 380			
Phe Ser Pro Leu Leu Ser Gly Thr Pro Pro Gln Val Tyr Asn Phe Lys 385 390 395 400			
Arg Leu Val Phe Thr Asn Cys Asn Tyr Asn Leu Thr Lys Leu Leu Ser 405 410 415			
Leu Phe Ser Val Asn Asp Phe Thr Cys Ser Gln Ile Ser Pro Ala Ala 420 425 430			

-continued

Ile Ala Ser Asn Cys Tyr Ser Ser Leu Ile Leu Asp Tyr Phe Ser Tyr
 435 440 445
 Pro Leu Ser Met Lys Ser Asp Leu Ser Val Ser Ser Ala Gly Pro Ile
 450 455 460
 Ser Gln Phe Asn Tyr Lys Gln Ser Phe Ser Asn Pro Thr Cys Leu Ile
 465 470 475 480
 Leu Ala Thr Val Pro His Asn Leu Thr Thr Ile Thr Lys Pro Leu Lys
 485 490 495
 Tyr Ser Tyr Ile Asn Lys Cys Ser Arg Leu Leu Ser Asp Asp Arg Thr
 500 505 510
 Glu Val Pro Gln Leu Val Asn Ala Asn Gln Tyr Ser Pro Cys Val Ser
 515 520 525
 Ile Val Pro Ser Thr Val Trp Glu Asp Gly Asp Tyr Tyr Arg Lys Gln
 530 535 540
 Leu Ser Pro Leu Glu Gly Gly Gly Trp Leu Val Ala Ser Gly Ser Thr
 545 550 555 560
 Val Ala Met Thr Glu Gln Leu Gln Met Gly Phe Gly Ile Thr Val Gln
 565 570 575
 Tyr Gly Thr Asp Thr Asn Ser Val Cys Pro Lys Leu Glu Phe Ala Asn
 580 585 590
 Asp Thr Lys Ile Ala Ser Gln Leu Gly Asn Cys Val Glu Tyr Ser Leu
 595 600 605
 Tyr Gly Val Ser Gly Arg Gly Val Phe Gln Asn Cys Thr Ala Val Gly
 610 615 620
 Val Arg Gln Gln Arg Phe Val Tyr Asp Ala Tyr Gln Asn Leu Val Gly
 625 630 635 640
 Tyr Tyr Ser Asp Asp Gly Asn Tyr Tyr Cys Leu Arg Ala Cys Val Ser
 645 650 655
 Val Pro Val Ser Val Ile Tyr Asp Lys Glu Thr Lys Thr His Ala Thr
 660 665 670
 Leu Phe Gly Ser Val Ala Cys Glu His Ile Ser Ser Thr Met Ser Gln
 675 680 685
 Tyr Ser Arg Ser Thr Arg Ser Met Leu Lys Arg Arg Asp Ser Thr Tyr
 690 695 700
 Gly Pro Leu Gln Thr Pro Val Gly Cys Val Leu Gly Leu Val Asn Ser
 705 710 715 720
 Ser Leu Phe Val Glu Asp Cys Lys Leu Pro Leu Gly Gln Ser Leu Cys
 725 730 735
 Ala Leu Pro Asp Thr Pro Ser Thr Leu Thr Pro Arg Ser Val Arg Ser
 740 745 750
 Val Pro Gly Glu Met Arg Leu Ala Ser Ile Ala Phe Asn His Pro Ile
 755 760 765
 Gln Val Asp Gln Leu Asn Ser Ser Tyr Phe Lys Leu Ser Ile Pro Thr
 770 775 780
 Asn Phe Ser Phe Gly Val Thr Gln Glu Tyr Ile Gln Thr Thr Ile Gln
 785 790 795 800
 Lys Val Thr Val Asp Cys Lys Gln Tyr Val Cys Asn Gly Phe Gln Lys
 805 810 815
 Cys Glu Gln Leu Leu Arg Glu Tyr Gly Gln Phe Cys Ser Lys Ile Asn
 820 825 830
 Gln Ala Leu His Gly Ala Asn Leu Arg Gln Asp Asp Ser Val Arg Asn
 835 840 845

-continued

Leu Phe Ala Ser Val Lys Ser Ser Gln Ser Ser Pro Ile Ile Pro Gly
 850 855 860
 Phe Gly Gly Asp Phe Asn Leu Thr Leu Leu Glu Pro Val Ser Ile Ser
 865 870 875 880
 Thr Gly Ser Arg Ser Ala Arg Ser Ala Ile Glu Asp Leu Leu Phe Asp
 885 890 895
 Lys Val Thr Ile Ala Asp Pro Gly Tyr Met Gln Gly Tyr Asp Asp Cys
 900 905 910
 Met Gln Gln Gly Pro Ala Ser Ala Arg Asp Leu Ile Cys Ala Gln Tyr
 915 920 925
 Val Ala Gly Tyr Lys Val Leu Pro Pro Leu Met Asp Val Asn Met Glu
 930 935 940
 Ala Ala Tyr Thr Ser Ser Leu Leu Gly Ser Ile Ala Gly Val Gly Trp
 945 950 955 960
 Thr Ala Gly Leu Ser Ser Phe Ala Ala Ile Pro Phe Ala Gln Ser Ile
 965 970 975
 Phe Tyr Arg Leu Asn Gly Val Gly Ile Thr Gln Gln Val Leu Ser Glu
 980 985 990
 Asn Gln Lys Leu Ile Ala Asn Lys Phe Asn Gln Ala Leu Gly Ala Met
 995 1000 1005
 Gln Thr Gly Phe Thr Thr Thr Asn Glu Ala Phe Arg Lys Val Gln
 1010 1015 1020
 Asp Ala Val Asn Asn Asn Ala Gln Ala Leu Ser Lys Leu Ala Ser
 1025 1030 1035
 Glu Leu Ser Asn Thr Phe Gly Ala Ile Ser Ala Ser Ile Gly Asp
 1040 1045 1050
 Ile Ile Gln Arg Leu Asp Val Leu Glu Gln Asp Ala Gln Ile Asp
 1055 1060 1065
 Arg Leu Ile Asn Gly Arg Leu Thr Thr Leu Asn Ala Phe Val Ala
 1070 1075 1080
 Gln Gln Leu Val Arg Ser Glu Ser Ala Ala Leu Ser Ala Gln Leu
 1085 1090 1095
 Ala Lys Asp Lys Val Asn Glu Cys Val Lys Ala Gln Ser Lys Arg
 1100 1105 1110
 Ser Gly Phe Cys Gly Gln Gly Thr His Ile Val Ser Phe Val Val
 1115 1120 1125
 Asn Ala Pro Asn Gly Leu Tyr Phe Met His Val Gly Tyr Tyr Pro
 1130 1135 1140
 Ser Asn His Ile Glu Val Val Ser Ala Tyr Gly Leu Cys Asp Ala
 1145 1150 1155
 Ala Asn Pro Thr Asn Cys Ile Ala Pro Val Asn Gly Tyr Phe Ile
 1160 1165 1170
 Lys Thr Asn Asn Thr Arg Ile Val Asp Glu Trp Ser Tyr Thr Gly
 1175 1180 1185
 Ser Ser Phe Tyr Ala Pro Glu Pro Ile Thr Ser Leu Asn Thr Lys
 1190 1195 1200
 Tyr Val Ala Pro Gln Val Thr Tyr Gln Asn Ile Ser Thr Asn Leu
 1205 1210 1215
 Pro Pro Pro Leu Leu Gly Asn Ser Thr Gly Ile Asp Phe Gln Asp
 1220 1225 1230
 Glu Leu Asp Glu Phe Phe Lys Asn Val Ser Thr Ser Ile Pro Asn
 1235 1240 1245
 Phe Gly Ser Leu Thr Gln Ile Asn Thr Thr Leu Leu Asp Leu Thr

-continued

1250 1255 1260
Tyr Glu Met Leu Ser Leu Gln Gln Val Val Lys Ala Leu Asn Glu
1265 1270 1275
Ser Tyr Ile Asp Leu Lys Glu Leu Gly Asn Tyr Thr Tyr Tyr Asn
1280 1285 1290
Lys Trp Pro Trp Tyr Ile Trp Leu Gly Phe Ile Ala Gly Leu Val
1295 1300 1305
Ala Leu Ala Leu Cys Val Phe Phe Ile Leu Cys Cys Thr Gly Cys
1310 1315 1320
Gly Thr Asn Cys Met Gly Lys Leu Lys Cys Asn Arg Cys Cys Asp
1325 1330 1335
Arg Tyr Glu Glu Tyr Asp Leu Glu Pro His Lys Val His Val His
1340 1345 1350

<210> SEQ ID NO 25
<211> LENGTH: 1353
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic Polypeptide

<400> SEQUENCE: 25

Met Ile His Ser Val Phe Leu Leu Met Phe Leu Leu Thr Pro Thr Glu
1 5 10 15
Ser Tyr Val Asp Val Gly Pro Asp Ser Val Lys Ser Ala Cys Ile Glu
20 25 30
Val Asp Ile Gln Gln Thr Phe Phe Asp Lys Thr Trp Pro Arg Pro Ile
35 40 45
Asp Val Ser Lys Ala Asp Gly Ile Ile Tyr Pro Gln Gly Arg Thr Tyr
50 55 60
Ser Asn Ile Thr Ile Thr Tyr Gln Gly Leu Phe Pro Tyr Gln Gly Asp
65 70 75 80
His Gly Asp Met Tyr Val Tyr Ser Ala Gly His Ala Thr Gly Thr Thr
85 90 95
Pro Gln Lys Leu Phe Val Ala Asn Tyr Ser Gln Asp Val Lys Gln Phe
100 105 110
Ala Asn Gly Phe Val Val Arg Ile Gly Ala Ala Ala Asn Ser Thr Gly
115 120 125
Thr Val Ile Ile Ser Pro Ser Thr Ser Ala Thr Ile Arg Lys Ile Tyr
130 135 140
Pro Ala Phe Met Leu Gly Ser Ser Val Gly Asn Phe Ser Asp Gly Lys
145 150 155 160
Met Gly Arg Phe Phe Asn His Thr Leu Val Leu Leu Pro Asp Gly Cys
165 170 175
Gly Thr Leu Leu Arg Ala Phe Tyr Cys Ile Leu Glu Pro Arg Ser Gly
180 185 190
Asn His Cys Pro Ala Gly Asn Ser Tyr Thr Ser Phe Ala Thr Tyr His
195 200 205
Thr Pro Ala Thr Asp Cys Ser Asp Gly Asn Tyr Asn Arg Asn Ala Ser
210 215 220
Leu Asn Ser Phe Lys Glu Tyr Phe Asn Leu Arg Asn Cys Thr Phe Met
225 230 235 240
Tyr Thr Tyr Asn Ile Thr Glu Asp Glu Ile Leu Glu Trp Phe Gly Ile
245 250 255
Thr Gln Thr Ala Gln Gly Val His Leu Phe Ser Ser Arg Tyr Val Asp

-continued

260				265				270							
Leu	Tyr	Gly	Gly	Asn	Met	Phe	Gln	Phe	Ala	Thr	Leu	Pro	Val	Tyr	Asp
		275					280					285			
Thr	Ile	Lys	Tyr	Tyr	Ser	Ile	Ile	Pro	His	Ser	Ile	Arg	Ser	Ile	Gln
	290					295					300				
Ser	Asp	Arg	Lys	Ala	Trp	Ala	Ala	Phe	Tyr	Val	Tyr	Lys	Leu	Gln	Pro
	305				310					315					320
Leu	Thr	Phe	Leu	Leu	Asp	Phe	Ser	Val	Asp	Gly	Tyr	Ile	Arg	Arg	Ala
			325						330					335	
Ile	Asp	Cys	Gly	Phe	Asn	Asp	Leu	Ser	Gln	Leu	His	Cys	Ser	Tyr	Glu
			340						345					350	
Ser	Phe	Asp	Val	Glu	Ser	Gly	Val	Tyr	Ser	Val	Ser	Ser	Phe	Glu	Ala
		355					360							365	
Lys	Pro	Ser	Gly	Ser	Val	Val	Glu	Gln	Ala	Glu	Gly	Val	Glu	Cys	Asp
	370					375					380				
Phe	Ser	Pro	Leu	Leu	Ser	Gly	Thr	Pro	Pro	Gln	Val	Tyr	Asn	Phe	Lys
	385				390					395					400
Arg	Leu	Val	Phe	Thr	Asn	Cys	Asn	Tyr	Asn	Leu	Thr	Lys	Leu	Leu	Ser
			405						410						415
Leu	Phe	Ser	Val	Asn	Asp	Phe	Thr	Cys	Ser	Gln	Ile	Ser	Pro	Ala	Ala
			420						425					430	
Ile	Ala	Ser	Asn	Cys	Tyr	Ser	Ser	Leu	Ile	Leu	Asp	Tyr	Phe	Ser	Tyr
		435					440							445	
Pro	Leu	Ser	Met	Lys	Ser	Asp	Leu	Ser	Val	Ser	Ser	Ala	Gly	Pro	Ile
	450					455					460				
Ser	Gln	Phe	Asn	Tyr	Lys	Gln	Ser	Phe	Ser	Asn	Pro	Thr	Cys	Leu	Ile
	465				470					475					480
Leu	Ala	Thr	Val	Pro	His	Asn	Leu	Thr	Thr	Ile	Thr	Lys	Pro	Leu	Lys
			485						490						495
Tyr	Ser	Tyr	Ile	Asn	Lys	Cys	Ser	Arg	Leu	Leu	Ser	Asp	Asp	Arg	Thr
			500						505					510	
Glu	Val	Pro	Gln	Leu	Val	Asn	Ala	Asn	Gln	Tyr	Ser	Pro	Cys	Val	Ser
		515					520							525	
Ile	Val	Pro	Ser	Thr	Val	Trp	Glu	Asp	Gly	Asp	Tyr	Tyr	Arg	Lys	Gln
	530					535					540				
Leu	Ser	Pro	Leu	Glu	Gly	Gly	Gly	Trp	Leu	Val	Ala	Ser	Gly	Ser	Thr
	545				550					555					560
Val	Ala	Met	Thr	Glu	Gln	Leu	Gln	Met	Gly	Phe	Gly	Ile	Thr	Val	Gln
			565							570					575
Tyr	Gly	Thr	Asp	Thr	Asn	Ser	Val	Cys	Pro	Lys	Leu	Glu	Phe	Ala	Asn
			580						585					590	
Asp	Thr	Lys	Ile	Ala	Ser	Gln	Leu	Gly	Asn	Cys	Val	Glu	Tyr	Ser	Leu
		595					600							605	
Tyr	Gly	Val	Ser	Gly	Arg	Gly	Val	Phe	Gln	Asn	Cys	Thr	Ala	Val	Gly
	610					615								620	
Val	Arg	Gln	Gln	Arg	Phe	Val	Tyr	Asp	Ala	Tyr	Gln	Asn	Leu	Val	Gly
	625				630					635					640
Tyr	Tyr	Ser	Asp	Asp	Gly	Asn	Tyr	Tyr	Cys	Leu	Arg	Ala	Cys	Val	Ser
			645							650					655
Val	Pro	Val	Ser	Val	Ile	Tyr	Asp	Lys	Glu	Thr	Lys	Thr	His	Ala	Thr
			660							665					670
Leu	Phe	Gly	Ser	Val	Ala	Cys	Glu	His	Ile	Ser	Ser	Thr	Met	Ser	Gln
		675					680								685

-continued

Tyr Ser Arg Ser Thr Arg Ser Met Leu Lys Arg Arg Asp Ser Thr Tyr
 690 695 700
 Gly Pro Leu Gln Thr Pro Val Gly Cys Val Leu Gly Leu Val Asn Ser
 705 710 715 720
 Ser Leu Phe Val Glu Asp Cys Lys Leu Pro Leu Gly Gln Ser Leu Cys
 725 730 735
 Ala Leu Pro Asp Thr Pro Ser Thr Leu Thr Pro Arg Ser Val Arg Ser
 740 745 750
 Val Pro Gly Glu Met Arg Leu Ala Ser Ile Ala Phe Asn His Pro Ile
 755 760 765
 Gln Val Asp Gln Leu Asn Ser Ser Tyr Phe Lys Leu Ser Ile Pro Thr
 770 775 780
 Asn Phe Ser Phe Gly Val Thr Gln Glu Tyr Ile Gln Thr Thr Ile Gln
 785 790 795 800
 Lys Val Thr Val Asp Cys Lys Gln Tyr Val Cys Asn Gly Phe Gln Lys
 805 810 815
 Cys Glu Gln Leu Leu Arg Glu Tyr Gly Gln Phe Cys Ser Lys Ile Asn
 820 825 830
 Gln Ala Leu His Gly Ala Asn Leu Arg Gln Asp Asp Ser Val Arg Asn
 835 840 845
 Leu Phe Ala Ser Val Lys Ser Ser Gln Ser Ser Pro Ile Ile Pro Gly
 850 855 860
 Phe Gly Gly Asp Phe Asn Leu Thr Leu Leu Glu Pro Val Ser Ile Ser
 865 870 875 880
 Thr Gly Ser Arg Ser Ala Arg Ser Ala Ile Glu Asp Leu Leu Phe Asp
 885 890 895
 Lys Val Thr Ile Ala Asp Pro Gly Tyr Met Gln Gly Tyr Asp Asp Cys
 900 905 910
 Met Gln Gln Gly Pro Ala Ser Ala Arg Asp Leu Ile Cys Ala Gln Tyr
 915 920 925
 Val Ala Gly Tyr Lys Val Leu Pro Pro Leu Met Asp Val Asn Met Glu
 930 935 940
 Ala Ala Tyr Thr Ser Ser Leu Leu Gly Ser Ile Ala Gly Val Gly Trp
 945 950 955 960
 Thr Ala Gly Leu Ser Ser Phe Ala Ala Ile Pro Phe Ala Gln Ser Ile
 965 970 975
 Phe Tyr Arg Leu Asn Gly Val Gly Ile Thr Gln Gln Val Leu Ser Glu
 980 985 990
 Asn Gln Lys Leu Ile Ala Asn Lys Phe Asn Gln Ala Leu Gly Ala Met
 995 1000 1005
 Gln Thr Gly Phe Thr Thr Thr Asn Glu Ala Phe Gln Lys Val Gln
 1010 1015 1020
 Asp Ala Val Asn Asn Asn Ala Gln Ala Leu Ser Lys Leu Ala Ser
 1025 1030 1035
 Glu Leu Ser Asn Thr Phe Gly Ala Ile Ser Ala Ser Ile Gly Asp
 1040 1045 1050
 Ile Ile Gln Arg Leu Asp Val Leu Glu Gln Asp Ala Gln Ile Asp
 1055 1060 1065
 Arg Leu Ile Asn Gly Arg Leu Thr Thr Leu Asn Ala Phe Val Ala
 1070 1075 1080
 Gln Gln Leu Val Arg Ser Glu Ser Ala Ala Leu Ser Ala Gln Leu
 1085 1090 1095

-continued

Ala Lys Asp Lys Val Asn Glu Cys Val Lys Ala Gln Ser Lys Arg
 1100 1105 1110

Ser Gly Phe Cys Gly Gln Gly Thr His Ile Val Ser Phe Val Val
 1115 1120 1125

Asn Ala Pro Asn Gly Leu Tyr Phe Met His Val Gly Tyr Tyr Pro
 1130 1135 1140

Ser Asn His Ile Glu Val Val Ser Ala Tyr Gly Leu Cys Asp Ala
 1145 1150 1155

Ala Asn Pro Thr Asn Cys Ile Ala Pro Val Asn Gly Tyr Phe Ile
 1160 1165 1170

Lys Thr Asn Asn Thr Arg Ile Val Asp Glu Trp Ser Tyr Thr Gly
 1175 1180 1185

Ser Ser Phe Tyr Ala Pro Glu Pro Ile Thr Ser Leu Asn Thr Lys
 1190 1195 1200

Tyr Val Ala Pro Gln Val Thr Tyr Gln Asn Ile Ser Thr Asn Leu
 1205 1210 1215

Pro Pro Pro Leu Leu Gly Asn Ser Thr Gly Ile Asp Phe Gln Asp
 1220 1225 1230

Glu Leu Asp Glu Phe Phe Lys Asn Val Ser Thr Ser Ile Pro Asn
 1235 1240 1245

Phe Gly Ser Leu Thr Gln Ile Asn Thr Thr Leu Leu Asp Leu Thr
 1250 1255 1260

Tyr Glu Met Leu Ser Leu Gln Gln Val Val Lys Ala Leu Asn Glu
 1265 1270 1275

Ser Tyr Ile Asp Leu Lys Glu Leu Gly Asn Tyr Thr Tyr Tyr Asn
 1280 1285 1290

Lys Trp Pro Trp Tyr Ile Trp Leu Gly Phe Ile Ala Gly Leu Val
 1295 1300 1305

Ala Leu Ala Leu Cys Val Phe Phe Ile Leu Cys Cys Thr Gly Cys
 1310 1315 1320

Gly Thr Asn Cys Met Gly Lys Leu Lys Cys Asn Arg Cys Cys Asp
 1325 1330 1335

Arg Tyr Glu Glu Tyr Asp Leu Glu Pro His Lys Val His Val His
 1340 1345 1350

<210> SEQ ID NO 26

<211> LENGTH: 615

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic Polypeptide

<400> SEQUENCE: 26

Met Ile His Ser Val Phe Leu Leu Met Phe Leu Leu Thr Pro Thr Glu
 1 5 10 15

Ser Asp Cys Lys Leu Pro Leu Gly Gln Ser Leu Cys Ala Leu Pro Asp
 20 25 30

Thr Pro Ser Thr Leu Thr Pro Arg Ser Val Arg Ser Val Pro Gly Glu
 35 40 45

Met Arg Leu Ala Ser Ile Ala Phe Asn His Pro Ile Gln Val Asp Gln
 50 55 60

Leu Asn Ser Ser Tyr Phe Lys Leu Ser Ile Pro Thr Asn Phe Ser Phe
 65 70 75 80

Gly Val Thr Gln Glu Tyr Ile Gln Thr Thr Ile Gln Lys Val Thr Val
 85 90 95

-continued

Asp Cys Lys Gln Tyr Val Cys Asn Gly Phe Gln Lys Cys Glu Gln Leu
 100 105 110

Leu Arg Glu Tyr Gly Gln Phe Cys Ser Lys Ile Asn Gln Ala Leu His
 115 120 125

Gly Ala Asn Leu Arg Gln Asp Asp Ser Val Arg Asn Leu Phe Ala Ser
 130 135 140

Val Lys Ser Ser Gln Ser Ser Pro Ile Ile Pro Gly Phe Gly Gly Asp
 145 150 155 160

Phe Asn Leu Thr Leu Leu Glu Pro Val Ser Ile Ser Thr Gly Ser Arg
 165 170 175

Ser Ala Arg Ser Ala Ile Glu Asp Leu Leu Phe Asp Lys Val Thr Ile
 180 185 190

Ala Asp Pro Gly Tyr Met Gln Gly Tyr Asp Asp Cys Met Gln Gln Gly
 195 200 205

Pro Ala Ser Ala Arg Asp Leu Ile Cys Ala Gln Tyr Val Ala Gly Tyr
 210 215 220

Lys Val Leu Pro Pro Leu Met Asp Val Asn Met Glu Ala Ala Tyr Thr
 225 230 235 240

Ser Ser Leu Leu Gly Ser Ile Ala Gly Val Gly Trp Thr Ala Gly Leu
 245 250 255

Ser Ser Phe Ala Ala Ile Pro Phe Ala Gln Ser Ile Phe Tyr Arg Leu
 260 265 270

Asn Gly Val Gly Ile Thr Gln Gln Val Leu Ser Glu Asn Gln Lys Leu
 275 280 285

Ile Ala Asn Lys Phe Asn Gln Ala Leu Gly Ala Met Gln Thr Gly Phe
 290 295 300

Thr Thr Thr Asn Glu Ala Phe Gln Lys Val Gln Asp Ala Val Asn Asn
 305 310 315 320

Asn Ala Gln Ala Leu Ser Lys Leu Ala Ser Glu Leu Ser Asn Thr Phe
 325 330 335

Gly Ala Ile Ser Ala Ser Ile Gly Asp Ile Ile Gln Arg Leu Asp Val
 340 345 350

Leu Glu Gln Asp Ala Gln Ile Asp Arg Leu Ile Asn Gly Arg Leu Thr
 355 360 365

Thr Leu Asn Ala Phe Val Ala Gln Gln Leu Val Arg Ser Glu Ser Ala
 370 375 380

Ala Leu Ser Ala Gln Leu Ala Lys Asp Lys Val Asn Glu Cys Val Lys
 385 390 395 400

Ala Gln Ser Lys Arg Ser Gly Phe Cys Gly Gln Gly Thr His Ile Val
 405 410 415

Ser Phe Val Val Asn Ala Pro Asn Gly Leu Tyr Phe Met His Val Gly
 420 425 430

Tyr Tyr Pro Ser Asn His Ile Glu Val Val Ser Ala Tyr Gly Leu Cys
 435 440 445

Asp Ala Ala Asn Pro Thr Asn Cys Ile Ala Pro Val Asn Gly Tyr Phe
 450 455 460

Ile Lys Thr Asn Asn Thr Arg Ile Val Asp Glu Trp Ser Tyr Thr Gly
 465 470 475 480

Ser Ser Phe Tyr Ala Pro Glu Pro Ile Thr Ser Leu Asn Thr Lys Tyr
 485 490 495

Val Ala Pro Gln Val Thr Tyr Gln Asn Ile Ser Thr Asn Leu Pro Pro
 500 505 510

Pro Leu Leu Gly Asn Ser Thr Gly Ile Asp Phe Gln Asp Glu Leu Asp

-continued

515	520	525
Glu Phe Phe Lys Asn Val Ser Thr Ser Ile Pro Asn Phe Gly Ser Leu 530	535	540
Thr Gln Ile Asn Thr Thr Leu Leu Asp Leu Thr Tyr Glu Met Leu Ser 545	550	555
Leu Gln Gln Val Val Lys Ala Leu Asn Glu Ser Tyr Ile Asp Leu Lys 565	570	575
Glu Leu Gly Asn Tyr Thr Tyr Tyr Asn Lys Trp Pro Asp Lys Ile Glu 580	585	590
Glu Ile Leu Ser Lys Ile Tyr His Ile Glu Asn Glu Ile Ala Arg Ile 595	600	605
Lys Lys Leu Ile Gly Glu Ala 610	615	

<210> SEQ ID NO 27
 <211> LENGTH: 1353
 <212> TYPE: PRT
 <213> ORGANISM: Unknown
 <220> FEATURE:
 <223> OTHER INFORMATION: Middle East respiratory syndrome coronavirus

<400> SEQUENCE: 27

Met Ile His Ser Val Phe Leu Leu Met Phe Leu Leu Thr Pro Thr Glu 1	5	10	15
Ser Tyr Val Asp Val Gly Pro Asp Ser Val Lys Ser Ala Cys Ile Glu 20	25	30	
Val Asp Ile Gln Gln Thr Phe Phe Asp Lys Thr Trp Pro Arg Pro Ile 35	40	45	
Asp Val Ser Lys Ala Asp Gly Ile Ile Tyr Pro Gln Gly Arg Thr Tyr 50	55	60	
Ser Asn Ile Thr Ile Thr Tyr Gln Gly Leu Phe Pro Tyr Gln Gly Asp 65	70	75	80
His Gly Asp Met Tyr Val Tyr Ser Ala Gly His Ala Thr Gly Thr Thr 85	90	95	
Pro Gln Lys Leu Phe Val Ala Asn Tyr Ser Gln Asp Val Lys Gln Phe 100	105	110	
Ala Asn Gly Phe Val Val Arg Ile Gly Ala Ala Ala Asn Ser Thr Gly 115	120	125	
Thr Val Ile Ile Ser Pro Ser Thr Ser Ala Thr Ile Arg Lys Ile Tyr 130	135	140	
Pro Ala Phe Met Leu Gly Ser Ser Val Gly Asn Phe Ser Asp Gly Lys 145	150	155	160
Met Gly Arg Phe Phe Asn His Thr Leu Val Leu Leu Pro Asp Gly Cys 165	170	175	
Gly Thr Leu Leu Arg Ala Phe Tyr Cys Ile Leu Glu Pro Arg Ser Gly 180	185	190	
Asn His Cys Pro Ala Gly Asn Ser Tyr Thr Ser Phe Ala Thr Tyr His 195	200	205	
Thr Pro Ala Thr Asp Cys Ser Asp Gly Asn Tyr Asn Arg Asn Ala Ser 210	215	220	
Leu Asn Ser Phe Lys Glu Tyr Phe Asn Leu Arg Asn Cys Thr Phe Met 225	230	235	240
Tyr Thr Tyr Asn Ile Thr Glu Asp Glu Ile Leu Glu Trp Phe Gly Ile 245	250	255	
Thr Gln Thr Ala Gln Gly Val His Leu Phe Ser Ser Arg Tyr Val Asp			

-continued

Tyr Ser Arg Ser Thr Arg Ser Met Leu Lys Arg Arg Asp Ser Thr Tyr
 690 695 700
 Gly Pro Leu Gln Thr Pro Val Gly Cys Val Leu Gly Leu Val Asn Ser
 705 710 715 720
 Ser Leu Phe Val Glu Asp Cys Lys Leu Pro Leu Gly Gln Ser Leu Cys
 725 730 735
 Ala Leu Pro Asp Thr Pro Ser Thr Leu Thr Pro Arg Ser Val Arg Ser
 740 745 750
 Val Pro Gly Glu Met Arg Leu Ala Ser Ile Ala Phe Asn His Pro Ile
 755 760 765
 Gln Val Asp Gln Leu Asn Ser Ser Tyr Phe Lys Leu Ser Ile Pro Thr
 770 775 780
 Asn Phe Ser Phe Gly Val Thr Gln Glu Tyr Ile Gln Thr Thr Ile Gln
 785 790 795 800
 Lys Val Thr Val Asp Cys Lys Gln Tyr Val Cys Asn Gly Phe Gln Lys
 805 810 815
 Cys Glu Gln Leu Leu Arg Glu Tyr Gly Gln Phe Cys Ser Lys Ile Asn
 820 825 830
 Gln Ala Leu His Gly Ala Asn Leu Arg Gln Asp Asp Ser Val Arg Asn
 835 840 845
 Leu Phe Ala Ser Val Lys Ser Ser Gln Ser Ser Pro Ile Ile Pro Gly
 850 855 860
 Phe Gly Gly Asp Phe Asn Leu Thr Leu Leu Glu Pro Val Ser Ile Ser
 865 870 875 880
 Thr Gly Ser Arg Ser Ala Arg Ser Ala Ile Glu Asp Leu Leu Phe Asp
 885 890 895
 Lys Val Thr Ile Ala Asp Pro Gly Tyr Met Gln Gly Tyr Asp Asp Cys
 900 905 910
 Met Gln Gln Gly Pro Ala Ser Ala Arg Asp Leu Ile Cys Ala Gln Tyr
 915 920 925
 Val Ala Gly Tyr Lys Val Leu Pro Pro Leu Met Asp Val Asn Met Glu
 930 935 940
 Ala Ala Tyr Thr Ser Ser Leu Leu Gly Ser Ile Ala Gly Val Gly Trp
 945 950 955 960
 Thr Ala Gly Leu Ser Ser Phe Ala Ala Ile Pro Phe Ala Gln Ser Ile
 965 970 975
 Phe Tyr Arg Leu Asn Gly Val Gly Ile Thr Gln Gln Val Leu Ser Glu
 980 985 990
 Asn Gln Lys Leu Ile Ala Asn Lys Phe Asn Gln Ala Leu Gly Ala Met
 995 1000 1005
 Gln Thr Gly Phe Thr Thr Thr Asn Glu Ala Phe Arg Lys Val Gln
 1010 1015 1020
 Asp Ala Val Asn Asn Asn Ala Gln Ala Leu Ser Lys Leu Ala Ser
 1025 1030 1035
 Glu Leu Ser Asn Thr Phe Gly Ala Ile Ser Ala Ser Ile Gly Asp
 1040 1045 1050
 Ile Ile Gln Arg Leu Asp Val Leu Glu Gln Asp Ala Gln Ile Asp
 1055 1060 1065
 Arg Leu Ile Asn Gly Arg Leu Thr Thr Leu Asn Ala Phe Val Ala
 1070 1075 1080
 Gln Gln Leu Val Arg Ser Glu Ser Ala Ala Leu Ser Ala Gln Leu
 1085 1090 1095

-continued

Ala Lys Asp Lys Val Asn Glu Cys Val Lys Ala Gln Ser Lys Arg
 1100 1105 1110

Ser Gly Phe Cys Gly Gln Gly Thr His Ile Val Ser Phe Val Val
 1115 1120 1125

Asn Ala Pro Asn Gly Leu Tyr Phe Met His Val Gly Tyr Tyr Pro
 1130 1135 1140

Ser Asn His Ile Glu Val Val Ser Ala Tyr Gly Leu Cys Asp Ala
 1145 1150 1155

Ala Asn Pro Thr Asn Cys Ile Ala Pro Val Asn Gly Tyr Phe Ile
 1160 1165 1170

Lys Thr Asn Asn Thr Arg Ile Val Asp Glu Trp Ser Tyr Thr Gly
 1175 1180 1185

Ser Ser Phe Tyr Ala Pro Glu Pro Ile Thr Ser Leu Asn Thr Lys
 1190 1195 1200

Tyr Val Ala Pro His Val Thr Tyr Gln Asn Ile Ser Thr Asn Leu
 1205 1210 1215

Pro Pro Pro Leu Leu Gly Asn Ser Thr Gly Ile Asp Phe Gln Asp
 1220 1225 1230

Glu Leu Asp Glu Phe Phe Lys Asn Val Ser Thr Ser Ile Pro Asn
 1235 1240 1245

Phe Gly Ser Leu Thr Gln Ile Asn Thr Thr Leu Leu Asp Leu Thr
 1250 1255 1260

Tyr Glu Met Leu Ser Leu Gln Gln Val Val Lys Ala Leu Asn Glu
 1265 1270 1275

Ser Tyr Ile Asp Leu Lys Glu Leu Gly Asn Tyr Thr Tyr Tyr Asn
 1280 1285 1290

Lys Trp Pro Trp Tyr Ile Trp Leu Gly Phe Ile Ala Gly Leu Val
 1295 1300 1305

Ala Leu Ala Leu Cys Val Phe Phe Ile Leu Cys Cys Thr Gly Cys
 1310 1315 1320

Gly Thr Asn Cys Met Gly Lys Leu Lys Cys Asn Arg Cys Cys Asp
 1325 1330 1335

Arg Tyr Glu Glu Tyr Asp Leu Glu Pro His Lys Val His Val His
 1340 1345 1350

<210> SEQ ID NO 28
 <211> LENGTH: 1353
 <212> TYPE: PRT
 <213> ORGANISM: Unknown
 <220> FEATURE:
 <223> OTHER INFORMATION: Middle East respiratory syndrome coronavirus

<400> SEQUENCE: 28

Met Ile His Ser Val Phe Leu Leu Met Phe Leu Leu Thr Pro Thr Glu
 1 5 10 15

Ser Tyr Val Asp Val Gly Pro Asp Ser Val Lys Ser Ala Cys Ile Glu
 20 25 30

Val Asp Ile Gln Gln Thr Phe Phe Asp Lys Thr Trp Pro Arg Pro Ile
 35 40 45

Asp Val Ser Lys Ala Asp Gly Ile Ile Tyr Pro Gln Gly Arg Thr Tyr
 50 55 60

Ser Asn Ile Thr Ile Thr Tyr Gln Gly Leu Phe Pro Tyr Gln Gly Asp
 65 70 75 80

His Gly Asp Met Tyr Val Tyr Ser Ala Gly His Ala Thr Gly Thr Thr
 85 90 95

-continued

Pro Gln Lys Leu Phe Val Ala Asn Tyr Ser Gln Asp Val Lys Gln Phe
 100 105 110
 Ala Asn Gly Phe Val Val Arg Ile Gly Ala Ala Ala Asn Ser Thr Gly
 115 120 125
 Thr Val Ile Ile Ser Pro Ser Thr Ser Ala Thr Ile Arg Lys Ile Tyr
 130 135 140
 Pro Ala Phe Met Leu Gly Ser Ser Val Gly Asn Phe Ser Asp Gly Lys
 145 150 155 160
 Met Gly Arg Phe Phe Asn His Thr Leu Val Leu Leu Pro Asp Gly Cys
 165 170 175
 Gly Thr Leu Leu Arg Ala Phe Tyr Cys Ile Leu Glu Pro Arg Ser Gly
 180 185 190
 Asn His Cys Pro Ala Gly Asn Ser Tyr Thr Ser Phe Ala Thr Tyr His
 195 200 205
 Thr Pro Ala Thr Asp Cys Ser Asp Gly Asn Tyr Asn Arg Asn Ala Ser
 210 215 220
 Leu Asn Ser Phe Lys Glu Tyr Phe Asn Leu Arg Asn Cys Thr Phe Met
 225 230 235 240
 Tyr Thr Tyr Asn Ile Thr Glu Asp Glu Ile Leu Glu Trp Phe Gly Ile
 245 250 255
 Thr Gln Thr Ala Gln Gly Val His Leu Phe Ser Ser Arg Tyr Val Asp
 260 265 270
 Leu Tyr Gly Gly Asn Met Phe Gln Phe Ala Thr Leu Pro Val Tyr Asp
 275 280 285
 Thr Ile Lys Tyr Tyr Ser Ile Ile Pro His Ser Ile Arg Ser Ile Gln
 290 295 300
 Ser Asp Arg Lys Ala Trp Ala Ala Phe Tyr Val Tyr Lys Leu Gln Pro
 305 310 315 320
 Leu Thr Phe Leu Leu Asp Phe Ser Val Asp Gly Tyr Ile Arg Arg Ala
 325 330 335
 Ile Asp Cys Gly Phe Asn Asp Leu Ser Gln Leu His Cys Ser Tyr Glu
 340 345 350
 Ser Phe Asp Val Glu Ser Gly Val Tyr Ser Val Ser Ser Phe Glu Ala
 355 360 365
 Lys Pro Ser Gly Ser Val Val Glu Gln Ala Glu Gly Val Glu Cys Asp
 370 375 380
 Phe Ser Pro Leu Leu Ser Gly Thr Pro Pro Gln Val Tyr Asn Phe Lys
 385 390 395 400
 Arg Leu Val Phe Thr Asn Cys Asn Tyr Asn Leu Thr Lys Leu Leu Ser
 405 410 415
 Leu Phe Ser Val Asn Asp Phe Thr Cys Ser Gln Ile Ser Pro Ala Ala
 420 425 430
 Ile Ala Ser Asn Cys Tyr Ser Ser Leu Ile Leu Asp Tyr Phe Ser Tyr
 435 440 445
 Pro Leu Ser Met Lys Ser Asp Leu Ser Val Ser Ser Ala Gly Pro Ile
 450 455 460
 Ser Gln Phe Asn Tyr Lys Gln Ser Phe Ser Asn Pro Thr Cys Leu Ile
 465 470 475 480
 Leu Ala Thr Val Pro His Asn Leu Thr Thr Ile Thr Lys Pro Leu Lys
 485 490 495
 Tyr Ser Tyr Ile Asn Lys Cys Ser Arg Leu Leu Ser Asp Asp Arg Thr
 500 505 510
 Glu Val Pro Gln Leu Val Asn Ala Asn Gln Tyr Ser Pro Cys Val Ser

-continued

515					520					525					
Ile	Val	Pro	Ser	Thr	Val	Trp	Glu	Asp	Gly	Asp	Tyr	Tyr	Arg	Lys	Gln
530					535					540					
Leu	Ser	Pro	Leu	Glu	Gly	Gly	Trp	Leu	Val	Ala	Ser	Gly	Ser	Thr	
545				550					555					560	
Val	Ala	Met	Thr	Glu	Gln	Leu	Gln	Met	Gly	Phe	Gly	Ile	Thr	Val	Gln
				565					570					575	
Tyr	Gly	Thr	Asp	Thr	Asn	Ser	Val	Cys	Pro	Lys	Leu	Glu	Phe	Ala	Asn
			580					585						590	
Asp	Thr	Lys	Ile	Ala	Ser	Gln	Leu	Gly	Asn	Cys	Val	Glu	Tyr	Ser	Leu
		595					600					605			
Tyr	Gly	Val	Ser	Gly	Arg	Gly	Val	Phe	Gln	Asn	Cys	Thr	Ala	Val	Gly
610				615					620						
Val	Arg	Gln	Gln	Arg	Phe	Val	Tyr	Asp	Ala	Tyr	Gln	Asn	Leu	Val	Gly
625				630					635						640
Tyr	Tyr	Ser	Asp	Asp	Gly	Asn	Tyr	Tyr	Cys	Leu	Arg	Ala	Cys	Val	Ser
			645						650					655	
Val	Pro	Val	Ser	Val	Ile	Tyr	Asp	Lys	Glu	Thr	Lys	Thr	His	Ala	Thr
			660					665						670	
Leu	Phe	Gly	Ser	Val	Ala	Cys	Glu	His	Ile	Ser	Ser	Thr	Met	Ser	Gln
		675					680					685			
Tyr	Ser	Arg	Ser	Thr	Arg	Ser	Met	Leu	Lys	Arg	Arg	Asp	Ser	Thr	Tyr
690					695					700					
Gly	Pro	Leu	Gln	Thr	Pro	Val	Gly	Cys	Val	Leu	Gly	Leu	Val	Asn	Ser
705				710					715					720	
Ser	Leu	Phe	Val	Glu	Asp	Cys	Lys	Leu	Pro	Leu	Gly	Gln	Ser	Leu	Cys
			725						730					735	
Ala	Leu	Pro	Asp	Thr	Pro	Ser	Thr	Leu	Thr	Pro	Arg	Ser	Val	Arg	Ser
			740					745						750	
Val	Pro	Gly	Glu	Met	Arg	Leu	Ala	Ser	Ile	Ala	Phe	Asn	His	Pro	Ile
		755					760						765		
Gln	Val	Asp	Gln	Leu	Asn	Ser	Ser	Tyr	Phe	Lys	Leu	Ser	Ile	Pro	Thr
770					775					780					
Asn	Phe	Ser	Phe	Gly	Val	Thr	Gln	Glu	Tyr	Ile	Gln	Thr	Thr	Ile	Gln
785				790					795					800	
Lys	Val	Thr	Val	Asp	Cys	Lys	Gln	Tyr	Val	Cys	Asn	Gly	Phe	Gln	Lys
			805						810					815	
Cys	Glu	Gln	Leu	Leu	Arg	Glu	Tyr	Gly	Gln	Phe	Cys	Ser	Lys	Ile	Asn
			820					825						830	
Gln	Ala	Leu	His	Gly	Ala	Asn	Leu	Arg	Gln	Asp	Asp	Ser	Val	Arg	Asn
		835					840						845		
Leu	Phe	Ala	Ser	Val	Lys	Ser	Ser	Gln	Ser	Ser	Pro	Ile	Ile	Pro	Gly
850					855					860					
Phe	Gly	Gly	Asp	Phe	Asn	Leu	Thr	Leu	Leu	Glu	Pro	Val	Ser	Ile	Ser
865				870						875				880	
Thr	Gly	Ser	Arg	Ser	Ala	Arg	Ser	Ala	Ile	Glu	Asp	Leu	Leu	Phe	Asp
			885						890					895	
Lys	Val	Thr	Ile	Ala	Asp	Pro	Gly	Tyr	Met	Gln	Gly	Tyr	Asp	Asp	Cys
			900					905						910	
Met	Gln	Gln	Gly	Pro	Ala	Ser	Ala	Arg	Asp	Leu	Ile	Cys	Ala	Gln	Tyr
			915					920					925		
Val	Ala	Gly	Tyr	Lys	Val	Leu	Pro	Pro	Leu	Met	Asp	Val	Asn	Met	Glu
930					935									940	

-continued

Ala Ala Tyr Thr Ser Ser Leu Leu Gly Ser Ile Ala Gly Val Gly Trp
945 950 955 960

Thr Ala Gly Leu Ser Ser Phe Ala Ala Ile Pro Phe Ala Gln Ser Ile
965 970 975

Phe Tyr Arg Leu Asn Gly Val Gly Ile Thr Gln Gln Val Leu Ser Glu
980 985 990

Asn Gln Lys Leu Ile Ala Asn Lys Phe Asn Gln Ala Leu Gly Ala Met
995 1000 1005

Gln Thr Gly Phe Thr Thr Thr Asn Glu Ala Phe Arg Lys Val Gln
1010 1015 1020

Asp Ala Val Asn Asn Asn Ala Gln Ala Leu Ser Lys Leu Ala Ser
1025 1030 1035

Glu Leu Ser Asn Thr Phe Gly Ala Ile Ser Ala Ser Ile Gly Asp
1040 1045 1050

Ile Ile Gln Arg Leu Asp Val Leu Glu Gln Asp Ala Gln Ile Asp
1055 1060 1065

Arg Leu Ile Asn Gly Arg Leu Thr Thr Leu Asn Ala Phe Val Ala
1070 1075 1080

Gln Gln Leu Val Arg Ser Glu Ser Ala Ala Leu Ser Ala Gln Leu
1085 1090 1095

Ala Lys Asp Lys Val Asn Glu Cys Val Lys Ala Gln Ser Lys Arg
1100 1105 1110

Ser Gly Phe Cys Gly Gln Gly Thr His Ile Val Ser Phe Val Val
1115 1120 1125

Asn Ala Pro Asn Gly Leu Tyr Phe Met His Val Gly Tyr Tyr Pro
1130 1135 1140

Ser Asn His Ile Glu Val Val Ser Ala Tyr Gly Leu Cys Asp Ala
1145 1150 1155

Ala Asn Pro Thr Asn Cys Ile Ala Pro Val Asn Gly Tyr Phe Ile
1160 1165 1170

Lys Thr Asn Asn Thr Arg Ile Val Asp Glu Trp Ser Tyr Thr Gly
1175 1180 1185

Ser Ser Phe Tyr Ala Pro Glu Pro Ile Thr Ser Leu Asn Thr Lys
1190 1195 1200

Tyr Val Ala Pro His Val Thr Tyr Gln Asn Ile Ser Thr Asn Leu
1205 1210 1215

Pro Pro Pro Leu Leu Gly Asn Ser Thr Gly Ile Asp Phe Gln Asp
1220 1225 1230

Glu Leu Asp Glu Phe Phe Lys Asn Val Ser Thr Ser Ile Pro Asn
1235 1240 1245

Phe Gly Ser Leu Thr Gln Ile Asn Thr Thr Leu Leu Asp Leu Thr
1250 1255 1260

Tyr Glu Met Leu Ser Leu Gln Gln Val Val Lys Ala Leu Asn Glu
1265 1270 1275

Ser Tyr Ile Asp Leu Lys Glu Leu Gly Asn Tyr Thr Tyr Tyr Asn
1280 1285 1290

Lys Trp Pro Trp Tyr Ile Trp Leu Gly Phe Ile Ala Gly Leu Val
1295 1300 1305

Ala Leu Ala Leu Cys Val Phe Phe Ile Leu Cys Cys Thr Gly Cys
1310 1315 1320

Gly Thr Asn Cys Met Gly Lys Leu Lys Cys Asn Arg Cys Cys Asp
1325 1330 1335

-continued

Arg Tyr Glu Glu Tyr Asp Leu Glu Pro His Lys Val His Val His
 1340 1345 1350

<210> SEQ ID NO 29
 <211> LENGTH: 1255
 <212> TYPE: PRT
 <213> ORGANISM: Unknown
 <220> FEATURE:
 <223> OTHER INFORMATION: Human SARS coronavirus

<400> SEQUENCE: 29

Met Phe Ile Phe Leu Leu Phe Leu Thr Leu Thr Ser Gly Ser Asp Leu
 1 5 10 15
 Asp Arg Cys Thr Thr Phe Asp Asp Val Gln Ala Pro Asn Tyr Thr Gln
 20 25 30
 His Thr Ser Ser Met Arg Gly Val Tyr Tyr Pro Asp Glu Ile Phe Arg
 35 40 45
 Ser Asp Thr Leu Tyr Leu Thr Gln Asp Leu Phe Leu Pro Phe Tyr Ser
 50 55 60
 Asn Val Thr Gly Phe His Thr Ile Asn His Thr Phe Gly Asn Pro Val
 65 70 75 80
 Ile Pro Phe Lys Asp Gly Ile Tyr Phe Ala Ala Thr Glu Lys Ser Asn
 85 90 95
 Val Val Arg Gly Trp Val Phe Gly Ser Thr Met Asn Asn Lys Ser Gln
 100 105 110
 Ser Val Ile Ile Ile Asn Asn Ser Thr Asn Val Val Ile Arg Ala Cys
 115 120 125
 Asn Phe Glu Leu Cys Asp Asn Pro Phe Phe Ala Val Ser Lys Pro Met
 130 135 140
 Gly Thr Gln Thr His Thr Met Ile Phe Asp Asn Ala Phe Asn Cys Thr
 145 150 155 160
 Phe Glu Tyr Ile Ser Asp Ala Phe Ser Leu Asp Val Ser Glu Lys Ser
 165 170 175
 Gly Asn Phe Lys His Leu Arg Glu Phe Val Phe Lys Asn Lys Asp Gly
 180 185 190
 Phe Leu Tyr Val Tyr Lys Gly Tyr Gln Pro Ile Asp Val Val Arg Asp
 195 200 205
 Leu Pro Ser Gly Phe Asn Thr Leu Lys Pro Ile Phe Lys Leu Pro Leu
 210 215 220
 Gly Ile Asn Ile Thr Asn Phe Arg Ala Ile Leu Thr Ala Phe Ser Pro
 225 230 235 240
 Ala Gln Asp Ile Trp Gly Thr Ser Ala Ala Ala Tyr Phe Val Gly Tyr
 245 250 255
 Leu Lys Pro Thr Thr Phe Met Leu Lys Tyr Asp Glu Asn Gly Thr Ile
 260 265 270
 Thr Asp Ala Val Asp Cys Ser Gln Asn Pro Leu Ala Glu Leu Lys Cys
 275 280 285
 Ser Val Lys Ser Phe Glu Ile Asp Lys Gly Ile Tyr Gln Thr Ser Asn
 290 295 300
 Phe Arg Val Val Pro Ser Gly Asp Val Val Arg Phe Pro Asn Ile Thr
 305 310 315 320
 Asn Leu Cys Pro Phe Gly Glu Val Phe Asn Ala Thr Lys Phe Pro Ser
 325 330 335
 Val Tyr Ala Trp Glu Arg Lys Lys Ile Ser Asn Cys Val Ala Asp Tyr
 340 345 350

-continued

Ser Val Leu Tyr Asn Ser Thr Phe Phe Ser Thr Phe Lys Cys Tyr Gly
 355 360 365
 Val Ser Ala Thr Lys Leu Asn Asp Leu Cys Phe Ser Asn Val Tyr Ala
 370 375 380
 Asp Ser Phe Val Val Lys Gly Asp Asp Val Arg Gln Ile Ala Pro Gly
 385 390 395 400
 Gln Thr Gly Val Ile Ala Asp Tyr Asn Tyr Lys Leu Pro Asp Asp Phe
 405 410 415
 Met Gly Cys Val Leu Ala Trp Asn Thr Arg Asn Ile Asp Ala Thr Ser
 420 425 430
 Thr Gly Asn Tyr Asn Tyr Lys Tyr Arg Tyr Leu Arg His Gly Lys Leu
 435 440 445
 Arg Pro Phe Glu Arg Asp Ile Ser Asn Val Pro Phe Ser Pro Asp Gly
 450 455 460
 Lys Pro Cys Thr Pro Pro Ala Leu Asn Cys Tyr Trp Pro Leu Asn Asp
 465 470 475 480
 Tyr Gly Phe Tyr Thr Thr Thr Gly Ile Gly Tyr Gln Pro Tyr Arg Val
 485 490 495
 Val Val Leu Ser Phe Glu Leu Leu Asn Ala Pro Ala Thr Val Cys Gly
 500 505 510
 Pro Lys Leu Ser Thr Asp Leu Ile Lys Asn Gln Cys Val Asn Phe Asn
 515 520 525
 Phe Asn Gly Leu Thr Gly Thr Gly Val Leu Thr Pro Ser Ser Lys Arg
 530 535 540
 Phe Gln Pro Phe Gln Gln Phe Gly Arg Asp Val Ser Asp Phe Thr Asp
 545 550 555 560
 Ser Val Arg Asp Pro Lys Thr Ser Glu Ile Leu Asp Ile Ser Pro Cys
 565 570 575
 Ser Phe Gly Gly Val Ser Val Ile Thr Pro Gly Thr Asn Ala Ser Ser
 580 585 590
 Glu Val Ala Val Leu Tyr Gln Asp Val Asn Cys Thr Asp Val Ser Thr
 595 600 605
 Ala Ile His Ala Asp Gln Leu Thr Pro Ala Trp Arg Ile Tyr Ser Thr
 610 615 620
 Gly Asn Asn Val Phe Gln Thr Gln Ala Gly Cys Leu Ile Gly Ala Glu
 625 630 635 640
 His Val Asp Thr Ser Tyr Glu Cys Asp Ile Pro Ile Gly Ala Gly Ile
 645 650 655
 Cys Ala Ser Tyr His Thr Val Ser Leu Leu Arg Ser Thr Ser Gln Lys
 660 665 670
 Ser Ile Val Ala Tyr Thr Met Ser Leu Gly Ala Asp Ser Ser Ile Ala
 675 680 685
 Tyr Ser Asn Asn Thr Ile Ala Ile Pro Thr Asn Phe Ser Ile Ser Ile
 690 695 700
 Thr Thr Glu Val Met Pro Val Ser Met Ala Lys Thr Ser Val Asp Cys
 705 710 715 720
 Asn Met Tyr Ile Cys Gly Asp Ser Thr Glu Cys Ala Asn Leu Leu Leu
 725 730 735
 Gln Tyr Gly Ser Phe Cys Thr Gln Leu Asn Arg Ala Leu Ser Gly Ile
 740 745 750
 Ala Ala Glu Gln Asp Arg Asn Thr Arg Glu Val Phe Ala Gln Val Lys
 755 760 765
 Gln Met Tyr Lys Thr Pro Thr Leu Lys Tyr Phe Gly Gly Phe Asn Phe

-continued

770				775				780							
Ser	Gln	Ile	Leu	Pro	Asp	Pro	Leu	Lys	Pro	Thr	Lys	Arg	Ser	Phe	Ile
785					790					795					800
Glu	Asp	Leu	Leu	Phe	Asn	Lys	Val	Thr	Leu	Ala	Asp	Ala	Gly	Phe	Met
				805					810					815	
Lys	Gln	Tyr	Gly	Glu	Cys	Leu	Gly	Asp	Ile	Asn	Ala	Arg	Asp	Leu	Ile
			820					825					830		
Cys	Ala	Gln	Lys	Phe	Asn	Gly	Leu	Thr	Val	Leu	Pro	Pro	Leu	Leu	Thr
		835					840						845		
Asp	Asp	Met	Ile	Ala	Ala	Tyr	Thr	Ala	Ala	Leu	Val	Ser	Gly	Thr	Ala
	850				855						860				
Thr	Ala	Gly	Trp	Thr	Phe	Gly	Ala	Gly	Ala	Ala	Leu	Gln	Ile	Pro	Phe
865					870					875					880
Ala	Met	Gln	Met	Ala	Tyr	Arg	Phe	Asn	Gly	Ile	Gly	Val	Thr	Gln	Asn
				885					890						895
Val	Leu	Tyr	Glu	Asn	Gln	Lys	Gln	Ile	Ala	Asn	Gln	Phe	Asn	Lys	Ala
			900						905						910
Ile	Ser	Gln	Ile	Gln	Glu	Ser	Leu	Thr	Thr	Thr	Ser	Thr	Ala	Leu	Gly
		915					920								925
Lys	Leu	Gln	Asp	Val	Val	Asn	Gln	Asn	Ala	Gln	Ala	Leu	Asn	Thr	Leu
	930					935					940				
Val	Lys	Gln	Leu	Ser	Ser	Asn	Phe	Gly	Ala	Ile	Ser	Ser	Val	Leu	Asn
	945				950					955					960
Asp	Ile	Leu	Ser	Arg	Leu	Asp	Lys	Val	Glu	Ala	Glu	Val	Gln	Ile	Asp
				965					970						975
Arg	Leu	Ile	Thr	Gly	Arg	Leu	Gln	Ser	Leu	Gln	Thr	Tyr	Val	Thr	Gln
			980				985								990
Gln	Leu	Ile	Arg	Ala	Ala	Glu	Ile	Arg	Ala	Ser	Ala	Asn	Leu	Ala	Ala
			995				1000								1005
Thr	Lys	Met	Ser	Glu	Cys	Val	Leu	Gly	Gln	Ser	Lys	Arg	Val	Asp	
	1010					1015									1020
Phe	Cys	Gly	Lys	Gly	Tyr	His	Leu	Met	Ser	Phe	Pro	Gln	Ala	Ala	
	1025					1030									1035
Pro	His	Gly	Val	Val	Phe	Leu	His	Val	Thr	Tyr	Val	Pro	Ser	Gln	
	1040					1045									1050
Glu	Arg	Asn	Phe	Thr	Thr	Ala	Pro	Ala	Ile	Cys	His	Glu	Gly	Lys	
	1055					1060									1065
Ala	Tyr	Phe	Pro	Arg	Glu	Gly	Val	Phe	Val	Phe	Asn	Gly	Thr	Ser	
	1070					1075									1080
Trp	Phe	Ile	Thr	Gln	Arg	Asn	Phe	Phe	Ser	Pro	Gln	Ile	Ile	Thr	
	1085					1090									1095
Thr	Asp	Asn	Thr	Phe	Val	Ser	Gly	Asn	Cys	Asp	Val	Val	Ile	Gly	
	1100					1105									1110
Ile	Ile	Asn	Asn	Thr	Val	Tyr	Asp	Pro	Leu	Gln	Pro	Glu	Leu	Asp	
	1115					1120									1125
Ser	Phe	Lys	Glu	Glu	Leu	Asp	Lys	Tyr	Phe	Lys	Asn	His	Thr	Ser	
	1130					1135									1140
Pro	Asp	Val	Asp	Leu	Gly	Asp	Ile	Ser	Gly	Ile	Asn	Ala	Ser	Val	
	1145					1150									1155
Val	Asn	Ile	Gln	Lys	Glu	Ile	Asp	Arg	Leu	Asn	Glu	Val	Ala	Lys	
	1160					1165									1170
Asn	Leu	Asn	Glu	Ser	Leu	Ile	Asp	Leu	Gln	Glu	Leu	Gly	Lys	Tyr	
	1175					1180									1185

-continued

Glu Gln Tyr Ile Lys Trp Pro Trp Tyr Val Trp Leu Gly Phe Ile
 1190 1195 1200
 Ala Gly Leu Ile Ala Ile Val Met Val Thr Ile Leu Leu Cys Cys
 1205 1210 1215
 Met Thr Ser Cys Cys Ser Cys Leu Lys Gly Ala Cys Ser Cys Gly
 1220 1225 1230
 Ser Cys Cys Lys Phe Asp Glu Asp Asp Ser Glu Pro Val Leu Lys
 1235 1240 1245
 Gly Val Lys Leu His Tyr Thr
 1250 1255

<210> SEQ ID NO 30
 <211> LENGTH: 1353
 <212> TYPE: PRT
 <213> ORGANISM: Human coronavirus

<400> SEQUENCE: 30

Met Phe Leu Ile Leu Leu Ile Ser Leu Pro Thr Ala Phe Ala Val Ile
 1 5 10 15
 Gly Asp Leu Lys Cys Thr Ser Asp Asn Ile Asn Asp Lys Asp Thr Gly
 20 25 30
 Pro Pro Pro Ile Ser Thr Asp Thr Val Asp Val Thr Asn Gly Leu Gly
 35 40 45
 Thr Tyr Tyr Val Leu Asp Arg Val Tyr Leu Asn Thr Thr Leu Phe Leu
 50 55 60
 Asn Gly Tyr Tyr Pro Thr Ser Gly Ser Thr Tyr Arg Asn Met Ala Leu
 65 70 75 80
 Lys Gly Ser Val Leu Leu Ser Arg Leu Trp Phe Lys Pro Pro Phe Leu
 85 90 95
 Ser Asp Phe Ile Asn Gly Ile Phe Ala Lys Val Lys Asn Thr Lys Val
 100 105 110
 Ile Lys Asp Arg Val Met Tyr Ser Glu Phe Pro Ala Ile Thr Ile Gly
 115 120 125
 Ser Thr Phe Val Asn Thr Ser Tyr Ser Val Val Val Gln Pro Arg Thr
 130 135 140
 Ile Asn Ser Thr Gln Asp Gly Asp Asn Lys Leu Gln Gly Leu Leu Glu
 145 150 155 160
 Val Ser Val Cys Gln Tyr Asn Met Cys Glu Tyr Pro Gln Thr Ile Cys
 165 170 175
 His Pro Asn Leu Gly Asn His Arg Lys Glu Leu Trp His Leu Asp Thr
 180 185 190
 Gly Val Val Ser Cys Leu Tyr Lys Arg Asn Phe Thr Tyr Asp Val Asn
 195 200 205
 Ala Asp Tyr Leu Tyr Phe His Phe Tyr Gln Glu Gly Gly Thr Phe Tyr
 210 215 220
 Ala Tyr Phe Thr Asp Thr Gly Val Val Thr Lys Phe Leu Phe Asn Val
 225 230 235 240
 Tyr Leu Gly Met Ala Leu Ser His Tyr Tyr Val Met Pro Leu Thr Cys
 245 250 255
 Asn Ser Lys Leu Thr Leu Glu Tyr Trp Val Thr Pro Leu Thr Ser Arg
 260 265 270
 Gln Tyr Leu Leu Ala Phe Asn Gln Asp Gly Ile Ile Phe Asn Ala Glu
 275 280 285
 Asp Cys Met Ser Asp Phe Met Ser Glu Ile Lys Cys Lys Thr Gln Ser

-continued

290					295					300					
Ile	Ala	Pro	Pro	Thr	Gly	Val	Tyr	Glu	Leu	Asn	Gly	Tyr	Thr	Val	Gln
305					310					315					320
Pro	Ile	Ala	Asp	Val	Tyr	Arg	Arg	Lys	Pro	Asn	Leu	Pro	Asn	Cys	Asn
				325					330					335	
Ile	Glu	Ala	Trp	Leu	Asn	Asp	Lys	Ser	Val	Pro	Ser	Pro	Leu	Asn	Trp
			340					345					350		
Glu	Arg	Lys	Thr	Phe	Ser	Asn	Cys	Asn	Phe	Asn	Met	Ser	Ser	Leu	Met
		355					360					365			
Ser	Phe	Ile	Gln	Ala	Asp	Ser	Phe	Thr	Cys	Asn	Asn	Ile	Asp	Ala	Ala
		370				375					380				
Lys	Ile	Tyr	Gly	Met	Cys	Phe	Ser	Ser	Ile	Thr	Ile	Asp	Lys	Phe	Ala
				385		390					395				400
Ile	Pro	Asn	Gly	Arg	Lys	Val	Asp	Leu	Gln	Leu	Gly	Asn	Leu	Gly	Tyr
				405					410					415	
Leu	Gln	Ser	Phe	Asn	Tyr	Arg	Ile	Asp	Thr	Thr	Ala	Thr	Ser	Cys	Gln
			420					425					430		
Leu	Tyr	Tyr	Asn	Leu	Pro	Ala	Ala	Asn	Val	Ser	Val	Ser	Arg	Phe	Asn
			435				440					445			
Pro	Ser	Thr	Trp	Asn	Lys	Arg	Phe	Gly	Phe	Ile	Glu	Asp	Ser	Val	Phe
			450			455					460				
Lys	Pro	Arg	Pro	Ala	Gly	Val	Leu	Thr	Asn	His	Asp	Val	Val	Tyr	Ala
				465		470					475				480
Gln	His	Cys	Phe	Lys	Ala	Pro	Lys	Asn	Phe	Cys	Pro	Cys	Lys	Leu	Asn
				485					490					495	
Gly	Ser	Cys	Val	Gly	Ser	Gly	Pro	Gly	Lys	Asn	Asn	Gly	Ile	Gly	Thr
			500					505					510		
Cys	Pro	Ala	Gly	Thr	Asn	Tyr	Leu	Thr	Cys	Asp	Asn	Leu	Cys	Thr	Pro
			515				520					525			
Asp	Pro	Ile	Thr	Phe	Thr	Gly	Thr	Tyr	Lys	Cys	Pro	Gln	Thr	Lys	Ser
			530			535					540				
Leu	Val	Gly	Ile	Gly	Glu	His	Cys	Ser	Gly	Leu	Ala	Val	Lys	Ser	Asp
				545		550					555				560
Tyr	Cys	Gly	Gly	Asn	Ser	Cys	Thr	Cys	Arg	Pro	Gln	Ala	Phe	Leu	Gly
				565					570					575	
Trp	Ser	Ala	Asp	Ser	Cys	Leu	Gln	Gly	Asp	Lys	Cys	Asn	Ile	Phe	Ala
			580					585					590		
Asn	Phe	Ile	Leu	His	Asp	Val	Asn	Ser	Gly	Leu	Thr	Cys	Ser	Thr	Asp
			595				600					605			
Leu	Gln	Lys	Ala	Asn	Thr	Asp	Ile	Ile	Leu	Gly	Val	Cys	Val	Asn	Tyr
			610			615					620				
Asp	Leu	Tyr	Gly	Ile	Leu	Gly	Gln	Gly	Ile	Phe	Val	Glu	Val	Asn	Ala
				625		630					635				640
Thr	Tyr	Tyr	Asn	Ser	Trp	Gln	Asn	Leu	Leu	Tyr	Asp	Ser	Asn	Gly	Asn
				645					650					655	
Leu	Tyr	Gly	Phe	Arg	Asp	Tyr	Ile	Ile	Asn	Arg	Thr	Phe	Met	Ile	Arg
			660						665				670		
Ser	Cys	Tyr	Ser	Gly	Arg	Val	Ser	Ala	Ala	Phe	His	Ala	Asn	Ser	Ser
			675				680					685			
Glu	Pro	Ala	Leu	Leu	Phe	Arg	Asn	Ile	Lys	Cys	Asn	Tyr	Val	Phe	Asn
			690				695					700			
Asn	Ser	Leu	Thr	Arg	Gln	Leu	Gln	Pro	Ile	Asn	Tyr	Phe	Asp	Ser	Tyr
				705		710					715				720

-continued

Leu Gly Cys Val Val Asn Ala Tyr Asn Ser Thr Ala Ile Ser Val Gln
 725 730 735
 Thr Cys Asp Leu Thr Val Gly Ser Gly Tyr Cys Val Asp Tyr Ser Lys
 740 745 750
 Asn Arg Arg Ser Arg Gly Ala Ile Thr Thr Gly Tyr Arg Phe Thr Asn
 755 760 765
 Phe Glu Pro Phe Thr Val Asn Ser Val Asn Asp Ser Leu Glu Pro Val
 770 775 780
 Gly Gly Leu Tyr Glu Ile Gln Ile Pro Ser Glu Phe Thr Ile Gly Asn
 785 790 795 800
 Met Val Glu Phe Ile Gln Thr Ser Ser Pro Lys Val Thr Ile Asp Cys
 805 810 815
 Ala Ala Phe Val Cys Gly Asp Tyr Ala Ala Cys Lys Ser Gln Leu Val
 820 825 830
 Glu Tyr Gly Ser Phe Cys Asp Asn Ile Asn Ala Ile Leu Thr Glu Val
 835 840 845
 Asn Glu Leu Leu Asp Thr Thr Gln Leu Gln Val Ala Asn Ser Leu Met
 850 855 860
 Asn Gly Val Thr Leu Ser Thr Lys Leu Lys Asp Gly Val Asn Phe Asn
 865 870 875 880
 Val Asp Asp Ile Asn Phe Ser Pro Val Leu Gly Cys Leu Gly Ser Glu
 885 890 895
 Cys Ser Lys Ala Ser Ser Arg Ser Ala Ile Glu Asp Leu Leu Phe Asp
 900 905 910
 Lys Val Lys Leu Ser Asp Val Gly Phe Val Glu Ala Tyr Asn Asn Cys
 915 920 925
 Thr Gly Gly Ala Glu Ile Arg Asp Leu Ile Cys Val Gln Ser Tyr Lys
 930 935 940
 Gly Ile Lys Val Leu Pro Pro Leu Leu Ser Glu Asn Gln Ile Ser Gly
 945 950 955 960
 Tyr Thr Leu Ala Ala Thr Ser Ala Ser Leu Phe Pro Pro Trp Thr Ala
 965 970 975
 Ala Ala Gly Val Pro Phe Tyr Leu Asn Val Gln Tyr Arg Ile Asn Gly
 980 985 990
 Leu Gly Val Thr Met Asp Val Leu Ser Gln Asn Gln Lys Leu Ile Ala
 995 1000 1005
 Asn Ala Phe Asn Asn Ala Leu Tyr Ala Ile Gln Glu Gly Phe Asp
 1010 1015 1020
 Ala Thr Asn Ser Ala Leu Val Lys Ile Gln Ala Val Val Asn Ala
 1025 1030 1035
 Asn Ala Glu Ala Leu Asn Asn Leu Leu Gln Gln Leu Ser Asn Arg
 1040 1045 1050
 Phe Gly Ala Ile Ser Ala Ser Leu Gln Glu Ile Leu Ser Arg Leu
 1055 1060 1065
 Asp Ala Leu Glu Ala Glu Ala Gln Ile Asp Arg Leu Ile Asn Gly
 1070 1075 1080
 Arg Leu Thr Ala Leu Asn Ala Tyr Val Ser Gln Gln Leu Ser Asp
 1085 1090 1095
 Ser Thr Leu Val Lys Phe Ser Ala Ala Gln Ala Met Glu Lys Val
 1100 1105 1110
 Asn Glu Cys Val Lys Ser Gln Ser Ser Arg Ile Asn Phe Cys Gly
 1115 1120 1125

-continued

Asn Gly Asn His Ile Ile Ser Leu Val Gln Asn Ala Pro Tyr Gly
 1130 1135 1140

Leu Tyr Phe Ile His Phe Ser Tyr Val Pro Thr Lys Tyr Val Thr
 1145 1150 1155

Ala Arg Val Ser Pro Gly Leu Cys Ile Ala Gly Asp Arg Gly Ile
 1160 1165 1170

Ala Pro Lys Ser Gly Tyr Phe Val Asn Val Asn Asn Thr Trp Met
 1175 1180 1185

Tyr Thr Gly Ser Gly Tyr Tyr Tyr Pro Glu Pro Ile Thr Glu Asn
 1190 1195 1200

Asn Val Val Val Met Ser Thr Cys Ala Val Asn Tyr Thr Lys Ala
 1205 1210 1215

Pro Tyr Val Met Leu Asn Thr Ser Ile Pro Asn Leu Pro Asp Phe
 1220 1225 1230

Lys Glu Glu Leu Asp Gln Trp Phe Lys Asn Gln Thr Ser Val Ala
 1235 1240 1245

Pro Asp Leu Ser Leu Asp Tyr Ile Asn Val Thr Phe Leu Asp Leu
 1250 1255 1260

Gln Val Glu Met Asn Arg Leu Gln Glu Ala Ile Lys Val Leu Asn
 1265 1270 1275

Gln Ser Tyr Ile Asn Leu Lys Asp Ile Gly Thr Tyr Glu Tyr Tyr
 1280 1285 1290

Val Lys Trp Pro Trp Tyr Val Trp Leu Leu Ile Cys Leu Ala Gly
 1295 1300 1305

Val Ala Met Leu Val Leu Leu Phe Phe Ile Cys Cys Cys Thr Gly
 1310 1315 1320

Cys Gly Thr Ser Cys Phe Lys Lys Cys Gly Gly Cys Cys Asp Asp
 1325 1330 1335

Tyr Thr Gly Tyr Gln Glu Leu Val Ile Lys Thr Ser His Asp Asp
 1340 1345 1350

<210> SEQ ID NO 31
 <211> LENGTH: 1351
 <212> TYPE: PRT
 <213> ORGANISM: Human coronavirus

<400> SEQUENCE: 31

Met Phe Leu Ile Ile Phe Ile Leu Pro Thr Thr Leu Ala Val Ile Gly
 1 5 10 15

Asp Phe Asn Cys Thr Asn Ser Phe Ile Asn Asp Tyr Asn Lys Thr Ile
 20 25 30

Pro Arg Ile Ser Glu Asp Val Val Asp Val Ser Leu Gly Leu Gly Thr
 35 40 45

Tyr Tyr Val Leu Asn Arg Val Tyr Leu Asn Thr Thr Leu Leu Phe Thr
 50 55 60

Gly Tyr Phe Pro Lys Ser Gly Ala Asn Phe Arg Asp Leu Ala Leu Lys
 65 70 75 80

Gly Ser Ile Tyr Leu Ser Thr Leu Trp Tyr Lys Pro Pro Phe Leu Ser
 85 90 95

Asp Phe Asn Asn Gly Ile Phe Ser Lys Val Lys Asn Thr Lys Leu Tyr
 100 105 110

Val Asn Asn Thr Leu Tyr Ser Glu Phe Ser Thr Ile Val Ile Gly Ser
 115 120 125

Val Phe Val Asn Thr Ser Tyr Thr Ile Val Val Gln Pro His Asn Gly
 130 135 140

-continued

Ile Leu Glu Ile Thr Ala Cys Gln Tyr Thr Met Cys Glu Tyr Pro His
 145 150 155 160
 Thr Val Cys Lys Ser Lys Gly Ser Ile Arg Asn Glu Ser Trp His Ile
 165 170 175
 Asp Ser Ser Glu Pro Leu Cys Leu Phe Lys Lys Asn Phe Thr Tyr Asn
 180 185 190
 Val Ser Ala Asp Trp Leu Tyr Phe His Phe Tyr Gln Glu Arg Gly Val
 195 200 205
 Phe Tyr Ala Tyr Tyr Ala Asp Val Gly Met Pro Thr Thr Phe Leu Phe
 210 215 220
 Ser Leu Tyr Leu Gly Thr Ile Leu Ser His Tyr Tyr Val Met Pro Leu
 225 230 235 240
 Thr Cys Asn Ala Ile Ser Ser Asn Thr Asp Asn Glu Thr Leu Glu Tyr
 245 250 255
 Trp Val Thr Pro Leu Ser Arg Arg Gln Tyr Leu Leu Asn Phe Asp Glu
 260 265 270
 His Gly Val Ile Thr Asn Ala Val Asp Cys Ser Ser Ser Phe Leu Ser
 275 280 285
 Glu Ile Gln Cys Lys Thr Gln Ser Phe Ala Pro Asn Thr Gly Val Tyr
 290 295 300
 Asp Leu Ser Gly Phe Thr Val Lys Pro Val Ala Thr Val Tyr Arg Arg
 305 310 315 320
 Ile Pro Asn Leu Pro Asp Cys Asp Ile Asp Asn Trp Leu Asn Asn Val
 325 330 335
 Ser Val Pro Ser Pro Leu Asn Trp Glu Arg Arg Ile Phe Ser Asn Cys
 340 345 350
 Asn Phe Asn Leu Ser Thr Leu Leu Arg Leu Val His Val Asp Ser Phe
 355 360 365
 Ser Cys Asn Asn Leu Asp Lys Ser Lys Ile Phe Gly Ser Cys Phe Asn
 370 375 380
 Ser Ile Thr Val Asp Lys Phe Ala Ile Pro Asn Arg Arg Arg Asp Asp
 385 390 395 400
 Leu Gln Leu Gly Ser Ser Gly Phe Leu Gln Ser Ser Asn Tyr Lys Ile
 405 410 415
 Asp Ile Ser Ser Ser Ser Cys Gln Leu Tyr Tyr Ser Leu Pro Leu Val
 420 425 430
 Asn Val Thr Ile Asn Asn Phe Asn Pro Ser Ser Trp Asn Arg Arg Tyr
 435 440 445
 Gly Phe Gly Ser Phe Asn Leu Ser Ser Tyr Asp Val Val Tyr Ser Asp
 450 455 460
 His Cys Phe Ser Val Asn Ser Asp Phe Cys Pro Cys Ala Asp Pro Ser
 465 470 475 480
 Val Val Asn Ser Cys Ala Lys Ser Lys Pro Pro Ser Ala Ile Cys Pro
 485 490 495
 Ala Gly Thr Lys Tyr Arg His Cys Asp Leu Asp Thr Thr Leu Tyr Val
 500 505 510
 Lys Asn Trp Cys Arg Cys Ser Cys Leu Pro Asp Pro Ile Ser Thr Tyr
 515 520 525
 Ser Pro Asn Thr Cys Pro Gln Lys Lys Val Val Val Gly Ile Gly Glu
 530 535 540
 His Cys Pro Gly Leu Gly Ile Asn Glu Glu Lys Cys Gly Thr Gln Leu
 545 550 555 560

-continued

Asn His Ser Ser Cys Phe Cys Ser Pro Asp Ala Phe Leu Gly Trp Ser
 565 570 575

Phe Asp Ser Cys Ile Ser Asn Asn Arg Cys Asn Ile Phe Ser Asn Phe
 580 585 590

Ile Phe Asn Gly Ile Asn Ser Gly Thr Thr Cys Ser Asn Asp Leu Leu
 595 600 605

Tyr Ser Asn Thr Glu Ile Ser Thr Gly Val Cys Val Asn Tyr Asp Leu
 610 615 620

Tyr Gly Ile Thr Gly Gln Gly Ile Phe Lys Glu Val Ser Ala Ala Tyr
 625 630 635 640

Tyr Asn Asn Trp Gln Asn Leu Leu Tyr Asp Ser Asn Gly Asn Ile Ile
 645 650 655

Gly Phe Lys Asp Phe Leu Thr Asn Lys Thr Tyr Thr Ile Leu Pro Cys
 660 665 670

Tyr Ser Gly Arg Val Ser Ala Ala Phe Tyr Gln Asn Ser Ser Ser Pro
 675 680 685

Ala Leu Leu Tyr Arg Asn Leu Lys Cys Ser Tyr Val Leu Asn Asn Ile
 690 695 700

Ser Phe Ile Ser Gln Pro Phe Tyr Phe Asp Ser Tyr Leu Gly Cys Val
 705 710 715 720

Leu Asn Ala Val Asn Leu Thr Ser Tyr Ser Val Ser Ser Cys Asp Leu
 725 730 735

Arg Met Gly Ser Gly Phe Cys Ile Asp Tyr Ala Leu Pro Ser Ser Arg
 740 745 750

Arg Lys Arg Arg Gly Ile Ser Ser Pro Tyr Arg Phe Val Thr Phe Glu
 755 760 765

Pro Phe Asn Val Ser Phe Val Asn Asp Ser Val Glu Thr Val Gly Gly
 770 775 780

Leu Phe Glu Ile Gln Ile Pro Thr Asn Phe Thr Ile Ala Gly His Glu
 785 790 795 800

Glu Phe Ile Gln Thr Ser Ser Pro Lys Val Thr Ile Asp Cys Ser Ala
 805 810 815

Phe Val Cys Ser Asn Tyr Ala Ala Cys His Asp Leu Leu Ser Glu Tyr
 820 825 830

Gly Thr Phe Cys Asp Asn Ile Asn Ser Ile Leu Asn Glu Val Asn Asp
 835 840 845

Leu Leu Asp Ile Thr Gln Leu Gln Val Ala Asn Ala Leu Met Gln Gly
 850 855 860

Val Thr Leu Ser Ser Asn Leu Asn Thr Asn Leu His Ser Asp Val Asp
 865 870 875 880

Asn Ile Asp Phe Lys Ser Leu Leu Gly Cys Leu Gly Ser Gln Cys Gly
 885 890 895

Ser Ser Ser Arg Ser Leu Leu Glu Asp Leu Leu Phe Asn Lys Val Lys
 900 905 910

Leu Ser Asp Val Gly Phe Val Glu Ala Tyr Asn Asn Cys Thr Gly Gly
 915 920 925

Ser Glu Ile Arg Asp Leu Leu Cys Val Gln Ser Phe Asn Gly Ile Lys
 930 935 940

Val Leu Pro Pro Ile Leu Ser Glu Thr Gln Ile Ser Gly Tyr Thr Thr
 945 950 955 960

Ala Ala Thr Val Ala Ala Met Phe Pro Pro Trp Ser Ala Ala Ala Gly
 965 970 975

Val Pro Phe Ser Leu Asn Val Gln Tyr Arg Ile Asn Gly Leu Gly Val

-continued

980			985			990									
Thr	Met	Asp	Val	Leu	Asn	Lys	Asn	Gln	Lys	Leu	Ile	Ala	Asn	Ala	Phe
		995					1000							1005	
Asn	Lys	Ala	Leu	Leu	Ser	Ile	Gln	Asn	Gly	Phe	Thr	Ala	Thr	Asn	
	1010					1015						1020			
Ser	Ala	Leu	Ala	Lys	Ile	Gln	Ser	Val	Val	Asn	Ala	Asn	Ala	Gln	
	1025					1030								1035	
Ala	Leu	Asn	Ser	Leu	Leu	Gln	Gln	Leu	Phe	Asn	Lys	Phe	Gly	Ala	
	1040					1045								1050	
Ile	Ser	Ser	Ser	Leu	Gln	Glu	Ile	Leu	Ser	Arg	Leu	Asp	Asn	Leu	
	1055					1060								1065	
Glu	Ala	Gln	Val	Gln	Ile	Asp	Arg	Leu	Ile	Asn	Gly	Arg	Leu	Thr	
	1070					1075								1080	
Ala	Leu	Asn	Ala	Tyr	Val	Ser	Gln	Gln	Leu	Ser	Asp	Ile	Thr	Leu	
	1085					1090								1095	
Ile	Lys	Ala	Gly	Ala	Ser	Arg	Ala	Ile	Glu	Lys	Val	Asn	Glu	Cys	
	1100					1105								1110	
Val	Lys	Ser	Gln	Ser	Pro	Arg	Ile	Asn	Phe	Cys	Gly	Asn	Gly	Asn	
	1115					1120								1125	
His	Ile	Leu	Ser	Leu	Val	Gln	Asn	Ala	Pro	Tyr	Gly	Leu	Leu	Phe	
	1130					1135								1140	
Ile	His	Phe	Ser	Tyr	Lys	Pro	Thr	Ser	Phe	Lys	Thr	Val	Leu	Val	
	1145					1150								1155	
Ser	Pro	Gly	Leu	Cys	Leu	Ser	Gly	Asp	Arg	Gly	Ile	Ala	Pro	Lys	
	1160					1165								1170	
Gln	Gly	Tyr	Phe	Ile	Lys	Gln	Asn	Asp	Ser	Trp	Met	Phe	Thr	Gly	
	1175					1180								1185	
Ser	Ser	Tyr	Tyr	Tyr	Pro	Glu	Pro	Ile	Ser	Asp	Lys	Asn	Val	Val	
	1190					1195								1200	
Phe	Met	Asn	Ser	Cys	Ser	Val	Asn	Phe	Thr	Lys	Ala	Pro	Phe	Ile	
	1205					1210								1215	
Tyr	Leu	Asn	Asn	Ser	Ile	Pro	Asn	Leu	Ser	Asp	Phe	Glu	Ala	Glu	
	1220					1225								1230	
Leu	Ser	Leu	Trp	Phe	Lys	Asn	His	Thr	Ser	Ile	Ala	Pro	Asn	Leu	
	1235					1240								1245	
Thr	Phe	Asn	Ser	His	Ile	Asn	Ala	Thr	Phe	Leu	Asp	Leu	Tyr	Tyr	
	1250					1255								1260	
Glu	Met	Asn	Val	Ile	Gln	Glu	Ser	Ile	Lys	Ser	Leu	Asn	Ser	Ser	
	1265					1270								1275	
Phe	Ile	Asn	Leu	Lys	Glu	Ile	Gly	Thr	Tyr	Glu	Met	Tyr	Val	Lys	
	1280					1285								1290	
Trp	Pro	Trp	Tyr	Ile	Trp	Leu	Leu	Ile	Val	Ile	Leu	Phe	Ile	Ile	
	1295					1300								1305	
Phe	Leu	Met	Ile	Leu	Phe	Phe	Ile	Cys	Cys	Cys	Thr	Gly	Cys	Gly	
	1310					1315								1320	
Ser	Ala	Cys	Phe	Ser	Lys	Cys	His	Asn	Cys	Cys	Asp	Glu	Tyr	Gly	
	1325					1330								1335	
Gly	His	Asn	Asp	Phe	Val	Ile	Lys	Ala	Ser	His	Asp	Asp			
	1340					1345								1350	

<210> SEQ ID NO 32

<211> LENGTH: 526

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

-continued

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic Polypeptide

<400> SEQUENCE: 32

Met Phe Ile Phe Leu Leu Phe Leu Thr Leu Thr Ser Gly Ser Asp Leu
 1 5 10 15

Asp Arg Ala Leu Ser Gly Ile Ala Ala Glu Gln Asp Arg Asn Thr Arg
 20 25 30

Glu Val Phe Ala Gln Val Lys Gln Met Tyr Lys Thr Pro Thr Leu Lys
 35 40 45

Tyr Phe Gly Gly Phe Asn Phe Ser Gln Ile Leu Pro Asp Pro Leu Lys
 50 55 60

Pro Thr Lys Arg Ser Phe Ile Glu Asp Leu Leu Phe Asn Lys Val Thr
 65 70 75 80

Leu Ala Asp Ala Gly Phe Met Lys Gln Tyr Gly Glu Cys Leu Gly Asp
 85 90 95

Ile Asn Ala Arg Asp Leu Ile Cys Ala Gln Lys Phe Asn Gly Leu Thr
 100 105 110

Val Leu Pro Pro Leu Leu Thr Asp Asp Met Ile Ala Ala Tyr Thr Ala
 115 120 125

Ala Leu Val Ser Gly Thr Ala Thr Ala Gly Trp Thr Phe Gly Ala Gly
 130 135 140

Ala Ala Leu Gln Ile Pro Phe Ala Met Gln Met Ala Tyr Arg Phe Asn
 145 150 155 160

Gly Ile Gly Val Thr Gln Asn Val Leu Tyr Glu Asn Gln Lys Gln Ile
 165 170 175

Ala Asn Gln Phe Asn Lys Ala Ile Ser Gln Ile Gln Glu Ser Leu Thr
 180 185 190

Thr Thr Ser Thr Ala Leu Gly Lys Leu Gln Asp Val Val Asn Gln Asn
 195 200 205

Ala Gln Ala Leu Asn Thr Leu Val Lys Gln Leu Ser Ser Asn Phe Gly
 210 215 220

Ala Ile Ser Ser Val Leu Asn Asp Ile Leu Ser Arg Leu Asp Lys Val
 225 230 235 240

Glu Ala Glu Val Gln Ile Asp Arg Leu Ile Thr Gly Arg Leu Gln Ser
 245 250 255

Leu Gln Thr Tyr Val Thr Gln Gln Leu Ile Arg Ala Ala Glu Ile Arg
 260 265 270

Ala Ser Ala Asn Leu Ala Ala Thr Lys Met Ser Glu Cys Val Leu Gly
 275 280 285

Gln Ser Lys Arg Val Asp Phe Cys Gly Lys Gly Tyr His Leu Met Ser
 290 295 300

Phe Pro Gln Ala Ala Pro His Gly Val Val Phe Leu His Val Thr Tyr
 305 310 315 320

Val Pro Ser Gln Glu Arg Asn Phe Thr Thr Ala Pro Ala Ile Cys His
 325 330 335

Glu Gly Lys Ala Tyr Phe Pro Arg Glu Gly Val Phe Val Phe Asn Gly
 340 345 350

Thr Ser Trp Phe Ile Thr Gln Arg Asn Phe Phe Ser Pro Gln Ile Ile
 355 360 365

Thr Thr Asp Asn Thr Phe Val Ser Gly Asn Cys Asp Val Val Ile Gly
 370 375 380

Ile Ile Asn Asn Thr Val Tyr Asp Pro Leu Gln Pro Glu Leu Asp Ser
 385 390 395 400

-continued

Phe Lys Glu Glu Leu Asp Lys Tyr Phe Lys Asn His Thr Ser Pro Asp
 405 410 415
 Val Asp Leu Gly Asp Ile Ser Gly Ile Asn Ala Ser Val Val Asn Ile
 420 425 430
 Gln Lys Glu Ile Asp Arg Leu Asn Glu Val Ala Lys Asn Leu Asn Glu
 435 440 445
 Ser Leu Ile Asp Leu Gln Glu Leu Gly Lys Tyr Glu Gln Tyr Ile Lys
 450 455 460
 Trp Pro Trp Tyr Val Trp Leu Gly Phe Ile Ala Gly Leu Ile Ala Ile
 465 470 475 480
 Val Met Val Thr Ile Leu Leu Cys Cys Met Thr Ser Cys Cys Ser Cys
 485 490 495
 Leu Lys Gly Ala Cys Ser Cys Gly Ser Cys Cys Lys Phe Asp Glu Asp
 500 505 510
 Asp Ser Glu Pro Val Leu Lys Gly Val Lys Leu His Tyr Thr
 515 520 525

<210> SEQ ID NO 33
 <211> LENGTH: 588
 <212> TYPE: PRT
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: Synthetic Polypeptide

<400> SEQUENCE: 33

Met Ile His Ser Val Phe Leu Leu Met Phe Leu Leu Thr Pro Thr Glu
 1 5 10 15
 Ser Asp Cys Lys Leu Pro Leu Gly Gln Ser Leu Cys Ala Leu Pro Asp
 20 25 30
 Thr Pro Ser Thr Leu Thr Pro Arg Ser Val Arg Ser Val Pro Gly Glu
 35 40 45
 Met Arg Leu Ala Ser Ile Ala Phe Asn His Pro Ile Gln Val Asp Gln
 50 55 60
 Leu Asn Ser Ser Tyr Phe Lys Leu Ser Ile Pro Thr Asn Phe Ser Phe
 65 70 75 80
 Gly Val Thr Gln Glu Tyr Ile Gln Thr Thr Ile Gln Lys Val Thr Val
 85 90 95
 Asp Cys Lys Gln Tyr Val Cys Asn Gly Phe Gln Lys Cys Glu Gln Leu
 100 105 110
 Leu Arg Glu Tyr Gly Gln Phe Cys Ser Lys Ile Asn Gln Ala Leu His
 115 120 125
 Gly Ala Asn Leu Arg Gln Asp Asp Ser Val Arg Asn Leu Phe Ala Ser
 130 135 140
 Val Lys Ser Ser Gln Ser Ser Pro Ile Ile Pro Gly Phe Gly Gly Asp
 145 150 155 160
 Phe Asn Leu Thr Leu Leu Glu Pro Val Ser Ile Ser Thr Gly Ser Arg
 165 170 175
 Ser Ala Arg Ser Ala Ile Glu Asp Leu Leu Phe Asp Lys Val Thr Ile
 180 185 190
 Ala Asp Pro Gly Tyr Met Gln Gly Tyr Asp Asp Cys Met Gln Gln Gly
 195 200 205
 Pro Ala Ser Ala Arg Asp Leu Ile Cys Ala Gln Tyr Val Ala Gly Tyr
 210 215 220
 Lys Val Leu Pro Pro Leu Met Asp Val Asn Met Glu Ala Ala Tyr Thr
 225 230 235 240

-continued

```

Ser Ser Leu Leu Gly Ser Ile Ala Gly Val Gly Trp Thr Ala Gly Leu
      245                        250                        255
Ser Ser Phe Ala Ala Ile Pro Phe Ala Gln Ser Ile Phe Tyr Arg Leu
      260                        265                        270
Asn Gly Val Gly Ile Thr Gln Gln Val Leu Ser Glu Asn Gln Lys Leu
      275                        280                        285
Ile Ala Asn Lys Phe Asn Gln Ala Leu Gly Ala Met Gln Thr Gly Phe
      290                        295                        300
Thr Thr Thr Asn Glu Ala Phe Gln Lys Val Gln Asp Ala Val Asn Asn
305                        310                        315                        320
Asn Ala Gln Ala Leu Ser Lys Leu Ala Ser Glu Leu Ser Asn Thr Phe
      325                        330                        335
Gly Ala Ile Ser Ala Ser Ile Gly Asp Ile Ile Gln Arg Leu Asp Val
      340                        345                        350
Leu Glu Gln Asp Ala Gln Ile Asp Arg Leu Ile Asn Gly Arg Leu Thr
      355                        360                        365
Thr Leu Asn Ala Phe Val Ala Gln Gln Leu Val Arg Ser Glu Ser Ala
      370                        375                        380
Ala Leu Ser Ala Gln Leu Ala Lys Asp Lys Val Asn Glu Cys Val Lys
385                        390                        395                        400
Ala Gln Ser Lys Arg Ser Gly Phe Cys Gly Gln Gly Thr His Ile Val
      405                        410                        415
Ser Phe Val Val Asn Ala Pro Asn Gly Leu Tyr Phe Met His Val Gly
      420                        425                        430
Tyr Tyr Pro Ser Asn His Ile Glu Val Val Ser Ala Tyr Gly Leu Cys
      435                        440                        445
Asp Ala Ala Asn Pro Thr Asn Cys Ile Ala Pro Val Asn Gly Tyr Phe
      450                        455                        460
Ile Lys Thr Asn Asn Thr Arg Ile Val Asp Glu Trp Ser Tyr Thr Gly
465                        470                        475                        480
Ser Ser Phe Tyr Ala Pro Glu Pro Ile Thr Ser Leu Asn Thr Lys Tyr
      485                        490                        495
Val Ala Pro Gln Val Thr Tyr Gln Asn Ile Ser Thr Asn Leu Pro Pro
      500                        505                        510
Pro Leu Leu Gly Asn Ser Thr Gly Ile Asp Phe Gln Asp Glu Leu Asp
      515                        520                        525
Glu Phe Phe Lys Asn Val Ser Thr Ser Ile Pro Asn Phe Gly Ser Leu
      530                        535                        540
Thr Gln Ile Asn Thr Thr Leu Leu Asp Leu Thr Tyr Glu Met Leu Ser
545                        550                        555                        560
Leu Gln Gln Val Val Lys Ala Leu Asn Glu Ser Tyr Ile Asp Leu Lys
      565                        570                        575
Glu Leu Gly Asn Tyr Thr Tyr Tyr Asn Lys Trp Pro
      580                        585

```

```

<210> SEQ ID NO 34
<211> LENGTH: 526
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic Polypeptide

<400> SEQUENCE: 34

Met Phe Ile Phe Leu Leu Phe Leu Thr Leu Thr Ser Gly Ser Asp Leu
1          5          10          15

```

-continued

Asp Arg Ala Leu Ser Gly Ile Ala Ala Glu Gln Asp Arg Asn Thr Arg
20 25 30

Glu Val Phe Ala Gln Val Lys Gln Met Tyr Lys Thr Pro Thr Leu Lys
35 40 45

Tyr Phe Gly Gly Phe Asn Phe Ser Gln Ile Leu Pro Asp Pro Leu Lys
50 55 60

Pro Thr Lys Arg Ser Phe Ile Glu Asp Leu Leu Phe Asn Lys Val Thr
65 70 75 80

Leu Ala Asp Ala Gly Phe Met Lys Gln Tyr Gly Glu Cys Leu Gly Asp
85 90 95

Ile Asn Ala Arg Asp Leu Ile Cys Ala Gln Lys Phe Asn Gly Leu Thr
100 105 110

Val Leu Pro Pro Leu Leu Thr Asp Asp Met Ile Ala Ala Tyr Thr Ala
115 120 125

Ala Leu Val Ser Gly Thr Ala Thr Ala Gly Trp Thr Phe Gly Ala Gly
130 135 140

Ala Ala Leu Gln Ile Pro Phe Ala Met Gln Met Ala Tyr Arg Phe Asn
145 150 155 160

Gly Ile Gly Val Thr Gln Asn Val Leu Tyr Glu Asn Gln Lys Gln Ile
165 170 175

Ala Asn Gln Phe Asn Lys Ala Ile Ser Gln Ile Gln Glu Ser Leu Thr
180 185 190

Thr Thr Ser Thr Ala Leu Gly Lys Leu Gln Asp Val Val Asn Gln Asn
195 200 205

Ala Gln Ala Leu Asn Thr Leu Val Lys Gln Leu Ser Ser Asn Phe Gly
210 215 220

Ala Ile Ser Ser Val Leu Asn Asp Ile Leu Ser Arg Leu Asp Lys Val
225 230 235 240

Glu Ala Glu Val Gln Ile Asp Arg Leu Ile Thr Gly Arg Leu Gln Ser
245 250 255

Leu Gln Thr Tyr Val Thr Gln Gln Leu Ile Arg Ala Ala Glu Ile Arg
260 265 270

Ala Ser Ala Asn Leu Ala Ala Thr Lys Met Ser Glu Cys Val Leu Gly
275 280 285

Gln Ser Lys Arg Val Asp Phe Cys Gly Lys Gly Tyr His Leu Met Ser
290 295 300

Phe Pro Gln Ala Ala Pro His Gly Val Val Phe Leu His Val Thr Tyr
305 310 315 320

Val Pro Ser Gln Glu Arg Asn Phe Thr Thr Ala Pro Ala Ile Cys His
325 330 335

Glu Gly Lys Ala Tyr Phe Pro Arg Glu Gly Val Phe Val Phe Asn Gly
340 345 350

Thr Ser Trp Phe Ile Thr Gln Arg Asn Phe Phe Ser Pro Gln Ile Ile
355 360 365

Thr Thr Asp Asn Thr Phe Val Ser Gly Asn Cys Asp Val Val Ile Gly
370 375 380

Ile Ile Asn Asn Thr Val Tyr Asp Pro Leu Gln Pro Glu Leu Asp Ser
385 390 395 400

Phe Lys Glu Glu Leu Asp Lys Tyr Phe Lys Asn His Thr Ser Pro Asp
405 410 415

Val Asp Leu Gly Asp Ile Ser Gly Ile Asn Ala Ser Val Val Asn Ile
420 425 430

-continued

Gln	Lys	Glu	Ile	Asp	Arg	Leu	Asn	Glu	Val	Ala	Lys	Asn	Leu	Asn	Glu
		435					440					445			
Ser	Leu	Ile	Asp	Leu	Gln	Glu	Leu	Gly	Lys	Tyr	Glu	Gln	Tyr	Ile	Lys
	450					455					460				
Trp	Pro	Trp	Tyr	Val	Trp	Leu	Gly	Phe	Ile	Ala	Gly	Leu	Ile	Ala	Ile
465					470					475					480
Val	Met	Val	Thr	Ile	Leu	Leu	Cys	Cys	Met	Thr	Ser	Cys	Cys	Ser	Cys
				485						490					495
Leu	Lys	Gly	Ala	Cys	Ser	Cys	Gly	Ser	Cys	Cys	Lys	Phe	Asp	Glu	Asp
			500					505					510		
Asp	Ser	Glu	Pro	Val	Leu	Lys	Gly	Val	Lys	Leu	His	Tyr	Thr		
		515					520						525		

<210> SEQ ID NO 35

<211> LENGTH: 1864

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic Polynucleotide

<400> SEQUENCE: 35

tcaagctttt	ggaccctcgt	acagaagcta	atacgactca	ctatagggaa	ataagagaga	60
aaagaagagt	aagaagaaat	ataagagcca	ccatgggtct	caaggtgaac	gtctctgccg	120
tattcatggc	agtactgtta	actctccaaa	cacccgccgg	tcaaattcat	tggggcaatc	180
tctctaagat	aggggtagta	ggaataggaa	gtgcaagcta	caaagttatg	actcgttcca	240
gccatcaatc	attagtcata	aaattaatgc	ccaatataac	tctcctcaat	aactgcacga	300
gggtagagat	tgcagaatac	aggagactac	taagaacagt	tttggaaacca	attaggggatg	360
cacttaatgc	aatgaccocag	aacataaggc	cggttcagag	cgtagcttca	agtaggagac	420
acaagagatt	tgcgggagta	gtcctggcag	gtgcggccct	aggtgttgcc	acagctgctc	480
agataaacagc	cggcattgca	cttcaccggt	ccatgctgaa	ctctcaggcc	atcgacaatc	540
tgagagcgag	cctggaaact	actaatcagg	caattgaggc	aatcagacaa	gcagggcagg	600
agatgatatt	ggctgttcag	ggtgtccaag	actacatcaa	taatgagctg	ataccgtcta	660
tgaaccagct	atcttgtgat	ctaatcggtc	agaagctcgg	gctcaaattg	cttagatact	720
atacagaaat	cctgtcatta	tttggcccca	gcctacggga	ccccatatct	gcggagatat	780
ctatccaggc	tttgagttat	gcacttgag	gagatatcaa	taaggtgtta	gaaaagctcg	840
gatacagtgg	aggcgattta	ctaggcatct	tagagagcag	aggaataaag	gctcggataa	900
ctcacgtcga	cacagagtcc	tacttcatag	tctcagtat	agcctatccg	acgctgtccg	960
agattaaggg	ggtgattgtc	caccggctag	agggggtctc	gtacaacata	ggctctcaag	1020
agtggtatac	cactgtgccc	aagtatgttg	caaccaagg	gtaccttacc	tccaattttg	1080
atgagtcac	atgtacttct	atgccagagg	ggactgtgtg	cagccaaaat	gccttgtacc	1140
cgatgagtcc	tctgctccaa	gaatgcctcc	gggggtccac	caagtcctgt	gctcgtacac	1200
tcgtatccgg	gtcttttggg	aaccggttca	ttttatcaca	agggaaacct	atagccaatt	1260
gtgcatcaat	tctttgtaag	tgttacacaa	caggtacgat	tattaatcaa	gaccctgaca	1320
agatcctaac	atacattgct	gccgatcgct	gcccggtagt	cgaggtgaac	ggcgtgacca	1380
tccaagtcgg	gagcaggagg	tatccagacg	ctgtgtactt	gcacagaatt	gacctcggtc	1440
ctcccatatc	attggagagg	ttggacgtag	ggacaaatct	ggggaatgca	attgccaaat	1500
tggaggatgc	caaggaattg	ttggaatcat	cggaccagat	attgagaagt	atgaaaggtt	1560

-continued

tatcgagcac tagcatagtc tacatcctga ttgcagtggtg tcttggaggg ttgatagga	1620
tccccacttt aatatgttgc tgcagggggc gttgtaacaa aaaggagaa caagttggtg	1680
tgtaagacc aggcctaaag cctgacctta caggaacatc aaaatcctat gtaagatcgc	1740
tttgatgata ataggtgga gctcgggtgg ccaagcttct tgecccttgg gctcccccc	1800
agccccctct ccccttctg caccctgacc cccgtggtct ttgaataaag tctgagtggg	1860
cggc	1864

<210> SEQ ID NO 36
 <211> LENGTH: 1653
 <212> TYPE: DNA
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: Synthetic Polynucleotide

 <400> SEQUENCE: 36

atgggtctca aggtgaacgt ctctgccgta ttcattggcag tactgttaac tctccaacaa	60
cccgccggtc aaattcattg gggcaatctc tctaagatag gggtagtagg aataggaagt	120
gcaagctaca aagttatgac tcgttccagc catcaatcat tagtcataaa attaatgccc	180
aatataactc tcctcaataa ctgcacgagg gtagagattg cagaatacag gagactacta	240
agaacagttt tggaaccaat tagggatgca cttaatgcaa tgaccagaa cataaggccg	300
gttcagagcg tagcttcaag taggagacac aagagatttg cgggagtagt cctggcaggt	360
gcgcccttag gtgttgccac agctgctcag ataacagccg gcattgcact tcaccggtc	420
atgctgaact ctcaggccat cgacaatctg agagcgagcc tggaaactac taatcaggca	480
attgaggcaa tcagacaagc agggcaggag atgatattgg ctgttcaggg tgtccaagac	540
tacatcaata atgagctgat accgctctat aaccagctat cttgtgatct aatcggctcag	600
aagctcgggc tcaaatgct tagatactat acagaaatcc tgtcattatt tggccccagc	660
ctaccgggacc ccatatctgc ggagatatct atccaggctt tgagttatgc acttgaggga	720
gatatcaata aggtgttaga aaagctcgga tacagtggag gcgatttact aggcattcta	780
gagagcagag gaataaaggc tcggataact cacgtcgaca cagagtccta cttcatagtc	840
ctcagtatag cctatccgac gctgtccgag attaaggggg tgattgtcca ccggctagag	900
ggggtctcgt acaacatagg ctctcaagag tggataacca ctgtgcccaa gtatgttgca	960
acccaagggt acctatctc gaattttgat gagtcatcat gtactttcat gccagagggg	1020
actgtgtgca gccaaaatgc cttgtaccgg atgagtcctc tgctccaaga atgcctccgg	1080
gggtccacca agtctctgtc tcgtacactc gtatccgggt cttttgggaa ccgggtcatt	1140
ttatcacaag ggaacctaat agccaattgt gcatcaattc tttgtaagtg ttacacaaca	1200
ggtacgatta ttaatcaaga cctgacaag atcctaacat acattgctgc cgatcgetgc	1260
ccggtagtcg aggtgaacgg cgtgaccatc caagtcggga gcaggaggta tccagacgct	1320
gtgtacttgc acagaattga cctcggctct cccatatcat tggagagggt ggacgtaggg	1380
acaaatctgg ggaatgcaat tgccaaattg gaggatgcca aggaattgtt ggaatcatcg	1440
gaccagatat tgagaagtat gaaaggttta tcgagcacta gcatagtcta catcctgatt	1500
gcagtgtgtc ttggagggtt gatagggatc cccactttaa tatgttctgc cagggggcgt	1560
tgtaacaaaa agggagaaca agttggtatg tcaagaccag gcctaaagcc tgacctaca	1620
ggaacatcaa aatcctatgt aagatcgctt tga	1653

-continued

```

<210> SEQ ID NO 37
<211> LENGTH: 1925
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic Polynucleotide

<400> SEQUENCE: 37
ggggaataa gagagaaaag aagagtaaga agaaataaa gagccaccat gggctcctcaag      60
gtgaacgtct ctgccgtatt catggcagta ctgttaactc tccaaacacc cgccgggtcaa      120
attcattggg gcaatctctc taagataggg gtagtaggaa taggaagtgc aagctacaaa      180
gttatgactc gttccagcca tcaatcatta gtcataaaat taatgcccaa tataactctc      240
ctcaataact gcacgagggt agagattgca gaatacagga gactactaag aacagttttg      300
gaaccaatta gggatgcact taatgcaatg acccagaaca taaggccggg tcagagcgta      360
gcttcaagta ggagacacaa gagatttgcg ggagtagtcc tggcagggtgc ggccttaggt      420
gttgccacag ctgctcagat aacagccggc attgcacttc accgggtccat gctgaactct      480
caggccatcg acaatctgag agcgagcctg gaaactacta atcaggcaat tgaggcaatc      540
agacaagcag ggcaggagat gatattggct gttcagggtg tccaagacta catcaataat      600
gagctgatac cgtctatgaa ccagctatct tgtgatctaa tcggtcagaa gctcgggctc      660
aaattgctta gatactatac agaaatcctg tcattatttg gccccagcct acgggacccc      720
atatctgcgg agatatctat ccaggctttg agttatgcac ttggaggaga tatcaataag      780
gtgttagaaa agctcggata cagtggaggc gatttactag gcatcttaga gagcagagga      840
ataaaggctc ggataactca cgtcgacaca gagtcctact tcatagtcct cagtatagcc      900
tatccgacgc tgtccgagat taaggggggtg attgtocacc ggctagaggg ggtctcgtac      960
aacataggct ctcaagagtg gtataccact gtgcccagt atgttgcaac ccaagggtac      1020
cttatctcga attttgatga gtcacatgt actttcatgc cagaggggac tgtgtgcagc      1080
caaaatgcct tgtaccgat gagtcctctg ctccaagaat gcctccgggg gtccaccaag      1140
tcctgtgctc gtacactcgt atccgggtct tttgggaacc ggttcatttt atcacaaggg      1200
aacctaatag ccaattgtgc atcaattctt tgtaagtgtt acacaacagg tacgattatt      1260
aatcaagacc ctgacaagat cctaacatac attgctgccg atcgtctgcc ggtagtcgag      1320
gtgaacggcg tgaccatcca agtcgggagc aggaggtatc cagacgctgt gtaactgcac      1380
agaattgacc tcggtcctcc catatcattg gagaggttgg acgtagggac aaatctgggg      1440
aatgcaattg ccaaatggga ggatgccaaag gaattgttgg aatcatcgga ccagatattg      1500
agaagtatga aaggtttatc gagcactagc atagtctaca tcctgattgc agtgtgtctt      1560
ggagggttga tagggatccc cactttaata tgttgctgca gggggcgttg taacaaaaag      1620
ggagaacaag ttggtatgtc aagaccaggc ctaaagcctg accttacagg aacatcaaaa      1680
tcctatgtaa gatcgctttg atgataatag gctggagcct cgggtggcaa gcttcttgcc      1740
ccttgggcct cccccagcc cctcctcccc ttctgcacc cgtacccccg tggctcttga      1800
ataaagtctg agtgggcggc aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa      1860
aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa      1920
tctag                                                                 1925

```

```

<210> SEQ ID NO 38
<211> LENGTH: 1864

```

-continued

```

<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic Polynucleotide

<400> SEQUENCE: 38

tcaagctttt ggaccctcgt acagaagcta atacgactca ctatagggaa ataagagaga      60
aaagaagagt aagaagaaat ataagagcca ccatgggtct caaggtgaac gtctctgtca      120
tattcatggc agtactgtta actcttcaaa caccaccggg tcaaatccat tggggcaatc      180
tctctaagat aggggtggta ggggtaggaa gtgcaagcta caaagttatg actcgttcca      240
gccatcaatc attagtcata aagttaatgc ccaatataac tctcctcaac aattgcacga      300
gggtagggat tgcagaatac aggagactac tgagaacagt tctggaacca attagagatg      360
cacttaatgc aatgaccagg aatataagac cggttcagag tgtagcttca agtaggagac      420
acaagagatt tgcgggagtt gtcctggcag gtgcggcctc aggcgttgcc acagctgctc      480
aaataacagc cggttattgca cttcaccagt ccatgctgaa ctctcaagcc atcgacaatc      540
tgagagcgag cctagaaact actaatcagg caattgaggc aatcagacaa gcagggcagg      600
agatgataat ggctgttcag ggtgtccaag actacatcaa taatgagctg ataccgtcta      660
tgaatcaact atcttgtgat ttaatcggcc agaagctagg gctcaaattg ctcagatact      720
atacagaaat cctgtcatta tttggcccca gcttacggga ccccatatct gcgagatat      780
ctatccaggc tttgagctat gcgcttgag gagatatcaa taagggtgtg gaaaagctcg      840
gatacagtgg aggtgatcta ctgggcatct tagagagcag aggaataaag gcccgataa      900
ctcacgtcga cacagagtcc tacttcattg tactcagtat agcctatccg acgctatccg      960
agattaaggg ggtgattgtc caccggctag agggggcttc gtacaacata ggctctcaag     1020
agtgttatac cactgtgccc aagtatgttg caaccaagg gtaccttacc tcgaattttg     1080
atgagtcacc atgcacttcc atgccagagg ggaactgtgtg cagccagaat gccttgtaac     1140
cgatgagtcc tctgctccaa gaatgcctcc gggggtccac taagtcctgt gctcgtacac     1200
tcgtatccgg gtctttcggg aaccggttca ttttatcaca ggggaacctc atagccaatt     1260
gtgcatcaat cctttgcaag tgttacacaa caggaacaat cattaatcaa gaccctgaca     1320
agatcctaac atacattgct gccgatcact gcccggtggt cgaggtgaat ggcgtgacca     1380
tccaagtcgg gagcaggagg tatccggacg ctgtgtaact gcacaggatt gacctcggtc     1440
ctcccatatc tttggagagg ttggacgtag ggacaaatct ggggaatgca attgctaagt     1500
tggaggatgc caaggaattg ttggagtcac cggaccagat attgaggagt atgaaaggtt     1560
tatcgagcac tagtatagtt tacatcctga ttgcagtggt tcttgaggga ttgatagga     1620
tccccgcttt aatatgttgc tgcagggggc gttgtaacaa gaaggagaa caagttggta     1680
tgtcaagacc aggcctaaag cctgatctta caggaacatc aaaatcctat gtaaggtcac     1740
tctgatgata ataggctgga gcctcgggtg ccaagcttct tgccccttg gctcccccc     1800
agcccctcct cccttctctg caccctgacc cccgtggtct ttgaataaag tctgagtggt     1860
cggc

```

```

<210> SEQ ID NO 39
<211> LENGTH: 1653
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic Polynucleotide

```

-continued

<400> SEQUENCE: 39

```

atgggtctca aggtgaacgt ctctgtcata ttcattggcag tactgttaac tcttcaaaaca    60
ccccccggtc aaatccattg gggcaatctc tctaagatag gggtagtagg ggttaggaagt    120
gcaagctaca aagttatgac tcgttccagc catcaatcat tagtcataaa gttaatgccc    180
aatataactc tcctcaacaa ttgcacgagg gtagggattg cagaatacag gagactactg    240
agaacagttc tggaaaccaat tagagatgca cttaatgcaa tgaccagaa tataagaccg    300
gttcagagtg tagcttcaag taggagacac aagagatttg cgggagtgtg cctggcaggt    360
gcgggccctag gcgttgccac agctgtctca ataacagccg gtattgcaact tcaccagtcc    420
atgctgaact ctcaagccat cgacaatctg agagcgagcc tagaaactac taatcaggca    480
attgaggcaa tcagacaagc agggcaggag atgatattgg ctgttcaggg tgtccaagac    540
tacatcaata atgagctgat accgtctatg aatcaactat cttgtgattt aatcggccag    600
aagctagggc tcaaattgct cagatactat acagaaatcc tgtcattatt tggccccagc    660
ttacgggacc ccatatctgc ggagatatct atccaggctt tgagctatgc gcttgaggga    720
gatatcaata aggtgttggg aaagctcggg tacagtggag gtgatctact gggcatctta    780
gagagcagag gaataaaggc ccggataact cacgtcgaca cagagtccta cttcattgta    840
ctcagtatag cctatccgac gctatccgag attaaggggg tgattgtcca ccggctagag    900
ggggtctcgt acaacatagg ctctcaagag tggataacca ctgtgcccga gtatgttgca    960
acccaagggt acctatctc gaattttgat gagtcatcat gcactttcat gccagagggg    1020
actgtgtgca gccagaatgc cttgtaccgg atgagtcctc tgctccaaga atgcctccgg    1080
gggtccacta agtctctgtc tcgtacactc gtatccgggt ctttcgggaa ccggttcatt    1140
ttatcacagg ggaacctaat agccaattgt gcatcaatcc tttgcaagtg ttacacaaca    1200
ggaacaatca ttaatcaaga ccctgacaag atcctaacat acattgtctc cgatcactgc    1260
ccggtggctc aggtgaatgg cgtgaccatc caagtcggga gcaggaggta tccggacgct    1320
gtgtacttgc acaggattga cctcggctct cccatatctt tggagagggt ggacgtaggg    1380
acaaatctgg ggaatgcaat tgctaagttg gaggatgcca aggaattggt ggagtcacg    1440
gaccagatat tgaggagtat gaaaggttta tcgagcacta gtatagttta catcctgatt    1500
gcagtgctgc ttggaggatt gatagggatc cccgctttaa tatgttgctg cagggggcgt    1560
tgtaacaaga agggagaaca agttggtatg tcaagaccag gcctaagcc tgatcttaca    1620
ggaacatcaa aatcctatgt aaggtcactc tga                                     1653

```

<210> SEQ ID NO 40

<211> LENGTH: 1925

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic Polynucleotide

<400> SEQUENCE: 40

```

ggggaaataa gagagaaaag aagagtaaga agaaatataa gagccaccat gggctctcaag    60
gtgaacgtct ctgtcatatt catggcagta ctgttaactc ttcaaacacc cacgggtcaa    120
atccattggg gcaatctctc taagataggg gtggttagggg taggaagtgc aagctacaaa    180
gttatgactc gttccagcca tcaatcatta gtcataaagt taatgcccga tataactctc    240
ctcaacaatt gcacgagggt agggattgca gaatacagga gactactgag aacagttctg    300
gaaccaatta gagatgcaact taatgcaatg acccagaata taagaccggt tcagagtgta    360

```

-continued

```

gcttcaagta ggagacacaa gagatttgcg ggagttgtcc tggcaggtgc ggcocctaggc 420
gttgccacag ctgctcaaat aacagccggt attgcacttc accagtcctat gctgaactct 480
caagccatcg acaatctgag agcgagoccta gaaactacta atcaggcaat tgaggcaatc 540
agacaagcag ggcaggagat gatattggct gttcaggggtg tccaagacta catcaataat 600
gagctgatac cgtctatgaa tcaactatct tgtgatttaa tcggccagaa gctagggctc 660
aaattgctca gatactatac agaaatcctg tcattatttg gccccagctt acgggacccc 720
atatctgcgg agatattctat ccaggctttg agctatgcgc ttggaggaga tatcaataag 780
gtggtgaaa agctcggata cagtggaggt gatctactgg gcatcttaga gagcagagga 840
ataaaggccc ggataactca cgtcgacaca gagtcctact tcattgtact cagtatagcc 900
tatccgacgc tatecgagat taaggggggtg attgtccacc ggctagaggg ggtctcgtac 960
aacataggct ctcaagagtg gtataccact gtgcccagt atgttgcaac ccaagggtag 1020
cttatctcga attttgatga gtcacatgc actttcatgc cagaggggac tgtgtgcagc 1080
cagaatgcct tgtaccgat gagtcctctg ctccaagaat gcctccgggg gtccactaag 1140
tctctgtctc gtacactcgt atccgggtct ttcgggaacc ggttcatttt atcacagggg 1200
aacctaatag ccaattgtgc atcaatcctt tgcaagtgtt acacaacagg aacaatcatt 1260
aatcaagacc ctgacaagat cctaacatac attgctgcgg atcactgccc ggtggtcgag 1320
gtgaatggcg tgaccatcca agtcgggagc aggaggtatc cggacgctgt gtaactgcac 1380
aggattgacc tcggtcctcc catatctttg gagaggttgg acgtagggac aaatctgggg 1440
aatgcaattg ctaagttgga ggatgccaag gaattgttgg agtcatcgga ccagatattg 1500
aggagtatga aaggtttatc gagcactagt atagtttaca tcctgattgc agtgtgtctt 1560
ggaggattga tagggatccc cgctttaata tgttgctgca gggggcgttg taacaagaag 1620
ggagaacaag ttggtatgtc aagaccaggc cttaaagcctg atcttacagg aacatcaaaa 1680
tcctatgtaa ggtcactctg atgataatag gctggagcct cgggtggcaa gcttcttgcc 1740
ccttgggctc cccccagcc cctcctcccc ttctgcacc cgtacccccg tggctcttga 1800
ataaagtctg agtgggctgc aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 1860
aaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 1920
tctag 1925

```

```

<210> SEQ ID NO 41
<211> LENGTH: 2065
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic Polynucleotide

<400> SEQUENCE: 41

```

```

tcaagctttt ggaccctcgt acagaagcta atacgactca ctatagggaa ataagagaga 60
aaagaagagt aagaagaat ataagagcca ccatgtcacc gcaacgagac cggataaatg 120
ccttctacaa agataaccct tatcccaagg gaagtaggat agttattaac agagaacatc 180
ttatgattga cagaccctat gttctgctgg ctggtctggt cgtcatgttt ctgagcttga 240
tcggattgct ggcaattgca ggcattagac ttcacggggc agccatctac accgcggaga 300
tccataaaag cctcagtagc aatctggatg tgactaactc catcgagcat caggcaagc 360
acgtgctgac accactcttt aaaatcctcg gggatgaagt gggcctgaga acacctcaga 420

```

-continued

```

gattcactga cctagtgaaa ttcactctcg acaagattaa attccttaaat ccggataggg 480
agtacgactt cagagatctc acttggtgca tcaacccgcc agagaggatc aaactagatt 540
atgatcaata ctgtgcagat gtggctgctg aagagctcat gaatgcattg gtgaactcaa 600
ctctactgga gaccagaaca accactcagt tcctagctgt ctcaaagga aactgctcag 660
ggcccactac aatcagaggt caattctcaa acatgtcgtc gtccttgttg gacttgctact 720
taggtcaggg ttacaatgtg tcacttatag tcaactatgac atcccaggga atgtatgggg 780
gaacctacct agttgaaaag cctaactctga acagcaaagg gtcagagttg tcacaactga 840
gcatgtaccg agtgttttaa gtaggtgtga tcagaaaccc gggtttgggg gctccgggtg 900
tccatgatgc aaactatctt gagcaaccag tcagtaatgg tctcggcaac tgtatgggtg 960
ctttggggga gctcaaacct gcagccctt gtcacgggga cgattctatc ataattccct 1020
atcagggatc agggaaaagg gtcagcttcc agctcgtcaa gctgggtgct tggaaatccc 1080
caaccgacat gcaatcctgg gtccccttat caacggatga tccagtggta gacaggcttt 1140
acctctcatc tcacagaggt gtcactcgtg acaatcaagc aaaatgggct gtcccgacaa 1200
cacgaacaga tgacaagtgt cgaatggaga catgcttcca gcaggcgtg aaaggtaaaa 1260
tccaagcact ctgcgagaat ccgagtgagg taccattgaa ggataacagg attccttcat 1320
acggggctct gtctgttgat ctgagctgga cggttgagct taaaatcaaa attgcttcgg 1380
gattcgggcc attgatcaca cacggctcag ggatggacct atacaaatcc aactgcaaca 1440
atgtgtattg gctgactatt ccgccaatga gaaatctagc cttaggcgtg atcaacacat 1500
tggagtggat accgagattc aaggttagtc ccaacctctt cactgtccca attaaggaag 1560
caggcgaaga ctgccatgcc ccaacatacc tacctgcgga ggtggacggg gatgtcaaac 1620
tcagttccaa cctggtgatt ctacctggtc aagatctcca atatgttttg gcaacctacg 1680
atacctccag ggttgagcat gctgtggtt attacgttta cagcccaagc cgctcatttt 1740
cttactttta tccttttagg ttgcctataa aggggggtccc aatcgaacta caagtggaa 1800
gcttcacatg ggatcaaaaa ctctggtgcc gtcacttctg tgtgcttgcg gactcagaat 1860
ccggtggact tatcactcac tctgggatgg tgggcattgg agtcagctgc acagctaccc 1920
gggaagatgg aaccaatcgc agataatgat aataggctgg agcctcggtg gccaaagctc 1980
ttgcccttg ggctccccc cagccctccc tccccttct gcacccgtac ccccggtggtc 2040
ttgaataaa gtctgagtgg gcggc 2065

```

<210> SEQ ID NO 42

<211> LENGTH: 1854

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic Polynucleotide

<400> SEQUENCE: 42

```

atgtcaccgc aacgagaccg gataaatgcc ttctacaaag ataaccctta tcccaagga 60
agtaggatag ttattaacag agaacatctt atgattgaca gaccctatgt tctgctggct 120
gttctgttcg tcatgtttct gagcttgatc ggattgctgg caattgcagg cattagactt 180
catcgggcag ccactctacac cgcgggagatc cataaaagcc tcagtaccaa tctggatgtg 240
actaactcca tcgagcatca ggtcaaggac gtgctgacac cactctttaa aatcatcggg 300
gatgaagtgg gcctgagaac acctcagaga ttcactgacc tagtgaatt catctcggac 360
aagattaat tccttaatcc ggatagggag tacgacttca gagatctcac ttggtgcatc 420

```

-continued

```

aaccgcccag agaggatcaa actagattat gatcaatact gtgcagatgt ggctgctgaa 480
gagctcatga atgcattggt gaactcaact ctactggaga ccagaacaac cactcagttc 540
ctagctgtct caaagggaaa ctgctcaggg cccactacaa tcagaggta attctcaaac 600
atgtcgctgt ccttgttggg cttgtactta ggtcgagggt acaatgtgtc atctatagtc 660
actatgacat cccaggggat gtatggggga acctacctag ttgaaaagcc taatctgaac 720
agcaaagggt cagagttgtc acaactgagc atgtaccgag tgtttgaagt aggtgtgatc 780
agaaaccggt gtttgggggc tccggtgttc catatgacaa actattttga gcaaccagtc 840
agtaatggtc tcggcaactg tatggtggct ttgggggagc tcaaactcgc agccctttgt 900
cacggggagc attctatcat aattccctat cagggatcag ggaaagggtg cagcttccag 960
ctcgtcaagc tgggtgtctg gaaatcccca accgacatgc aatcctgggt ccccttatca 1020
acggatgatc cagtggtaga caggctttac ctctcatctc acagagggtg catcgctgac 1080
aatcaagcaa aatgggctgt cccgacaaca cgaacagatg acaagttgcg aatggagaca 1140
tgcttccagc aggcgtgtaa aggtaaaaac caagcactct gcgagaatcc cgagtgggta 1200
ccattgaagg ataacaggat tccttcatac ggggtcctgt ctgttgatct gagtctgacg 1260
gttgagctta aaatcaaaat tgcttcggga ttcgggccat tgatcacaca cggctcaggg 1320
atggacctat acaaatccaa ctgcaacaat gtgtattggc tgactattcc gccaatgaga 1380
aatctagcct taggcgtaat caacacattg gagggtatc cgagattcaa ggtagtccc 1440
aacctcttca ctgtcccaat taaggaagca ggcgaagact gccatgcccc aacataccta 1500
cctgaggagg tggacggtag tgtcaaacct agttccaacc tgggtgattct acctggtcaa 1560
gatctccaat atgttttggc aacctacgat acctccaggg ttgagcatgc tgtggtttat 1620
tacgtttaca gcccaagccg ctcatcttct tacttttacc cttttagggt gcctataaag 1680
ggggtcccaa tcgaactaca agtggaaatgc ttcacatggg atcaaaaact ctggtgcccgt 1740
cacttctgtg tgcttgccga ctcagaatcc ggtggactta tcaactcctc tgggatgggtg 1800
ggcatgggag tcagctgcac agctaccggt gaagatggaa ccaatcgag ataa 1854

```

```

<210> SEQ ID NO 43
<211> LENGTH: 2126
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic Polynucleotide

```

```

<400> SEQUENCE: 43

```

```

ggggaaataa gagagaaaag aagagtaaga agaaatataa gagccaccat gtcaccgcaa 60
cgagaccgga taaatgcctt ctacaaagat aacccttacc ccaaggggag taggatagtt 120
attaacagag aacatcttat gattgacaga ccctatgttc tgctggctgt tctgttcgtc 180
atgtttctga gcttgatcgg attgctggca attgcagcca ttagacttca tcgggcagcc 240
atctacaccg cggagatoca taaaagcctc agtaccatc tggatgtgac taactccatc 300
gagcatcagg tcaaggacgt gctgacacca ctctttaaaa tcatcgggga tgaagtgggc 360
ctgagaacac ctgagagatt cactgaccta gtgaaattca tctcggacaa gattaaattc 420
cttaatccgg atagggagta cgacttcaga gatctcactt ggtgcatcaa cccgccagag 480
aggatcaaac tagattatga tcaatactgt gcagatgtgg ctgctgaaga gctcatgaat 540
gcattgtgta actcaactct actggagacc agaacaacca ctgagttcct agctgtctca 600

```


-continued

```

aagggaaact gctcagggcc cactacaatc agaggtcaat tctcaaacat gtcgctgtcc 660
tgtttggact tgtacttagg tcgaggttac aatgtgtcat ctatagtcac tatgacatcc 720
cagggaatgt atgggggaac ctacctagtt gaaaagccta atctgaacag caaagggtea 780
gagttgtcac aactgagcat gtaccgagtg tttgaagtag gtgtgatcag aaacccgggt 840
tggggggctc cgggtgtcca tatgacaaac tattttgagc aaccagtcag taatggtctc 900
ggcaactgta tgggtgcttt gggggagctc aaactcgag ccctttgtca cggggacgat 960
tctatcataa tccctatca gggatcaggg aaaggtgtca gcttcagct cgtcaagctg 1020
ggtgtctgga aatccccaac cgacatgcaa tctctgggtcc ccttatcaac ggatgatcca 1080
gtggtagaca ggctttaact ctcactcac agaggtgtca tcgctgacaa tcaagcaaaa 1140
tgggctgtcc cgacaacacg aacagatgac aagttgcgaa tggagacatg cttccagcag 1200
gcgtgtaaag gtaaaatcca agcactctgc gagaatcccg agtgggtacc attgaaggat 1260
aacaggatcc cttcatacgg ggtcctgtct gttgatctga gtctgacggt tgagctaaa 1320
atcaaaatg cttcgggatt cggggcattg atcacacacg gctcagggat ggacctatac 1380
aatccaact gcaacaatgt gtattgctg actattccgc caatgagaaa tctagcctta 1440
ggcgtaatca acacattgga gtggataccg agattcaagg ttagtcccaa cctcttcaact 1500
gtcccaatta aggaagcagg cgaagactgc catgccccaa catacctacc tgcggagggtg 1560
gacggtgatg tcaaaactcag ttccaacctg gtgattctac ctggtcaaga tctccaatat 1620
gttttgga cctacgatac ctccagggtt gagcatgctg tggtttatta cgtttacagc 1680
ccaagccgct cttttctta cttttatcct tttaggttgc ctataaaggg ggtccaatc 1740
gaactacaag tggaatgctt cacatgggat caaaaactct ggtgccgtca cttctgtgtg 1800
cttgcggaact cagaatccgg tggacttacc actcactctg ggatgggtggg catgggagtc 1860
agctgcacag ctacccggga agatggaacc aatcgcagat aatgataata ggctggagcc 1920
tcggtggcca agcttcttgc cccttgggccc tccccccagc ccctcctccc cttcctgcac 1980
ccgtaccccc gtggtctttg aataaagtct gagtgggctg caaaaaaaaa aaaaaaaaaa 2040
aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 2100
aaaaaaaaaa aaaaaaaaaa atctag 2126

```

```

<210> SEQ ID NO 44
<211> LENGTH: 2065
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic Polynucleotide

```

```

<400> SEQUENCE: 44

```

```

tcaagctttt ggaccctcgt acagaagcta atacgactca ctatagggaa ataagagaga 60
aaagaagagt aagaagaaat ataagagcca ccatgtcacc acaacgagac cggataaatg 120
ccttctacaa agacaacccc catcctaagg gaagtaggat agttattaac agagaacatc 180
ttatgattga tagaccttat gttttgctgg ctgttctatt cgctatgttt ctgagcttga 240
tcgggttgct agccattgca ggcattagac ttcacogggc agccatctac accgcagaga 300
tccataaaaag cctcagcacc aatctggatg taactaactc aatcgagcat cagggttaagg 360
acgtgctgac accactcttc aagatcatcg gtgatgaagt gggcttgagg acacctcaga 420
gattcactga cctagtgaag ttcactctctg acaagattaa attccttaat cgggacaggg 480
aatacgactt cagagatctc acttgggtgta tcaacccgcc agagagaatc aaattggatt 540

```

-continued

```

atgatcaata ctgtgcagat gtggtgctg aagaactcat gaatgcattg gtgaactcaa 600
ctctactgga gaccagggca accaatcagt tcctagctgt ctcaaagga aactgctcag 660
ggcccactac aatcagaggc caattctcaa acatgctcgt gtcctgttg gacttgatt 720
taagtcgagg ttacaatgtg tcactatag tcaactatgac atcccagga atgtacggg 780
gaacttacct agtggaaaag cctaacttga gcagcaaagg gtcagagttg tcacaactga 840
gcatgcaccg agtgttttaa gtaggtgta tcagaaatcc gggtttggg gctccggtat 900
tccatattgac aaactatcct gagcaaccag tcagtaatga tttcagcaac tgcattggtg 960
ctttggggga gctcaagttc gcagccctct gtcacagga agattctatc acaattccct 1020
atcagggatc agggaaaagt gtcagcttc agcttgtaa gctaggtgct tggaaatccc 1080
caaccgacat gcaatcctgg gtcacctat caacggatga tccagtata gacagcttt 1140
acctctctc tcacagaggc gttatcgtg acaatcaagc aaaatgggt gtcaccgaca 1200
cacggacaga tgacaagtg cgaatggaga catgctcca gcaggcgtg aagggtaaaa 1260
tccaagcact ttgcgagaat cccagtgga caccattgaa ggataacagg attccttcat 1320
acggggtctt gtctgttgat ctgagtctga cagttgagct taaaatcaa attgtttcag 1380
gattcgggcc attgatcaca cacggttcag ggatggacct atacaaatcc aaccacaaca 1440
atatgtattg gctgactatc ccgccaatga agaacctggc cttaggtgta atcaacacat 1500
tggagtggat accgagattc aaggttagtc ccaacctctt cactgttcca attaaggaag 1560
caggcgagga ctgccatgcc ccaacatacc tacctgcgga ggtggatggt gatgtcaaac 1620
tcagttccaa tctggtgatt ctacctggc aagatctcca atatgttctg gcaacctacg 1680
atacttcag agttgaacat gctgtagttt attacgttta cagcccaagc cgctcatttt 1740
cttactttta tccttttagg ttgcctgtaa ggggggtccc cattgaatta caagtggat 1800
gcttcacatg ggacaaaaa ctctggtgcc gtcacttctg tgtgcttgcg gactcagaat 1860
ctggtggaca tatcactcac tctgggatgg tgggcattgg agtcagctgc acagccactc 1920
gggaagatgg aaccagccgc agatagtgat aataggctgg agcctcgggt gccaaagctc 1980
ttgcccttg ggctccccc cagccctcc tcccttctc gcaccctac ccccggtgct 2040
ttgaataaa gtctgagtgg gcggc 2065

```

<210> SEQ ID NO 45

<211> LENGTH: 1854

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic Polynucleotide

<400> SEQUENCE: 45

```

atgtcaccac aacgagaccg gataaatgcc ttctacaaag acaaccccca tcctaagga 60
agtaggatag ttattaacag agaacatctt atgattgata gacctatgt tttgctggct 120
gttctattcg tcattgttct gagcttgatc ggggtgctag ccattgcagg cattagactt 180
catcgggcag ccatctacac cgcagagatc cataaaagcc tcagcaccia tctggatgta 240
actaactcaa tcgagcatca ggtaaggac gtgctgacac cactcttcaa gatcatcggt 300
gatgaagtgg gcttgaggac acctcagaga ttcactgacc tagtgaagtt catctctgac 360
aagattaat tccttaatcc ggacagggaa tacgacttca gagatctcac ttggtgtatc 420
aaccgcaccg agagaatcaa attggattat gatcaatact gtgcagatgt ggctgctgaa 480

```

-continued

gaactcatga atgcattggt gaactcaact ctactggaga ccagggcaac caatcagttc	540
ctagctgtct caaagggaaa ctgctcaggg cccactacaa tcagaggcca attctcaaac	600
atgtcgctgt ccctggtgga cttgtattta agtcgagggtt acaatgtgtc atctatagtc	660
actatgacat cccagggaaat gtacggggga acttacctag tggaaaagcc taatctgagc	720
agcaaagggt cagagttgtc acaactgagc atgcaccgag tgtttgaagt aggtgttatc	780
agaaatccgg gtttgggggc tccggtattc catatgacaa actatcttga gcaaccagtc	840
agtaatgatt tcagcaactg catggtggct ttgggggagc tcaagttcgc agccctctgt	900
cacaggggag attctatcac aattccctat cagggatcag ggaaagggtg cagcttccag	960
cttgtcaagc taggtgtctg gaaatcccca accgacatgc aatcctgggt ccccctatca	1020
acggatgatc cagtgataga caggctttac ctctcatctc acagaggcgt tatcgctgac	1080
aatcaagcaa aatgggctgt cccgacaaca cggacagatg acaagttgcg aatggagaca	1140
tgcttccagc aggcgtgtaa gggtaaaatc caagcacttt gcgagaatcc cgagtgagaca	1200
ccattgaagg ataacaggat tccttcatac ggggtcttgt ctggtgatct gagtctgaca	1260
gttgagctta aaatcaaaat tgtttcagga ttcgggccat tgatcacaca cggttcaggg	1320
atggacctat acaaatccaa ccacaacaat atgtattggc tgactatccc gccaatgaag	1380
aacctggcct taggtgtaat caacacattg gagtggatc cgagattcaa ggtagtccc	1440
aacctcttca ctgttccaat taaggaagca ggcgaggact gccatgcccc aacataccta	1500
cctgcccagg tggatggtga tgtcaaaact agttccaatc tggtgattct acctggtcaa	1560
gatctccaat atgttctggc aacctacgat acttccagag ttgaacatgc tgtagtttat	1620
tacgtttaca gcccaagccg ctcatcttct tacttttacc cttttagggt gcctgtaagg	1680
gggggtcccca ttgaattaca agtggaaatc ttcacatggg accaaaaact ctggtgccgt	1740
cacttctgtg tgcttgccga ctcagaatct ggtggacata tcaactcctc tgggatggtg	1800
ggcatgggag tcagctgcac agccactcgg gaagatggaa ccagccgcag atag	1854

<210> SEQ ID NO 46

<211> LENGTH: 2126

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic Polynucleotide

<400> SEQUENCE: 46

ggggaaataa gagagaaaag aagagtaaga agaaatataa gagccacat gtcaccacaa	60
cgagaccgga taaatgcctt ctacaaagac aacccccatc ctaaggggag taggatagtt	120
attaacagag aacatcttat gattgataga ccttatgttt tgctggctgt tctattcgtc	180
atgtttctga gcttgatcgg gttgctagcc attgcaggca ttagacttca tcgggcagcc	240
atctacaccg cagagatcca taaaagctc agcaccatc tggatgtaac taactcaatc	300
gagcatcagg ttaaggacgt gctgacacca ctcttcaaga tcatcggtga tgaagtgggc	360
ttgaggacac ctcagagatt cactgacctc gtgaagtcca tctctgacaa gattaaattc	420
cttaatccgg acaggggaata cgacttcaga gatctcactt ggtgtatcaa cccgccagag	480
agaatcaaat tggattatga tcaatactgt gcagatgtgg ctgctgaaga actcatgaat	540
gcattggtga actcaactct actggagacc agggcaacca atcagttcct agctgtctca	600
aagggaact gctcagggcc cactacaatc agaggccaat tctcaaacat gtcgctgtcc	660
ctgttggaat tgtatttaag tcgaggttac aatgtgtcat ctatagtcac tatgacatcc	720

-continued

```

cagggaatgt acgggggaac ttacctagtg gaaaagccta atctgagcag caaaggggtca 780
gagttgtcac aactgagcat gcaccgagtg tttgaagtag gtgttatcag aaatccgggt 840
ttgggggctc cggttattcca tatgacaaac tatcttgagc aaccagtcag taatgatttc 900
agcaactgca tgggtgcttt gggggagctc aagttcgagc ccctctgtca caggggaagat 960
tctatcacia tccctatca gggatcaggg aaaggtgtca gcttccagct tgtcaagcta 1020
ggtgtctgga aatcccaac cgacatgcaa tctctgggtcc ccctatcaac ggatgatcca 1080
gtgatagaca ggctttacct ctcactcac agaggcgta tcgctgacaa tcaagcaaaa 1140
tgggctgtcc cgacaacacg gacagatgac aagttgcgaa tggagacatg cttccagcag 1200
gcgtgtaagg gtaaaatcca agcactttgc gagaatcccg agtggacacc attgaaggat 1260
aacaggattc cttcatcagg ggtcttgtct gttgatctga gtctgacagt tgagcttaaa 1320
atcaaaattg tttcaggatt cgggccattg atcacacacg gttcagggat ggacctatac 1380
aatccaacc acaacaatat gtattggctg actatcccgc caatgaagaa cctggcctta 1440
ggtgtaatca acacattgga gtggataccg agattcaagg ttagtcccaa cctcttcaact 1500
gttccaatta aggaagcagg cgaggactgc catgcccaca catacctacc tgcggagggtg 1560
gatggtgatg tcaaaactcag ttccaatctg gtgattctac ctgggtcaaga tctccaatat 1620
gttctggcaa cctacgatac ttccagagtt gaacatgctg tagtttatta cgtttacagc 1680
ccaagccgct cttttctta cttttatcct tttaggttgc ctgtaagggg ggtccccatt 1740
gaattacaag tggaatgctt cacatgggac caaaaactct ggtgccgtca cttctgtgtg 1800
cttgccgact cagaatctgg tggacatata actcactctg ggatgggtggg catggggagtc 1860
agctgcacag ccactcggga agatggaacc agccgcagat agtgataata ggctggagcc 1920
tcggtggcca agctttcttg cccttgggcc tccccccagc ccctcctccc cttcctgcac 1980
ccgtaccccc gtggtctttg aataaagtct gagtgggctg caaaaaaaaa aaaaaaaaaa 2040
aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 2100
aaaaaaaaaa aaaaaaaaaa atctag 2126

```

<210> SEQ ID NO 47

<211> LENGTH: 550

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic Polypeptide

<400> SEQUENCE: 47

```

Met Gly Leu Lys Val Asn Val Ser Ala Val Phe Met Ala Val Leu Leu
1           5           10           15
Thr Leu Gln Thr Pro Ala Gly Gln Ile His Trp Gly Asn Leu Ser Lys
20          25          30
Ile Gly Val Val Gly Ile Gly Ser Ala Ser Tyr Lys Val Met Thr Arg
35          40          45
Ser Ser His Gln Ser Leu Val Ile Lys Leu Met Pro Asn Ile Thr Leu
50          55          60
Leu Asn Asn Cys Thr Arg Val Glu Ile Ala Glu Tyr Arg Arg Leu Leu
65          70          75          80
Arg Thr Val Leu Glu Pro Ile Arg Asp Ala Leu Asn Ala Met Thr Gln
85          90          95
Asn Ile Arg Pro Val Gln Ser Val Ala Ser Ser Arg Arg His Lys Arg
100         105         110

```

-continued

Phe Ala Gly Val Val Leu Ala Gly Ala Ala Leu Gly Val Ala Thr Ala
 115 120 125
 Ala Gln Ile Thr Ala Gly Ile Ala Leu His Arg Ser Met Leu Asn Ser
 130 135 140
 Gln Ala Ile Asp Asn Leu Arg Ala Ser Leu Glu Thr Thr Asn Gln Ala
 145 150 155 160
 Ile Glu Ala Ile Arg Gln Ala Gly Gln Glu Met Ile Leu Ala Val Gln
 165 170 175
 Gly Val Gln Asp Tyr Ile Asn Asn Glu Leu Ile Pro Ser Met Asn Gln
 180 185 190
 Leu Ser Cys Asp Leu Ile Gly Gln Lys Leu Gly Leu Lys Leu Leu Arg
 195 200 205
 Tyr Tyr Thr Glu Ile Leu Ser Leu Phe Gly Pro Ser Leu Arg Asp Pro
 210 215 220
 Ile Ser Ala Glu Ile Ser Ile Gln Ala Leu Ser Tyr Ala Leu Gly Gly
 225 230 235 240
 Asp Ile Asn Lys Val Leu Glu Lys Leu Gly Tyr Ser Gly Gly Asp Leu
 245 250 255
 Leu Gly Ile Leu Glu Ser Arg Gly Ile Lys Ala Arg Ile Thr His Val
 260 265 270
 Asp Thr Glu Ser Tyr Phe Ile Val Leu Ser Ile Ala Tyr Pro Thr Leu
 275 280 285
 Ser Glu Ile Lys Gly Val Ile Val His Arg Leu Glu Gly Val Ser Tyr
 290 295 300
 Asn Ile Gly Ser Gln Glu Trp Tyr Thr Thr Val Pro Lys Tyr Val Ala
 305 310 315 320
 Thr Gln Gly Tyr Leu Ile Ser Asn Phe Asp Glu Ser Ser Cys Thr Phe
 325 330 335
 Met Pro Glu Gly Thr Val Cys Ser Gln Asn Ala Leu Tyr Pro Met Ser
 340 345 350
 Pro Leu Leu Gln Glu Cys Leu Arg Gly Ser Thr Lys Ser Cys Ala Arg
 355 360 365
 Thr Leu Val Ser Gly Ser Phe Gly Asn Arg Phe Ile Leu Ser Gln Gly
 370 375 380
 Asn Leu Ile Ala Asn Cys Ala Ser Ile Leu Cys Lys Cys Tyr Thr Thr
 385 390 395 400
 Gly Thr Ile Ile Asn Gln Asp Pro Asp Lys Ile Leu Thr Tyr Ile Ala
 405 410 415
 Ala Asp Arg Cys Pro Val Val Glu Val Asn Gly Val Thr Ile Gln Val
 420 425 430
 Gly Ser Arg Arg Tyr Pro Asp Ala Val Tyr Leu His Arg Ile Asp Leu
 435 440 445
 Gly Pro Pro Ile Ser Leu Glu Arg Leu Asp Val Gly Thr Asn Leu Gly
 450 455 460
 Asn Ala Ile Ala Lys Leu Glu Asp Ala Lys Glu Leu Leu Glu Ser Ser
 465 470 475 480
 Asp Gln Ile Leu Arg Ser Met Lys Gly Leu Ser Ser Thr Ser Ile Val
 485 490 495
 Tyr Ile Leu Ile Ala Val Cys Leu Gly Gly Leu Ile Gly Ile Pro Thr
 500 505 510
 Leu Ile Cys Cys Cys Arg Gly Arg Cys Asn Lys Lys Gly Glu Gln Val
 515 520 525

-continued

Gly Met Ser Arg Pro Gly Leu Lys Pro Asp Leu Thr Gly Thr Ser Lys
530 535 540

Ser Tyr Val Arg Ser Leu
545 550

<210> SEQ ID NO 48
<211> LENGTH: 550
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic Polypeptide

<400> SEQUENCE: 48

Met Gly Leu Lys Val Asn Val Ser Val Ile Phe Met Ala Val Leu Leu
1 5 10 15
Thr Leu Gln Thr Pro Thr Gly Gln Ile His Trp Gly Asn Leu Ser Lys
20 25 30
Ile Gly Val Val Gly Val Gly Ser Ala Ser Tyr Lys Val Met Thr Arg
35 40 45
Ser Ser His Gln Ser Leu Val Ile Lys Leu Met Pro Asn Ile Thr Leu
50 55 60
Leu Asn Asn Cys Thr Arg Val Gly Ile Ala Glu Tyr Arg Arg Leu Leu
65 70 75 80
Arg Thr Val Leu Glu Pro Ile Arg Asp Ala Leu Asn Ala Met Thr Gln
85 90 95
Asn Ile Arg Pro Val Gln Ser Val Ala Ser Ser Arg Arg His Lys Arg
100 105 110
Phe Ala Gly Val Val Leu Ala Gly Ala Ala Leu Gly Val Ala Thr Ala
115 120 125
Ala Gln Ile Thr Ala Gly Ile Ala Leu His Gln Ser Met Leu Asn Ser
130 135 140
Gln Ala Ile Asp Asn Leu Arg Ala Ser Leu Glu Thr Thr Asn Gln Ala
145 150 155 160
Ile Glu Ala Ile Arg Gln Ala Gly Gln Glu Met Ile Leu Ala Val Gln
165 170 175
Gly Val Gln Asp Tyr Ile Asn Asn Glu Leu Ile Pro Ser Met Asn Gln
180 185 190
Leu Ser Cys Asp Leu Ile Gly Gln Lys Leu Gly Leu Lys Leu Leu Arg
195 200 205
Tyr Tyr Thr Glu Ile Leu Ser Leu Phe Gly Pro Ser Leu Arg Asp Pro
210 215 220
Ile Ser Ala Glu Ile Ser Ile Gln Ala Leu Ser Tyr Ala Leu Gly Gly
225 230 235 240
Asp Ile Asn Lys Val Leu Glu Lys Leu Gly Tyr Ser Gly Gly Asp Leu
245 250 255
Leu Gly Ile Leu Glu Ser Arg Gly Ile Lys Ala Arg Ile Thr His Val
260 265 270
Asp Thr Glu Ser Tyr Phe Ile Val Leu Ser Ile Ala Tyr Pro Thr Leu
275 280 285
Ser Glu Ile Lys Gly Val Ile Val His Arg Leu Glu Gly Val Ser Tyr
290 295 300
Asn Ile Gly Ser Gln Glu Trp Tyr Thr Thr Val Pro Lys Tyr Val Ala
305 310 315 320
Thr Gln Gly Tyr Leu Ile Ser Asn Phe Asp Glu Ser Ser Cys Thr Phe
325 330 335

-continued

Met Pro Glu Gly Thr Val Cys Ser Gln Asn Ala Leu Tyr Pro Met Ser
 340 345 350

Pro Leu Leu Gln Glu Cys Leu Arg Gly Ser Thr Lys Ser Cys Ala Arg
 355 360 365

Thr Leu Val Ser Gly Ser Phe Gly Asn Arg Phe Ile Leu Ser Gln Gly
 370 375 380

Asn Leu Ile Ala Asn Cys Ala Ser Ile Leu Cys Lys Cys Tyr Thr Thr
 385 390 395 400

Gly Thr Ile Ile Asn Gln Asp Pro Asp Lys Ile Leu Thr Tyr Ile Ala
 405 410 415

Ala Asp His Cys Pro Val Val Glu Val Asn Gly Val Thr Ile Gln Val
 420 425 430

Gly Ser Arg Arg Tyr Pro Asp Ala Val Tyr Leu His Arg Ile Asp Leu
 435 440 445

Gly Pro Pro Ile Ser Leu Glu Arg Leu Asp Val Gly Thr Asn Leu Gly
 450 455 460

Asn Ala Ile Ala Lys Leu Glu Asp Ala Lys Glu Leu Leu Glu Ser Ser
 465 470 475 480

Asp Gln Ile Leu Arg Ser Met Lys Gly Leu Ser Ser Thr Ser Ile Val
 485 490 495

Tyr Ile Leu Ile Ala Val Cys Leu Gly Gly Leu Ile Gly Ile Pro Ala
 500 505 510

Leu Ile Cys Cys Cys Arg Gly Arg Cys Asn Lys Lys Gly Glu Gln Val
 515 520 525

Gly Met Ser Arg Pro Gly Leu Lys Pro Asp Leu Thr Gly Thr Ser Lys
 530 535 540

Ser Tyr Val Arg Ser Leu
 545 550

<210> SEQ ID NO 49
 <211> LENGTH: 617
 <212> TYPE: PRT
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: Synthetic Polypeptide

<400> SEQUENCE: 49

Met Ser Pro Gln Arg Asp Arg Ile Asn Ala Phe Tyr Lys Asp Asn Pro
 1 5 10 15

Tyr Pro Lys Gly Ser Arg Ile Val Ile Asn Arg Glu His Leu Met Ile
 20 25 30

Asp Arg Pro Tyr Val Leu Leu Ala Val Leu Phe Val Met Phe Leu Ser
 35 40 45

Leu Ile Gly Leu Leu Ala Ile Ala Gly Ile Arg Leu His Arg Ala Ala
 50 55 60

Ile Tyr Thr Ala Glu Ile His Lys Ser Leu Ser Thr Asn Leu Asp Val
 65 70 75 80

Thr Asn Ser Ile Glu His Gln Val Lys Asp Val Leu Thr Pro Leu Phe
 85 90 95

Lys Ile Ile Gly Asp Glu Val Gly Leu Arg Thr Pro Gln Arg Phe Thr
 100 105 110

Asp Leu Val Lys Phe Ile Ser Asp Lys Ile Lys Phe Leu Asn Pro Asp
 115 120 125

Arg Glu Tyr Asp Phe Arg Asp Leu Thr Trp Cys Ile Asn Pro Pro Glu
 130 135 140

-continued

Arg Ile Lys Leu Asp Tyr Asp Gln Tyr Cys Ala Asp Val Ala Ala Glu
 145 150 155 160

Glu Leu Met Asn Ala Leu Val Asn Ser Thr Leu Leu Glu Thr Arg Thr
 165 170 175

Thr Thr Gln Phe Leu Ala Val Ser Lys Gly Asn Cys Ser Gly Pro Thr
 180 185 190

Thr Ile Arg Gly Gln Phe Ser Asn Met Ser Leu Ser Leu Leu Asp Leu
 195 200 205

Tyr Leu Gly Arg Gly Tyr Asn Val Ser Ser Ile Val Thr Met Thr Ser
 210 215 220

Gln Gly Met Tyr Gly Gly Thr Tyr Leu Val Glu Lys Pro Asn Leu Asn
 225 230 235 240

Ser Lys Gly Ser Glu Leu Ser Gln Leu Ser Met Tyr Arg Val Phe Glu
 245 250 255

Val Gly Val Ile Arg Asn Pro Gly Leu Gly Ala Pro Val Phe His Met
 260 265 270

Thr Asn Tyr Phe Glu Gln Pro Val Ser Asn Gly Leu Gly Asn Cys Met
 275 280 285

Val Ala Leu Gly Glu Leu Lys Leu Ala Ala Leu Cys His Gly Asp Asp
 290 295 300

Ser Ile Ile Ile Pro Tyr Gln Gly Ser Gly Lys Gly Val Ser Phe Gln
 305 310 315 320

Leu Val Lys Leu Gly Val Trp Lys Ser Pro Thr Asp Met Gln Ser Trp
 325 330 335

Val Pro Leu Ser Thr Asp Asp Pro Val Val Asp Arg Leu Tyr Leu Ser
 340 345 350

Ser His Arg Gly Val Ile Ala Asp Asn Gln Ala Lys Trp Ala Val Pro
 355 360 365

Thr Thr Arg Thr Asp Asp Lys Leu Arg Met Glu Thr Cys Phe Gln Gln
 370 375 380

Ala Cys Lys Gly Lys Ile Gln Ala Leu Cys Glu Asn Pro Glu Trp Val
 385 390 395 400

Pro Leu Lys Asp Asn Arg Ile Pro Ser Tyr Gly Val Leu Ser Val Asp
 405 410 415

Leu Ser Leu Thr Val Glu Leu Lys Ile Lys Ile Ala Ser Gly Phe Gly
 420 425 430

Pro Leu Ile Thr His Gly Ser Gly Met Asp Leu Tyr Lys Ser Asn Cys
 435 440 445

Asn Asn Val Tyr Trp Leu Thr Ile Pro Pro Met Arg Asn Leu Ala Leu
 450 455 460

Gly Val Ile Asn Thr Leu Glu Trp Ile Pro Arg Phe Lys Val Ser Pro
 465 470 475 480

Asn Leu Phe Thr Val Pro Ile Lys Glu Ala Gly Glu Asp Cys His Ala
 485 490 495

Pro Thr Tyr Leu Pro Ala Glu Val Asp Gly Asp Val Lys Leu Ser Ser
 500 505 510

Asn Leu Val Ile Leu Pro Gly Gln Asp Leu Gln Tyr Val Leu Ala Thr
 515 520 525

Tyr Asp Thr Ser Arg Val Glu His Ala Val Val Tyr Tyr Val Tyr Ser
 530 535 540

Pro Ser Arg Ser Phe Ser Tyr Phe Tyr Pro Phe Arg Leu Pro Ile Lys
 545 550 555 560

Gly Val Pro Ile Glu Leu Gln Val Glu Cys Phe Thr Trp Asp Gln Lys

-continued

565					570					575					
Leu	Trp	Cys	Arg	His	Phe	Cys	Val	Leu	Ala	Asp	Ser	Glu	Ser	Gly	Gly
			580					585						590	
Leu	Ile	Thr	His	Ser	Gly	Met	Val	Gly	Met	Gly	Val	Ser	Cys	Thr	Ala
			595				600					605			
Thr	Arg	Glu	Asp	Gly	Thr	Asn	Arg	Arg							
	610						615								
<210> SEQ ID NO 50															
<211> LENGTH: 617															
<212> TYPE: PRT															
<213> ORGANISM: Artificial Sequence															
<220> FEATURE:															
<223> OTHER INFORMATION: Synthetic Polypeptide															
<400> SEQUENCE: 50															
Met	Ser	Pro	Gln	Arg	Asp	Arg	Ile	Asn	Ala	Phe	Tyr	Lys	Asp	Asn	Pro
1				5					10					15	
His	Pro	Lys	Gly	Ser	Arg	Ile	Val	Ile	Asn	Arg	Glu	His	Leu	Met	Ile
			20					25					30		
Asp	Arg	Pro	Tyr	Val	Leu	Leu	Ala	Val	Leu	Phe	Val	Met	Phe	Leu	Ser
		35					40					45			
Leu	Ile	Gly	Leu	Leu	Ala	Ile	Ala	Gly	Ile	Arg	Leu	His	Arg	Ala	Ala
		50				55					60				
Ile	Tyr	Thr	Ala	Glu	Ile	His	Lys	Ser	Leu	Ser	Thr	Asn	Leu	Asp	Val
					70						75				80
Thr	Asn	Ser	Ile	Glu	His	Gln	Val	Lys	Asp	Val	Leu	Thr	Pro	Leu	Phe
				85					90					95	
Lys	Ile	Ile	Gly	Asp	Glu	Val	Gly	Leu	Arg	Thr	Pro	Gln	Arg	Phe	Thr
			100					105						110	
Asp	Leu	Val	Lys	Phe	Ile	Ser	Asp	Lys	Ile	Lys	Phe	Leu	Asn	Pro	Asp
			115				120						125		
Arg	Glu	Tyr	Asp	Phe	Arg	Asp	Leu	Thr	Trp	Cys	Ile	Asn	Pro	Pro	Glu
			130			135						140			
Arg	Ile	Lys	Leu	Asp	Tyr	Asp	Gln	Tyr	Cys	Ala	Asp	Val	Ala	Ala	Glu
					150					155					160
Glu	Leu	Met	Asn	Ala	Leu	Val	Asn	Ser	Thr	Leu	Leu	Glu	Thr	Arg	Ala
				165					170						175
Thr	Asn	Gln	Phe	Leu	Ala	Val	Ser	Lys	Gly	Asn	Cys	Ser	Gly	Pro	Thr
			180					185						190	
Thr	Ile	Arg	Gly	Gln	Phe	Ser	Asn	Met	Ser	Leu	Ser	Leu	Leu	Asp	Leu
			195				200						205		
Tyr	Leu	Ser	Arg	Gly	Tyr	Asn	Val	Ser	Ser	Ile	Val	Thr	Met	Thr	Ser
			210			215						220			
Gln	Gly	Met	Tyr	Gly	Gly	Thr	Tyr	Leu	Val	Glu	Lys	Pro	Asn	Leu	Ser
					230						235				240
Ser	Lys	Gly	Ser	Glu	Leu	Ser	Gln	Leu	Ser	Met	His	Arg	Val	Phe	Glu
				245					250						255
Val	Gly	Val	Ile	Arg	Asn	Pro	Gly	Leu	Gly	Ala	Pro	Val	Phe	His	Met
				260				265						270	
Thr	Asn	Tyr	Leu	Glu	Gln	Pro	Val	Ser	Asn	Asp	Phe	Ser	Asn	Cys	Met
			275				280						285		
Val	Ala	Leu	Gly	Glu	Leu	Lys	Phe	Ala	Ala	Leu	Cys	His	Arg	Glu	Asp
			290			295					300				
Ser	Ile	Thr	Ile	Pro	Tyr	Gln	Gly	Ser	Gly	Lys	Gly	Val	Ser	Phe	Gln

-continued

305		310		315		320
Leu Val Lys Leu Gly Val Trp Lys Ser Pro Thr Asp Met Gln Ser Trp						
		325		330		335
Val Pro Leu Ser Thr Asp Asp Pro Val Ile Asp Arg Leu Tyr Leu Ser		340		345		350
Ser His Arg Gly Val Ile Ala Asp Asn Gln Ala Lys Trp Ala Val Pro		355		360		365
Thr Thr Arg Thr Asp Asp Lys Leu Arg Met Glu Thr Cys Phe Gln Gln		370		375		380
Ala Cys Lys Gly Lys Ile Gln Ala Leu Cys Glu Asn Pro Glu Trp Thr		385		390		395
Pro Leu Lys Asp Asn Arg Ile Pro Ser Tyr Gly Val Leu Ser Val Asp		405		410		415
Leu Ser Leu Thr Val Glu Leu Lys Ile Lys Ile Val Ser Gly Phe Gly		420		425		430
Pro Leu Ile Thr His Gly Ser Gly Met Asp Leu Tyr Lys Ser Asn His		435		440		445
Asn Asn Met Tyr Trp Leu Thr Ile Pro Pro Met Lys Asn Leu Ala Leu		450		455		460
Gly Val Ile Asn Thr Leu Glu Trp Ile Pro Arg Phe Lys Val Ser Pro		465		470		475
Asn Leu Phe Thr Val Pro Ile Lys Glu Ala Gly Glu Asp Cys His Ala		485		490		495
Pro Thr Tyr Leu Pro Ala Glu Val Asp Gly Asp Val Lys Leu Ser Ser		500		505		510
Asn Leu Val Ile Leu Pro Gly Gln Asp Leu Gln Tyr Val Leu Ala Thr		515		520		525
Tyr Asp Thr Ser Arg Val Glu His Ala Val Val Tyr Tyr Val Tyr Ser		530		535		540
Pro Ser Arg Ser Phe Ser Tyr Phe Tyr Pro Phe Arg Leu Pro Val Arg		545		550		555
Gly Val Pro Ile Glu Leu Gln Val Glu Cys Phe Thr Trp Asp Gln Lys		565		570		575
Leu Trp Cys Arg His Phe Cys Val Leu Ala Asp Ser Glu Ser Gly Gly		580		585		590
His Ile Thr His Ser Gly Met Val Gly Met Gly Val Ser Cys Thr Ala		595		600		605
Thr Arg Glu Asp Gly Thr Ser Arg Arg		610		615		

<210> SEQ ID NO 51
 <211> LENGTH: 1729
 <212> TYPE: DNA
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: Synthetic Polynucleotide

<400> SEQUENCE: 51

tcaagctttt ggaccctcgt acagaagcta atacgactca ctatagggaa ataagagaga	60
aaagaagagt aagaagaat ataagagcca ccatggcaca agtcattaat acaaacagcc	120
tgtcgctgtt gaccagaat aacctgaaca aatcccagtc cgactgggc actgctatcg	180
agcgtttgtc ttccggctcg cgtatcaaca gcgcgaaaga cgatgcggca ggacaggcga	240
ttgctaaccg tttaccgcg aacatcaaag gtctgactca ggcttcccg aacgctaacg	300

-continued

```

acggtatctc cattgcgcag accactgaag gcgcgctgaa cgaaatcaac aacaacctgc 360
agcgtgtgcg tgaactggcg gttcagctctg cgaatggtag taactcccag tctgacctcg 420
actccatcca ggctgaaatc acccagcgcc tgaacgaaat cgaccgtgta tccggccaga 480
ctcagttcaa cggcgtgaaa gtcctggcgc aggacaacac cctgaccatc caggttggtg 540
ccaacgacgg tgaactatc gatattgatt taaaagaaat cagctctaaa aactggggac 600
ttgataagct taatgtccaa gatgcctaca ccccgaaaga aactgctgta accgttgata 660
aaactaccta taaaaatggt acagatccta ttacagccca gagcaatact gatatccaaa 720
ctgcaattgg cgggtggtgca acggggggtta ctggggctga tatcaaattt aaagatggtc 780
aatactatct agatgttaaa ggcgggtgctt ctgctgggtg ttataaagcc acttatgatg 840
aaactacaaa gaaagttaat attgatacga ctgataaaac tccgttgcca actgcggaag 900
ctacagctat tccgggaacg gccactataa cccacaacca aattgctgaa gtaacaaaag 960
aggggtgtga tacgaccaca gttgcggctc aacttctgctc agcaggggtt actggcgccg 1020
ataaggacaa tactagcctt gtaaaactat cgtttgagga taaaacggg aaggttattg 1080
atggtggcta tgcagtgaaa atgggcgacg atttctatgc cgctacatat gatgagaaaa 1140
caggtgcaat tactgctaaa accactactt atacagatgg tactggcgtt gctcaaactg 1200
gagctgtgaa atttggtggc gcaaatggta aatctgaagt tgttactgct accgatggta 1260
agacttactt agcaagcgac cttgacaaac ataacttcag aacagggcgt gagcttaaag 1320
aggttaatac agataagact gaaaaccac tgcagaaaa tgatgctgcc ttggcacagg 1380
ttgatacact tcgttctgac ctgggtgcgg ttcagaaccg tttcaactcc gctatcacca 1440
acctgggcaa taccgtaaat aacctgtctt ctgcccgtag ccgtatcgaa gattccgact 1500
acgcaaccga agtctccaac atgtctcgcg cgcagattct gcagcaggcc ggtacctccg 1560
ttctggcgca ggcgaaccag gttccgcaaa acgtcctctc tttactcgtg tgataatagg 1620
ctggagcctc ggtggccatg cttcttgcgc ctgggcctc ccccagccc ctctccct 1680
tctctgcccc gtacccccgt ggtctttgaa taaagtctga gtgggcggc 1729

```

<210> SEQ ID NO 52

<211> LENGTH: 1518

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic Polynucleotide

<400> SEQUENCE: 52

```

atggcacaag tcattaatac aaacagcctg tcgctgttga cccagaataa cctgaacaaa 60
tcccagtcgc cactgggcac tgctatcgag cgtttgtctt ccggtctgcg tatcaacagc 120
gcgaaagacg atgcggcagg acaggcgatt gctaaccggt ttaccgcgaa catcaaagg 180
ctgactcagg cttcccgtaa cgctaacgac ggtatctcca ttgctcagac cactgaaggg 240
gcgctgaaag aatcaacaa caacctgcag cgtgtgcgtg aactggcggg tcagtctgcg 300
aatggtacta actcccagtc tgacctcgac tccatccagg ctgaaatcac ccagcgcctg 360
aacgaaatcg accggtgatac cggccagact cagttcaacg gcgtgaaagt cctggcgcgag 420
gacaacaccc tgaccatcca ggttggtgcc aacgacggtg aaactatcga tattgattta 480
aaagaaatca gctctaaaac actgggactt gataagctta atgtccaaga tgctacacc 540
ccgaaagaaa ctgctgtaac cgttgataaa actacctata aaaatggtag agatcctatt 600
acagcccaga gcaactatga tatccaaact gcaattggcg gtggtgcaac ggggggttact 660

```

-continued

ggggtgata tcaaatttaa agatggtaa tactatttag atgttaaagg cggtgcttct	720
gctggtgttt ataaagccac ttatgatgaa actacaaaga aagttaatat tgatacgact	780
gataaaactc cgttggcaac tgcggaagct acagctattc ggggaacggc cactataacc	840
cacaacaaaa ttgctgaagt aacaaaagag ggtgttgata cgaccacagt tgcggctcaa	900
cttgctgcag caggggttac tggcgccgat aaggacaata ctagecctgt aaaactatcg	960
tttgaggata aaaacggtaa ggttattgat ggtggctatg cagtgaaaat gggcgacgat	1020
ttctatgccg ctacatatga tgagaaaaca ggtgcaatta ctgctaaaac cactacttat	1080
acagatggta ctggcgttgc tcaaactgga gctgtgaaat ttggtggcgc aaatggtaaa	1140
tctgaagtgt ttactgttac cgatggtaag acttacttag caagcgacct tgacaaacat	1200
aacttcagaa cagggcgtga gcttaagag gttaatacag ataagactga aaaccactg	1260
cagaaaatg atgctgcott ggcacaggtt gatacacttc gttctgacct gggtgcggtt	1320
cagaaccgtt tcaactcgcg tatcaccaac ctgggcaata ccgtaataa cctgtcttct	1380
gcccgtagcc gtatcgaaga ttcgactac gcaaccgaag tctccaacat gtctcgcgcg	1440
cagattctgc agcaggccgg tacctcogtt ctggcgcagg cgaaccaggt tccgaaaaac	1500
gtcctctctt tactgcgt	1518

<210> SEQ ID NO 53
 <211> LENGTH: 1790
 <212> TYPE: RNA
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: Synthetic Polynucleotide

 <400> SEQUENCE: 53

ggggaaaaua gagagaaaag aagaguaaga agaaaauuaa gagccaccau ggcacaaguc	60
auuaauacaa acagccuguc gcuguugacc cagaauaacc ugaacaaauc ccaguccgca	120
cugggcacug cuaucgagcg uuugucuucc ggucugcgua ucaacagcgc gaaagacgau	180
gcggcaggac aggcgauugc uaaccguuuu accgcgaaca ucaaaggucu gacucaggcu	240
ucccguaacg cuaacgacgg uaucuccauu gcgcagacca cugaaggcgc gcugaacgaa	300
aucaacaaca accucgagcg ugugcgugaa cuggcgguuc agucugcgaa ugguacuaac	360
ucccagucug accucgacuc cauccaggcu gaaaucaccc agcgcugaa cgaauucgac	420
cguguauccg gccagacuca guucaacggc gugaagucc uggcgcagga caacaccug	480
accauccagg uuggugccaa cgacggugaa acuaucgaa uugauuuuaa agaaucagc	540
ucuaaaacac ugggacuuga uaagcuuaau guccaagaug ccuacacccc gaaagaaacu	600
gcuguuaccg uugauaaaac uaccuauaaa aaugguacag uccuauuac agcccagagc	660
aaucugaua uccaaacugc aauggcgggu ggugcaacgg ggguuacugg ggcugauauc	720
aaauuuuaag auggucaaua cuuuuagau guuaaaggcg gugcuucugc ugguguuuau	780
aaagccacuu augaugaaac uacaaagaaa guuaauuug auacgacuga uaaaacuccg	840
uuggcaacug cggaaagcuac agcuauucgg ggaacggcca cuuaaaccca caacaaaau	900
gcugaaguaa caaaagaggg uguugaucg accacaguug cggcucaacu ugcugcagca	960
ggguuacug gcgccgauaa ggacaauacu agccuuguaa aacuaucguu ugaggauaaa	1020
aacgguuagg uuauugaugg uggcuauagc gugaauaugg gcgacgauu cuaugccgcu	1080
acauaugaug agaaaacagg ugcauuuacu gcuaaaacca cuacuauac agaugguacu	1140

-continued

```

ggcguugcuc aaacuggagc ugugaaaauu gguggcgcaa augguaaauc ugaaguuguu 1200
acugcuaccg augguaagac uuacuuagca agcgaccuug acaaacauaa cuucagaaca 1260
ggcggugagc uuaaagaggu uaaucagau aagacugaaa acccacugca gaaaauugau 1320
gcugccuugg cacagguuga uacacuucgu ucugaccugg gugcgguuca gaaccguuuc 1380
aacuccgcuu ucaccaaccu gggcaauacc guaaaaaacc ugucuucugc ccguagccgu 1440
aucgaagauu ccgacuagc aaccgaaguc uccaacaugu cucgcgcgca gauucugcag 1500
caggccgguu ccuccguucu ggcgcaggcg aaccagguuc cgaaaaacgu ccucucuuaa 1560
cugcguugau aaaggcugg agccucggug gccaugcuuc uugcccuug ggccuccccc 1620
cagcccccucc ucccuuccu gcacccguac ccccgugguc uuugaauaaa gucugagugg 1680
gcggcacaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 1740
aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaucuaa 1790

```

<210> SEQ ID NO 54

<211> LENGTH: 506

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic Polypeptide

<400> SEQUENCE: 54

```

Met Ala Gln Val Ile Asn Thr Asn Ser Leu Ser Leu Leu Thr Gln Asn
1      5      10     15
Asn Leu Asn Lys Ser Gln Ser Ala Leu Gly Thr Ala Ile Glu Arg Leu
20     25     30
Ser Ser Gly Leu Arg Ile Asn Ser Ala Lys Asp Asp Ala Ala Gly Gln
35     40     45
Ala Ile Ala Asn Arg Phe Thr Ala Asn Ile Lys Gly Leu Thr Gln Ala
50     55     60
Ser Arg Asn Ala Asn Asp Gly Ile Ser Ile Ala Gln Thr Thr Glu Gly
65     70     75     80
Ala Leu Asn Glu Ile Asn Asn Asn Leu Gln Arg Val Arg Glu Leu Ala
85     90     95
Val Gln Ser Ala Asn Gly Thr Asn Ser Gln Ser Asp Leu Asp Ser Ile
100    105   110
Gln Ala Glu Ile Thr Gln Arg Leu Asn Glu Ile Asp Arg Val Ser Gly
115   120   125
Gln Thr Gln Phe Asn Gly Val Lys Val Leu Ala Gln Asp Asn Thr Leu
130   135   140
Thr Ile Gln Val Gly Ala Asn Asp Gly Glu Thr Ile Asp Ile Asp Leu
145   150   155   160
Lys Glu Ile Ser Ser Lys Thr Leu Gly Leu Asp Lys Leu Asn Val Gln
165   170   175
Asp Ala Tyr Thr Pro Lys Glu Thr Ala Val Thr Val Asp Lys Thr Thr
180   185   190
Tyr Lys Asn Gly Thr Asp Pro Ile Thr Ala Gln Ser Asn Thr Asp Ile
195   200   205
Gln Thr Ala Ile Gly Gly Gly Ala Thr Gly Val Thr Gly Ala Asp Ile
210   215   220
Lys Phe Lys Asp Gly Gln Tyr Tyr Leu Asp Val Lys Gly Gly Ala Ser
225   230   235   240
Ala Gly Val Tyr Lys Ala Thr Tyr Asp Glu Thr Thr Lys Lys Val Asn
245   250   255

```

-continued

Ile Asp Thr Thr Asp Lys Thr Pro Leu Ala Thr Ala Glu Ala Thr Ala
 260 265 270

Ile Arg Gly Thr Ala Thr Ile Thr His Asn Gln Ile Ala Glu Val Thr
 275 280 285

Lys Glu Gly Val Asp Thr Thr Thr Val Ala Ala Gln Leu Ala Ala Ala
 290 295 300

Gly Val Thr Gly Ala Asp Lys Asp Asn Thr Ser Leu Val Lys Leu Ser
 305 310 315 320

Phe Glu Asp Lys Asn Gly Lys Val Ile Asp Gly Gly Tyr Ala Val Lys
 325 330 335

Met Gly Asp Asp Phe Tyr Ala Ala Thr Tyr Asp Glu Lys Thr Gly Ala
 340 345 350

Ile Thr Ala Lys Thr Thr Thr Tyr Thr Asp Gly Thr Gly Val Ala Gln
 355 360 365

Thr Gly Ala Val Lys Phe Gly Gly Ala Asn Gly Lys Ser Glu Val Val
 370 375 380

Thr Ala Thr Asp Gly Lys Thr Tyr Leu Ala Ser Asp Leu Asp Lys His
 385 390 395 400

Asn Phe Arg Thr Gly Gly Glu Leu Lys Glu Val Asn Thr Asp Lys Thr
 405 410 415

Glu Asn Pro Leu Gln Lys Ile Asp Ala Ala Leu Ala Gln Val Asp Thr
 420 425 430

Leu Arg Ser Asp Leu Gly Ala Val Gln Asn Arg Phe Asn Ser Ala Ile
 435 440 445

Thr Asn Leu Gly Asn Thr Val Asn Asn Leu Ser Ser Ala Arg Ser Arg
 450 455 460

Ile Glu Asp Ser Asp Tyr Ala Thr Glu Val Ser Asn Met Ser Arg Ala
 465 470 475 480

Gln Ile Leu Gln Gln Ala Gly Thr Ser Val Leu Ala Gln Ala Asn Gln
 485 490 495

Val Pro Gln Asn Val Leu Ser Leu Leu Arg
 500 505

<210> SEQ ID NO 55
 <211> LENGTH: 698
 <212> TYPE: PRT
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: Synthetic Polypeptide

<400> SEQUENCE: 55

Met Ala Gln Val Ile Asn Thr Asn Ser Leu Ser Leu Leu Thr Gln Asn
 1 5 10 15

Asn Leu Asn Lys Ser Gln Ser Ala Leu Gly Thr Ala Ile Glu Arg Leu
 20 25 30

Ser Ser Gly Leu Arg Ile Asn Ser Ala Lys Asp Asp Ala Ala Gly Gln
 35 40 45

Ala Ile Ala Asn Arg Phe Thr Ala Asn Ile Lys Gly Leu Thr Gln Ala
 50 55 60

Ser Arg Asn Ala Asn Asp Gly Ile Ser Ile Ala Gln Thr Thr Glu Gly
 65 70 75 80

Ala Leu Asn Glu Ile Asn Asn Asn Leu Gln Arg Val Arg Glu Leu Ala
 85 90 95

Val Gln Ser Ala Asn Ser Thr Asn Ser Gln Ser Asp Leu Asp Ser Ile
 100 105 110

-continued

Gln Ala Glu Ile Thr Gln Arg Leu Asn Glu Ile Asp Arg Val Ser Gly
 115 120 125
 Gln Thr Gln Phe Asn Gly Val Lys Val Leu Ala Gln Asp Asn Thr Leu
 130 135 140
 Thr Ile Gln Val Gly Ala Asn Asp Gly Glu Thr Ile Asp Ile Asp Leu
 145 150 155 160
 Lys Gln Ile Asn Ser Gln Thr Leu Gly Leu Asp Thr Leu Asn Val Gln
 165 170 175
 Gln Lys Tyr Lys Val Ser Asp Thr Ala Ala Thr Val Thr Gly Tyr Ala
 180 185 190
 Asp Thr Thr Ile Ala Leu Asp Asn Ser Thr Phe Lys Ala Ser Ala Thr
 195 200 205
 Gly Leu Gly Gly Thr Asp Gln Lys Ile Asp Gly Asp Leu Lys Phe Asp
 210 215 220
 Asp Thr Thr Gly Lys Tyr Tyr Ala Lys Val Thr Val Thr Gly Gly Thr
 225 230 235 240
 Gly Lys Asp Gly Tyr Tyr Glu Val Ser Val Asp Lys Thr Asn Gly Glu
 245 250 255
 Val Thr Leu Ala Gly Gly Ala Thr Ser Pro Leu Thr Gly Gly Leu Pro
 260 265 270
 Ala Thr Ala Thr Glu Asp Val Lys Asn Val Gln Val Ala Asn Ala Asp
 275 280 285
 Leu Thr Glu Ala Lys Ala Ala Leu Thr Ala Ala Gly Val Thr Gly Thr
 290 295 300
 Ala Ser Val Val Lys Met Ser Tyr Thr Asp Asn Asn Gly Lys Thr Ile
 305 310 315 320
 Asp Gly Gly Leu Ala Val Lys Val Gly Asp Asp Tyr Tyr Ser Ala Thr
 325 330 335
 Gln Asn Lys Asp Gly Ser Ile Ser Ile Asn Thr Thr Lys Tyr Thr Ala
 340 345 350
 Asp Asp Gly Thr Ser Lys Thr Ala Leu Asn Lys Leu Gly Gly Ala Asp
 355 360 365
 Gly Lys Thr Glu Val Val Ser Ile Gly Gly Lys Thr Tyr Ala Ala Ser
 370 375 380
 Lys Ala Glu Gly His Asn Phe Lys Ala Gln Pro Asp Leu Ala Glu Ala
 385 390 395 400
 Ala Ala Thr Thr Thr Glu Asn Pro Leu Gln Lys Ile Asp Ala Ala Leu
 405 410 415
 Ala Gln Val Asp Thr Leu Arg Ser Asp Leu Gly Ala Val Gln Asn Arg
 420 425 430
 Phe Asn Ser Ala Ile Thr Asn Leu Gly Asn Thr Val Asn Asn Leu Thr
 435 440 445
 Ser Ala Arg Ser Arg Ile Glu Asp Ser Asp Tyr Ala Thr Glu Val Ser
 450 455 460
 Asn Met Ser Arg Ala Gln Ile Leu Gln Gln Ala Gly Thr Ser Val Leu
 465 470 475 480
 Ala Gln Ala Asn Gln Val Pro Gln Asn Val Leu Ser Leu Leu Arg Gly
 485 490 495
 Gly Gly Gly Ser Gly Gly Gly Ser Met Met Ala Pro Asp Pro Asn
 500 505 510
 Ala Asn Pro Asn Ala Asn Pro Asn Ala Asn Pro Asn Ala Asn Pro Asn
 515 520 525

-continued

Ala Asn Pro Asn Ala Asn Pro Asn Ala Asn Pro Asn Ala Asn Pro Asn
530 535 540

Ala Asn Pro Asn Ala Asn Pro Asn Ala Asn Pro Asn Ala Asn Pro Asn
545 550 555 560

Ala Asn Pro Asn Ala Asn Pro Asn Ala Asn Pro Asn Ala Asn Pro Asn
565 570 575

Ala Asn Pro Asn Ala Asn Pro Asn Ala Asn Pro Asn Lys Asn Asn Gln
580 585 590

Gly Asn Gly Gln Gly His Asn Met Pro Asn Asp Pro Asn Arg Asn Val
595 600 605

Asp Glu Asn Ala Asn Ala Asn Asn Ala Val Lys Asn Asn Asn Asn Glu
610 615 620

Glu Pro Ser Asp Lys His Ile Glu Gln Tyr Leu Lys Lys Ile Lys Asn
625 630 635 640

Ser Ile Ser Thr Glu Trp Ser Pro Cys Ser Val Thr Cys Gly Asn Gly
645 650 655

Ile Gln Val Arg Ile Lys Pro Gly Ser Ala Asn Lys Pro Lys Asp Glu
660 665 670

Leu Asp Tyr Glu Asn Asp Ile Glu Lys Lys Ile Cys Lys Met Glu Lys
675 680 685

Cys Ser Ser Val Phe Asn Val Val Asn Ser
690 695

<210> SEQ ID NO 56

<211> LENGTH: 692

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic Polypeptide

<400> SEQUENCE: 56

Met Met Ala Pro Asp Pro Asn Ala Asn Pro Asn Ala Asn Pro Asn Ala
1 5 10 15

Asn Pro Asn Ala Asn Pro Asn Ala Asn Pro Asn Ala Asn Pro Asn Ala
20 25 30

Asn Pro Asn Ala Asn Pro Asn Ala Asn Pro Asn Ala Asn Pro Asn Ala
35 40 45

Asn Pro Asn Ala Asn Pro Asn Ala Asn Pro Asn Ala Asn Pro Asn Ala
50 55 60

Asn Pro Asn Ala Asn Pro Asn Ala Asn Pro Asn Ala Asn Pro Asn Ala
65 70 75 80

Asn Pro Asn Lys Asn Asn Gln Gly Asn Gly Gln Gly His Asn Met Pro
85 90 95

Asn Asp Pro Asn Arg Asn Val Asp Glu Asn Ala Asn Ala Asn Asn Ala
100 105 110

Val Lys Asn Asn Asn Asn Glu Glu Pro Ser Asp Lys His Ile Glu Gln
115 120 125

Tyr Leu Lys Lys Ile Lys Asn Ser Ile Ser Thr Glu Trp Ser Pro Cys
130 135 140

Ser Val Thr Cys Gly Asn Gly Ile Gln Val Arg Ile Lys Pro Gly Ser
145 150 155 160

Ala Asn Lys Pro Lys Asp Glu Leu Asp Tyr Glu Asn Asp Ile Glu Lys
165 170 175

Lys Ile Cys Lys Met Glu Lys Cys Ser Ser Val Phe Asn Val Val Asn
180 185 190

-continued

Ser Arg Pro Val Thr Met Ala Gln Val Ile Asn Thr Asn Ser Leu Ser
 195 200 205
 Leu Leu Thr Gln Asn Asn Leu Asn Lys Ser Gln Ser Ala Leu Gly Thr
 210 215 220
 Ala Ile Glu Arg Leu Ser Ser Gly Leu Arg Ile Asn Ser Ala Lys Asp
 225 230 235 240
 Asp Ala Ala Gly Gln Ala Ile Ala Asn Arg Phe Thr Ala Asn Ile Lys
 245 250 255
 Gly Leu Thr Gln Ala Ser Arg Asn Ala Asn Asp Gly Ile Ser Ile Ala
 260 265 270
 Gln Thr Thr Glu Gly Ala Leu Asn Glu Ile Asn Asn Asn Leu Gln Arg
 275 280 285
 Val Arg Glu Leu Ala Val Gln Ser Ala Asn Ser Thr Asn Ser Gln Ser
 290 295 300
 Asp Leu Asp Ser Ile Gln Ala Glu Ile Thr Gln Arg Leu Asn Glu Ile
 305 310 315 320
 Asp Arg Val Ser Gly Gln Thr Gln Phe Asn Gly Val Lys Val Leu Ala
 325 330 335
 Gln Asp Asn Thr Leu Thr Ile Gln Val Gly Ala Asn Asp Gly Glu Thr
 340 345 350
 Ile Asp Ile Asp Leu Lys Gln Ile Asn Ser Gln Thr Leu Gly Leu Asp
 355 360 365
 Thr Leu Asn Val Gln Gln Lys Tyr Lys Val Ser Asp Thr Ala Ala Thr
 370 375 380
 Val Thr Gly Tyr Ala Asp Thr Thr Ile Ala Leu Asp Asn Ser Thr Phe
 385 390 395 400
 Lys Ala Ser Ala Thr Gly Leu Gly Gly Thr Asp Gln Lys Ile Asp Gly
 405 410 415
 Asp Leu Lys Phe Asp Asp Thr Thr Gly Lys Tyr Tyr Ala Lys Val Thr
 420 425 430
 Val Thr Gly Gly Thr Gly Lys Asp Gly Tyr Tyr Glu Val Ser Val Asp
 435 440 445
 Lys Thr Asn Gly Glu Val Thr Leu Ala Gly Gly Ala Thr Ser Pro Leu
 450 455 460
 Thr Gly Gly Leu Pro Ala Thr Ala Thr Glu Asp Val Lys Asn Val Gln
 465 470 475 480
 Val Ala Asn Ala Asp Leu Thr Glu Ala Lys Ala Ala Leu Thr Ala Ala
 485 490 495
 Gly Val Thr Gly Thr Ala Ser Val Val Lys Met Ser Tyr Thr Asp Asn
 500 505 510
 Asn Gly Lys Thr Ile Asp Gly Gly Leu Ala Val Lys Val Gly Asp Asp
 515 520 525
 Tyr Tyr Ser Ala Thr Gln Asn Lys Asp Gly Ser Ile Ser Ile Asn Thr
 530 535 540
 Thr Lys Tyr Thr Ala Asp Asp Gly Thr Ser Lys Thr Ala Leu Asn Lys
 545 550 555 560
 Leu Gly Gly Ala Asp Gly Lys Thr Glu Val Val Ser Ile Gly Gly Lys
 565 570 575
 Thr Tyr Ala Ala Ser Lys Ala Glu Gly His Asn Phe Lys Ala Gln Pro
 580 585 590
 Asp Leu Ala Glu Ala Ala Ala Thr Thr Thr Glu Asn Pro Leu Gln Lys
 595 600 605
 Ile Asp Ala Ala Leu Ala Gln Val Asp Thr Leu Arg Ser Asp Leu Gly

-continued

610	615	620													
Ala Val Gln Asn Arg Phe Asn Ser Ala Ile Thr Asn Leu Gly Asn Thr															
625		630			635									640	
Val Asn Asn Leu Thr Ser Ala Arg Ser Arg Ile Glu Asp Ser Asp Tyr															
	645				650									655	
Ala Thr Glu Val Ser Asn Met Ser Arg Ala Gln Ile Leu Gln Gln Ala															
	660				665									670	
Gly Thr Ser Val Leu Ala Gln Ala Asn Gln Val Pro Gln Asn Val Leu															
	675				680									685	
Ser Leu Leu Arg															
690															

<210> SEQ ID NO 57

<211> LENGTH: 1620

<212> TYPE: RNA

<213> ORGANISM: Unknown

<220> FEATURE:

<223> OTHER INFORMATION: Human metapneumovirus

<400> SEQUENCE: 57

```

augagcugga aggguggugau uaucuucagc cugcugauua caccucaaca cggccugaag    60
gagagcuacc uggaagagag cugcuccacc aucaccgagg gcuaccugag cgugcugcgg    120
accggcuggu acaccaacgu gucaccucug gagguggggcg acguggagaa ccugaccucg    180
agcgacggcc cuagccugau caagaccgag cuggaccuga ccaagagcgc ucugagagag    240
cugaagaccg uguccgcga ccagcuggcc agagaggaac agaucgagaa cccucggcag    300
agcagauucg ugcuggggcg caucgcucug ggagucgccc cugccgcugc agugacagcu    360
ggaguggcca uugcuaagac caucagacug gaaagcgagg ugacagccau caacaaugcc    420
cugaagaaga ccaacgaggc cgugagcacc cugggcaaug gagugagagu gcuggccaca    480
gccgugcggg agcugaagga cuucgugagc aagaaccuga ccagagccau caacaagaac    540
aagugcgaca ucgaugaccu gaagauggcc gugagcuucu cccaguuaaa cagacgguuc    600
cugaacgugg ugagacaguu cuccgacaac gcuggaauca caccugccau uagccuggac    660
cugaugaccg acgcccagcu ggcuaagacc guggcccaaca ugcccaccag cgcuggccag    720
aucaagcuga ugcuggagaa cagagccaug gugcggagaa agggcuucgg cauccugauu    780
gggguguaug gaagcuccgu gaucuacaug gugcagcugc ccaucuucgg cgugaucgac    840
acaccucgcu ggaucgugaa ggcgcuccu agcugcuccg agaagaaagg aaacuaugcc    900
ugucugcuga gagaggacca gggcugguac ugccagaacg ccggaagcac aguguacuau    960
cccaacgaga aggacugcga gaccagaggc gaccacgugu ucugcgacac cgcugccgga    1020
aucaacgugg ccgagcagag caaggagugc aacaucaca ucagcacaac caacuacccc    1080
ugcaagguga gcaccggacg gcaccccauc agcauggugg cucugagccc ucugggcgcu    1140
cugguggccu gcuuaaaggg cguguccugu agcaucggca gcaaucgggu gggcaucauc    1200
aagcagcuga acaagggau gcuuacauc accaaccagg acgcccacac cgugaccauc    1260
gacaacaccg uguaccagcu gagcaaggug gagggcgagc agcacgugau caagggcaga    1320
cccugagcu ccagcuucga ccccaucaag ucccugagg accaguuaaa cguggccucg    1380
gaccaggugu uugagaacau cgagaacagc caggcccugg uggaccagag caacagaau    1440
cuguccagcg cugagaaggg caacaccggc uucaucauug ugaucuuucu gaucgcccug    1500
cugggcagcu ccaugauccu ggugagcauc uucaucauu ucaagaagac caagaaacc    1560

```

-continued

 accggagccc cuccugagcu gagcggcgug accaacaauug gcuucauucc ccacaacuga 1620

<210> SEQ ID NO 58
 <211> LENGTH: 1620
 <212> TYPE: RNA
 <213> ORGANISM: Unknown
 <220> FEATURE:
 <223> OTHER INFORMATION: Human metapneumovirus

<400> SEQUENCE: 58

augucuugga aagugaugau caucauuucg uuacucauaa caccocagca cgggcuaaag 60
 gagaguuaau uggaagaauuc auguaguacu auaacugagg gauaccucag uguuuuaaga 120
 acaggcuggu acacuaaangu cuacacauua gaaguuggug auguugaaaa ucuuacaugu 180
 acugauggac cuagcuuaau caaacacagaa cuugaucuaa caaaaagugc uuuaaggaa 240
 cucaaaacag ucucugcuga ucaguuggcg agagaggagc aaauugaaaa ucccagacaa 300
 ucaagauuug ucuuaggugc gauagcucuc ggaguugcua cagcagcagc agucacagca 360
 ggcauugcaa uagccaaaac cauaaaggcu gagagugagg ugaaugcaau uaaaggugcu 420
 cucaaaacaa cuaaugaagc aguaucacaa uuagggaauug gugugcgggu ccuagccacu 480
 gcagugagag agcuuaaaga auuugugagc aaaaaccuga cuagugcaau caacaggaa 540
 aaauugaca uugcugaucu gaagauggcu gucagcuuca gucaauucaa cagaagaauu 600
 cuaaauguug ugccggcagu uucagacaa gcagggauaa caccagcaau aucauuggac 660
 cugaugacug augcugaguu ggccagagcu guaucuaca ugccaacauc ugcagggcag 720
 auaaaacuga uguuggagaa ccgcgcaaug gaaaggagaa aaggauuugg aaucugaua 780
 ggggucucag gaagcucugu gauuuacaug guucaauugc cgaucuuugg ugcuaugau 840
 acaccuuguu ggaucaucaa ggccagcucc ucuugcucag aaaaaaacgg gaauuauugc 900
 ugccuccuaa gagaggauca agggugguau uguaaaaaug caggaucuac uguuuacuac 960
 ccaauugaaa aagacugcga aacaagaggu gaucauuuu uuugugcac agcagcaggg 1020
 aucaauugug cugagcauuc aagagaauuc aacaucacaa uaucuacuac caacuacca 1080
 ugcaauuca gcacaggaag acaccuuaa agcaugguug cacuaucacc ucucggugcu 1140
 uugguggcuu gcuuaaaagg gguaaagcugc ucgaauuggca gcaauugggu uggaaucauc 1200
 aaacaauuac ccaaaaggcug cucauacuaa accaaccagg augcagacac uguuacaauu 1260
 gacaauaccg uguaucaacu aagcaaguu gaaggugaac agcauguaau aaaagggaga 1320
 ccaguucuaa gcaguuuga uccaaucaag uuuccugagg aucaguucua uguugcguu 1380
 gaucaagucu ucgaaagcau ugagaacagu caggcacuag uggaccaguc aaacaaaauu 1440
 cuaaacagug cagaaaagg aaacacuggu uucauuuucg uaguauuuu gguugcuguu 1500
 cuuggucuaa ccaugauuuc agugagcauc aucaucauaa ucaagaaaac aaggagccc 1560
 acaggagcac cuccagagcu gaauuggugc accaacggcg guuucuuacc acauaguua 1620

<210> SEQ ID NO 59
 <211> LENGTH: 1620
 <212> TYPE: RNA
 <213> ORGANISM: Unknown
 <220> FEATURE:
 <223> OTHER INFORMATION: Human metapneumovirus

<400> SEQUENCE: 59

augucuugga aagugaugau uaucauuucg uuacucauaa caccucagca uggacuaaaa 60
 gaaaguuaau uagaagaauuc auguaguacu auaacugaag gauaucucag uguuuuaaga 120

-continued

```

acagguuggu acaccaaugu cuuuacauua gaaguuggug auguugaaaa ucuuacaugu 180
acugauggac cuagcuuaau caaacacagaa cuugaccuaa ccaaaagugc uuuuagagaa 240
cucaaaacag uuucugcuga ucaguuagcg agagaagaac aaauugaaaa ucccagacaa 300
ucaagguuug uccuaggugc aauagcucu ggaguugcca cagcagcagc agucacagca 360
ggcauugcaa uagccaaaac uauaaggcuu gagagugaag ugaauugcau caaaggugcu 420
cucaaaacaa ccaaugaggc aguaucaaca cuaggaaug gagugcgggu ccuagccacu 480
gcaguaagag agcugaaaga auuugugagc aaaaaccuga cuagugcgau caacaagaac 540
aagugugaca uugcugauuu gaagauggcu gucagcuuca gucaguucua cagaagauc 600
cuaaauguug ugccggcagu uucagacaau gcagggauaa caccagcaau aucuuggac 660
cugaugaaug augcugagcu ggcagagcu guaucuaca ugccaacauc ugcaggacag 720
auaaaacuaa uguuagagaa ccgugcaaug gugaggagaa aaggauuug aaucuugaua 780
ggggucucag gaagcucugu gauuuacaug guccagcugc cgaucuuugg ugcauaaaa 840
acaccuuguu ggauaaucuaa ggcagucucc ucuuguucag aaaaagaugg aaauuugcu 900
ugccuccuaa gagaggauca agggugguau uguaaaaaug caggauccac uguuuacuac 960
ccaaaugaaa aagacugcga aacaagaggu gaucauguuu uuugugcac agcagcaggg 1020
aucaauguug cugagcaauc aagagaaugc aacaucaca uaucuaccac caacuacca 1080
ugcaauguca gcacaggaag acaccuauc agcaugguug cacuauacc ucucggugcu 1140
uugguagcuu gcuacaaagg gguuagcugc ucgacuggca guaaucaggu uggaauaauc 1200
aaacaacuac cuaaaggcug cucauacuaa acuaaccagg acgcagacac uguaacaaau 1260
gacaacacug uguaucaacu aagcaaugu gagggugaac agcauguauu aaaagggaga 1320
ccaguucuaa gcaguuuga uccaaucagg uuuccugagg aucaguucua uguugcguu 1380
gaucaagucu uugaaagcau ugaaaacagu caagcacuag uggaccaguc aaacaaaau 1440
cugaacagug cagaaaaagg aaacacuggu uucauuuug uauuuuuuu gauugcuguu 1500
cuuggguuaa ccaugauuuc agugagcauc aucaucaua ucaaaaaaac aaggaagccc 1560
acaggggac cuccggagcu gaaugguguu accaacggcg guuucuuacc gcuauguuag 1620

```

<210> SEQ ID NO 60

<211> LENGTH: 1725

<212> TYPE: RNA

<213> ORGANISM: Human respiratory syncytial virus

<400> SEQUENCE: 60

```

auggaguugc caauccuaa aacaaaugca auuaccacaa uccuugcugc agucacacuc 60
uguuucgcuu ccagucaaaa caucacugaa gaauuuuuac aaucacaug cagugcagu 120
agcaaugcu aucuuagugc ucuagaacu gguugguaua cuaguguuuu aacuauagaa 180
uuuaguuuu ucaagaaaa uaguguaau ggaacagaug cuaagguaaa auuguuuuu 240
caagaauuag uuuuuuuuu aauugcugua acagaauugc aguugcucuu gcaaacgaca 300
ccagcagcca acaaucgagc cagaagagaa cuaccaaggu uuugaauua uacacucaau 360
aauccaaaa auaccaaugu aacuuuagc aagaaaagga aaagaaguu ucuuggcuuu 420
uuguuaggug uuggaucugc aaucgccagu ggcauugcug uaucuaaggu ccugcaccua 480
gaaggggag ugaacaaaa caaaagugcu cuacuaucca caaacaaaggc uguugcagc 540
uuuucuuuug gaguuugugu cuuaccagc aaaguuuug accuacaaa cuuuuuuagau 600

```

-continued

aaacaguugu uaccuauugu gaacaagcaa agcugcagca uaucaaacau ugaaacugug	660
auagaguucc aacaaaagaa caacagacua cuagagauua ccagggaauu uaguguaau	720
gcagguguaa cuacaccugu aagcacuuau auguuaacua auagugaauu auuaucaua	780
aucaaugaua ugccuauaac aaaugaucag aaaaaguuaa uguccaacia uguucaaua	840
guuagacagc aaaguuacuc uaucaugucc auauaaagg aggaagucuu agcauaugua	900
guacaauuac cacuauaugg uguauuagau acaccucugu ggaaacugca cacaucccu	960
cuauguacaa ccaacacaaa ggaagggucc aacaucugcu uaacaagaac cgacagagga	1020
ugguauugug acaaugcagg aucaguaucu uucuucccac aagcugaaac auguaaaguu	1080
caaucgauc ggguaauuug ugacacaaug aacaguuuaa cauuaccaag ugaaguaau	1140
cucugcaaca uugacauuu caacccaaa uaugauugca aaauuugac uucaaaaaca	1200
gauguaagca gcuccguuu cacaucucua ggagccauug ugucaugcua uggcaaaacu	1260
aaauguacag cauccaauaa aaauuguggg aucauaaaga cauuuucuaa cgggugugau	1320
uauguaucaa auagggggu ggauacugug ucuguaggua auacauuaa uuauguaau	1380
aagcaagaag gcaaaagucu cuauguaaaa ggugaaccaa uaauaaaau cuaugacca	1440
uuaguguucc ccucugauga auuugaugca ucauauucuc aagucaauga gaaguuuac	1500
cagagccuag cauuuuuucg uaaucggaug gaauuuuac auauuguaaa ugcuguaaa	1560
uccaccacaa auaucaugau aacuacuaa auuuuaguga uuauuguaa auuguuauc	1620
uuauuugcag uuggacugcu ccuauacugc aagggccagaa gcacaccagu cacacuaagu	1680
aaggaucaac ugagugguau aaauauuuu gcauuuagua acuga	1725

<210> SEQ ID NO 61

<211> LENGTH: 1617

<212> TYPE: RNA

<213> ORGANISM: Human parainfluenza virus 3

<400> SEQUENCE: 61

augccaauuu cauacuguu auuuuuaca accaugauca uggcaucaca cugccaaaua	60
gacaucacaa aacuacagca uguaggugua uuggucaaca guccaaagg gaugaagaua	120
ucacaaaacu ucgaacaag auaucauuc cugagucua uacaaaaau agaagauuc	180
aacucuugug gugaccaaca gaucaagcaa uacaagaggu uauuggauag acugaucau	240
ccuuuauaug auggacuaag auuacagaag gaugugauag ugacuaauca agaauccaau	300
gaaaacacug auccagaac agaacgauuc uuuggagggg uauuugaac uauugcucua	360
ggaguagcaa ccucagcaca auuacagca gcaguugcuc ugguugaagc caagcaggca	420
agaucagaca uugaaaaacu caaggaagca aucagggaca caauaaagc agugcaguc	480
guucagagcu cuguaagaaa uuugauagua gcauuuuuu caguccagga uuauucaac	540
aaagaaauug ugccaucgau ugcgagacua gguugugaag cagcaggacu ucaguaggg	600
auugcauuua cacagcaua cucagaaua acauuuuuu uugguguaa cauaggauug	660
uuacaagaaa aaggaauua auuacaaggu auagcauca uauaccguac aaauucaca	720
gaaauuuca caacucaac aguugacaaa uaugauuuu augaucuuu auuuacagaa	780
ucauuuaagg ugagaguuu agauguugau uugaauuuu acucauuac ccuccaaguc	840
agacuccuu uauugaccag acugcugaac acucuuuuu acauuuuga uuccauuca	900
uacaauuucc aaauuagaga augguuuuuc ccucuuucca gccauucau gacgaaagg	960
gcauuuucag guggagcaga ugucaagaa ugcauugaag cauucagcag uuauuuuugc	1020

-continued

```

ccuucugauc caggauuugu acuaaaaccu gaaauggaga gcugucuauc aggaaacaua 1080
ucccaauguc caagaaccac agucacauca gacauaguuc cuagguaugc auuugucaau 1140
ggaggagugg uugcgaaug uauaacaacu acauguacau gcaaugguau cgguaauaga 1200
aucaaccaac caccugauca aggagucaaa auuuaaacac auaaagaug uauuacaaua 1260
gguaucacg gaaugcuauu caacacaaac aaagaaggaa cucuugcauu cuacacacca 1320
gacgacauaa cauuaaaca uucuguugca cuugaucga uugacauauc aaucgagcuc 1380
aacaaggcca aaucagaucu ugaggaauc aagaaggga uagaagguc aaaucaaaag 1440
cuagaaucuu uuggaaguug gcaucaaucu agcacuaca ucauaguuuu uuugauaaug 1500
augauuuauu uguuuuuuu uauuuuaaca auuuuuaca uugcauuua guuuuacaga 1560
aucaaaaaga gaaucgagu ggaucaaaau gaaagccgu auguuuuac aaacaag 1617

<210> SEQ ID NO 62
<211> LENGTH: 1716
<212> TYPE: RNA
<213> ORGANISM: Human parainfluenza virus 3

<400> SEQUENCE: 62
auggaauacu ggaagcacac caaccacgga aaggauugcug guaaugagcu ggagacauc 60
acagccacuc auggcaacaa gcucaccaac aagauaaccu auuuuuugug gacgaauc 120
cuggguuuu uaucaauagu cuucaucau gugcuacua auuccauca aagugaaaag 180
gcccgcgaa cauugcuaca agacauaaau aaugaguuuu uggaaguuc agaaaaguc 240
caaguggcau cggauaauc uaaugaucu auacagucag gagugaauac aaggcuucuu 300
acaaucaga gucaugucca gaauuuuuu ccaauaucu ugacacaaca aaauccggu 360
cuuaggaaau ucauuaguga aauuacaau agaaaugau aucaagaagu gccaccaca 420
agaauaacac augauguggg uauaaaaccu uaaaauccag auguuucug gagaugcacg 480
ucugguucuc caucuuugau gaaaacucca aaaaauagau uaaugccggg accaggaua 540
uuagcuauuc caacgacugu ugauggcugu gucagaacc cguccuuagu guuuuuuau 600
cuguuuuuug cuuacaccuc aaaucauuu acucgagguu gccaggauu agggaaaauca 660
uaucaaguau uacagauagg gauuuuuuu guaaacucag acuuuguauc ugacuuuuu 720
ccuaggaucu cucauaccuu caacauuuu gacaauagaa agucauguuc ucuagcacuc 780
cuuuuuacag auguuuuuac acuguuuuu acccaaaag uugaugaaag aucaguuuu 840
gcaucaucag gcauagaaga uuuuuuuuu gauuuuuuu auuuuuuuu cucauuucg 900
acaacaagau uuaagaaua uuuuuuuuu uuuuuuuuu cauauccggc auuuuuuuu 960
ucuuuuugc caguuuuuuu cuuuuuuuu aaaaauuuu uucuuuuuu ugguuuuuu 1020
gaauuuuuu uuuuuuuuu uuuuuuuuu aacuuuuuu ggguuuuuu gaaauuuuu 1080
agagacugua aucaagcuc ucauuuuuu uuuuuuuuu auuuuuuuu ggguuuuuu 1140
auuuuuuuu uuuuuuuuu cuuuuuuuu guuuuuuuu uuuuuuuuu gcuuuuuuu 1200
augagacaaa auuuuuuuu gcuuuuuuu aguuuuuuu uuuuuuuuu cauuuuuuu 1260
auuuuuuuu gcuuuuuuu uuuuuuuuu auuuuuuuu uuuuuuuuu uuuuuuuuu 1320
gcuuuuuuu auuuuuuuu aaaauuuuu uuuuuuuuu uuuuuuuuu uuuuuuuuu 1380
auuuuuuuu cuuuuuuuu uuuuuuuuu uuuuuuuuu uuuuuuuuu uuuuuuuuu 1440
gcuuuuuuu uuuuuuuuu uuuuuuuuu uuuuuuuuu uuuuuuuuu uuuuuuuuu 1500

```

-continued

```

ucgagaguca acccagucau aacuuacuca acagcaaccg aaaggguaaaa cgagcuggcu 1560
auccgaaaca aaacacucuc agcuggguac acaacaacaa gcugcauuac acacuauaac 1620
aaaggguauu guuuucauau aguagaaaau aaucauaaaa gcuuaaaacac auuucaaccc 1680
auguguuca aaacagagau uccaaaagc ugcagu 1716

```

```

<210> SEQ ID NO 63
<211> LENGTH: 1716
<212> TYPE: RNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic Polynucleotide

```

```

<400> SEQUENCE: 63
auggauuacu ggaagcacac caaccacggc aaggacgccg gcaacgagcu ggaaaccagc 60
acagccacac acggcaacaa gcugaccaac aagaucaccu acauccugug gaccauccacc 120
cugggucgucg ugagcaucgu guucaucauc gugcggacca auagcaucaa gagcggagaag 180
gccagagaga gccugcugca ggacaucaac aacgaguuca uggaagugac cgagagagauc 240
cagguggcca gcgacaacac caacgaccug auccagagcg gcggaacac ccggcugcug 300
accauccaga gccacgugca gaacuacauc cccaucagcc ugacccagca gaucagcggac 360
cugcggaaagu ucaucagcga gaucaccauc cggaacgaca accaggaagu gccccccag 420
agaaucaccc acgacguggg caucaagccc cugaaccccg acgauucug gcgguguaca 480
agcggccugc ccagccgau gaagacccc aagauccggc ugaugccugg cccuggacug 540
cuggccaugc cuaccacagu ggauggcugu gugcggaccc ccagccucu gaucaacgau 600
cugaucuacg ccuacaccag caaccuaguc acccggggcu gccaggauu cugcaagagc 660
uaccaggugc ugcagaucg caucaucacc gugaacuccg accuggugc cgaccugaac 720
ccucggauca gccacccuu cacaucaac gacaacagaa agagcugcg ccuggcucug 780
cugaacaccg acguguacca gcugugcagc acccccaagg uggacgagag aagcgguac 840
gccagcagcg gcaucgagga uaucgugcg gacaucguga acuacgacgg cagcaucagc 900
acccccggu ucaagaacaa cacaucagc uucgacccag ccuacgccgc ccuguacccu 960
ucugggcc cuggcaucua cucaagggc aagaucaucu uccugggcua cuggccug 1020
gaacacccca ucaacgagaa cuccaucug aacacccag cugcccug caagacccag 1080
agagacugca aucaggccag ccacagccc ugguucagcg accgcagaa ggucaaccu 1140
aucaucugg uggacaggg cugaacagc gugcccaagc ugaagugg gacaauagc 1200
augcgccaga acuacuggg cagcgagggc agacucugc ugcugggaaa caagaucuac 1260
aucuacacc gguccaccg cuggcacg aaacugcg uggaaucau cgacaucacc 1320
gacuacagcg acauccggau caaguggac uggcaacg ugcugagcg acccggcac 1380
aaugagugcc cuugggcca cagcugccc gauggaugua ucaccgcgu guacaccgac 1440
gcuaccccc ugaauccuac cugcuccau guguccagcg ugauccugga cagccagaaa 1500
agcagaguga accccgugau cacauacagc accgccag cugagagua cgaacuggcc 1560
aucagaaaca agacccuag cugccgcuac accaccaaa gcugcaucac acucuacac 1620
aagggcuacu gcucccau cugggaaauc aaccacagu cccugaacac cuccagccc 1680
augcuguca agaccgagau ccccaagagc ugcucc 1716

```

```

<210> SEQ ID NO 64
<211> LENGTH: 1617

```

-continued

<212> TYPE: RNA
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: Synthetic Polynucleotide

<400> SEQUENCE: 64

augcccauca gcauccugcu gaucaucacc acaaugauca uggccagcca cugccagauc	60
gacaucacca agcugcagca cgugggogug cucgugaaca gcccgaaggc caugaagauc	120
agccagaacu ucgagacacg cuaccugauc cugagccuga ucccgaagau cgaggacagc	180
aacagcugcg gcgaccagca gaucaagcag uacaagcggc ugcuggacag acugaucauc	240
ccccuguaag acggccugcg gcugcagaaa gacgugaucg ugaccaacca ggaaagcaac	300
gagaacaccg acccccggac cgagagauuc uucggcggcg ugauccggac aaucgcccug	360
ggaguggcca caagcggcca gauuacagcc gcuguggccc ugguggaagc caagcaggcc	420
agaagcgaca ucgagaagcu gaaagaggcc auccgggaca ccaacaaggc cgugcagagc	480
gugcagucca gcgugggcaa ucugaucgug gccaucaagu ccgugcagga cuacugaac	540
aaagaaaucg ugcccucua ugcggcgug gcugugaaag cugccggacu gcagcugggc	600
auugcccuga cacagcacua cagcgagcug accaacaucu ucggcgacaa caucggcagc	660
cugcaggaaa agggcauuua gcugcaggga aucgccagcc uguaccggac caaauccacc	720
gagaucuuca ccaccagcac cguggauaag uacgacaucu acgaccugcu guuaccggag	780
agcaucaaag ugcgugugau cgacguggac cugaacgacu acagcaucac ccugcaagug	840
cggcugcccc ugucgaccag acugcugaac acccagaucu acaaggugga cagcaucucc	900
uacaacauc accaaccgga gugguacau ccucugccca gccacuuuu gaccaagggc	960
gccuuucugg gcgagccga cgugaaagag ugcaucgagg ccuucagcag cuacaucugc	1020
cccagcgacc cuggcuucgu gcugaaccac gagauggaaa gcugccugag cggcaacauc	1080
agccagugcc ccagaaccac cgugaccucc gacaucgugc ccagauacgc cuucgugaau	1140
ggcgcgugg uggccaacug caucaccacc accuguaccu gcaacggcau cggcaaccgg	1200
aucaaccagc cucccgauca gggcgugaag auuauacccc acaagagug uaacaccauc	1260
ggcaucaaag gcaugcuguu caauccaac aaagagggca cccuggccuu cuacaccccc	1320
gacgauauca cccugaacaa cuccguggcu cuggacccca ucgacaucuc caucgagcug	1380
aacaaggcca agagcgaccu ggaagagucc aaagagugga uccggcggag caaccagaag	1440
cuggacucua ucggcagcug gcaccagagc agcaccacca ucaucgugau ccugauuug	1500
augauuuacc uguucaucau caacauuacc aucaucacua ucgccaauaa guacuaccgg	1560
auccagaaac ggaaccgggu ggaccagaau gacaagcccu acgugcugac aaacaag	1617

<210> SEQ ID NO 65
 <211> LENGTH: 4062
 <212> TYPE: RNA
 <213> ORGANISM: Unknown
 <220> FEATURE:
 <223> OTHER INFORMATION: Middle East respiratory syndrome coronavirus

<400> SEQUENCE: 65

augauacacu caguguuuu acugauguuc uuguuaacac cuacagaaag uuacguugau	60
guagggccag auucuguuua gucugcuugu auugagguug auauacaaca gaccuuuuuu	120
gaaaaaacuu ggccuaggcc aaugauguu ucuaaggcug acgguauuu auaccucaa	180
ggccguacau auucuaacau aacuaucacu uaucaagguc uuuuuuccua ucagggagac	240

-continued

cauggugaua	uguauguuuu	cucugcagga	caugcuacag	gcacaacucc	acaaaaguug	300
uuuguagcua	acuauucua	ggagcucaaa	caguuuagcua	auggguuugu	cguccguaua	360
ggagcagcug	ccaaauccac	uggcacuguu	auuuuuagcc	caucuaccag	cgcuacuaua	420
cgaaaauuu	accucuguuu	uauugcuggu	ucuucaguug	guaauuucuc	agaugguaaa	480
augggccgcu	ucuucacua	uacucuaguu	cuuuugcccg	auggaugugg	cacuuuacuu	540
agagcuuuuu	auuguauucu	agagccucgc	ucuggaaauc	auuguccugc	uggcaauucc	600
uauacuucuu	uugccacuua	ucacacuccu	gcaacagauu	guucugaugg	cauuuacaau	660
cguaaugcca	gucugaacuc	uuuuaggag	uauuuuuuu	uacguaacug	cacuuuuuug	720
uacacuuaaa	acauuaccga	agaugagauu	uuagaguggu	uuggcauuac	acaaacugcu	780
caagguguuc	accucuucuc	aucucggauu	guugauuuu	acggcggcaa	uauuuucaa	840
uuugccaccu	ugccguuuu	ugauacuauu	aaguauuuu	cuaucauucc	ucacaguauu	900
cguucuaucc	aaagugauag	aaaagcuugg	gcugccuucu	acguauauaa	acuucaaccg	960
uuuacuuucc	uguuggauuu	uucuguugau	gguuuuuuac	gcagagcuau	agacuguggu	1020
uuuuauaguu	ugucacaacu	ccacugcuca	uauuauuccu	ucgauguuga	aucuggaguu	1080
uauucaguuu	cgucuuucga	agcaaaaccu	ucuggcucag	uuguggaaca	ggcugaaggu	1140
guuagauug	auuuuucacc	ucuucugucu	ggcacaccuc	cucagguuuu	uauuuucaag	1200
cguuuguuu	uuaccaauug	cauuuauuu	cuuaccuuu	ugcuuucacu	uuuuucugug	1260
aaugauuuu	cuuguaguca	aaauucucca	gcagcaauug	cuagcaacug	uuauucuuca	1320
cugauuuuug	auuuuuuuuc	auaccacuuu	aguauuauuu	ccgaucucag	uguuaguucu	1380
gcugguccaa	uauccaguuu	uauuuuuuuu	caguccuuuu	cuauucccac	auguuugauc	1440
uuagcgagcug	uuccucauaa	ccuuacuacu	auuacuuaagc	cucuuaagua	cagcuauuuu	1500
aaacaaguc	cucgucuuuc	uucugaugau	cguaucugaag	uaccucaguu	agugaacgcu	1560
aaucuuuacu	caccucugug	auccauuguc	ccauccacug	ugugggaaga	cgugauuuu	1620
uauaggaaac	aacuaucucc	acuugaaggu	gguggcuggc	uuguugcuag	uggcucaacu	1680
guugccauga	cugagcauuu	acagaugggc	uuuguuuuu	caguucaaua	ugguacagac	1740
accaauagug	uuugccccaa	gcuugaauuu	gcuauuagaca	caaaaauugc	cucucuuuuu	1800
ggcauuugcg	uggaaauuuc	ccucuauuggu	guuuuggggc	guggguuuuu	ucagaauugc	1860
acagcuguag	guguucgaca	gcagcgcuuu	guuuauaug	cguaaccagaa	uuuaguuggc	1920
uauuuuucug	augauggcaa	cuacuacug	cugcgugcuu	guguuagugu	uccuguuucu	1980
gucaucuauug	auaaagaaac	uaaaaccacc	gcuacucuuu	uugguagugu	ugcaugugaa	2040
cacuuuucuu	cuaccauguc	ucauuacucc	cgucucucgc	gaucaaugcu	uaaacggcga	2100
gauucuaacu	auggcccccu	ucagacaccu	guugguugug	uccuaggacu	uguuuuuucc	2160
ucuuuugucg	uagaggacug	caaguugccu	cucggucauu	cucucuguc	ucuuuccgac	2220
acaccuagua	cucucacacc	ucgcagugug	cgucucuguc	caggugaaau	gcgcuuggca	2280
uccauugcuu	uuaucaucc	cauucagguu	gaucaacuua	auaguaguua	uuuuuuuuu	2340
aguauaccca	cuuuuuuuuc	cuuuggugug	acucaggagu	acauucagac	aaccuuucag	2400
aaaguuucug	uugauguaa	acaguacguu	ugcaaugguu	uccagaagug	ugagcauuu	2460
cugcgagagu	auggcccaguu	uuguuccaaa	auaaaccagg	cucuccaugg	ugccuuuuu	2520
cgccaggauug	auucguuacg	uuuuuuguuu	gcgagcguga	aaagcucua	aucaucuccu	2580
aucauaccag	guuuuggagg	ugacuuaauu	uugacacuuu	uagaaccugu	uucuuaucuu	2640

-continued

```

acuggcaguc guagugcacg uagugcuauu gaggauuugc uauuugacaa agucacuaia 2700
gcugauccug guuauaugca agguuacgau gauuguauugc agcaaggucc agcaucagcu 2760
cgugaucuua uuugugcuca auauguggcu gguuauaaag uauuaccucc ucuauggau 2820
guuauaugg aagccgcgua uacuucaucu uugcuuggca gcuaagcagg uguuggcugg 2880
acugcuggcu uauccuccuu ugcugcuauu ccuuuugcac agaguauyu uauuaggua 2940
aacgguguug gcauuacuca acagguucuu ucagagaacc aaaagcuau ugcacaauaag 3000
uuuauacagg cucugggagc uaugcaaca gccuucacua caacuaauga agcuuuucgg 3060
aagguucagg augcugugaa caacaugca caggcucuau ccaauuagc uagcgagcua 3120
ucuaauacuu uuggugcuau uuccgccucu auuggagaca ucauacaacg ucuugauguu 3180
cucgaacagg acgccc aaau agacagacuu auuauuggcc guuugacaac acuaaaugcu 3240
uuuguugcac agcagcuugu ucguuccgaa ucagcugcuc uuuccgcua auuggcuaaa 3300
gauaaaguca augagugugu caaggcacia uccaagcguu cuggauuuug cggucaaggc 3360
acacauauag uguccuuugu uguaaaugcc ccuaauggcc uuuacuuuu gcauguuggu 3420
uauuaccua gcaaccacau ugagguuguu ucugcuuau gcuuuugcga ugcagcuaac 3480
ccuacuaauu guauagcccc uguuaauggc uacuuuuuu aaacuaaua cacuaggauu 3540
guugaugagu ggucuuuac uggcucguc uucuaugcac cugagcccau caccucucu 3600
aaucuaagu auguugcacc acaggugaca uaccaaaca uuucuaaa ccuccuccu 3660
ccucuuucg gcaauuccac cgggaaugac uuccaagaug aguuggauga guuuuucuaa 3720
aauguuagca ccaguauacc uauuuuuggu ucucuaacac agauuuuac uacuuuacuc 3780
gaucuuaccu acgagauguu gucucuuaa caaguuguua aagccuuua ugagcuuac 3840
auagaccuaa aagagcuugg cauuuauacu uauuacaaca aauggccgug guacuuuug 3900
cuugguuuca uugcugggcu uguugccua gcucuaugcg ucuucuucau acugugcugc 3960
acugguugug gcacaaacug uauuggaaaa cuuaagugua aucguuguug ugauagauac 4020
gaggauuacg acccgcagcc gcauaagggu cauguucacu aa 4062

```

<210> SEQ ID NO 66

<211> LENGTH: 4062

<212> TYPE: RNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic Polynucleotide

<400> SEQUENCE: 66

```

augauacacu cagguuuuuc acugauguuc uuguuaacac cuacagaaag uuacguugau 60
guagggccag auucuguuua gucugcuugu auugagguug auuacaaca gacuuucuuu 120
gauaaaacuu ggccuaggcc auuugauguu ucuaaggcug acgguuuuu auaccucaa 180
ggccguacau auucuaacau aacuaucacu uaucaagguc uuuuuccua ucagggagac 240
cauggugaua uguauuuua cucugcagga caugcuacag gcacaacucc aaaaaguug 300
uuuguagcua acuauuuca ggacgucaaa caguuuugcua auggguuuug cguccguua 360
ggagcagcug ccaauuccac uggcacuguu auuuuuagcc caucuaaccag cgcuaucuaa 420
cgaaaaauu acccugcuuu uaugcugggu ucuucaguug guauuuucuc agaugguaaa 480
augggcccgc ucuucaauca uacucuaguu cuuuugcccg auggaugugg cacuuuacuu 540
agagcuuuuu auuguuuuuc ggagccucgc ucuggaaauc auuguccugc uggcaauucc 600

```

-continued

uauacuucuu uugccacuua ucacacuccu gcaacagauu guucugaugg cauuuacaau	660
cguaaugcca gucugaacuc uuuuaaggag uauuuuaauu uacguaacug caccuuuaug	720
uacacuuaua acauuaccga agaugagauu uuagaguggu uggcauuac acaaacugcu	780
caagguguuc acccucuucuc aucucggauu guugauuuu acggcggcaa uauguuuca	840
uuugccaccu ugccuguuuu ugaucuaau aaguauuuu cuaucauucc ucacaguauu	900
cguucuaucc aaagugauag aaaagcuugg gcugccuucu acguauaua acuucaaccg	960
uuaacuuucc uguuggauuu uucuguugau gguuuuuac gcagagcuau agacuguggu	1020
uuuaaugauu ugucacaacu ccacugcuca uaugaauccu ucgauguuga aucuggaguu	1080
uauucaguuu cgucuuucga agcaaaaccu ucuggcucag uuguggaaca ggcugaaggu	1140
guugaaugug auuuuucacc ucuucugucu ggcacaccuc cucagguuuu uauuuucaag	1200
cguuugguuu uuaccaauug cauuuauauu cuuaccuuu ugcuuucacu uuuuucugug	1260
aaugauuuuu cuuguaguca aauaucucca gcagcaauug cuagcaacug uuauucuca	1320
cugauuuugg auuacuuuuc auaccacuu aguaugaaau ccgaucucag uguuaguucu	1380
gcugguccaa uauccaguu uauuuuuuuu caguccuuuu cuauuccac auguuugauu	1440
uuagcgacug uuccucauaa ccuacuacu auuacuaagc cucuuuagua cagcuauuu	1500
aacaagugcu cucgucuucu uucugaugau cguacugaag uaccucaguu agugaacgcu	1560
aucauuacu caccucugug auccauuguc ccauccacug ugugggaaga cggugauuu	1620
uauaggaaac aacuaucucc acuugaaggu gguggcuggc uuguugcuag uggcucaacu	1680
guugccauga cugagcauuu acagaugggc uuuguuuuu caguucaaua ugguacagac	1740
accaauagug uuugcccaaa gcuaaguuu gcuaaugaca caaaaauugc cucucauuu	1800
ggcaauugcg uggaaauuuc ccuuauggu guuucgggccc gugguguuuu ucagaauugc	1860
acagcuguag guguuugaca gcagcguuu guuuuugaug cguaccagaa uuuauguggc	1920
uuuuuucug augauggcaa cuacuacug uugcgugcuu guguuagugu uccuguuucu	1980
gucaucuauug auaaagaaac uaaaaccac gcuaucuaau uugguagugu ugcauguga	2040
cacauuuuuu cuaccauguc ucaauacucc cguucucagc gaucaaugcu uaaacggcga	2100
gauucuaau auggccccu ucagacaccu guugguugug uccuaggacu uguuuuuucc	2160
ucuuuugucg uagaggacug caaguugccu cuuggucaau cucucuguc ucuuccugac	2220
acaccuagua cucucacacc ucgagugug cgcucuguc caggugaaau ggcuuuggca	2280
uccauugcuu uuaaucaucc uauucagguu gaucaacua auaguaguua uuuuuuuuu	2340
aguauaccca cuuuuuuuu cuuuggugug acucaggagu acauucagac aaccauucag	2400
aaaguuacug uugauuguaa acaguacguu ugcaauguu uccagaagug ugagcauuu	2460
cugcgagug auggcccaguu uuguuccaaa uuaaaccagg cucuccaugg ugccaauuu	2520
cgccaggauug auucugucg uuuuuuuuu gcgagcguga aaagcucua aucaucuccu	2580
aucauaccag guuuuggagg ugacuuuuu uugacacuuc uggaaccugu uucuuuuuu	2640
acuggcaguc guagugcagc uagugcuuu gaggaauugc uuuuugaca agucacuua	2700
gcugauccug guuuuuugca agguuacgau gauugcaugc agcaaggucc agcaucagcu	2760
cgugaucuuu uuugugcuca auauguggcu gguuacaaag uuuuaccucc ucuuuuggau	2820
guuuuuuug aagcccgua uacuucacu uugcuuggca gcuaagcagg uguuggcugg	2880
acugcugcu uauccuccuu ugucugcuuu ccuuuugcag agaguauuu uuuuagguuu	2940
aacggugug gcauuacuca acagguucuu ucagagaacc aaaagcuuu ugccaauuag	3000

-continued

```

uuuaaucagg cucugggagc uaugcaaca gccuucacua caacuaauga agcuuuucag 3060
aagguucagg augcugugaa caacaugca caggcucuau ccaaaauagc uagcgagcua 3120
ucuaauacuu uuggugcuau uuccgccucu auuggagaca ucauacaacg ucuugauguu 3180
cucgaacagg acgccc aaau agacagacuu auuaauggcc guuugacaac acuaaaugcu 3240
uuuguugcac agcagcuugu ucguuccgaa ucagcugcuc uuuccgcuca auuggcuaaa 3300
gauaaaguca augagugugu caaggcaca uccaagcguu cuggauuuug cggucaaggc 3360
acacauauag uguccuuugu uguaaaugcc ccuaauggcc uuuaucuau gcauguuggu 3420
uaauaccua gcaaccacau ugagguuguu ucugcuuau gcuuuugcga ugcagcuaac 3480
ccuacuaauu guauagcccc uguuaauggc uacuuuuuu aaacuaaua cacuaggauu 3540
guugaugagu ggucuuuac uggcucguc uucuaugcac cugagcccau uaccuccuu 3600
aaucuaagu auguugcacc acaggugaca uacccaaaca uuucuaaua ccuccuccu 3660
ccucuuucg gcaauuccac cgggaaugac uuccaagaug aguuggauga guuuuucaaa 3720
aaguuuagca ccaguauacc uauuuuuggu ucccaaacac agauuuauac uacuuuacuc 3780
gaucuuaccu acgagauguu gucucuuaa caaguuuua aagccuuua ugagucuuaac 3840
auagaccuaa aagagcuugg cauuuuuacu uuuuacaaca aauggccgug guacuuuug 3900
cuugguuuca uugcugggcu uguugccua gcucuauugc ucuucuau acugugcugc 3960
acugguugug gcacaaacug uauuggaaaa cuuaagugua aucguuguug ugauagauac 4020
gaggaaucg acccugagcc gcauaagguu cauguucacu aa 4062

```

```

<210> SEQ ID NO 67
<211> LENGTH: 1845
<212> TYPE: RNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic Polynucleotide

<400> SEQUENCE: 67

```

```

augauccacu ccgguuuccu ccucauguuc cuguugaccc ccacugaguc agacugcaag 60
cucccgucgg gacaguccu gugugcugc ccugacacuc cuagcacucu gaccccacgc 120
uccgugcggg cggugccugg cgaaaugcgg cuggccucca ucgccuuca uaccccauc 180
caaguggauc agcugaauag cucguuuuc aagcugucca ucccacgaa cuucuguu 240
ggggucaccc aggaguacu ccagaccaca auucagaagg ucaccgucga uugcaagcaa 300
uacgugugca acgguucca gaagugcgag cagcugcuga gagaauacgg gcaguuuugc 360
agcaagauc accaggcgc gcauggagcu aacuugcgc aggacgacuc cgugcgcaac 420
cucuugccu cugugaaguc auccagucc ucccuaaua ucccgggauu cggaggggac 480
uucaaccuga cccuccugga gcccgugucg aucagcaccg guagcagauc ggcgcgcuca 540
gccauugaag aucuucuguu cgacaagguc accaucgccc auccgggcu caugcagggg 600
uacgacgacu guaugcgca gggaccagcc uccgagggg accucaucug cgcgcaauac 660
guggccgggu acaagugcu gccuccucug auggauguga acauggaggc cgcuuuacu 720
ucgucuccug ucggcucuau cgcggcgug ggguggaccg cgggucugc cuccuucgcc 780
gcuaucuccu uugcacaauc cauuuuuac cggcucaacg gcgugggcau uacucaacaa 840
guccugucgg agaaccagaa guugaucgca aacaaguua aucaggcccu gggggccaug 900
cagacuggau ucacuacgac uaacgaagcg uuccagaagg uccaggacgc ugugaacaac 960

```

-continued

aacgcccagg	cgucucuaaa	gcuggccucc	gaacucagca	acaccuucgg	agccaucage	1020
gcaucgaucg	gugacauaa	ucagcggcug	gacgugcugg	agcaggacgc	ccagaucgac	1080
cgccucauca	acggacggcu	gaccaccuug	aaugccuucg	uggcacaaca	gcugguccgg	1140
agcgaauacg	cggcacuuuc	cgcccaacuc	gccaaggaca	aaguccaacga	augcgugaag	1200
gccagucca	agaggucgg	uuucugcggu	caaggaaacc	auauuguguc	cuucgucgug	1260
aacgcgccca	acggucugua	cuuuauagc	gucggcuacu	acccgagcaa	ucauaucgaa	1320
guggugucgg	ccuacggccu	gugcgaucc	gcuaacccca	cuaacugua	ugccccugug	1380
aacggauauu	uuuuuaagac	caacaacacc	cgcauugugg	acgaaugguc	auacaccggu	1440
ucgucuuucu	acgcgccga	gcccuaucac	ucacugaaca	ccaaauacgu	ggcuccgcaa	1500
gugaccuacc	agaacaucuc	caccauuuug	ccgccggcgc	ugcucggaaa	cagcaccgga	1560
auugauuucc	aagaugaacu	ggcgaauuc	uucaagaacg	uguccacuuc	cauucccaac	1620
uucggaagcc	ugacacagau	caaccaccac	cuucugcacc	ugaccuacga	gaugcugagc	1680
cuucaacaag	uggucaaggc	ccugaacgag	agcuacaucg	accugaagga	gcugggcaac	1740
uauaccuacu	acaacaagug	gccggacaag	auugaggaga	uucugucgaa	aaucuaccac	1800
auugaaaacg	agaucgccag	aaucaagaag	cuuaucggg	aagcc		1845

<210> SEQ ID NO 68

<211> LENGTH: 4071

<212> TYPE: RNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic Polynucleotide

<400> SEQUENCE: 68

auggaaaccc	cugcccagcu	gcuguuuccg	cugcugcugu	ggcugccuga	uaccaccggc	60
agcuauuggg	acgugggccc	cgauagcgug	aaguccgccu	guaucgaagu	ggacauccag	120
cagaccuuuu	ucgacaagac	cuggcccaga	cccuaucgacg	uguccaaggc	cgacggcauc	180
aucuauccac	aagggccggc	cuacagcaac	aucaccuuua	ccuaccaggg	ccuguuccca	240
uaucaaggcg	accacggcga	uauaguacgug	uacucugccg	gccacggccac	cggcaccaca	300
cccagaaaac	uguucguggc	caacuacagc	caggacguga	agcaguucgc	caacggcuuc	360
gucgugcggg	uuggggccgc	ugccaauagc	accggcacag	ugaucaucag	ccccagcacc	420
agcggccacca	uccggaagau	cuaccccgcc	uucaugcugg	gcagcuccgu	gggcauuuc	480
agcgacggca	agaugggccc	guucuucaac	cacaccucgg	ugcugcugcc	cgauggcugu	540
ggcacacugc	ugagagccuu	cuacugcauc	cuggaaccca	gaagcggcaa	ccacugcccu	600
gccggcaaua	gcuacaccag	cuucgcccac	uaccacacac	ccgccaccga	uugcuccgac	660
ggcaacuaca	accggaacgc	cagccugaac	agcuucaaag	aguacuuaa	ccugcggaac	720
ugcaccuuca	uguacaccua	caauaucacc	gaggacgaga	uccuggaaug	guucggcauc	780
accagaccgg	cccagggcgu	gcaccuguuc	agcagcagau	acguggaccu	guacggcggc	840
aacauguuucc	aguuuuccac	ccugcccugug	uacgacacca	ucaaguacua	cagcaucauc	900
ccccacagca	uccgguccau	ccagagcgac	agaaaagccu	gggccggccuu	cuacguguac	960
aagcugcagc	cccugaccuu	ccugcuggac	uucagcuggg	acggcuacau	cagacggggc	1020
aucgacugcg	gcuucaacga	ccugagccag	cugcacugcu	ccuacgagag	cuucgacgug	1080
gaaaagcggcg	uguacagcgu	guccagcuuc	gaggccaagc	cuagcggcag	cgugguggaa	1140
caggcugagg	gcuuggaaug	cgacuucagc	ccucugcuga	gcggcacccc	uccccaggug	1200

-continued

uacaacuuca agcggcuggu guucaccaac ugcaauuaca accugaccaa gcugcugagc	1260
cuguucucgg ugaacgacuu caccuguagc cagaucagcc cugccgccau ugccagcaac	1320
ugcuacagca gccugauccu ggacuacuuc agcuaccccc ugagcaugaa guccgaucug	1380
agcguguccu ccgccggacc caucagccag uucaacuaca agcagagcuu cagcaaccuu	1440
accugccuga uucuggccac cgugcccccac aaucugacca ccaucaccaa gcccugaaag	1500
uacagcuaca ucaacaagug cagcagacug cuguccgacg accggaccga agugcccag	1560
cucgugaacg ccaaccagua cagccccugc guguccaucg ugcccagcac cgugugggag	1620
gacggcgacu acuacagaaa gcagcugagc cccucggaaag gcggcggaug gcuggggcu	1680
ucuggaagca caguggccau gaccgagcag cugcagaugg gcuuuggcau caccgugcag	1740
uacggcacgg acaccaacag cgugugcccc aagcuggaau ucgccaauga caccaagauc	1800
gccagccagc ugghaaacug cguggaauac ucccuguaug gcguguccgg acggggcgug	1860
uuccagaauu gcacagcagu gggagugcgg cagcagagau ucguguacga ugccuaccag	1920
aaccucgugg gcuacuacag cgacgacggc aaauacuacu gccugcgggc cugugugucc	1980
gugcccgugu ccgugaucua cgacaaagag acaaagacc acgcccacac guucggcucc	2040
guggccugcg agcacaucag cuccaccaug agccaguacu cccgcuccac ccgguccaug	2100
cugaagcggg gagauagcac cuacggcccc cugcagacac cugugggaug ugugcugggc	2160
cucgugaaca gcucccuguu uguggaagau ugcaagcugc cccugggcca gagccugugu	2220
gccucgccag auacccuag caccucgacc ccuagaagcg ugcgucucgu gcccgcgaa	2280
augcggcugg ccuacuucgc cuucaaucac cccaucaggc uggaccagcu gaacuccagc	2340
uacuucaagc ugagcauucc caccaacuuc agcuucggcg ugacccagga guacauccag	2400
accacaauc agaaagugac cguggacugc aagcaguacg ugugcaacgg cuuucagaag	2460
ugcgaacagc ugucgcgca guacggccag uucugcagca agaucaacca ggcccugcac	2520
ggcgccaacc ugagacagga ugacagcgug cggaaaccugu ucgcccagcu gaaaagcagc	2580
caguccagcc ccaucauucc ugguucggc ggcgacuuu accugacccu gcuggaaccu	2640
guguccaaca gcaccggcuc cagaagcggc agaucggcca ucgaggaccu gcuguucgac	2700
aaagugacca uugccgacc cgguacaug caggguacg acgauugcau gcagcagggc	2760
ccagccagcg ccagggaucu gaucugugcc caguauugg ccggcuacaa ggugcugccc	2820
ccccugaugg acgugaacau ggaagccggc uacaccucca gccugcuggg cucuauugcu	2880
ggcugggau ggacagccgg ccugucuage uuugccgcca uccuuucgc ccagagcauc	2940
uucuccggc ugaacggcgu gggcaucaca caacaggugc ugagcgagaa ccagaagcug	3000
aucgccaaca aguuuaacca ggcacugggc gccaugcaga ccggcuucac caccaccaac	3060
gaggccuua gaaaggugca ggacgccgug aacaacaacg cccaggcucu gagcaagcug	3120
gccuccgagc ugagcaauac cuucggcgcc aucagcggcu ccaucggcga caucauccag	3180
cggcuggagc ugucggaaca ggacgcccag aucgaccggc ugaucaacgg cagacugacc	3240
accucgaaag ccuucguggc acagcagcuc gugcggagcg aaucgcccgc ucugucugcu	3300
cagcuggcca aggacaaagu gaacgagugc gugaaggccc aguccaagcg gagcggcuuu	3360
uguggccagg gcacccacau cguguccuuc gucgugaug cccccaacgg ccuguaucuu	3420
augcacgugg gcuauuacc cagcaaccac aucgaggugg ugucggcua ugccucugc	3480
gacggccca auccuaccaa cuguaucgcc cccgugaacg gcuacuucan caagaccaac	3540

-continued

```

aacacccgga ucguggacga gugguccuac acaggcagca gcuucuacgc ccccgagccc 3600
aucaccuccc ugaacaccaa auacguggcc cccaaguga cauaccagaa cauccacc 3660
aaccugcccc cuccacugcu gggaaauucc accggcaucg acuuccagga cgagcuggac 3720
gaguucuuca agaacguguc caccuccauc cccaacuucg gcagccugac ccagaucaac 3780
accacucugc uggaccugac cuacgagaug cugucccugc aacaggucgu gaaagcccug 3840
aacgagagcu acaucgaccu gaaagagcug gggaaacuaca ccuacuacaa caaguggccu 3900
ugguacauuu ggcugggcuu uaucgcccgc cugguggccc uggcccugug cguguucuu 3960
auccugugcu gcaccggcug cggcaccaau ugcaugggca agcugaaaug caaccggugc 4020
ugcgacagau acgaggaaua cgaccuggaa ccucacaaag ugcaugugca c 4071

```

```

<210> SEQ ID NO 69
<211> LENGTH: 1864
<212> TYPE: RNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic Polynucleotide

```

```

<400> SEQUENCE: 69
ucaagcuuuu ggaccucgu acagaagcua auacgacuca cuauagggaa auaagagaga 60
aaagaagagu aagaagaaau auaagagcca ccaugggucu caaggugaac gucucugccg 120
uauucauggc aguacuguaa acucuccaaa caccgcccgg ucaaaaucau uggggcaauc 180
ucucuaagau agggguagua ggaauaggaa gugcaagcua caaaguuauug acucguucca 240
gccaucaauc auuagucuaa aaauuaaugc ccaauuaaac ucuccucaau aacugcacga 300
ggguagagau ugcagaauac aggagacuac uaagaacagu uuuggaacca auuagggauug 360
cacuuaaugc aaugaccagc aacauaaggc cgguucagag cguagcuuca aguaggagac 420
acaagagauu ugcgggagua guccuggcag gugcggcccu agguuguugc acagcugcuc 480
agauaacagc cggcauugca cuucaccggu ccaugcugaa cucucaggcc aucgacaauc 540
ugagagcgag ccuggaaauc acuaaucagg caauugaggc aaucagacaa gcagggcagg 600
agaugauuuu ggcuguucag gguguccaag acuaacauca uaaugagcug auaccgucua 660
ugaaccagcu aucuugugau cuaaucgguc agaagcucgg gcucaaaauug cuuagauacu 720
auacagaaau ccugucuaau uuuggcccca gccuacggga ccccauaucu gcgggagauu 780
cuauccaggc uuugaguuuu gcacuuggag gagauaucaa uaagguguua gaaaagcucg 840
gauacagugg aggcgauuuu cuaggcaucu uagagagcag aggaauaaag gcucggauaa 900
cucacgucga cacagagucc uacuucouag uccucaguau agccuauccg acgcuguccg 960
agauuaaggg ggugauuguc caccggcuag agggggucuc guacaacaua ggcucucaag 1020
agugguauac cacugugccc aaguauguug caaccacaagg guaccuuauc ucgaauuuug 1080
augagucauc auguacuuc augccagagg ggacugugug cagccaaaau gccuuguacc 1140
cgaugagucc ucugcuccaa gaaugccucc ggggguccac caaguccugu gcucguacac 1200
ucguauccgg gucuuuuggg aaccgguuca uuuuaucaaa agggaaaccua auagccaauu 1260
gugcaucaau ucuuuguaag uguuacacaa cagguacgau uauuaaucaa gaccugaca 1320
agauccaauc auacauugcu gccgaucgcu gcccgguagu cgaggugaac ggcgugacca 1380
uccaagucgg gagcaggagg uauccagacg cuguguacuu gcacagaauu gaccucgguc 1440
cucccauauc auuggagagg uuggacguag ggacaaaucu ggggaauuca auugccaaau 1500
uggaggaugc caaggaauug uuggaaucau cggaccagau auugagaagu augaaagguu 1560

```

-continued

uaucgagcac uagcauaguc uacauccuga uugcagugug ucuuggaggg uugauagga	1620
uccccacuuu aaauuguugc ugcagggggc guuguacaa aaagggagaa caaguuggua	1680
ugucaagacc aggccuaaag ccugaccuaa caggaacauc aaaauccuau guaagaucgc	1740
uuugaugaua auaggcguga gccucggugg ccaagcuucu ugccccuugg gccucggggc	1800
agccccuccu ccccuuccug caccguacc cccguggucu uugaauaaag ucugaguggg	1860
cggc	1864

<210> SEQ ID NO 70

<211> LENGTH: 1653

<212> TYPE: RNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic Polynucleotide

<400> SEQUENCE: 70

augggucuca agggagaacgu cucugccgua uucauggcag uacuguaac ucuccaaaca	60
cccgccgguc aaaucauug gggcaaucuc ucaagauag ggguguaggg aaaggaagu	120
gcaagcuaca aaguuugac ucuuccagc caucaucau uagucuaaa auuaaugccc	180
aaauaacuc ucccauaaa cugcagagg guagagauug cagaauacag gagacuacia	240
agaacaguuu uggaaccau uagggaugca cuuaaugcaa ugaccagaa cauaaggccg	300
guucagagcg uagcuucaag uaggagacac aagagauuug cgggaguagu ccuggcaggu	360
gcggccuag guguuaccac agcugcucag auaacagccg gcauugcacu ucaccggucc	420
augcugaacu cucaggccau cgacaaucug agagcgagcc uggaacuac uaaucaggca	480
auugaggcaa ucagacaagc agggcaggag augauauugg cuguucaggg uguccaagac	540
uacaucaua augagcugau accgcuau aaccagcuau cuugugaucu aaucggucag	600
aagcucgggc ucauuugcu uagauacuau acagaaaucc ugucauuuu ugccccagc	660
cuaccggacc ccuauucugc ggagauaucu auccaggcuu ugaguuaugc acuggagga	720
gauucauaa aggguguuga aaagcucgga uacaguggag gcgauuuacu aggcaucuua	780
gagagcagag gaauaaaggc ucggauaacu cacgucgaca cagaguccua cuucauguc	840
cucaguauag ccuauccgac gcuguccgag auuaaggggg uguuugucca ccggcuagag	900
ggggucucgu acaacauagg cucucaagag ugguauacca cugugccca guauguugca	960
acccaagggu accuuucuc gaauuuugau gagucaucau guacuuucau gccagagggg	1020
acugugugca gccaaaugc cuuguaccgc augaguccuc ugcuccaaga augccuccgg	1080
ggguccacca aguccuguc ucguacacuc guaucgggu cuuuugggaa ccgguucauu	1140
uuaucaaca ggaaccuau agccaauugu gcaucaauuc uuuguaagug uuacacaaca	1200
gguacgauua uuaaucaaga ccugacaag auccuaacau acuuugcugc cgauccugc	1260
ccgguagucg agggagaacg cgugaccauc caagucggga gcaggaggua uccagagcgu	1320
guguacuugc acagaauuga ccucgguccu cccauaucu ugagaggguu ggacguaggg	1380
acaaauucgg ggaauucau ugccaaauug gaggaugcca aggaauuguu ggaaucaucg	1440
gaccagauau ugagaauau gaaagguua ucgagcacua gcauagucua cauccgauu	1500
gcaguguguc uuggaggguu gauagggauc cccacuuuaa uauguugcug cagggggcgu	1560
uguaacaaaa agggagaaca aguugguau ucaagaccag gccuaagcc ugaccuaca	1620
ggaacauca aaucuaugu aagaucguu uga	1653

-continued

```

<210> SEQ ID NO 71
<211> LENGTH: 1925
<212> TYPE: RNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic Polynucleotide

<400> SEQUENCE: 71
ggggaaauaa gagagaaaag aagaguaga agaaauauaa gagccaccu gggucucaag   60
gugaacgucu cugccguuuu cauggcagua cuguuaacuc uccaaacacc cgccggucaa   120
auucauuggg gcaaucucuc uaagauaggg guaguaggaa uaggaagugc aagcuacaaa   180
guuauagacuc guuccagcca ucaaucauuu gucauauuuu uauugcccaa uauaacucuc   240
cucauuuacu gcacgagggg agagauugca gaauacagga gacuacuaag aacaguuuuu   300
gaaccauuuu gggaugcacu uauugcaaug acccagaaca uaaggccggg ucagagcgua   360
gcuucaagua ggagacacaa gagauuugcg ggaguagucc uggcaggugc ggccuaggu   420
guugccacag cugcucagau aacagccggc auugcacuuc accgguccau gcugaacucu   480
caggccaucg acaaucugag agcgagccug gaaacuacua aucaggcaau ugaggcaauc   540
agacaagcag ggcaggagau gauuuuggcu guucagggug uccaagacua caucauuuu   600
gagcugauac cgucuaugaa ccagcuauuc ugugaucuaa ucgucagaa gcucggguc   660
aaauugcuua gauacuauac agaaauccug ucauuuuuug gcccagccu acgggacccc   720
auaucugcgg agauaucuau ccaggcuuug aguuuugcac ugggaggaga uaucauuuag   780
guguuagaaa agcucggaua caguggaggc gauuuacuag gcaucuuaga gagcagagga   840
auaaaggcuc ggauaacuca cgucgacaca gaguccuacu ucauaguccu caguauagcc   900
uauccgacgc uguccgagau uaagggggug auuguccacc ggcugagagg ggcucguac   960
aacauaggcu cucaagagug guauaccacu gugcccaagu auguugcaac ccaaggguac   1020
cuuauucuga auuuugauga gucaucaugu acuuucaugc cagaggggac ugugucgagc   1080
caaaaugccu uguaccgcu gaguccucug cuccaagaau gccuccgggg guccaccaag   1140
uccugugcuc guacacucgu auccggguc uuuuggaacc gguucauuuu aucacaagg   1200
aaccuuuag ccaauuguc aucauuucuu uguuaguuu acacaacagg uacgauuuuu   1260
aaucaagacc cugacaagau ccuaacauac auugcugccg aucgucgccc gguagucgag   1320
gugaacggcg ugaccaucca agucgggagc aggagguuac cagacgcugu guacuugcac   1380
agaaugacc ucgguccucc cauucauug gagagguugg acguagggac aaucugggg   1440
aaugcauuug ccauuuuga ggauugcaag gaauguuug aaucaucgga ccagauuuug   1500
agaaguaua aagguuuuac gagcacuagc auagucuaca uccugauugc agugugucuu   1560
ggaggguuu uagggauccc cacuuuaua uguugcugca gggggcgguu uaacaaaaag   1620
ggagaacaag uugguauguc aagaccaggc cuaaagccug accuuacagg aacaucaaaa   1680
uccuauuuu gaucgcuuug augauuuuag gcuggagccu cgguggccaa gcuucuuugc   1740
ccuugggccc cccccagcc ccuccucucc uuccugcacc cguacccccg uggucuuuga   1800
auaaagucug agugggccc aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa   1860
aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa   1920
ucuag                                             1925

```

```

<210> SEQ ID NO 72
<211> LENGTH: 1864

```

-continued

```

<212> TYPE: RNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic Polynucleotide

<400> SEQUENCE: 72
ucaagcuuuu ggaccucgu acagaagcua auacgacuca cuauagggaa auaagagaga      60
aaagaagagu aagaagaaau auaagagcca ccaugggucu caaggugaac gucucuguca      120
uauucauggc aguacuguaa acucucaaaa caccaccgg ucaaaucgau uggggcaauc      180
ucucuaagau agggguggua gggguaggaa gugcaagcua caaaguuau acucguucca      240
gccaucaauc auuagucuaa aaguuaaagc ccaauuaaac ucuccucaac aaugcacga      300
ggguagggau ugcagaauac aggagacuac ugagaacagu ucuggaacca auuagagaug      360
cacuuauagc aaugaccag aauuaagac cggucagag uguagcuuca aguaggagac      420
acaagagauu ugcgggaguu guccuggcag gugcggccu aggcguugcc acagcugcuc      480
aaauaacagc cgguaauugc cuucaccagu ccaugcugaa cucucaagcc aucgacaauc      540
ugagagcgag ccuagaaacu acuaaucagg caauugaggc aaucagacaa gcagggcagg      600
agaugauuuu ggcugucag gguguccaag acuacaucaa uaaugagcug auaccgucua      660
ugaaucacu aucuugugau uuaaucggcc agaagcuagg gcucaaaauug cucagauacu      720
auacagaaau ccugucuaau uuuggcccca gcuuacggga ccccauauuc gcggagauau      780
cuauccaggc uuugagcuau gcgcuuggag gagauaucaa uaagguguug gaaaagcucg      840
gauacagugg aggugaucua cugggcaucu uagagagcag aggaauaaag gcccgauaa      900
cucacgucga cacagagucc uacuucuuug uacucaguau agccuauccg acgcuauccg      960
agauuaaggg ggugauugc caccggcuag agggggucuc guacaacaua ggcucucaag      1020
agugguauac cacugugccc aaguauguug caaccaagg guaccuuauc ucgaauuuug      1080
augagucauc augcacuuuc augccagagg ggacugugug cagccagaau gccuuguacc      1140
cgaugagucc ucugcuccaa gaaugccucc ggggguccac uaaguccugu gcucguacac      1200
ucguauccgg gucuuucggg aaccgguuca uuuuaucaca ggggaaccua auagccaauu      1260
gugcaucaau ccuugcaag uguuacacaa caggaacaau cauuaucaaa gaccugaca      1320
agauccuaac auacauugcu gccgaucacu gcccgguugu cgaggugaau ggcgugacca      1380
uccaagucgg gagcaggagg uaaccggacg cuguguacuu gcacaggauu gaccucgguc      1440
cucccauauc uuugggagagg uuggacguag ggacaaaucu ggggaaugca auugcuaagu      1500
uggaggauag caaggaauug uuggagucuu cggaccagau auugaggagu augaaagguu      1560
uaucgagcac uaguauaguu uacaucuga uugcagugug ucuuggagga uugauagggg      1620
uccccgcuuu aauauguugc ugcagggggc guuguacaaa gaagggagaa caaguuggua      1680
ugucaagacc aggccuaaag ccugaucuua caggaacauc aaaauccuau guaaggucac      1740
ucugaugaua auaggcugga gccucggugg ccaagcuucu ugccccuugg gccucccccc      1800
agccccuccu ccccuucug caccguacc cccguggucu uugaauaaag ucugaguggg      1860
cggc

```

```

<210> SEQ ID NO 73
<211> LENGTH: 1653
<212> TYPE: RNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic Polynucleotide

```

-continued

<400> SEQUENCE: 73

```

augggucuca agggagaacgu cucugucaua uucauggcag uacuguaaac ucuucaaca 60
ccccccgguc aaauccauug gggcaaucuc ucuaagauag gggugguagg gguaggaagu 120
gcaagcuaca aaguuuugac ucuuuccagc caucaaucau uagucuaaaa guuaaugccc 180
aaauaaacuc uccucaacaa uugcacgagg guagggauug cagaauacag gagacuacug 240
agaacaguuc uggaaaccau uagagaugca cuuaaugcaa ugaccagaa uauaagaccg 300
guucagagug uagcuucaag uaggagacac aagagauuug cgggaguugu ccuggcaggu 360
gcggcccuag gcuuugccac agcugcucaa auaacagccg guauugcacu ucaccagucc 420
augcugaacu cucaagccau cgacaauaug agagcgagcc uagaaacuac uaaucaggca 480
auugaggcaa ucagacaagc agggcaggag augauuuugg cuguucaggg uguccaagac 540
uacaucaaua augagcugau accgucuaug aaucacuau cuugugauuu aaucggccag 600
aagcuagggc ucauuuugcu cagauacuau acagaaaucc ugucauuuu uggccccagc 660
uuacgggacc ccuaucugc ggagauaucu auccaggcuu ugagcuaugc gcuuggagga 720
gauaucaaua aggguguuga aaagcucgga uacaguggag gugaucuacu gggcaucuua 780
gagagcagag gaauaaaggc ccggauaacu cacgucgaca cagaguccua cuucauugua 840
cucaguauag ccuaucggac gcuauccgag auuaaggggg uguuugucca ccggcuagag 900
ggggucucgu acaacauagg cucucaagag ugguaauacca cugugcccaa guauguugca 960
acccaagggu accuuauucg gaauuuugau gagucaucau gcacuuucau gccagagggg 1020
acugugugca gccagaauug cuuguaccgg augaguccuc ugcuccaaga augccuccgg 1080
ggguccacua aguccuguc ucguacacuc guauccgggu cuuucgggaa ccgguucauu 1140
uuaucacagg ggaaccuauu agccaauugu gcaucaaucc uuugcaagug uuacacaaca 1200
ggaacaauca uuaaucaaga ccugacaag auccuacauu acauugcugc cgauacugc 1260
ccgguggucg agggagaugg cgugaccauc caagucggga gcaggaggua uccggacgcu 1320
guguacuugc acaggauuga ccucgguccu cccauaucuu uggagagguu ggacguaggg 1380
acaaaucugg ggaauugcau ugcuaaguug gaggaugcca aggaauuguu ggagucaucg 1440
gaccagauau ugaggaguuu gaaagguuuu ucgagcacua guauaguuuu cauccugauu 1500
gcaguguguc uuggaggauu gauagggauc cccgcuuuua uauguugcug cagggggcgu 1560
uguaacaaga agggagaaca aguugguaug ucaagaccag gccuaagcc ugauuuaca 1620
ggaacaucaa aauccuauu aaggucacuc uga 1653

```

<210> SEQ ID NO 74

<211> LENGTH: 1925

<212> TYPE: RNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic Polynucleotide

<400> SEQUENCE: 74

```

ggggaaauaa gagagaaaag aagaguaaga agaaauauaa gagccaccau gggucucaag 60
gugaacgucu cugucauuu cauggcagua cuguuaacuc uucaaacacc caccggucaa 120
auccaauugg gcaaucucuc uaagauaggg gugguagggg uaggaagugc aagcuacaaa 180
guuauagacuc guuccagcca ucaaucauuu gucauuuagu uauugcccaa uauaacucuc 240
cucaacaauu gcacgagggg agggauugca gaauacagga gacuacugag aacaguucug 300
gaaccauuu gagaugcacu uauugcauug acccagaaua uaagaccggg ucagagugua 360

```

-continued

gcuucaagua ggagacacaa gagauuugcg ggaguugucc uggcaggugc ggcccuaggc	420
guugccacag cugcucaaa aacagccggu auugcacuuc accaguccau gcugaacucu	480
caagccaucg acaaucugag agcgagccua gaaacuacua aucaggcaau ugaggcaauc	540
agacaagcag ggcaggagau gauauuggcu guucagggug uccaagacua caucauaau	600
gagcugauac cgucuaugaa ucaacuauuc ugugauuuua ucggccagaa gcuagggcuc	660
aaauugcuca gauacuauac agaaauccug ucauuuuug gcccagcuu acgggacccc	720
auaucugcgg agauaucuau ccaggcuuug agcuauugcg uggaggaga uaucauaag	780
guguuggaaa agcucggaua caguggaggu gaucuacugg gcaucuuaga gagcagagga	840
auaaaggccc ggauaacuca cgucgacaca gaguccuacu ucauuguacu caguauagcc	900
uauccgacgc uauccgagau uaagggggug auuguccacc ggcuaagggg ggucucguac	960
aacauaggcu cucaagagug guauaccacu gugcccaagu auguugcaac ccaaggguac	1020
cuuauucuga auuuugauga gucaucaugc acuuucaugc cagaggggac ugugucgagc	1080
cagaaugccu uguaccgagau gaguccucug cuccaagaau gccuccgggg guccacuaag	1140
uccugugcuc guacacucgu auccggguc uucgggaacc gguucauuuu aucacagggg	1200
aaccuaauag ccaauuguc aucaauccuu ugcaaguguu acacaacagg aacaaucauu	1260
aaucaagacc cugacaagau ccuaacauac auugcugccg aucacugccc gguggucgag	1320
gugaauggcg ugaccaucca agucgggagc aggagguauc cggacgcugu guacuugcac	1380
aggauugacc ucgguccucc cauaucuuug gagagguugg acguagggac aaaucugggg	1440
aaugcaauug cuaaguugga ggaugccaag gaauguugg agucaucgga ccagauauug	1500
aggaguaua aagguuuuac gagcacuagu auaguuuaca uccugauugc agugugucuu	1560
ggaggauuga uagggauccc cgcuuuuaa uguugcugca gggggcgug uacaagaag	1620
ggagaacaag uugguauugc aagaccaggc cuaaagccug aucuuacagg aacaucaaaa	1680
uccuauguaa ggucacucug augauaaug gcuggagccu cgguggccaa gcuuucugcc	1740
ccuugggccc cccccagcc ccucccccc uuccugcacc cguacccccg uggucuuuga	1800
auaaaagucug aguggggcggc aaaaaaaaa aaaaaaaaa aaaaaaaaa aaaaaaaaa	1860
aaaaaaaaa aaaaaaaaa aaaaaaaaa aaaaaaaaa aaaaaaaaa aaaaaaaaa	1920
ucuag	1925

<210> SEQ ID NO 75

<211> LENGTH: 2065

<212> TYPE: RNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic Polynucleotide

<400> SEQUENCE: 75

ucaagcuuuu ggaccucgu acagaagcua auacgacuca cuauagggaa auaagagaga	60
aaagaagagu aagaagaaau auaagagcca ccaugcacc gcaacgagac cggauaaaug	120
ccuucuaaa agauaaccuu uauccaagg gaaguaggau aguuuuuac agagaacauc	180
uuauugaua cagaccuau guucugcugc cuguucuguu cguauguuu cugagcuuga	240
ucggauugcu ggcaauugca ggcauuagac uucaucgggc agccaucuc accgcccgaga	300
uccauaaaag ccucaguacc aaucuggaug ugacuaacuc caucgagcau caggucaagg	360
acgugcugac accacucuuu aaaaucaucg gggauagaagu gggccugaga acaccucaga	420

-continued

gauucacuga ccuagugaaa uucaucucgg acaagauuaa auuccuuaa cggauaggg	480
aguacgacuu cagagaucuc acuuggugca ucaacccgcc agagaggauc aaacuagauu	540
augaucaaaa cugugcagau guggcugcug aagagcucou gaauagcaug gugaacucua	600
cucuacugga gaccagaaca accacucagu uccuagcugu cucaaagga aacugcucag	660
ggcccacuac aaucagaggu caauucucua acaugucgcu guccuuguug gacuuguacu	720
uaggucgagg uuacaauug ucaucuaug ucacuaugac auccagggga auguaugggg	780
gaaccuaccu aguugaaaag ccuaaucuga acagcaaagg gucagaguug ucacaacuga	840
gcauguaccg aguuuuugaa guagguguga ucagaaacct ggguuuuggg gcuccggugu	900
uccauaugac aaacuauuuu gagcaaccag ucaguaaugg ucucggcaac uguauaggug	960
cuuuuggggg gcucaaaacuc gcagccuuu gucacgggga cgauucuauc auaauuccu	1020
aucagggauc agggaaaaggu gucagcuucc agcucgucua gcuggguguc uggaaaacct	1080
caaccgacau gcaauccugg gucccccua caacggauga uccaguggua gacagccuu	1140
accucucauc ucacagaggu gucaucgucg acaaucaagc aaaaugggcu gucccgaca	1200
cacgaacaga ugacaaguug cgaauaggaga caugcuucca gcaggcgugu aaagguaaaa	1260
uccaagcacu cugcgagaau cccgaguggg uaccauugaa ggauaacagg aucccucau	1320
acgggguccu gucuguugau cugagucuga cgguugagcu uaaaaucua auugcuucgg	1380
gauucgggcc auugaucaca cacggcucag ggauggaccu auacaaaucc aacugcaaca	1440
auguguauug gcugacuaau ccgccaauga gaaaucuagc cuuaggcgua aucaacacau	1500
uggaguggau accgagauuc aagguuaguc ccaaccucuu cacugucca auuaaggaag	1560
caggcgaaga cugccaugcc ccaacauacc uaccugcgga gguggacggu gaugcaaac	1620
ucaguuccaa ccuggugauu cuaccugguc aagaucucca auauguuuug gcaaccuacg	1680
auaccuccag gguugagcau gcugugguuu auuacguua cagcccaagc cgcucauuu	1740
cuuacuuuuu uccuuuagg uuuccuauaa aggggguccc aaucgaaucua caaguggaau	1800
gcuucacaug ggaucaaaaa cucuggugcc gucacuucug ugugcuugcg gacucagaau	1860
ccgguggacu uaucacucac ucugggaug uggcgaugg agucagcugc acagcuacct	1920
gggaagagg aaccaaucgc aguaaauug auuaggcugg agccucggug gccaaagcuu	1980
uugcccuug ggcuccccc cagcccccuc ucccuuccu gcacccguac ccccugguc	2040
uuugaauaaa gucugagugg gcggc	2065

<210> SEQ ID NO 76

<211> LENGTH: 1854

<212> TYPE: RNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic Polynucleotide

<400> SEQUENCE: 76

augucaccgc aacgagaccg gauaaugcc uuucuaaaag auaacccua uccaagggga	60
aguaggauag uuauuaacag agaacaucuu augauugaca gaccuauug ucugcuggcu	120
guucuguucg ucauguuuu gagcuugauc ggaugcugg caauugcagg cauuagacuu	180
caucgggcag ccaucucac cgcgagauc cauaaaagcc ucaguacaa ucuggaugug	240
acuaacucca ucgagcauca ggucaaggac gucgucacac cacucuuua aucaucggg	300
gaugaagugg gccugagaac accucagaga uucacugacc uagugaaau caucucggac	360
aagauuaau uccuuaucc ggaugggag uacgacuua gagaucucac uuggugcauc	420

-continued

```

aaccgccag agaggaucaa acuagauuau gaucaauacu gugcagaugu ggcugcugaa 480
gagcucauga augcauuggu gaacucaacu cuacuggaga ccagaacaac cacucaguuc 540
cuagcugucu caaagggaaa cugcucaggg cccacuacaa ucagagguca auucuaaac 600
augucgcugu ccuuguugga cuuguacuua ggucgagguu acaauguguc aucuauaguc 660
acuauagacau cccagggaauguauggggga accuaccuag uugaaaagcc uauucugaac 720
agcaaagggg cagaguuguc acaacugagc auguaccgag uguuugaagu aggugugauc 780
agaaaccggg guuugggggc uccgguguuc cauaugacaa acuauuuuga gcaaccaguc 840
aguaaugguc ucggcaacug uaugguggcu uugggggagc ucaaacucgc agccuuugu 900
cacggggagc auucuaucan auuuccuau cagggaucag ggaaaggugu cagcuuccag 960
cucgucaagc ugggugucug gaaaucacca accgacaugc aaucugggu cccuuauca 1020
acggaugauc cagugguaga caggcuuuac cucucaucuc acagaggugu caucgugac 1080
aaucaagcaa auugggcugu cccgacaaca cgaacagaug acaaguugcg auuggagaca 1140
ugcuuccagc aggcguguaa agguaaaauc caagcacucu gcgagaaucc cgagugggua 1200
ccauugaagg auaacaggau uccuucanac gggguccugu cuguugaucu gagucugacg 1260
guugagcuua aaaucaaaa ugcucggga uccgggccau ugaucaaca cggcucaggg 1320
auggaccuau acaaaucan cugcaacaau guguauggc ugacuauucc gccaaugaga 1380
aaucugccu uaggcguaau caacacauug gaguggauc cgagauuca gguuagucc 1440
aaccucuca cuguccaan uaggaagca ggcgaagacu gccaugccc acauaccua 1500
ccugcggagg uggaggguga ugucaaacuc aguuccaacc uggugauuc accuggucaa 1560
gaucuccaan auguuuggc aaccuacgau accuccaggg uugagcaugc ugguuuuau 1620
uacguuaca gcccaagccg cucauuuuc uacuuuuc cuuuagggu gccuuaaag 1680
ggggucccaa ucgaacuaca aguggaagc uucacaugg aucaaaaacu cuggugccgu 1740
cacucugug ugcucggga cucagaaucc ggugacuua ucacucacuc ugggauggug 1800
ggcaugggag ucagcugcac agcuaccgg gaagauggaa ccaaucgag auaa 1854

```

<210> SEQ ID NO 77

<211> LENGTH: 2126

<212> TYPE: RNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic Polynucleotide

<400> SEQUENCE: 77

```

ggggaaauaa gagagaaaag aagaguaga agaaauuaa gagccaccau gucaccgcaa 60
cgagaccgga uaaaugccu cuacaagau aaccuuuac ccaagggag uaggauagu 120
auaacagag acaucuuau gauugacaga cccuauugc ugcuggcugu ucuguucguc 180
auguuucuga gcuugaucgg auugcuggca auugcaggca uuagacuua ucgggcagcc 240
aucuacaccg cggagaucca uaaaagccuc aguaccaauc uggauugac uaacuccauc 300
gagcaucagg ucaaggacgu gcugacacca cucuuuaaaa ucaucgggga ugaagugggc 360
cugagaacac cucagagau cacugaccua gugaaauca ucucggacaa gauuaaauc 420
cuuaaaccgg auagggagua cgacuucaga gaucucacu ggugcauca cccgccagag 480
aggaucaaac uagauuauga ucaauacug gcagauggg cugcugaaga gcucaugaau 540
gcauggguga acucaacuc acuggagacc agaacaacca cucaguuccu agcugucua 600

```

-continued

aagggaaacu gcucagggcc cacuacaau agaggucaau ucucaaacau gucgcugucc	660
uuguuggacu uguacuagg ucgagguuac aaugugucou cuauagucac uaugacauc	720
cagggaau guauggggaac cuaccuaguu gaaaagccua aucugaacag caaaggguca	780
gaguugucac aacugagcau guaccgagug uuugaaguag gugugaucag aaaccgggu	840
uuggggguc cggugucca uaugacaaac uuuuuugagc aaccagucag uauuggucuc	900
ggcaacugua uggugguuu gggggagcuc aaacucgag cccuuugua cggggacgau	960
ucuaucuaa uucccauca gggaucagg aaagguguca gcuuccagcu cguaagcug	1020
ggugucugga aaucaccaac cgacaugca uccuggucc ccuaucac ggaugauca	1080
gugguagaca ggcuuuaccu cucaucucac agagguguca ucgcugacaa ucaagcaaaa	1140
ugggcugucc cgacaacacg aacagaugac aaguugcga uggagacaug cuuccagcag	1200
gcguguaaag guaaaaucca agcacucucg gagaaucccg agugguacc auugaaggau	1260
aacaggauuc cuucauacgg ggucucuguc guugaucuga gucugacgg uagcuuaaa	1320
aucaaaaug cuucgggauu cgggccauug aucacacacg gcucagggau ggaccuauac	1380
aaauccaacu gcaacaau guauuggcug acuaauccgc caaugagaaa ucuagccua	1440
ggcguaauca acacauugga guggauaccg agauucaagg uuaguccaa ccucucacu	1500
gucccauuu aggaagcagg cgaagacucg caugcccaa cauaccuacc ugcggaggug	1560
gacggugaug ucaaacucag uucaaccug gugauucac cuggucaaga ucuccauau	1620
guuuuggcaa ccuacgauac cuccaggguu gagcaugcug ugguuuaua cguuuacagc	1680
ccaagccgc cauuuuuuu cuuuuauccu uuuaagguug cuauaaagg ggucccauc	1740
gaacuacaag uggaaugcu cacauuggau caaaaacuc ggugccguca cuucugugug	1800
cuugcgacu cagaauccgg uggacuuauc acucacucg ggauggugg caugggaguc	1860
agcugcacag cuaccggga agauggaacc aaucgcagau aaugauaua ggcuggagcc	1920
ucgguggcca agcuucucg cccuugggcc uccccccagc cccuccucc cuuccugc	1980
ccguacccc guggucuuug aauaaaguc gaguggcgg caaaaaaaaa aaaaaaaaa	2040
aaaaaaaaa aaaaaaaaa aaaaaaaaa aaaaaaaaa aaaaaaaaa aaaaaaaaa	2100
aaaaaaaaa aaaaaaaaa aucuag	2126

<210> SEQ ID NO 78

<211> LENGTH: 2065

<212> TYPE: RNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic Polynucleotide

<400> SEQUENCE: 78

ucaagcuuuu ggaccuccu acagaagcua auacgacuca cuauaggga auaagagaga	60
aaagaagagu aagaagaaau auaagagcca ccaugucacc acaacgagac cggauaaaug	120
ccuucuaaca agacaacccc cauccuaagg gaaguaggau aguuuuuac agagaacauc	180
uuauuuuga uagaccuuu guuuugcugg cuguucuuu cgucuuuuu cugagcuuga	240
ucggguugcu agccauugca ggcuuuagac uucaucgggc agccaucuac accgcagaga	300
uccauaaaag ccucagcacc aaucuggaug uaacuaacuc aaucgagcau cagguaaagg	360
acgugcugac accacucuc aagaucucg gugaugaagu gggcuugagg acaccucaga	420
gauucacuga ccuagugaag uucaucucg acaaguuua auuccuuuuu cggacaggg	480
aaucgacuu cagagucuc acuuugugua ucaaccgcc agagagauc aaauuggauu	540

-continued

```

augaucaaua  cugugcagau  guggcugcug  aagaacucou  gaugcauug  gugaacucaa  600
cucuacugga  gaccagggca  accaaucagu  uccuagcugu  cucaaagga  aacugcucag  660
ggcccacuac  aaucagaggc  caauucucua  acaugucgcu  gucccuguug  gacuuguauu  720
uaagucgagg  uuacaauug  ucaucuauag  ucacuaugac  aucccagga  auguacgggg  780
gaacuuaccu  aguggaaaag  ccuaaucuga  gcagcaaagg  gucagaguug  ucacaacuga  840
gcaugcaccg  aguguuugaa  guagguguaa  ucagaaaucc  ggguuugggg  gcuccgguaa  900
uccauaugac  aaacuauuu  gagcaaccag  ucaguauuga  uuucagcaac  ugcauggug  960
cuuuugggga  gcucaaguuc  gcagccucu  gucacagga  agauucuauc  acaauuccu  1020
aucagggauc  agggaaaag  gucagcuuc  agcuuguca  gcuagguguc  uggaaaaucc  1080
caaccgacau  gcaauccug  gucccucua  caacggauga  uccagugua  gacagguuu  1140
accucucauc  ucacagaggc  guuaucguc  acaaucaagc  aaaauuggcu  gucccgaca  1200
cacggacaga  ugacaaguug  cgaauaggaga  caugcuucca  gcaggcgugu  aaggguaaaa  1260
uccaagcacu  uugcgagaau  cccgagugga  caccuugaa  ggauaacagg  auccuucua  1320
acggggucuu  gucuguugau  cugagucuga  caguugagcu  uaaaaucua  auuguuucag  1380
gauucgggcc  auugaucaca  cacgguucag  ggauggaccu  auacaaauc  aaccacaaca  1440
auauguaau  gcugacuau  ccgccaauga  agaaccuggc  cuuaggugua  aucaacacau  1500
uggaguggau  accgagauuc  aagguuaguc  ccaaccucu  cacuguucca  auuaaggaag  1560
caggcgagga  cugccaugcc  ccaacauacc  uaccugcgga  gguggauggu  gaugcaaac  1620
ucaguuccaa  ucuggugau  cuaccuguc  aagaucucca  auauguucug  gcaaccuacg  1680
auacuuccag  aguugaacau  gcuguaguuu  auuacguua  cagcccaagc  cgcuauuuu  1740
cuuacuuuu  uccuuuagg  uugccugua  ggggggucc  cauugaaua  caaguggaau  1800
gcuucacaug  ggacaaaaa  cucuggugcc  gucacuucug  ugugcuugcg  gacucagaau  1860
cugguggaca  uaucacucac  ucugggaug  uggcgaugg  agucagcugc  acagccacuc  1920
gggaagaug  aaccagccgc  agauagugau  auaggcug  agccucggug  gccaaagcu  1980
uugccccuug  ggcuccccc  cagccccucc  ucccuuccu  gcaccguc  ccccgugguc  2040
uuugaauaaa  gucugagug  gcggc  2065

```

<210> SEQ ID NO 79

<211> LENGTH: 1854

<212> TYPE: RNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic Polynucleotide

<400> SEQUENCE: 79

```

augucaccac  aacgagaccg  gauaaugcc  uucuacaaag  acaaccccc  uccuaagga  60
aguaggauag  uuuuuacag  agaacauuu  augauugua  gaccuuauu  uuugcuggcu  120
guucuaauuc  ucauguuuu  gagcuugau  ggguugcuag  ccuugcagg  cauugacuu  180
caucgggcag  ccaucucac  cgagagau  cauaaaagcc  ucagcacc  ucuggaugua  240
acuaacucua  ucgagcaua  gguuaaggac  gugcugacac  cacucuuca  gaucaucggu  300
gaugaagugg  gcuugaggac  accucagaga  uucacugacc  uagugaagu  caucucugac  360
aagauuuuu  uccuuaucc  ggacagggaa  uacgacuua  gagaucucac  uugguguauc  420
aaccgcccag  agagaauca  auuggauuu  gaucauacu  gugcagaug  ggcugcugaa  480

```


-continued

gaacucauga augcauuggu gaacucaacu cuacuggaga ccagggcaac caaucaguuc	540
cuagcugucu caaagggaaa cugcucaggg cccacuacaa ucagaggcca auucucaaac	600
augucgcugu cccuguugga cuuguuuua agucgagguu acaauguguc aucuauaguc	660
acuaugacau cccagggaa guacggggga acuuaccuag uggaaaagcc uaaucugagc	720
agcaaaggg cagaguuguc acaacugagc augcaccgag uguuugaagu agguguuauc	780
agaaauccgg guuugggggc uccgguuuuc cauaugacaa acuaucuuuga gcaaccaguc	840
aguaaugauu ucagcaacug caugguggcu uugggggagc ucaaguucgc agcccucugu	900
cacagggag auucuaucac aauuccuau cagggauagc ggaaaggugu cagcuuccag	960
cuugucaagc uaggugucug gaaaucucca accgacaugc aaucugggu ccccuauc	1020
acggaugauc cagugauaga caggcuuuac cucucaucuc acagaggcgu uaucgcugac	1080
aaucagcaa aauuggcugu cccgacaaca cggacagaug acaaguugcg aauggagaca	1140
ugcuuccagc aggcguguaa ggguaaaauc caagcacuuu gcgagaaucc cgaguggaca	1200
ccauugaagg auaacaggau uccuucuauc gggguuuu cuuguaucu gagucugaca	1260
guugagcuua aaaucaaaa uguuucagga uucgggcca ugaucacaca cgguucaggg	1320
auggaccuau acaaaucua ccacaacaau auguauuggc ugacuauccc gccaaugaag	1380
aaccuggccu uagguguaau caacacauug gaguggauac cgagauuca gguuagucc	1440
aaccucuca cuguuccaau uaaggaagca ggcgaggacu gccaugccc aacauaccua	1500
ccugcggagg uggauugga ugucaaacuc aguuccaauc uggugauuc accuggucaa	1560
gaucuccaau auguucuggc aaccuacgau acuuccagag uugaacaugc uguaguuuau	1620
uacguuuaa gcccaagccg cucauuuuu uacuuuuu cuuuuaggu gccguuaagg	1680
ggggucccca uugaauuua aguggaauuc uucacauggg accaaaaacu cuggugccgu	1740
cacuucugug ugcuuugcga cucagaaucu gguggacaua ucacucacuc ugggauggug	1800
ggcaugggag ucagcugcac agccacucgg gaagauggaa ccagccgcag auag	1854

<210> SEQ ID NO 80

<211> LENGTH: 2126

<212> TYPE: RNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic Polynucleotide

<400> SEQUENCE: 80

ggggaaauaa gagagaaaag aagaguaaga agaaauuaa gagccaccau gucaccacaa	60
cgagaccgga uaaaugccuu cuacaagac aacccccauc cuaagggag uaggauaguu	120
auaacagag acaucuuau gauugauaga ccuuauuuu ugcuggcugu ucuauucguc	180
auguucuga gcuugaucgg guugcuagcc auugcaggca uuagacuua cggggcagcc	240
aucuacaccg cagagaucca uaaaagccuc agcaccuauc uggauguaac uaacucauc	300
gagcaucagg uuaaggacgu gcugacacca cucuucaaga ucaucgguga ugaagugggc	360
uugaggacac cucagagau cacugaccua gugaaguua ucucugacaa gauuaaauc	420
cuuaauccgg acagggaaau cgacuucaga gaucucacuu gguguauca cccgccagag	480
agaaucuuuu uggauuauga ucaauacugu gcagauggg cugcugaaga acucaugaau	540
gcauugguga acucaucuc acuggagacc agggcaacca aucaguuccu agcugucua	600
aagggaacu gcucagggcc cacuacauc agaggccaau ucucuaacau gucgcugucc	660
cuguuggacu uguuuuuag ucgagguuac aaugugucuu cuauagucac uaugacauc	720

-continued

```

cagggaaugu acgggggaac uuaccuagug gaaaagccua aucugagcag caaaggguca 780
gaguugucac aacugagcau gcaccgagug uuugaaguag guguuuacag aaauccgggu 840
uugggggucuc cgguaaucca uaugacaaac uaucuugagc aaccagucag uaaugauuuc 900
agcaacugca ugguggcuuu gggggagcuc aaguucgagc cccucugua caggggaagau 960
ucuauacaaa uucccauca gggaucaggg aaagguguca gcuuccagcu ugucaagcua 1020
ggugucugga aaucaccaac cgacaugcaa uccugggucc ccuaucaac ggaugaucca 1080
gugauagaca ggcuuuaccu cucaucucac agaggcguaa ucgugacaaa ucaagcaaaa 1140
ugggcugucc cgacaacacg gacagaugac aaguugcgaa uggagacaug cuuccagcag 1200
gcguguaaagg guaaaaucca agcacuuugc gagaaucccg aguggacacc auugaaggau 1260
aacaggauuc cuucauacgg ggcuuugucu guugaucuga gucugacagu ugagcuuaaa 1320
aucaaaaauug uuucaggauu cgggccauug aucacacacg guucagggau ggaccuauac 1380
aaauccaacc acaacaauu guauuggcug acuaucgccg caaugaagaa ccuggccuua 1440
gguguaauca acacauugga guggauaccg agauucaagg uuaguccaa ccucuucacu 1500
guuccaauua aggaagcagg cgaggacugc caugcccaa cauaccuacc ugcggaggug 1560
gauggugaug ucaaacucag uucaaucug gugauucuc cuggucaaga ucuccaauu 1620
guucuggcaa ccuacgauac uuccagaguu gaacaugcug uaguuuaua cguuuacagc 1680
ccaagccgcu cauuuuuuu cuuuuauccu uuuaagguugc cuguaagggg ggucccauu 1740
gaauuacaag uggaauvcuu cacauuggac caaaaacucu ggugccguc cuucugugug 1800
cuugcggacu cagaauvcug uggacauauc acucacucug ggaugguggg caugggaguc 1860
agcugcacag ccacucggga agauggaacc agccgcagau agugauaaua ggcuggagcc 1920
ucgguggcca agcuucugc ccuugggcc uccccccagc cccuccucc cuuccugcac 1980
ccguaccccc guggucuuuu aaaaaagucu gagugggccc caaaaaaaaa aaaaaaaaaa 2040
aaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 2100
aaaaaaaaa aaaaaaaaaa aucuag 2126

```

<210> SEQ ID NO 81

<211> LENGTH: 1729

<212> TYPE: RNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic Polynucleotide

<400> SEQUENCE: 81

```

ucaagcuuuu ggaccuccu acagaagcua auacgacuca cuauagggaa auaagagaga 60
aaagaagagu aagaagaaau auaagagcca ccauggcaca agucauuuuu acaaacagcc 120
ugucgcuguu gaccagaau aaccugaaca aauccaguc cgcacugggc acugcuauvc 180
agcguuuguc uuccggucug cguaucaaca gcgcgaaaga cgaugcggca ggacaggcga 240
uugcuuaccg uuuuaccgcg aacaucaaaag gucugacuca ggcuucccg uacgcuaacg 300
acgguaucuc cauugcgcag accacugaag gcgcgugaa cgaaaucac aacaaccugc 360
agcguugvcg ugaacuggcg guucagucug cgaauvcuac uaacucccag ucugaccucg 420
acuccaucca ggcugaaauc acccagcgc ugaacgaaau cgaccgugua uccggccaga 480
cucaguucua cggcgugaaa guccuggcgc aggacaacac ccugaccauc cagguuggug 540
ccaacgacgg ugaacuauvc gauuuuguu uaaaagaaau cagcucuuaa acacugggac 600

```

-continued

uugauaagcu uaauguccaa gaugccuaca ccccgaaaga aacugcugua accguugaua	660
aaacuaccua uaaaaauggu acagauccua uuacagccca gagcaauacu gauauccaaa	720
cugcaauugg cgguggugca acggggguua cuggggcuga uaucaaauiu aaagaugguc	780
aaucuauiu agaaguuaaa ggcggugcuu cugcuggugu uuauaaagcc acuuauaug	840
aaacuacaaa gaaaguuaau auugauacga cugauaaaac uccguuggca acugcggaa	900
cuacagcuau ucggggaacg gccacuuaa cccacaacca aaugcugaa guaacaaaag	960
aggguguuga uacgaccaca guugcggcuc aacuugcugc agcagggguu acuggcgccg	1020
auaaggacaa uacugccuu guaaaacuau cguuugagga uaaaaacggu aagguuuuug	1080
augguggcua ugcagugaaa auggggcagc auuucuaugc cgcuaauau gaugagaaaa	1140
caggugcaau uacugcuaaa accacuacuu auacagaugg uacuggcguu gcucaaaacug	1200
gagcugugaa auuuggggc gcaauuggua aaucugaagu uguuacugcu accgauggua	1260
agacuuaacu agcaagcgc cuugacaaac auaacuucag aacagggcgu gagcuuaaag	1320
agguuaauac agauaagacu gaaaaccac ugcagaaaau ugaugcugcc uuggcacagg	1380
uugauacacu ucuucugac cugggugcgg uucagaaccg uuucaacucc gcuaucacca	1440
accugggcaa uaccguaaa aaccugucuu cugcccguag ccguaucgaa gauuccgacu	1500
acgcaaccga agucuccaac augucugcg cgcagauucu gcagcaggcc gguaccuccg	1560
uucuggcgca ggcgaaccag guuccgcaaa acguccucuc uuucugcgu ugauaaauag	1620
cuggagccuc gggugccaug cuucugccc cuugggccuc ccccagccc cuccucccu	1680
uccugcacc guacccccgu ggucuuugaa uaaagucuga gugggcggc	1729

<210> SEQ ID NO 82

<211> LENGTH: 1518

<212> TYPE: RNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic Polynucleotide

<400> SEQUENCE: 82

auggcacaag ucauuauac aaacagccug ugcuguuuga cccagaauaa ccugaacaaa	60
ucccaguccg cacugggcac ugcuaucgag cguuugucuu ccggucugcg uaucaacagc	120
gcaaaagacg augcggcagg acagggcgaau gcuaaccguu uuaccgcgaa caucaaaggu	180
cugacucagg cuucccguaa cgcuaacgac gguaucucca uugcgcagac cacugaaggc	240
gcgcuugaacg aaaucaacaa caaccugcag cgugugcgug aacuggcggu ucagucugcg	300
aaugguacua acucccaguc ugaccucgac uccauccagg cugaaaucac ccagcgcug	360
aacgaaaucg accguguauc cggccagacu caguucaacg gcgugaaagu ccuggcgcag	420
gacaacaccc ugaccaucca gguuggugcc aacgacggug aaacuaucga uauugauua	480
aaagaaauca gcucuaaaac acugggacuu gaaagcuua auguccaaga ugccuacacc	540
ccgaaagaaa cugcuguuac cguugauaaa acuaccuua aaaaugguac agauccuauu	600
acagcccaga gcaauacuga uauccaaacu gcaauuggcg guggugcaac ggggguuacu	660
ggggcugaua ucauuuuuaa agauggucaa uacuauuuag auguuuaagg cggugcuucu	720
gcugguguuu auaaagccac uuauaugaa acuaaaaga aaguuuuuu ugauacgacu	780
gauaaaaac cguuggcaac ugcggaagcu acagcuauuc ggggaacggc cacuaaaacc	840
cacaacaaaa uugcugaagu aacaaaagag gguguugaua cgaccacagu ugcggcucaa	900
cuugcugcag cagggguuac ugccgcccgu aaggacaaua cuagccuugu aaaacuaucc	960

-continued

uuugaggaua aaaacgguaa gguuuuugau gguggcuaug cagugaaaau gggcgacgau	1020
uucuaugccg cuacauauga ugagaaaaca ggugcaauua cugcuaaaac cacuacuau	1080
acagauggua cuggcguugc ucaaacugga gcugugaaa uugguggcgc aaaugguaaa	1140
ucugaaguug uuacugcuac cgaugguaag acuuacuuaag caagcgaccu ugacaaaacu	1200
aacuucagaa caggcgguga gcuuaaagag guuaauacag auaagacuga aaaccacug	1260
cagaaaauug augcugccuu ggcacagguu gauacacuuc guucugaccu gggugcgguu	1320
cagaaccguu ucaacuccgc uaacaccaac cugggcaaua ccguaaaaa ccugucuuc	1380
gcccguagcc guaucgaaga uuccgacuac gcaaccgaag ucuccaacu gucucgcgcg	1440
cagauucgc agcaggcccg uaccuccguu cuggcgcagg cgaaccaggu uccgcaaac	1500
guccucucu uacugcgu	1518

<210> SEQ ID NO 83
 <211> LENGTH: 1790
 <212> TYPE: RNA
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: Synthetic Polynucleotide

<400> SEQUENCE: 83

ggggaaaaua gagagaaaag aagaguaga agaaaauuaa gagccaccu ggcacaaguc	60
auuaauacaa acagccuguc gcuguugacc cagaauaacc ugaacaauc ccaguccgca	120
cugggcacug cuaucgagcg uuugucuucc ggucugcguu ucaacagcgc gaaagacgau	180
gcggcaggac aggcgauugc uaaccguuuu accgcgaaca ucaaaggucu gacucaggcu	240
ucccguaacg cuaacgacgg uaucuccauu gcgcagacca cugaaggcgc gcugaacgaa	300
aucaacaaca accugcagcg ugugcgugaa cuggcgguuu agucugcga ugguaacuaa	360
ucccagucug accucgacuc cauccaggcu gaaaucacc agcgcugaa cgaauucgac	420
cguguauccg gccagacuca guucaacggc gugaagucc uggcgcagga caacaccug	480
accauccagg uuggugccaa cgacggugaa acuaucgaa uugauuuuaa agaaucagc	540
ucuaaaacac ugggacuuga uaagcuuaau guccaagaug ccuacacccc gaaagaaacu	600
gcuguaaccg uugauaaaac uaccuauaaa aaugguacag auccuauuac agcccagagc	660
aaucugaua uccaaacugc aauggcgggu ggugcaaccg ggguuacugg ggcugauauc	720
aaauuuuag auggucaaua cuuuuugau guuaaaggcg gugcuucugc ugguguuuu	780
aaagccacu augaugaaac uacaaagaa guuaauuug auacgacuga uaaaacuccg	840
uuggcaacug cggagcuac agcuauucgg ggaacggcca cuuaaccca caaccuuuu	900
gcugaaguaa caaaagagg uguugaucg accacaguug cggcucaacu ugcugcagca	960
ggguuacug gcgccgaaa ggacaauacu agccuuguaa aacuaucguu ugaggauaaa	1020
aacgguagg uuauugaug uggcuauagc gugaaaugg gcgacgauu cuaugccgcu	1080
acauaugaug agaaaacagg ugcauuuacu gcuaaaacca cuacuauac agaugguacu	1140
ggcguguc aaacuggagc ugugaauuu gguggcgcaa augguaauc ugaaguuguu	1200
acugcuaccg augguaagac uuacuauagc agcgaccuug acaaacuaa cuucagaaca	1260
ggcgugagc uuaaagaggu uauacagau aagacugaaa acccagcga gaaaauugau	1320
gcugccuugg cacagguuga uacacuucgu ucugaccugg gugcgguuca gaaccguuuc	1380
aacuccgcu uacccaaccu gggcaauacc guaaaaacc ugucucugc ccguagccgu	1440

-continued

```

aucgaagauu ccgacuacgc aaccgaaguc uccaacaugu cucgcgcgca gauucugcag 1500
caggccggua ccuccguucu ggcgcaggcg aaccagguuc cgcaaaacgu ccucucuuaa 1560
cugcgugauu aaaggcugg agccucggug gccaugcuuc uugccccuug ggcuccccc 1620
cagcccccucc uccccuuccu gcacccgua ccccgugguc uuugaauaaa gucugagugg 1680
gcggcacaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 1740
aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaucuaa 1790

```

```

<210> SEQ ID NO 84
<211> LENGTH: 13
<212> TYPE: PRT
<213> ORGANISM: Salmonella typhimurium

```

```

<400> SEQUENCE: 84

```

```

Leu Gln Arg Val Arg Glu Leu Ala Val Gln Ser Ala Asn
1           5           10

```

```

<210> SEQ ID NO 85
<211> LENGTH: 539
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic Polypeptide

```

```

<400> SEQUENCE: 85

```

```

Met Ser Trp Lys Val Val Ile Ile Phe Ser Leu Leu Ile Thr Pro Gln
1           5           10           15
His Gly Leu Lys Glu Ser Tyr Leu Glu Glu Ser Cys Ser Thr Ile Thr
           20           25           30
Glu Gly Tyr Leu Ser Val Leu Arg Thr Gly Trp Tyr Thr Asn Val Phe
           35           40           45
Thr Leu Glu Val Gly Asp Val Glu Asn Leu Thr Cys Ser Asp Gly Pro
50           55           60
Ser Leu Ile Lys Thr Glu Leu Asp Leu Thr Lys Ser Ala Leu Arg Glu
65           70           75           80
Leu Lys Thr Val Ser Ala Asp Gln Leu Ala Arg Glu Glu Gln Ile Glu
           85           90           95
Asn Pro Gly Ser Gly Ser Phe Val Leu Gly Ala Ile Ala Leu Gly Val
100          105          110
Ala Ala Ala Ala Ala Val Thr Ala Gly Val Ala Ile Cys Lys Thr Ile
115          120          125
Arg Leu Glu Ser Glu Val Thr Ala Ile Asn Asn Ala Leu Lys Lys Thr
130          135          140
Asn Glu Ala Val Ser Thr Leu Gly Asn Gly Val Arg Val Leu Ala Phe
145          150          155          160
Ala Val Arg Glu Leu Lys Asp Phe Val Ser Lys Asn Leu Thr Arg Ala
165          170          175
Leu Asn Lys Asn Lys Cys Asp Ile Asp Asp Leu Lys Met Ala Val Ser
180          185          190
Phe Ser Gln Phe Asn Arg Arg Phe Leu Asn Val Val Arg Gln Phe Ser
195          200          205
Asp Asn Ala Gly Ile Thr Pro Ala Ile Ser Leu Asp Leu Met Thr Asp
210          215          220
Ala Glu Leu Ala Arg Ala Val Pro Asn Met Pro Thr Ser Ala Gly Gln
225          230          235          240
Ile Lys Leu Met Leu Glu Asn Arg Ala Met Val Arg Arg Lys Gly Phe

```

-continued

245				250				255							
Gly	Ile	Leu	Cys	Gly	Val	Tyr	Gly	Ser	Ser	Val	Ile	Tyr	Met	Val	Gln
		260						265					270		
Leu	Pro	Ile	Phe	Gly	Val	Ile	Asp	Thr	Pro	Cys	Trp	Ile	Val	Lys	Ala
		275					280					285			
Ala	Pro	Ser	Cys	Ser	Glu	Lys	Lys	Gly	Asn	Tyr	Ala	Cys	Leu	Leu	Arg
	290					295					300				
Glu	Asp	Gln	Gly	Trp	Tyr	Cys	Gln	Asn	Ala	Gly	Ser	Thr	Val	Tyr	Tyr
305					310					315					320
Pro	Asn	Glu	Lys	Asp	Cys	Glu	Thr	Arg	Gly	Asp	His	Val	Phe	Cys	Asp
			325						330					335	
Thr	Ala	Ala	Gly	Ile	Asn	Val	Ala	Glu	Gln	Ser	Lys	Glu	Cys	Asn	Ile
			340					345					350		
Asn	Ile	Ser	Thr	Thr	Asn	Tyr	Pro	Cys	Lys	Val	Ser	Thr	Gly	Arg	His
		355					360						365		
Pro	Ile	Ser	Met	Val	Ala	Leu	Ser	Pro	Leu	Gly	Ala	Leu	Val	Ala	Cys
	370					375					380				
Tyr	Lys	Gly	Val	Ser	Cys	Ser	Ile	Gly	Ser	Asn	Arg	Val	Gly	Ile	Ile
385					390					395					400
Lys	Gln	Leu	Asn	Lys	Gly	Cys	Ser	Tyr	Ile	Thr	Asn	Gln	Asp	Ala	Asp
			405						410					415	
Thr	Val	Thr	Ile	Asp	Asn	Thr	Val	Tyr	Gln	Leu	Ser	Lys	Val	Glu	Gly
			420					425					430		
Glu	Gln	His	Val	Ile	Lys	Gly	Arg	Pro	Val	Ser	Ser	Ser	Phe	Asp	Pro
		435					440						445		
Ile	Lys	Phe	Pro	Glu	Asp	Gln	Phe	Asn	Val	Ala	Leu	Asp	Gln	Val	Phe
	450					455					460				
Glu	Asn	Ile	Glu	Asn	Ser	Gln	Ala	Leu	Val	Asp	Gln	Ser	Asn	Arg	Ile
465					470					475					480
Leu	Ser	Ser	Ala	Glu	Lys	Gly	Asn	Thr	Gly	Phe	Ile	Ile	Val	Ile	Ile
			485						490					495	
Leu	Ile	Ala	Val	Leu	Gly	Ser	Ser	Met	Ile	Leu	Val	Ser	Ile	Phe	Ile
		500						505					510		
Ile	Ile	Lys	Lys	Thr	Lys	Lys	Pro	Thr	Gly	Ala	Pro	Pro	Glu	Leu	Ser
		515					520						525		
Gly	Val	Thr	Asn	Asn	Gly	Phe	Ile	Pro	His	Asn					
	530					535									

<210> SEQ ID NO 86

<211> LENGTH: 539

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic Polypeptide

<400> SEQUENCE: 86

Met	Ser	Trp	Lys	Val	Val	Ile	Ile	Phe	Ser	Leu	Leu	Ile	Thr	Pro	Gln
1			5					10						15	
His	Gly	Leu	Lys	Glu	Ser	Tyr	Leu	Glu	Glu	Ser	Cys	Ser	Thr	Ile	Thr
		20						25					30		
Glu	Gly	Tyr	Leu	Ser	Val	Leu	Arg	Thr	Gly	Trp	Tyr	Thr	Asn	Val	Phe
		35					40						45		
Thr	Leu	Glu	Val	Gly	Asp	Val	Glu	Asn	Leu	Thr	Cys	Ser	Asp	Gly	Pro
	50					55					60				
Ser	Leu	Ile	Lys	Thr	Glu	Leu	Asp	Leu	Thr	Lys	Ser	Ala	Leu	Arg	Glu

-continued

65	70	75	80
Leu Lys Thr Val Ser Ala Asp Gln Leu Ala Arg Glu Glu Gln Ile Glu 85 90 95			
Asn Pro Gly Ser Gly Ser Phe Val Leu Gly Ala Ile Ala Leu Gly Val 100 105 110			
Ala Ala Ala Ala Ala Val Thr Ala Gly Val Ala Ile Cys Lys Thr Ile 115 120 125			
Arg Leu Glu Ser Glu Val Thr Ala Ile Asn Asn Ala Leu Lys Lys Thr 130 135 140			
Asn Glu Ala Val Ser Thr Leu Gly Asn Gly Val Arg Val Leu Ala Thr 145 150 155 160			
Ala Val Arg Glu Leu Lys Asp Phe Val Ser Lys Asn Leu Thr Arg Ala 165 170 175			
Ile Asn Lys Asn Lys Cys Asp Ile Asp Asp Leu Lys Met Ala Val Ser 180 185 190			
Phe Ser Gln Phe Asn Arg Arg Phe Leu Asn Val Val Arg Gln Phe Ser 195 200 205			
Asp Asn Ala Gly Ile Thr Pro Ala Ile Ser Leu Asp Leu Met Thr Asp 210 215 220			
Ala Glu Leu Ala Arg Ala Val Pro Asn Met Pro Thr Ser Ala Gly Gln 225 230 235 240			
Ile Lys Leu Met Leu Glu Asn Arg Ala Met Val Arg Arg Lys Gly Phe 245 250 255			
Gly Ile Leu Cys Gly Val Tyr Gly Ser Ser Val Ile Tyr Met Val Gln 260 265 270			
Leu Pro Ile Phe Gly Val Ile Asp Thr Pro Cys Trp Ile Val Lys Ala 275 280 285			
Ala Pro Ser Cys Ser Glu Lys Lys Gly Asn Tyr Ala Cys Leu Leu Arg 290 295 300			
Glu Asp Gln Gly Trp Tyr Cys Gln Asn Ala Gly Ser Thr Val Tyr Tyr 305 310 315 320			
Pro Asn Glu Lys Asp Cys Glu Thr Arg Gly Asp His Val Phe Cys Asp 325 330 335			
Thr Ala Ala Gly Ile Asn Val Ala Glu Gln Ser Lys Glu Cys Asn Ile 340 345 350			
Asn Ile Ser Thr Thr Asn Tyr Pro Cys Lys Val Ser Thr Gly Arg His 355 360 365			
Pro Ile Ser Met Val Ala Leu Ser Pro Leu Gly Ala Leu Val Ala Cys 370 375 380			
Tyr Lys Gly Val Ser Cys Ser Ile Gly Ser Asn Arg Val Gly Ile Ile 385 390 395 400			
Lys Gln Leu Asn Lys Gly Cys Ser Tyr Ile Thr Asn Gln Asp Ala Asp 405 410 415			
Thr Val Thr Ile Asp Asn Thr Val Tyr Gln Leu Ser Lys Val Glu Gly 420 425 430			
Glu Gln His Val Ile Lys Gly Arg Pro Val Ser Ser Ser Phe Asp Pro 435 440 445			
Ile Lys Phe Pro Glu His Gln Trp His Val Ala Leu Asp Gln Val Phe 450 455 460			
Glu Asn Ile Glu Asn Ser Gln Ala Leu Val Asp Gln Ser Asn Arg Ile 465 470 475 480			
Leu Ser Ser Ala Glu Lys Gly Asn Thr Gly Phe Ile Ile Val Ile Ile 485 490 495			

-continued

Leu Ile Ala Val Leu Gly Ser Ser Met Ile Leu Val Ser Ile Phe Ile
 500 505 510

Ile Ile Lys Lys Thr Lys Lys Pro Thr Gly Ala Pro Pro Glu Leu Ser
 515 520 525

Gly Val Thr Asn Asn Gly Phe Ile Pro His Asn
 530 535

<210> SEQ ID NO 87
 <211> LENGTH: 539
 <212> TYPE: PRT
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: Synthetic Polypeptide

<400> SEQUENCE: 87

Met Ser Trp Lys Val Val Ile Ile Phe Ser Leu Leu Ile Thr Pro Gln
 1 5 10 15

His Gly Leu Lys Glu Ser Tyr Leu Glu Glu Ser Cys Ser Thr Ile Thr
 20 25 30

Glu Gly Tyr Leu Ser Val Leu Arg Thr Gly Trp Tyr Thr Asn Val Phe
 35 40 45

Thr Leu Glu Val Gly Asp Val Glu Asn Leu Thr Cys Ser Asp Gly Pro
 50 55 60

Ser Leu Ile Lys Thr Glu Leu Asp Leu Leu Lys Ser Ala Leu Arg Glu
 65 70 75 80

Leu Lys Thr Val Ser Ala Asp Gln Leu Ala Arg Glu Glu Gln Ile Glu
 85 90 95

Asn Pro Gly Ser Gly Ser Phe Val Leu Gly Ala Ile Ala Leu Gly Val
 100 105 110

Ala Ala Ala Ala Ala Val Thr Ala Gly Val Ala Ile Ala Lys Thr Ile
 115 120 125

Arg Leu Glu Ser Glu Val Thr Ala Ile Asn Asn Ala Leu Lys Lys Thr
 130 135 140

Asn Glu Ala Val Ser Thr Leu Gly Asn Gly Val Arg Val Leu Ala Thr
 145 150 155 160

Ala Val Arg Glu Leu Lys Asp Phe Val Ser Lys Asn Leu Thr Arg Ala
 165 170 175

Ile Asn Lys Asn Lys Cys Asp Ile Pro Asp Leu Lys Met Ala Val Ser
 180 185 190

Phe Ser Gln Phe Asn Arg Arg Phe Leu Asn Val Val Arg Gln Phe Ser
 195 200 205

Asp Asn Ala Gly Ile Thr Pro Ala Ile Ser Leu Asp Leu Met Thr Asp
 210 215 220

Ala Glu Leu Ala Arg Ala Val Pro Asn Met Pro Thr Ser Ala Gly Gln
 225 230 235 240

Ile Lys Leu Met Leu Glu Asn Arg Ala Met Val Arg Arg Lys Gly Phe
 245 250 255

Gly Ile Leu Ile Gly Val Tyr Gly Ser Ser Val Ile Tyr Met Val Gln
 260 265 270

Leu Pro Ile Phe Gly Val Ile Asp Thr Pro Cys Trp Ile Val Lys Ala
 275 280 285

Ala Pro Ser Cys Ser Glu Lys Lys Gly Asn Tyr Ala Cys Leu Leu Arg
 290 295 300

Glu Asp Gln Gly Trp Tyr Cys Gln Asn Ala Gly Ser Thr Val Tyr Tyr
 305 310 315 320

-continued

```

Pro Asn Glu Lys Asp Cys Glu Thr Arg Gly Asp His Val Phe Cys Asp
      325                               330                   335
Thr Ala Ala Gly Ile Asn Val Ala Glu Gln Ser Lys Glu Cys Asn Ile
      340                               345                   350
Asn Ile Ser Thr Thr Asn Tyr Pro Cys Lys Val Ser Thr Gly Arg His
      355                               360                   365
Pro Ile Ser Met Val Ala Leu Ser Pro Leu Gly Ala Leu Val Ala Cys
      370                               375                   380
Tyr Lys Gly Val Ser Cys Ser Ile Gly Ser Asn Arg Val Gly Ile Ile
      385                               390                   395                   400
Lys Gln Leu Asn Lys Gly Cys Ser Tyr Ile Thr Asn Gln Asp Ala Asp
      405                               410                   415
Thr Val Thr Ile Asp Asn Thr Val Tyr Gln Leu Ser Lys Val Glu Gly
      420                               425                   430
Glu Gln His Val Ile Lys Gly Arg Pro Val Ser Ser Ser Phe Asp Pro
      435                               440                   445
Ile Lys Phe Pro Glu Asp Gln Phe Gln Val Ala Leu Asp Gln Val Phe
      450                               455                   460
Glu Asn Ile Glu Asn Ser Gln Ala Leu Val Asp Gln Ser Asn Arg Ile
      465                               470                   475                   480
Leu Ser Ser Ala Glu Lys Gly Asn Thr Gly Phe Ile Ile Val Ile Ile
      485                               490                   495
Leu Ile Ala Val Leu Gly Ser Ser Met Ile Leu Val Ser Ile Phe Ile
      500                               505                   510
Ile Ile Lys Lys Thr Lys Lys Pro Thr Gly Ala Pro Pro Glu Leu Ser
      515                               520                   525
Gly Val Thr Asn Asn Gly Phe Ile Pro His Asn
      530                               535

```

```

<210> SEQ ID NO 88
<211> LENGTH: 539
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic Polypeptide

```

```

<400> SEQUENCE: 88

```

```

Met Ser Trp Lys Val Val Ile Ile Phe Ser Leu Leu Ile Thr Pro Gln
 1      5      10      15
His Gly Leu Lys Glu Ser Tyr Leu Glu Glu Ser Cys Ser Thr Ile Thr
 20     25     30
Glu Gly Tyr Leu Ser Val Leu Arg Thr Gly Trp Tyr Thr Asn Val Phe
 35     40     45
Thr Leu Glu Val Gly Asp Val Glu Asn Leu Thr Cys Ser Asp Gly Pro
 50     55     60
Ser Leu Ile Lys Thr Glu Leu Asp Leu Leu Lys Ser Ala Leu Arg Glu
 65     70     75     80
Leu Lys Thr Val Ser Ala Asp Gln Leu Ala Arg Glu Glu Gln Ile Glu
 85     90     95
Asn Pro Gly Ser Gly Ser Phe Val Leu Gly Ala Ile Ala Leu Gly Val
 100    105    110
Ala Ala Ala Ala Ala Val Thr Ala Gly Val Ala Ile Ala Lys Thr Ile
 115    120    125
Arg Leu Glu Ser Glu Val Thr Ala Ile Asn Asn Ala Leu Lys Lys Thr
 130    135    140

```

-continued

Asn Glu Ala Val Ser Thr Leu Gly Asn Gly Val Arg Val Leu Ala Thr
 145 150 155 160
 Ala Val Arg Glu Leu Lys Asp Phe Val Ser Lys Asn Leu Thr Arg Ala
 165 170 175
 Ile Asn Lys Asn Lys Cys Asp Ile Pro Asp Leu Lys Met Ala Val Ser
 180 185 190
 Phe Ser Gln Phe Asn Arg Arg Phe Leu Asn Val Val Arg Gln Phe Ser
 195 200 205
 Asp Asn Ala Gly Ile Thr Pro Ala Ile Ser Leu Asp Leu Met Thr Asp
 210 215 220
 Ala Glu Leu Ala Arg Ala Val Pro Asn Met Pro Thr Ser Ala Gly Gln
 225 230 235 240
 Ile Lys Leu Met Leu Glu Asn Arg Ala Met Val Arg Arg Lys Gly Phe
 245 250 255
 Gly Ile Leu Ile Gly Val Tyr Gly Ser Ser Val Ile Tyr Met Val Gln
 260 265 270
 Leu Pro Ile Phe Gly Val Ile Asp Thr Pro Cys Trp Ile Val Lys Ala
 275 280 285
 Ala Pro Ser Cys Ser Glu Lys Lys Gly Asn Tyr Ala Cys Leu Leu Arg
 290 295 300
 Glu Asp Gln Gly Trp Tyr Cys Gln Asn Ala Gly Ser Thr Val Tyr Tyr
 305 310 315 320
 Pro Asn Glu Lys Asp Cys Glu Thr Arg Gly Asp His Val Phe Cys Asp
 325 330 335
 Thr Ala Ala Gly Ile Asn Val Ala Glu Gln Ser Lys Glu Cys Asn Ile
 340 345 350
 Asn Ile Ser Thr Thr Asn Tyr Pro Cys Lys Val Ser Thr Gly Arg His
 355 360 365
 Pro Ile Ser Met Val Ala Leu Ser Pro Leu Gly Ala Leu Val Ala Cys
 370 375 380
 Tyr Lys Gly Val Ser Cys Ser Ile Gly Ser Asn Arg Val Gly Ile Ile
 385 390 395 400
 Lys Gln Leu Asn Lys Gly Cys Ser Tyr Ile Thr Asn Gln Asp Ala Asp
 405 410 415
 Thr Val Thr Ile Asp Asn Thr Val Tyr Gln Leu Ser Lys Val Glu Gly
 420 425 430
 Glu Gln His Val Ile Lys Gly Arg Pro Val Ser Ser Ser Phe Asp Pro
 435 440 445
 Ile Lys Phe Pro Glu Asn Gln Phe Gln Val Ala Leu Asp Gln Val Phe
 450 455 460
 Glu Asn Ile Glu Asn Ser Gln Ala Leu Val Asp Gln Ser Asn Arg Ile
 465 470 475 480
 Leu Ser Ser Ala Glu Lys Gly Asn Thr Gly Phe Ile Ile Val Ile Ile
 485 490 495
 Leu Ile Ala Val Leu Gly Ser Ser Met Ile Leu Val Ser Ile Phe Ile
 500 505 510
 Ile Ile Lys Lys Thr Lys Lys Pro Thr Gly Ala Pro Pro Glu Leu Ser
 515 520 525
 Gly Val Thr Asn Asn Gly Phe Ile Pro His Asn
 530 535

<210> SEQ ID NO 89

<211> LENGTH: 539

-continued

```

<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic Polypeptide

<400> SEQUENCE: 89

Met Ser Trp Lys Val Val Ile Ile Phe Ser Leu Leu Ile Thr Pro Gln
 1           5           10          15
His Gly Leu Lys Glu Ser Tyr Leu Glu Glu Ser Cys Ser Thr Ile Thr
 20          25          30
Glu Gly Tyr Leu Ser Val Leu Arg Thr Gly Trp Tyr Thr Asn Val Phe
 35          40          45
Thr Leu Glu Val Gly Asp Val Glu Asn Leu Thr Cys Ser Asp Gly Pro
 50          55          60
Ser Leu Ile Lys Thr Glu Leu Asp Leu Leu Lys Ser Ala Leu Arg Glu
 65          70          75          80
Leu Lys Thr Val Ser Ala Asp Gln Leu Ala Arg Glu Glu Gln Ile Glu
 85          90          95
Asn Pro Gly Ser Gly Ser Phe Val Leu Gly Ala Ile Ala Leu Gly Val
 100         105         110
Ala Ala Ala Ala Ala Val Thr Ala Gly Val Ala Ile Ala Lys Thr Ile
 115         120         125
Arg Leu Glu Ser Glu Val Thr Ala Ile Asn Asn Ala Leu Lys Lys Thr
 130         135         140
Asn Glu Ala Val Ser Thr Leu Gly Asn Gly Val Arg Val Leu Ala Thr
 145         150         155         160
Ala Val Arg Glu Leu Lys Asp Phe Val Leu Lys Asn Leu Thr Arg Ala
 165         170         175
Ile Asn Lys Asn Lys Cys Asp Ile Pro Asp Leu Lys Met Ala Val Ser
 180         185         190
Phe Ser Gln Phe Asn Arg Arg Phe Leu Asn Val Val Arg Gln Phe Ser
 195         200         205
Asp Asn Ala Gly Ile Thr Pro Ala Ile Ser Leu Asp Leu Met Thr Asp
 210         215         220
Ala Glu Leu Ala Arg Ala Val Pro Asn Met Pro Thr Ser Ala Gly Gln
 225         230         235         240
Ile Lys Leu Met Leu Glu Asn Arg Ala Met Val Arg Arg Lys Gly Phe
 245         250         255
Gly Ile Leu Ile Gly Val Tyr Gly Ser Ser Val Ile Tyr Met Val Gln
 260         265         270
Leu Pro Ile Phe Gly Val Ile Asp Thr Pro Cys Trp Ile Val Lys Ala
 275         280         285
Ala Pro Ser Cys Ser Glu Lys Lys Gly Asn Tyr Ala Cys Leu Leu Arg
 290         295         300
Glu Asp Gln Gly Trp Tyr Cys Gln Asn Ala Gly Ser Thr Val Tyr Tyr
 305         310         315         320
Pro Asn Glu Lys Asp Cys Glu Thr Arg Gly Asp His Val Phe Cys Asp
 325         330         335
Thr Ala Ala Gly Ile Asn Val Ala Glu Gln Ser Lys Glu Cys Asn Ile
 340         345         350
Asn Ile Ser Thr Thr Asn Tyr Pro Cys Lys Val Ser Thr Gly Arg His
 355         360         365
Pro Ile Ser Met Val Ala Leu Ser Pro Leu Gly Ala Leu Val Ala Cys
 370         375         380

```

-continued

Tyr Lys Gly Val Ser Cys Ser Ile Gly Ser Asn Arg Val Gly Ile Ile
 385 390 395 400
 Lys Gln Leu Asn Lys Gly Cys Ser Tyr Ile Thr Asn Gln Asp Ala Asp
 405 410 415
 Thr Val Thr Ile Asp Asn Thr Val Tyr Gln Leu Ser Lys Val Glu Gly
 420 425 430
 Glu Gln His Val Ile Lys Gly Arg Pro Val Ser Ser Ser Phe Asp Pro
 435 440 445
 Ile Lys Phe Pro Glu Asp Gln Phe Gln Val Ala Leu Asp Gln Val Phe
 450 455 460
 Glu Asn Ile Glu Asn Ser Gln Ala Leu Val Asp Gln Ser Asn Arg Ile
 465 470 475 480
 Leu Ser Ser Ala Glu Lys Gly Asn Thr Gly Phe Ile Ile Val Ile Ile
 485 490 495
 Leu Ile Ala Val Leu Gly Ser Ser Met Ile Leu Val Ser Ile Phe Ile
 500 505 510
 Ile Ile Lys Lys Thr Lys Lys Pro Thr Gly Ala Pro Pro Glu Leu Ser
 515 520 525
 Gly Val Thr Asn Asn Gly Phe Ile Pro His Asn
 530 535

<210> SEQ ID NO 90
 <211> LENGTH: 539
 <212> TYPE: PRT
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: Synthetic Polypeptide

<400> SEQUENCE: 90

Met Ser Trp Lys Val Val Ile Ile Phe Ser Leu Leu Ile Thr Pro Gln
 1 5 10 15
 His Gly Leu Lys Glu Ser Tyr Leu Glu Glu Ser Cys Ser Thr Ile Thr
 20 25 30
 Glu Gly Tyr Leu Ser Val Leu Arg Thr Gly Trp Tyr Thr Asn Val Phe
 35 40 45
 Thr Leu Glu Val Gly Asp Val Glu Asn Leu Thr Cys Ser Asp Gly Pro
 50 55 60
 Ser Leu Ile Lys Thr Glu Leu Asp Leu Leu Lys Ser Ala Leu Arg Glu
 65 70 75 80
 Leu Lys Thr Val Ser Ala Asp Gln Leu Ala Arg Glu Glu Gln Ile Glu
 85 90 95
 Asn Pro Gly Ser Gly Ser Phe Val Leu Gly Ala Ile Ala Leu Gly Val
 100 105 110
 Ala Ala Ala Ala Ala Val Thr Ala Gly Val Ala Ile Ala Lys Thr Ile
 115 120 125
 Arg Leu Glu Ser Glu Val Thr Ala Ile Asn Asn Ala Leu Lys Lys Thr
 130 135 140
 Asn Glu Ala Val Ser Thr Leu Gly Asn Gly Val Arg Val Leu Ala Thr
 145 150 155 160
 Ala Val Arg Glu Leu Lys Asp Phe Val Leu Lys Asn Leu Thr Arg Ala
 165 170 175
 Ile Asn Lys Asn Lys Cys Asp Ile Pro Asp Leu Lys Met Ala Val Ser
 180 185 190
 Phe Ser Gln Phe Asn Arg Arg Phe Leu Asn Val Val Arg Gln Phe Ser
 195 200 205

-continued

```

Asp Asn Ala Gly Ile Thr Pro Ala Ile Ser Leu Asp Leu Met Thr Asp
 210                215                220

Ala Glu Leu Ala Arg Ala Val Pro Asn Met Pro Thr Ser Ala Gly Gln
 225                230                235                240

Ile Lys Leu Met Leu Glu Asn Arg Ala Met Val Arg Arg Lys Gly Phe
      245                250                255

Gly Ile Leu Ile Gly Val Tyr Gly Ser Ser Val Ile Tyr Met Val Gln
      260                265                270

Leu Pro Ile Phe Gly Val Ile Asp Thr Pro Cys Trp Ile Val Lys Ala
      275                280                285

Ala Pro Ser Cys Ser Glu Lys Lys Gly Asn Tyr Ala Cys Leu Leu Arg
      290                295                300

Glu Asp Gln Gly Trp Tyr Cys Gln Asn Ala Gly Ser Thr Val Tyr Tyr
 305                310                315                320

Pro Asn Glu Lys Asp Cys Glu Thr Arg Gly Asp His Val Phe Cys Asp
      325                330                335

Thr Ala Ala Gly Ile Asn Val Ala Glu Gln Ser Lys Glu Cys Asn Ile
      340                345                350

Asn Ile Ser Thr Thr Asn Tyr Pro Cys Lys Val Ser Thr Gly Arg His
      355                360                365

Pro Ile Ser Met Val Ala Leu Ser Pro Leu Gly Ala Leu Val Ala Cys
      370                375                380

Tyr Lys Gly Val Ser Cys Ser Ile Gly Ser Asn Arg Val Gly Ile Ile
 385                390                395                400

Lys Gln Leu Asn Lys Gly Cys Ser Tyr Ile Thr Asn Gln Asp Ala Asp
      405                410                415

Thr Val Thr Ile Asp Asn Thr Val Tyr Gln Leu Ser Lys Val Glu Gly
      420                425                430

Glu Gln His Val Ile Lys Gly Arg Pro Val Ser Ser Ser Phe Asp Pro
      435                440                445

Ile Lys Phe Pro Glu Asn Gln Phe Gln Val Ala Leu Asp Gln Val Phe
      450                455                460

Glu Asn Ile Glu Asn Ser Gln Ala Leu Val Asp Gln Ser Asn Arg Ile
 465                470                475                480

Leu Ser Ser Ala Glu Lys Gly Asn Thr Gly Phe Ile Ile Val Ile Ile
      485                490                495

Leu Ile Ala Val Leu Gly Ser Ser Met Ile Leu Val Ser Ile Phe Ile
      500                505                510

Ile Ile Lys Lys Thr Lys Lys Pro Thr Gly Ala Pro Pro Glu Leu Ser
      515                520                525

Gly Val Thr Asn Asn Gly Phe Ile Pro His Asn
 530                535

```

<210> SEQ ID NO 91

<211> LENGTH: 539

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic Polypeptide

<400> SEQUENCE: 91

```

Met Ser Trp Lys Val Val Ile Ile Phe Ser Leu Leu Ile Thr Pro Gln
 1                5                10                15

His Gly Leu Lys Glu Ser Tyr Leu Glu Glu Ser Cys Ser Thr Ile Thr
 20                25                30

```

-continued

Glu Gly Tyr Leu Ser Val Leu Arg Thr Gly Trp Tyr Thr Asn Val Phe
 35 40 45
 Thr Leu Pro Val Gly Asp Val Glu Asn Leu Thr Cys Ser Asp Gly Pro
 50 55 60
 Ser Leu Ile Lys Thr Glu Leu Asp Leu Leu Lys Ser Ala Leu Arg Glu
 65 70 75 80
 Leu Lys Thr Val Ser Ala Asp Gln Leu Ala Arg Glu Glu Gln Ile Glu
 85 90 95
 Asn Pro Gly Ser Gly Ser Phe Val Leu Gly Ala Ile Ala Leu Gly Val
 100 105 110
 Ala Ala Ala Ala Ala Val Thr Ala Gly Val Ala Ile Ala Lys Thr Ile
 115 120 125
 Arg Leu Glu Ser Glu Val Thr Ala Ile Asn Asn Ala Leu Lys Lys Thr
 130 135 140
 Asn Glu Ala Val Ser Thr Leu Gly Asn Gly Val Arg Val Leu Ala Thr
 145 150 155 160
 Ala Val Arg Glu Leu Lys Asp Phe Val Ser Lys Asn Leu Thr Arg Ala
 165 170 175
 Ile Asn Lys Asn Lys Cys Asp Ile Asp Asp Leu Lys Met Ala Val Ser
 180 185 190
 Phe Ser Gln Phe Asn Arg Arg Phe Leu Asn Val Val Arg Gln Phe Ser
 195 200 205
 Asp Asn Ala Gly Ile Thr Pro Ala Ile Ser Leu Asp Leu Met Thr Asp
 210 215 220
 Ala Glu Leu Ala Arg Ala Val Pro Asn Met Pro Thr Ser Ala Gly Gln
 225 230 235 240
 Ile Lys Leu Met Leu Glu Asn Arg Ala Met Val Arg Arg Lys Gly Phe
 245 250 255
 Gly Ile Leu Ile Gly Val Tyr Gly Ser Ser Val Ile Tyr Met Val Gln
 260 265 270
 Leu Pro Ile Phe Gly Val Ile Asp Thr Pro Cys Trp Ile Val Lys Ala
 275 280 285
 Ala Pro Ser Cys Ser Glu Lys Lys Gly Asn Tyr Ala Cys Leu Leu Arg
 290 295 300
 Glu Asp Gln Gly Trp Tyr Cys Gln Asn Ala Gly Ser Thr Val Tyr Tyr
 305 310 315 320
 Pro Asn Glu Lys Asp Cys Glu Thr Arg Gly Asp His Val Phe Cys Asp
 325 330 335
 Thr Ala Ala Gly Ile Asn Val Ala Glu Gln Ser Lys Glu Cys Asn Ile
 340 345 350
 Asn Ile Ser Thr Thr Asn Tyr Pro Cys Lys Val Ser Thr Gly Arg His
 355 360 365
 Pro Ile Ser Met Val Ala Leu Ser Pro Leu Gly Ala Leu Val Ala Cys
 370 375 380
 Tyr Lys Gly Val Ser Cys Ser Ile Gly Ser Asn Arg Val Gly Ile Ile
 385 390 395 400
 Lys Gln Leu Asn Lys Gly Cys Ser Tyr Ile Thr Asn Gln Asp Ala Asp
 405 410 415
 Thr Val Thr Ile Asp Asn Thr Val Tyr Gln Leu Ser Lys Val Glu Gly
 420 425 430
 Glu Gln His Val Ile Lys Gly Arg Pro Val Ser Ser Ser Phe Asp Pro
 435 440 445
 Ile Lys Phe Pro Glu Asp Gln Phe Gln Val Ala Leu Asp Gln Val Phe

-continued

450	455	460
Glu Asn Ile Glu Asn Ser Gln Ala Leu Val Asp Gln Ser Asn Arg Ile		
465	470	475 480
Leu Ser Ser Ala Glu Lys Gly Asn Thr Gly Phe Ile Ile Val Ile Ile		
	485	490 495
Leu Ile Ala Val Leu Gly Ser Ser Met Ile Leu Val Ser Ile Phe Ile		
	500	505 510
Ile Ile Lys Lys Thr Lys Lys Pro Thr Gly Ala Pro Pro Glu Leu Ser		
	515	520 525
Gly Val Thr Asn Asn Gly Phe Ile Pro His Asn		
530	535	

<210> SEQ ID NO 92
 <211> LENGTH: 539
 <212> TYPE: PRT
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: Synthetic Polypeptide

<400> SEQUENCE: 92

Met Ser Trp Lys Val Val Ile Ile Phe Ser Leu Leu Ile Thr Pro Gln
1 5 10 15
His Gly Leu Lys Glu Ser Tyr Leu Glu Glu Ser Cys Ser Thr Ile Thr
20 25 30
Glu Gly Tyr Leu Ser Val Leu Arg Thr Gly Trp Tyr Thr Asn Val Phe
35 40 45
Thr Leu Pro Val Gly Asp Val Glu Asn Leu Thr Cys Ser Asp Gly Pro
50 55 60
Ser Leu Ile Lys Thr Glu Leu Asp Leu Leu Lys Ser Ala Leu Arg Glu
65 70 75 80
Leu Lys Thr Val Ser Ala Asp Gln Leu Ala Arg Glu Glu Gln Ile Glu
85 90 95
Asn Pro Gly Ser Gly Ser Phe Val Leu Gly Ala Ile Ala Leu Gly Val
100 105 110
Ala Ala Ala Ala Ala Val Thr Ala Gly Val Ala Ile Ala Lys Thr Ile
115 120 125
Arg Leu Glu Ser Glu Val Thr Ala Ile Asn Asn Ala Leu Lys Lys Thr
130 135 140
Asn Glu Ala Val Ser Thr Leu Gly Asn Gly Val Arg Val Leu Ala Thr
145 150 155 160
Ala Val Arg Glu Leu Lys Asp Phe Val Ser Lys Asn Leu Thr Arg Ala
165 170 175
Ile Asn Lys Asn Lys Cys Asp Ile Asp Asp Leu Lys Met Ala Val Ser
180 185 190
Phe Ser Gln Phe Asn Arg Arg Phe Leu Asn Val Val Arg Gln Phe Ser
195 200 205
Asp Asn Ala Gly Ile Thr Pro Ala Ile Ser Leu Asp Leu Met Thr Asp
210 215 220
Ala Glu Leu Ala Arg Ala Val Pro Asn Met Pro Thr Ser Ala Gly Gln
225 230 235 240
Ile Lys Leu Met Leu Glu Asn Arg Ala Met Val Arg Arg Lys Gly Phe
245 250 255
Gly Ile Leu Ile Gly Val Tyr Gly Ser Ser Val Ile Tyr Met Val Gln
260 265 270
Leu Pro Ile Phe Gly Val Ile Asp Thr Pro Cys Trp Ile Val Lys Ala

-continued

275					280					285					
Ala	Pro	Ser	Cys	Ser	Glu	Lys	Lys	Gly	Asn	Tyr	Ala	Cys	Leu	Leu	Arg
290						295					300				
Glu	Asp	Gln	Gly	Trp	Tyr	Cys	Gln	Asn	Ala	Gly	Ser	Thr	Val	Tyr	Tyr
305					310					315					320
Pro	Asn	Glu	Lys	Asp	Cys	Glu	Thr	Arg	Gly	Asp	His	Val	Phe	Cys	Asp
				325					330					335	
Thr	Ala	Ala	Gly	Ile	Asn	Val	Ala	Glu	Gln	Ser	Lys	Glu	Cys	Asn	Ile
			340					345					350		
Asn	Ile	Ser	Thr	Thr	Asn	Tyr	Pro	Cys	Lys	Val	Ser	Thr	Gly	Arg	His
		355					360					365			
Pro	Ile	Ser	Met	Val	Ala	Leu	Ser	Pro	Leu	Gly	Ala	Leu	Val	Ala	Cys
370						375					380				
Tyr	Lys	Gly	Val	Ser	Cys	Ser	Ile	Gly	Ser	Asn	Arg	Val	Gly	Ile	Ile
385					390					395					400
Lys	Gln	Leu	Asn	Lys	Gly	Cys	Ser	Tyr	Ile	Thr	Asn	Gln	Asp	Ala	Asp
				405					410						415
Thr	Val	Thr	Ile	Asp	Asn	Thr	Val	Tyr	Gln	Leu	Ser	Lys	Val	Glu	Gly
			420					425					430		
Glu	Gln	His	Val	Ile	Lys	Gly	Arg	Pro	Val	Ser	Ser	Ser	Phe	Asp	Pro
			435				440						445		
Ile	Lys	Phe	Pro	Glu	Asn	Gln	Phe	Gln	Val	Ala	Leu	Asp	Gln	Val	Phe
450						455						460			
Glu	Asn	Ile	Glu	Asn	Ser	Gln	Ala	Leu	Val	Asp	Gln	Ser	Asn	Arg	Ile
465					470					475					480
Leu	Ser	Ser	Ala	Glu	Lys	Gly	Asn	Thr	Gly	Phe	Ile	Ile	Val	Ile	Ile
				485					490						495
Leu	Ile	Ala	Val	Leu	Gly	Ser	Ser	Met	Ile	Leu	Val	Ser	Ile	Phe	Ile
			500					505					510		
Ile	Ile	Lys	Lys	Thr	Lys	Lys	Pro	Thr	Gly	Ala	Pro	Pro	Glu	Leu	Ser
		515					520					525			
Gly	Val	Thr	Asn	Asn	Gly	Phe	Ile	Pro	His	Asn					
530						535									

<210> SEQ ID NO 93

<211> LENGTH: 539

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic Polypeptide

<400> SEQUENCE: 93

Met	Ser	Trp	Lys	Val	Val	Ile	Ile	Phe	Ser	Leu	Leu	Ile	Thr	Pro	Gln
1			5					10						15	
His	Gly	Leu	Lys	Glu	Ser	Tyr	Leu	Glu	Glu	Ser	Cys	Ser	Thr	Ile	Thr
			20					25					30		
Glu	Gly	Tyr	Leu	Ser	Val	Leu	Arg	Thr	Gly	Trp	Tyr	Thr	Asn	Val	Phe
			35					40					45		
Thr	Leu	Glu	Val	Gly	Asp	Val	Glu	Asn	Leu	Thr	Cys	Ser	Asp	Gly	Pro
			50			55					60				
Ser	Leu	Ile	Lys	Thr	Glu	Leu	Asp	Leu	Leu	Lys	Ser	Ala	Leu	Arg	Glu
65					70					75					80
Leu	Lys	Thr	Val	Ser	Ala	Asp	Gln	Leu	Ala	Arg	Glu	Glu	Gln	Ile	Glu
				85					90						95
Asn	Pro	Gly	Ser	Gly	Ser	Phe	Val	Leu	Gly	Ala	Ile	Ala	Leu	Gly	Val

-continued

100					105					110					
Ala	Ala	Ala	Ala	Ala	Val	Thr	Ala	Gly	Val	Ala	Ile	Ala	Lys	Thr	Ile
	115						120					125			
Arg	Leu	Glu	Ser	Glu	Val	Thr	Ala	Ile	Asn	Asn	Ala	Leu	Lys	Lys	Thr
	130					135					140				
Asn	Glu	Ala	Val	Ser	Thr	Leu	Gly	Asn	Gly	Val	Arg	Val	Leu	Ala	Thr
	145					150					155				160
Ala	Val	Arg	Glu	Leu	Lys	Asp	Phe	Val	Ser	Lys	Asn	Leu	Thr	Arg	Ala
			165						170					175	
Ile	Asn	Lys	Asn	Lys	Cys	Asp	Ile	Asp	Asp	Leu	Lys	Met	Ala	Val	Ser
			180					185					190		
Phe	Ser	Gln	Phe	Asn	Arg	Arg	Phe	Leu	Asn	Val	Val	Arg	Gln	Phe	Ser
		195					200					205			
Asp	Asn	Ala	Gly	Ile	Thr	Pro	Ala	Ile	Ser	Leu	Asp	Leu	Met	Thr	Asp
	210					215					220				
Ala	Glu	Leu	Ala	Arg	Ala	Val	Pro	Asn	Met	Pro	Thr	Ser	Ala	Gly	Gln
	225					230					235				240
Ile	Lys	Leu	Met	Leu	Glu	Asn	Arg	Ala	Met	Val	Arg	Arg	Lys	Gly	Phe
			245						250					255	
Gly	Ile	Leu	Ile	Gly	Val	Tyr	Gly	Ser	Ser	Val	Ile	Tyr	Met	Val	Gln
		260					265						270		
Leu	Pro	Ile	Phe	Gly	Val	Ile	Asp	Thr	Pro	Cys	Trp	Ile	Val	Lys	Ala
		275					280					285			
Ala	Pro	Ser	Cys	Ser	Glu	Lys	Lys	Gly	Asn	Tyr	Ala	Cys	Leu	Leu	Arg
	290					295					300				
Glu	Asp	Gln	Gly	Trp	Tyr	Cys	Gln	Asn	Ala	Gly	Ser	Thr	Val	Tyr	Tyr
	305					310					315				320
Pro	Asn	Glu	Lys	Asp	Cys	Glu	Thr	Arg	Gly	Asp	His	Val	Phe	Cys	Asp
			325						330					335	
Thr	Ala	Ala	Gly	Ile	Asn	Val	Ala	Glu	Gln	Ser	Lys	Glu	Cys	Asn	Ile
			340					345					350		
Asn	Ile	Ser	Thr	Thr	Asn	Tyr	Pro	Cys	Lys	Val	Ser	Thr	Gly	Arg	His
		355					360					365			
Pro	Ile	Ser	Met	Val	Ala	Leu	Ser	Pro	Leu	Gly	Ala	Leu	Val	Ala	Cys
	370					375					380				
Tyr	Lys	Gly	Val	Ser	Cys	Ser	Ile	Gly	Ser	Asn	Arg	Val	Gly	Ile	Ile
	385					390					395				400
Lys	Gln	Leu	Asn	Lys	Gly	Cys	Ser	Tyr	Ile	Thr	Asn	Gln	Asp	Ala	Asp
			405						410					415	
Thr	Val	Thr	Ile	Asp	Asn	Thr	Val	Tyr	Gln	Leu	Ser	Lys	Val	Glu	Gly
			420					425					430		
Glu	Gln	His	Val	Ile	Lys	Gly	Arg	Pro	Val	Ser	Ser	Ser	Phe	Asp	Pro
		435					440						445		
Ile	Lys	Phe	Pro	Glu	Asp	Gln	Phe	Gln	Val	Ala	Leu	Asp	Gln	Val	Phe
	450					455					460				
Glu	Asn	Ile	Glu	Asn	Ser	Gln	Ala	Leu	Val	Asp	Gln	Ser	Asn	Arg	Ile
	465					470					475				480
Leu	Ser	Ser	Ala	Glu	Lys	Gly	Asn	Thr	Gly	Phe	Ile	Ile	Val	Ile	Ile
			485						490					495	
Leu	Ile	Ala	Val	Leu	Gly	Ser	Ser	Met	Ile	Leu	Val	Ser	Ile	Phe	Ile
		500						505					510		
Ile	Ile	Lys	Lys	Thr	Lys	Lys	Pro	Thr	Gly	Ala	Pro	Pro	Glu	Leu	Ser
		515					520						525		

-continued

Gly Val Thr Asn Asn Gly Phe Ile Pro His Asn
530 535

<210> SEQ ID NO 94
<211> LENGTH: 539
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic Polypeptide

<400> SEQUENCE: 94

Met Ser Trp Lys Val Val Ile Ile Phe Ser Leu Leu Ile Thr Pro Gln
1 5 10 15
His Gly Leu Lys Glu Ser Tyr Leu Glu Glu Ser Cys Ser Thr Ile Thr
20 25 30
Glu Gly Tyr Leu Ser Val Leu Arg Thr Gly Trp Tyr Thr Asn Val Phe
35 40 45
Thr Leu Glu Val Gly Asp Leu Glu Asn Leu Thr Cys Ser Asp Gly Pro
50 55 60
Ser Leu Ile Lys Thr Glu Leu Asp Leu Thr Lys Ser Ala Leu Arg Glu
65 70 75 80
Leu Lys Thr Val Ser Ala Asp Gln Leu Ala Arg Glu Glu Gln Ile Glu
85 90 95
Asn Pro Gly Ser Gly Ser Phe Val Leu Gly Ala Ile Ala Leu Gly Val
100 105 110
Ala Ala Ala Ala Val Thr Ala Gly Val Ala Ile Ala Lys Thr Ile
115 120 125
Arg Leu Glu Ser Glu Val Thr Ala Ile Asn Asn Ala Leu Lys Lys Thr
130 135 140
Asn Glu Ala Val Ser Thr Leu Gly Asn Gly Val Arg Val Leu Ala Thr
145 150 155 160
Ala Val Arg Glu Leu Lys Asp Phe Val Ser Lys Asn Leu Thr Arg Ala
165 170 175
Ile Asn Lys Asn Lys Cys Asp Ile Asp Asp Leu Lys Met Ala Val Ser
180 185 190
Phe Ser Gln Phe Asn Arg Arg Phe Leu Asn Val Val Arg Gln Phe Ser
195 200 205
Asp Asn Ala Gly Ile Thr Pro Ala Ile Ser Leu Asp Leu Met Thr Asp
210 215 220
Ala Glu Leu Ala Arg Ala Val Pro Asn Met Pro Thr Ser Ala Gly Gln
225 230 235 240
Ile Lys Leu Met Leu Glu Asn Arg Ala Met Val Arg Arg Lys Gly Phe
245 250 255
Gly Ile Leu Ile Gly Val Tyr Gly Ser Ser Val Ile Tyr Met Val Gln
260 265 270
Leu Pro Ile Phe Gly Val Ile Asp Thr Pro Cys Trp Ile Val Lys Ala
275 280 285
Ala Pro Ser Cys Ser Glu Lys Lys Gly Asn Tyr Ala Cys Leu Leu Arg
290 295 300
Glu Asp Gln Gly Trp Tyr Cys Gln Asn Ala Gly Ser Thr Val Tyr Tyr
305 310 315 320
Pro Asn Glu Lys Asp Cys Glu Thr Arg Gly Asp His Val Phe Cys Asp
325 330 335
Thr Ala Ala Gly Ile Asn Val Ala Glu Gln Ser Lys Glu Cys Asn Ile
340 345 350

-continued

```

Asn Ile Ser Thr Thr Asn Tyr Pro Cys Lys Val Ser Thr Gly Arg His
  355                               360                               365

Pro Ile Ser Met Val Ala Leu Ser Pro Leu Gly Ala Leu Val Ala Cys
  370                               375                               380

Tyr Lys Gly Val Ser Cys Ser Ile Gly Ser Asn Arg Val Gly Ile Ile
  385                               390                               395                               400

Lys Gln Leu Asn Lys Gly Cys Ser Tyr Ile Thr Asn Gln Asp Ala Asp
                               405                               410                               415

Thr Val Thr Ile Asp Asn Thr Val Tyr Gln Leu Ser Lys Val Glu Gly
                               420                               425                               430

Glu Gln His Val Ile Lys Gly Arg Pro Val Ser Ser Ser Phe Asp Pro
                               435                               440                               445

Ile Lys Phe Pro Glu Asp Gln Phe Gln Val Ala Leu Asp Gln Val Phe
  450                               455                               460

Glu Asn Ile Glu Asn Ser Gln Ala Leu Val Asp Gln Ser Asn Arg Ile
  465                               470                               475                               480

Leu Ser Ser Ala Glu Lys Gly Asn Thr Gly Phe Ile Ile Val Ile Ile
                               485                               490                               495

Leu Ile Ala Val Leu Gly Ser Ser Met Ile Leu Val Ser Ile Phe Ile
                               500                               505                               510

Ile Ile Lys Lys Thr Lys Lys Pro Thr Gly Ala Pro Pro Glu Leu Ser
  515                               520                               525

Gly Val Thr Asn Asn Gly Phe Ile Pro His Asn
  530                               535

```

```

<210> SEQ ID NO 95
<211> LENGTH: 539
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic Polypeptide

```

```

<400> SEQUENCE: 95

```

```

Met Ser Trp Lys Val Val Ile Ile Phe Ser Leu Leu Ile Thr Pro Gln
  1           5           10           15

His Gly Leu Lys Glu Ser Tyr Leu Glu Glu Ser Cys Ser Thr Ile Thr
  20           25           30

Glu Gly Tyr Leu Ser Val Leu Arg Thr Gly Trp Tyr Thr Asn Val Phe
  35           40           45

Thr Leu Glu Val Gly Asp Val Glu Asn Leu Thr Cys Ser Asp Gly Pro
  50           55           60

Ser Leu Ile Lys Thr Glu Leu Asp Leu Thr Lys Ser Ala Leu Arg Glu
  65           70           75           80

Leu Lys Thr Val Ser Ala Asp Gln Leu Ala Arg Glu Glu Gln Ile Glu
  85           90           95

Asn Pro Gly Ser Gly Ser Phe Val Leu Gly Ala Ile Ala Leu Gly Val
  100          105          110

Ala Ala Ala Ala Ala Val Thr Ala Gly Val Ala Ile Ala Lys Thr Ile
  115          120          125

Arg Leu Glu Ser Glu Val Thr Ala Ile Asn Asn Ala Leu Lys Lys Thr
  130          135          140

Asn Glu Ala Val Ser Thr Leu Gly Asn Gly Val Arg Val Leu Ala Thr
  145          150          155          160

Ala Val Arg Glu Leu Lys Asp Phe Val Leu Lys Asn Leu Thr Arg Ala
  165          170          175

```

-continued

```

Ile Asn Lys Asn Lys Cys Asp Ile Asp Asp Leu Lys Met Ala Val Ser
      180                               185                               190

Phe Ser Gln Phe Asn Arg Arg Phe Leu Asn Val Val Arg Gln Phe Ser
      195                               200                               205

Asp Asn Ala Gly Ile Thr Pro Ala Ile Ser Leu Asp Leu Met Thr Asp
      210                               215                               220

Ala Glu Leu Ala Arg Ala Val Pro Asn Met Pro Thr Ser Ala Gly Gln
      225                               230                               235                               240

Ile Lys Leu Met Leu Glu Asn Arg Ala Met Val Arg Arg Lys Gly Phe
      245                               250                               255

Gly Ile Leu Ile Gly Val Tyr Gly Ser Ser Val Ile Tyr Met Val Gln
      260                               265                               270

Leu Pro Ile Phe Gly Val Ile Asp Thr Pro Cys Trp Ile Val Lys Ala
      275                               280                               285

Ala Pro Ser Cys Ser Glu Lys Lys Gly Asn Tyr Ala Cys Leu Leu Arg
      290                               295                               300

Glu Asp Gln Gly Trp Tyr Cys Gln Asn Ala Gly Ser Thr Val Tyr Tyr
      305                               310                               315                               320

Pro Asn Glu Lys Asp Cys Glu Thr Arg Gly Asp His Val Phe Cys Asp
      325                               330                               335

Thr Ala Ala Gly Ile Asn Val Ala Glu Gln Ser Lys Glu Cys Asn Ile
      340                               345                               350

Asn Ile Ser Thr Thr Asn Tyr Pro Cys Lys Val Ser Thr Gly Arg His
      355                               360                               365

Pro Ile Ser Met Val Ala Leu Ser Pro Leu Gly Ala Leu Val Ala Cys
      370                               375                               380

Tyr Lys Gly Val Ser Cys Ser Ile Gly Ser Asn Arg Val Gly Ile Ile
      385                               390                               395                               400

Lys Gln Leu Asn Lys Gly Cys Ser Tyr Ile Thr Asn Gln Asp Ala Asp
      405                               410                               415

Thr Val Thr Ile Asp Asn Thr Val Tyr Gln Leu Ser Lys Val Glu Gly
      420                               425                               430

Glu Gln His Val Ile Lys Gly Arg Pro Val Ser Ser Ser Phe Asp Pro
      435                               440                               445

Ile Lys Phe Pro Glu Asp Gln Phe Gln Val Ala Leu Asp Gln Val Phe
      450                               455                               460

Glu Asn Ile Glu Asn Ser Gln Ala Leu Val Asp Gln Ser Asn Arg Ile
      465                               470                               475                               480

Leu Ser Ser Ala Glu Lys Gly Asn Thr Gly Phe Ile Ile Val Ile Ile
      485                               490                               495

Leu Ile Ala Val Leu Gly Ser Ser Met Ile Leu Val Ser Ile Phe Ile
      500                               505                               510

Ile Ile Lys Lys Thr Lys Lys Pro Thr Gly Ala Pro Pro Glu Leu Ser
      515                               520                               525

Gly Val Thr Asn Asn Gly Phe Ile Pro His Asn
      530                               535

```

```

<210> SEQ ID NO 96
<211> LENGTH: 539
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic Polypeptide

<400> SEQUENCE: 96

```

-continued

Met Ser Trp Lys Val Val Ile Ile Phe Ser Leu Leu Ile Thr Pro Gln
 1 5 10 15
 His Gly Leu Lys Glu Ser Tyr Leu Glu Glu Ser Cys Ser Thr Ile Thr
 20 25 30
 Glu Gly Tyr Leu Ser Val Leu Arg Thr Gly Trp Tyr Thr Asn Val Phe
 35 40 45
 Thr Leu Glu Val Gly Asp Val Glu Asn Leu Thr Cys Ser Asp Gly Pro
 50 55 60
 Ser Leu Ile Lys Thr Glu Leu Asp Leu Thr Lys Ser Ala Leu Arg Glu
 65 70 75 80
 Leu Lys Thr Val Ser Ala Asp Gln Leu Ala Arg Glu Glu Gln Ile Glu
 85 90 95
 Asn Pro Gly Ser Gly Ser Phe Val Leu Gly Ala Ile Ala Leu Gly Val
 100 105 110
 Ala Ala Ala Ala Ala Val Thr Ala Gly Val Ala Ile Ala Lys Thr Ile
 115 120 125
 Arg Leu Glu Ser Glu Val Thr Ala Ile Asn Asn Ala Leu Lys Lys Thr
 130 135 140
 Asn Glu Ala Val Ser Thr Leu Gly Asn Gly Val Arg Val Leu Ala Thr
 145 150 155 160
 Ala Val Arg Glu Leu Lys Asp Phe Val Ser Lys Asn Leu Trp Arg Ala
 165 170 175
 Ile Asn Lys Asn Lys Cys Asp Ile Asp Asp Leu Lys Met Ala Val Ser
 180 185 190
 Phe Ser Gln Phe Asn Arg Arg Phe Leu Asn Val Val Arg Gln Phe Ser
 195 200 205
 Asp Asn Ala Gly Ile Thr Pro Ala Ile Ser Leu Asp Leu Met Thr Asp
 210 215 220
 Ala Glu Leu Ala Arg Ala Val Pro Asn Met Pro Thr Ser Ala Gly Gln
 225 230 235 240
 Ile Lys Leu Met Leu Glu Asn Arg Ala Met Val Arg Arg Lys Gly Phe
 245 250 255
 Gly Ile Leu Ile Gly Val Tyr Gly Ser Ser Val Ile Tyr Met Val Gln
 260 265 270
 Leu Pro Ile Phe Gly Val Ile Asp Thr Pro Cys Trp Ile Val Lys Ala
 275 280 285
 Ala Pro Ser Cys Ser Glu Lys Lys Gly Asn Tyr Ala Cys Leu Leu Arg
 290 295 300
 Glu Asp Gln Gly Trp Tyr Cys Gln Asn Ala Gly Ser Thr Val Tyr Tyr
 305 310 315 320
 Pro Asn Glu Lys Asp Cys Glu Thr Arg Gly Asp His Val Phe Cys Asp
 325 330 335
 Thr Ala Ala Gly Ile Asn Val Ala Glu Gln Ser Lys Glu Cys Asn Ile
 340 345 350
 Asn Ile Ser Thr Thr Asn Tyr Pro Cys Lys Val Ser Thr Gly Arg His
 355 360 365
 Pro Ile Ser Met Val Ala Leu Ser Pro Leu Gly Ala Leu Val Ala Cys
 370 375 380
 Tyr Lys Gly Val Ser Cys Ser Ile Gly Ser Asn Arg Val Gly Ile Ile
 385 390 395 400
 Lys Gln Leu Asn Lys Gly Cys Ser Tyr Ile Thr Asn Gln Asp Ala Asp
 405 410 415

-continued

Thr Val Thr Ile Asp Asn Thr Val Tyr Gln Leu Ser Lys Val Glu Gly
 420 425 430

 Glu Gln His Val Ile Lys Gly Arg Pro Val Ser Ser Ser Phe Asp Pro
 435 440 445

 Ile Lys Phe Pro Glu Asp Gln Phe Gln Val Ala Leu Asp Gln Val Phe
 450 455 460

 Glu Asn Ile Glu Asn Ser Gln Ala Leu Val Asp Gln Ser Asn Arg Ile
 465 470 475 480

 Leu Ser Ser Ala Glu Lys Gly Asn Thr Gly Phe Ile Ile Val Ile Ile
 485 490 495

 Leu Ile Ala Val Leu Gly Ser Ser Met Ile Leu Val Ser Ile Phe Ile
 500 505 510

 Ile Ile Lys Lys Thr Lys Lys Pro Thr Gly Ala Pro Pro Glu Leu Ser
 515 520 525

 Gly Val Thr Asn Asn Gly Phe Ile Pro His Asn
 530 535

<210> SEQ ID NO 97
 <211> LENGTH: 539
 <212> TYPE: PRT
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: Synthetic Polypeptide

<400> SEQUENCE: 97

Met Ser Trp Lys Val Val Ile Ile Phe Ser Leu Leu Ile Thr Pro Gln
 1 5 10 15

 His Gly Leu Lys Glu Ser Tyr Leu Glu Glu Ser Cys Ser Thr Ile Thr
 20 25 30

 Glu Gly Tyr Leu Ser Val Leu Arg Thr Gly Trp Tyr Thr Asn Val Phe
 35 40 45

 Thr Leu Glu Val Gly Asp Leu Glu Asn Leu Thr Cys Ser Asp Gly Pro
 50 55 60

 Ser Leu Ile Lys Thr Glu Leu Asp Leu Leu Lys Ser Ala Leu Arg Glu
 65 70 75 80

 Leu Lys Thr Val Ser Ala Asp Gln Leu Ala Arg Glu Glu Gln Ile Glu
 85 90 95

 Asn Pro Gly Ser Gly Ser Phe Val Leu Gly Ala Ile Ala Leu Gly Val
 100 105 110

 Ala Ala Ala Ala Ala Val Thr Ala Gly Val Ala Ile Ala Lys Thr Ile
 115 120 125

 Arg Leu Glu Ser Glu Val Thr Ala Ile Asn Asn Ala Leu Lys Lys Thr
 130 135 140

 Asn Glu Ala Val Ser Thr Leu Gly Asn Gly Val Arg Val Leu Ala Thr
 145 150 155 160

 Ala Val Arg Glu Leu Lys Asp Phe Val Leu Lys Asn Leu Trp Arg Ala
 165 170 175

 Ile Asn Lys Asn Lys Cys Asp Ile Asp Asp Leu Lys Met Ala Val Ser
 180 185 190

 Phe Ser Gln Phe Asn Arg Arg Phe Leu Asn Val Val Arg Gln Phe Ser
 195 200 205

 Asp Asn Ala Gly Ile Thr Pro Ala Ile Ser Leu Asp Leu Met Thr Asp
 210 215 220

 Ala Glu Leu Ala Arg Ala Val Pro Asn Met Pro Thr Ser Ala Gly Gln
 225 230 235 240

-continued

Ile Lys Leu Met Leu Glu Asn Arg Ala Met Val Arg Arg Lys Gly Phe
 245 250 255

Gly Ile Leu Ile Gly Val Tyr Gly Ser Ser Val Ile Tyr Met Val Gln
 260 265 270

Leu Pro Ile Phe Gly Val Ile Asp Thr Pro Cys Trp Ile Val Lys Ala
 275 280 285

Ala Pro Ser Cys Ser Glu Lys Lys Gly Asn Tyr Ala Cys Leu Leu Arg
 290 295 300

Glu Asp Gln Gly Trp Tyr Cys Gln Asn Ala Gly Ser Thr Val Tyr Tyr
 305 310 315 320

Pro Asn Glu Lys Asp Cys Glu Thr Arg Gly Asp His Val Phe Cys Asp
 325 330 335

Thr Ala Ala Gly Ile Asn Val Ala Glu Gln Ser Lys Glu Cys Asn Ile
 340 345 350

Asn Ile Ser Thr Thr Asn Tyr Pro Cys Lys Val Ser Thr Gly Arg His
 355 360 365

Pro Ile Ser Met Val Ala Leu Ser Pro Leu Gly Ala Leu Val Ala Cys
 370 375 380

Tyr Lys Gly Val Ser Cys Ser Ile Gly Ser Asn Arg Val Gly Ile Ile
 385 390 395 400

Lys Gln Leu Asn Lys Gly Cys Ser Tyr Ile Thr Asn Gln Asp Ala Asp
 405 410 415

Thr Val Thr Ile Asp Asn Thr Val Tyr Gln Leu Ser Lys Val Glu Gly
 420 425 430

Glu Gln His Val Ile Lys Gly Arg Pro Val Ser Ser Ser Phe Asp Pro
 435 440 445

Ile Lys Phe Pro Glu Asp Gln Phe Gln Val Ala Leu Asp Gln Val Phe
 450 455 460

Glu Asn Ile Glu Asn Ser Gln Ala Leu Val Asp Gln Ser Asn Arg Ile
 465 470 475 480

Leu Ser Ser Ala Glu Lys Gly Asn Thr Gly Phe Ile Ile Val Ile Ile
 485 490 495

Leu Ile Ala Val Leu Gly Ser Ser Met Ile Leu Val Ser Ile Phe Ile
 500 505 510

Ile Ile Lys Lys Thr Lys Lys Pro Thr Gly Ala Pro Pro Glu Leu Ser
 515 520 525

Gly Val Thr Asn Asn Gly Phe Ile Pro His Asn
 530 535

<210> SEQ ID NO 98
 <211> LENGTH: 539
 <212> TYPE: PRT
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: Synthetic Polypeptide

<400> SEQUENCE: 98

Met Ser Trp Lys Val Val Ile Ile Phe Ser Leu Leu Ile Thr Pro Gln
 1 5 10 15

His Gly Leu Lys Glu Ser Tyr Leu Glu Glu Ser Cys Ser Thr Ile Thr
 20 25 30

Glu Gly Tyr Leu Ser Val Leu Arg Thr Gly Trp Tyr Thr Asn Val Phe
 35 40 45

Thr Leu Pro Val Gly Asp Val Glu Asn Leu Thr Cys Ser Asp Gly Pro
 50 55 60

-continued

Ser Leu Ile Lys Thr Glu Leu Asp Leu Thr Lys Ser Ala Leu Arg Glu
 65 70 75 80
 Leu Lys Thr Val Ser Ala Asp Gln Leu Ala Arg Glu Glu Gln Ile Glu
 85 90 95
 Asn Pro Gly Ser Gly Ser Phe Val Leu Gly Ala Ile Ala Leu Gly Val
 100 105 110
 Ala Ala Ala Ala Ala Val Thr Ala Gly Val Ala Ile Ala Lys Thr Ile
 115 120 125
 Arg Leu Glu Ser Glu Val Thr Ala Ile Asn Asn Ala Leu Lys Lys Thr
 130 135 140
 Asn Glu Ala Val Ser Thr Leu Gly Asn Gly Val Arg Val Leu Ala Thr
 145 150 155 160
 Ala Val Arg Glu Leu Lys Asp Phe Val Ser Lys Asn Leu Thr Arg Ala
 165 170 175
 Ile Asn Lys Asn Lys Cys Asp Ile Asp Asp Leu Lys Met Ala Val Ser
 180 185 190
 Phe Ser Gln Phe Asn Arg Arg Phe Leu Asn Val Val Arg Gln Phe Ser
 195 200 205
 Asp Asn Ala Gly Ile Thr Pro Ala Ile Ser Leu Asp Leu Met Thr Asp
 210 215 220
 Ala Glu Leu Ala Arg Ala Val Pro Asn Met Pro Thr Ser Ala Gly Gln
 225 230 235 240
 Ile Lys Leu Met Leu Glu Asn Arg Ala Met Val Arg Arg Lys Gly Phe
 245 250 255
 Gly Ile Leu Ile Gly Val Tyr Gly Ser Ser Val Ile Tyr Met Val Gln
 260 265 270
 Leu Pro Ile Phe Gly Val Ile Asp Thr Pro Cys Trp Ile Val Lys Ala
 275 280 285
 Ala Pro Ser Cys Ser Glu Lys Lys Gly Asn Tyr Ala Cys Leu Leu Arg
 290 295 300
 Glu Asp Gln Gly Trp Tyr Cys Gln Asn Ala Gly Ser Thr Val Tyr Tyr
 305 310 315 320
 Pro Asn Glu Lys Asp Cys Glu Thr Arg Gly Asp His Val Phe Cys Asp
 325 330 335
 Thr Ala Ala Gly Ile Asn Val Ala Glu Gln Ser Lys Glu Cys Asn Ile
 340 345 350
 Asn Ile Ser Thr Thr Asn Tyr Pro Cys Lys Val Ser Thr Gly Arg His
 355 360 365
 Pro Ile Ser Met Val Ala Leu Ser Pro Leu Gly Ala Leu Val Ala Cys
 370 375 380
 Tyr Lys Gly Val Ser Cys Ser Ile Gly Ser Asn Arg Val Gly Ile Ile
 385 390 395 400
 Lys Gln Leu Asn Lys Gly Cys Ser Tyr Ile Thr Asn Gln Asp Ala Asp
 405 410 415
 Thr Val Thr Ile Asp Asn Thr Val Tyr Gln Leu Ser Lys Val Glu Gly
 420 425 430
 Glu Gln His Val Ile Lys Gly Arg Pro Val Ser Ser Ser Phe Asp Pro
 435 440 445
 Ile Lys Phe Pro Glu Asp Gln Phe Gln Val Ala Leu Asp Gln Val Phe
 450 455 460
 Glu Asn Ile Glu Asn Ser Gln Ala Leu Val Asp Gln Ser Asn Arg Ile
 465 470 475 480
 Leu Ser Ser Ala Glu Lys Gly Asn Thr Gly Phe Ile Ile Val Ile Ile

-continued

```

485             490             495
Leu Ile Ala Val Leu Gly Ser Ser Met Ile Leu Val Ser Ile Phe Ile
    500             505             510

Ile Ile Lys Lys Thr Lys Lys Pro Thr Gly Ala Pro Pro Glu Leu Ser
    515             520             525

Gly Val Thr Asn Asn Gly Phe Ile Pro His Asn
    530             535

<210> SEQ ID NO 99
<211> LENGTH: 539
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic Polypeptide

<400> SEQUENCE: 99

Met Ser Trp Lys Val Val Ile Ile Phe Ser Leu Leu Ile Thr Pro Gln
 1             5             10             15

His Gly Leu Lys Glu Ser Tyr Leu Glu Glu Ser Cys Ser Thr Ile Thr
    20             25             30

Glu Gly Tyr Leu Ser Val Leu Arg Thr Gly Trp Tyr Thr Asn Val Phe
    35             40             45

Thr Leu Glu Val Gly Asp Val Glu Asn Leu Thr Cys Ser Asp Gly Pro
 50             55             60

Ser Leu Ile Lys Thr Glu Leu Asp Leu Thr Lys Ser Ala Leu Arg Glu
 65             70             75             80

Leu Lys Thr Val Ser Ala Asp Gln Leu Ala Arg Glu Glu Gln Ile Glu
    85             90             95

Asn Pro Gly Ser Gly Ser Phe Val Leu Gly Ala Ile Ala Leu Gly Val
    100             105             110

Ala Ala Ala Ala Ala Val Thr Ala Gly Val Ala Ile Ala Lys Thr Ile
    115             120             125

Arg Leu Glu Ser Glu Val Thr Ala Ile Asn Asn Ala Leu Lys Lys Thr
    130             135             140

Asn Glu Ala Val Ser Thr Leu Gly Asn Gly Val Arg Val Leu Ala Thr
    145             150             155             160

Ala Val Arg Glu Leu Lys Asp Phe Val Ser Lys Asn Leu Thr Arg Ala
    165             170             175

Ile Asn Lys Asn Lys Cys Asp Ile Pro Asp Leu Lys Met Ala Val Ser
    180             185             190

Phe Ser Gln Phe Asn Arg Arg Phe Leu Asn Val Val Arg Gln Phe Ser
    195             200             205

Asp Asn Ala Gly Ile Thr Pro Ala Ile Ser Leu Asp Leu Met Thr Asp
    210             215             220

Ala Glu Leu Ala Arg Ala Val Pro Asn Met Pro Thr Ser Ala Gly Gln
    225             230             235             240

Ile Lys Leu Met Leu Glu Asn Arg Ala Met Val Arg Arg Lys Gly Phe
    245             250             255

Gly Ile Leu Ile Gly Val Tyr Gly Ser Ser Val Ile Tyr Met Val Gln
    260             265             270

Leu Pro Ile Phe Gly Val Ile Asp Thr Pro Cys Trp Ile Val Lys Ala
    275             280             285

Ala Pro Ser Cys Ser Glu Lys Lys Gly Asn Tyr Ala Cys Leu Leu Arg
    290             295             300

Glu Asp Gln Gly Trp Tyr Cys Gln Asn Ala Gly Ser Thr Val Tyr Tyr

```

-continued

305		310		315		320
Pro Asn Glu Lys Asp Cys Glu Thr Arg Gly Asp His Val Phe Cys Asp						
		325		330		335
Thr Ala Ala Gly Ile Asn Val Ala Glu Gln Ser Lys Glu Cys Asn Ile		340		345		350
Asn Ile Ser Thr Thr Asn Tyr Pro Cys Lys Val Ser Thr Gly Arg His		355		360		365
Pro Ile Ser Met Val Ala Leu Ser Pro Leu Gly Ala Leu Val Ala Cys		370		375		380
Tyr Lys Gly Val Ser Cys Ser Ile Gly Ser Asn Arg Val Gly Ile Ile		385		390		400
Lys Gln Leu Asn Lys Gly Cys Ser Tyr Ile Thr Asn Gln Asp Ala Asp		405		410		415
Thr Val Thr Ile Asp Asn Thr Val Tyr Gln Leu Ser Lys Val Glu Gly		420		425		430
Glu Gln His Val Ile Lys Gly Arg Pro Val Ser Ser Ser Phe Asp Pro		435		440		445
Ile Lys Phe Pro Glu Asp Gln Phe Gln Val Ala Leu Asp Gln Val Phe		450		455		460
Glu Asn Ile Glu Asn Ser Gln Ala Leu Val Asp Gln Ser Asn Arg Ile		465		470		480
Leu Ser Ser Ala Glu Lys Gly Asn Thr Gly Phe Ile Ile Val Ile Ile		485		490		495
Leu Ile Ala Val Leu Gly Ser Ser Met Ile Leu Val Ser Ile Phe Ile		500		505		510
Ile Ile Lys Lys Thr Lys Lys Pro Thr Gly Ala Pro Pro Glu Leu Ser		515		520		525
Gly Val Thr Asn Asn Gly Phe Ile Pro His Asn		530		535		

<210> SEQ ID NO 100
 <211> LENGTH: 539
 <212> TYPE: PRT
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: Synthetic Polypeptide

<400> SEQUENCE: 100

Met Ser Trp Lys Val Val Ile Ile Phe Ser Leu Leu Ile Thr Pro Gln						
1		5		10		15
His Gly Leu Lys Glu Ser Tyr Leu Glu Glu Ser Cys Ser Thr Ile Thr		20		25		30
Glu Gly Tyr Leu Ser Val Leu Arg Thr Gly Trp Tyr Thr Asn Val Phe		35		40		45
Thr Leu Glu Val Gly Asp Val Glu Asn Leu Thr Cys Ser Asp Gly Pro		50		55		60
Ser Leu Ile Lys Thr Glu Leu Asp Leu Thr Lys Ser Ala Leu Arg Glu		65		70		75
		75		80		85
Leu Lys Thr Val Ser Ala Asp Gln Leu Ala Arg Glu Glu Gln Ile Glu		85		90		95
Asn Pro Gly Ser Gly Ser Phe Val Leu Gly Ala Ile Ala Leu Gly Val		100		105		110
Ala Ala Ala Ala Val Thr Ala Gly Val Ala Ile Ala Lys Thr Ile		115		120		125
Arg Leu Glu Ser Glu Val Thr Ala Ile Asn Asn Ala Leu Lys Lys Thr						

-continued

130					135					140					
Asn	Glu	Ala	Val	Ser	Thr	Leu	Gly	Asn	Gly	Val	Arg	Val	Leu	Ala	Thr
145					150					155					160
Ala	Val	Arg	Glu	Leu	Lys	Asp	Phe	Val	Ser	Lys	Asn	Leu	Thr	Arg	Ala
			165						170						175
Ile	Asn	Lys	Asn	Lys	Cys	Pro	Ile	Asp	Asp	Leu	Lys	Met	Ala	Val	Ser
			180					185					190		
Phe	Ser	Gln	Phe	Asn	Arg	Arg	Phe	Leu	Asn	Val	Val	Arg	Gln	Phe	Ser
		195					200					205			
Asp	Asn	Ala	Gly	Ile	Thr	Pro	Ala	Ile	Ser	Leu	Asp	Leu	Met	Thr	Asp
210						215					220				
Ala	Glu	Leu	Ala	Arg	Ala	Val	Pro	Asn	Met	Pro	Thr	Ser	Ala	Gly	Gln
225					230					235					240
Ile	Lys	Leu	Met	Leu	Glu	Asn	Arg	Ala	Met	Val	Arg	Arg	Lys	Gly	Phe
			245						250						255
Gly	Ile	Leu	Ile	Gly	Val	Tyr	Gly	Ser	Ser	Val	Ile	Tyr	Met	Val	Gln
			260					265					270		
Leu	Pro	Ile	Phe	Gly	Val	Ile	Asp	Thr	Pro	Cys	Trp	Ile	Val	Lys	Ala
		275					280						285		
Ala	Pro	Ser	Cys	Ser	Glu	Lys	Lys	Gly	Asn	Tyr	Ala	Cys	Leu	Leu	Arg
290						295					300				
Glu	Asp	Gln	Gly	Trp	Tyr	Cys	Gln	Asn	Ala	Gly	Ser	Thr	Val	Tyr	Tyr
305					310					315					320
Pro	Asn	Glu	Lys	Asp	Cys	Glu	Thr	Arg	Gly	Asp	His	Val	Phe	Cys	Asp
			325						330						335
Thr	Ala	Ala	Gly	Ile	Asn	Val	Ala	Glu	Gln	Ser	Lys	Glu	Cys	Asn	Ile
			340					345					350		
Asn	Ile	Ser	Thr	Thr	Asn	Tyr	Pro	Cys	Lys	Val	Ser	Thr	Gly	Arg	His
		355					360					365			
Pro	Ile	Ser	Met	Val	Ala	Leu	Ser	Pro	Leu	Gly	Ala	Leu	Val	Ala	Cys
370						375					380				
Tyr	Lys	Gly	Val	Ser	Cys	Ser	Ile	Gly	Ser	Asn	Arg	Val	Gly	Ile	Ile
385					390					395					400
Lys	Gln	Leu	Asn	Lys	Gly	Cys	Ser	Tyr	Ile	Thr	Asn	Gln	Asp	Ala	Asp
			405						410						415
Thr	Val	Thr	Ile	Asp	Asn	Thr	Val	Tyr	Gln	Leu	Ser	Lys	Val	Glu	Gly
			420					425					430		
Glu	Gln	His	Val	Ile	Lys	Gly	Arg	Pro	Val	Ser	Ser	Ser	Phe	Asp	Pro
		435					440						445		
Ile	Lys	Phe	Pro	Glu	Asp	Gln	Phe	Gln	Val	Ala	Leu	Asp	Gln	Val	Phe
450						455					460				
Glu	Asn	Ile	Glu	Asn	Ser	Gln	Ala	Leu	Val	Asp	Gln	Ser	Asn	Arg	Ile
465					470					475					480
Leu	Ser	Ser	Ala	Glu	Lys	Gly	Asn	Thr	Gly	Phe	Ile	Ile	Val	Ile	Ile
			485						490						495
Leu	Ile	Ala	Val	Leu	Gly	Ser	Ser	Met	Ile	Leu	Val	Ser	Ile	Phe	Ile
			500					505					510		
Ile	Ile	Lys	Lys	Thr	Lys	Lys	Pro	Thr	Gly	Ala	Pro	Pro	Glu	Leu	Ser
		515					520						525		
Gly	Val	Thr	Asn	Asn	Gly	Phe	Ile	Pro	His	Asn					
530							535								

-continued

```

<211> LENGTH: 539
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic Polypeptide

<400> SEQUENCE: 101

Met Ser Trp Lys Val Val Ile Ile Phe Ser Leu Leu Ile Thr Pro Gln
1          5          10          15

His Gly Leu Lys Glu Ser Tyr Leu Glu Glu Ser Cys Ser Thr Ile Thr
          20          25          30

Glu Gly Tyr Leu Ser Val Leu Arg Thr Gly Trp Tyr Thr Asn Val Phe
          35          40          45

Thr Leu Glu Val Gly Asp Val Glu Asn Leu Thr Cys Ser Asp Gly Pro
50          55          60

Ser Leu Ile Lys Thr Glu Leu Asp Leu Thr Lys Ser Ala Leu Arg Glu
65          70          75          80

Leu Lys Thr Val Ser Ala Asp Gln Leu Ala Arg Glu Glu Gln Ile Glu
          85          90          95

Asn Pro Gly Ser Gly Ser Phe Val Leu Gly Ala Ile Ala Leu Gly Val
100          105          110

Ala Ala Ala Ala Ala Val Thr Ala Gly Val Ala Ile Ala Lys Thr Ile
115          120          125

Arg Leu Pro Ser Glu Val Thr Ala Ile Asn Asn Ala Leu Lys Lys Thr
130          135          140

Asn Glu Ala Val Ser Thr Leu Gly Asn Gly Val Arg Val Leu Ala Thr
145          150          155          160

Ala Val Arg Glu Leu Lys Asp Phe Val Ser Lys Asn Leu Thr Arg Ala
165          170          175

Ile Asn Lys Asn Lys Cys Asp Ile Asp Asp Leu Lys Met Ala Val Ser
180          185          190

Phe Ser Gln Phe Asn Arg Arg Phe Leu Asn Val Val Arg Gln Phe Ser
195          200          205

Asp Asn Ala Gly Ile Thr Pro Ala Ile Ser Leu Asp Leu Met Thr Asp
210          215          220

Ala Glu Leu Ala Arg Ala Val Pro Asn Met Pro Thr Ser Ala Gly Gln
225          230          235          240

Ile Lys Leu Met Leu Glu Asn Arg Ala Met Val Arg Arg Lys Gly Phe
245          250          255

Gly Ile Leu Ile Gly Val Tyr Gly Ser Ser Val Ile Tyr Met Val Gln
260          265          270

Leu Pro Ile Phe Gly Val Ile Asp Thr Pro Cys Trp Ile Val Lys Ala
275          280          285

Ala Pro Ser Cys Ser Glu Lys Lys Gly Asn Tyr Ala Cys Leu Leu Arg
290          295          300

Glu Asp Gln Gly Trp Tyr Cys Gln Asn Ala Gly Ser Thr Val Tyr Tyr
305          310          315          320

Pro Asn Glu Lys Asp Cys Glu Thr Arg Gly Asp His Val Phe Cys Asp
325          330          335

Thr Ala Ala Gly Ile Asn Val Ala Glu Gln Ser Lys Glu Cys Asn Ile
340          345          350

Asn Ile Ser Thr Thr Asn Tyr Pro Cys Lys Val Ser Thr Gly Arg His
355          360          365

Pro Ile Ser Met Val Ala Leu Ser Pro Leu Gly Ala Leu Val Ala Cys
370          375          380

```

-continued

Tyr Lys Gly Val Ser Cys Ser Ile Gly Ser Asn Arg Val Gly Ile Ile
 385 390 395 400
 Lys Gln Leu Asn Lys Gly Cys Ser Tyr Ile Thr Asn Gln Asp Ala Asp
 405 410 415
 Thr Val Thr Ile Asp Asn Thr Val Tyr Gln Leu Ser Lys Val Glu Gly
 420 425 430
 Glu Gln His Val Ile Lys Gly Arg Pro Val Ser Ser Ser Phe Asp Pro
 435 440 445
 Ile Lys Phe Pro Glu Asp Gln Phe Gln Val Ala Leu Asp Gln Val Phe
 450 455 460
 Glu Asn Ile Glu Asn Ser Gln Ala Leu Val Asp Gln Ser Asn Arg Ile
 465 470 475 480
 Leu Ser Ser Ala Glu Lys Gly Asn Thr Gly Phe Ile Ile Val Ile Ile
 485 490 495
 Leu Ile Ala Val Leu Gly Ser Ser Met Ile Leu Val Ser Ile Phe Ile
 500 505 510
 Ile Ile Lys Lys Thr Lys Lys Pro Thr Gly Ala Pro Pro Glu Leu Ser
 515 520 525
 Gly Val Thr Asn Asn Gly Phe Ile Pro His Asn
 530 535

<210> SEQ ID NO 102

<211> LENGTH: 539

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic Polypeptide

<400> SEQUENCE: 102

Met Ser Trp Lys Val Val Ile Ile Phe Ser Leu Leu Ile Thr Pro Gln
 1 5 10 15
 His Gly Leu Lys Glu Ser Tyr Leu Glu Glu Ser Cys Ser Thr Ile Thr
 20 25 30
 Glu Gly Tyr Leu Ser Val Leu Arg Thr Gly Trp Tyr Thr Asn Val Phe
 35 40 45
 Thr Leu Glu Val Gly Asp Val Glu Asn Leu Thr Cys Ser Asp Gly Pro
 50 55 60
 Ser Leu Ile Lys Thr Glu Leu Asp Leu Thr Lys Ser Ala Leu Arg Glu
 65 70 75 80
 Leu Lys Thr Val Ser Ala Asp Gln Leu Ala Arg Glu Glu Gln Ile Glu
 85 90 95
 Asn Pro Gly Ser Gly Ser Phe Val Leu Gly Ala Ile Ala Leu Gly Val
 100 105 110
 Ala Ala Ala Ala Val Thr Ala Gly Val Ala Ile Ala Lys Thr Ile
 115 120 125
 Arg Leu Glu Ser Glu Val Thr Ala Ile Asn Asn Ala Leu Lys Lys Thr
 130 135 140
 Asn Glu Ala Val Ser Thr Leu Gly Asn Gly Val Arg Val Leu Ala Thr
 145 150 155 160
 Ala Val Arg Glu Leu Lys Asp Phe Val Ser Lys Asn Leu Thr Arg Ala
 165 170 175
 Ile Asn Lys Asn Lys Cys Asp Ile Asp Asp Leu Lys Met Ala Val Ser
 180 185 190
 Phe Ser Gln Phe Asn Arg Arg Phe Leu Asn Val Val Arg Gln Phe Ser
 195 200 205

-continued

Glu Gly Tyr Leu Ser Val Leu Arg Thr Gly Trp Tyr Thr Asn Val Phe
 35 40 45
 Thr Leu Glu Val Gly Asp Val Glu Asn Leu Thr Cys Ser Asp Gly Pro
 50 55 60
 Ser Leu Ile Lys Thr Glu Leu Asp Leu Thr Lys Ser Ala Leu Arg Glu
 65 70 75 80
 Leu Lys Thr Val Ser Ala Asp Gln Leu Ala Arg Glu Glu Gln Ile Glu
 85 90 95
 Asn Pro Gly Ser Gly Ser Phe Val Leu Gly Ala Ile Ala Leu Gly Val
 100 105 110
 Ala Ala Ala Ala Ala Val Thr Ala Gly Val Ala Ile Ala Lys Thr Ile
 115 120 125
 Arg Leu Glu Ser Glu Val Thr Ala Ile Asn Asn Ala Leu Lys Lys Thr
 130 135 140
 Asn Glu Ala Val Ser Thr Leu Gly Asn Gly Val Arg Val Leu Ala Thr
 145 150 155 160
 Ala Val Arg Glu Leu Lys Asp Phe Val Ser Lys Asn Leu Thr Arg Ala
 165 170 175
 Ile Asn Lys Asn Lys Cys Asp Ile Asp Asp Leu Lys Met Ala Val Ser
 180 185 190
 Phe Ser Gln Phe Asn Arg Arg Phe Leu Asn Val Val Arg Gln Phe Ser
 195 200 205
 Asp Asn Ala Gly Ile Thr Pro Ala Ile Ser Leu Asp Leu Met Thr Asp
 210 215 220
 Ala Glu Leu Ala Arg Ala Val Pro Asn Met Pro Thr Ser Ala Gly Gln
 225 230 235 240
 Ile Lys Leu Met Leu Glu Asn Arg Ala Met Val Arg Arg Lys Gly Phe
 245 250 255
 Gly Ile Leu Ile Gly Val Tyr Gly Ser Ser Val Ile Tyr Met Val Gln
 260 265 270
 Leu Pro Ile Phe Gly Val Ile Asp Thr Pro Cys Trp Ile Val Lys Ala
 275 280 285
 Ala Pro Ser Cys Ser Glu Lys Lys Gly Asn Tyr Ala Cys Leu Leu Arg
 290 295 300
 Glu Asp Gln Gly Trp Tyr Cys Gln Asn Ala Gly Ser Thr Val Tyr Tyr
 305 310 315 320
 Pro Asn Glu Lys Asp Cys Glu Thr Arg Gly Asp His Val Phe Cys Asp
 325 330 335
 Thr Ala Ala Gly Ile Asn Val Ala Glu Gln Ser Lys Glu Cys Asn Ile
 340 345 350
 Asn Ile Ser Thr Thr Asn Tyr Pro Cys Lys Val Ser Thr Gly Arg His
 355 360 365
 Pro Ile Ser Met Val Ala Leu Ser Pro Leu Gly Ala Leu Val Ala Cys
 370 375 380
 Tyr Lys Gly Val Ser Cys Ser Ile Gly Ser Asn Arg Val Gly Ile Ile
 385 390 395 400
 Lys Gln Leu Asn Lys Gly Cys Ser Tyr Ile Thr Asn Gln Asp Ala Asp
 405 410 415
 Thr Val Thr Ile Asp Asn Thr Val Tyr Gln Leu Ser Lys Val Glu Gly
 420 425 430
 Glu Gln His Val Ile Lys Gly Arg Pro Val Ser Ser Ser Phe Asp Pro
 435 440 445

-continued

Ile Lys Phe Pro Glu Asn Gln Phe Gln Val Ala Leu Asp Gln Val Phe
 450 455 460

Glu Asn Ile Glu Asn Ser Gln Ala Leu Val Asp Gln Ser Asn Arg Ile
 465 470 475 480

Leu Ser Ser Ala Glu Lys Gly Asn Thr Gly Phe Ile Ile Val Ile Ile
 485 490 495

Leu Ile Ala Val Leu Gly Ser Ser Met Ile Leu Val Ser Ile Phe Ile
 500 505 510

Ile Ile Lys Lys Thr Lys Lys Pro Thr Gly Ala Pro Pro Glu Leu Ser
 515 520 525

Gly Val Thr Asn Asn Gly Phe Ile Pro His Asn
 530 535

<210> SEQ ID NO 104
 <211> LENGTH: 539
 <212> TYPE: PRT
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: Synthetic Polypeptide

<400> SEQUENCE: 104

Met Ser Trp Lys Val Val Ile Ile Phe Ser Leu Leu Ile Thr Pro Gln
 1 5 10 15

His Gly Leu Lys Glu Ser Tyr Leu Glu Glu Ser Cys Ser Thr Ile Thr
 20 25 30

Glu Gly Tyr Leu Ser Val Leu Arg Thr Gly Trp Tyr Thr Asn Val Phe
 35 40 45

Thr Leu Glu Val Gly Asp Val Glu Asn Leu Thr Cys Ser Asp Gly Pro
 50 55 60

Ser Leu Ile Lys Thr Glu Leu Asp Leu Thr Lys Ser Ala Leu Arg Glu
 65 70 75 80

Leu Lys Thr Val Ser Ala Asp Gln Leu Ala Arg Glu Glu Gln Ile Glu
 85 90 95

Asn Pro Gly Ser Gly Ser Phe Val Leu Gly Ala Ile Ala Leu Gly Val
 100 105 110

Ala Ala Ala Ala Ala Val Thr Ala Gly Val Ala Ile Ala Lys Thr Ile
 115 120 125

Arg Leu Glu Ser Glu Val Thr Ala Ile Asn Asn Ala Leu Lys Lys Thr
 130 135 140

Asn Glu Ala Val Ser Thr Leu Gly Asn Gly Val Arg Val Leu Ala Thr
 145 150 155 160

Ala Val Arg Glu Leu Lys Asp Phe Val Ser Lys Asn Leu Thr Arg Ala
 165 170 175

Ile Asn Lys Asn Lys Cys Asp Ile Asp Asp Leu Lys Met Ala Val Ser
 180 185 190

Phe Ser Gln Phe Asn Arg Arg Phe Leu Asn Val Val Arg Gln Phe Ser
 195 200 205

Asp Asn Ala Gly Ile Thr Pro Ala Ile Ser Leu Asp Leu Met Thr Asp
 210 215 220

Ala Glu Leu Ala Arg Ala Val Pro Asn Met Pro Thr Ser Ala Gly Gln
 225 230 235 240

Ile Lys Leu Met Leu Glu Asn Arg Ala Met Val Arg Arg Lys Gly Phe
 245 250 255

Gly Ile Leu Ile Gly Val Tyr Gly Ser Ser Val Ile Tyr Met Val Gln
 260 265 270

-continued

Leu Pro Ile Phe Gly Val Ile Asp Thr Pro Cys Trp Ile Val Lys Ala
 275 280 285
 Ala Pro Ser Cys Ser Glu Lys Lys Gly Asn Tyr Ala Cys Leu Leu Arg
 290 295 300
 Glu Asp Gln Gly Trp Tyr Cys Gln Asn Ala Gly Ser Thr Val Tyr Tyr
 305 310 315 320
 Pro Asn Glu Lys Asp Cys Glu Thr Arg Gly Asp His Val Phe Cys Asp
 325 330 335
 Thr Ala Ala Gly Ile Asn Val Ala Glu Gln Ser Lys Glu Cys Asn Ile
 340 345 350
 Asn Ile Ser Thr Thr Asn Tyr Pro Cys Lys Val Ser Thr Gly Arg His
 355 360 365
 Pro Ile Ser Met Val Ala Leu Ser Pro Leu Gly Ala Leu Val Ala Cys
 370 375 380
 Tyr Lys Gly Val Ser Cys Ser Ile Gly Ser Asn Arg Val Gly Ile Ile
 385 390 395 400
 Lys Gln Leu Asn Lys Gly Cys Ser Tyr Ile Thr Asn Gln Asp Ala Asp
 405 410 415
 Thr Val Thr Ile Asp Asn Thr Val Tyr Gln Leu Ser Lys Val Glu Gly
 420 425 430
 Glu Gln His Val Ile Lys Gly Arg Pro Val Ser Ser Ser Phe Asp Pro
 435 440 445
 Ile Lys Phe Pro Gln Asp Gln Phe Gln Val Ala Leu Asp Gln Val Phe
 450 455 460
 Glu Asn Ile Glu Asn Ser Gln Ala Leu Val Asp Gln Ser Asn Arg Ile
 465 470 475 480
 Leu Ser Ser Ala Glu Lys Gly Asn Thr Gly Phe Ile Ile Val Ile Ile
 485 490 495
 Leu Ile Ala Val Leu Gly Ser Ser Met Ile Leu Val Ser Ile Phe Ile
 500 505 510
 Ile Ile Lys Lys Thr Lys Lys Pro Thr Gly Ala Pro Pro Glu Leu Ser
 515 520 525
 Gly Val Thr Asn Asn Gly Phe Ile Pro His Asn
 530 535

<210> SEQ ID NO 105

<211> LENGTH: 539

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic Polypeptide

<400> SEQUENCE: 105

Met Ser Trp Lys Val Val Ile Ile Phe Ser Leu Leu Ile Thr Pro Gln
 1 5 10 15
 His Gly Leu Lys Glu Ser Tyr Leu Glu Glu Ser Cys Ser Thr Ile Thr
 20 25 30
 Glu Gly Tyr Leu Ser Val Leu Arg Thr Gly Trp Tyr Thr Asn Val Phe
 35 40 45
 Thr Leu Glu Val Gly Asp Val Glu Asn Leu Thr Cys Ser Asp Gly Pro
 50 55 60
 Ser Leu Ile Lys Thr Glu Leu Asp Leu Thr Lys Ser Ala Leu Arg Glu
 65 70 75 80
 Leu Lys Thr Val Ser Ala Asp Gln Leu Ala Arg Glu Glu Gln Ile Glu
 85 90 95

-continued

Asn Pro Gly Ser Gly Ser Phe Val Leu Gly Ala Ile Ala Leu Gly Val
 100 105 110

Ala Ala Ala Ala Ala Val Thr Ala Gly Val Ala Ile Ala Lys Thr Ile
 115 120 125

Arg Leu Glu Ser Glu Val Thr Ala Ile Asn Asn Ala Leu Lys Lys Thr
 130 135 140

Asn Glu Ala Val Ser Thr Leu Gly Asn Gly Val Arg Val Leu Ala Thr
 145 150 155 160

Ala Val Arg Glu Leu Lys Asp Phe Val Ser Lys Asn Leu Thr Arg Ala
 165 170 175

Ile Asn Lys Asn Lys Cys Asp Ile Asp Asp Leu Lys Met Ala Val Ser
 180 185 190

Phe Ser Gln Trp Asn Arg Arg Phe Leu Asn Val Val Arg Gln Phe Ser
 195 200 205

Asp Asn Ala Gly Ile Thr Pro Ala Ile Ser Leu Asp Leu Met Thr Asp
 210 215 220

Ala Glu Leu Ala Arg Ala Val Pro Asn Met Pro Thr Ser Ala Gly Gln
 225 230 235 240

Ile Lys Leu Met Leu Glu Asn Arg Ala Met Val Arg Arg Lys Gly Phe
 245 250 255

Gly Ile Leu Ile Gly Val Tyr Gly Ser Ser Val Ile Tyr Met Val Gln
 260 265 270

Leu Pro Ile Phe Gly Val Ile Asp Thr Pro Cys Trp Ile Val Lys Ala
 275 280 285

Ala Pro Ser Cys Ser Glu Lys Lys Gly Asn Tyr Ala Cys Leu Leu Arg
 290 295 300

Glu Asp Gln Gly Trp Tyr Cys Gln Asn Ala Gly Ser Thr Val Tyr Tyr
 305 310 315 320

Pro Asn Glu Lys Asp Cys Glu Thr Arg Gly Asp His Val Phe Cys Asp
 325 330 335

Thr Ala Ala Gly Ile Asn Val Ala Glu Gln Ser Lys Glu Cys Asn Ile
 340 345 350

Asn Ile Ser Thr Thr Asn Tyr Pro Cys Lys Val Ser Thr Gly Arg His
 355 360 365

Pro Ile Ser Met Val Ala Leu Ser Pro Leu Gly Ala Leu Val Ala Cys
 370 375 380

Tyr Lys Gly Val Ser Cys Ser Ile Gly Ser Asn Arg Val Gly Ile Ile
 385 390 395 400

Lys Gln Leu Asn Lys Gly Cys Ser Tyr Ile Thr Asn Gln Asp Ala Asp
 405 410 415

Thr Val Thr Ile Asp Asn Thr Val Tyr Gln Leu Ser Lys Val Glu Gly
 420 425 430

Glu Gln His Val Ile Lys Gly Arg Pro Val Ser Ser Ser Phe Asp Pro
 435 440 445

Ile Lys Phe Pro Glu Asp Gln Phe Gln Val Ala Leu Asp Gln Val Phe
 450 455 460

Glu Asn Ile Glu Asn Ser Gln Ala Leu Val Asp Gln Ser Asn Arg Ile
 465 470 475 480

Leu Ser Ser Ala Glu Lys Gly Asn Thr Gly Phe Ile Ile Val Ile Ile
 485 490 495

Leu Ile Ala Val Leu Gly Ser Ser Met Ile Leu Val Ser Ile Phe Ile
 500 505 510

Ile Ile Lys Lys Thr Lys Lys Pro Thr Gly Ala Pro Pro Glu Leu Ser

-continued

515	520	525	
Gly Val Thr Asn Asn Gly Phe Ile Pro His Asn			
530	535		
<210> SEQ ID NO 106			
<211> LENGTH: 1617			
<212> TYPE: DNA			
<213> ORGANISM: Artificial Sequence			
<220> FEATURE:			
<223> OTHER INFORMATION: Synthetic Polynucleotide			
<400> SEQUENCE: 106			
atgagctgga aggtggtcat catcttcagc ctgctgatca cacctcagca cggcctgaaa			60
gagagctacc tggaagagtc ctgcagcacc atcacagagg gctacctgtc tgtgctgaga			120
accggctggt acaccaacgt gttcacactg gaagtgggcg acgtcgagaa tctgacatgc			180
tctgatggcc ctagcctgat caagaccgag ctggatctga ccaagagcgc cctgagagaa			240
ctcaagaccg tgtctgccga tcagctggcc agagaggaac agatcgagaa tcctggcagc			300
ggcagctttg tgctgggagc cattgtctct ggagtggctg ctgctgcagc tgttacagca			360
ggcgtggcca tctgcaagac catcagactg gaaagcgaag tgaccgccat caacaacgcc			420
ctgaagaaga caaacgaggc cgtcagcaca ctccgcaatg gcgttagagt gctggccttt			480
gccgtgcgcg agctgaagga ctctgtgtcc aagaacctga cacgggacct gaacaagaac			540
aagtgcgaca tcgacgacct gaagatggcc gtgtccttta gccagttcaa ccggcggttt			600
ctgaacgtcg tgccgagctt tagcgacaac gccggaatca caccagccat cagcctggac			660
ctgatgacag atgctgagct ggctagagcc gtgcctaaca tgacctacac tgccggccag			720
atcaagctga tgctcgagaa tagagccatg gtccgacgga aaggcttcgg cattctgtgt			780
ggcgtgtacg gcagcagcgt gatctatatg gtgcagctgc ctatcttcgg cgtgatcgac			840
acaccctgct ggattgtgaa ggccgctcct agctgtagcg agaagaaggg caattacgcc			900
tgctctgctga gagaggacca aggctggat tgtcagaacg ccggcagcac cgtgtactac			960
cctaacgaga aggactcgca gacaagaggc gaccacgtgt tctgtgatac cgcgctgga			1020
atcaatgtgg ccgagcagag caaagagtgc aacatcaaca tcagcaccac caactatccc			1080
tgcaaggtgt ccaccggcag gcaccctatt tctatggtgg ctctgtctcc tctgggagcc			1140
ctggtggctt gttataaggg cgtgtcctgt agcatcgcca gcaacagagt gggcatcatc			1200
aagcagctga acaagggctg cagctacac accaaccagg acgcccagac cgtgaccate			1260
gacaacaccg tgtatcagct gagcaaggtg gaaggcgaac agcacgtgat caagggcaga			1320
cctgtgtcca gcagcttcca cctatcaag ttcctgagg atcagttcaa cgtggccctg			1380
gaccaggtgt tcgagaacat cgagaattcc caggctctgg tggaccagtc caacagaatc			1440
ctgtctagcg ccgagaaggg aaacaccggc ttcacatcag tgatcatcct gatcgccgtg			1500
ctgggcagct ccatgatcct ggtgtccatc ttcacatta tcaagaagac caagaagccc			1560
accggcgctc ctccagaact gagcggagtg accaacaatg gcttcatccc tcacaac			1617

<210> SEQ ID NO 107
 <211> LENGTH: 1617
 <212> TYPE: DNA
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: Synthetic Polynucleotide

<400> SEQUENCE: 107

-continued

```

atgagctgga aggtggtcat catcttcagc ctgctgatca cacctcagca cggcctgaaa    60
gagagctacc tggaagagtc ctgcagcacc atcacagagg gctacctgtc tgtgctgaga    120
accggctggt acaccaacgt gttcacactg gaagtgggcg acgtcgagaa tctgacatgc    180
tctgatggcc ctagcctgat caagaccgag ctggatctga ccaagagcgc cctgagagaa    240
ctcaagaccg tgtctgccga tcagctggcc agagaggaac agatcgagaa tcctggcagc    300
ggcagctttg tgctgggagc cattgtctt ggagtggctg ctgctgcagc tgttacagca    360
ggcgtggcca tctgcaagac catcagactg gaaagcgaag tgaccgccat caacaacgcc    420
ctgaagaaga caaacgaggc cgtcagcaca ctccgcaatg gcgttagagt gctggccaca    480
gccgtgcgcg agctgaagga cttcgtgtcc aagaacctga cacgggccat taacaagaac    540
aagtgcgaca tcgacgacct gaagatggcc gtgtccttta gccagttcaa ccggcggttt    600
ctgaacgtcg tgcggcagtt tagcgacaac gccggaatca caccagccat cagcctggac    660
ctgatgacag atgctgagct ggctagagcc gtgcctaaca tgctacatc tgccggccag    720
atcaagctga tgctcgagaa tagagccatg gtccgacgga aaggcttcgg cattctgtgt    780
ggcgtgtacg gcagcagcgt gatctatatg gtgcagctgc ctatcttcgg cgtgatcgac    840
acacctgct ggattgtgaa ggcgctcct agctgtagcg agaagaaggg caattacgcc    900
tgctctgctga gagaggacca aggctggat tgtcagaacg ccggcagcac cgtgtactac    960
cctaacgaga aggactcgga gacaagaggc gaccacgtgt tctgtgatac cgcgctgga    1020
atcaatgtgg ccgagcagag caaagagtgc aacatcaaca tcagcaccac caactatccc    1080
tgcaaggtgt ccaccggcag gcaccctatt tctatggtgg ctctgtctcc tctgggagcc    1140
ctggtggcct gttataaggg cgtgtcctgt agcatcgcca gcaacagagt gggcatcatc    1200
aagcagctga acaagggctg cagctacatc accaaccagg acgcccatac cgtgaccatc    1260
gacaacaccg tgtatcagct gagcaaggtg gaaggcgaac agcacgtgat caagggcaga    1320
cctgtgtcca gcagcttoga cctatcaag ttcctgagc accagtggca tgtggccctg    1380
gaccaggtgt tcgagaacat cgagaattcc caggctctgg tggaccagtc caacagaatc    1440
ctgtctagcg ccgagaaggg aaacaccggc ttcacatcgc tgatcatcct gatcgccgtg    1500
ctgggcagct ccattgatcct ggtgtccatc ttcacatta tcaagaagac caagaagccc    1560
accggcgtc ctccagaact gagcggagtg accaacaatg gcttcatccc tcacaac    1617

```

<210> SEQ ID NO 108

<211> LENGTH: 1617

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic Polynucleotide

<400> SEQUENCE: 108

```

atgagctgga aggtggtcat catcttcagc ctgctgatca cacctcagca cggcctgaaa    60
gagagctacc tggaagagtc ctgcagcacc atcacagagg gctacctgtc tgtgctgaga    120
accggctggt acaccaacgt gttcacactg gaagtgggcg acgtcgagaa tctgacatgc    180
tctgatggcc ctagcctgat caagaccgag ctggatctgc tcaagagcgc cctgagagaa    240
ctcaagaccg tgtctgccga tcagctggcc agagaggaac agatcgagaa tcctggcagc    300
ggcagctttg tgctgggagc cattgtctt ggagtggctg ctgctgcagc tgttacagca    360
ggcgtggcca tcgctaagac catcagactg gaaagcgaag tgaccgccat caacaacgcc    420
ctgaagaaga caaacgaggc cgtcagcaca ctccgcaatg gcgttagagt gctggccaca    480

```

-continued

```

gccgtgcgcg agctgaagga cttcgtgtcc aagaacctga cacgggccat taacaagaac 540
aagtgcgaca tcctgacct gaagatggcc gtgtccttta gccagttcaa cggcggttt 600
ctgaacgtcg tgcggcagtt tagcgacaac gccggaatca caccagccat cagcctggac 660
ctgatgacag atgctgagct ggctagagcc gtgcctaaca tgectacatc tgccggccag 720
atcaagctga tgctcgagaa tagagccatg gtccgacgga aaggcttcgg cattctgatt 780
ggcgtgtaag gcagcagcgt gatctatatg gtgcagctgc ctatcttcgg cgtgatcgac 840
acaccctgct ggattgtgaa ggccgctcct agctgtagcg agaagaaggg caattacgcc 900
tgccctgctga gagaggacca aggctggat tgtcagaacg ccggcagcac cgtgtactac 960
cctaacgaga aggactcgga gacaagaggc gaccacgtgt tctgtgatac cgccgctgga 1020
atcaatgtgg ccgagcagag caaagagtgc aacatcaaca tcagcaccac caactatccc 1080
tgcaaggtgt ccaccggcag gcaccctatt tctatggtgg ctctgtctcc tctgggagcc 1140
ctggtggcct gttataaggg cgtgtcctgt agcatcgcca gcaacagagt gggcatcatc 1200
aagcagctga acaagggctg cagctacatc accaaccagg acgcccatac cgtgaccatc 1260
gacaacaccg tgtatcagct gagcaaggtg gaaggcgaac agcacgtgat caagggcaga 1320
cctgtgtcca gcagcttoga cctatcaag ttccctgagg atcagttcca ggtggccctg 1380
gaccaggtgt tcgagaacat cgagaattcc caggctctgg tggaccagtc caacagaatc 1440
ctgtctagcg ccgagaaggg aaacaccggc ttcacatcgc tgatcactct gatcgccgtg 1500
ctgggcagct ccattgatcct ggtgtccatc ttcacatta tcaagaagac caagaagccc 1560
accggcgctc ctccagaact gagcggagtg accaacaatg gcttcatccc tcacaac 1617

```

```

<210> SEQ ID NO 109
<211> LENGTH: 1617
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic Polynucleotide

```

```

<400> SEQUENCE: 109

```

```

atgagctgga aggtggtcat catcttcagc ctgctgatca cacctcagca cggcctgaaa 60
gagagctacc tggaaagatc ctgcagcacc atcacagagg gctacctgtc tgtgctgaga 120
accggctggt acaccaacgt gttcacactg gaagtgggag acgtcgagaa tctgacatgc 180
tctgatggcc ctagcctgat caagaccgag ctggatctgc tcaagagcgc cctgagagaa 240
ctcaagaccg tgtctgcca tcagctggcc agagaggaac agatcgagaa tcctggcagc 300
ggcagctttg tgctgggagc cattgtcttt ggagtggctg ctgctgcagc tgttacagca 360
ggcgtggcca tcgctaagac catcagactg gaaagcgaag tgaccgccat caacaacgcc 420
ctgaagaaga caaacgaggc cgtcagcaca ctcggcaatg gcgttagagt gctggccaca 480
gccgtgcgcg agctgaagga cttcgtgtcc aagaacctga cacgggccat taacaagaac 540
aagtgcgaca tcctgacct gaagatggcc gtgtccttta gccagttcaa cggcggttt 600
ctgaacgtcg tgcggcagtt tagcgacaac gccggaatca caccagccat cagcctggac 660
ctgatgacag atgctgagct ggctagagcc gtgcctaaca tgectacatc tgccggccag 720
atcaagctga tgctcgagaa tagagccatg gtccgacgga aaggcttcgg cattctgatt 780
ggcgtgtaag gcagcagcgt gatctatatg gtgcagctgc ctatcttcgg cgtgatcgac 840
acaccctgct ggattgtgaa ggccgctcct agctgtagcg agaagaaggg caattacgcc 900

```

-continued

tgcctgctga gagaggacca aggctggat tgtcagaacg cggcagcac cgtgtactac	960
cctaacgaga aggactgoga gacaagagge gaccacgtgt tctgtgatac cgccgctgga	1020
atcaatgtgg ccgagcagag caaagagtgc aacatcaaca tcagcaccac caactatccc	1080
tgcaaggtgt ccaccggcag gcaccctatt tctatggtgg ctctgtctcc tctgggagcc	1140
ctggtggcct gttataaggg cgtgtcctgt agcatcgcca gcaacagagt gggcatcatc	1200
aagcagctga acaagggctg cagctacatc accaaccagg acgccgatac cgtgaccatc	1260
gacaacaccg tgtatcagct gagcaaggtg gaaggcgaac agcacgtgat caagggcaga	1320
cctgtgtcca gcagcttoga ccctatcaag ttccctgaga accagttcca ggtggccctg	1380
gaccaggtgt tcgagaacat cgagaattcc caggetctgg tggaccagtc caacagaatc	1440
ctgtctagcg ccgagaaggg aaacaccggc ttcacatcgc tgatcatcct gatcgccgtg	1500
ctgggcagct ccattgatcct ggtgtccatc ttcacatta tcaagaagac caagaagccc	1560
accggcgcct ctcagaact gagcggagtg accaacaatg gcttcatccc tcacaac	1617

<210> SEQ ID NO 110

<211> LENGTH: 1617

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic Polynucleotide

<400> SEQUENCE: 110

atgagctgga aggtggtcat catcttcagc ctgctgatca cacctcagca cggcctgaaa	60
gagagctacc tggaagagtc ctgcagcacc atcacagagg gctacctgtc tgtgctgaga	120
accggctggt acaccaacgt gttcacactg gaagtgggag acgtcgagaa tctgacatgc	180
tctgatggcc ctagcctgat caagaccgag ctggatctgc tcaagagcgc cctgagagaa	240
ctcaagaccg tgtctgcca tcagctggcc agagaggaac agatcgagaa tcttggcagc	300
ggcagctttg tgctgggagc cattgtctct ggagtggctg ctgctgcagc tgttacagca	360
ggcgtggcca tcgctaagac catcagactg gaaagcgaag tgaccgccat caacaacgcc	420
ctgaagaaga caaacgagge cgtcagcaca ctccgcaatg gcgttagagt gctggccaca	480
gccgtgcgag agctgaagga ctctgtgctt aagaacctga cacgggccat taacaagaac	540
aagtgcgaca tccttgacct gaagatggcc gtgtccttta gccagttcaa ccggcggttt	600
ctgaacgtcg tgcggcagtt tagcgacaac gccggaatca caccagccat cagcctggac	660
ctgatgacag atgctgagct ggctagagcc gtgcctaaca tgcctacatc tgccggccag	720
atcaagctga tgcctgagaa tagagccatg gtccgacgga aaggcttcgg cattctgatt	780
ggcgtgtacg gcagcagcgt gatctatatg gtgcagctgc ctatcttcgg cgtgatcgac	840
acaccctgct ggattgtgaa ggcgctcct agctgtagcg agaagaaggg caattacgcc	900
tgcctgctga gagaggacca aggctggat tgtcagaacg cggcagcac cgtgtactac	960
cctaacgaga aggactgoga gacaagagge gaccacgtgt tctgtgatac cgccgctgga	1020
atcaatgtgg ccgagcagag caaagagtgc aacatcaaca tcagcaccac caactatccc	1080
tgcaaggtgt ccaccggcag gcaccctatt tctatggtgg ctctgtctcc tctgggagcc	1140
ctggtggcct gttataaggg cgtgtcctgt agcatcgcca gcaacagagt gggcatcatc	1200
aagcagctga acaagggctg cagctacatc accaaccagg acgccgatac cgtgaccatc	1260
gacaacaccg tgtatcagct gagcaaggtg gaaggcgaac agcacgtgat caagggcaga	1320
cctgtgtcca gcagcttoga ccctatcaag ttccctgagg atcagttcca ggtggccctg	1380

-continued

```

gaccagggtgt tcgagaacat cgagaattcc caggctctgg tggaccagtc caacagaatc 1440
ctgtctagcg ccgagaaggg aaacaccggc ttcacatcgc tgatcactct gatcgccgtg 1500
ctgggcagct ccatgatcct ggtgtccatc ttcacatta tcaagaagac caagaagccc 1560
accggcgctc ctccagaact gagcggagtg accaacaatg gcttcatccc tcacaac 1617

```

```

<210> SEQ ID NO 111
<211> LENGTH: 1617
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic Polynucleotide

```

```

<400> SEQUENCE: 111

```

```

atgagctgga agtgggtcat catcttcagc ctgctgatca cacctcagca cggcctgaaa 60
gagagctacc tggaagagtc ctgcagcacc atcacagagg gctacctgtc tgtgctgaga 120
accggctggt acaccaacgt gttcacactg gaagtgggag acgtcgagaa tctgacatgc 180
tctgatggcc ctagcctgat caagaccgag ctggatctgc tcaagagcgc cctgagagaa 240
ctcaagaccg tgtctgcca tcagctggcc agagaggaac agatcgagaa tcttggcagc 300
ggcagctttg tgctgggagc cattgtctct ggagtggctg ctgctgcagc tgttacagca 360
ggcgtggcca tcgctaagac catcagactg gaaagcgaag tgaccgccat caacaacgcc 420
ctgaagaaga caaacgaggc cgtcagcaca ctccgcaatg gcgttagagt gctggccaca 480
gccgtgcgag agctgaagga ctctctgctt aagaacctga cacgggccat taacaagaac 540
aagtgcgaca tcctgacct gaagatggcc gtgtccttta gccagttcaa ccggcggttt 600
ctgaacgtcg tgcggcagtt tagcgacaac gccggaatca caccagccat cagcctggac 660
ctgatgacag atgctgagct ggctagagcc gtgcctaaca tgcctacatc tgcggccag 720
atcaagctga tgcctgagaa tagagccatg gtccagcga aaggcttcgg cattctgatt 780
ggcgtgtaag gcagcagcgt gatctatatg gtgcagctgc ctatcttcgg cgtgatcgac 840
acaccctgct ggattgtgaa ggccgctcct agctgtagcg agaagaaggg caattacgcc 900
tgccctgctg gagaggaacca aggctgggat tgtcagaacg ccggcagcac cgtgtactac 960
cctaacgaga aggactgcca gacaagaggc gaccacgtgt tctgtgatac cgccgctgga 1020
atcaatgtgg ccgagcagag caaagagtgc aacatcaaca tcagcaccac caactatccc 1080
tgcaagggtg ccaccggcag gcacctatt tctatgggtg ctctgtctcc tctgggagcc 1140
ctggtggcct gttataaggg cgtgtcctgt agcatcggca gcaacagagt gggcatcatc 1200
aagcagctga acaagggctg cagctacatc accaaccagg acgccgatac cgtgaccatc 1260
gacaacaccg tgtatcagct gagcaaggty gaaggcgaac agcacgtgat caagggcaga 1320
cctgtgtcca gcagcttcca ccctatcaag ttcctgaga accagttcca ggtggcctg 1380
gaccagggtgt tcgagaacat cgagaattcc caggctctgg tggaccagtc caacagaatc 1440
ctgtctagcg ccgagaaggg aaacaccggc ttcacatcgc tgatcactct gatcgccgtg 1500
ctgggcagct ccatgatcct ggtgtccatc ttcacatta tcaagaagac caagaagccc 1560
accggcgctc ctccagaact gagcggagtg accaacaatg gcttcatccc tcacaac 1617

```

```

<210> SEQ ID NO 112
<211> LENGTH: 1617
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:

```

-continued

<223> OTHER INFORMATION: Synthetic Polynucleotide

<400> SEQUENCE: 112

atgagctgga aggtggtcat catcttcagc ctgctgatca cacctcagca cggcctgaaa	60
gagagctacc tggaagagtc ctgcagcacc atcacagagg gctacctgtc tgtgctgaga	120
accggctggt acaccaacgt gttcacactg cctgtgggcg acgtcgagaa tctgacatgc	180
tctgatggcc ctagcctgat caagaccgag ctggatctgc tcaagagcgc cctgagagaa	240
ctcaagaccg tgtctgccga tcagctggcc agagaggaac agatcgagaa tcctggcagc	300
ggcagctttg tgctgggagc cattgtcttt ggagtggctg ctgctgcagc tgttacagca	360
ggcgtggcca tcgctaagac catcagactg gaaagcgaag tgaccgccat caacaacgcc	420
ctgaagaaga caaacgaggc cgtcagcaca ctccgcaatg gcgttagagt gctggccaca	480
gccgtgcgcg agctgaagga ctctgtgtcc aagaacctga cacgggccat taacaagaac	540
aagtgcgaca tcgacgacct gaagatggcc gtgtccttta gccagttcaa ccggcggttt	600
ctgaacgtcg tgcggcagtt tagcgacaac gccggaatca caccagccat cagcctggac	660
ctgatgacag atgctgagct ggctagagcc gtgcctaaca tgcctacatc tgccggccag	720
atcaagctga tgctcgagaa tagagccatg gtccgacgga aaggcttcgg cattctgatt	780
ggcgtgtaog gcagcagcgt gatctatatg gtgcagctgc ctatcttcgg cgtgatcgac	840
acaccctgct ggatttgtgaa ggccgctcct agctgtagcg agaagaaggg caattacgcc	900
tgctctgctga gagaggacca aggctggat tgctcagaac ccggcagcac cgtgtactac	960
cctaacgaga aggactgcga gacaagaggc gaccacgtgt tctgtgatac cgccgctgga	1020
atcaatgtgg ccgagcagag caaagagtgc aacatcaaca tcagcaccac caactatccc	1080
tgcaaggtgt ccaccggcag gcaccctatt tctatgggtg ctctgtctcc tctgggagcc	1140
ctggtggctt gttataaggg cgtgtcctgt agcatcgga gcaacagagt gggcatcatc	1200
aagcagctga acaaggcctg cagctacatc accaaccagg acgccgatac cgtgaccatc	1260
gacaacacog tgtatcagct gagcaaggtg gaaggcgaac agcacgtgat caagggcaga	1320
cctgtgtcca gcagcttoga ccctatcaag ttcctgagg atcagttcca ggtggcctg	1380
gaccaggtgt tcgagaacat cgagaattcc caggctctgg tggaccagtc caacagaatc	1440
ctgtctagcg ccgagaaggg aaacaccggc ttcacatcog tgatcactct gatcgccgtg	1500
ctgggcagct ccatgatcct ggtgtccatc ttcacatta tcaagaagac caagaagccc	1560
accggcgctc ctccagaact gagcggagtg accaacaatg gcttcatccc tcacaac	1617

<210> SEQ ID NO 113

<211> LENGTH: 1617

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic Polynucleotide

<400> SEQUENCE: 113

atgagctgga aggtggtcat catcttcagc ctgctgatca cacctcagca cggcctgaaa	60
gagagctacc tggaagagtc ctgcagcacc atcacagagg gctacctgtc tgtgctgaga	120
accggctggt acaccaacgt gttcacactg cctgtgggcg acgtcgagaa tctgacatgc	180
tctgatggcc ctagcctgat caagaccgag ctggatctgc tcaagagcgc cctgagagaa	240
ctcaagaccg tgtctgccga tcagctggcc agagaggaac agatcgagaa tcctggcagc	300
ggcagctttg tgctgggagc cattgtcttt ggagtggctg ctgctgcagc tgttacagca	360

-continued

```

ggcgtggcca tcgctaagac catcagactg gaaagcgaag tgaccgccat caacaacgcc 420
ctgaagaaga caaacgaggc cgtcagcaca ctccgcaatg gcgtagagt gctggccaca 480
gccgtgctgc agctgaagga ctctgtgtcc aagaacctga cacgggccat taacaagaac 540
aagtgcgaca tcgacgacct gaagatggcc gtgtccttta gccagttcaa cggcggttt 600
ctgaacgtcg tgcggcagtt tagcgacaac gccggaatca caccagccat cagcctggac 660
ctgatgacag atgctgagct ggctagagcc gtgcctaaca tgcctacatc tgccggccag 720
atcaagctga tgctcgagaa tagagccatg gtccgacgga aaggcttcgg cattctgatt 780
ggcgtgtaog gcagcagcgt gatctatatg gtgcagctgc ctatcttcgg cgtgatcgac 840
acaccctgct ggattgtgaa ggccgctcct agctgtagcg agaagaaggg caattacgcc 900
tgccctgctga gagaggacca aggctggtat tgtcagaacg ccggcagcac cgtgtactac 960
cctaacgaga aggactgcga gacaagaggc gaccacgtgt tctgtgatac cgccgctgga 1020
atcaatgtgg ccgagcagag caaagagtgc aacatcaaca tcagcaccac caactatccc 1080
tgcaaggtgt ccaccggcag gcaccctatt tctatggtgg ctctgtctcc tctgggagcc 1140
ctggtggctt gttataaggg cgtgtcctgt agcatcggca gcaacagagt gggcatcatc 1200
aagcagctga acaaggctg cagctacatc accaaccagg acgcccagac cgtgaccatc 1260
gacaacaccg tgtatcagct gagcaagtg gaaggcgaac agcacgtgat caagggcaga 1320
cctgtgtcca gcagcttcga ccctatcaag ttccctgaga accagttcca ggtggcctg 1380
gaccaggtgt tcgagaacat cgagaattcc caggctctgg tggaccagtc caacagaatc 1440
ctgtctagcg ccgagaaggg aaacaccggc ttcacatcog tgatcactct gatcggcgtg 1500
ctgggcagct ccatgatcct ggtgtccatc ttcacatta tcaagaagac caagaagccc 1560
accggcgtc ctccagaact gagcggagtg accaacaatg gcttcatccc tcacaac 1617

```

<210> SEQ ID NO 114

<211> LENGTH: 1617

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic Polynucleotide

<400> SEQUENCE: 114

```

atgagctgga aggtggtcat catcttcagc ctgctgatca cacctcagca cggcctgaaa 60
gagagctacc tgggaagagtc ctgcagcacc atcacagagg gctacctgtc tgtgctgaga 120
accggctggt acaccaacgt gttcacactg gaagtgggag acgtcgagaa tctgacatgc 180
tctgatggcc ctagcctgat caagaccgag ctggatctgc tcaagagcgc cctgagagaa 240
ctcaagaccg tgtctgcca tcagctggcc agagaggaac agatcgagaa tcttggcagc 300
ggcagctttg tgctgggagc cattgctctt ggagtggctg ctgctgcagc tgttacagca 360
ggcgtggcca tcgctaagac catcagactg gaaagcgaag tgaccgccat caacaacgcc 420
ctgaagaaga caaacgaggc cgtcagcaca ctccgcaatg gcgtagagt gctggccaca 480
gccgtgctgc agctgaagga ctctgtgtcc aagaacctga cacgggccat taacaagaac 540
aagtgcgaca tcgacgacct gaagatggcc gtgtccttta gccagttcaa cggcggttt 600
ctgaacgtcg tgcggcagtt tagcgacaac gccggaatca caccagccat cagcctggac 660
ctgatgacag atgctgagct ggctagagcc gtgcctaaca tgcctacatc tgccggccag 720
atcaagctga tgctcgagaa tagagccatg gtccgacgga aaggcttcgg cattctgatt 780

```

-continued

```

ggcgtgtaag gcagcagcgt gatctatatg gtgcagctgc ctatcttcgg cgtgatcgac 840
acaccctgct ggattgtgaa ggccgctcct agctgtagcg agaagaaggg caattacgcc 900
tgcctgctga gagaggacca aggctgggat tgtcagaacg ccggcagcac cgtgtactac 960
cctaacgaga aggactgcga gacaagaggc gaccacgtgt tctgtgatac cgccgctgga 1020
atcaatgtgg ccgagcagag caaagagtgc aacatcaaca tcagcaccac caactatccc 1080
tgcaaggtgt ccaccggcag gcaccctatt tctatgggtg ctctgtctcc tctgggagcc 1140
ctggtggctt gttataaggg cgtgtcctgt agcatcggca gcaacagagt gggcatcatc 1200
aagcagctga acaagggtg cagctacatc accaaccagg acgcccatac cgtgaccatc 1260
gacaacaccg tgtatcagct gagcaaggtg gaaggcgaac agcacgtgat caagggcaga 1320
cctgtgtcca gcagcttcga ccctatcaag ttcctgagg atcagttcca ggtggcctg 1380
gaccaggtgt tcgagaacat cgagaattcc caggctctgg tggaccagtc caacagaatc 1440
ctgtctagcg ccgagaaggg aaacaccggc ttcctatcag tgatcactcc gatcgccgtg 1500
ctgggcagct ccatgatcct ggtgtccatc ttcctcatta tcaagaagac caagaagccc 1560
accggcgtcc ctccagaact gagcggagtg accaacaatg gcttcatccc tcacaac 1617

```

<210> SEQ ID NO 115

<211> LENGTH: 1617

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic Polynucleotide

<400> SEQUENCE: 115

```

atgagctgga aggtggctcat catcttcagc ctgctgatca cacctcagca cggcctgaaa 60
gagagctacc tggaaagatc ctgcagcacc atcacagagg gctacctgtc tgtgctgaga 120
accggctggt acaccaacgt gttcacactg gaagtggcg acctcgagaa tctgacatgc 180
tctgatggcc ctagcctgat caagaccgag ctggatctga ccaagagcgc cctgagagaa 240
ctcaagaccg tgtctgcoga tcagctggcc agagaggaac agatcgagaa tcttggcagc 300
ggcagctttg tgctgggagc cattgctctt ggagtggctg ctgctgcagc tgttacagca 360
ggcgtggcca tcgctaagac catcagactg gaaagcgaag tgaccgccat caacaacgcc 420
ctgaagaaga caaacgaggc cgtcagcaca ctccgcaatg gcgtagagt gctggccaca 480
gccgtgcgcg agctgaagga cttcgtgtcc aagaacctga cacgggccat taacaagaac 540
aagtgcgaca tcgacgacct gaagatggcc gtgtccttta gccagttcaa ccggcggttt 600
ctgaacgtcg tgcggcagtt tagcgacaac gccggaatca caccagccat cagcctggac 660
ctgatgacag atgctgagct ggctagagcc gtgcctaaca tgcctacatc tgccggccag 720
atcaagctga tgctcgagaa tagagccatg gtccgacgga aaggcttcgg cattctgatt 780
ggcgtgtaag gcagcagcgt gatctatatg gtgcagctgc ctatcttcgg cgtgatcgac 840
acaccctgct ggattgtgaa ggccgctcct agctgtagcg agaagaaggg caattacgcc 900
tgcctgctga gagaggacca aggctgggat tgtcagaacg ccggcagcac cgtgtactac 960
cctaacgaga aggactgcga gacaagaggc gaccacgtgt tctgtgatac cgccgctgga 1020
atcaatgtgg ccgagcagag caaagagtgc aacatcaaca tcagcaccac caactatccc 1080
tgcaaggtgt ccaccggcag gcaccctatt tctatgggtg ctctgtctcc tctgggagcc 1140
ctggtggctt gttataaggg cgtgtcctgt agcatcggca gcaacagagt gggcatcatc 1200
aagcagctga acaagggtg cagctacatc accaaccagg acgcccatac cgtgaccatc 1260

```

-continued

```

gacaacaccg tgtatcagct gagcaaggtg gaaggcgaac agcacgtgat caagggcaga 1320
cctgtgtcca gcagcttoga cctatcaag ttcctgagg atcagttcca ggtggcctg 1380
gaccaggtgt tcgagaacat cgagaattcc caggctctgg tggaccagtc caacagaatc 1440
ctgtctagcg ccgagaaggg aaacaccggc ttcacatcg tgatcatcct gatcgccgtg 1500
ctgggcagct ccatgatcct ggtgtccatc ttcacatta tcaagaagac caagaagccc 1560
accggcgctc ctccagaact gagcggagtg accaacaatg gcttcatccc tcacaac 1617

```

<210> SEQ ID NO 116

<211> LENGTH: 1617

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic Polynucleotide

<400> SEQUENCE: 116

```

atgagctgga aggtggtcat catcttcagc ctgctgatca cacctcagca cggcctgaaa 60
gagagctacc tggagagtc ctgcagcacc atcacagagg gctacctgtc tgtgctgaga 120
accggctggt acaccaacgt gttcacactg gaagtgggag acgtcgagaa tctgacatgc 180
tctgatggcc ctagcctgat caagaccgag ctggatctga ccaagagcgc cctgagagaa 240
ctcaagaccg tgtctgccga tcagctggcc agagaggaac agatcgagaa tectggcagc 300
ggcagctttg tgctgggagc cattgctctt ggagtggctg ctgctgcagc tgttacagca 360
ggcgtggcca tcgctaagac catcagactg gaaagcgaag tgaccgccat caacaacgcc 420
ctgaagaaga caaacgaggc cgtcagcaca ctccgcaatg gcgttagagt gctggccaca 480
gccgtgctcg agctgaagga cttcgtgctt aagaacctga cacgggccat taacaagaac 540
aagtgcgaca tcgacgacct gaagatggcc gtgtccttta gccagttcaa ccggcggttt 600
ctgaacgtcg tgcggcagtt tagcgacaac gccggaatca caccagccat cagcctggac 660
ctgatgacag atgctgagct ggctagagcc gtgcctaaca tgcctacatc tgcggccag 720
atcaagctga tgctcgagaa tagagccatg gtccgacgga aaggcttcgg cattctgatt 780
ggcgtgtaag gcagcagcgt gatctatatg gtgcagctgc ctatcttcgg cgtgatcgac 840
acaccctgct ggattgtgaa ggccgctcct agctgtagcg agaagaaggg caattacgcc 900
tgcctgctga gagaggacca aggctgggat tgtcagaacg ccggcagcac cgtgtactac 960
cctaacgaga aggactcgga gacaagaggc gaccacgtgt tctgtgatac cgccgctgga 1020
atcaatgtgg ccgagcagag caaagagtgc aacatcaaca tcagcaccac caactatccc 1080
tgcaaggtgt ccaccggcag gcaccctatt tctatgggtg ctctgtctcc tctgggagcc 1140
ctggtggctt gttataaggg cgtgtcctgt agcatcggca gcaacagagt gggcatcacc 1200
aagcagctga acaagggctg cagctacatc accaaccagg acgccgatac cgtgaccatc 1260
gacaacaccg tgtatcagct gagcaaggtg gaaggcgaac agcacgtgat caagggcaga 1320
cctgtgtcca gcagcttoga cctatcaag ttcctgagg atcagttcca ggtggcctg 1380
gaccaggtgt tcgagaacat cgagaattcc caggctctgg tggaccagtc caacagaatc 1440
ctgtctagcg ccgagaaggg aaacaccggc ttcacatcg tgatcatcct gatcgccgtg 1500
ctgggcagct ccatgatcct ggtgtccatc ttcacatta tcaagaagac caagaagccc 1560
accggcgctc ctccagaact gagcggagtg accaacaatg gcttcatccc tcacaac 1617

```

<210> SEQ ID NO 117

-continued

```

<211> LENGTH: 1617
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic Polynucleotide

<400> SEQUENCE: 117
atgagctgga aggtggtcat catcttcagc ctgctgatca cacctcagca cggcctgaaa      60
gagagctacc tggagagtc ctgcagcacc atcacagagg gctacctgtc tgtgctgaga      120
accggctggt acaccaacgt gttcacactg gaagtgggcg acgtcgagaa tctgacatgc      180
tctgatggcc ctagcctgat caagaccgag ctggatctga ccaagagcgc cctgagagaa      240
ctcaagaccg tgtctgccga tcagctggcc agagaggaac agatcgagaa tcttggcagc      300
ggcagctttg tgctgggagc cattgctctt ggagtggctg ctgctgcagc tgttacagca      360
ggcgtggcca tcgctaagac catcagactg gaaagcgaag tgaccgccat caacaacgcc      420
ctgaagaaga caaacgaggc cgtcagcaca ctccgcaatg gcgtagagtg gctggccaca      480
gccgtgcgcg agctgaagga cttcgtgtcc aagaacctgt ggcgggccat taacaagaac      540
aagtgcgaca tcgacgacct gaagatggcc gtgtccttta gccagttcaa cggcggttt      600
ctgaacgtcg tgcggcagtt tagcgacaac gccggaatca caccagccat cagcctggac      660
ctgatgacag atgctgagct ggctagagcc gtgcctaaca tgcctacatc tgccggccag      720
atcaagctga tgctcgagaa tagagccatg gtccgacgga aaggcttcgg cattctgatt      780
ggcgtgtacg gcagcagcgt gatctatatg gtgcagctgc ctatcttcgg cgtgatcgac      840
acaccctgct ggattgtgaa ggcgctcct agctgtagcg agaagaaggg caattaacgcc      900
tgcctgctga gagaggacca aggctggat  tgtcagaacg ccggcagcac cgtgtactac      960
cctaacgaga aggactcgga gacaagaggc gaccacgtgt tctgtgatac cgcgctgga      1020
atcaatgtgg ccgagcagag caaagagtgc aacatcaaca tcagcaccac caactatccc      1080
tgcaaggtgt ccaccggcag gcaccctatt tctatggtgg ctctgtctcc tctgggagcc      1140
ctggtggcct gttataaggg cgtgtcctgt agcatcggca gcaacagagt gggcatcacc      1200
aagcagctga acaagggctg cagctacatc accaaccagg acgccgatac cgtgaccatc      1260
gacaacaccg tgtatcagct gagcaaggtg gaaggcgaac agcactgat caagggcaga      1320
cctgtgtcca gcagcttcga cctatcaag ttccctgagg atcagttcca ggtggccctg      1380
gaccaggtgt tcgagaacat cgagaattcc caggctctgg tggaccagtc caacagaatc      1440
ctgtctagcg ccgagaaggg aaacaccggc ttcacatcag tgatcaccct gatcgccgtg      1500
ctgggcagct ccatgatcct ggtgtccatc ttcacatta tcaagaagac caagaagccc      1560
accggcgctc ctccagaact gagcggagtg accaacaatg gcttcatccc tcacaac      1617

```

```

<210> SEQ ID NO 118
<211> LENGTH: 1617
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic Polynucleotide

```

```

<400> SEQUENCE: 118
atgagctgga aggtggtcat catcttcagc ctgctgatca cacctcagca cggcctgaaa      60
gagagctacc tggagagtc ctgcagcacc atcacagagg gctacctgtc tgtgctgaga      120
accggctggt acaccaacgt gttcacactg gaagtgggcg acctcgagaa tctgacatgc      180
tctgatggcc ctagcctgat caagaccgag ctggatctgc tcaagagcgc cctgagagaa      240

```

-continued

```

ctcaagaccg tgtctgccga tcagctggcc agagaggaac agatcgagaa tctggcagc 300
ggcagctttg tgctgggagc cattgctctt ggagtggctg ctgctgcagc tgttacagca 360
ggcgtggcca tcgctaagac catcagactg gaaagcgaag tgaccgccat caacaacgcc 420
ctgaagaaga caaacgaggc cgtcagcaca ctccgcaatg gcgtagagt gctggccaca 480
gccgtgcgag agctgaagga cttcgtgctt aagaacctgt ggcgggccat taacaagaac 540
aagtgcgaca tcgacgacct gaagatggcc gtgtccttta gccagttcaa cggcggttt 600
ctgaacgtcg tgcggcagtt tagcgacaac gccggaatca caccagccat cagcctggac 660
ctgatgacag atgctgagct ggctagagcc gtgcctaaca tgctacatc tgccggccag 720
atcaagctga tgctcgagaa tagagccatg gtccgacgga aaggcttcgg cattctgatt 780
ggcgtgtacg gcagcagcgt gatctatatg gtgcagctgc ctatcttcgg cgtgatcgac 840
acaccctgct ggattgtgaa gcccgctcct agctgtagcg agaagaaggg caattacgcc 900
tgccctgctga gagaggacca aggctggat gtgcagaac ccggcagcac cgtgtactac 960
cctaacgaga aggactgcga gacaagaggc gaccacgtgt tctgtgatac cgcgctgga 1020
atcaatgtgg ccgagcagag caaagagtgc aacatcaaca tcagcaccac caactatccc 1080
tgcaaggtgt ccaccggcag gcaccctatt tctatgggtg ctctgtctcc tctgggagcc 1140
ctggtggctt gttataaggg cgtgtcctgt agcatcgga gcaacagagt gggcatcatc 1200
aagcagctga acaagggtg cagctacatc accaaccagg acgcccatac cgtgaccatc 1260
gacaacaccg tgtatcagct gagcaaggtg gaaggcgaac agcagctgat caagggcaga 1320
cctgtgtcca gcagcttoga cccatcaag ttccctgagg atcagttcca ggtggccctg 1380
gaccaggtgt tcgagaacat cgagaattcc caggctctgg tggaccagtc caacagaatc 1440
ctgtctagcg ccgagaaggg aaacaccggc ttcacatcag tgatcactcc gatcgccgtg 1500
ctgggcagct ccattgatcc ggtgtccatc ttcacatta tcaagaagac caagaagccc 1560
accggcgctc ctccagaact gagcggagtg accaacaatg gcttcatccc tcacaac 1617

```

<210> SEQ ID NO 119

<211> LENGTH: 1617

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic Polynucleotide

<400> SEQUENCE: 119

```

atgagctgga aggtggtcat catcttcagc ctgctgatca cacctcagca cggcctgaaa 60
gagagctacc tggaagagtc ctgcagcacc atcacagagg gctacctgtc tgtgctgaga 120
accggctggt acaccaacgt gttcacactg cctgtgggcy acgtcgagaa tctgacatgc 180
tctgatggcc ctagcctgat caagaccgag ctggatctga ccaagagcgc cctgagagaa 240
ctcaagaccg tgtctgccga tcagctggcc agagaggaac agatcgagaa tctggcagc 300
ggcagctttg tgctgggagc cattgctctt ggagtggctg ctgctgcagc tgttacagca 360
ggcgtggcca tcgctaagac catcagactg gaaagcgaag tgaccgccat caacaacgcc 420
ctgaagaaga caaacgaggc cgtcagcaca ctccgcaatg gcgtagagt gctggccaca 480
gccgtgcgag agctgaagga cttcgtgtcc aagaacctga cacgggccat taacaagaac 540
aagtgcgaca tcgacgacct gaagatggcc gtgtccttta gccagttcaa cggcggttt 600
ctgaacgtcg tgcggcagtt tagcgacaac gccggaatca caccagccat cagcctggac 660

```

-continued

ctgatgacag atgctgagct ggctagagcc gtgcctaaca tgcctacatc tgccggccag	720
atcaagctga tgctcgagaa tagagccatg gtccgacgga aaggcttcgg cattctgatt	780
ggcgtgtacg gcagcagcgt gatctatatg gtgcagctgc ctatcttcgg cgtgatcgac	840
acaccctgct ggattgtgaa ggccgctcct agctgtagcg agaagaaggg caattacgcc	900
tgccctgctga gagaggacca aggctggat tgtcagaacg ccggcagcac cgtgtactac	960
cctaacgaga aggactgcga gacaagaggc gaccacgtgt tctgtgatac cgccgctgga	1020
atcaatgtgg ccgagcagag caaagagtgc aacatcaaca tcagcaccac caactatccc	1080
tgcaaggtgt ccaccggcag gcaccctatt tctatggtgg ctctgtctcc tctgggagcc	1140
ctggtggcct gttataaggg cgtgtcctgt agcatcgga gcaacagagt gggcatcacc	1200
aagcagctga acaagggctg cagctacatc accaaccagg acgcccatac cgtgaccatc	1260
gacaacaccg tgtatcagct gagcaaggtg gaaggcgaac agcacgtgat caagggcaga	1320
cctgtgtcca gcagcttcga cctatcaag ttccctgagg atcagttcca ggtggccctg	1380
gaccaggtgt tcgagaacat cgagaattcc caggctctgg tggaccagtc caacagaatc	1440
ctgtctagcg ccgagaaggg aaacaccggc ttcacatcag tgatcaccct gatcgccgtg	1500
ctgggcagct ccattgatcct ggtgtccatc ttcacatta tcaagaagac caagaagccc	1560
accggcgctc ctccagaact gagcggagt accaacaatg gcttccatccc tcacaac	1617

<210> SEQ ID NO 120

<211> LENGTH: 1617

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic Polynucleotide

<400> SEQUENCE: 120

atgagctgga aggtggtcat catcttcagc ctgctgatca cacctcagca cggcctgaaa	60
gagagctacc tggaagagtc ctgcagcacc atcacagagg gctacctgtc tgtgctgaga	120
accggctggt acaccaacgt gttcacactg gaagtgggcy acgtcgagaa tctgacatgc	180
tctgatggcc ctagcctgat caagaccgag ctggatctga ccaagagcgc cctgagagaa	240
ctcaagaccg tgtctgcca tcagctggcc agagaggaac agatcgagaa tcctggcagc	300
ggcagctttg tgetgggagc cattgtctct ggagtggctg ctgctgcagc tgttacagca	360
ggcgtggcca tcgctaagac catcagactg gaaagcgaag tgaccgccat caacaacgcc	420
ctgaagaaga caaacgaggc cgtcagcaca ctccgcaatg gcgttagagt gctggccaca	480
gccgtgcygc agctgaagga ctctgtgtcc aagaacctga cacgggccat taacaagaac	540
aagtgcgaca tccctgacct gaagatggcc gtgtccttta gccagttcaa ccggcggttt	600
ctgaacgtcg tgcggcagtt tagcgacaac gccggaatca caccagccat cagcctggac	660
ctgatgacag atgctgagct ggctagagcc gtgcctaaca tgcctacatc tgccggccag	720
atcaagctga tgctcgagaa tagagccatg gtccgacgga aaggcttcgg cattctgatt	780
ggcgtgtacg gcagcagcgt gatctatatg gtgcagctgc ctatcttcgg cgtgatcgac	840
acaccctgct ggattgtgaa ggccgctcct agctgtagcg agaagaaggg caattacgcc	900
tgccctgctga gagaggacca aggctggat tgtcagaacg ccggcagcac cgtgtactac	960
cctaacgaga aggactgcga gacaagaggc gaccacgtgt tctgtgatac cgccgctgga	1020
atcaatgtgg ccgagcagag caaagagtgc aacatcaaca tcagcaccac caactatccc	1080
tgcaaggtgt ccaccggcag gcaccctatt tctatggtgg ctctgtctcc tctgggagcc	1140

-continued

```

ctggtggcct gttataaggg cgtgtcctgt agcatcgga gcaacagagt gggcatcatc 1200
aagcagctga acaagggctg cagctacatc accaaccagg acgccgatac cgtgaccatc 1260
gacaacaccg tgtatcagct gagcaaggtg gaaggcgaac agcacgtgat caagggcaga 1320
cctgtgtcca gcagcttoga cctatcaag ttcctgagg atcagttcca ggtggcctg 1380
gaccaggtgt tcgagaacat cgagaattcc caggctctgg tggaccagtc caacagaatc 1440
ctgtctagcg ccgagaaggg aaacaccggc ttcatcatcg tgatcatcct gatcgccgtg 1500
ctgggcagct ccatgatcct ggtgtccatc ttcattatta tcaagaagac caagaagccc 1560
accggcgctc ctccagaact gagcggagt accaacaatg gcttcatccc tcacaac 1617

```

<210> SEQ ID NO 121

<211> LENGTH: 1617

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic Polynucleotide

<400> SEQUENCE: 121

```

atgagctgga aggtggctcat catcttcagc ctgctgatca cacctcagca cggcctgaaa 60
gagagctacc tggaagagtc ctgcagcacc atcacagagg gctacctgtc tgtgctgaga 120
accggctggt acaccaacgt gttcacactg gaagtggggc acgtcgagaa tetgacatgc 180
tctgatggcc ctagcctgat caagaccgag ctggatctga ccaagagcgc cctgagagaa 240
ctcaagaccg tgtctgcca tcagctggcc agagaggaac agatcgagaa tcctggcagc 300
ggcagctttg tgctgggagc cattgtctct ggagtggctg ctgctgcagc tgttacagca 360
ggcgtggcca tcgctaagac catcagactg gaaagcgaag tgaccgccat caacaacgcc 420
ctgaagaaga caaacgaggc cgtcagcaca ctccgcaatg gcgttagagt gctggccaca 480
gccgtgcgcg agctgaagga ctctgtgtcc aagaacctga cacgggccat taacaagaac 540
aagtgcccta tcgacgacct gaagatggcc gtgtccttta gccagttcaa ccggcggttt 600
ctgaacgtcg tgcggcagtt tagcgacaac gccggaatca caccagccat cagcctggac 660
ctgatgacag atgctgagct ggctagagcc gtgcctaaca tgctacatc tgccggccag 720
atcaagctga tgctcgagaa tagagccatg gtccgacgga aaggcttcgg cattctgatt 780
ggcgtgtacg gcagcagcgt gatctatatg gtgcagctgc ctatcttcgg cgtgatcgac 840
acaccctgct ggattgtgaa ggcgctcct agctgtagcg agaagaaggg caattacgcc 900
tgctctgctg gagaggacca agcctggat tgtcagaacg ccggcagcac cgtgtactac 960
cctaacgaga aggactgcga gacaagaggc gaccacgtgt tctgtgatac cgccgctgga 1020
atcaatgtgg ccgagcagag caaagagtgc aacatcaaca tcagcaccac caactatccc 1080
tgcaaggtgt ccaccggcag gcaccctatt tctatggtgg ctctgtctcc tctgggagcc 1140
ctggtggcct gttataaggg cgtgtcctgt agcatcgga gcaacagagt gggcatcatc 1200
aagcagctga acaagggctg cagctacatc accaaccagg acgccgatac cgtgaccatc 1260
gacaacaccg tgtatcagct gagcaaggtg gaaggcgaac agcacgtgat caagggcaga 1320
cctgtgtcca gcagcttoga cctatcaag ttcctgagg atcagttcca ggtggcctg 1380
gaccaggtgt tcgagaacat cgagaattcc caggctctgg tggaccagtc caacagaatc 1440
ctgtctagcg ccgagaaggg aaacaccggc ttcatcatcg tgatcatcct gatcgccgtg 1500
ctgggcagct ccatgatcct ggtgtccatc ttcattatta tcaagaagac caagaagccc 1560

```

-continued

 accggcgctc ctccagaact gagcggagt accaacaatg gcttcatccc tcacaac 1617

<210> SEQ ID NO 122
 <211> LENGTH: 1617
 <212> TYPE: DNA
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: Synthetic Polynucleotide

<400> SEQUENCE: 122

atgagctgga aggtggtcat catcttcagc ctgctgatca cacctcagca cggcctgaaa 60
 gagagctacc tggaaagatc ctgcagcacc atcacagagg gctacctgtc tgtgctgaga 120
 accggctggt acaccaacgt gttcacactg gaagtgggag acgtcgagaa tctgacatgc 180
 tctgatggcc ctgacctgat caagaccgag ctggatctga ccaagagcgc cctgagagaa 240
 ctcaagaccg tgtctgccga tcagctggcc agagaggaac agatcgagaa tcctggcagc 300
 ggcagctttg tgctgggagc cattgtctt ggagtggctg ctgctgcagc tgttacagca 360
 ggcggtggcca tcgctaagac catcagactg cctagcgaag tgaccgccat caacaacgcc 420
 ctgaagaaga caaacgaggc cgtcagcaca ctccgcaatg gcgtagagt gctggccaca 480
 gccgtgcgag agctgaagga ctctgtgtcc aagaacctga cacgggccat taacaagaac 540
 aagtgcgaca tcgacgacct gaagatggcc gtgtccttta gccagttcaa ccggcggttt 600
 ctgaacgtcg tgcggcagtt tagcgacaac gccggaatca caccagccat cagcctggac 660
 ctgatgacag atgctgagct ggctagagcc gtgcctaaca tgctacatc tgccggccag 720
 atcaagctga tgctcgagaa tagagccatg gtccgacgga aaggcttcgg cattctgatt 780
 ggcggtgacg gcagcagcgt gatctatatg gtgcagctgc ctatcttcgg cgtgatcgac 840
 acaccctgct ggattgtgaa ggcgctcct agctgtagcg agaagaagg caattacgcc 900
 tgccctgctga gagaggacca aggctggat tgtcagaacg ccggcagcac cgtgtactac 960
 cctaacgaga aggactgcga gacaagaggc gaccacgtgt tctgtgatac cgcctgga 1020
 atcaatgtgg ccgagcagag caaagagtgc aacatcaaca tcagcaccac caactatccc 1080
 tgcaaggtgt ccaccggcag gcaccctatt tctatggtgg ctctgtctcc tctgggagcc 1140
 ctggtggcct gttataaggc cgtgtcctgt agcatcgcca gcaacagagt gggcatcatc 1200
 aagcagctga acaagggctg cagctacatc accaaccagg acgccgatac cgtgaccatc 1260
 gacaacaccg tgtatcagct gagcaaggtg gaaggcgaac agcacgtgat caagggcaga 1320
 cctgtgtcca gcagcttcca cctatcaag ttcctgagg atcagttcca ggtggccctg 1380
 gaccaggtgt tcgagaacat cgagaattcc caggctctgg tggaccagtc caacagaatc 1440
 ctgtctagcg ccgagaaggg aaacaccggc ttcacatcgc tgatcatcct gatcgccgtg 1500
 ctgggcagct ccatgatcct ggtgtccatc ttcacatta tcaagaagac caagaagccc 1560
 accggcgctc ctccagaact gagcggagt accaacaatg gcttcatccc tcacaac 1617

<210> SEQ ID NO 123
 <211> LENGTH: 1617
 <212> TYPE: DNA
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: Synthetic Polynucleotide

<400> SEQUENCE: 123

atgagctgga aggtggtcat catcttcagc ctgctgatca cacctcagca cggcctgaaa 60
 gagagctacc tggaaagatc ctgcagcacc atcacagagg gctacctgtc tgtgctgaga 120

-continued

```

accggctggt acaccaacgt gttcacactg gaagtgggcg acgtcgagaa tctgacatgc 180
tctgatggcc ctagcctgat caagaccgag ctggatctga ccaagagcgc cctgagagaa 240
ctcaagaccg tgtctgccga tcagctggcc agagaggaac agatcgagaa tcctggcagc 300
ggcagctttg tgctgggagc cattgtcttt ggagtggctg ctgctgcagc tgttacagca 360
ggcgtggcca tcgctaagac catcagactg gaaagcgaag tgaccgccat caacaacgcc 420
ctgaagaaga caaacgaggc cgtcagcaca ctcggcaatg gcgtagagt gctggccaca 480
gccgtgcgcg agctgaagga cttcgtgtcc aagaacctga cacgggccat taacaagaac 540
aagtgcgaca tcgacgaact gaagatggcc gtgtccttta gccagttcaa ccggcggttt 600
ctgaacgtcg tgcggcagtt tagcgacaac gccggaatca caccagccat cagcctggac 660
ctgatgacag atgctgagct ggctagagcc gtgcetaaca tgctacatc tgccggccag 720
atcaagctga tgctcgagaa tagagccatg gtccgacgga aaggcttcgg cattctgatt 780
ggcgtgtacg gcagcagcgt gatctatatg gtgcagctgc ctatcttcgg cgtgatcgac 840
acaccctgct ggattgtgaa ggcgctcct agctgtagcg agaagaaggg caattacgcc 900
tgctctgctga gagaggacca aggctggat tgtcagaacg ccggcagcac cgtgtactac 960
cctaacgaga aggactcgga gacaagaggc gaccacgtgt tctgtgatac cgccgctgga 1020
atcaatgtgg ccgagcagag caaagagtgc aacatcaaca tcagcaccac caactatccc 1080
tgcaaggtgt ccaccggcag gcaccctatt tctatggtgg ctctgtctcc tctgggagcc 1140
ctggtggcct gttataaggg cgtgtcctgt agcatcgcca gcaacagagt gggcatcatc 1200
aagcagctga acaagggctg cagctacatc accaaccagg acgcccatac cgtgaccatc 1260
gacaacaccg tgtatcagct gagcaaggtg gaaggcgaac agcacgtgat caagggcaga 1320
cctgtgtcca gcagcttccc acctatcaag ttcctgagg atcagttcca ggtggccctg 1380
gaccaggtgt tcgagaacat cgagaattcc caggctctgg tggaccagtc caacagaatc 1440
ctgtctagcg ccgagaaggg aaacaccggc ttcacatcgc tgatcactct gatcgccgtg 1500
ctgggcagct ccatgatcct ggtgtccatc ttcacatta tcaagaagac caagaagccc 1560
accggcgcct ctcagaact gagcggagtg accaacaatg gcttcatccc tcacaac 1617

```

```

<210> SEQ ID NO 124
<211> LENGTH: 1617
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic Polynucleotide

```

```

<400> SEQUENCE: 124

```

```

atgagctgga aggtggtcat catcttcagc ctgctgatca cacctcagca cggcctgaaa 60
gagagctacc tggaagagtc ctgcagcacc atcacagagg gctacctgtc tgtgctgaga 120
accggctggt acaccaacgt gttcacactg gaagtgggcg acgtcgagaa tctgacatgc 180
tctgatggcc ctagcctgat caagaccgag ctggatctga ccaagagcgc cctgagagaa 240
ctcaagaccg tgtctgccga tcagctggcc agagaggaac agatcgagaa tcctggcagc 300
ggcagctttg tgctgggagc cattgtcttt ggagtggctg ctgctgcagc tgttacagca 360
ggcgtggcca tcgctaagac catcagactg gaaagcgaag tgaccgccat caacaacgcc 420
ctgaagaaga caaacgaggc cgtcagcaca ctcggcaatg gcgtagagt gctggccaca 480
gccgtgcgcg agctgaagga cttcgtgtcc aagaacctga cacgggccat taacaagaac 540

```

-continued

```

aagtgcgaca tgcagcact gaagatggcc gtgtccttta gccagttcaa cggcggttt 600
ctgaacgtcg tgcggcagtt tagcgacaac gccggaatca caccagccat cagcctggac 660
ctgatgacag atgctgagct ggctagagcc gtgcctaaca tgcctacatc tgcggccag 720
atcaagctga tgctcgagaa tagagccatg gtccgacgga aaggcttcgg cattctgatt 780
ggcgtgtacg gcagcagcgt gatctatatg gtgcagctgc ctatcttcgg cgtgatcgac 840
acacctgct ggattgtgaa ggcgctcct agctgtagcg agaagaagg caattacgcc 900
tgcttctgta gagaggacca aggctggat tgctcagaac cggcagcac cgtgtactac 960
cctaacgaga aggactcoga gacaagaggc gaccacgtgt tctgtgatac cgccgctgga 1020
atcaatgtgg ccgagcagag caaagagtgc aacatcaaca tcagcaccac caactatccc 1080
tgcaaggtgt ccaccggcag gcacctatt tctatggtgg ctctgtctcc tctgggagcc 1140
ctggtggctt gttataaggc cgtgtcctgt agcatcgcca gcaacagagt gggcatcatc 1200
aagcagctga acaaggcgtg cagctacatc accaaccagg acgcccatac cgtgaccatc 1260
gacaacaccg tgtatcagct gagcaaggtg gaaggcgaac agcacgtgat caagggcaga 1320
cctgtgtcca gcagcttoga cctatcaag ttccctgaga accagttcca ggtggccctg 1380
gaccaggtgt tcgagaacat cgagaattcc caggctctgg tggaccagtc caacagaatc 1440
ctgtctagcg ccgagaaggc aaacaccggc ttcacatcgc tgatcactcc gatcgccgtg 1500
ctgggcagct ccattgatcc ggtgtccatc ttcacatta tcaagaagac caagaagccc 1560
accggcgtc ctccagaact gagcggagtg accaacaatg gcttcatccc tcacaac 1617

```

<210> SEQ ID NO 125

<211> LENGTH: 1617

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic Polynucleotide

<400> SEQUENCE: 125

```

atgagctgga aggtggtcat catcttcagc ctgctgatca cacctcagca cggcctgaaa 60
gagagctacc tggaagagtc ctgcagcacc atcacagagg gctacctgtc tgtgctgaga 120
accggctggt acaccaacgt gttcacactg gaagtgggag acgtcgagaa tctgacatgc 180
tctgatggcc ctgacctgat caagaccgag ctggatctga ccaagagcgc cctgagagaa 240
ctcaagaccg tgtctgcca tcagctggcc agagaggaac agatcgagaa tcttggcagc 300
ggcagctttg tgctgggagc cattgtcttt ggagtggctg ctgctgcagc tgttacagca 360
ggcgtggcca tcgctaagac catcagactg gaaagcgaag tgaccgccat caacaacgcc 420
ctgaagaaga caaacgaggc cgtcagcaca ctcgcaatg gcgttagagt gctggccaca 480
gccgtgcgag agctgaagga cttcgtgtcc aagaacctga cacgggccat taacaagaac 540
aagtgcgaca tgcagcact gaagatggcc gtgtccttta gccagttcaa cggcggttt 600
ctgaacgtcg tgcggcagtt tagcgacaac gccggaatca caccagccat cagcctggac 660
ctgatgacag atgctgagct ggctagagcc gtgcctaaca tgcctacatc tgcggccag 720
atcaagctga tgctcgagaa tagagccatg gtccgacgga aaggcttcgg cattctgatt 780
ggcgtgtacg gcagcagcgt gatctatatg gtgcagctgc ctatcttcgg cgtgatcgac 840
acacctgct ggattgtgaa ggcgctcct agctgtagcg agaagaagg caattacgcc 900
tgcttctgta gagaggacca aggctggat tgctcagaac cggcagcac cgtgtactac 960
cctaacgaga aggactcoga gacaagaggc gaccacgtgt tctgtgatac cgccgctgga 1020

```

-continued

```

atcaatgtgg ccgagcagag caaagagtgc aacatcaaca tcagcaccac caactatccc 1080
tgcaaggtgt ccaccggcag gcaccctatt tctatggtgg ctctgtctcc tctgggagcc 1140
ctggtggcct gttataaggg cgtgtcctgt agcatcggca gcaacagagt gggcatcatc 1200
aagcagctga acaagggctg cagctacatc accaaccagg acgccgatac cgtgaccatc 1260
gacaacaccg tgtatcagct gagcaaggtg gaaggcgaac agcacgtgat caagggcaga 1320
cctgtgtcca gcagcttoga ccctatcaag ttcctcagg atcagttcca ggtggccctg 1380
gaccaggtgt tcgagaacat cgagaattcc caggctctgg tggaccagtc caacagaatc 1440
ctgtctagcg ccgagaaggg aaacaccggc ttcacatcgc tgatcctcct gatcgccgtg 1500
ctgggcagct ccatgatcct ggtgtccatc ttcacatta tcaagaagac caagaagccc 1560
accggcgtc ctccagaact gagcggagtg accaacaatg gcttcatccc tcacaac 1617

```

```

<210> SEQ ID NO 126
<211> LENGTH: 1617
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic Polynucleotide

```

```

<400> SEQUENCE: 126

```

```

atgagctgga aggtggtcat catcttcagc ctgctgatca cacctcagca cggcctgaaa 60
gagagctacc tggaaagatc ctgcagcacc atcacagagg gctacctgtc tgtgctgaga 120
accggctggt acaccaacgt gttcacactg gaagtgggag acgtcgagaa tctgacatgc 180
tctgatggcc ctagcctgat caagaccgag ctggatctga ccaagagcgc cctgagagaa 240
ctcaagaccg tgtctgcca tcagctggcc agagaggaac agatcgagaa tcttggcagc 300
ggcagctttg tgctgggagc cattgtctct ggagtggctg ctgctgcagc tgttacagca 360
ggcgtggcca tcgctaagac catcagactg gaaagcgaag tgaccgccat caacaacgcc 420
ctgaagaaga caaacgaggc cgtcagcaca ctccgcaatg gcgttagagt gctggccaca 480
gccgtgcgag agctgaagga ctctgtgtcc aagaacctga cacgggccat taacaagaac 540
aagtgcgaca tcgacgaact gaagatggcc gtgtccttta gccagtggaa ccggcgggtt 600
ctgaacgtcg tgcggcagtt tagcgacaac gccggaatca caccagccat cagcctggac 660
ctgatgacag atgctgagct ggctagagcc gtgcctaaca tgccctacatc tgccggccag 720
atcaagctga tgcctgagaa tagagccatg gtccgacgga aaggcttcgg cattctgatt 780
ggcgtgtacg gcagcagcgt gatctatatg gtgcagctgc ctatcttcgg cgtgatcgac 840
acaccctgct ggatttgtgaa ggccgctcct agctgtagcg agaagaaggg caattacgcc 900
tgccctgctga gagaggacca aggctgggat tgtcagaacg ccggcagcac cgtgtactac 960
cctaacgaga aggactgcca gacaagaggc gaccacgtgt tctgtgatac cgccgctgga 1020
atcaatgtgg ccgagcagag caaagagtgc aacatcaaca tcagcaccac caactatccc 1080
tgcaaggtgt ccaccggcag gcaccctatt tctatggtgg ctctgtctcc tctgggagcc 1140
ctggtggcct gttataaggg cgtgtcctgt agcatcggca gcaacagagt gggcatcatc 1200
aagcagctga acaagggctg cagctacatc accaaccagg acgccgatac cgtgaccatc 1260
gacaacaccg tgtatcagct gagcaaggtg gaaggcgaac agcacgtgat caagggcaga 1320
cctgtgtcca gcagcttoga ccctatcaag ttcctcagg atcagttcca ggtggccctg 1380
gaccaggtgt tcgagaacat cgagaattcc caggctctgg tggaccagtc caacagaatc 1440

```

-continued

```

ctgtctagcg ccgagaaggg aaacaccggc ttcattcatcg tgatcattcct gatcgccgtg 1500
ctgggcagct ccatgatcct ggtgtccatc ttcattcatta tcaagaagac caagaagccc 1560
accggcgctc ctccagaact gagcggagtg accaacaatg gcttcattccc tcacaac 1617

```

```

<210> SEQ ID NO 127
<211> LENGTH: 1617
<212> TYPE: RNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic Polynucleotide

```

```

<400> SEQUENCE: 127

```

```

augagcugga aggguggucau caucuucagc cugcugauca caccucagca cggccugaaa 60
gagagcuacc uggaagaguc cugcagcacc aucacagagg gcuaccuguc ugugcugaga 120
accggcuggu acaccaacgu guucacacug gaaguggggcg acgucgagaa ucugacaugc 180
ucugauggcc cuagccugau caagaccgag cuggaucuga ccaagagcgc ccugagagaa 240
cucaagaccg ugucugccga ucagcuggcc agagaggaac agaucgagaa uccuggcagc 300
ggcagcuuug ugcugggagc cauugcucu ggaguggcug cugcugcagc uguuacagca 360
ggcguggcca ucugcaagac caucagacug gaaagcgaag ugaccgccau caacaacgcc 420
cugaagaaga caaacgaggc cgucagcaca cucggcaaug gcguuagagu gcuggccuuu 480
gccgugcgcg agcugaagga cuucgugucc aagaaccuga cacgggcccc gaacaagaac 540
aagugcgaca ucgacgaccu gaagauggcc guguccuuua gccaguuaa cggcgguuu 600
cugaacgucg ugcggcaguu uagcgacaac gccggaauca caccagccau cagccuggac 660
cugaugacag augcugagcu ggcuagagcc gugccuaaca ugccuacauc ugccggccag 720
aucaagcuga ugcucgagaa uagagccaug guccgacgga aaggcuucgg cauucugugu 780
ggcguguaag gcagcagcgu gaucuauaug gucgagcugc cuaucuucgg cgugaucgac 840
acaccucgcu ggaauugaa ggcgcucucu agcuguagcg agaagaaggg caauuacgcc 900
ugccugcuga gagaggacca aggcugguau ugucagaacg ccggcagcac cguguacuac 960
ccuaacgaga aggacugcga gacaagaggc gaccacgugu ucugugauac cgccgcugga 1020
aucaaugugg ccgagcagag caaagaguc aacaucaaca ucagcaccac caacuauccc 1080
ugcaaggugu ccaccggcag gcaccuuuu ucuaugggug cucugucucc ucugggagcc 1140
cugguggcuu guuauaaggg cguguccugu agcaucggca gcaacagagu gggcaucauc 1200
aagcagcuga acaagggcug cagcuacauc accaaccagg acgccgauac cgugaccauc 1260
gacaacaccg uguaucagcu gagcaaggug gaaggcgaac agcacgugau caagggcaga 1320
ccugugucca gcagcuucga ccuaucaag ucccugagg aucaguuaa cguggccucg 1380
gaccaggugu ucgagaacau cgagaauucc caggcucugg uggaccaguc caacagaauc 1440
cugucuagcg ccgagaaggg aaacaccggc uucaucaucg ugaucauccu gaucgccgug 1500
cugggcagcu ccaugauccu gguguccauc uucaucauuu ucaagaagac caagaagccc 1560
accggcguc succagaacu gagcggagug accaacaauug gcuucaucc ucacaac 1617

```

```

<210> SEQ ID NO 128
<211> LENGTH: 1617
<212> TYPE: RNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic Polynucleotide

```

```

<400> SEQUENCE: 128

```

-continued

```

augagcugga aggguggucau caucuucagc cugcugauca caccucagca cggccugaaa    60
gagagcuacc uggaagaguc cugcagcacc aucacagagg gcuaccuguc ugugcugaga    120
accggcuggu acaccaacgu guucacacug gaagugggcg acgucgagaa ucugacaugc    180
ucugauggcc cuagccugau caagaccgag cuggaucuga ccaagagcgc ccugagagaa    240
cucaagaccg ugucugccga ucagcuggcc agagaggaac agaucgagaa uccuggcagc    300
ggcagcuuug ugcugggagc cauugcucu ggaguggcug cugcugcagc uguuacagca    360
ggcguggcca ucgcaagac caucagacug gaaagcgaag ugaccgccau caacaacgcc    420
cugaagaaga caaacgaggc cgucagcaca cucggcaaug gcguuagagu gcuggccaca    480
gccgugcgcg agcugaagga cuucgugucc aagaaccuga cacgggccau uaacaagaac    540
aagugcgaca ucgacgaccu gaagauggcc guguccuuua gccaguuaa ccggcgguuu    600
cugaacguog ugcggcaguu uagcgacaac gccggaauca caccagccau cagccuggac    660
cugaugacag augcugagcu ggcuagagcc gugccuaaca ugccuacauc ugccggccag    720
aucaagcuga ugcucgagaa uagagccaug guccgacgga aaggcuucgg cauucugugu    780
ggcguguaog gcagcagcgu gaucuauaug gucgagcugc cuaucuucgg cgugaucgac    840
acaccucgcu ggaauugaa ggcgcucucu agcuguagcg agaagaaggg caauuacgcc    900
ugccugcuga gagaggacca aggcugguau ugucagaacg ccggcagcac cguguacuac    960
ccuaacgaga aggacugcga gacaagaggc gaccacgugu ucugugauac cgccgcugga   1020
aucaaugugg ccgagcagag caaagaguc aacaucuaa ucagcaccac caacuauccc   1080
ugcaaggugu ccaccggcag gcaaccuuuu ucuauuggug cucugucucc ucugggagcc   1140
cugguggcuu guuuaaaggg cguguccugu agcaucggca gcaacagagu gggcaucauc   1200
aagcagcuga acaaggcgug cagcuacauc accaaccagg acgccgauac cgugaccauc   1260
gacaacaccg uguauacgcu gagcaaggug gaaggcgaac agcacgugau caagggcaga   1320
ccugugucca gcagcuucga ccuaucaag uucccugagc accaguggca uguggcccug   1380
gaccaggugu ucgagaacau cgagaauucc caggcucugg uggaccaguc caacagaauc   1440
cugucuagcg ccgagaaggg aaacaccggc uucaucaucg ugaucauccu gaucgccgug   1500
cugggcagcu ccaugauccu gguguccauc uucaucauuu ucaagaagac caagaagccc   1560
accggcgucuc cuccagaacu gagcggagug accaacaauug gcuucauccc ucacaac    1617

```

<210> SEQ ID NO 129

<211> LENGTH: 1617

<212> TYPE: RNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic Polynucleotide

<400> SEQUENCE: 129

```

augagcugga aggguggucau caucuucagc cugcugauca caccucagca cggccugaaa    60
gagagcuacc uggaagaguc cugcagcacc aucacagagg gcuaccuguc ugugcugaga    120
accggcuggu acaccaacgu guucacacug gaagugggcg acgucgagaa ucugacaugc    180
ucugauggcc cuagccugau caagaccgag cuggaucugc ucaagagcgc ccugagagaa    240
cucaagaccg ugucugccga ucagcuggcc agagaggaac agaucgagaa uccuggcagc    300
ggcagcuuug ugcugggagc cauugcucu ggaguggcug cugcugcagc uguuacagca    360
ggcguggcca ucgcaagac caucagacug gaaagcgaag ugaccgccau caacaacgcc    420

```

-continued

cugaagaaga caaacgaggc cgucagcaca cucggcaaug gcguuagagu gcuggccaca	480
gccgugcgcg agcugaagga cuucgugucc aagaaccuga cacgggccau uaacaagaac	540
aagugcgaca ucccugaccu gaagauggcc guguccuuua gccaguuaa cggcgguuu	600
cugaacgucg ugcggcaguu uagcgacaac gccggaauca caccagccau cagccuggac	660
cugaugacag augcugagcu ggcuagagcc gugccuaaca ugccuacauc ugccggccag	720
aucaagcuga ugcucgagaa uagagccaug guccgacgga aaggcuucgg cauucugauu	780
ggcguguaag gcagcagcgu gaucuauaug gugcagcugc cuaucuucgg cgugaucgac	840
acaccugcu ggaauugaa ggccgcuccu agcuguagcg agaagaagg caauuacgcc	900
ugccugcuga gagaggacca aggcugguau ugucagaacg ccggcagcac cguguacuac	960
ccuaacgaga aggacugcga gacaagaggc gaccacgugu ucugugauac cgccgcugga	1020
aucaaugugg ccgagcagag caaagagugc aacaucuaa ucagcaccac caacuauccc	1080
ugcaaggugu ccaccggcag gcaccuauu ucuauggugg cucugucucc ucugggagcc	1140
cugguggcuu guuuaaggcg cguguccugu agcaucggca gcaacagagu gggcaucauc	1200
aagcagcuga acaaggcgug cagcuacauc accaaccagg acgccgauac cgugaccauc	1260
gacaacaccg uguaucagcu gagcaaggug gaaggcgaac agcacgugau caagggcaga	1320
ccugugucca gcagcuucga ccuaucaag ucccugagg aucaguucca gguggccug	1380
gaccaggugu ucgagaacau cgagaaucc caggcucugg uggaccaguc caacagaauc	1440
cugucuagcg ccgagaaggg aaacaccggc uucaucaucg ugaucauccu gaucgccgug	1500
cugggcagcu ccaugauccu gguguccauc uucaucauu ucaagaagac caagaagccc	1560
accggcgucuccuccagaacu gagcggagug accaacaau gcuucaucc ucacaac	1617

<210> SEQ ID NO 130

<211> LENGTH: 1617

<212> TYPE: RNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic Polynucleotide

<400> SEQUENCE: 130

augagcugga agguggucau caucuacgc cugcugauca caccucagca cggccugaaa	60
gagagcuacc uggaaagaguc cugcagcacc aucacagagg gcuaccuguc ugugcugaga	120
accggcuggu acaccaacgu guucacacug gaagugggcg acgucgagaa ucugacaugc	180
ucugauggcc cuagccugau caagaccgag cuggaucugc ucaagagcgc ccugagagaa	240
cucaagaccg ugucugccga ucagcuggcc agagaggaac agaucgagaa uccuggcagc	300
ggcagcuuug ugcugggagc cauugcucu ggaguggcug cugcugcagc uguuacagca	360
ggcguggcca ugcuaagac caucagacug gaaagcgaag ugaccgccau caacaacgcc	420
cugaagaaga caaacgaggc cgucagcaca cucggcaaug gcguuagagu gcuggccaca	480
gccgugcgcg agcugaagga cuucgugucc aagaaccuga cacgggccau uaacaagaac	540
aagugcgaca ucccugaccu gaagauggcc guguccuuua gccaguuaa cggcgguuu	600
cugaacgucg ugcggcaguu uagcgacaac gccggaauca caccagccau cagccuggac	660
cugaugacag augcugagcu ggcuagagcc gugccuaaca ugccuacauc ugccggccag	720
aucaagcuga ugcucgagaa uagagccaug guccgacgga aaggcuucgg cauucugauu	780
ggcguguaag gcagcagcgu gaucuauaug gugcagcugc cuaucuucgg cgugaucgac	840
acaccugcu ggaauugaa ggccgcuccu agcuguagcg agaagaagg caauuacgcc	900

-continued

```

ugccugcuga gagaggacca aggcugguau ugucagaacg ccggcagcac cguguacuac 960
ccuaacgaga aggacugcga gacaagaggc gaccacgugu ucugugauac cgccgcugga 1020
aucaaugugg ccgagcagag caaagagugc aacaucaaca ucagcaccac caacuauccc 1080
ugcaaggugu ccaccggcag gcacccuauu ucuauggugg cucugucucc ucuggggagcc 1140
cugguggcuu guuauaaggg cguguccugu agcaucggca gcaacagagu gggcaucauc 1200
aagcagcuga acaagggcug cagcuacauc accaaccagg acgccgauac cgugaccauc 1260
gacaacaccg uguaucagcu gagcaaggug gaaggcgaac agcacgugau caagggcaga 1320
ccugugucca gcagcuucga ccuaucaag uucccugaga accaguucca gguggccucg 1380
gaccaggugu ucgagaacau cgagaauucc caggcucugg uggaccaguc caacagaauc 1440
cugucuagcg ccgagaaggg aaacaccggc uucaucaucg ugaucauccu gaucgccgug 1500
cugggcagcu ccaugauccu gguguccauc uucaucauuu ucaagaagac caagaagccc 1560
accggcgcuc cuccagaacu gagcggagug accaacaauug gcuucauccc ucacaac 1617

```

<210> SEQ ID NO 131

<211> LENGTH: 1617

<212> TYPE: RNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic Polynucleotide

<400> SEQUENCE: 131

```

augagcugga agggugguau caucuucagc cugcugauca caccucagca cggccugaaa 60
gagagcuacc uggaagaguc cugcagcacc auctacagagg gcuaccuguc ugugcugaga 120
accggcuggu acaccaacgu guucacacug gaaguggggcg acgucgagaa ucugacaugc 180
ucugauggcc cuagccugau caagaccgag cuggaucucg ucaagagcgc ccugagagaa 240
cucaagaccg ugucugccga ucagcuggcc agagaggaac agaucgagaa uccuggcagc 300
ggcagcuuug ugcugggagc cauugcucu ggaguggcug cugcugcagc uguuacagca 360
ggcguggcca ugcuaagac caucagacug gaaagcgaag ugaccgccau caacaacgcc 420
cugaagaaga caaacgaggg cgucagcaca cucggcaauug gcguaagagu gcuggccaca 480
gccgucgcg agcugaagga cuucgugcuu aagaaccuga caccggccau uaacaagaac 540
aagugcgaca ucccugaccu gaagauggcc guguccuuua gccaguucca ccggcgguuu 600
cugaacgucg ugcggcaguu uagcgacaac gccggauca caccagccau cagccuggac 660
cugaugacag augcugagcu ggcuaagacc gugccuaaca ugccuacauc ugccggccag 720
aucaagcuga ugcucgagaa uagagccaug guccgacgga aaggcuucgg cauucugauu 780
ggcguguaag gcagcagcgu gaucuauaug gugcagcugc cuaucuucgg cgugaucgac 840
acaccucgcu ggauugugaa ggcgcucucc agcuguagcg agaagaaggg caauuacgcc 900
ugccugcuga gagaggacca aggcugguau ugucagaacg ccggcagcac cguguacuac 960
ccuaacgaga aggacugcga gacaagaggc gaccacgugu ucugugauac cgccgcugga 1020
aucaaugugg ccgagcagag caaagagugc aacaucaaca ucagcaccac caacuauccc 1080
ugcaaggugu ccaccggcag gcacccuauu ucuauggugg cucugucucc ucuggggagcc 1140
cugguggcuu guuauaaggg cguguccugu agcaucggca gcaacagagu gggcaucauc 1200
aagcagcuga acaagggcug cagcuacauc accaaccagg acgccgauac cgugaccauc 1260
gacaacaccg uguaucagcu gagcaaggug gaaggcgaac agcacgugau caagggcaga 1320

```

-continued

ccugugucca gcagcuucga ccuaucaag uucccugagg aucaguucca gguggcccug	1380
gaccaggugu ucgagaacau cgagaauucc caggcucugg uggaccaguc caacagaau	1440
cugucuagcg ccgagaaggg aaacaccggc uucaucaucg ugaucauccu gaucgcccug	1500
cugggcagcu ccaugauccu gguguccauc uucaucauuu ucaagaagac caagaagccc	1560
accggcguc cuccagaacu gagcggagug accaacaauug gcuucaucc ucacaac	1617

<210> SEQ ID NO 132

<211> LENGTH: 1617

<212> TYPE: RNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic Polynucleotide

<400> SEQUENCE: 132

augagcugga agggugucou caucuucagc cugcugauca caccucagca cggccugaaa	60
gagagcuacc uggaagaguc cugcagcacc aucacagagg gcuaccuguc ugugcugaga	120
accggcuggu acaccaacgu guucacacug gaaguggggc acgucgagaa ucugacaugc	180
ucugauggcc cuagccgau caagaccgag cuggaucucg ucaagagcgc ccugagagaa	240
cucaagaccg ugucugccga ucagcuggcc agagaggaac agaucgagaa uccuggcagc	300
ggcagcuuug ugcugggagc cauugcucu ggaguggcug cugcugcagc uguuacagca	360
ggcugggcca ugcuaagac caucagacug gaaagcgaag ugaccgccau caacaagcc	420
cugaagaaga caaacgaggc cgucagcaca cucggcaaug gcuuagagu gcuggccaca	480
gccugcgcg agcugaagga cuucgugcuu aagaaccuga cacgggccau uaacaagaac	540
aagugcgaca ucccugaccu gaagauggcc guguccuuu gccaguucca ccggcgguu	600
cugaacgucg ugccgagau uagcgacaac gccggaauca caccagccau cagccuggac	660
cugaugacag augcugagcu ggcuagagcc gugccuaaca ugccuacauc ugccggccag	720
aucaagcuga ugcucgagaa uagagccaug guccgacgga aaggcuucgg cauucugau	780
ggcguguaag gcagcagcgu gcucauauug gucgagcucg cuaucuucgg cgugaucgac	840
acaccucgcu ggauugugaa ggccgucucu agcuguagcg agaagaaggg cauuacgcc	900
ugccugcuga gagaggacca aggcugguau ugucagaacg ccggcagcac cguguacuac	960
ccuaacgaga aggacugcga gacaagaggc gaccacgugu ucugugauac cgccgucgga	1020
aucaaugugg ccgagcagag caaagaguc aacaucaca ucagaccac caacuauccc	1080
ugcaaggugu ccaccggcag gcaccuauu ucuauuggug cucugucucc ucugggagcc	1140
cugguggcuu guuuuaaggg cguguccugu agcaucggca gcaacagagu gggcaucauc	1200
aagcagcuga acaagggcug cagcuacauc accaaccagg acgccgauac cgugaccauc	1260
gacaacaccg uguaucagcu gagcaaggug gaaggcgaac agcacgugau caagggcaga	1320
ccugugucca gcagcuucga ccuaucaag uucccugaga accaguucca gguggcccug	1380
gaccaggugu ucgagaacau cgagaauucc caggcucugg uggaccaguc caacagaau	1440
cugucuagcg ccgagaaggg aaacaccggc uucaucaucg ugaucauccu gaucgcccug	1500
cugggcagcu ccaugauccu gguguccauc uucaucauuu ucaagaagac caagaagccc	1560
accggcguc cuccagaacu gagcggagug accaacaauug gcuucaucc ucacaac	1617

<210> SEQ ID NO 133

<211> LENGTH: 1617

<212> TYPE: RNA

<213> ORGANISM: Artificial Sequence

-continued

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic Polynucleotide

<400> SEQUENCE: 133

```

augagcugga agguggucau caucuucagc cugcugauca caccucagca cggccugaaa      60
gagagcuacc uggaagaguc cugcagcacc aucacagagg gcuaccuguc ugugcugaga      120
accggcuggu acaccaacgu guucacacug ccugugggcg acgucgagaa ucugacaugc      180
ucugauggcc cuagccugau caagaccgag cuggaucucg ucaagagcgc ccugagagaa      240
cucaagaccg ugucugccga ucagcuggcc agagaggaac agaucgagaa uccuggcagc      300
ggcagcuuug ugcugggagc cauugcucu ggaguggcug cugcugcagc uguuacagca      360
ggcggggcca ucgcuagac caucagacug gaaagcgaag ugaccgccau caacaacgcc      420
cugaagaaga caaacgaggc cgucagcaca cucggcaaug gcguuagagu gcuggccaca      480
gccgugcgcg agcugaagga cuucgugucc aagaaccuga cacgggccau uaacaagaac      540
aagugcgaca ucgacgaccu gaagauggcc guguccuuua gccaguuaa cggcgguuu      600
cugaacgucg ugcggcaguu uagcgacaac gccggaauca caccagccau cagccuggac      660
cugaugacag augcugagcu ggcuagagcc gugccuaaca ugccuacauc ugccggccag      720
aucaagcuga ugcucgagaa uagagccaug guccgacgga aaggcuucgg cauucugauu      780
ggcguguacg gcagcagcgu gaucuauaug gugcagcugc cuaucuucgg cgugaucgac      840
acaccucgcu ggauugugaa ggccgcuccu agcuguagcg agaagaaggg cauuuacgcc      900
ugccugcuga gagaggacca aggcugguau ugucagaacg ccggcagcac cguguacuac      960
ccuaacgaga aggacugcga gacaagaggc gaccacgugu ucugugauac cggcgugga      1020
aucaaugugg ccgagcagag caaagagucg aacaucaaca ucagcaccac caacuauccc      1080
ugcaaggugu ccaccggcag gcaccuuuu ucuauuggug cucugucucc ucugggagcc      1140
cugguggcuu guuuuaaggg cguguccugu agcaucggca gcaacagagu gggcaucauc      1200
aagcagcuga acaagggcug cagcuacauc accaaccagg acgccgauac cgugaccauc      1260
gacaacaccg uguauacgcu gagcaaggug gaaggcgaac agcacgugau caagggcaga      1320
ccugugucca gcagcuucga ccuaucaag uucccugagg aucaguucca gguggcccug      1380
gaccaggugu ucgagaacau cgagaauucc caggcucugg uggaccaguc caacagaauc      1440
cugucuagcg ccgagaaggg aaacaccggc uucaucaucg ugaucauccu gaucgcggug      1500
cugggcagcu ccaugauccu gguguccauc uucaucauuu ucaagaagac caagaagccc      1560
accggcgcuc cuccagaacu gagcggagug accaacaauug gcuucauccc ucacaac      1617

```

<210> SEQ ID NO 134

<211> LENGTH: 1617

<212> TYPE: RNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic Polynucleotide

<400> SEQUENCE: 134

```

augagcugga agguggucau caucuucagc cugcugauca caccucagca cggccugaaa      60
gagagcuacc uggaagaguc cugcagcacc aucacagagg gcuaccuguc ugugcugaga      120
accggcuggu acaccaacgu guucacacug ccugugggcg acgucgagaa ucugacaugc      180
ucugauggcc cuagccugau caagaccgag cuggaucucg ucaagagcgc ccugagagaa      240
cucaagaccg ugucugccga ucagcuggcc agagaggaac agaucgagaa uccuggcagc      300

```

-continued

```

ggcagcuuug ugcugggagc cauugcucu ggaguggcug cugcugcagc uguuacagca 360
ggcguggcca ucguaagac caucagacug gaaagcgaag ugaccgccau caacaacgcc 420
cugaagaaga caaacgaggc cgucagcaca cucggcaaug gcguaagagu gcuggccaca 480
gccgugcgcg agcugaagga cuucgugucc aagaaccuga cacgggccau uaacaagaac 540
aagugcgaca ucgacgaccu gaagauggcc guguccuuua gccaguuaa cggcgguuu 600
cugaacgucg ugcggcaguu uagcgacaac gccggaauca caccagccau cagccuggac 660
cugaugacag augcugagcu ggcuaagacc gugccuaaca ugccuacauc ugccggccag 720
aucaagcuga ugcucgagaa uagagccaug guccgacgga aaggcuucgg cauucugauu 780
ggcguguacg gcagcagcgu gaucuaauug gugcagcugc cuaucuucgg cgugaucgac 840
acaccucgcu ggauugugaa gcccgucucc agcuguagcg agaagaaggg cauuuacgcc 900
ugccugcuga gagaggacca aggcugguau ugucagaacg ccggcagcac cguguacuac 960
ccuaacgaga aggacugcga gacaagaggc gaccacgugu ucugugauac cgccgucgga 1020
aucaaugugg ccgagcagag caaagagugc aacaucaaca ucagcaccac caacuauccc 1080
ugcaaggugu ccaccggcag gcaccuuuu ucuauggugg cucugucucc ucugggagcc 1140
cugggucguu guuuaaaggc cguguccugu agcaucggca gcaacagagu gggcaucauc 1200
aagcagcuga acaagggcug cagcuacauc accaaccagg acgcccgauc cgugaccauc 1260
gacaacaccg uguaucagcu gagcaaggug gaaggcgaac agcagcugau caagggcaga 1320
ccugugucca gcagcuucga ccuaucaag ucccugaga accaguucca gguggcccug 1380
gaccaggugu ucgagaacau cgagaauucc caggcucugg uggaccaguc caacagaauc 1440
cugucuagcg ccgagaaggg aaacaccggc uucaucaucg ugaucauccu gaucgcccug 1500
cugggagcgu ccaugauccu gguguccauc uucaucauuu ucaagaagac caagaagccc 1560
accggcguc cuccagaacu gagcggagug accaacaauug gcuucaucc ucacaac 1617

```

<210> SEQ ID NO 135

<211> LENGTH: 1617

<212> TYPE: RNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic Polynucleotide

<400> SEQUENCE: 135

```

augagcugga aggugguau caucuucagc cugcugauca caccucagca cggccugaaa 60
gagagcuacc uggaagaguc cugcagcacc aucacagagg gcuaccuguc ugugcugaga 120
accggcuggu acaccaacgu guucacacug gaagugggcg acgucgagaa ucugacaugc 180
ucugauggcc cuagccugau caagaccgag cuggaucugc ucaagagcgc ccugagagaa 240
cucaagaccg ugucugccga ucagcuggcc agagaggaac agaucgagaa uccuggcagc 300
ggcagcuuug ugcugggagc cauugcucu ggaguggcug cugcugcagc uguuacagca 360
ggcguggcca ucguaagac caucagacug gaaagcgaag ugaccgccau caacaacgcc 420
cugaagaaga caaacgaggc cgucagcaca cucggcaaug gcguaagagu gcuggccaca 480
gccgugcgcg agcugaagga cuucgugucc aagaaccuga cacgggccau uaacaagaac 540
aagugcgaca ucgacgaccu gaagauggcc guguccuuua gccaguuaa cggcgguuu 600
cugaacgucg ugcggcaguu uagcgacaac gccggaauca caccagccau cagccuggac 660
cugaugacag augcugagcu ggcuaagacc gugccuaaca ugccuacauc ugccggccag 720
aucaagcuga ugcucgagaa uagagccaug guccgacgga aaggcuucgg cauucugauu 780

```

-continued

```

ggcguguaacg gcagcagcgu gaucuaauaug gugcagcugc cuaucucgg cgugaucgac 840
acaccucgcu ggauugugaa ggccgcuccu agcuguagcg agaagaaggg caauuacgcc 900
ugccugcuga gagaggacca aggcugguau ugucagaacg ccggcagcac cguguacuac 960
ccuaacgaga aggacugcga gacaagaggg gaccacgugu ucugugauac cgccgcugga 1020
aucaaugugg ccgagcagag caaagagugc aacaucaaca ucagcaccac caacuauccc 1080
ugcaaggugu ccaccggcag gcaccuauu ucuauggugg cucugucucc ucugggagcc 1140
cugguggcuu guuauaaggg cguguccugu agcaucggca gcaacagagu gggcaucauc 1200
aagcagcuga acaagggcug cagcuacauc accaaccagg acgcccgauc cgugaccauc 1260
gacaacaccg uguaucagcu gagcaaggug gaaggcgaac agcacgugau caagggcaga 1320
ccugugucca gcagcuucga ccuaucaag ucccugagg aucaguucca gguggcccug 1380
gaccaggugu ucgagaacau cgagaauucc caggcucugg uggaccaguc caacagaauc 1440
cugucuagcg ccgagaaggg aaacaccggc uucaucaucg ugaucauccu gaucgcccug 1500
cugggcagcu ccaugauccu gguguccauc uucaucauu ucaagaagac caagaagccc 1560
accggcgcuc cuccagaacu gagcggagug accaacaauug gcuucaucc ucacaac 1617

```

<210> SEQ ID NO 136

<211> LENGTH: 1617

<212> TYPE: RNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic Polynucleotide

<400> SEQUENCE: 136

```

augagcugga agguggucau caucucagc cugcugauca caccucagca cggccugaaa 60
gagagcuacc uggaagaguc cugcagcacc aucacagagg gcuaccuguc ugugcugaga 120
accggcuggu acaccaacgu guucacacug gaaguggggcg accucgagaa ucugacaugc 180
ucugauggcc cuagccugau caagaccgag cuggaucuga ccaagagcgc ccugagagaa 240
cucaagaccg ugucugccga ucagcuggcc agagaggaac agaucgagaa uccuggcagc 300
ggcagcuuug ugcugggagc cauugcucu ggaguggcug cugcugcagc uguuacagca 360
ggcguggcca ugcuaagac caucagacug gaaagcgaag ugaccgccau caacaacgcc 420
cugaagaaga caaacgaggg cgucagcaca cucggcaaug gcguuagagu gcuggccaca 480
gccgugcgcg agcugaagga cuucgugucc aagaaccuga cacgggccau uaacaagaac 540
aagugcgaca ucgacgaccu gaagauggcc guguccuuua gccaguuaa ccggcgguuu 600
cugaacgucg ugcggcaguu uagcgacaac gccggaauca caccagccau cagccuggac 660
cugaugacag augcugagcu ggcuaagacc guggcuauca ugccuacauc ugccggccag 720
aucaagcuga ugcucgagaa uagagccaug guccgacgga aaggcuucgg cauucugauu 780
ggcguguaacg gcagcagcgu gaucuaauaug gugcagcugc cuaucucgg cgugaucgac 840
acaccucgcu ggauugugaa ggccgcuccu agcuguagcg agaagaaggg caauuacgcc 900
ugccugcuga gagaggacca aggcugguau ugucagaacg ccggcagcac cguguacuac 960
ccuaacgaga aggacugcga gacaagaggg gaccacgugu ucugugauac cgccgcugga 1020
aucaaugugg ccgagcagag caaagagugc aacaucaaca ucagcaccac caacuauccc 1080
ugcaaggugu ccaccggcag gcaccuauu ucuauggugg cucugucucc ucugggagcc 1140
cugguggcuu guuauaaggg cguguccugu agcaucggca gcaacagagu gggcaucauc 1200

```

-continued

aagcagcuga acaagggcug cagcuacauc accaaccagg acgccgauac cgugaccauc	1260
gacaacaccg uguaucagcu gagcaaggug gaaggcgaac agcacgugau caagggcaga	1320
ccugugucca gcagcuucga ccuaucaag uucccugagg aucaguucca gguggccug	1380
gaccaggugu ucgagaacau cgagaauucc caggcucugg uggaccaguc caacagaau	1440
cugucuagcg ccgagaagg aaacaccggc uucaucaucg ugaucauccu gaucgccgug	1500
cugggcagcu ccaugauccu gguguccauc uucaucauu ucaagaagac caagaagccc	1560
accggcgcuc cuccagaacu gagcggagug accaacaau gcuucaucc ucacaac	1617

<210> SEQ ID NO 137

<211> LENGTH: 1617

<212> TYPE: RNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic Polynucleotide

<400> SEQUENCE: 137

augagcugga agguggucau caucuucagc cugcugauca caccucagca cggccugaaa	60
gagagcuacc uggaagaguc cugcagcacc aucacagagg gcuaccuguc ugugcugaga	120
accggcuggu acaccaacgu gucacacug gaagugggag acgucgagaa ucugacaugc	180
ucugauggcc cuagccugau caagaccgag cuggaucuga ccaagagcgc ccugagagaa	240
cucaagaccg ugucugccga ucagcuggcc agagaggaac agaucgagaa uccuggcagc	300
ggcagcuuug ugcugggagc cauugcucu ggaguggcug cugcugcagc uguuacagca	360
ggcugggcca ugcuaagac caucagacug gaaagcgaag ugaccgccau caacaacgcc	420
cugaagaaga caaacgaggc cgucagcaca cucggcaaug gcguuagagu gcuggccaca	480
gccgugcgcg agcugaagga cuucgugcuu aagaaccuga cacgggccau uaacaagaac	540
aagugcgaca ucgacgaccu gaagauggcc guguccuuu gccaguucca ccggcgguuu	600
cugaacgucg ugccggcagu uagcgcacaac gccggaauca caccagccau cagccuggac	660
cugaugacag augcugagcu ggcuaagacc guggcuaaca ugccuacauc ugccggccag	720
aucaagcuga ugcucgagaa uagagccaug guccgacgga aaggcuucgg cauucugauu	780
ggcguguacg gcagcagcgu gaucuauaug gugcagcugc cuaucuucgg cgugaucgac	840
acaccucgcu ggaauugaa ggccgcuccu agcuguagcg agaagaagg caauuacgcc	900
ugccugcuga gagaggacca aggcugguau ugucagaacg ccggcagcac cguguacuac	960
ccuaacgaga aggacugcga gacaagaggc gaccacgugu ucugugauac cgccgcugga	1020
aucaaugugg ccgagcagag caaagagugc aacaucaaca ucagcaccac caacuauccc	1080
ugcaaggugu ccaccggcag gcaccuuuu ucuauuggug cucugucucc ucugggagcc	1140
cuggugcucu guuauaagg cguguccugu agcaucgca gcaacagagu gggcaucauc	1200
aagcagcuga acaagggcug cagcuacauc accaaccagg acgccgauac cgugaccauc	1260
gacaacaccg uguaucagcu gagcaaggug gaaggcgaac agcacgugau caagggcaga	1320
ccugugucca gcagcuucga ccuaucaag uucccugagg aucaguucca gguggccug	1380
gaccaggugu ucgagaacau cgagaauucc caggcucugg uggaccaguc caacagaau	1440
cugucuagcg ccgagaagg aaacaccggc uucaucaucg ugaucauccu gaucgccgug	1500
cugggcagcu ccaugauccu gguguccauc uucaucauu ucaagaagac caagaagccc	1560
accggcgcuc cuccagaacu gagcggagug accaacaau gcuucaucc ucacaac	1617

-continued

```

<210> SEQ ID NO 138
<211> LENGTH: 1617
<212> TYPE: RNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic Polynucleotide

<400> SEQUENCE: 138
augagcugga agguggucau caucuucagc cugcugauca caccucagca cggccugaaa    60
gagagcuacc uggaagaguc cugcagcacc aucacagagg gcuaccuguc ugugcugaga    120
accggcuggu acaccaacgu guucacacug gaagugggcg acgucgagaa ucugacaugc    180
ucugauggcc cuagccugau caagaccgag cuggaucuga ccaagagcgc ccugagagaa    240
cucaagaccg ugucugccga ucagcuggcc agagaggaac agaucgagaa uccuggcagc    300
ggcagcuuug ugcugggagc caugcucuu ggaguggcug cugcugcagc uguuacagca    360
ggcugggcca ugcuaagac caucagacug gaaagcgaag ugaccgccau caacaacgcc    420
cugaagaaga caaacgaggc cgucagcaca cucggcaaug gcguuagagu gcuggccaca    480
gccgugcgcg agcugaagga cuucgugucc aagaaccugu ggcgggccau uaacaagaac    540
aagugcgaca ucgacgaccu gaagauggcc guguccuuua gccaguucua cggcgguuu    600
cugaacgucg ugccggcagu uagcgacaac gccggaauca caccagccau cagccuggac    660
cugaugacag augcugagcu ggcuagagcc gugccuaaca ugccuacauc ugccggccag    720
aucaagcuga ugcucgagaa uagagccaug guccgacgga aaggcuucgg cauucugauu    780
ggcguguacg gcagcagcgu gaucuaauaug gugcagcugc cuaucuucgg cgugaucgac    840
acaccucgcu ggaauuguaa ggccgcuccu agcuguagcg agaagaaggg caauuacgcc    900
ugccugcuga gagaggacca aggcugguau ugucagaacg ccggcagcac cguguacuac    960
ccuaacgaga aggacugcga gacaagaggc gaccacgugu ucugugauac cgccgucgga    1020
aucaaugugg ccgagcagag caaagagugc aacaucaaca ucagcaccac caacuauccc    1080
ugcaaggugu ccaccggcag gcaccuuuu ucuauuggug cucugucucc ucugggagcc    1140
cugguggcuu guuauaaggg cguguccugu agcaucggca gcaacagagu gggcaucauc    1200
aagcagcuga acaagggcug cagcuacauc accaaccagg acgcccgauc cgugaccauc    1260
gacaacaccg uguaucagcu gagcaaggug gaagcgaac agcagugau caagggcaga    1320
ccugugucca gcagcuucga ccuaucaag ucccugagg aucaguucca gguggcccg    1380
gaccaggugu ucgagaacau cgagaauucc caggcucugg uggaccaguc caacagaauc    1440
cugucuagcg ccgagaaggg aaacaccggc uucaucaucg ugaucauccu gaucgcccug    1500
cugggcagcu ccaugauccu gguguccauc uucaucauu ucaagaagac caagaagccc    1560
accggcguc  cuccagaacu gagcggagug accaacaau gcuucaucc ucacaac    1617

```

```

<210> SEQ ID NO 139
<211> LENGTH: 1617
<212> TYPE: RNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic Polynucleotide

<400> SEQUENCE: 139
augagcugga agguggucau caucuucagc cugcugauca caccucagca cggccugaaa    60
gagagcuacc uggaagaguc cugcagcacc aucacagagg gcuaccuguc ugugcugaga    120
accggcuggu acaccaacgu guucacacug gaagugggcg accucgagaa ucugacaugc    180

```

-continued

ucugauggcc cuagccugau caagaccgag cuggaucugc ucaagagcgc ccugagagaa	240
cucaagaccg ugucugccga ucagcuggcc agagaggaac agaucgagaa uccuggcagc	300
ggcagcuuug ugcugggagc cauugcucu ggaguggcug cugcugcagc uguuacagca	360
ggcguggcca ucguaagac caucagacug gaaagcgaag ugaccgccau caacaacgcc	420
cugaagaaga caaacgaggc cgucagcaca cucggcaaug gcguaagagu gcuggccaca	480
gccgugcgcg agcugaagga cuucgugcuu aagaaccugu ggcgggccau uaacaagaac	540
aagugcgaca ucgacgaccu gaagauggcc guguccuuua gccaguucua cggcgguuu	600
cugaacgucg ugccggcaguu uagcgacaac gccggaauca caccagccau cagccuggac	660
cugaugacag augcugagcu ggcuagagcc gugccuaaca ugccuacauc ugccggccag	720
aucaagcuga ugcucgagaa uagagccaug guccgacgga aaggcuucgg cauucugauu	780
ggcguguacg gcagcagcgu gaucuaauaug gugcagcugc cuaucuucgg cgugaucgac	840
acaccucgcu ggaauuguaa ggcgcucucc agcuguagcg agaagaaggg caauuacgcc	900
ugccugcuga gagaggacca aggcugguau ugucagaacg ccggcagcac cguguacuac	960
ccuaacgaga aggacugcga gacaagaggc gaccacgugu ucugugauac cgccgucgga	1020
aucaaugugg ccgagcagag caaagagugc aacaucuaaca ucagcaccac caacuauccc	1080
ugcaaggugu ccaccggcag gcaccuuuu ucuauugggg cucugucucc ucugggagcc	1140
cugguggcuu guuuaaaggg cguguccugu agcaucggca gcaacagagu gggcaucauc	1200
aagcagcuga acaaggcgug cagcuacauc accaaccagg acgcccgauac cgugaccauc	1260
gacaacaccg uguaucagcu gagcaaggug gaagggcaac agcagcugau caagggcaga	1320
ccugugucca gcagcuucga cccuaucuaag ucccugagg aucaguucca gguggccug	1380
gaccaggugu ucgagaacau cgagaauucc caggcucugg uggaccaguc caacagaauc	1440
cugucuagcg ccgagaaggg aaacaccggc uucaucaucg ugaucuuuu gaucccgug	1500
cugggcagcu ccaugauccu gguguccauc uucaucauu ucaagaagac caagaagccc	1560
accggcguc cuccagaacu gagcggagug accaacaauug gcuucaucc ucacaac	1617

<210> SEQ ID NO 140

<211> LENGTH: 1617

<212> TYPE: RNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic Polynucleotide

<400> SEQUENCE: 140

augagcugga agguggucau caucuucagc cugcugauca caccucagca cggccugaaa	60
gagagcuacc uggaagaguc cugcagcacc aucacagagg gcuaccuguc ugugcugaga	120
accggcuggu acaccaacgu guucacacug ccuguggcg acgucgagaa ucugacaugc	180
ucugauggcc cuagccugau caagaccgag cuggaucuga ccaagagcgc ccugagagaa	240
cucaagaccg ugucugccga ucagcuggcc agagaggaac agaucgagaa uccuggcagc	300
ggcagcuuug ugcugggagc cauugcucu ggaguggcug cugcugcagc uguuacagca	360
ggcguggcca ucguaagac caucagacug gaaagcgaag ugaccgccau caacaacgcc	420
cugaagaaga caaacgaggc cgucagcaca cucggcaaug gcguaagagu gcuggccaca	480
gccgugcgcg agcugaagga cuucgugucc aagaaccuga cacgggccau uaacaagaac	540
aagugcgaca ucgacgaccu gaagauggcc guguccuuua gccaguucua cggcgguuu	600
cugaacgucg ugccggcaguu uagcgacaac gccggaauca caccagccau cagccuggac	660

-continued

```

cugaugacag augcugagcu ggcuaagacc gugccuaaca ugccuacauc ugccggccag 720
aucaagcuga ugcucgagaa uagagccaug guccgacgga aaggcuucgg cauucugauu 780
ggcguguacg gcagcagcgu gaucuaauaug gugcagcugc cuaucuucgg cgugaucgac 840
acaccucgcu ggaauuguaa ggccgcuccu agcuguagcg agaagaaggg caauuacgcc 900
ugccugcuga gagaggacca aggcugguau ugucagaacg ccggcagcac cguguacuac 960
ccuaacgaga aggacugcga gacaagaggc gaccacgugu ucugugauac cgccgcugga 1020
aucaaugugg ccgagcagag caaagagugc aacaucaaca ucagcaccac caacuauccc 1080
ugcaaggugu ccaccggcag gcaccuuuu ucuauugggg cucugucucc ucugggagcc 1140
cugguggcuu guuuaaaggg cgugucucu agcaucggca gcaacagagu gggcaucauc 1200
aagcagcuga acaagggcug cagcuacauc accaaccagg acgcccgauc cgugaccauc 1260
gacaacaccg uguaucagcu gagcaaggug gaaggcgaac agcagcugau caagggcaga 1320
ccugugucca gcagcuucga cccuaucaag ucccugagg aucaguucca gguggccug 1380
gaccaggugu ucgagaacau cgagaauucc caggcucugg uggaccaguc caacagaauc 1440
cugucuagcg ccgagaaggg aaacaccggc uucaucaucg ugaucuuuu gaucgcccug 1500
cugggcagcu ccaugauccu gguguccauc uucaucauu ucaagaagac caagaagccc 1560
accggcguc cuccagaacu gagcggagug accaacaau gcuucaucc ucacaac 1617

```

```

<210> SEQ ID NO 141
<211> LENGTH: 1617
<212> TYPE: RNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic Polynucleotide

<400> SEQUENCE: 141

```

```

augagcugga agguggucau caucuucagc cugcugauca caccucagca cggccugaaa 60
gagagcuacc uggaagaguc cugcagcacc aucacagagg gcuaccuguc ugugcugaga 120
accggcuggu acaccaacgu guucacacug gaagugggcg acgucgagaa ucugacaugc 180
ucugauggcc cuagccgau caagaccgag cuggaucuga ccaagagcgc ccugagagaa 240
cucaagaccg ugucugccga ucagcuggcc agagaggaac agaucgagaa uccuggcagc 300
ggcagcuuug ugcugggagc cauugcucu ggaguggcug cugcugcagc uguuacagca 360
ggcguggcca ugcuaagac caucagacug gaaagcgaag ugaccgccau caacaacgcc 420
cugaagaaga caaacgaggg cgucagcaca cucggcaaug gcuuagagu gcuggccaca 480
gccgugcgcg agcugaagga cuucgugucc aagaaccuga cacgggccau uaacaagaac 540
aagugcgaca ucccugaccu gaagauggcc guguccuuu gccaguucca ccggcgguuu 600
cugaacgucg ugcggcaguu uagcgacaac gccggaauca caccagccau cagccuggac 660
cugaugacag augcugagcu ggcuaagacc gugccuaaca ugccuacauc ugccggccag 720
aucaagcuga ugcucgagaa uagagccaug guccgacgga aaggcuucgg cauucugauu 780
ggcguguacg gcagcagcgu gaucuaauaug gugcagcugc cuaucuucgg cgugaucgac 840
acaccucgcu ggaauuguaa ggccgcuccu agcuguagcg agaagaaggg caauuacgcc 900
ugccugcuga gagaggacca aggcugguau ugucagaacg ccggcagcac cguguacuac 960
ccuaacgaga aggacugcga gacaagaggc gaccacgugu ucugugauac cgccgcugga 1020
aucaaugugg ccgagcagag caaagagugc aacaucaaca ucagcaccac caacuauccc 1080

```

-continued

```

ugcaaggugu ccaccggcag gcaccuuuu ucuauggugg cucugucucc ucugggagcc 1140
cugguggcuu guuauaaggg cguguccugu agcaucggca gcaacagagu gggcaucauc 1200
aagcagcuga acaagggcug cagcuacauc accaaccagg acgccgauac cgugaccauc 1260
gacaacaccg uguaucagcu gagcaaggug gaaggcgaac agcacgugau caagggcaga 1320
ccugugucca gcagcuucga cccuaucaag ucccugagg aucaguucca gguggccug 1380
gaccaggugu ucgagaacau cgagaauucc caggcucugg uggaccaguc caacagaauc 1440
cugucuagcg ccgagaaggg aaacaccggc uucaucaucg ugaucuccu gaucgcccug 1500
cugggcagcu ccaugauccu gguguccauc uucaucauuu ucaagaagac caagaagccc 1560
accggcgcuc cuccagaacu gagcggagug accaacaauug gcuucauccc ucacaac 1617

```

<210> SEQ ID NO 142

<211> LENGTH: 1617

<212> TYPE: RNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic Polynucleotide

<400> SEQUENCE: 142

```

augagcugga agguggucau caucuucagc cugcugauca caccucagca cggccugaaa 60
gagagcuacc uggaagaguc cugcagcacc aucacagagg gcuaccuguc ugugcugaga 120
accggcuggu acaccaacgu gucacacacug gaagugggcg acgucgagaa ucugacaugc 180
ucugauggcc cuagccugau caagaccgag cuggaucuga ccaagagcgc ccugagagaa 240
cucaagaccg ugucugccga ucagcuggcc agagaggaac agaucgagaa uccuggcagc 300
ggcagcuuug ugcugggagc cauugcucu ggaguggcug cugcugcagc uguuacagca 360
ggcguggcca ucgcuagac caucagacug gaaagcgaag ugaccgccau caacaacgcc 420
cugaagaaga caaacgaggg cgucagcaca cucggcaaug gcguuagagu gcuggccaca 480
gccgugcgcg agcugaagga cuucgugucc aagaaccuga cacgggccau uaacaagaac 540
aagugcccua ucgacgaccu gaagauggcc guguccuuua gccaguucca ccggcgguuu 600
cugaacgucg ugcggcaguu uagcgacaac gccggaauca caccagccau cagccuggac 660
cugaugacag augcugagcu ggcuagagcc guggcuaca ugccuacauc ugccggccag 720
aucaagcuga ugcucgagaa uagagccaug guccgacgga aaggcuucgg cauucugauu 780
ggcguguaag gcagcagcgu gaucuauaug gucagcugc cuaucuucgg cgugaucgac 840
acaccucgcu ggaauugaa ggcgcucucu agcuguagcg agaagaaggg caauuacgcc 900
ugccugcuga gagaggacca aggcugguau ugucagaacg ccggcagcac cguguacuac 960
ccuaacgaga aggacugcga gacaagaggc gaccacgugu ucugugauac cgccgucgga 1020
aucaaugugg ccgagcagag caaagagugc aacaucaaca ucagcaccac caacuauccc 1080
ugcaaggugu ccaccggcag gcaccuuuu ucuauggugg cucugucucc ucugggagcc 1140
cugguggcuu guuauaaggg cguguccugu agcaucggca gcaacagagu gggcaucauc 1200
aagcagcuga acaagggcug cagcuacauc accaaccagg acgccgauac cgugaccauc 1260
gacaacaccg uguaucagcu gagcaaggug gaaggcgaac agcacgugau caagggcaga 1320
ccugugucca gcagcuucga cccuaucaag ucccugagg aucaguucca gguggccug 1380
gaccaggugu ucgagaacau cgagaauucc caggcucugg uggaccaguc caacagaauc 1440
cugucuagcg ccgagaaggg aaacaccggc uucaucaucg ugaucuccu gaucgcccug 1500
cugggcagcu ccaugauccu gguguccauc uucaucauuu ucaagaagac caagaagccc 1560

```


-continued

accggcguc cuccagaacu gagcggagug accaacaaug gcuucaucc ucacaac 1617

<210> SEQ ID NO 143
 <211> LENGTH: 1617
 <212> TYPE: RNA
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: Synthetic Polynucleotide

<400> SEQUENCE: 143

augagcugga aggguguc auucuucagc cugcugauca caccucagca cggccugaaa 60
 gagagcuacc uggaagaguc cugcagcacc aucacagagg gcuaccuguc ugugcugaga 120
 accggcuggu acaccaacgu guucacacug gaagugggcg acgucgagaa ucugacaugc 180
 ucugauggcc cuagccugau caagaccgag cuggaucuga ccaagagcgc ccugagagaa 240
 cucaagaccg ugucugccga ucagcuggcc agagaggaac agaucgagaa uccuggcagc 300
 ggagcucuug ugcugggagc cauugcucu ggaguggcug cugcugcagc uguuacagca 360
 ggcguggcca ucgcuagac caucagacug ccuagcgaag ugaccgccau caacaacgcc 420
 cugaagaaga caaacgaggc cgucagcaca cucggcaaug gcguuagagu gcuggccaca 480
 gccgugcgc agcugaagga cuucgugucc aagaaccuga cacgggccau uaacaagaac 540
 aagugcgaca ucgacgaccu gaagauggcc guguccuuu gccaguuaa cggcgguuu 600
 cugaacgucg ugcggcaguu uagcgacaac gccggaauca caccagccau cagccuggac 660
 cugaugacag augcugagcu ggcuagagcc gugccuaaca ugccuacauc ugccggccag 720
 aucaagcuga ugcucgagaa uagagccaug guccgacgga aaggcuucgg cauucugau 780
 ggcguguaag gcagcagcgu gaucuauaug gucgagcugc cuaucuucgg cgugaucgac 840
 acaccucgcu ggaauugaa ggccgcuccu agcuguagcg agaagaaggc cauuuacgcc 900
 ugccugcuga gagaggacca aggcugguau ugucagaacg ccggcagcac cguguacuac 960
 ccuaacgaga aggacugcga gacaagaggc gaccacgugu ucugugauac cgccgucgga 1020
 aucaaugugg ccgagcagag caaagaguc aacaucaaca ucagcaccac caacuaucc 1080
 ugcaaggugu ccaccggcag gcaccuuuu ucuaugggug cugcugucc ucugggagcc 1140
 cugguggcuu guuuaaggc cguguccugu agcaucggca gcaacagagu gggcaucauc 1200
 aagcagcuga acaaggcgug cagcuacauc accaaccagg acgccgauac cgugaccauc 1260
 gacaacaccg uguaucagcu gagcaaggug gaaggcgaac agcacgugau caagggcaga 1320
 ccugugucca gcagcuucga ccuaucaag uucccugagg aucaguucca gguggccug 1380
 gaccaggugu ucgagaacau cgagaaucc caggcucugg uggaccaguc caacagaauc 1440
 cugcuagcg ccgagaaggc aaacaccggc uucaucaucg ugaucauccu gaucgccgug 1500
 cugggcagcu ccaugauccu gguguccauc uucaucauu ucaagaagac caagaagccc 1560
 accggcguc cuccagaacu gagcggagug accaacaaug gcuucaucc ucacaac 1617

<210> SEQ ID NO 144
 <211> LENGTH: 1617
 <212> TYPE: RNA
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: Synthetic Polynucleotide

<400> SEQUENCE: 144

augagcugga aggguguc auucuucagc cugcugauca caccucagca cggccugaaa 60

-continued

gagagcuacc	uggaagaguc	cugcagcacc	aucacagagg	gcuaccuguc	ugugcugaga	120
accggcuggu	acaccaacgu	guucacacug	gaagugggcg	acgucgagaa	ucugacaugc	180
ucugauggcc	cuagccugau	caagaccgag	cuggaucuga	ccaagagcgc	ccugagagaa	240
cucaagaccg	ugucugccga	ucagcuggcc	agagaggaac	agaucgagaa	uccuggcagc	300
ggcagcuuug	ugcugggagc	cauugcucu	ggaguggcug	cugcugcagc	uguuacagca	360
ggcguggcca	ucgcuagac	caucagacug	gaaagcgaag	ugaccgccau	caacaacgcc	420
cugaagaaga	caaacgaggc	cgucagcaca	cucggcaaug	gcguuagagu	gcuggccaca	480
gccgugcgcg	agcugaagga	cuucgugucc	aagaaccuga	cacgggccau	uaacaagaac	540
aagugcgaca	ucgacgaccu	gaagauggcc	guguccuuua	gccaguucua	ccggcgguuu	600
cugaacgucg	ugcggcaguu	uagcgacaac	gccggaauca	caccagccau	cagccuggac	660
cugaugacag	augcugagcu	ggcuagagcc	gugccuaaca	ugccuacauc	ugccggccag	720
aucaagcuga	ugcucgagaa	uagagccaug	guccgacgga	aaggcuucgg	cauucugauu	780
ggcguguacg	gcagcagcgu	gaucuaauug	gugcagcugc	cuaucuucgg	cgugaucgac	840
acaccucgcu	ggaauugaa	ggccgcuccu	agcuguagcg	agaagaaggg	caauuacgcc	900
ugccugcuga	gagaggacca	aggcugguau	ugucagaacg	ccggcagcac	cguguacuac	960
ccuaacgaga	aggacugcga	gacaagaggc	gaccacgugu	ucugugauac	cgccgcugga	1020
aucaaugugg	ccgagcagag	caaagagugc	aacaucuaaca	ucagcaccac	caacuauccc	1080
ugcaaggugu	ccaccggcag	gcaccuauu	ucuauggugg	cucugucucc	ucugggagcc	1140
cugguggguu	guuuaaggg	cguguccugu	agcaucggca	gcaacagagu	gggcaucauc	1200
aagcagcuga	acaagggcug	cagcuacauc	accaaccagg	acgccgauac	cgugaccauc	1260
gacaacaccg	uguaucagcu	gagcaaggug	gaaggcgaac	agcacgugau	caagggcaga	1320
ccugugucca	gcagcuuccc	accuaucaag	uucccugagg	aucaguucca	gguggcccug	1380
gaccaggugu	ucgagaacau	cgagaauucc	caggcucugg	uggaccaguc	caacagaauc	1440
cugucuagcg	ccgagaaggg	aaacaccggc	uucaucaucg	ugaucauccu	gaucgccgug	1500
cugggcagcu	ccaugauccu	gguguccauc	uucaucauuu	ucaagaagac	caagaagccc	1560
accggcguc	cuccagaacu	gagcggagug	accaacaauug	gcuucauccc	ucacaac	1617

<210> SEQ ID NO 145

<211> LENGTH: 1617

<212> TYPE: RNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic Polynucleotide

<400> SEQUENCE: 145

augagcugga	agguggucau	caucuucagc	cugcugauca	caccucagca	cgccugaaa	60
gagagcuacc	uggaagaguc	cugcagcacc	aucacagagg	gcuaccuguc	ugugcugaga	120
accggcuggu	acaccaacgu	guucacacug	gaagugggcg	acgucgagaa	ucugacaugc	180
ucugauggcc	cuagccugau	caagaccgag	cuggaucuga	ccaagagcgc	ccugagagaa	240
cucaagaccg	ugucugccga	ucagcuggcc	agagaggaac	agaucgagaa	uccuggcagc	300
ggcagcuuug	ugcugggagc	cauugcucu	ggaguggcug	cugcugcagc	uguuacagca	360
ggcguggcca	ucgcuagac	caucagacug	gaaagcgaag	ugaccgccau	caacaacgcc	420
cugaagaaga	caaacgaggc	cgucagcaca	cucggcaaug	gcguuagagu	gcuggccaca	480
gccgugcgcg	agcugaagga	cuucgugucc	aagaaccuga	cacgggccau	uaacaagaac	540

-continued

aagugcgaca	ucgacgaccu	gaagauggcc	guguccuuua	gccaguucua	ccggcgguuu	600
cugaacgucg	ugcggcaguu	uagcgacaac	gccggaauca	caccagccau	cagccuggac	660
cugaugacag	augcugagcu	ggcuagagcc	gugccuaaca	ugccuacauc	ugccggccag	720
aucaagcuga	ugcucgagaa	uagagccaug	guccgacgga	aaggcuucgg	cauucugauu	780
ggcguguaacg	gcagcagcgu	gaucuauaug	gugcagcugc	cuaucuucgg	cgugaucgac	840
acaccucgcu	ggauugugaa	ggccgcuccu	agcuguagcg	agaagaaggg	caauuacgcc	900
ugccugcuga	gagaggacca	aggcugguau	ugucagaacg	ccggcagcac	cguguacuac	960
ccuaacgaga	aggacugcga	gacaagaggc	gaccacgugu	ucugugauac	cgccgcugga	1020
aucaaugugg	ccgagcagag	caaagagugc	aacaucuaaca	ucagcaccac	caacuauccc	1080
ugcaaggugu	ccaccggcag	gcaccuauu	ucuauggugg	cucugucucc	ucugggagcc	1140
cugguggcuu	guuauaaggg	cguguccugu	agcaucggca	gcaacagagu	gggcaucauc	1200
aagcagcuga	acaagggcug	cagcuacauc	accaaccagg	acgccgauac	cgugaccauc	1260
gacaacaccg	uguauacgcu	gagcaaggug	gaaggcgaac	agcacgugau	caagggcaga	1320
ccugugucca	gcagcuucga	cccuaucaag	uucccugaga	accaguucca	gguggcccug	1380
gaccaggugu	ucgagaacau	cgagaauucc	caggcucugg	uggaccaguc	caacagaauc	1440
cugucuagcg	ccgagaaggg	aaacaccggc	uucacaucug	ugaucuuccu	gaucgccgug	1500
cugggcagcu	ccaugauccu	gguguccauc	uucacauua	ucaagaagac	caagaagccc	1560
accggcguc	cuccagaacu	gagcggagug	accaacaau	gcuuauccc	ucacaac	1617

<210> SEQ ID NO 146

<211> LENGTH: 1617

<212> TYPE: RNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic Polynucleotide

<400> SEQUENCE: 146

augagcugga	agguggucou	caucuucagc	cugcugauca	caccucagca	cgccugaaa	60
gagagcuacc	uggaagaguc	cugcagcacc	aucacagagg	gcuaccuguc	ugugcugaga	120
accggcuggu	acaccaacgu	guucacacug	gaagugggcg	acgucgagaa	ucugacaugc	180
ucugauggcc	cuagccugau	caagaccgag	cuggaucuga	ccaagagcgc	ccugagagaa	240
cucaagaccg	ugucugccga	ucagcuggcc	agagaggaac	agaucgagaa	uccuggcagc	300
ggcagcuuug	ugcugggagc	cauugcucu	ggaguggcug	cugcugcagc	uguuacagca	360
ggcguggcca	ucgcuuagac	caucagacug	gaaagcgaag	ugaccgcca	caacaacgcc	420
cugaagaaga	caaacgaggg	cgucagcaca	cucggcaaug	gcguuagagu	gcuggccaca	480
gccgucgcg	agcugaagga	cuucgugucc	aagaaccuga	cacgggcca	uaacaagaac	540
aagugcgaca	ucgacgaccu	gaagauggcc	guguccuuua	gccaguucua	ccggcgguuu	600
cugaacgucg	ugcggcaguu	uagcgacaac	gccggaauca	caccagccau	cagccuggac	660
cugaugacag	augcugagcu	ggcuagagcc	gugccuaaca	ugccuacauc	ugccggccag	720
aucaagcuga	ugcucgagaa	uagagccaug	guccgacgga	aaggcuucgg	cauucugauu	780
ggcguguaacg	gcagcagcgu	gaucuauaug	gugcagcugc	cuaucuucgg	cgugaucgac	840
acaccucgcu	ggauugugaa	ggccgcuccu	agcuguagcg	agaagaaggg	caauuacgcc	900
ugccugcuga	gagaggacca	aggcugguau	ugucagaacg	ccggcagcac	cguguacuac	960

-continued

```

ccuaacgaga aggacugcga gacaagaggg gaccacgugu ucugugauac cgccgcugga 1020
aucaaugugg ccgagcagag caaagagugc aacaucaaca ucagcaccac caacuaucce 1080
ugcaaggugu ccaccggcag gcaccuauu ucuauggugg cucugucucc ucugggagcc 1140
cugguggcuu guuauaaggg cguguccugu agcaucggca gcaacagagu gggcaucauc 1200
aagcagcuga acaagggcug cagcuacauc accaaccagg acgccgauac cgugaccauc 1260
gacaacaccg uguaucagcu gagcaaggug gaaggcgaac agcacgugau caagggcaga 1320
ccugugucca gcagcuucga ccuaucaag uucccucagg aucaguucca gguggcccug 1380
gaccaggugu ucgagaacau cgagaauucc caggcucugg uggaccaguc caacagaauc 1440
cugucuagcg ccgagaaggg aaacaccggc uucaucaucg ugaucauccu gaucgccgug 1500
cugggcagcu ccaugauccu gguguccauc uucaucauuu ucaagaagac caagaagccc 1560
accggcgucuccuccagaacu gagcggagug accaacaauug gcuucauccc ucacaac 1617

```

<210> SEQ ID NO 147

<211> LENGTH: 1617

<212> TYPE: RNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic Polynucleotide

<400> SEQUENCE: 147

```

augagcugga agggugucou caucuucagc cugcugauca caccucagca cggccugaaa 60
gagagcuacc uggaagaguc cugcagcacc aucacagagg gcuaccuguc ugugcugaga 120
accggcuggu acaccaacgu guucacacug gaagugggcg acgucgagaa ucugacaugc 180
ucugauggcc cuagccugau caagaccgag cuggaucuga ccaagagcgc ccugagagaa 240
cucaagaccg ugucugccga ucagcuggcc agagaggaac agaucgagaa uccuggcagc 300
ggcagcuuug ugcugggagc cauugcucu ggaguggcug cugcugcagc uguuacagca 360
ggcguggcca ucgcuagac caucagacug gaaagcgaag ugaccgccau caacaacgcc 420
cugaagaaga caaacgaggg cgucagcaca cugggcaauug gcguaagagu gcuggccaca 480
gccgugcgcg agcugaagga cuucgugucc aagaaccuga caccggccau uaacaagaac 540
aagugcgaca ugcagcaccu gaagauggcc guguccuuu gccaguggaa ccggcgguuu 600
cugaacgucg ugcggcaguu uagcgacaac gccggaauca caccagccau cagccuggac 660
cugaugacag augcugagcu ggcuaagacc guggcuuaca ugccuacauc ugccggccag 720
aucaagcuga ugcucgagaa uagagccaug guccgacgga aaggcuucgg cauucugauu 780
ggcguguaag gcagcagcgu gcucauauug gugcagcugc cuaucuucgg cgugaucgac 840
acaccucgcu ggauugugaa ggccgcuccu agcuguagcg agaagaaggg caauuacgcc 900
ugccugcuga gagaggacca aggcugguau ugucagaacg ccggcagcac cguguacuac 960
ccuaacgaga aggacugcga gacaagaggg gaccacgugu ucugugauac cgccgcugga 1020
aucaaugugg ccgagcagag caaagagugc aacaucaaca ucagcaccac caacuaucce 1080
ugcaaggugu ccaccggcag gcaccuauu ucuauggugg cucugucucc ucugggagcc 1140
cugguggcuu guuauaaggg cguguccugu agcaucggca gcaacagagu gggcaucauc 1200
aagcagcuga acaagggcug cagcuacauc accaaccagg acgccgauac cgugaccauc 1260
gacaacaccg uguaucagcu gagcaaggug gaaggcgaac agcacgugau caagggcaga 1320
ccugugucca gcagcuucga ccuaucaag uucccucagg aucaguucca gguggcccug 1380
gaccaggugu ucgagaacau cgagaauucc caggcucugg uggaccaguc caacagaauc 1440

```

-continued

cugucuagcg ccgagaaggg aaacacgggc uucaucaucg ugaucauccu gaucgcccug	1500
cugggcagcu ccaugauccu gguguccauc uucaucauuu ucaagaagac caagaagccc	1560
accggcgcuc cuccagaacu gagcggagug accaacaauug gcuucauccc ucacaac	1617

What is claimed is:

1. A method comprising administering to a subject a messenger ribonucleic acid (mRNA) comprising an open reading frame encoding a betacoronavirus (BetaCoV) S protein or S protein subunit formulated in a lipid nanoparticle in an effective amount to induce in the subject an immune response to the BetaCoV S protein or S protein subunit, wherein the lipid nanoparticle comprises 20-60 mol % ionizable cationic lipid, 5-25 mol % neutral lipid, 25-55 mol % cholesterol, and 0.5-15 mol % PEG-modified lipid.

2. The method of claim 1, wherein the open reading frame encodes a BetaCoV S protein.

3. The method of claim 2, wherein the immune response is a neutralizing antibody response specific to the BetaCoV S protein.

4. The method of claim 1, wherein the open reading frame encodes a BetaCoV S protein subunit selected from an S1 subunit and an S2 subunit.

5. The method of claim 4, wherein the immune response is a neutralizing antibody response specific to the BetaCoV S protein subunit.

6. The method of claim 1, wherein the mRNA formulated in a lipid nanoparticle is administered intramuscularly.

7. The method of claim 1, wherein the mRNA further comprises a 5' untranslated region and a 3' untranslated region.

8. The method of claim 1, wherein the mRNA further comprises a poly(A) tail.

9. The method of claim 1, wherein the mRNA further comprises a 5' cap analog.

10. The method of claim 9, wherein the 5' cap analog is 7mG(5')ppp(5')NlmpNp.

11. The method of claim 1, wherein the mRNA comprises a chemical modification.

12. The method of claim 11, wherein the chemical modification is a 1-methylpseudouridine modification or a 1-ethylpseudouridine modification.

10 13. The method of claim 11, wherein at least 80% of the uracil in the open reading frame of the mRNA has a chemical modification.

14. The method of claim 1, wherein the lipid nanoparticle comprises 50 mol % ionizable cationic lipid, 10 mol % neutral lipid, 38.5 mol % cholesterol, and 1.5 mol % PEG-modified lipid.

15 15. The method of claim 1, wherein the ionizable cationic lipid is Compound 25.

16. The method of claim 1, wherein the neutral lipid is 1,2-distearoyl-sn-glycero-3-phosphocholine (DSPC), and the PEG-modified lipid is 1,2-dimyristoyl-rac-glycero-3-methoxypolyethylene glycol-2000 (PEG-DMG).

17. A method comprising administering to a subject an mRNA comprising a 5' cap analog, a 5' untranslated region, an open reading frame encoding a BetaCoV S protein or S protein subunit, a 3' untranslated region, and a poly(A) tail formulated in a lipid nanoparticle in an effective amount to induce in the subject an immune response to the BetaCoV S protein or S protein subunit, wherein the lipid nanoparticle comprises 20-60 mol % ionizable cationic lipid, 5-25 mol % neutral lipid, 25-55 mol % cholesterol, and 0.5-15 mol % PEG-modified lipid.

18. The method of claim 17, wherein the open reading frame encodes a BetaCoV S protein.

19. The method of claim 18, wherein the ionizable cationic lipid is Compound 25, the neutral lipid is DSPC, and the PEG-modified lipid is PEG-DMG.

20. The method of claim 18, wherein at least 80% of the uracil in the open reading frame of the mRNA has a 1-methylpseudouridine modification.

21. The method of claim 20, wherein the ionizable cationic lipid is Compound 25, the neutral lipid is DSPC, and the PEG-modified lipid is PEG-DMG.

* * * * *