

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26

**UNITED STATES DISTRICT COURT
DISTRICT OF NEVADA**

*** * ***

R&O CONSTRUCTION COMPANY,)
)
 Plaintiff,)
)
 v.)
)
 ROX PRO INTERNATIONAL GROUP, LTD,)
 et al.,)
)
 Defendants.)
 _____)

2:09-cv-01749-LRH-LRL

ORDER

Before the court are plaintiff’s Motion to Strike Defendant Real Stone Source, LLC’s Expert Designation and Report of Eric C. Hoff (#57); Motion to Strike Expert Report of R.P. “Duke” Phelps and Portions of Expert Report of David Gray LaFortune Produced by Arizona Stone & Architectural Products NV, LLC (#58); and Motion to Strike Portions of Expert Reports of Michael John Gannon and Steve Easton Produced by WD Partners, Inc. (#59). Also before the court are defendant, Arizona Stone and Architectural Products NV, LLC’s, Motion (#71) to Strike Reply (#70), and defendant WD Partners Inc.’s Motion (#72) to Strike Reply (#69). The court has considered the motions, responses and replies.

Background

This dispute arises out of the construction of a retail shopping center. The building at issue in this case is The Home Depot Store #3308. The stone veneer used on the store failed, ultimately requiring all of the stone to be removed and re-installed. Plaintiff, R&O Construction Company (“R&O”), was the licensed general contractor for the Home Depot project. It entered into a subcontractor agreement with New Creations Masonry (“New Creations”) to perform the masonry services on the exterior of The Home Depot. New Creations installed a product, Rox Pro stone, on the

1 store, which it ordered from defendant, Arizona Stone and Architectural Products NV, LLC (“Arizona
2 Stone”). Defendant, WD Partners, Inc. (“WD Partners”) was the project’s architect.

3 In January 2009, the Rox Pro stone began to fail. The project’s developer retained Western
4 Technologies, Inc. to perform an independent inspection to determine cause. It issued a report making
5 several findings regarding possible installation errors. *See* Exh. A to Opp’n (#62). Similarly defendant,
6 Real Stone Source, LLC (“Real Stone”), retained Western Architectural to conduct an independent
7 investigation into the stone failure. It likewise produced a report indicating installation errors on the
8 part of subcontractors to be at issue. *See* Exh. B to Opp’n (#62). Another investigation was conducted
9 by R-Crete, Inc., which found many of the errors noted in the Western Technologies and Western
10 Architectural reports. *See* Exh. C to Opp’n (#62). All three reports noted failures with mortar
11 application and coverage when installing the stone, and the latter two reports suggested that the masonry
12 company may not have used the mortar specified by the stone manufacturer.

13 On September 3, 2009, R&O filed suit in this court alleging breach of contract against New
14 Creations, breach of implied warranty of merchantability against New Creations, Real Stone, and Rox
15 Pro International Group, LTD (“Rox Pro LTD”), negligent misrepresentation against Real Stone and
16 WD Partners, and third party beneficiary breach of contract against WD Partners. In its February 5,
17 2010, Amended Complaint (#22) R&O dropped New Creations as a defendant but asserted a claim
18 against Arizona Stone for breach of implied warranty of merchantability.

19 Pursuant to Order (#45), initial expert disclosures and reports were due by November 10, 2010,
20 and rebuttal experts were to be disclosed by December 13, 2010. R&O disclosed its expert, Dr. Paul
21 McMullin, on November 10, 2010. Defendants Real Stone, Arizona Stone, and WD Partners did not
22 designate experts at that time. On December 17, 2010, the court granted the parties’ Stipulation to
23 Modify Discovery Plan and Scheduling Order (#52), which extended the date to designate rebuttal
24 experts to January 10, 2011. Order (#54). Discovery cutoff was to be March 10, 2011. *Id.* Defendants
25 WD Partners, Real Stone, and Arizona Stone timely designated rebuttal experts on January 10, 2011.
26 R&O contends, however, that all or portions of the rebuttal expert reports do not in fact constitute

1 rebuttal material; rather those reports contain materials and opinions that should have been presented
2 in *initial* expert reports. Thus, according to R&O, the reports are untimely and must be stricken.

3 **Discussion**

4 Fed. R. Civ. P. 26(a)(2)(C)(ii) permits the admission of rebuttal expert testimony that is
5 “intended solely to contradict or rebut evidence on the same subject matter identified” by an initial
6 expert witness. *TC Sys. Inc. v. Town of Colonie, NY*, 213 F.Supp.2d 171, 179 (N.D.N.Y. 2002).

7 Rebuttal expert reports “necessitate ‘a showing of facts supporting the opposite conclusion’ of those at
8 which the opposing party’s experts arrived in their responsive reports.” *Bone Care Int’l, LLC v. Pentech*

9 *Pharmaceuticals, Inc.*, 2010 WL 389444 (N.D. Ill. Sep. 30, 2010) (quoting *ABB Air Preheater, Inc. v*
10 *Regenerative Environmental Equip., Inc.*, 167 F.R.D. 668, 669 (D.N.J. 1996). Rebuttal expert reports

11 are proper if they contradict or rebut the subject matter of the affirmative expert report. *Lindner v.*
12 *Meadow Gold Dairies, Inc.*, 249 F.R.D. 625, 636 (D. Haw. 2008). They are not, however, the proper

13 place for presenting new arguments. *1-800 Contacts, Inc. v. Lens.com, Inc.*, 755 F.Supp.2d 1151, 1167
14 (D. Utah 2010); *see LaFlamme v. Safeway, Inc.*, 2010 WL 3522378 (D. Nev. Sep. 2, 2010); *cf. Marmo*

15 *v. Tyson Fresh Meats, Inc.*, 457 F.3d 749, 759 (8th Cir. 2006) (“The function of rebuttal testimony is
16 to explain, repel, counteract or disprove evidence of the adverse party.”) (citation omitted). “If the

17 purpose of expert testimony is to ‘contradict an expected and anticipated portion of the other party’s
18 case-in-chief, then the witness is not a rebuttal witness or anything analogous to one’” *Amos v. Makita*

19 *U.S.A.*, 2011 WL 43092 at *2 (D. Nev Jan. 6, 2011) (quoting *In re Apex Oil Co.*, 958 F.2d 243, 245 (8th
20 Cir. 1992)); *see also Morgan v. Commercial Union Assur. Cos.*, 606 F.2d 554, 556 (5th Cir. 1979);

21 *LaFlamme*, 2010 WL 3522378 at *3. Rather, rebuttal expert testimony “is limited to ‘new unforeseen
22 facts brought out in the other side’s case.’” *In re President’s Casinos, Inc.*, 2007 WL 7232932 at * 2

23 (E.D. Mo. May 16, 2007) (quoting *Cates v. Sears, Roebuck & Co.*, 928 F.2d 679, 685 (5th Cir. 1991)).
24 Under Rule 37(c)(1), “A party that without substantial justification fails to disclose information

25 required by Rule 26(a) . . . is not, unless such failure is harmless, permitted to use as evidence at a trial,
26 at a hearing, or on a motion any witness or information not so disclosed.” This is an either/or standard;

1 non-disclosure must be either substantially justified or harmless to avoid being excluded under the Rule.
2 *Galentine v. Holland America Line-Westours, Inc.*, 333 F. Supp. 2d 991, 993 (W.D. Wash. 2004) (citing
3 *Yeti by Molly, Ltd. v. Deckers Outdoor Corp.*, 259 F.3d 1101, 1106 (9th Cir. 2001)) (other citation
4 omitted). “The sanction is automatic and mandatory unless the sanctioned party can show that its
5 violation . . . was either justified or harmless.” *Salgado v. General Motors Corp.*, 150 F.3d 735, 742 (7th
6 Cir. 1998); *see also Yeti by Molly*, 259 F.3d at 1107.

7 **A. R&O’s Motion to Strike (#57) Dr. Hoff’s Report**

8 As noted, R&O disclosed its expert, Dr. Paul McMullin, on November 10, 2010. Real Stone
9 timely designated Eric C. Hoff, of Western Architectural, as its rebuttal expert on January 10, 2011.
10 R&O now seeks an order striking Hoff’s report on the ground that it is beyond the scope of proper
11 rebuttal.

12 R&O’s Amended Complaint (#22) alleges that Real Stone breached an implied warranty that
13 the Rox Pro stone would be fit for the ordinary purpose for which stone panels are used. R&O alleges
14 that “[b]y selling and distributing the Rox Pro stone and Installation Guidelines, which did not result
15 in the creation of an adequate bond between the Project’s substrate and the Rox Pro stone, Real Stone
16 breached the implied warranty of merchantability included in its sale and distribution of the Rox Pro
17 stone and installation guidelines.” *Id.* at ¶ 54. As explained, *supra*, when the stone began to fail,
18 several independent sources, including Western Architectural, were brought in to evaluate and report
19 on the failures. Each made findings with regard to the mortar application.

20 While both McMullin’s and Hoff’s reports address the same general subject matter of the case,
21 Hoff’s report does not directly address the findings, *i.e.* “the same subject matter,” of McMullin’s report.
22 Therefore it is not a rebuttal expert report within the meaning of Rule 26(a)(2)(C)(ii). *See Vu v.*
23 *McNeil-PPC, Inc.*, 2010 WL 2179882 at *3 (C.D. Cal. May 7, 2010) (finding that such a broad meaning
24 would all but nullify the distinction between an initial “affirmative expert” and a “rebuttal expert.”); *see*
25 *International Business Machines Corp. v. Fasco Indus., Inc.*, 1995 WL 115421 (N.D. Cal. Mar.15,
26 1995) (“rebuttal experts cannot put forth their own theories; they must restrict their testimony to

1 attacking the theories offered by the adversary’s experts.”). McMullin’s report offers opinions and
2 conclusions regarding the structural insufficiency of the design for the installation of a stone veneer on
3 the project, the requirement that the stone veneer installation be accomplished with an anchored system
4 and the resulting irrelevance of the bond between stone and mortar, and R&O’s role in bringing
5 potential design deficiencies to the attention of WD Partners. By comparison, Hoff’s report details
6 theories regarding the failure of the stone and mortar, and makes observations regarding the
7 “responsibilities” of the various players – general contractor/subcontractor and architect – with regard
8 to installation. The report’s findings do not speak to “new unforeseen facts” brought out in McMullin’s
9 report, *see In re President’s Casinos, Inc.*, 2007 WL 7232932 at * 2; rather, they set forth an alternate
10 theory, *viz.*, that the stone failure is related to installation and mortar errors. Although causation may
11 be demonstrated in various ways, “simply because one method fails, the other does not become
12 “rebuttal.”” *See Morgan v. Commercial Union Assur. Cos.*, 606 F.2d at 555. Nor is a rebuttal expert
13 report the proper place for presenting new arguments. *1-800 Contacts, Inc. v. Lens.com, Inc.*, 755
14 F.Supp.2d at 1167.

15 Because the report is not a rebuttal report, it is untimely and must be stricken unless Real Stone
16 can show that the untimely disclosure was substantially justified or harmless. *See* Rule 37(c)(1). Here,
17 Real Stone’s late disclosure is not substantially justified. Notably, it had named Hoff as an expert and
18 provided his curricula vitae within the time limit set for the disclosure of initial experts, but it did not
19 produce a report. Despite the relevant inspections having been performed on February 11 and 16, 2009,
20 prior to the filing of the lawsuit, Real Stone does not justify its failure to timely disclose the report.

21 As to the issue of harm, the Hoff report was not disclosed until nearly nine weeks after the initial
22 expert cutoff date of November 10, 2010. Discovery cutoff has already been extended three times in
23 this case, and the latest cutoff date has passed. Although no trial date has yet been set, the dispositive
24 motion deadline was April 8, 2011. Accordingly, R&O is prejudiced by the Hoff report, because the
25 time to designate rebuttal experts has passed, as well as the discovery cutoff and dispositive motion
26 deadlines. A scheduling order “shall not be modified except upon a showing of good cause and by leave

1 of . . . a magistrate judge.” Fed.R.Civ.P. 16(b). Real Stone did not seek an extension of the deadline
2 to disclose initial experts, nor has it shown good cause for the failure to do so. Accordingly, Hoff’s
3 report must be stricken. *See e.g. Yeti by Molly*, 259 F.3d at 1107.

4 **B. Motion to Strike Expert Report of R.P. “Duke” Phelps and Portions of Expert Report of David**
5 **Gray LaFortune Produced by Arizona Stone & Architectural Products NV, LLC (#58); and**
6 **Arizona Stone’s Motion (#72) to Strike Reply (#70)**

6 In this Motion (#58), R&O asks the court to strike the report of R.P. “Duke” Phelps and portions
7 of the expert report of David Gray LaFortune. Preliminarily, the court will address Arizona Stone’s
8 Motion to Strike R&O’ Reply (#72).

9 Arizona Stone seeks an order striking R&O’s reply (#70) as untimely. Arizona Stone filed its
10 Opposition (#62) on February 22, 2011. Pursuant to LR 7-2(c), “reply points and authorities shall be
11 filed and served by the moving party seven (7) days after service of the response.” Fed. R. Civ. P. 6(d)
12 allows for an additional three days. Accordingly, R&O’s reply brief was due not later than March 4,
13 2011. R&O filed its Reply (#69) on March 9, 2011. R&O contends that its failure to timely file the
14 reply is due to excusable neglect. Apparently, R&O was not aware of the December 1, 2009 amendment
15 to the local rule, and based its timing on an outdated version of LR 7-2(c) which is on the court’s
16 homepage. When opening that link to the Local Rules, however, the first page clearly states that the
17 version covers only amendments through May 1, 2006. Below the link to the local rules, and within the
18 box titled “Local Rules,” is a separate link for the related General Order 2009-3, which opens the “2009-
19 03 Amendment of Local Rules.” Moreover, the electronic filing system clearly noted that the reply was
20 due by March 4, 2011. R&O’s failure to timely file its Reply (#70) is therefore not excusable and the
21 Reply (#70) shall be stricken.

22 As for R&O’s Motion to Strike (#58), R&O disclosed its expert, Dr. Paul McMullin, on
23 November 10, 2010. Arizona Stone timely designated R.P. “Duke” Phelps and David Gray LaFortune
24 as rebuttal experts on January 10, 2011. R&O alleges that Arizona Stone breached the implied warranty
25 of merchantability by selling and distributing the Rox Pro stone and Installation Guidelines, which
26 failed to create an adequate bond between the Project’s substrate and the Rox Pro stone. Amended

1 Complaint (#22) at ¶ 35. That breach allegedly was the cause in fact of R&O’s loss. *Id.* at ¶43.

2 As explained, *supra*, McMullin’s report rendered various conclusions and opinions regarding
3 the need for an anchoring system to properly affix the stone veneer. Phelps’ report, however, doesn’t
4 address McMullin’s conclusions and opinions. Rather, as Arizona Stone admits, his “rebuttal report
5 addresses the subject matter of the manufacturer’s installation guidelines.” According to Arizona Stone,
6 this is proper rebuttal, because “Phelps is permitted to address the other elements of [plaintiff’s] cause
7 of action within his rebuttal report.” Opp’n (#62) at 12, 11. Arizona Stone misapprehends the purpose
8 of the expert rebuttal report. A rebuttal report is supposed to address “new unforeseen facts” brought
9 out in the other side’s report. *Cf. In re President’s Casinos, Inc.*, 2007 WL 7232932 at * 2. To adopt
10 a meaning as broad as Arizona Stone’s would all but negate the distinction between an initial
11 “affirmative expert” and a “rebuttal expert.” *Vu v. McNeil-PPC, Inc.*, 2010 WL 2179882at *3.
12 Moreover, such a reading would deny a party the opportunity to rebut the new opinions expressed in
13 a faux “rebuttal” report. Clearly, the rules do not contemplate such an unfair result. *See id.* Since
14 Phelps’ report does not address or rebut McMullin’s opinions and conclusions, it is not a rebuttal report
15 within the meaning of Rule 26(a)(2)(C)(ii). It is, in fact, a grossly untimely initial expert report.

16 R&O concedes that portions of LaFortune’s report present proper rebuttal, e.g., that the
17 “Comment of mechanical fastening of panels” and “Comment on Dunn Associates Report” are proper
18 rebuttal opinions. And the court finds that the “Comment on samples regarding seaming” rebuts
19 McMullin’s opinion that the stone must be mechanically fastened. The “Comment on weight samples”
20 tends to agree with McMullin’s conclusion that the weight of the panels indicates that an adhered system
21 is not up to code; then rebuts the opinion that mortar application is immaterial. It is therefore rebuttal
22 to McMullin’s opinions. R&O contends, however, that the majority of LaFortune’s report is not proper
23 rebuttal. The court agrees.

24 The “Comment on Wall Tiles” statements do not directly address any “new and unforeseen”
25 statements in McMullin’s report. *See In re President’s Casinos, Inc.*, 2007 WL 7232932 at * 2. Rather
26 the comment on wall tiles is an alternate theory of causation regarding the stone failure, namely that the

1 ties were over spanned. Exh. 2 to Mot. (#58) at p.3. Causation may be demonstrated in various ways,
2 but simply because one method fails, the other does not become “rebuttal.” *Morgan v. Commercial*
3 *Union Assur. Cos.*, 606 F.2d at 555; *see also 1-800 Contacts*, 755 F.Supp.2d at 1167 (“A rebuttal expert
4 report is not the proper place for presenting new arguments.”). Similarly, the Comments on mortar
5 speak to the possible incorrect use of mortar. McMullin made no comments about whether or not
6 mortar application was proper; he opined that mortar application was inconsequential. The “Comment
7 on Rox Pro Systems Installation Guidelines” opines that it is necessary for the project engineer or
8 architect to determine whether the manufacturer’s installation guidelines are appropriate for the
9 construction project. Arizona Stone argues that this statement rebuts McMullin’s opinions regarding
10 the inadequacy of the manufacturer’s installation guidelines, such as that the guidelines do “not have
11 a reliable mechanism to transfer forces between each course of stone masonry.” Opp’n (#62) at 10.
12 Whether the installation guidelines are inadequate is clearly an expected subject part of the plaintiff’s
13 case-in-chief inasmuch as it contends that Arizona Stone breached the implied warranty of
14 merchantability by selling and distributing the allegedly inadequate Rox Pro stone and Installation
15 Guidelines. Because LaFortune’s opinions contradict an expected and anticipated portion of the
16 plaintiff’s case-in-chief, they cannot be rebuttal witness statements or anything analogous to rebuttal
17 to McMullin’s statements. *In re Apex*, 958 F2d. at 245.

18 Since Phelps’ report and portions of LaFortune’s report – the Comment on wall tiles, Comment
19 of Rox Pro installation guidelines, Comment on forensic tile consultants report,¹ and Comment of
20 samples regarding mortar – are not rebuttal opinions, but affirmative expert opinions, they must be
21 stricken unless Arizona Stone can show that the untimely disclosures were substantially justified or
22 harmless. *See* Rule 37(c)(1). Here, Arizona Stone does not argue that the late disclosures were
23 substantially justified.

24 As to the issue of harm, the Phelps and LaFortune reports were not disclosed until nearly nine
25

26 ¹ LaFortune’s Comment on Forensic Tile Consultants Report does not rebut McMullin’s report, nor does
Arizona Stone advance argument regarding this section of LaFortune’s report in its Opposition (#62).

1 weeks after the initial expert cutoff date of November 10, 2010. The discovery cutoff date has already
2 been extended three times, and the latest cutoff date has passed. Although no trial date has been set,
3 the dispositive motion deadline was April 8, 2011. Because the time to designate rebuttal experts has
4 passed, as well as the discovery cutoff and dispositive motion deadlines, R&O is prejudiced by its
5 inability to rebut the reports. Arizona Stone did not seek an extension of the deadline to disclose initial
6 expert reports, nor has it shown good cause for the failure to do so. Since the failure to timely disclose
7 the affirmative expert reports was neither substantially justified nor harmless, Phelps' report must be
8 stricken as well as the portions of LaFortune's report identified above. *See e.g. Yeti by Molly*, 259 F.3d
9 at 1107.

10 **C. R&O's Motion to Strike Portions of Expert Reports of Michael John Gannon and Steve Easton**
11 **Produced by WD Partners, Inc. (#59) and WD Partner's Motion (#71) to Strike Reply (#69)**

12 In its Motion (#59), R&O asks the court to strike discrete portions of Gannon's and Easton's
13 reports as outside the scope of proper rebuttal. The court has considered the motion (#59), WD
14 Partners' Opposition (#61), and R&O's Reply (#69). Also before the court is WD Partners' Motion
15 (#71) to Strike Reply (#69), to which R&O filed an Opposition (#74), and WD Partners a Reply (#76).

16 ***WD Partner's Motion (#71) to Strike Reply (#69)***

17 WD Partners seeks an order striking R&O's reply (#69) as untimely. WD Partners filed an
18 Opposition (#61) to R&O's Motion (#59) on February 22, 2011. Pursuant to LR 7-2(c), "reply points
19 and authorities shall be filed and served by the moving party seven (7) days after service of the
20 response." Federal Rule of Civil Procedure 6(d) allows for an additional three days. Accordingly,
21 R&O's reply brief was due not later than March 4, 2011. R&O filed its Reply (#69) on March 9, 2011.
22 R&O contends that its failure to timely file the reply was the result of excusable neglect. Apparently,
23 R&O was not aware of the December 1, 2009 amendment to the local rule, and based its timing on an
24 outdated version of LR 7-2(c) which is on the court's homepage. When opening that link, however, the
25 first page clearly states that the version covers only amendments through May 1, 2006. Below the link
26 to the local rules, and within the box titled "Local Rules," is a separate link for the related General Order

1 2009-3, which opens the “2009-03 Amendment of Local Rules.” Moreover, the electronic filing system
2 also clearly set forth that the reply was due by March 4, 2011. R&O’s failure to timely file its Reply
3 (#69) is therefore not excusable. The Reply (#69) will be stricken.

4 ***R&O’s Motion to Strike (#59)***

5 R&O disclosed its expert, Dr. Paul McMullin, on November 10, 2010. WD Partners timely
6 designated Michael John Gannon and Steve Easton as rebuttal experts on January 10, 2011. In the
7 Amended Complaint (#22), R&O alleges that WD Partners made negligent misrepresentations,
8 inasmuch it as provided incorrect and false information regarding the project, upon which R&O
9 justifiably relied. R&O also asserts a claim for breach of contract as a third-party beneficiary to the
10 agreement between The Home Depot and WD Partners.

11 R&O contends that the following statements in the Gannon and Easton reports are not proper
12 rebuttal, and therefore should be excluded:

13 *Gannon Report*

- 14 • The stone veneer manufacturer, Rox Pro, failed to clarify the need to remove the
15 powdery residue from the back side of the stone.
16 • The stone veneer installation subcontractor’s work fell below the standard of
care and did not comply with industry standard ANSI A108.5.

17 *Easton Report*

- 18 • We can see that the installer did not follow the manufacturer’s installation
19 guidelines regarding the application of the adhesive/mortar or the wall ties.
• We believe that the bond failure is due to improper application and poor
workmanship of the stone veneer installer.

20 These disputed statements do not speak to new unforeseen facts brought out in McMullin’s
21 report, *see In re President’s Casinos, Inc.*, 2007 WL 7232932 at *2, but relate to an alternate theory of
22 causation and therefore are not rebuttal to McMullin’s report. *See Morgan v. Commercial Union Assur.*
23 *Cos.*, 606 F.2d at 555 (“simply because one [theory] fails, the other does not become “rebuttal.”); *1-800*
24 *Contacts*, 755 F.Supp.2d at 1167 (“A rebuttal expert report is not the proper place for presenting new
25 arguments.”). McMullin concluded that since the project should have used an anchored system, any
26 issues relating to mortar application are moot, and he did not render any opinions regarding the standard

1 of care of a subcontractor under ANSI A108.5. Accordingly Gannon's statements do not operate to
2 rebut the substance and conclusions of McMullin's report.

3 The Easton statements similarly relate to alleged failures of the stone installation subcontractor
4 and the effect of the alleged failures on the overall failure of the stone veneer, which statements do not
5 directly contradict McMullin's conclusion that a proper installation design using an appropriate
6 anchored system would have alleviated all concerns relating to the surface of the stone veneer and
7 mortar application. Mot. (#59) at 5. That they speak to the same general subject matter of the case is
8 not the equivalent of rebutting the same subject matter addressed in the initial expert report. *See Vu v.*
9 *McNeil-PPC, Inc.*, 2010 WL 2179882 at *3.

10 Because the statements are not proper rebuttal, but affirmative expert opinions, they must be
11 stricken unless WD Partners can show that the untimely disclosure was substantially justified or
12 harmless. *See* Rule 37(c)(1). WD Partners argues that the statements, if untimely, are substantially
13 justified because R&O bears all burden of proof in this case, and therefore WD Partners did not believe
14 a primary expert was necessary since it merely is rebutting R&O's allegations. Opp'n (#61) at 9.
15 Moreover, WD Partners contends that at the time Gannon and Easton began creating their rebuttal
16 reports, R&O had another designated expert, Gregory I. Mowat, *see* Exh. (#1-A) to Opp'n (#61), who
17 did report on the precise issues addressed in these contested statements. *See* Exh. B to Opp'n (#61).
18 WD Partners maintains that since R&O did not properly withdraw Mowat as an expert, his opinions are
19 subject to rebuttal testimony of Gannon and Easton. Whether Mowat's designation as an expert has been
20 properly withdrawn has not been decided by the court, nor is the issue now properly before the court.
21 In any event, such an argument does not substantially justify admitting the untimely reports as rebuttal
22 to McMullin's report, which is the only report at issue in R&O's motion.

23 With regard to the issue of harm, the Gannon and Easton reports were not disclosed until nearly
24 nine weeks after the initial expert cutoff date of November 10, 2010. Discovery cutoff has already been
25 extended three times in this case, and the latest cutoff date has passed. Although no trial date has yet
26 been set, the dispositive motion deadline was April 8, 2011. Accordingly, R&O is prejudiced by the

1 reports, insofar as the time to designate rebuttal experts has passed, as well as the discovery cutoff and
2 dispositive motion deadlines. WD Partners did not seek an extension of the deadline to disclose initial
3 experts, nor has it shown good cause for the failure to do so. Since the failure to timely disclose the
4 affirmative expert reports was neither substantially justified nor harmless, the above statements of
5 Gannon and Easton must be stricken. *See e.g. Yeti by Molly*, 259 F.3d at 1107.

6 Accordingly, and for good cause shown,

7 IT IS ORDERED that plaintiff's Motion to Strike Defendant Real Stone Source, LLC's Expert
8 Designation and Report of Eric C. Hoff (#57) is granted;

9 IT IS FURTHER ORDERED that plaintiff's Motion to Strike Expert Report of R.P. "Duke"
10 Phelps and Portions of Expert Report of David Gray LaFortune Produced by Arizona Stone &
11 Architectural Products NV, LLC (#58) is granted to the extent that (1) Phelps' report is stricken and (2)
12 portions of La Fortune's report are stricken as described above.

13 IT IS FURTHER ORDERED that plaintiff's Motion to Strike Portions of Expert Reports of
14 Michael John Gannon and Steve Easton Produced by WD Partners, Inc. (#59) is granted.

15 IT IS FURTHER ORDERED that defendant WD Partner's Motion (#71) to Strike Reply (#69)
16 is granted.

17 IT IS FURTHER ORDERED that defendant Arizona Stone's Motion (#72) to Strike Reply (#70)
18 is granted.

19 IT IS FURTHER ORDERED that in all other respects, the Motions (##57, 58, 59, 71, 72) are
20 denied.

21 DATED this 18th day of July, 2011.

22
23 

24 **LAWRENCE R. LEAVITT**
25 **UNITED STATES MAGISTRATE JUDGE**
26