

**IN THE UNITED STATES DISTRICT COURT
FOR THE DISTRICT OF PUERTO RICO**

IVELISSE MARTÍNEZ-SUÁREZ,

Plaintiff,

v.

CIVIL NO. 18-1686 (GAG)

**MANSIONES DE GARDEN HILLS
APARTMENTS, et al.,**

Defendants.

OPINION AND ORDER

One week after Hurricane María made landfall in Puerto Rico, Ivelisse Martínez-Suárez (“Plaintiff” or “Martínez-Suárez”) woke up early in the morning before sunrise to go get gasoline at a nearby station. When leaving the apartment building where she was staying, Martínez-Suárez slipped on the last step of a staircase and fell, suffering bodily injuries.

On September 18, 2018, Plaintiff brought this action, predicated upon the Court’s diversity jurisdiction, 28 U.S.C. 1332, against Mansiones de Garden Hills Apartments (“Mansiones”). Plaintiff claims that, under the Commonwealth of Puerto Rico’s general tort statute, Article 1802 of the Puerto Rico Civil Code, P.R. LAWS ANN. tit. 31, § 5141 (“Article 1802”), Mansiones is liable for her injuries because her fall was due to the allegedly negligent design of Mansiones’ staircase. (Docket No. 1).

During discovery, Mansiones filed a third-party complaint against MQ Contractors, Nearq Studios, and their respective unidentified insurance companies. (Docket No. 24). The third-party complaint alleges that if plaintiff’s liability allegation were proven, then that the two corporations hired by Mansiones to design, construct, and supervise the stairs’ construction should also be held

Civil No. 18-1686 (GAG)

1 liable. Id. at 4. Notwithstanding, counter-claims against MQ Contractors have been stayed as a result
2 of pending bankruptcy proceedings. (Docket No. 42).

3 Mansiones and Nearq Studios (collectively, “Defendants”) jointly move for summary
4 judgment arguing that Plaintiff’s evidence is insufficient to establish her negligence claims under
5 Article 1802. (Docket No 61). Namely, Defendants posit that Nearq Studios and Architect Nelson
6 Rivera-Rodríguez (“Architect Rivera-Rodríguez”) were not negligent in designing the stairs because
7 both the design as well as the stairs complied with the applicable building codes effective at the time
8 of the construction and since the steps, as designed, did not create a dangerous condition which could
9 have caused Plaintiff’s fall. (Docket No. 61 at 13). Further, Defendants posit that because Architect
10 Rivera-Rodríguez complied with the design requirements as set by the applicable building codes, he
11 did not breach his duty of care. Id. Absent a breach of their duty, Defendants argue they cannot be
12 held liable for designing stairs with an inherently dangerous condition that would have required
13 Mansiones to warn its residents or visitors. Id.

14 Defendants also posit that Martínez-Suárez pleads a premises liability claim based on
15 negligent design, which did not encompass a claim for damages based on negligent “construction.”
16 Id. Notwithstanding, Defendants argue that the record evidence supports the conclusion that the
17 actual construction of the stairs followed the applicable building codes. Id. at 14. Finally, Mansiones
18 and Nearq Studio put forward that, besides the absence of a defective design, Plaintiff has failed to
19 provide evidence to prove that the accident and her injuries were foreseeable. Id. at 15. Defendants
20 argue that the steps were designed and constructed in an anti-slip material, that no other prior
21 accident had occurred in those steps, and that the circumstantial evidence surrounding the accident
22 after the passing of Hurricane María, no electricity in the area, and before sunrise, “can hardly be
23 deemed foreseeable.” Id. at 16. Consequently, Defendants petition the Court to enter judgment in
24

Civil No. 18-1686 (GAG)

1 their favor because the record is devoid of evidence to support Plaintiff's claims from which a
2 reasonable jury could find breach of duty or proximate cause. Id.

3 In opposition, Plaintiff argues that the evidence of record supports her claim that the stairs
4 constitute a "clear and present danger" to residents and visitors because the stairs do not coincide
5 with Architect Rivera-Rodríguez's design plan and blueprints nor comply with the applicable
6 building codes. (Docket No, 74 at 10). As such, she posits that Architect Rivera-Rodríguez, as the
7 condominium's representative, was negligent in failing to supervise the construction. Id. Moreover,
8 Martínez-Suárez advances that Architect Rivera-Rodríguez was aware that the Municipality of
9 Guaynabo ("Municipality") was carrying out remodeling work on the sidewalk in front of
10 Mansiones. Id. at 12. As such, Plaintiff argues Architect Rivera-Rodríguez should have made sure
11 that the Municipality did not alter the staircase under the general standard of the "prudent and
12 reasonable person." Id. Moreover, Plaintiff avers that Mansiones' administration breached its duty
13 by omission of not warning visitors about the stairs' dangerous condition. Id. According to Plaintiff's
14 expert testimony, the dangerous condition was that the last step, which neither matched the design
15 plan's specifications nor complied with the applicable codes, was the proximate cause of her fall.
16 Id. at 13. Martínez-Suárez advances that this condition can be corrected and has been known for
17 years yet continues to exist, "provok[ing] a problem for the public." Id. Consequently, Plaintiff
18 concludes that she has established the elements for negligence and proximate cause; hence, she has
19 a viable tort case that warrants submission to a jury for adjudication. Id. at 14.

20 Defendants replied arguing that Plaintiff improperly attempts to extend the scope of her
21 claims including ones not asserted in her Complaint. (Docket No. 83). Specifically, they advance
22 that Plaintiff now impermissibly posits: (1) claims based on negligent construction; (2) claims based
23 on negligent supervision of the construction project, and (3) claims against Architect Rivera-

Civil No. 18-1686 (GAG)

1 Rodríguez and Nearq Studios for his involvement as the designer of the project. (Docket No. 83 at
2 1-2). Moreover, Defendants argue that Plaintiff lacks evidence to support that the step adjacent to
3 the sidewalk constituted a “clear and present danger” or that Mansiones had actual or constructive
4 knowledge of any potentially dangerous condition on or around its premises. *Id.* at 2. In addition,
5 Defendants emphasize that the sidewalk adjacent to Mansiones is under the exclusive control of the
6 Municipality of Guaynabo pursuant to Puerto Rico law and, as such, Mansiones had no control over
7 the sidewalk’s remodeling. *Id.* at 3. Finally, Defendants argue that the occurrence project was an
8 isolated incident, accompanied by the fact that the fall occurred one-week after Hurricane María. *Id.*
9 at 4. This belies the existence of a “potentially dangerous condition” and that the same was not
10 known or even foreseeable to Mansiones. *Id.* Plaintiff sur-replied. (Docket No. 88).¹

11 After carefully reviewing the parties’ submissions, applicable law, record evidence, the
12 Court **GRANTS** Defendants’ Joint Motion for Summary Judgment at Docket No. 61.

13 **I. Defendants’ Opposition to Plaintiff’s Response and Counter Statement of Facts**

14 Defendants proposed seventy uncontested facts to establish that summary judgment should
15 be granted in their favor. (Docket No. 62). Plaintiff admitted forty-two of these facts and denied,
16 qualified, or objected to the rest while further proposing a statement of twenty-four additional facts.
17 (Docket No. 72). Defendants address Plaintiff’s denials, qualifications, and objections and replies to
18 the additional facts. (Docket No. 84).

19 A. Local Rule 56

20 Although, the primary purpose of Local Rule 56(b), L. CV. R. 56(b), “is to relieve the district
21 court of any responsibility to ferret through the record to discern whether any material fact is
22

23 _____
24 ¹ Defendants move to strike Plaintiff’s sur-reply at Docket No. 8 because “it was filed without seeking leave from this Court.” The Court agrees and said request is hereby **GRANTED**. See L. CV. R. 7(d) (D.P.R. 2020).

Civil No. 18-1686 (GAG)

1 genuinely in dispute,” CMI Capital Mkt. Inv., LLC v. González-Toro, 520 F.3d 58, 62 (1st Cir.
2 2008), a Court “must responsibly review the record, especially the evidence upon which the
3 statement of uncontested facts is based on, to adequately evaluate a motion for summary judgment.”
4 Reyes Caballero v. Oriental Bank, Civil No. 16-2952 (GAG), 2019 WL 6330812 at *2 (D.P.R.
5 2019); see also Reeves v. Sanderson Plumbing Prod., Inc., 530 U.S. 133, 150 (2000) (Under Rule
6 56, “the court should review the record as a whole.”).

7 Local Rule 56(c) instructs that “[a] party opposing a motion for summary judgment shall
8 submit with its opposition a separate, short, and concise statement of material facts.” L. Cv. R. 56(c)
9 (D.P.R. 2020). This opposing statement “shall admit, deny or qualify the facts supporting the motion
10 for summary judgment by reference to each numbered paragraph of the moving party’s statement of
11 material facts.” Id. Each denial and qualification must be supported by a record citation. Id. If a party
12 improperly controverts the facts, Local Rule 56 allows the Court to treat the non-movants party’s
13 facts as uncontroverted. Natal Pérez v. Oriental Bank & Tr., 291 F. Supp. 3d 215, 218 (D.P.R. 2018).
14 The United States Court of Appeals for the First Circuit has consistently held that litigants ignore
15 Local Rule 56 at their peril. See Cabán Hernández v. Philip Morris USA, Inc., 486 F.3d 1, 7 (1st
16 Cir. 2007). The Court explained in Natal Pérez that:

17 The line between a properly supported qualification or denial and additional facts can
18 be blurry. Because Local Rule 56 requires that a record citation support each
19 qualification or denial, it can seem inevitable to proffer additional facts when doing
20 so. But a better understanding of what constitutes a qualification or denial helps. A
21 qualification is “[a] modification or limitation of terms or language; esp., a restriction
22 of terms that would otherwise be interpreted broadly.” *Qualification*, BLACK’S LAW
23 DICTIONARY 1436 (10th ed 2014). Simply put, a qualification must clarify a
24 statement of fact that, without clarification, could lead the Court to an incorrect
inference. Thus, if a fact states that “Plaintiff works as an attorney all day,” a proper
qualification would be: “Plaintiff works as an attorney from 9-5” and a citation to the
record supporting this fact. This would prevent the Court from inferring that Plaintiff
works as an attorney from 7 a.m. to 9 p.m., which can be the standard in the legal
world. Adding that Plaintiff works from 9-5 would not be considered an “additional
fact” in the context of Local Rule 56. On the other hand, a denial, as common sense

Civil No. 18-1686 (GAG)

1 suggests, is “[a] statement that something is not true.” *Denial, Id.* at 527. So if a fact
 2 states that “Plaintiff is an attorney,” a proper denial would be: “Denied. Plaintiff is a
 doctor” and a citation to the record supporting this fact.

3 Natal Pérez, 291 F. Supp. 3d at 219. When evaluating a proper qualification or denial and additional
 4 facts, the Court must decide whether “a party’s denial or qualification of a proposed fact [is] strictly
 5 limited to the issue therein raised.” Acevedo-Padilla v. Novartis Ex Lax, Inc., 740 F. Supp. 2d 293,
 6 298 (D.P.R. 2010), rev’d and remanded on other grounds, 696 F.3d 128 (1st Cir. 2012). The “strictly
 7 limited to the issue therein raised” standard “is demanding but necessary” because “[h]onest
 8 argumentation and clear presentation of the issues and facts help the Court tremendously[;] [t]he
 9 opposite burdens the Court just as much.” Natal Pérez, 291 F. Supp. 3d at 220.

10 Bearing this in mind, the Court finds that Plaintiff failed to properly contest several of
 11 Defendants’ proposed facts, while Defendants properly contested most of Plaintiff’s additional
 12 statement of facts. As pointed out by Defendants, many of Plaintiff’s facts are unsupported by record
 13 evidence or have been presented in a conclusory manner. (Docket No. 84 at 1-2; 85). Consequently,
 14 the following proposed facts have been deemed as unopposed and are thus, deemed admitted: 21,
 15 22, 23, 30, 34, 51, 53, 55, 61, 62, and 66. (Docket No. 62). Similarly, the Court will not consider the
 16 following additional proposed facts submitted by Plaintiff: 10, 11, 14, 15, 16. (Docket No. 73).

17 The Court will address these Local Rule 56 issues throughout the factual background and
 18 discussion. In spite of Plaintiff’s non-compliance with Local Rule 56(b), the Court is bound to
 19 display a chronological timeline that “construe[s] the evidence in the light most flattering to the
 20 nonmovant[] and indulge[s] all reasonable inferences in [her] favor.” Iverson v. City of Boston, 452
 21 F.3d 94, 98 (1st Cir. 2006).

II. Relevant Factual Background²

22
 23
 24 ² The Court notes that Defendant Mansiones de Garden Hills Apartments is described in the Complaint and the Third-
 Party Complaint as “a private residence complex,” “with standing to sue and/or be sued.” (Docket Nos. 1 at 1; 23 at 2).

Civil No. 18-1686 (GAG)

1 On or about September 6, 2017, Martínez-Suárez visited a friend for the first time at her
2 residence in the Mansiones Condominium. (Docket Nos. 62 ¶ 3; 72 ¶ 3). Martínez-Suárez was
3 staying as a guest at her friend’s apartment at the Mansiones Condominium when Hurricane María
4 struck Puerto Rico on September 20, 2017, and she was aware that all of Puerto Rico, including the
5 Mansiones Condominium, was left without electricity. (Docket Nos. 62 ¶ 5; 72 ¶ 5). On September
6 27, 2017, Martínez-Suárez woke up at 5:00 AM. (Docket Nos. 62 ¶ 6; 72 ¶ 6). Due to the ongoing
7 state of emergency in the hurricane’s aftermath, customers had to wait in line for hours at gasoline
8 stations.³ (Docket Nos. 62 ¶ 6; 72 ¶ 6). Plaintiff planned on getting gasoline and decided to walk
9 because the line for the nearest gasoline station began in front of the Mansiones Condominium.
10 (Docket Nos. 62 ¶ 9; 72 ¶ 9). Plaintiff departed to the gasoline station before sunrise. (Docket Nos.
11 62 ¶ 7; 72 ¶ 7). In her deposition testimony, she described the weather conditions; specifically, she
12 stated that the sky was “gray, it’s not light but it also was not dark, gray. It [was] like dusky.”⁴
13 (Docket No. 72-1 at 8). That morning, the Mansiones Condominium did not have any exterior
14 lighting because the building was still without power. (Docket Nos. 62 ¶ 10; 72 ¶ 10). The building’s
15 generator was for limited use. Id.

16 According to Martínez-Suárez’s sworn statement, while going down the stairs, she “lost her
17 rhythm because the last [step] was not the same as the others and that it was shorter. After losing
18

19 In the pending motions before the Court, the parties refer to Mansiones as an urbanization, as a residential complex or
20 as condominium. As discussed later on, the record is devoid of proof regarding the legal nature of Defendant Mansiones,
21 which prevents the Court from resolving legal issues. For purposes of this Opinion, the Court will reference Defendant
22 as “Mansiones” and the building in which the fall occurred as the “Mansiones Condominium.”

23 ³ The Court takes judicial notice, pursuant to FED. R. EVID. 201, that, in weeks following Hurricane María, people had
24 to make long lines to purchase gasoline. See Camilar Domonske, *At A Gas Station With No Gas, Puerto Ricans Settle In
For An Interminable Wait*, NPR (September 26, 2017) available at <https://www.npr.org/sections/thetwo-way/2017/09/26/553632771/at-a-gas-station-with-no-gas-puerto-ricans-settle-in-for-an-interminable-wait>.

⁴ Defendants advanced that it was “dark” outside, yet Plaintiffs denies said fact explaining it was “gray” and “dusty,”
not “dark.” After reviewing the record, the fact is supported by the record and admitted as qualified. See L. CV. R. 56(e)
(D.P.R. 2020). The Court directly cites from Plaintiff’s deposition testimony.

Civil No. 18-1686 (GAG)

1 [her] balance, [she] twisted her ankle and fell.” (Docket No. 72-8). Plaintiff described that she used
2 the handrails when she descended the staircase. (Docket Nos. 62 ¶ 11; 72 ¶ 11). During her
3 deposition, Martínez-Suárez prepared a drawing to explain her fall. (Docket Nos. 62 ¶ 13; 72 ¶ 13).
4 According to the same, she fell from the last step onto the sidewalk, which was adjacent to the
5 building’s exterior, and landed on the sidewalk near the handicap ramp. (Docket Nos. 62 ¶¶ 13-14;
6 72 ¶¶ 13-14). Plaintiff claims having suffered multiple and permanent bodily injuries as a result of
7 her fall. (Docket Nos. 62 ¶ 15; 72 ¶ 15).

8 Rita Hernández is a resident of the Mansiones Condominium and former president of its
9 resident association. (Docket Nos. 62 ¶ 59; 72-3 at 1). She was president of the association in 2012
10 when work was done on the building’s exterior staircases. (Docket Nos. 62 ¶ 60). According to
11 Hernández’s testimony, the only accident reported on the building’s exterior staircases after the
12 completion of the 2012 work was that of Martínez-Suárez on September 27, 2017. (Docket Nos. 62
13 ¶¶ 61-62).

14 Plaintiff objects to the relevancy of the previous proposed facts. (Docket No. 72 at 9).
15 Defendants counter and argue said fact is relevant because the “lack of evidence as to prior accidents
16 is probative of a lack of actual or constructive knowledge” of an alleged dangerous condition.
17 (Docket No. 84 at 11). This is correct. Woods-Leber v. Hyatt Hotels of Puerto Rico, Inc., 951 F.
18 Supp. 1028, 1039 (D.P.R. 1996), aff’d, 124 F.3d 47 (1st Cir. 1997) (“[A]s a general matter, whether
19 or not an incident of the same type as the one causing the injury had occurred before will be
20 significantly probative of that type of event's foreseeability.”). These proposed facts are admitted
21 and deemed as uncontested for purposes of summary judgment. See L. Cv. R. 56(e) (D.P.R. 2020).

A. Design and Construction

22 Architect Rivera-Rodríguez, founder and partner of Nearq Studios, formerly Nelson Rivera
23 Arquitectos, designed the exterior staircase in the Mansiones Condominium in late 2012, which is
24

Civil No. 18-1686 (GAG)

1 now the subject of the present case. (Docket No. 62 ¶ 64; 62-3 at 16). Architect Rivera-Rodríguez
2 has been a licensed architect since 1992 with experience in designing projects of all sizes and has
3 worked with multiple building codes, such as design building construction and technical
4 specifications.⁵ (Docket Nos. 62 ¶¶ 21-23).

5 During his deposition testimony, Architect Rivera-Rodríguez described his role in the
6 design, supervision, and project execution of the Mansiones Condominium exterior staircases.
7 (Docket No. 62-3). Architect Rivera-Rodríguez explained that he designed the work performed in
8 the staircase.⁶ (Docket Nos. 62 ¶ 24; 72 ¶ 24). Using the design plan, he showed the plan's final
9 project and depicted the previously existing staircase with diagonal lines. (Docket Nos. 62 ¶¶ 25-26;
10 72 ¶¶ 25-26). Architect Rivera-Rodríguez further testified that the existing stairs from before the
11 2012 work complied with the local building code that expired in 2000. (Docket Nos. 62 ¶ 27; 72 ¶
12 27). When describing the design plan, he testified that the existing stairs had proportions of six (6)
13 inches on the riser and twelve (12) inches on the step and that the new building code required that
14 the proportions be seven (7) inches on the riser and eleven (11) inches on the step. (Docket Nos. 62
15 ¶ 28; 72 ¶ 28). The material chosen for the staircase project was a prefab concrete step, which
16 included the rider and the step as one single piece to avoid inaccuracies in construction and provide
17 an anti-slip surface. (Docket No. 62 ¶ 30).

18
19
20 ⁵ Plaintiff objects to the relevancy of these proposed facts. (Docket No. 72 at 9). Defendants argue that these facts are
21 relevant and “based on the sworn testimony of Rivera and Plaintiff offered no evidence from the record to refute or
22 contest the matters stated therein as they relate to his education, training and experience.” (Docket No. 84 at 3-4). The
Court agrees with Defendants as to the facts’ relevance. See Burke Rozzetti v. Ford Motor Co., 439 F. Supp. 3d 13, 18-
19 (D.P.R. 2020) (citing Mitchell v. United States, 141 F.3d 8, 9 (1st Cir. 1998)). These proposed facts are admitted and
deemed as uncontested for purposes of summary judgment. See L. Cv. R. 56(e) (D.P.R. 2020).

23 ⁶ Defendants contest the use of the words “resurface” and “remodel” throughout their opposition because, according to
24 their expert witness, the staircase’s structure was “altered” or “changed” which entails more than “remodeling” or
“resurfacing.” The Court is aware of said contested fact and while construing the evidence in the light most favorable to
plaintiff, Anderson, 477 U.S. at 255, neither term shall be used in the opinion’s factual background sections.

Civil No. 18-1686 (GAG)

1 Plaintiff denies the previous proposed fact with a generic paragraph based on her expert's
2 testimony and opinion as to whether the stairs were built according to the applicable building code
3 or standard and Architect Rivera-Rodríguez's design plan. (Docket No. 72 ¶ 30). This generic denial
4 is not supported by record evidence that effectively contests this fact. Thus, the proposed fact stands
5 as proffered. See L. Cv. R. 56(e) (D.P.R. 2020). The Court further notes that Martínez-Suárez's
6 expert agreed that the entire surface of the stairs was covered in a homogenous material as shown in
7 the drawing. (Docket No. 62-7 at 21).

8 Architect Rivera-Rodríguez advanced that the design plan contained the new configuration
9 changes as to the staircase, which complied with the new building code. (Docket Nos. 62 ¶ 29).
10 Plaintiff properly contests the fact that the stairs complied with the applicable building codes based
11 on her proposed expert's testimony. (Docket No. 72 at 4). This issue of fact shall be entertained
12 subsequently.

13 When describing the design plan, Architect Rivera-Rodríguez explained that he prepared the
14 same before September of 2012. (Docket Nos. 62 ¶ 32; 72 ¶ 32). As part of this endeavor, he was
15 provided with the blueprint of the original stairs, which he used to become acquainted with the
16 structure's existing conditions in order to then prepare an "as-built" blueprint corroborating the real
17 dimensions or measurements of the existing steps. (Docket Nos. 62 ¶ 33; 72 ¶ 33). The design plan
18 did not contemplate the demolition of the original steps, but rather entailed the placement of new
19 steps on top of the existing ones. (Docket No. 62 ¶ 34). To accomplish this, Architect Rivera-
20 Rodríguez clarified that the existing steps had to be leveled and that the surface of the top step had
21 to be partly demolished.⁷ Id.

22
23 ⁷ Defendants deny this fact as to whether the "small demolition" had the effect of "altering" the original stairs. This is
24 more of a qualification than a denial because Defendants do not cite evidence record that disputes Architect Rivera-
Rodríguez's deposition testimony. The proposed fact stands as proffered. See L. Cv. R. 56(e) (D.P.R. 2020).

Civil No. 18-1686 (GAG)

1 The staircase project took place from September 1, 2012 through mid-October 2012. (Docket
2 Nos. 62 ¶ 37; 72 ¶ 37). MQ Contractors, who Architect Rivera-Rodríguez neither hired nor gave
3 input as to its hiring, performed the construction work for the project. (Docket Nos. 62 ¶¶ 35-36; 72
4 ¶¶ 35-36). However, as the project's designer, Architect Rivera-Rodríguez would visit the
5 construction site around once or twice a week to ensure that the project was being built according to
6 the blueprint and to solve situations that might not be under consideration in the construction
7 documents. (Docket Nos. 62 ¶ 38; 72 ¶ 38).

8 Upon completion of the project, Architect Rivera-Rodríguez advances that the project
9 complied with the design as depicted in the construction blueprints and the applicable building codes
10 as well as that the riser on the last step adjacent to the sidewalk was seven (7) inches. (Docket Nos.
11 62 ¶ 40). Plaintiff properly contests the fact that the stairs complied with the applicable building
12 codes and the design plan based on her expert's testimony. (Docket No. 72 at 4). Architect Rivera-
13 Rodríguez also explained that the design did not encompass the remodeling of the sidewalk adjacent
14 to the last step riser. (Docket Nos. 62 ¶ 42; 72 ¶ 42).

B. Sidewalk Remodeling

15
16 When the staircase's work was underway, the Municipality was carrying out remodeling
17 work on the sidewalks in front of the Mansiones Condominium and throughout the residential
18 complex. (Docket Nos. 62 ¶ 44; 72 ¶ 44). In 2012, before the Municipality's remodeling work, the
19 sidewalk adjacent to the Mansiones Condominium was raised by a nearby tree and cracked by its
20 roots. (Docket Nos. 62 ¶ 54; 72 ¶ 54). When the Mansiones Condominium staircase project
21 concluded, the Municipality's remodeling work had not reached the condominium because it had
22 started working from the center of the neighborhood and progressed outwards toward the Mansiones
23 Condominium. (Docket Nos. 62 ¶ 44; 72 ¶ 44).

Civil No. 18-1686 (GAG)

1 After the completion of the project in mid-October 2012, according to his deposition
2 testimony, Architect Rivera-Rodríguez did not have any further involvement with the project until
3 the filing of this lawsuit. (Docket Nos. 62 ¶ 53).⁸ The day before his deposition, on February 11,
4 2012, he visited the Mansiones Condominium and observed a completely smooth sidewalk without
5 any cracks, but saw that the last step contiguous to the sidewalk was less than seven (7) inches.
6 (Docket Nos. 62 ¶¶ 46; 54; 72 ¶¶ 46; 54). He observed that all the steps had the same height, except
7 for the last step, which was half of the height that it had been at the time that the project was
8 completed. (Docket Nos. 62 ¶ 47; 72 ¶ 47). Based on his thirty-four (34) years of experience,
9 Architect Rivera-Rodríguez stated that the concrete of the sidewalk was attached to the step, which
10 indicated that the sidewalk was built after the step. (Docket Nos. 62 ¶ 48; 72 ¶ 48). He also explained
11 that although he was not present during its construction, the sidewalk was either raised or built on
12 top of the existing sidewalk. (Docket Nos. 62 ¶ 52; 72 ¶ 52).

13 Architect Rivera-Rodríguez testified that he was never consulted by the Mansiones
14 Condominium, the Municipality, or any private contractor regarding the remodeling of the sidewalk.
15 (Docket Nos. 62 ¶ 53). He understood that his design of the staircase was not going to be impacted
16 by the Municipality's remodeling because he had observed the work done on the other streets, which
17 entailed demolishing the existing sidewalks to put new ones.⁹ (Docket Nos. 62 ¶ 51). Moreover, as
18
19
20

21 ⁸ Plaintiff denies this fact arguing that Architect Rivera-Rodríguez knew the architect in charge of the remodeling and
22 that the remodeling was going to occur. (Docket No. 72 ¶ 53). Notwithstanding, this assertion does not dispute the
proposed fact and, as such, it is deemed as uncontested. See L. CV. R. 56(e) (D.P.R. 2020).

23 ⁹ Plaintiff denies this fact advancing that Architect Rivera-Rodríguez testified as to what could have possibly led to the
24 last step's riser reduction. (Docket No. 72 at 7-8). Nonetheless, this assertion does not dispute the proposed fact and, as
such, it is deemed as uncontested. See L. CV. R. 56(e) (D.P.R. 2020).

Civil No. 18-1686 (GAG)

1 the designer, he believed that he did not have the right to prevent the Municipality from doing work
2 on the sidewalks since they were under its custody.¹⁰ (Docket Nos. 62 ¶ 55).

3 Finally, also during his deposition, Architect Rivera-Rodríguez indicated that cast stone
4 material used for the staircase could be cut and that if the cement were to be drilled, then the
5 remaining three and a half (3 1/2) inches of cast stone would be seen. (Docket Nos. 62 ¶ 50; 72 ¶
6 50). Following his deposition, on March 23, 2021, he conducted a site inspection alongside
7 Plaintiff's counsel and Defendants' expert witness. (Docket Nos. 62 ¶ 56; 72 ¶ 56). Personnel from
8 the Condominium drilled part of the sidewalk adjacent to the last step designed by Architect Rivera-
9 Rodríguez. This was visually confirmed via measurement that the cement from the remodeled
10 sidewalk covered approximately three and one-half inches of the cast stone step. (Docket Nos. 62 ¶
11 57; 72 ¶ 57). Photographs of the drilling and measurements are part of the record. (Docket No. 62-
12 5).

III. Standard of Review

14 It is well-settled that summary judgment is appropriate when “the pleadings, depositions,
15 answers to interrogatories, and admissions on file, together with the affidavits, if any, show that
16 there is no genuine issue as to any material fact and that the moving party is entitled to a judgment
17 as a matter of law.” Celotex Corp. v. Catrett, 477 U.S. 317, 322 (1986). See FED. R. CIV. P. 56(a). A
18 “genuine” issue is one that could be resolved in favor of either party, and a “material” fact is one
19 that has the potential of affecting the outcome of the case. See Anderson v. Liberty Lobby, Inc., 477
20 U.S. 242, 248-50 (1986); see also Cherkaoui v. City of Quincy, 877 F.3d 14, 23 (1st Cir. 2017). The
21 moving party bears the initial burden of demonstrating the lack of evidence to support the
22

23 ¹⁰ Plaintiff denies this fact averring that, according to her expert's deposition testimony, “sidewalk was built inside the
24 premises of the property.” (Docket No. 72 at 8). The proposed fact is undisputed and deemed as uncontested. See L. CV.
R. 56(e) (D.P.R. 2020).

Civil No. 18-1686 (GAG)

1 nonmoving party’s case. Celotex, 477 U.S. at 325. The movant party also “must aver an absence of
2 evidence to support the nonmoving party’s case.” Maldonado-Denis v. Castillo-Rodríguez, 23 F.3d
3 576, 581 (1st Cir. 1994). If not, then the burden “shifts to the nonmovant to establish the existence
4 of at least one fact issue which is both genuine and material.” Maldonado-Denis, 23 F.3d at 581.
5 The non-movant party may establish that a fact is genuinely in dispute by citing evidence in the
6 record or showing that either the materials cited by the movant “do not establish the absence or
7 presence of a genuine dispute, or that an adverse party cannot produce admissible evidence to
8 support the fact.” FED. R. CIV. P. 56(c)(1)(B). If the Court finds that some genuine factual issue
9 remains, the resolution of which could affect the outcome of the case, then the Court must deny
10 summary judgment. See Anderson, 477 U.S. at 248.

11 When considering a motion for summary judgment, the Court must view the evidence in the
12 light most favorable to the non-moving party and give that party the benefit of all justifiable and
13 reasonable inferences. Id. at 255. See also McGrath v. Tavares, 757 F.3d 20, 25 (1st Cir. 2014)
14 (citing Alicea v. Machete Music, 744 F.3d 773, 778 (1st Cir. 2014)). At this stage, the Court does
15 not make credibility determinations or weigh the evidence. Anderson, 477 U.S. at 255. Moreover,
16 summary judgment may be inappropriate if the parties “merely rest upon conclusory allegations,
17 improbable inferences, and unsupported speculation.” Rossy v. Roche Prod., Inc., 880 F.2d 621, 624
18 (1st Cir. 1989).

IV. Legal Analysis and Discussion

19 As a threshold matter, the Court finds it necessary to clarify and untangle Plaintiff’s legal
20 theory. On its face, the Court reads plaintiff’s claims as premise liability under both negligent design
21 and negligent maintenance modalities. (Docket No. 1).
22

23 According to the Complaint, Plaintiff’s liability theory encompasses that the “stairs were
24 negligently designed and unsafe from their very conception. The uneven step height caused plaintiff

Civil No. 18-1686 (GAG)

1 to fall.” (Docket No. 1 at 3). This is boilerplate language used by the First Circuit in Vázquez-
2 Filippetti to define a “negligent design” claim. Mansiones relied only on this specific language to
3 file its Third-Party Complaint against Nearq Studios and MQ Contractors to have them respond for
4 damages if liability is found against them. (Docket No. 24). Accordingly, Nearq Studio, as third-
5 party defendant, can *only* be held liable under the form of negligent design in Plaintiff’s premise
6 liability claim.

7 Martínez Suárez also alleges in the Complaint that Mansiones “did not exercise a reasonable
8 degree of care and caution for the safety of its visitors so as to avoid its visitors, including plaintiff,
9 from suffering injuries or damages” and that “the stairs were negligently designed and created a
10 dangerous environment and unsafe condition.” (Docket No. 1 at 3). Plaintiff’s additional theory of
11 liability is that if “effective signs of the danger that alerted visitors . . . of the dangerous condition”
12 were placed, then her fall could have been avoided. Id. The language of this allegation mirrors the
13 language that has been used by the Puerto Rico Supreme Court to explain a negligent maintenance
14 or failure to warn premise liability claim.

15 Martínez-Suárez appears to combine the legal standards of the two modalities. In the
16 Complaint, it seems as if she made one claim *contingent* upon the other. In other words, only if
17 Plaintiff is able to establish that Defendants were negligent in the stairs’ design can Mansiones be
18 held liable for failing to warn residents and visitors of this alleged dangerous condition—the
19 negligent design. This misconstruction of liability theory can be further attested in the parties’
20 dispositive motions currently before the Court. On the one hand, Defendants’ joint motion for
21 summary judgment relies on negligent maintenance jurisprudence, yet they add and discuss
22 negligent design caselaw in their summary judgment reply. (Docket Nos. 61 at 11-12; 83 at 5-6). On
23
24

Civil No. 18-1686 (GAG)

1 the other hand, Plaintiff's opposition to summary judgment is solely based on negligent maintenance
2 jurisprudence. (Docket No. 74 at 7-9). The Court reminds the parties that:

3 "It is not enough merely to mention a possible argument in the most skeletal way,
4 *leaving the court to do counsel's work*, create the ossature for the argument, and put
5 flesh on its bones. . . . Judges are not expected to be *mindreaders*. Consequently, a
litigant has an obligation to spell out its arguments squarely and distinctly, or else
forever hold its peace.

6 United States v. Zannino, 895 F.2d 1, 17 (1st Cir. 1990) (citations and internal quotation marks
7 omitted). Notwithstanding, while viewing the case in the light most favorable to the non-moving
8 party and given her the benefit of all reasonable inferences, the Court considers both premise liability
9 modalities separately while bearing in mind Plaintiff's "combined" liability theory.

10 A. Puerto Rico's General Tort Statute: Guiding Principles

11 In this diversity case, Puerto Rico substantive law applies. See Rodríguez-Tirado v. Speedy
12 Bail Bonds, 891 F.3d 38, 41 (1st Cir. 2018); Montalvo v. González-Amparo, 587 F.3d 43, 46 (1st
13 Cir. 2009). Article 1802 of the Puerto Rico Civil Code imposes tort liability on "[a] person who by
14 an act or omission causes damage to another through fault or negligence." P.R. LAWS ANN. tit. 31,
15 § 5141. To establish liability for negligence, Martínez-Suárez must demonstrate that Mansiones and
16 Nearq Studios owed her a duty, that they breached said duty (i.e., defendants were negligent), that
17 she suffered damages, and that those damages were caused by the breach of duty (i.e.,
18 causation). Nieves-Romero v. United States, 715 F.3d 375, 378-79 (1st Cir. 2013) (citing Soc.
19 Gananciales c/p Hernández-López v. González Padín Co., Inc., 17 P.R. Offic. Trans. 111, 125, 117
20 P.R. Dec. 94 (P.R. 1986)).

21 Defendants' duty "is defined by the general rule that one must act as would a prudent and
22 reasonable person under the circumstances." Id. (citing Ortiz v. Levitt & Sons of P.R., Inc., 1 P.R.
23 Offic. Trans. 407, P.R. Dec. 290 (P.R. 1973)). "Foreseeability is a component of the breach
24

Civil No. 18-1686 (GAG)

1 [element] because a defendant only breaches [its] duty if [it] acted (or failed to act) in a way that a
2 reasonably prudent person would foresee as creating undue risk.” Id. (internal quotation marks
3 omitted). Hence, Martínez-Suárez must show the foreseeable risks created by the Defendants’ acts
4 or omissions to satisfy her burden as to this element. Id. After Plaintiff has demonstrated a breach
5 of duty, she must next establish that the Mansiones’ and Nearq Studios’ negligence “actually caused
6 her injuries and the defendant[s] could have reasonably foreseen that the injuries would result from
7 his acts or omissions.” Márquez v. Casa de España de Puerto Rico, 59 F. Supp. 3d 409, 414 (D.P.R.
8 2014); see also Jiménez v. Pelegrina, 12 P.R. Offic. Trans. 881, 885, 112 P.R. Dec. 700 (P.R. 1982).

9 “[I]n a negligence action, foreseeability provides the linchpin both for determining the duty
10 of an actor and for determining [its] liability for the breach of that duty.” González Cabán v. JR
11 Seafood, 2019 WL 1399315, at *4 (D.P.R. Mar. 25, 2019) (quoting Malavé-Félix v. Volvo Car
12 Corp., 946 F.2d 967, 971-72 (1st Cir. 1991)). “A person can act negligently (i.e. fail to act reasonably
13 to prevent foreseeable harm) and yet escape liability if his negligent act fortuitously does not cause
14 injury to another.” Id. Moreover, “[t]he norm of foreseeability is that the risk that must be foreseen
15 must be based on probabilities and not on mere possibilities.” Id. at *5 (citations and internal
16 quotation marks omitted). See also Jiménez, 12 P.R. Offic. Trans. at 885.

17 “As is true in most jurisdictions, foreseeability is a central issue in these cases, as it is an
18 element of both breach of duty and proximate cause.” Vázquez-
19 Filipetti v. Banco Popular de Puerto Rico, 504 F.3d 43, 49 (1st Cir. 2007); see also Jiménez, 12
20 P.R. Offic. Trans. at 888. For purposes of Article 1802, there is a causal relationship between an
21 omission and an injury when the injury was reasonably foreseeable and could have been avoided
22 had the defendant performed the omitted act. Woods-Leber, 951 F. Supp. at 1036; see also
23 Gananciales c/p Hernández-López, 17 P.R. Offic. Trans. at 128.

Civil No. 18-1686 (GAG)1 B. Premises Liability

2 Puerto Rico law recognizes two distinct types of breaches in premises liability cases:
3 negligent design and negligent maintenance. Cedeño Nieves v. Aerostar Airport Holdings LLC, 251
4 F. Supp. 3d 360, 367 (D.P.R. 2017); see also Cotto v. Consol. Mut. Ins. Co., 16 P.R. Offic. Trans.
5 786, 793, 116 P.R. Dec. 644 (P.R. 1985). In a negligent design case, a breach of the duty “arises
6 from defendant[s’] failure to create a safe environment in the first instance. In Cedeño Nieves, the
7 Court explained that “defendant[s’] property had flaws such as excessively steep stairs or a balcony
8 with no guardrail.” Id. The alleged danger in a negligent design case rather than arising from a lack
9 of upkeep—arises from the *intended* design.” Id. (emphasis added). In a negligent maintenance case,
10 by contrast, “breach of the duty of care arises from defendant[s’] lack of upkeep on the premises.
11 For instance, defendant failed to mop up a spill or replace burned-out lightbulbs.” Id.

12 In the seminal case of Vázquez-Filippetti, the United States Court of Appeals for the First
13 Circuit explained that “[n]egligent design cases involve a claim that the property was unsafe from
14 its *very conception*: the risks to patrons stem from the layout of or the nature of improvements on
15 the property.” Vázquez-Filippetti, 504 F.3d at 50. (emphasis added). The First Circuit held that:

16 In such cases, the property encountered by the plaintiff existed in the state intended
17 by its owner; *it was not in disrepair or altered by some external force or action.*
18 Therefore, the alleged defect, or negligence, is *inherent* in the property’s design, and
19 the jury must evaluate the defendant[s’] actions with some understanding of what
20 would, or would not, constitute a reasonably safe design. In most design cases, a
21 plaintiff will only meet her burden of proof if she presents evidence as to the
22 applicable standard of care, because the jury must be sufficiently familiar with that
23 standard to evaluate whether the defendant[s’] design complied with it.

24 Id. at 50-51 (emphasis added); see also Aponte Bermúdez v. Berrios, Civil No. 15-1034 (CVR),
2018 WL 10435084 (D.P.R. Mar. 15, 2018), aff’d sub nom. Aponte-Bermúdez v. Colón, 944 F.3d
963 (1st Cir. 2019), cert. denied, 141 S. Ct. 360 (2020) (summarizing legal standard for evaluating
premise liability cases based on negligent design).

Civil No. 18-1686 (GAG)

1 On the other hand, the First Circuit explained that under Puerto Rico law, a negligent
2 maintenance case is one based on “allegedly dangerous conditions on commercial
3 property . . . [which] require a showing that the defendant knew of or should have foreseen the risks
4 created by the condition.” Vázquez-Filippetti, 504 F.3d 43 at 50. In these cases, “the general rule is
5 that although a business owner is not the absolute insurer of the safety of its patrons, the business
6 owner has a duty to keep said establishment in a safe condition so that the clients do not suffer harm
7 or damage.” Torres v. KMart Corp., 233 F. Supp. 2d 273, 278 (D.P.R. 2002) (citing Cotto, 16 P.R.
8 Offic. Trans. at 786). Notwithstanding, “liability is only imposed in situations that involve risky
9 conditions inside the business premises that the owner knew or should have known existed.” Id.

10 *i. Negligent Design: Standard of Care*

11 At the summary judgment stage, the moving parties, Mansiones and Nearq Studios, bear the
12 initial burden of demonstrating lack of evidence to support the nonmoving party’s case, Celotex,
13 477 U.S. at 325. Once the moving parties have accomplished this feat, the burden shifts to the
14 nonmoving party, who must, with respect to each issue on which she would bear the burden of proof
15 at trial, demonstrate that a trier of fact could reasonably resolve that issue in her favor. DeNovellis
16 v. Shalala, 124 F.3d 298, 306 (1st Cir. 1997).

17 In a design defect case, “where the design is beyond the common experience or knowledge
18 of an average lay person, the *plaintiff must present evidence*, usually through an *expert witness*, as
19 to the relevant standard of care for the design and the way(s) in which the defendant[s]’ design fell
20 below that standard.” Vázquez-Filippetti, 504 F.3d at 54 (emphasis added). This is premised on the
21 fact that the jury “must be sufficiently familiar with that standard” to evaluate if the defendants’
22 design complied with it. Id. at 51.

23 The Court now turns to the duty of care and the parties’ respective proposed expert witnesses.
24

Civil No. 18-1686 (GAG)*a. Engineer Otto R. González-Blanco*

1
2 Otto R. González-Blanco is a licensed engineer, who describes himself as a “structural-
3 hydraulic-traffic accident reconstructionist forensic expert.” (Docket Nos. 72-6). He was designated
4 as an expert by Plaintiff, rendered his report on March 12, 2019, and was deposed on January 12,
5 2021. (Docket Nos. 62-7; 72-6).

6 According to Engineer González-Blanco’s report, he visited the accident site on January 17,
7 2019 at 8:30 a.m. accompanied by Plaintiff’s attorneys. (Docket No. 72-6 at 1). He made a second
8 visit on March 11, 2019 to verify additional building code requirements. Id. Aside from measuring
9 each of the staircase’s step, riser, and runs, Engineer González-Blanco reviewed the “as-built data”
10 and drawing designs by Nearq Studio. Id. The report indicates that the condominium’s construction
11 drawings were not available for revision. Id. The report includes a table that details the
12 measurements of steps, runs, and risers and are numbered from the sidewalk up to the walkway
13 landing. Id. Referencing this table, Engineer González-Blanco explains that:

14 The first run exceeds the run length as per building code regulations for various years.
15 The fall occurred on this last run-to-sidewalk. Although the riser complies with the
16 minimum measurements, stairs should have equal risers and runs. Codes establish[]
17 that the stair treads shall be of uniform size and shape, except the largest tread run
within any flight of stairs shall not exceed the smallest by more than 3/8”. Also, the
greatest riser height within any flight of stair shall not exceed the smallest by more
than 3/8”.

18 (Docket No. 72-6 at 1). To make the previous assessment, Engineer González-Blanco claims having
19 revised six (6) different building codes: (1) “Building Regulation, Planning Regulation no. 7,
20 amended 1968, Table III – D – 2.2; page 94-95. Prior Construction”; (2) “UBC-85, section 3306.c;
21 page 563”; (3) UBC-97, section 1003.3.; page 1-109”; (4) “International Existing Building Code –
22 2003”; (5) “Codes of federal Regulations 28 CFR Part 36, Revised as of July of July 1, 1994. ADA
23 Standards for Accessible Design; section 4.9.2”, and (6) “American National Standard, Accessible
24

Civil No. 18-1686 (GAG)

1 and Usable Buildings and Facilities, International Code Council, 1995. Section 504.” (Docket Nos.
2 72-6 at 2). Out of these six codes, the expert report only contains direct, *ad verbatim*, citations from
3 (5) “ADA Standards for Accessible Design: section 4.9.2” and (6) “American National Standard,
4 Accessible and Usable Buildings and Facilities, International Code Council, 1995. Section 504.”
5 (Docket Nos. 72-6 at 2). Both these direct references explain the uniformity requirement that in a
6 flight of stairs all steps shall have “uniform riser heights and uniform tread widths.” Id.

7 Engineer González-Blanco included in his expert report a section on his findings where he
8 concludes that: (1) the measurements do not comply with Code Standard, treads width have different
9 measures, and the accident occurred in the last tread which exceeds 11” inches by 9 3/4” inches and
10 the last riser is smaller than all other risers by 2 7/8” to the left and 2 7/8 ” to the right; (2) the
11 minimum riser versus greatest riser exceeds the 3/8” code tolerance; (3) the railings were not
12 properly constructed as designed; (4) design measurements of risers and treads do not comply with
13 code standards; (5) the stairs were not constructed according to the measurements indicated by
14 designers, and; (6) the drawings are not certified by neither the Municipality’s permit office nor a
15 licensed architect. (Docket Nos. 72-6 at 4).

16 During his deposition,¹¹ Engineer González-Blanco opined that the stairs were not
17 “remodeled,” but rather “changed” because the elements of the stairs were “altered” since the
18 original staircase had nine steps but the one designed by Architect Rivera-Rodríguez had one less
19 step. (Docket No. 62-7 at 10). He explained that the stairs’ measurements do not coincide with the
20 drawing because “the steps [were] slanted inward and . . . built on a vertical riser” in the drawing.
21 (Docket No. 62-7 at 45). Furthermore, he proffered that in the drawing, the steps “ha[d] a
22

23 ¹¹ These excerpts of Engineer González-Blanco’s deposition testimony were included as part of Plaintiff’s statement of
24 additional facts, (Docket No. 73), and were also discussed in her response to Defendants’ statement of facts. (Docket
No. 72 at 4).

Civil No. 18-1686 (GAG)

1 protuberance that goes to the limit of the boundaries of the building[,] [b]ut the steps were built to
2 the limits of the wall of the building that is inside of the boundary wall.” *Id.* Engineer González-
3 Blanco further opined that “the stairs could cause a fall because [they] do[] not comply with the last
4 step [which] can be corrected,” and the stairs “continue[d] to be a condition that can provoke a
5 problem for the public.” (Docket No. 62-7 at 75).

6 Defendants contest Engineer González-Blanco’s expert opinion by relying on Architect
7 Rivera-Rodríguez’s deposition testimony. (Docket No. 85 at 2, 3, 10). Defendants draw attention to
8 other aspects of Engineer González-Blanco’s testimony, such as the fact that he agreed with the
9 proposition that the riser of the steps was designed to be seven (7) inches in height and that the entire
10 surface of the stairs was covered in a homogenous material as shown in the drawing. (Docket Nos.
11 62 ¶ 64; 72 ¶ 64). Engineer González-Blanco also testified that he had no knowledge of the
12 staircase’s condition or the adjacent sidewalk in 2012. (Docket No. 62 ¶ 66).¹² When asked whether
13 he had reviewed the design plans prepared by Architect Rivera-Rodríguez and if the design plans
14 were defective, Engineer González-Blanco answered: “*No, the design [was] not defective. It does*
15 *not have any defects.*” (Docket No. 62-7 at 43) (emphasis added).

16 *b. Architect Jorge R. Calderón-López*¹³

17 Jorge R. Calderón-López is a licensed architect in Puerto Rico with over 18 years of
18 experience and provides “construction & consulting forensic services.” (Docket No. 72-7). He was
19 retained by Nearq Studios “to evaluate NEARQ’s riser design of the West stair -in the Mansiones
20 Condominium] to determine[] whether said design was defective and/or presented an unsafe
21

22 ¹² Plaintiff denies this fact advancing that Engineer González-Blanco testified that the original stairs complied with the
code.” (Docket No. 72 at 9-10). Notwithstanding, this assertion does not dispute the proposed fact and, as such, it is
deemed as uncontested. See L. Cv. R. 56(e) (D.P.R. 2020).

23 ¹³ The Court notes that Defendants did not submit and barely relied on their own expert’s report and testimony. However,
24 given Plaintiff submitted it for the record, the Court will consider it for purposes of this Opinion.

Civil No. 18-1686 (GAG)

1 condition according to the applicable code.” Id. at 5. The report is dated September 27, 2019 and
2 discloses having reviewed and analyzed in preparing his report the following to prepare his report:
3 (1) the Complaint, third party complaint, and answers in the above-captioned case; (2) stair plans
4 made by Nearq Studio; (3) the site visit; (4) plaintiff’s expert report; (5) photographs of where the
5 accident occurred; (6) MQ Contractors Construction quote, and (7) the International Building Code.
6 Id. at 2-3.

7 Before presenting his analysis, Architect Calderón-López explains that “every local architect
8 and engineer must design in accordance with [the design codes]” and that the Uniform Building
9 Code (“UBC”) “was the standard to follow in the design and construction of structures in Puerto
10 Rico until the International Building Code (“IBC”) became effective locally in March 2011.” Id. at
11 5. Subsequently, he lists his findings: (1) the area of the staircase was composed of concrete and
12 monolithic cast-stone steps; (2) while walking along the edge of the sidewalk and stairs, the general
13 areas are noticeably in good condition, specifically that none of the cast-stone steps were broken and
14 both handrails were securely fastened to the side walls; (3) that Nearq Studios’ design of the stairs,
15 which had specified steps from a monolithic cast-stone non-slippery surface and equal
16 measurements, was implemented in the constructions except for the first step; (4) the first step, when
17 coming up, was not built by MQ Contractors according to the design plans inasmuch as its height
18 was less than 7”; (5) the stairs bottom riser abuts or joins a sloping sidewalk, which affects the height
19 of the first riser in its entire width in at least 1/2” difference; and (6) due to the difference in surfaces
20 between the cast-stone and the sidewalk it is distinctive where the stairs ends and begins. (Docket
21 No. 72-7 at 6-7).

22 In his report, Architect Calderón-López concludes that after reviewing Nearq Studios’
23 design, “it was clear that the riser height was correctly designed and according to code.” Id. at 7.

Civil No. 18-1686 (GAG)

1 Then, he directly cites *ad verbatim* the following applicable IBC sections: (1) Section 1011.5.2
2 “Riser Height and Tread Depth”; (2) Section 1011.5.4 Dimensional Uniformity (including the sub-
3 section with Exceptions), and (3) Section 1011.5.4.1 Nonuniform Height Risers. Notably, Architect
4 Calderón-López highlighted that the 3/8” dimensional uniformity requirement had an exception for
5 nonuniform riser dimensions. *Id.* at 7-8. The exception found in Section 1011.5.4.1 of the IBC states
6 that “where the bottom or top riser adjoins a sloping public way, walkway or driveway having an
7 established grade and serving as a landing, the bottom or top riser is permitted to be reduced along
8 the slope to less than 4 inches (102 mm) in height[.]” *Id.* at 8. In light of this exception, Architect
9 Calderón-López concluded that the same applied to the staircase designed by Nearq Studios because
10 the bottom riser’s measurement of less than 7” is “an established fact found by Plaintiff’s expert and
11 [himself].” *Id.* at 9. The Section 1011.5.4.1 exception also requires a “distinctive marking strip” with
12 “slip-resistant surface,” which are also “easily noticeable” in the Mansiones Condominium stairs
13 because “of the difference in surface between the cast-stone steps and the concrete sidewalk.” *Id.*
14 When rendering his final opinion, Architect Calderón-López concluded as follows:

15 [It] is my opinion that the nonuniform height between the bottom riser, were the
16 plaintiff allegedly feel, and the other stair risers does not constitute a design defect.
17 Furthermore, the nonuniform height between the risers is a common condition
18 acknowledge by the International Building Code as an exception to the standard
19 uniformity in riser height. Finally, the distinctive surface between cast-stone and
20 concrete serves a marking to alert users of the nonuniform landing slope.

21 (Docket No. 72-7 at 9).

22 *ii. Rule 702: Expert Testimony*

23 Federal Rule of Evidence 702 governs the admission of expert testimony. Rule 702
24 requires the expert testimony to be (1) “based on sufficient facts or data” and (2) “the product of
reliable principles and methods” as well as (3) that the witness apply “the principles and methods
reliably” to the particular facts of the case. FED R. EVID. 702.

Civil No. 18-1686 (GAG)

1 When assessing Rule 702, “[t]he judge, as a gatekeeper, must ensure an expert’s testimony
2 is *relevant, sufficient* and is based on a *reliable* foundation.” Daubert v. Merrell Dow Pharm., Inc.,
3 509 U.S. 579, 597 (1993); U.S. v. Mooney, 315 F.3d 54, 62 (1st Cir. 2002). It is the Court’s duty to
4 ensure the Daubert standard is met before allowing any expert testimony.” Rivera v. Centro Médico
5 Del Turabo, Inc., Civil No. 15-1538 (GAG), 2017 WL 4122607, at *7 (D.P.R. Sept. 18, 2017).
6 “[T]here is no particular procedure that the trial court is required to follow in executing its
7 gatekeeping function under Daubert.” United States v. Díaz, 300 F.3d 66, 73 (1st Cir. 2002).
8 However, the gatekeeper function must be performed. See Kumho Tire Co. v. Carmichael, 526 U.S.
9 137, 158-59 (1999) (Scalia, J., concurring). The First Circuit has held that a trial court “need not
10 make explicit findings on the admissibility criteria *sua sponte*.” Smith v. Jenkins, 732 F.3d 51, 64
11 (1st Cir. 2013) (quoting Hoult v. Hoult, 57 F.3d 1, 5 (1st Cir. 1995)). However, the trial court must
12 at least “carefully and meticulously” discuss the record when reviewing the proffered evidence. Id.
13 (citing Goebel v. Denver & Río Grande W. R.R. Co., 215 F.3d 1083, 1088 (10th Cir. 2000)).

14 The Court notes that no party in this case is requesting that the expert reports be stricken
15 from the record. However, as gatekeeper, the Court must ensure that the experts’ opinions comply
16 with Rule 702 and the Daubert standard before permitting its admission.

17 The Court turns to the congruity of the data used by the proposed experts. The requisite
18 review for reliability includes “consideration of several factors: the verifiability of the expert’s
19 theory or technique, the error rate inherent therein, whether the theory or technique has been
20 published and/or subjected to peer review, and its level of acceptance within the scientific
21 community.” Ruiz-Troche v. Pepsi Cola of Puerto Rico Bottling Co., 161 F.3d 77, 80-81 (1st Cir.
22 1998) (citations omitted). In addition, the proposed expert must be “relevant not only in the sense
23 that all evidence must be relevant, but also in the incremental sense that the expert’s proposed
24

Civil No. 18-1686 (GAG)

1 opinion, if admitted, *likely would assist the trier of fact to understand or determine a fact in issue*[.]”
2 Id. at 81 (citations omitted) (emphasis added). Although Daubert and its progeny require “trial
3 judges to evaluate the level of support provided by complex scientific studies and experiments in
4 myriad disciplines, reliability and relevance *remain* legal judgments.” Id. (emphasis added).

5 In the end, “[f]ailure to provide a testimony or a report detailing the *basis* for the expert’s
6 opinion in a *comprehensive scientific manner* can cause the expert witness and his report to be
7 eliminated from trial.” Clemente-Vizcarrondo v. United States, Civil No. 17-1144 (RAM), 2020 WL
8 748840, at *2 (D.P.R. Feb. 14, 2020) (citing Arenas & Romey, Professional Judgment Standard and
9 Losing Games for Psychology, Experts and the Courts, 68 REV. JUR. UPR 159, 180 (1999))
10 (emphasis added).

11 Regarding the applicable duty of care, Plaintiff’s evidentiary submissions and legal
12 arguments are, to say the least, “defective.” Engineer González-Blanco’s expert report lacks the
13 basic information concerning his expert renderings, such as: what building or standard codes he
14 relied on as the ones applicable to the design and/or construction of the stairs at the Mansiones
15 Condominium. (Docket No. 72-6). According to Engineer González-Blanco’s report, he revised six
16 (6) different standards or building codes in making his assessment. Id. at 2. However, he never
17 *explicitly* states what code or codes were applicable or current during the period in which the stairs
18 were design and then constructed.

19 Inevitably, this leaves the Court, as gatekeeper, to ponder: Were all of the cited codes current
20 at the time of accident? Why did he choose these six codes or standards? Were there codes left out?
21 How did he determine which ones apply? What was his methodology? Simply put, Engineer
22 González-Blanco’s report creates more questions than it answers.

Civil No. 18-1686 (GAG)

1 Of the six (6) codes mentioned in the report, Engineer González-Blanco only cites two (2)
2 of them when describing the uniformity requirement “uniform riser heights and uniform tread
3 widths” for any flight of stairs. The findings, lack any reference or correlation to which specific
4 codes’ section, if any, were used in his assessment which then led him to conclude that the
5 Mansiones Condominium’s stairs failed to comply with Architect Rivera-Rodríguez’s design plan or
6 blueprints. Engineer González-Blanco merely states that “[m]easurements do not comply with Code
7 Standards,” “[d]esign measurements of risers and treads do not comply Code Standards” or
8 “[d]rawings are not certified by the Municipality of Guaynabo Permit Office, nor licensed
9 Architect.” (Docket No. 72-6). With this information lacking, the Court cannot properly determine
10 whether the expert’s conclusion was made “in a scientifically sound and methodologically reliable
11 fashion.” Ruiz-Troche, 161 F.3d 77, 85 (1st Cir. 1998); Milward v. Acuity Specialty Products
12 Group, Inc., 639 F.3d 11, 15 (1st Cir. 2011).

13 Furthermore, in her opposition to summary judgment, Martínez-Suárez also fails to include
14 in her arguments, or cite to, any standard or building code applicable to the stairs’ design and/or
15 construction. In fact, she does not rely on any of the six (6) codes referenced in Engineer González-
16 Blanco’s report and how the Defendants’ design fell below the standard.

17 If the Court cannot distinctly identify the relevant standard of care owed from Plaintiff’s
18 proposed expert opinion, a jury will not be able to do so either. Thus, it would likely *not* assist the
19 trier of fact to understand or determine a fact in issue See Vázquez-Filippetti, 504 F.3d at 54. Expert
20 testimony is necessary in this action “because the design of buildings often involves experience or
21 knowledge that the average lay person does not possess.” Claybaugh v. Condado Plaza Hotel and
22
23
24

Civil No. 18-1686 (GAG)

1 Casino, Civil No. 08-1667 (MEL), 2010 WL 2998853, at *5 (D.P.R. July 26, 2010) (citing Vázquez-
2 Filippetti, 504 F.3d at 50-53)).¹⁴

3 Notwithstanding the above-mentioned deficiencies of Plaintiff’s expert report, the Court is
4 mindful that it should not exclude the same “without affording the proponent of the evidence
5 adequate opportunity to defend its admissibility.” See Cortés-Irizarry v. Corporación Insular de
6 Seguros, 111 F.3d 184, 188 (1st Cir. 1997). Without ruling on its admissibility *sua sponte*, Hoult, 57
7 F.3d at 5, the Court holds that Engineer González-Blanco’s expert report lacks supporting probative
8 evidence, i.e. the applicable building code, “tied to the facts of the case in a way that aids the jury in
9 carrying out its fact-finding functions.” Rivera, 2017 WL 4122607, at *3; Daubert, 509 U.S. at
10 591 (expert testimony which does not “fit” the facts of the case is “not helpful”); see also
11 Anderson, 477 U.S. at 252 (explaining that plaintiff must provide “evidence sufficient for ‘a fair-
12 minded jury [to] return a verdict’ in [its] favor”).

13 Now, giving Plaintiff the benefit of all reasonable inferences, as required at the summary
14 judgement stage, Beddall v. State St. Bank & Trust Co., 137 F.3d 12, 16 (1st Cir. 1998), the Court
15 examines the record to determine the relevant standard applicable here.

16 In Aponte-Bermúdez, the Court entered judgment as a matter of law after trial because “[n]o
17 building code, law or regulation applicable to the location and construction . . . at issue, in place at
18 the moment of the accident, was presented by the expert witnesses.” Aponte Bermúdez, 2018 WL
19 10435084, at *3. It reasoned that “the jury [would be] unable to evaluate the [property] and compare
20
21

22 ¹⁴ In Aponte-Bermúdez, the First Circuit reiterated that “[w]hat is ‘ordinarily’” true is not invariably true: some
23 negligence in design may be blatant enough not to require expert testimony just as an ordinary negligence case might
24 occasionally call for more than lay testimony.” Aponte-Bermúdez, 944 F.3d at 964. However, as in that case, no such
exception is claimed nor applies in this case because both parties relied on expert testimony to support their legal
arguments. Id.

Civil No. 18-1686 (GAG)

1 it with what would, or would not, constitute a reasonably safe design.” *Id.* Although Martínez-Suárez
2 fails to identify the applicable standard of care, Defendants *effectively* did this job for her.

3 Architect Calderón-López, issued a report distinctively focused on the uniformity and non-
4 uniformity requirements for stairs set by IBC. (Docket No. 72-7). The report identified and explained
5 the applicable code at the relevant time. *Daubert*, 509 U.S. at 597. As a result, the Court, based on
6 the sections from the IBC identified by Defendants’ expert, shall entertain the remaining elements
7 of Plaintiff’s negligent design claim. The relevant sections are:

8 1011.5.2 Riser Height and Tread Depth

9 Stair riser heights shall be 7 inches (178 mm) maximum and 4 inches (102
10 mm) minimum. The riser height shall be measured vertically between the nosings of
11 adjacent treads. Rectangular tread depths shall be 11 inches (279 mm) minimum
12 measured horizontally between the vertical planes of the foremost projection of
13 adjacent treads and at a right angle to the tread’s nosing. Winder treads shall have a
14 minimum tread depth of 11 inches (279 mm) between the vertical planes of the
15 foremost projection of adjacent treads at the intersections with the walkline and a
16 minimum tread depth of 10 inches (254 mm) within the clear width of the stair.

13 1011.5.4 Dimensional Uniformity

14 Stair treads and risers shall be of uniform size and shape. The tolerance
15 between the largest and smallest riser height or between the largest and smallest tread
16 depth shall not exceed 3/8 inch (9.5 mm) in any flight of stairs. The greatest winder
17 tread depth at the walkline within any flight of stairs shall not exceed the smallest by
18 more than 3/8 inch (9.5 mm).

17 Exceptions:

- 18 1. Stairways connecting stepped aisles to cross aisles or concourses shall be
19 permitted to comply with the dimensional nonuniformity in Section 1029.13.2.
- 20 2. Consistently shaped winders, complying with Section 1011.5, differing from
21 rectangular treads in the same flight of stairs.
- 22 3. Nonuniform riser dimension complying with Section 1011.5.4.1.

20 1011.5.4.1 Nonuniform Height Risers

21 Where the bottom or top riser adjoins a sloping public way, walkway or
22 driveway having an established grade and serving as a landing, the bottom or top riser
23 is permitted to be reduced along the slope to less than 4 inches (102 mm) in height,
24 with the variation in height of the bottom or top riser not to exceed one unit vertical
in 12 units horizontal (8-percent slope) of stair width. The nosings or leading edges
of treads at such nonuniform height risers shall have a distinctive marking stripe,

Civil No. 18-1686 (GAG)

1 different from any other nosing marking provided on the stair flight. The distinctive
2 marking stripe shall be visible in descent of the stair and shall have a slip-resistant
3 surface. Marking stripes shall have a width of not less than 1 inch (25 mm) but not
4 more than 2 inches (51 mm).

5 (Docket No. 72-7 at 7-8).

6 Having established the applicable standard of care, the Court now analyzes whether
7 Mansiones and Nearq Studio failed to follow these building code requirements. The design plan and
8 blueprint, submitted to the record, (Docket No. 86-4), supports the conclusion that the stairs' *design*
9 was in fact in compliance with the IBC or, in the alternative, were not defectively designed because
10 the stairs were not "unsafe from its very conception." Vázquez-Filippetti, 504 F.3d at 50. Even
11 though Plaintiff's expert report states that the measurements from the "as-built" stairs do not
12 coincide with the design, during his deposition, Engineer González-Blanco was asked: "[A]fter
13 having reviewed the plans prepared by architect Rivera, just the plans, not as constructed . . . strictly
14 to the plans, is it your testimony that the design was defective?" (Docket No. 62-7 at 42). To which,
15 he answered: "*No, the design is not defective. It doesn't have any defects.*" Id. at 43 (emphasis
16 added). Defendants' expert also concluded in his report that: "From the review of NEARQ's design
17 of the West stair it was clear that the riser height was correctly designed and according to code."
18 (Docket No. 72-7 at 7).

19 Notwithstanding the above, Martínez Suárez further argues that Defendants' negligence also
20 extends to the defective *construction* of the stairs, which failed to comply with Architect Rivera-
21 Rodríguez's design plans. Mansiones and Nearq Studios advance that this argument contradicts the
22 Complaint, which does not encompass claims as to negligence in the "construction" of the stairs and
23 was never amended to include such a claim.
24

Civil No. 18-1686 (GAG)*iii. Defect in Construction*

1
2 Although the Court agrees with Defendants that the Complaint does not use the phrase
3 “defect in construction,” Puerto Rico law, as interpreted by the First Circuit, mandates the Court to
4 also scrutinize the “construction” itself in relation to the alleged negligently designed property. In
5 Vázquez-Filippetti, the First Circuit explained that in negligent design cases, a trial court must
6 consider whether “the property *encountered* by the plaintiff existed in the state intended by its
7 owner” and was “*not in disrepair or altered by some external force or action.*” Vázquez-
8 Filippetti, 504 F.3d at 50 (emphasis added). The Court interprets this precedent as requiring, at least,
9 a comparison between the design, the as-built stairs, and the applicable building code. As to this
10 matter, the parties have raised contested issues of fact based on their experts’ testimonies.

11 Engineer González-Blanco opines that the stairs were not constructed according to the
12 measurements indicated by the design and do not comply with the uniformity requirement set out
13 by several building codes. (Docket Nos. 72-6 at 4). He concludes in his report that “the last tread . . .
14 exceeds 11” by 9 3/4” and the last riser is smaller than all other risers by 2 7/8” to the last and 2 7/8”
15 to the right.” Id. Architect Calderón-López also acknowledges that the last riser is smaller than all
16 other ones yet sustains that Section 1011.5.4.1 (Nonuniform Height Risers) of the IBC allows for
17 this non-uniformity. Id. Defendants’ expert did not address Plaintiff’s expert finding that the last
18 tread or run also does not comply with Architect Rivera-Rodríguez’s intended design.

19 The Court concludes that these alleged divergent issues of fact are neither “genuine” nor
20 “material” to the disposition of this action. See United States v. One Parcel of Real Prop. (Great
21 Harbor Neck, New Shoreham, R.I.), 960 F.2d 200, 204 (1st Cir. 1992) (explaining that material
22 issues of fact is that which has the potential “to change the outcome of the case under the governing
23 law if the dispute over it is resolved favorably to [Martínez-Suárez]”).

Civil No. 18-1686 (GAG)

1 First, even if it is deemed as uncontested that the last tread or run was not constructed as
2 designed, Martínez-Suárez claims that what caused her fall was “the uneven step *heights*.”
3 (DocketNo. 1 at 3) (emphasis added). As such, according to Plaintiff’s liability theory, it is
4 *immaterial* whether the last step’s *run* did not match the design plans because she claims having fell
5 due to the step’s *height*, not width. Second, it is also an uncontested fact that the reduction in height
6 (or riser) in the stairs’ last step was the *result* of the Municipality’s sidewalk remodeling.¹⁵ (Docket
7 Nos. 62 ¶¶ 46-48, 47, 52, 54; 72 ¶¶ 46-48, 47, 52, 54). Even if the stairs were not in the same state
8 as designed by Defendants, it was “altered by some external force or action”—the Municipality’s
9 remodeling—thus, the alleged negligence in design was not *inherent* to the property. Vázquez-
10 Filippetti, 504 F.3d at 50. Third, regardless of whether the change in height was due to the
11 Municipality’s remodeling, Architect Calderón-López explains that the same was allowed under the
12 IBC.¹⁶ (Docket No. 72-7 at 9).

13 Even if these “diverging” expert testimonies exist, the applicable duty of care relied by the
14 Court in *arguendo*, i.e. the IBC, does not distinctively lay out that Mansiones and Nearq Studio had
15 a specific duty to *supervise* the construction or to stop the Municipality from carrying out the
16 remodeling. Aside from the general rule of a “prudent and reasonable person,” Plaintiff has not
17 invoked any applicable code, law, or regulation that establishes any such duty. For instance,
18 Martínez-Suárez claims, supported by Engineer González-Blanco’s deposition testimony, that the
19 sidewalk was “inside” the premise of the condominium and, as such, Mansiones has control over it.

20
21 ¹⁵ The Court notes that the Municipality is not party to this case.

22 ¹⁶ Engineer González-Blanco advanced during his deposition that the non-uniformity exception does not apply to this
23 case. (Docket No. 62-7 at 81-83). Given the lack of probative evidence in his report, the Court cannot consider this post-
24 report expert testimony, pursuant to FED. R. CIV. P. 26(a)(2). See MMG Ins. Co. v. Samsung Elecs. Am., Inc., 293 F.R.D.
58, 61 (D.N.H. 2013) (“Rule 26(a)(2) does not allow parties to cure deficient expert reports by supplementing them with
later deposition testimony, or the function of expert reports would be completely undermined.”) (internal quotations
marks committed); see also Rivera-Marrero v. Presbyterian Community Hosp., 255 F. Supp. 3d 290, 296 (D.P.R. 2017).

Civil No. 18-1686 (GAG)

1 (Docket No. 62-7 at 45-46). Yet, the record is devoid of evidence as to whether the sidewalk in
2 question is public or private, which has legal implications as to whom may be responsible for them.
3 See Watchtower Bible Tract Socy. of New York, Inc. v. Municipality of Ponce, 197 F. Supp. 3d
4 340, 360 (D.P.R. 2016) (affirming that in Watchtower v. Municipality of Dorado, “the Puerto Rico
5 Supreme Court answered in the affirmative this Court’s certified question of law, holding that “the
6 current law [in Puerto Rico] contemplates the existence of private residential streets.”) (citations
7 omitted). Finally, it is also uncontested that MQ Contractors carried out the *construction*, but all
8 claims against it have been *stayed* due to a pending bankruptcy proceeding. (Docket No. 42). Hence,
9 any potential liability claims against MQ Contractors for negligence in construction is currently
10 stayed.

11 Consequently, these non-material issues of fact or allegedly diverging expert opinions, do
12 not preclude the Court from entering summary judgment against Plaintiff who failed to distinctively
13 demonstrate a duty or standard of care and how Defendants effectively breached the same.

14 *iv. Negligent Design: Casual Nexus and Foreseeability*

15 Additionally, Martínez-Suárez claims would also fail because she did not submit evidence
16 establishing a sufficient *causal nexus* between her injury and Defendants’ purported act or omission,
17 Vázquez-Filippetti, 504 F.3d at 49. There is no evidence supporting her assertion that her accident
18 was reasonably foreseeable. See Quiñones Sepulveda v. United States, 329 F. Supp. 2d 260, 265
19 (D.P.R. 2004) (explaining that the “lack of tortious conduct . . . undercuts the entire basis for [a]
20 plaintiff’s theory of negligent causation.”)

21 The third element of negligence under Article 1802 of the Puerto Rico Civil Code is
22 proximate cause. To establish said element, Martínez-Suárez must demonstrate “a sufficient causal
23 nexus between the injury and defendant’s act or omission.” Vázquez-Filippetti, 504 F.3d at 49.

Civil No. 18-1686 (GAG)

1 Puerto Rico law makes the foreseeability of a plaintiff’s injury central to the proximate cause inquiry,
2 since it dictates that “no one shall be liable for events which could not be foreseen, or which having
3 been foreseen were inevitable” unless otherwise provided by law. P. R. LAWS ANN. tit. 31, § 3022.

4 In Woods-Leber, the Court held that foreseeability could not be established through the
5 *simple* fact that an accident occurred but rather that the “[t]he norm of foreseeability is that the risk
6 that must be foreseen must be based on probabilities and not on mere possibilities.” Woods-
7 Leber, 951 F. Supp. at 1036 (internal quotations marks omitted). Based on this principle, “the
8 primary method for such proof would be prior similar incidents, but that some other sort of evidence
9 tending to show that the incident was foreseeable would also have been acceptable.” Aponte
10 Bermúdez, 2018 WL 10435084 at *5 (citing Woods-Leber, 951 F. Supp. at 1039). In the absence of
11 any such proof, “the mere fact that the accident occurred, by itself, could not serve as evidence that
12 it was foreseeable.” Id.

13 It is uncontested that Plaintiff failed to provide any evidence of any prior, similar accidents
14 in these stairs that “would have made this particular incident foreseeable and would have enabled
15 Defendants to take remedial measures in order to avoid it.” Aponte Bermúdez, 2018 WL 10435084
16 at *5. Conversely, Defendants submitted to the record the testimony of Rita Hernández, who stated
17 that after the completion of 2012 project, the only accident that has occurred on these steps adjacent
18 to the sidewalk was that of Plaintiff. (Docket Nos. 62 ¶¶ 59-62).

19 Finally, the circumstances surrounding the fall, which are not attributable to Mansiones or
20 Nearq Studios, serve as “intervening causes” that broke the chain of causation. See Ríos Colón v.
21 United States, 928 F. Supp. 2d 376, 386 (D.P.R. 2012). It is also uncontested that it “was gray” or
22 “dusky” outside because the sun had not risen and that the Mansiones Condominium had no outside
23 lighting because the building was still without electricity as a result of the hurricane. As such, no
24

Civil No. 18-1686 (GAG)

1 duty of care was violated by failing to foresee Plaintiff’s accident under the circumstances. “This
2 lack of tortious conduct therefore undercuts the entire basis for plaintiff’s theory of negligent
3 causation.” Quinoñes Sepulveda, 329 F. Supp. 2d at 265 (citing Woods-Leber, 124 F.3d at 51).

4 To sum up, besides failing to establish an adequate standard of care as a result of a
5 “defective” expert opinion, the record contains *no significantly* probative evidence on the issue of
6 causation. González Cabán, 2019 WL 1399315 at *6. The record is devoid of evidence to support
7 Plaintiff’s allegation that her fall was caused by Defendants’ negligence. “Without such an
8 evidentiary predicate, the jury has no legally acceptable basis for finding Defendants liable for
9 Plaintiff[’]s damages.” Id.

10 *v. Negligent Maintenance*

11 The Court reads Plaintiff’s Complaint as alleging a premise liability theory that combines,
12 or confuses, the modalities of negligent maintenance and negligent design. Notwithstanding, the
13 Court notes that it cannot address Plaintiff’s negligent maintenance claim because the record is also
14 devoid of evidence that defines the scope of Mansiones’ legal personality. Defendant is only
15 described in the Complaint and the Third Party Complaint as “a private residence complex” “with
16 standing to sue and/or be sued.” (Docket Nos. 1 at 1; 23 at 2; 72-3 at 1). This has substantial legal
17 consequences under Puerto Rico Property Law and thus, raises the following questions: What is
18 Mansiones’ corporate structure? Is it a corporation or a limited liability company? What Puerto Rico
19 law governs its residence board or association? Is it governed by the Condominium Law, formally
20 known as the Horizontal Property Act, P. R. LAWS ANN. tit. 31, §§ 1291 *et seq.*? Without said crucial
21 information, the Court cannot analyze what duty was owed and, hence, possibly breached in
22 allegedly failing to maintain the staircase. Further, this limits any legal discussion as to whether

Civil No. 18-1686 (GAG)

1 Mansiones can be considered a “commercial property” or “business” for purposes of a negligent
2 maintenance case and the extent of any potential liability. See KMart Corp., 233 F. Supp. 2d at 278.

3 Consequently, without this factual background as to Mansiones’ legal capacity, the Court
4 cannot consider Plaintiff’s negligent maintenance claim. See Zannino, 895 F.2d at 17. Even
5 assuming *arguendo* that the Court could consider the same, Plaintiff would also fail to meet the
6 burden for her negligent maintenance claim under her *contingent* liability theory because she did not
7 meet the burden for her negligent design claim.

8 **VI. Conclusion**

9 For the foregoing reasons, after carefully reviewing the parties’ submissions, applicable law,
10 record evidence, notably expert opinions and deposition testimonies, and without any genuine and
11 material issue of fact, Defendants’ joint motion for summary judgment at Docket No. 61 is hereby
12 **GRANTED**. The claims against Defendant Mansiones de Garden Hills Apartments and Third-Party
13 Defendant Nearq Studios are **DISMISSED**. Judgment shall be entered accordingly.

14 **SO ORDERED.**

15 In San Juan, Puerto Rico this 24th of August, 2021.

16 *s/ Gustavo A. Gelpi*
17 GUSTAVO A. GELPI
18 United States District Judge
19
20
21
22
23
24