


EXHIBIT C

From: Andrew Weiss <aweiss@raklaw.com>
Subject: **Bright Response, LLC v. Yahoo: Source Code Printout**
Date: November 5, 2009 7:09:07 PM PST
To: Jason White <whitej@howrey.com>
Cc: Michael Jones <mikejones@potterminton.com>, johnbufe@potterminton.com, David Pridham <David@pridhamiplaw.com>, Andrew Spangler <spangler@spanglerlawpc.com>, Marc Fenster <mfenster@raklaw.com>, Stan Thompson <sthompson@raklaw.com>, John Bustamante <jmb@bustamantelegal.com>, Debera Hepburn <dhepburn@heplaw.com>, Andrew Weiss <aweiss@raklaw.com>

▶ 1 Attachment, 12.3 KB



Jason:

Attached are the files Bright Response would like printed from the source code computer.



[11:5:09 Yah....txt \(12.3 KB\)](#)

Thank you,
Andrew

On Oct 23, 2009, at 7:59 AM, Debera Hepburn wrote:

Counsel,

Please find the attached correspondence.

Best Regards,

Debera W. Hepburn

Hepburn Law Firm PLLC

P.O. Box 118218

Carrollton, Texas 75011

Tel: (214) 403-4882

Fax: (888) 205-8791

dhepburn@heplaw.com

PRIVILEGED AND CONFIDENTIAL * ATTORNEY-CLIENT COMMUNICATION *
ATTORNEY WORK PRODUCT

This e-mail is sent by a law firm and may contain information that is privileged or confidential.

If you are not the intended recipient, please delete the email and any attachments and notify us immediately.

<Hepburn Letter re Yahoo Stipulation Bright Response 102309.pdf>

--

Andrew D. Weiss
Russ August & Kabat
12424 Wilshire Boulevard, 12th Floor
Los Angeles, CA 90025
310 826-7474
aweiss@raklaw.com

IRS Circular 230 Notice: This communication is not intended to be used and cannot be used, for the purpose of avoiding U.S. federal tax-related penalties or promoting, marketing or recommending to another party any tax-related matter addressed herein.

This communication shall not create, waive or modify any right, obligation or liability, or be construed to contain or be an electronic signature. This communication may contain information that is legally privileged, confidential or exempt from disclosure, and is intended only for the named addressee(s). If you are not the intended recipient, please note that any dissemination, distribution, or copying of this communication is prohibited.

YSM/Ad Selection Code/Keystone Front End/kfe_be/src/Broker.hh definition
24

YSM/Ad Selection Code/Keystone Front End/kfe_be/src/Broker.hh creator
definition 78 - 87

YSM/Ad Selection Code/Keystone Front End/kfe_be/src/Broker.cc
KFEBroker::handleWsQuery 390 - 413

YSM/Ad Selection Code/Keystone Front End/kfe_be/src/AdRequestContext.hh
Abbreviations 10 - 21

YSM/Ad Selection Code/Keystone Front End/kfe_be/src/AdRequestContext.cpp
AdRequestContext::processRequest 458 - 716

YSM/Ad Selection Code/Keystone Front End/kfe_be/src/AdRequestContext.cpp
AdRequestContext::handleUPSResponse 718 - 738

YSM/Ad Selection Code/Keystone Front End/kfe_be/src/AdRequestContext.cpp
AdRequestContext::handleParallelResponses 842 - 946

YSM/Ad Selection Code/Keystone Front End/kfe_be/src/AdRequestContext.cpp
AdRequestContext::handleRISeResponseWrapper 1044 - 1075

YSM/Ad Selection Code/Keystone Front End/kfe_be/src/AdRequestContext.cpp
AdRequestContext::handleRISeResponse 948 - 994

YSM/Ad Selection Code/Keystone Front End/kfe_be/src/AdRequestContext.cpp
AdRequestContext::handleOSBFAResponseWrapper 1319 - 1350

YSM/Ad Selection Code/Keystone Front End/kfe_be/src/AdRequestContext.cpp
AdRequestContext::handleOSBFAResponse 1078 - 1205

YSM/Ad Selection Code/Keystone Front End/kfe_be/src/AdRequestContext.cpp
AdRequestContext::handleOSDAResponse 1352 - 1533

YSM/Ad Selection Code/Keystone Front End/kfe_be/src/AdRequestContext.cpp
AdRequestContext::deliverDefaultCreative 1639 - 1692

YSM/Ad Selection Code/Keystone Front End/kfe_be/src/AdRequestContext.cpp
AdRequestContext::sendResponse 1536 - 1637

YSM/Ad Selection Code/Keystone Front End/kfe_be_client/src/
kfe_be_clientlib.cc RequestData::deserialize 80 - 143

YSM/Ad Selection Code/Keystone Front End/kfe_feed/FeedClientInitiated.hh
53 - 84

YSM/Ad Selection Code/Keystone Front End/kfe_feed/src/FeedBase.cpp
FeedBase::processQueryArgs()

YSM/Ad Selection Code/Keystone Front End/kfe_feed/FeedHandler.cpp
FeedHandler::processQueryArgs 101 - 251

YSM/Ad Selection Code/Keystone Front End/kfe_ws/src/mod_kfe_ws.cpp
kfe_ws_handler 208 - 417

YSM/Ad Selection Code/Keystone Front End/kfe_ws/src/mod_kfe_ws.cpp
 sendResponse 82 - 102

YSM/Ad Selection Code/Keystone Front End/kfe_ym/src/kfe_ymlib.cpp
 sComputeQualityScore 247 - 251

YSM/Ad Selection Code/Keystone Front End/kfe_ym/src/kfe_ymlib.cpp
 sComputeRevenue 254 - 384

YSM/Ad Selection Code/Keystone Front End/kfe_ym/src/kfe_ymlib.cpp
 sThrottle 386 - 427

YSM/Ad Selection Code/Keystone Front End/kfe_ym/src/kfe_ymlib.cpp sDedupe
 429 - 518

YSM/Ad Selection Code/Keystone Front End/kfe_ym/src/kfe_ymlib.cpp
 sApplyMinimumScores 521 - 662

YSM/Ad Selection Code/Keystone Front End/kfe_ym/src/kfe_ymlib.cpp
 sMatchWithDaResponse 666 - 705

YSM/Ad Selection Code/Keystone Front End/kfe_ym/src/kfe_ymlib.cpp sShuffle
 708 - 724

YSM/Ad Selection Code/Keystone Front End/kfe_ym/src/kfe_ymlib.cpp
 sUpdateUFBlob 726 - 796

YSM/Ad Selection Code/Keystone Front End/kfe_ym/src/kfe_ymlib.cpp
 sCreativeFatigue 897 - 967

YSM/Ad Selection Code/Keystone Front End/kfe_ym/src/kfe_ymlib.cpp
 sComputeCost 971 - 1015

YSM/Ad Selection Code/Keystone Front End/kfe_ym/src/kfe_ymlib.cpp
 ManageYieldAfterBFA 1290 - 1382

YSM/Ad Selection Code/Keystone Front End/kfe_ym/src/kfe_ymlib.cpp
 ManageYieldAfterDA 1384 - 1497

YSM/Ad Selection Code/Keystone Rise/tools/trainginScorer.cpp main
 9 - 41

YSM/Ad Selection Code/Keystone Rise/lib/MultiScorer.cpp scoreCurrentAd()
 483 - 502

YSM/Ad Selection Code/Keystone Rise/lib/BambooScorer.cpp
 BambooScorer::scoreCurrentAd() 6 - 39

YSM/Ad Selection Code/Keystone Rise/lib/BambooScorer.h idf()
 30 - 33

YSM/Ad Selection Code/Keystone Rise/lib/CombinedScorer.cpp
 CombinedScorer::scoreCurrentAd() 152 - 240

YSM/Ad Selection Code/Keystone Rise/lib/CombinedScorer.cpp
 buildBidScoreLookupTable() 264 - 280

YSM/Ad Selection Code/Keystone Rise/lib/CombinedScorer.cpp calcMaxScore()
 126 - 150

YSM/Ad Selection Code/Keystone Rise/lib/CombinedScorer.h
 CombinedScorer::accumulateUpperBound() 396 - 442

YSM/Ad Selection Code/Keystone Rise/lib/CombinedScorer.h		
CombinedScorer::getQualityScore()	445 - 465	
YSM/Ad Selection Code/Keystone Rise/lib/CombinedScorer.h		
CombinedScorer::getBidScore()	468 - 483	
YSM/Ad Selection Code/Keystone Rise/lib/CombinedScorer.h		
getStaticScore()	486 - 507	
YSM/Ad Selection Code/Keystone Rise/lib/CombinedScorer.h		scoreAdQuery()
83 - 100		
YSM/Ad Selection Code/Keystone Rise/lib/CombinedScorer.h		
posnAndScoreAd()	60 - 81	
YSM/Ad Selection Code/Keystone Rise/lib/FastCombinedScorer.h		
scoreCurrentAd()	38 - 110	
YSM/Ad Selection Code/Keystone Rise/lib/FastCombinedScorer.h		calcMaxScore()
28 - 36		
YSM/Ad Selection Code/Keystone Rise/lib/FastMaxEntScorer.cpp		
FastMaxEntScorer::scoreCurrentAd()	27 - 43	
YSM/Ad Selection Code/Keystone Rise/lib/FastMultiScorer.h		
FastMultiScorer::scoreCurrentAd()	39 - 49	
YSM/Ad Selection Code/Keystone Rise/lib/MaxEntScorer.cpp		
MaxEntScorer::scoreCurrentAd()	92 - 110	
YSM/Ad Selection Code/Keystone Rise/lib/MaxEntScorer.cpp		calcMaxScore()
79 - 90		
YSM/Ad Selection Code/Keystone Rise/lib/MaxEntScorer.cpp		
buildMaxEndUpperBoundTable()	563 - 577 & 580 - 591	
YSM/Ad Selection Code/Keystone Rise/lib/MaxEntScorer.cpp		
MaxEntScorer::scoreCurrentAdRaw()	113 - 168	
YSM/Ad Selection Code/Keystone Rise/lib/MaxEntScorer.cpp		
posnAndScoreAd()	171 - 194	
YSM/Ad Selection Code/Keystone Rise/lib/MaxEntScorer.cpp		
MaxEntScorer::scoreAdQuery()	197 - 286	
YSM/Ad Selection Code/Keystone Rise/lib/MaxEntScorer.cpp		expandQuery()
296 - 382		
YSM/Ad Selection Code/Keystone Rise/lib/MaxEntScorer.cpp		augmentQuery()
384 - 561		
YSM/Ad Selection Code/Keystone Rise/lib/MaxEntScorer.h		
mapWeightToProbability()	123 - 136	
YSM/Ad Selection Code/Keystone Rise/lib/MultiScorer.cpp		
MultiScorer::posnAndScoreAd()	59 - 83	
YSM/Ad Selection Code/Keystone Rise/lib/MultiScorer.cpp		
MultiScorer::scoreAdQuery()	85 - 199	
YSM/Ad Selection Code/Keystone Rise/lib/MultiScorer.h		
MultiScorer::scoreCurrentAdRaw()	330 - 481	
YSM/Ad Selection Code/Keystone Rise/lib/MultiScorer.h		
MultiScorer:scoreCurrentAd()	483 - 502 -	
YSM/Ad Selection Code/Keystone Rise/lib/MultiScorer.h		normalizeScore
161 - 168		

YSM/Ad Selection Code/Keystone Rise/lib/MultiScorer.h
MultiScorer::calcRawMaxScore 298 - 328
YSM/Ad Selection Code/Keystone Rise/lib/Scorer.cpp
Scorer::posnAndScoreAd() 18 - 44
YSM/Ad Selection Code/Keystone Rise/lib/Scorer.cpp
Scorer::scoreAdQuery() 64 - 126
YSM/Ad Selection Code/Keystone Rise/lib/Scorer.h
Scorer::scoreCurrentAd() 88 - 123
YSM/Ad Selection Code/Keystone Rise/lib/WANDIterator.h
getNextAdCandidate() 410 - 540

YSM/Ad Selection Code/Domain Blocking/TopLinkSearch.pm

YSM/Ad Selection Code/Keystone Rise/lib/QueryEvaluatorImplBase.h
QueryEvaluatorImplBase::inputQuery() 464 - 508

YSM/Ad Selection Code/Keystone Rise/lib/QueryEvaluator.cpp
QueryEvaluator::createInstance 26 ñ 145

YSM/Ad Selection Code/Domain Blocking/RevenueReorder.pm lookupStat 42 ñ
93
YSM/Ad Selection Code/Domain Blocking/RevenueReorder.pm relativeNorm 95 -
116
YSM/Ad Selection Code/Domain Blocking/RevenueReorder.pm getScores 118
- 208
YSM/Ad Selection Code/Domain Blocking/RevenueReorder.pm re_order 210
- 270

YSM/Ad Selection Code/Keystone Front End/kfe_be-src/UPSBrokerHandler.cpp
UPSBrokerHandler::apply 113 ñ 139
YSM/Ad Selection Code/Keystone Front End/kfe_be-src/UPSBrokerHandler.cpp
UPSBrokerHandler::upsToFb 261 - 288

YST/runtime/secore/idpd/server/impl/main.c startupThread 581 - 987

YST/runtime/secore/idpd/idpse/impl/idp.c idp_acceptor 223 - 245
YST/runtime/secore/idpd/idpse/impl/idp.c idp_exec 461 - 567
YST/runtime/secore/idpd/idpse/impl/idp.c startIdpv4Service 468 - 565

YST/runtime/secore/idpd/idpse/impl/idpv4.cc messageReceiver 524 - 593

YST/runtime/secore/idpd/idpse/impl/idpbasics.c IdpExecCommandSend 205 - 266

YST/runtime/secore/idpd/idpse/impl/idpsearch.c IdpSearchCommandSendV4
2381 ñ 243

YST/runtime/secore/idpd/idpse/impl/idpsearch.c IdpSearchCommandSend

2505 - 2602

YST/runtime/secore/idpd/idpse/impl/idpsearch.c IdsSearchCommandComplete
2605 ñ 2677

YST/runtime/secore/libs/parser/api/queryparse.h
279 ñ 287

YST/runtime/secore/libs/parser/impl/simpleqparse.y
343 ñ 406

YST/runtime/secore/libs/searchengine/impl/seqApi.cc SeqQobjStart 713 ñ 739

YST/runtime/secore/libs/searchengine/impl/seqSubsystem.c
InjectIntoSubsystem 122 ñ 142
YST/runtime/secore/libs/searchengine/impl/seqSubsystem.c processRequest
236 ñ 298

YST/runtime/secore/libs/searchengine/impl/sections.cc
buildIndexLookupTables 367 - 529

YST/runtime/secore/libs/searchengine/impl/inkse.c
InkSeLoadWordInfoDoDegrade 2196 - 2165
YST/runtime/secore/libs/searchengine/impl/inkse.c process_query_local
2205 ñ 2270

YST/runtime/secore/libs/searchengine/impl/inkse.c master_gather_sort_docids
2314 - 2461

YST/runtime/secore/libs/searchengine/impl/inkse.c proc_inktomi_query_master
2463 - 2689

YST/runtime/secore/libs/searchengine/impl/inkse.c
proc_inktomi_query_internal 2691 - 2801

YST/runtime/secore/libs/searchengine/impl/inkse.c proc_inktomi_query
2803 - 2852

YST/runtime/secore/libs/searchengine/impl/inkse.c executeSearchQuery
3665 - 3732

YST/runtime/secore/libs/searchengine/impl/inkse.c createQuery
3732 - 3771

YST/runtime/secore/libs/searchengine/impl/inkse.c parseQueryHelper
3774 ñ 3823

YST/runtime/secore/libs/searchengine/impl/inkse.c prepareQuery
3826 ñ 3912

YST/runtime/secore/libs/searchengine/impl/inkse.c proc_tree9_query
3916 ñ 4200

YST/runtime/secore/libs/searchengine/impl/proxy.c createCanonicalQuery
188 ñ 224

YST/runtime/secore/libs/searchengine/impl/proxy.c proxy_query

227 ñ 340

YST/runtime/secore/libs/searchengine/seqed/impl/YstScore.cc
YstScore::ScoreProximity() 146 ñ 374
YST/runtime/secore/libs/searchengine/seqed/impl/YstScore.cc
YstScore::ScoreSections() 376 ñ 552
YST/runtime/secore/libs/searchengine/seqed/impl/YstScore.cc
YstScore::GetDocumentScore() 860 - 919

YST/runtime/secore/libs/searchengine/seqed/impl/YSTScoreSection.hh Scan()
71 - 78

YST/runtime/secore/libs/searchengine/seqed/impl/YSTScoreText.cc Scan()52 -
277
YST/runtime/secore/libs/searchengine/seqed/impl/YSTScoreText.cc
Summerize()279 - 397

YST/runtime/secore/libs/searchengine/seqed/impl/YstScoreText.hh
SummarizeProximityWindows() 78 - 120

YST/runtime/secore/libs/searchengine/seqed/impl/YSTScoreSegment.cc
Summerize() 107 - 137

YST/runtime/secore/libs/searchengine/seqed/impl/YstScoreSections.hh
SummarizeProximityWindows() 154 - 196

YST/runtime/secore/proxy/modules/facet_selector/impl/facet_selector.cc
normalizeRawscore() 922 ñ 928
YST/runtime/secore/proxy/modules/facet_selector/impl/facet_selector.cc
getMeanData() 930 ñ 934
YST/runtime/secore/proxy/modules/facet_selector/impl/facet_selector.cc
hasInterestingInfo() 154 ñ 159
YST/runtime/secore/proxy/modules/facet_selector/impl/facet_selector.cc
FacetInfo::calculateScore() 875 - 896
YST/runtime/secore/proxy/modules/facet_selector/impl/facet_selector.cc
FacetInfo::FacetInfo() ñ creator ñ 859 ñ 873
YST/runtime/secore/proxy/modules/facet_selector/impl/facet_selector.cc
FacetSelectorHandler::handleResponse() 1176 - 1235
YST/runtime/secore/proxy/modules/facet_selector/impl/facet_selector.cc
FacetSelectorHandler::selectFacets() 1238 ñ 1323
YST/runtime/secore/proxy/modules/facet_selector/impl/facet_selector.cc
FacetSelectorHandler::handleRequest()1029 ñ 1100