IN THE UNITED STATES DISTRICT COURT FOR THE EASTERN DISTRICT OF TEXAS MARSHALL DIVISION

GANAS, LLC,

Plaintiff,

v.

- (1) SABRE HOLDINGS CORPORATION;
- (2) SAP AMERICA, INC.;
- (3) SAS INSTITUTE INC.;
- (4) SCOTTRADE, INC.;
- (5) TD AMERITRADE, INC.;
- (6) THE CHARLES SCHWAB CORPORATION;
- (7) **TIVO, INC.;**
- (8) UNICOI SYSTEMS, INC.;
- (9) XEROX CORPORATION;
- (10) ADOBE SYSTEMS INCORPORATED;
- (11) AOL INC.;
- (12) APPLE INC.;
- (13) AXIBASE CORPORATION;
- (14) DIRECTV;
- (15) DISH DBS CORPORATION;
- (16) E*TRADE SECURITIES LLC;
- (17) EXINDA NETWORKS;
- (18) FIDELITY BROKERAGE SERVICES LLC;
- (19) FIRSTRADE SECURITIES INC.;
- (20) HEWLETT-PACKARD COMPANY;
- (21) ICONTROL, INCORPORATED;
- (22) INTERNATIONAL BUSINESS
- **MACHINES CORPORATION; and**
- (23) JPMORGAN CHASE & CO.,

Defendants.

ORIGINAL COMPLAINT FOR PATENT INFRINGEMENT

CIVIL ACTION NO. 2:10-CV-320

JURY TRIAL DEMANDED

Case 2:10-cv-00320-TJW Document 1 Filed 08/25/10 Page 2 of 88

1. This is an action for patent infringement in which Ganas, LLC makes the following allegations against: Sabre Holdings Corporation; SAP America, Inc.; SAS Institute Inc.; Scottrade, Inc.; TD Ameritrade, Inc.; The Charles Schwab Corporation; TiVo, Inc.; Unicoi Systems, Inc.; Xerox Corporation; Adobe Systems Incorporated; AOL Inc.; Apple Inc.; Axibase Corporation; DIRECTV; DISH DBS Corporation; E*TRADE Securities LLC; Exinda Networks; Fidelity Brokerage Services LLC; Firstrade Securities Inc.; Hewlett-Packard Company; iControl, Incorporated; International Business Machines Corporation; and JPMorgan Chase & Co. (collectively the "Defendants").

PARTIES

2. Plaintiff Ganas, LLC ("Plaintiff" or "Ganas") is a Texas limited liability company with its principal place of business at 1333 W. McDermott Drive, Suite 241, Allen, Texas 75013. Ganas' president is Daniel F. Perez.

3. On information and belief, Sabre Holdings Corporation ("SABRE"), is a Delaware corporation with its principal place of business at 3150 Sabre Drive, Southlake, Texas 76092. Defendant Sabre's registered agent in Texas is Corporation Service Company, 211 E. 7th Street, Suite 620, Austin, Texas 78701.

4. On information and belief, SAP America, Inc. ("SAP"), is a Delaware corporation with its principal place of business in the United States at 3999 West Chester Pike, Newtown Square, Pennsylvania 19073. Defendant SAP's registered agent in Texas is CT Corporation System, 350 N. St. Paul Street, Suite 2900, Dallas, Texas 75201.

5. On information and belief, SAS Institute Inc. ("SAS"), is a North Carolina corporation with its principal place of business at 100 SAS Campus Drive, Cary, North Carolina 27513-2414. Defendant SAS's registered agent in Texas is CT Corporation System, 350 N St. Paul St., Suite 2900, Dallas, Texas 75201.

6. On information and belief, Scottrade, Inc. ("Scottrade"), is an Arizona corporation with its principal place of business at 12800 Corporate Hill Dr., St. Louis, Missouri 63131. Defendant Scottrade's registered agent in Texas is CT Corporation System, 350 N St. Paul St., Suite 2900, Dallas, Texas 75201.

[2]

Case 2:10-cv-00320-TJW Document 1 Filed 08/25/10 Page 3 of 88

7. On information and belief, TD Ameritrade, Inc. ("TDA"), is a New York corporation with its principal place of business at 1005 N. Ameritrade Place, Bellevue, Nebraska 68005. Defendant TDA's registered agent in Texas is Corporation Service Company, 211 E. 7th Street, Suite 620, Austin, Texas 78701.

8. On information and belief, The Charles Schwab Corporation ("Schwab"), is a Delaware corporation with its principal place of business at 211 Main Street, San Francisco, California 94105.

9. On information and belief, TiVo, Inc. ("TiVo"), is a Delaware corporation with its principal place of business at 2160 Gold Street, Alviso, California 95002-2160. Defendant TiVo's registered agent in Texas is Corporation Service Company, 211 E. 7th Street, Suite 620, Austin, Texas 78701.

10. On information and belief, Unicoi Systems, Inc. ("Unicoi"), is a Georgia corporation with its principal place of business at 327 Dahlonega Street, Suite 1401, Atlanta, Georgia 30040. Defendant Unicoi's registered agent in Texas is Jeremy Mason, 9121 Belvedere Drive, Keller, Texas 76244.

11. On information and belief, Xerox Corporation ("Xerox"), is a New York corporation with its principal place of business at 45 Glover Avenue, P.O. Box 4505, Norwalk, Connecticut 06856-4505. Defendant Xerox's registered agent in Texas is Prentice Hall Corporation System, 211 E. 7th Street, Suite 620, Austin, Texas 78701.

12. On information and belief, Adobe Systems Incorporated ("Adobe"), is a Delaware corporation with its principal place of business at 345 Park Avenue, San Jose, California 95110-2704. Defendant Adobe's registered agent in Texas is Corporation Service Company, 211 E. 7th Street, Suite 620, Austin, Texas 78701.

13. On information and belief, AOL Inc. ("AOL"), is a Delaware corporation with its principal place of business at 770 Broadway, New York, New York 10003. Defendant AOL's registered agent in Texas is the Corporation Service Company, 211 E. 7th Street, Suite 620, Austin, Texas 78701.

14. On information and belief, Defendant Apple Inc. ("Apple"), is a California corporation with its principal place of business at 1 Infinite Loop, Cupertino, California 95014. Defendant Apple's registered agent in Texas is CT Corporation System, 350 N. St. Paul Street, Suite 2900, Dallas, Texas 75201.

[3]

Case 2:10-cv-00320-TJW Document 1 Filed 08/25/10 Page 4 of 88

15. On information and belief, Axibase Corporation ("Axibase"), is a Delaware corporation with its principal place of business at 19925 Stevens Creek Blvd., Cupertino, California 95014.

16. On information and belief, DIRECTV ("DIRECTV"), is a Delaware corporation with its principal place of business at 2230 East Imperial Highway, El Segundo, California 90245.

17. On information and belief, DISH DBS Corporation ("Dish"), is a Colorado corporation with its principal place of business at 9601 South Meridian Boulevard, Englewood, Colorado 80112.

18. On information and belief, E*TRADE Securities LLC ("E*TRADE"), is a Delaware corporation with its principal place of business at 135 E. 57th Street, 14th Floor, New York, New York 10022. Defendant E*TRADE's registered agent in Texas is Corporation Service Company, 211 E. 7th Street, Suite 620, Austin, Texas 78701.

19. On information and belief, Exinda Networks ("Exinda"), is a Massachusetts corporation with its principal place of business at 300 Brickstone Square, Suite 201, Andover, Massachusetts 01810.

20. On information and belief, Fidelity Brokerage Services, LLC ("Fidelity"), is a Delaware corporation with its principal place of business at 82 Devonshire Street, Boston, Massachusetts, 02109. Defendant Fidelity's registered agent in Texas is CT Corporation System, 350 N. St. Paul Street, Suite 2900, Dallas, Texas 75201.

21. On information and belief, Firstrade Securities Inc. ("Firstrade"), is a Delaware corporation with its principal place of business at 133-25 37th Avenue, Flushing, New York 11354.

22. On information and belief, Hewlett-Packard Company ("HP"), is a Delaware corporation with its principal place of business at 3000 Hanover Street, Palo Alto, California 94304-1185. Defendant HP's registered agent in Texas is CT Corporation System, 350 N. St. Paul Street, Suite 2900, Dallas, Texas 75201.

23. On information and belief, iControl, Incorporated. ("iControl"), is a California corporation with its principal place of business at 3235 Kifer Rd., Suite 260, Santa Clara, California 95051.

[4]

Case 2:10-cv-00320-TJW Document 1 Filed 08/25/10 Page 5 of 88

24. On information and belief, International Business Machines Corporation ("IBM"), is a New York corporation with its principal place of business at New Orchard Road, Armonk, New York 10504. Defendant IBM's registered agent in Texas is CT Corporation System, 350 N. St. Paul Street, Suite 2900, Dallas, Texas 75201.

25. On information and belief, Defendant JPMorgan Chase & Co. ("JPMorgan"), is a Delaware corporation with its principal place of business at 270 Park Avenue, New York, New York 10017. Defendant JPMorgan's registered agent in Texas is CT Corporation System, 350 N. St. Paul Street, Suite 2900, Dallas, Texas 75201.

JURISDICTION AND VENUE

26. This action arises under the patent laws of the United States, Title 35 of the United States Code. This Court has subject matter jurisdiction pursuant to 28 U.S.C. §§ 1331 and 1338(a).

27. Venue is proper in this district under 28 U.S.C. §§ 1391(c) and 1400(b). On information and belief, each Defendant has transacted business in this district, and has committed and/or induced acts of patent infringement in this district.

28. On information and belief, Defendant Sabre is subject to this Court's specific and general personal jurisdiction pursuant to due process and/or the Texas Long Arm Statute, due at least to its substantial business in this forum, including: (i) at least a portion of the infringements alleged herein; and (ii) regularly doing or soliciting business, engaging in other persistent courses of conduct, and/or deriving substantial revenue from goods and services provided to individuals in Texas and in this Judicial District.

29. On information and belief, Defendant SAP is subject to this Court's specific and general personal jurisdiction pursuant to due process and/or the Texas Long Arm Statute, due at least to its substantial business in this forum, including: (i) at least a portion of the infringements alleged herein; and (ii) regularly doing or soliciting business, engaging in other persistent courses of conduct, and/or deriving substantial revenue from goods and services provided to individuals in Texas and in this Judicial District.

30. On information and belief, Defendant SAS is subject to this Court's specific and general personal jurisdiction pursuant to due process and/or the Texas Long Arm Statute, due at least to its substantial business in this forum, including: (i) at least a portion of the infringements

Case 2:10-cv-00320-TJW Document 1 Filed 08/25/10 Page 6 of 88

alleged herein; and (ii) regularly doing or soliciting business, engaging in other persistent courses of conduct, and/or deriving substantial revenue from goods and services provided to individuals in Texas and in this Judicial District.

31. On information and belief, Defendant Schwab is subject to this Court's specific and general personal jurisdiction pursuant to due process and/or the Texas Long Arm Statute, due at least to its substantial business in this forum, including: (i) at least a portion of the infringements alleged herein; and (ii) regularly doing or soliciting business, engaging in other persistent courses of conduct, and/or deriving substantial revenue from goods and services provided to individuals in Texas and in this Judicial District.

32. On information and belief, Defendant Scottrade is subject to this Court's specific and general personal jurisdiction pursuant to due process and/or the Texas Long Arm Statute, due at least to its substantial business in this forum, including: (i) at least a portion of the infringements alleged herein; and (ii) regularly doing or soliciting business, engaging in other persistent courses of conduct, and/or deriving substantial revenue from goods and services provided to individuals in Texas and in this Judicial District.

33. On information and belief, Defendant TDA is subject to this Court's specific and general personal jurisdiction pursuant to due process and/or the Texas Long Arm Statute, due at least to its substantial business in this forum, including: (i) at least a portion of the infringements alleged herein; and (ii) regularly doing or soliciting business, engaging in other persistent courses of conduct, and/or deriving substantial revenue from goods and services provided to individuals in Texas and in this Judicial District.

34. On information and belief, Defendant TiVo is subject to this Court's specific and general personal jurisdiction pursuant to due process and/or the Texas Long Arm Statute, due at least to its substantial business in this forum, including: (i) at least a portion of the infringements alleged herein; and (ii) regularly doing or soliciting business, engaging in other persistent courses of conduct, and/or deriving substantial revenue from goods and services provided to individuals in Texas and in this Judicial District.

35. On information and belief, Defendant Unicoi is subject to this Court's specific and general personal jurisdiction pursuant to due process and/or the Texas Long Arm Statute, due at least to its substantial business in this forum, including: (i) at least a portion of the infringements alleged herein; and (ii) regularly doing or soliciting business, engaging in other

Case 2:10-cv-00320-TJW Document 1 Filed 08/25/10 Page 7 of 88

persistent courses of conduct, and/or deriving substantial revenue from goods and services provided to individuals in Texas and in this Judicial District.

36. On information and belief, Defendant Xerox is subject to this Court's specific and general personal jurisdiction pursuant to due process and/or the Texas Long Arm Statute, due at least to its substantial business in this forum, including: (i) at least a portion of the infringements alleged herein; and (ii) regularly doing or soliciting business, engaging in other persistent courses of conduct, and/or deriving substantial revenue from goods and services provided to individuals in Texas and in this Judicial District.

37. On information and belief, Defendant Adobe is subject to this Court's specific and general personal jurisdiction pursuant to due process and/or the Texas Long Arm Statute, due at least to its substantial business in this forum, including: (i) at least a portion of the infringements alleged herein; and (ii) regularly doing or soliciting business, engaging in other persistent courses of conduct, and/or deriving substantial revenue from goods and services provided to individuals in Texas and in this Judicial District.

38. On information and belief, Defendant Apple is subject to this Court's specific and general personal jurisdiction pursuant to due process and/or the Texas Long Arm Statute, due at least to its substantial business in this forum, including: (i) at least a portion of the infringements alleged herein; and (ii) regularly doing or soliciting business, engaging in other persistent courses of conduct, and/or deriving substantial revenue from goods and services provided to individuals in Texas and in this Judicial District.

39. On information and belief, Defendant AOL is subject to this Court's specific and general personal jurisdiction pursuant to due process and/or the Texas Long Arm Statute, due at least to its substantial business in this forum, including: (i) at least a portion of the infringements alleged herein; and (ii) regularly doing or soliciting business, engaging in other persistent courses of conduct, and/or deriving substantial revenue from goods and services provided to individuals in Texas and in this Judicial District.

40. On information and belief, Defendant Axibase is subject to this Court's specific and general personal jurisdiction pursuant to due process and/or the Texas Long Arm Statute, due at least to its substantial business in this forum, including: (i) at least a portion of the infringements alleged herein; and (ii) regularly doing or soliciting business, engaging in other

[7]

Case 2:10-cv-00320-TJW Document 1 Filed 08/25/10 Page 8 of 88

persistent courses of conduct, and/or deriving substantial revenue from goods and services provided to individuals in Texas and in this Judicial District.

41. On information and belief, Defendant Chase is subject to this Court's specific and general personal jurisdiction pursuant to due process and/or the Texas Long Arm Statute, due at least to its substantial business in this forum, including: (i) at least a portion of the infringements alleged herein; and (ii) regularly doing or soliciting business, engaging in other persistent courses of conduct, and/or deriving substantial revenue from goods and services provided to individuals in Texas and in this Judicial District.

42. On information and belief, Defendant DIRECTV is subject to this Court's specific and general personal jurisdiction pursuant to due process and/or the Texas Long Arm Statute, due at least to its substantial business in this forum, including: (i) at least a portion of the infringements alleged herein; and (ii) regularly doing or soliciting business, engaging in other persistent courses of conduct, and/or deriving substantial revenue from goods and services provided to individuals in Texas and in this Judicial District.

43. On information and belief, Defendant Dish is subject to this Court's specific and general personal jurisdiction pursuant to due process and/or the Texas Long Arm Statute, due at least to its substantial business in this forum, including: (i) at least a portion of the infringements alleged herein; and (ii) regularly doing or soliciting business, engaging in other persistent courses of conduct, and/or deriving substantial revenue from goods and services provided to individuals in Texas and in this Judicial District.

44. On information and belief, Defendant E*TRADE is subject to this Court's specific and general personal jurisdiction pursuant to due process and/or the Texas Long Arm Statute, due at least to its substantial business in this forum, including: (i) at least a portion of the infringements alleged herein; and (ii) regularly doing or soliciting business, engaging in other persistent courses of conduct, and/or deriving substantial revenue from goods and services provided to individuals in Texas and in this Judicial District.

45. On information and belief, Defendant Exinda is subject to this Court's specific and general personal jurisdiction pursuant to due process and/or the Texas Long Arm Statute, due at least to its substantial business in this forum, including: (i) at least a portion of the infringements alleged herein; and (ii) regularly doing or soliciting business, engaging in other

Case 2:10-cv-00320-TJW Document 1 Filed 08/25/10 Page 9 of 88

persistent courses of conduct, and/or deriving substantial revenue from goods and services provided to individuals in Texas and in this Judicial District.

46. On information and belief, Defendant Fidelity is subject to this Court's specific and general personal jurisdiction pursuant to due process and/or the Texas Long Arm Statute, due at least to its substantial business in this forum, including: (i) at least a portion of the infringements alleged herein; and (ii) regularly doing or soliciting business, engaging in other persistent courses of conduct, and/or deriving substantial revenue from goods and services provided to individuals in Texas and in this Judicial District.

47. On information and belief, Defendant Firstrade is subject to this Court's specific and general personal jurisdiction pursuant to due process and/or the Texas Long Arm Statute, due at least to its substantial business in this forum, including: (i) at least a portion of the infringements alleged herein; and (ii) regularly doing or soliciting business, engaging in other persistent courses of conduct, and/or deriving substantial revenue from goods and services provided to individuals in Texas and in this Judicial District.

48. On information and belief, Defendant HP is subject to this Court's specific and general personal jurisdiction pursuant to due process and/or the Texas Long Arm Statute, due at least to its substantial business in this forum, including: (i) at least a portion of the infringements alleged herein; and (ii) regularly doing or soliciting business, engaging in other persistent courses of conduct, and/or deriving substantial revenue from goods and services provided to individuals in Texas and in this Judicial District.

49. On information and belief, Defendant iControl is subject to this Court's specific and general personal jurisdiction pursuant to due process and/or the Texas Long Arm Statute, due at least to its substantial business in this forum, including: (i) at least a portion of the infringements alleged herein; and (ii) regularly doing or soliciting business, engaging in other persistent courses of conduct, and/or deriving substantial revenue from goods and services provided to individuals in Texas and in this Judicial District.

50. On information and belief, Defendant IBM is subject to this Court's specific and general personal jurisdiction pursuant to due process and/or the Texas Long Arm Statute, due at least to its substantial business in this forum, including: (i) at least a portion of the infringements alleged herein; and (ii) regularly doing or soliciting business, engaging in other persistent courses

Case 2:10-cv-00320-TJW Document 1 Filed 08/25/10 Page 10 of 88

of conduct, and/or deriving substantial revenue from goods and services provided to individuals in Texas and in this Judicial District.

51. On information and belief, Defendant JPMorgan is subject to this Court's specific and general personal jurisdiction pursuant to due process and/or the Texas Long Arm Statute, due at least to its substantial business in this forum, including: (i) at least a portion of the infringements alleged herein; and (ii) regularly doing or soliciting business, engaging in other persistent courses of conduct, and/or deriving substantial revenue from goods and services provided to individuals in Texas and in this Judicial District.

<u>COUNT I</u>

INFRINGEMENT OF U.S. PATENT NO. 7,136,913

52. Plaintiff is the owner by assignment of United States Patent No. 7,136,913 ("the '913 Patent") entitled "Object oriented communication among platform independent systems across a firewall over the internet using HTTP-SOAP" – including all rights to recover for past and future acts of infringement. The '913 Patent issued on November 14, 2006. A true and correct copy of the '913 Patent is attached as Exhibit A.

53. Upon information and belief, Defendant Sabre has been and now is directly infringing, and indirectly infringing by way of inducing infringement and/or contributing to the infringement of the '913 Patent in the State of Texas, in this judicial district, and elsewhere in the United States, by, among other things, using, selling and offering to sell systems that provide communication between an application source located on a first side of a firewall and a network element located on a second side of the firewall. The application source is provided with an applet to drive a user request, where the applet is provided by a web server on the first side of the firewall. A hypertext transfer protocol-simple object access protocol packet is created, and the hypertext transfer protocol portion is removed to produce a simple object access protocol message is sent to a read/write server provided on the second side of the firewall. The simple object access protocol message is transmitted to a network management agent server provided on the second side of the firewall. A nodal model of the user request, including simple object access protocol message, is built in the network management agent server provided on the second side of the firewall.

Case 2:10-cv-00320-TJW Document 1 Filed 08/25/10 Page 11 of 88

Simple object access protocol encoded requests are sent from the network management agent server on the second side of the firewall to a network element agent provided on the second side of the firewall. Simple object access protocol encoded requests received by the network management agent server are parsed in the network element agent, which encompasses data needed to complete a single nodal transaction. The simple object access protocol packets, and those packets are transmitted to a translator box associated with a network element on the second side of the firewall. The translator box is also located on the second side of the firewall. The simple object access protocol packets are transmitted to the network element. For example, and without limitation, Defendant Sabre is marketing, distributing, using, selling, and offering to sell its Sabre AirVision, SabreSonic, Sabre AirCentre, Travelocity, Central Reservation, Global Distribution, Booking Engine and Call Center systems. Defendant Sabre is thus liable for infringement of the '913 Patent pursuant to 35 U.S.C. § 271(a), (b) & (c).

Upon information and belief, Defendant SAP has been and now is directly 54. infringing, and indirectly infringing by way of inducing infringement and/or contributing to the infringement of the '913 Patent in the State of Texas, in this judicial district, and elsewhere in the United States, by, among other things, using, selling and offering to sell systems that provide communication between an application source located on a first side of a firewall and a network element located on a second side of the firewall. The application source is provided with an applet to drive a user request, where the applet is provided by a web server on the first side of the firewall. A hypertext transfer protocol-simple object access protocol packet is created, and the hypertext transfer protocol portion is removed to produce a simple object access protocol message. The user request including the simple object access protocol message is sent to a read/write server provided on the second side of the firewall. The simple object access protocol message is transmitted to a network management agent server provided on the second side of the firewall. A nodal model of the user request, including simple object access protocol message, is built in the network management agent server provided on the second side of the firewall. Simple object access protocol encoded requests are sent from the network management agent server on the second side of the firewall to a network element agent provided on the second side of the firewall. Simple object access protocol encoded requests received by the network

Case 2:10-cv-00320-TJW Document 1 Filed 08/25/10 Page 12 of 88

management agent server are parsed in the network element agent, which encompasses data needed to complete a single nodal transaction. The simple object access protocol message is encoded in the network element agent to produce simple object access protocol packets, and those packets are transmitted to a translator box associated with a network element on the second side of the firewall. The translator box is also located on the second side of the firewall. The simple object access protocol packets are transmitted to the network element. The simple object access protocol packets are translated into an appropriate command for the network element, and the command is transmitted to the network element. For example, and without limitation, Defendant SAP is marketing, distributing, using, selling, and offering to sell its SAP Netweaver systems. Defendant SAP is thus liable for infringement of the '913 Patent pursuant to 35 U.S.C. § 271(a), (b) & (c).

55. Upon information and belief, Defendant SAS has been and now is directly infringing, and indirectly infringing by way of inducing infringement and/or contributing to the infringement of the '913 Patent in the State of Texas, in this judicial district, and elsewhere in the United States, by, among other things, using, selling and offering to sell systems that provide communication between an application source located on a first side of a firewall and a network element located on a second side of the firewall. The application source is provided with an applet to drive a user request, where the applet is provided by a web server on the first side of the firewall. A hypertext transfer protocol-simple object access protocol packet is created, and the hypertext transfer protocol portion is removed to produce a simple object access protocol message. The user request including the simple object access protocol message is sent to a read/write server provided on the second side of the firewall. The simple object access protocol message is transmitted to a network management agent server provided on the second side of the firewall. A nodal model of the user request, including simple object access protocol message, is built in the network management agent server provided on the second side of the firewall. Simple object access protocol encoded requests are sent from the network management agent server on the second side of the firewall to a network element agent provided on the second side of the firewall. Simple object access protocol encoded requests received by the network management agent server are parsed in the network element agent, which encompasses data needed to complete a single nodal transaction. The simple object access protocol message is encoded in the network element agent to produce simple object access protocol packets, and those packets are transmitted to a translator box associated with a network element on the second

Case 2:10-cv-00320-TJW Document 1 Filed 08/25/10 Page 13 of 88

side of the firewall. The translator box is also located on the second side of the firewall. The simple object access protocol packets are translated into an appropriate command for the network element, and the command is transmitted to the network element. For example, and without limitation, Defendant SAS is marketing, distributing, using, selling, and offering to sell its Business Intelligence systems. Defendant SAS is thus liable for infringement of the '913 Patent pursuant to 35 U.S.C. § 271(a), (b) & (c).

56. Upon information and belief, Defendant Schwab has been and now is directly infringing, and indirectly infringing by way of inducing infringement and/or contributing to the infringement of the '913 Patent in the State of Texas, in this judicial district, and elsewhere in the United States, by, among other things, using, selling and offering to sell systems that provide communication between an application source located on a first side of a firewall and a network element located on a second side of the firewall. The application source is provided with an applet to drive a user request, where the applet is provided by a web server on the first side of the firewall. A hypertext transfer protocol-simple object access protocol packet is created, and the hypertext transfer protocol portion is removed to produce a simple object access protocol message. The user request including the simple object access protocol message is sent to a read/write server provided on the second side of the firewall. The simple object access protocol message is transmitted to a network management agent server provided on the second side of the firewall. A nodal model of the user request, including simple object access protocol message, is built in the network management agent server provided on the second side of the firewall. Simple object access protocol encoded requests are sent from the network management agent server on the second side of the firewall to a network element agent provided on the second side of the firewall. Simple object access protocol encoded requests received by the network management agent server are parsed in the network element agent, which encompasses data needed to complete a single nodal transaction. The simple object access protocol message is encoded in the network element agent to produce simple object access protocol packets, and those packets are transmitted to a translator box associated with a network element on the second side of the firewall. The translator box is also located on the second side of the firewall. The simple object access protocol packets are translated into an appropriate command for the network element, and the command is transmitted to the network element. For example, and without limitation, Defendant Schwab is marketing, distributing, using, selling, and offering to

sell its Online and Web Trading systems. Defendant Schwab is thus liable for infringement of the '913 Patent pursuant to 35 U.S.C. § 271(a), (b) & (c).

57. Upon information and belief, Defendant Scottrade has been and now is directly infringing, and indirectly infringing by way of inducing infringement and/or contributing to the infringement of the '913 Patent in the State of Texas, in this judicial district, and elsewhere in the United States, by, among other things, using, selling and offering to sell systems that provide communication between an application source located on a first side of a firewall and a network element located on a second side of the firewall. The application source is provided with an applet to drive a user request, where the applet is provided by a web server on the first side of the firewall. A hypertext transfer protocol-simple object access protocol packet is created, and the hypertext transfer protocol portion is removed to produce a simple object access protocol message. The user request including the simple object access protocol message is sent to a read/write server provided on the second side of the firewall. The simple object access protocol message is transmitted to a network management agent server provided on the second side of the firewall. A nodal model of the user request, including simple object access protocol message, is built in the network management agent server provided on the second side of the firewall. Simple object access protocol encoded requests are sent from the network management agent server on the second side of the firewall to a network element agent provided on the second side of the firewall. Simple object access protocol encoded requests received by the network management agent server are parsed in the network element agent, which encompasses data needed to complete a single nodal transaction. The simple object access protocol message is encoded in the network element agent to produce simple object access protocol packets, and those packets are transmitted to a translator box associated with a network element on the second side of the firewall. The translator box is also located on the second side of the firewall. The simple object access protocol packets are translated into an appropriate command for the network element, and the command is transmitted to the network element. For example, and without limitation, Defendant Scottrade is marketing, distributing, using, selling, and offering to sell its Options First, Scottrade Trading Website, Scottrade Mobile and ScottradeELITE systems. Defendant Scottrade is thus liable for infringement of the '913 Patent pursuant to 35 U.S.C. § 271(a), (b) & (c).

Case 2:10-cv-00320-TJW Document 1 Filed 08/25/10 Page 15 of 88

Upon information and belief, Defendant TDA has been and now is directly 58. infringing, and indirectly infringing by way of inducing infringement and/or contributing to the infringement of the '913 Patent in the State of Texas, in this judicial district, and elsewhere in the United States, by, among other things, using, selling and offering to sell systems that provide communication between an application source located on a first side of a firewall and a network element located on a second side of the firewall. The application source is provided with an applet to drive a user request, where the applet is provided by a web server on the first side of the firewall. A hypertext transfer protocol-simple object access protocol packet is created, and the hypertext transfer protocol portion is removed to produce a simple object access protocol message. The user request including the simple object access protocol message is sent to a read/write server provided on the second side of the firewall. The simple object access protocol message is transmitted to a network management agent server provided on the second side of the firewall. A nodal model of the user request, including simple object access protocol message, is built in the network management agent server provided on the second side of the firewall. Simple object access protocol encoded requests are sent from the network management agent server on the second side of the firewall to a network element agent provided on the second side of the firewall. Simple object access protocol encoded requests received by the network management agent server are parsed in the network element agent, which encompasses data needed to complete a single nodal transaction. The simple object access protocol message is encoded in the network element agent to produce simple object access protocol packets, and those packets are transmitted to a translator box associated with a network element on the second side of the firewall. The translator box is also located on the second side of the firewall. The simple object access protocol packets are translated into an appropriate command for the network element, and the command is transmitted to the network element. For example, and without limitation, Defendant TDA is marketing, distributing, using, selling, and offering to sell its Mobile and Online Trading systems. Defendant TDA is thus liable for infringement of the '913 Patent pursuant to 35 U.S.C. § 271(a), (b) & (c).

59. Upon information and belief, Defendant TiVo has been and now is directly infringing, and indirectly infringing by way of inducing infringement and/or contributing to the infringement of the '913 Patent in the State of Texas, in this judicial district, and elsewhere in the United States, by, among other things, using, selling and offering to sell systems that provide

communication between an application source located on a first side of a firewall and a network element located on a second side of the firewall. The application source is provided with an applet to drive a user request, where the applet is provided by a web server on the first side of the firewall. A hypertext transfer protocol-simple object access protocol packet is created, and the hypertext transfer protocol portion is removed to produce a simple object access protocol message. The user request including the simple object access protocol message is sent to a read/write server provided on the second side of the firewall. The simple object access protocol message is transmitted to a network management agent server provided on the second side of the firewall. A nodal model of the user request, including simple object access protocol message, is built in the network management agent server provided on the second side of the firewall. Simple object access protocol encoded requests are sent from the network management agent server on the second side of the firewall to a network element agent provided on the second side of the firewall. Simple object access protocol encoded requests received by the network management agent server are parsed in the network element agent, which encompasses data needed to complete a single nodal transaction. The simple object access protocol message is encoded in the network element agent to produce simple object access protocol packets, and those packets are transmitted to a translator box associated with a network element on the second side of the firewall. The translator box is also located on the second side of the firewall. The simple object access protocol packets are translated into an appropriate command for the network element, and the command is transmitted to the network element. For example, and without limitation, Defendant TiVo is marketing, distributing, using, selling, and offering to sell its TiVo Online Scheduling, TiVo Mobile and TiVo Scheduler systems. Defendant TiVo is thus liable for infringement of the '913 Patent pursuant to 35 U.S.C. § 271(a), (b) & (c).

60. Upon information and belief, Defendant Unicoi has been and now is directly infringing, and indirectly infringing by way of inducing infringement and/or contributing to the infringement of the '913 Patent in the State of Texas, in this judicial district, and elsewhere in the United States, by, among other things, using, selling and offering to sell systems that provide communication between an application source located on a first side of a firewall and a network element located on a second side of the firewall. The application source is provided with an applet to drive a user request, where the applet is provided by a web server on the first side of the firewall. A hypertext transfer protocol-simple object access protocol packet is created, and the

Case 2:10-cv-00320-TJW Document 1 Filed 08/25/10 Page 17 of 88

hypertext transfer protocol portion is removed to produce a simple object access protocol message. The user request including the simple object access protocol message is sent to a read/write server provided on the second side of the firewall. The simple object access protocol message is transmitted to a network management agent server provided on the second side of the firewall. A nodal model of the user request, including simple object access protocol message, is built in the network management agent server provided on the second side of the firewall. Simple object access protocol encoded requests are sent from the network management agent server on the second side of the firewall to a network element agent provided on the second side Simple object access protocol encoded requests received by the network of the firewall. management agent server are parsed in the network element agent, which encompasses data needed to complete a single nodal transaction. The simple object access protocol message is encoded in the network element agent to produce simple object access protocol packets, and those packets are transmitted to a translator box associated with a network element on the second side of the firewall. The translator box is also located on the second side of the firewall. The simple object access protocol packets are translated into an appropriate command for the network element, and the command is transmitted to the network element. For example, and without limitation, Defendant Unicoi is marketing, distributing, using, selling, and offering to sell its Fusion SOAP Client & Server systems. Defendant Unicoi is thus liable for infringement of the '913 Patent pursuant to 35 U.S.C. § 271(a), (b) & (c).

61. Upon information and belief, Defendant Xerox has been and now is directly infringing, and indirectly infringing by way of inducing infringement and/or contributing to the infringement of the '913 Patent in the State of Texas, in this judicial district, and elsewhere in the United States, by, among other things, using, selling and offering to sell systems that provide communication between an application source located on a first side of a firewall and a network element located on a second side of the firewall. The application source is provided with an applet to drive a user request, where the applet is provided by a web server on the first side of the firewall. A hypertext transfer protocol-simple object access protocol packet is created, and the hypertext transfer protocol portion is removed to produce a simple object access protocol message is sent to a read/write server provided on the second side of the firewall. The simple object access protocol message is transmitted to a network management agent server provided on the second side of the firewall.

Case 2:10-cv-00320-TJW Document 1 Filed 08/25/10 Page 18 of 88

firewall. A nodal model of the user request, including simple object access protocol message, is built in the network management agent server provided on the second side of the firewall. Simple object access protocol encoded requests are sent from the network management agent server on the second side of the firewall to a network element agent provided on the second side of the firewall. Simple object access protocol encoded requests received by the network management agent server are parsed in the network element agent, which encompasses data needed to complete a single nodal transaction. The simple object access protocol message is encoded in the network element agent to produce simple object access protocol packets, and those packets are transmitted to a translator box associated with a network element on the second side of the firewall. The translator box is also located on the second side of the firewall. The simple object access protocol packets are translated into an appropriate command for the network element, and the command is transmitted to the network element. For example, and without limitation, Defendant Xerox is marketing, distributing, using, selling, and offering to sell its Docushare systems. Defendant Xerox is thus liable for infringement of the '913 Patent pursuant to 35 U.S.C. § 271(a), (b) & (c).

62. Upon information and belief, Defendant Adobe has been and now is directly infringing, and indirectly infringing by way of inducing infringement and/or contributing to the infringement of the '913 Patent in the State of Texas, in this judicial district, and elsewhere in the United States, by, among other things, using, selling and offering to sell systems that provide communication between an application source located on a first side of a firewall and a network element located on a second side of the firewall. The application source is provided with an applet to drive a user request, where the applet is provided by a web server on the first side of the firewall. A hypertext transfer protocol-simple object access protocol packet is created, and the hypertext transfer protocol portion is removed to produce a simple object access protocol message. The user request including the simple object access protocol message is sent to a read/write server provided on the second side of the firewall. The simple object access protocol message is transmitted to a network management agent server provided on the second side of the firewall. A nodal model of the user request, including simple object access protocol message, is built in the network management agent server provided on the second side of the firewall. Simple object access protocol encoded requests are sent from the network management agent server on the second side of the firewall to a network element agent provided on the second side

Case 2:10-cv-00320-TJW Document 1 Filed 08/25/10 Page 19 of 88

of the firewall. Simple object access protocol encoded requests received by the network management agent server are parsed in the network element agent, which encompasses data needed to complete a single nodal transaction. The simple object access protocol message is encoded in the network element agent to produce simple object access protocol packets, and those packets are transmitted to a translator box associated with a network element on the second side of the firewall. The translator box is also located on the second side of the firewall. The simple object access protocol packets are transmitted to the network element. For example, and without limitation, Defendant Adobe is marketing, distributing, using, selling, and offering to sell its Creative Suite 5, Flash Platform, ColdFusion, LiveCycle ES, and Scene7 systems. Defendant Adobe is thus liable for infringement of the '913 Patent pursuant to 35 U.S.C. § 271(a), (b) & (c).

Upon information and belief, Defendant AOL has been and now is directly 63. infringing, and indirectly infringing by way of inducing infringement and/or contributing to the infringement of the '913 Patent in the State of Texas, in this judicial district, and elsewhere in the United States, by, among other things, using, selling and offering to sell systems that provide communication between an application source located on a first side of a firewall and a network element located on a second side of the firewall. The application source is provided with an applet to drive a user request, where the applet is provided by a web server on the first side of the firewall. A hypertext transfer protocol-simple object access protocol packet is created, and the hypertext transfer protocol portion is removed to produce a simple object access protocol message. The user request including the simple object access protocol message is sent to a read/write server provided on the second side of the firewall. The simple object access protocol message is transmitted to a network management agent server provided on the second side of the firewall. A nodal model of the user request, including simple object access protocol message, is built in the network management agent server provided on the second side of the firewall. Simple object access protocol encoded requests are sent from the network management agent server on the second side of the firewall to a network element agent provided on the second side of the firewall. Simple object access protocol encoded requests received by the network management agent server are parsed in the network element agent, which encompasses data needed to complete a single nodal transaction. The simple object access protocol message is

encoded in the network element agent to produce simple object access protocol packets, and those packets are transmitted to a translator box associated with a network element on the second side of the firewall. The translator box is also located on the second side of the firewall. The simple object access protocol packets are translated into an appropriate command for the network element, and the command is transmitted to the network element. For example, and without limitation, Defendant AOL is marketing, distributing, using, selling, and offering to sell its AIM, Moviefone and Lifestream systems. Defendant AOL is thus liable for infringement of the '913 Patent pursuant to 35 U.S.C. § 271(a), (b) & (c).

64. Upon information and belief, Defendant Apple has been and now is directly infringing, and indirectly infringing by way of inducing infringement and/or contributing to the infringement of the '913 Patent in the State of Texas, in this judicial district, and elsewhere in the United States, by, among other things, using, selling and offering to sell systems that provide communication between an application source located on a first side of a firewall and a network element located on a second side of the firewall. The application source is provided with an applet to drive a user request, where the applet is provided by a web server on the first side of the firewall. A hypertext transfer protocol-simple object access protocol packet is created, and the hypertext transfer protocol portion is removed to produce a simple object access protocol message. The user request including the simple object access protocol message is sent to a read/write server provided on the second side of the firewall. The simple object access protocol message is transmitted to a network management agent server provided on the second side of the firewall. A nodal model of the user request, including simple object access protocol message, is built in the network management agent server provided on the second side of the firewall. Simple object access protocol encoded requests are sent from the network management agent server on the second side of the firewall to a network element agent provided on the second side of the firewall. Simple object access protocol encoded requests received by the network management agent server are parsed in the network element agent, which encompasses data needed to complete a single nodal transaction. The simple object access protocol message is encoded in the network element agent to produce simple object access protocol packets, and those packets are transmitted to a translator box associated with a network element on the second side of the firewall. The translator box is also located on the second side of the firewall. The simple object access protocol packets are translated into an appropriate command for the

Case 2:10-cv-00320-TJW Document 1 Filed 08/25/10 Page 21 of 88

network element, and the command is transmitted to the network element. For example, and without limitation, Defendant Apple is marketing, distributing, using, selling, and offering to sell its MAC OS X Server systems. Defendant Apple is thus liable for infringement of the '913 Patent pursuant to 35 U.S.C. § 271(a), (b) & (c).

65. Upon information and belief, Defendant Axibase has been and now is directly infringing, and indirectly infringing by way of inducing infringement and/or contributing to the infringement of the '913 Patent in the State of Texas, in this judicial district, and elsewhere in the United States, by, among other things, using, selling and offering to sell systems that provide communication between an application source located on a first side of a firewall and a network element located on a second side of the firewall. The application source is provided with an applet to drive a user request, where the applet is provided by a web server on the first side of the firewall. A hypertext transfer protocol-simple object access protocol packet is created, and the hypertext transfer protocol portion is removed to produce a simple object access protocol message. The user request including the simple object access protocol message is sent to a read/write server provided on the second side of the firewall. The simple object access protocol message is transmitted to a network management agent server provided on the second side of the firewall. A nodal model of the user request, including simple object access protocol message, is built in the network management agent server provided on the second side of the firewall. Simple object access protocol encoded requests are sent from the network management agent server on the second side of the firewall to a network element agent provided on the second side Simple object access protocol encoded requests received by the network of the firewall. management agent server are parsed in the network element agent, which encompasses data needed to complete a single nodal transaction. The simple object access protocol message is encoded in the network element agent to produce simple object access protocol packets, and those packets are transmitted to a translator box associated with a network element on the second side of the firewall. The translator box is also located on the second side of the firewall. The simple object access protocol packets are translated into an appropriate command for the network element, and the command is transmitted to the network element. For example, and without limitation, Defendant Axibase is marketing, distributing, using, selling, and offering to sell its Fabrica systems. Defendant Axibase is thus liable for infringement of the '913 Patent pursuant to 35 U.S.C. § 271(a), (b) & (c).

Case 2:10-cv-00320-TJW Document 1 Filed 08/25/10 Page 22 of 88

66. Upon information and belief, Defendant DIRECTV has been and now is directly infringing, and indirectly infringing by way of inducing infringement and/or contributing to the infringement of the '913 Patent in the State of Texas, in this judicial district, and elsewhere in the United States, by, among other things, using, selling and offering to sell systems that provide communication between an application source located on a first side of a firewall and a network element located on a second side of the firewall. The application source is provided with an applet to drive a user request, where the applet is provided by a web server on the first side of the firewall. A hypertext transfer protocol-simple object access protocol packet is created, and the hypertext transfer protocol portion is removed to produce a simple object access protocol message. The user request including the simple object access protocol message is sent to a read/write server provided on the second side of the firewall. The simple object access protocol message is transmitted to a network management agent server provided on the second side of the firewall. A nodal model of the user request, including simple object access protocol message, is built in the network management agent server provided on the second side of the firewall. Simple object access protocol encoded requests are sent from the network management agent server on the second side of the firewall to a network element agent provided on the second side of the firewall. Simple object access protocol encoded requests received by the network management agent server are parsed in the network element agent, which encompasses data needed to complete a single nodal transaction. The simple object access protocol message is encoded in the network element agent to produce simple object access protocol packets, and those packets are transmitted to a translator box associated with a network element on the second side of the firewall. The translator box is also located on the second side of the firewall. The simple object access protocol packets are translated into an appropriate command for the network element, and the command is transmitted to the network element. For example, and without limitation, Defendant DIRECTV is marketing, distributing, using, selling, and offering to sell its DVR Online Scheduler and DVR Mobile Scheduler systems. Defendant DIRECTV is thus liable for infringement of the '913 Patent pursuant to 35 U.S.C. § 271(a), (b) & (c).

67. Upon information and belief, Defendant Dish has been and now is directly infringing, and indirectly infringing by way of inducing infringement and/or contributing to the infringement of the '913 Patent in the State of Texas, in this judicial district, and elsewhere in the United States, by, among other things, using, selling and offering to sell systems that provide

communication between an application source located on a first side of a firewall and a network element located on a second side of the firewall. The application source is provided with an applet to drive a user request, where the applet is provided by a web server on the first side of the firewall. A hypertext transfer protocol-simple object access protocol packet is created, and the hypertext transfer protocol portion is removed to produce a simple object access protocol message. The user request including the simple object access protocol message is sent to a read/write server provided on the second side of the firewall. The simple object access protocol message is transmitted to a network management agent server provided on the second side of the firewall. A nodal model of the user request, including simple object access protocol message, is built in the network management agent server provided on the second side of the firewall. Simple object access protocol encoded requests are sent from the network management agent server on the second side of the firewall to a network element agent provided on the second side of the firewall. Simple object access protocol encoded requests received by the network management agent server are parsed in the network element agent, which encompasses data needed to complete a single nodal transaction. The simple object access protocol message is encoded in the network element agent to produce simple object access protocol packets, and those packets are transmitted to a translator box associated with a network element on the second side of the firewall. The translator box is also located on the second side of the firewall. The simple object access protocol packets are translated into an appropriate command for the network element, and the command is transmitted to the network element. For example, and without limitation, Defendant Dish is marketing, distributing, using, selling, and offering to sell its Dish Remote Access systems. Defendant Dish is thus liable for infringement of the '913 Patent pursuant to 35 U.S.C. § 271(a), (b) & (c).

68. Upon information and belief, Defendant E*TRADE has been and now is directly infringing, and indirectly infringing by way of inducing infringement and/or contributing to the infringement of the '913 Patent in the State of Texas, in this judicial district, and elsewhere in the United States, by, among other things, using, selling and offering to sell systems that provide communication between an application source located on a first side of a firewall and a network element located on a second side of the firewall. The application source is provided with an applet to drive a user request, where the applet is provided by a web server on the first side of the firewall. A hypertext transfer protocol-simple object access protocol packet is created, and the

Case 2:10-cv-00320-TJW Document 1 Filed 08/25/10 Page 24 of 88

hypertext transfer protocol portion is removed to produce a simple object access protocol message. The user request including the simple object access protocol message is sent to a read/write server provided on the second side of the firewall. The simple object access protocol message is transmitted to a network management agent server provided on the second side of the firewall. A nodal model of the user request, including simple object access protocol message, is built in the network management agent server provided on the second side of the firewall. Simple object access protocol encoded requests are sent from the network management agent server on the second side of the firewall to a network element agent provided on the second side of the firewall. Simple object access protocol encoded requests received by the network management agent server are parsed in the network element agent, which encompasses data needed to complete a single nodal transaction. The simple object access protocol message is encoded in the network element agent to produce simple object access protocol packets, and those packets are transmitted to a translator box associated with a network element on the second side of the firewall. The translator box is also located on the second side of the firewall. The simple object access protocol packets are translated into an appropriate command for the network element, and the command is transmitted to the network element. For example, and without limitation, Defendant E*TRADE is marketing, distributing, using, selling, and offering to sell its Mobile Pro, Website Trading and MarketTrader systems. Defendant E*TRADE is thus liable for infringement of the '913 Patent pursuant to 35 U.S.C. § 271(a), (b) & (c).

69. Upon information and belief, Defendant Exinda has been and now is directly infringing, and indirectly infringing by way of inducing infringement and/or contributing to the infringement of the '913 Patent in the State of Texas, in this judicial district, and elsewhere in the United States, by, among other things, using, selling and offering to sell systems that provide communication between an application source located on a first side of a firewall and a network element located on a second side of the firewall. The application source is provided with an applet to drive a user request, where the applet is provided by a web server on the first side of the firewall. A hypertext transfer protocol-simple object access protocol packet is created, and the hypertext transfer protocol portion is removed to produce a simple object access protocol message is sent to a read/write server provided on the second side of the firewall. The simple object access protocol message is transmitted to a network management agent server provided on the second side of the firewall.

Case 2:10-cv-00320-TJW Document 1 Filed 08/25/10 Page 25 of 88

firewall. A nodal model of the user request, including simple object access protocol message, is built in the network management agent server provided on the second side of the firewall. Simple object access protocol encoded requests are sent from the network management agent server on the second side of the firewall to a network element agent provided on the second side of the firewall. Simple object access protocol encoded requests received by the network management agent server are parsed in the network element agent, which encompasses data needed to complete a single nodal transaction. The simple object access protocol message is encoded in the network element agent to produce simple object access protocol packets, and those packets are transmitted to a translator box associated with a network element on the second side of the firewall. The translator box is also located on the second side of the firewall. The simple object access protocol packets are translated into an appropriate command for the network element, and the command is transmitted to the network element. For example, and without limitation, Defendant Exinda is marketing, distributing, using, selling, and offering to sell its Unified Performance Management and Service Delivery Point systems. Defendant Exinda is thus liable for infringement of the '913 Patent pursuant to 35 U.S.C. § 271(a), (b) & (c).

70. Upon information and belief, Defendant Fidelity has been and now is directly infringing, and indirectly infringing by way of inducing infringement and/or contributing to the infringement of the '913 Patent in the State of Texas, in this judicial district, and elsewhere in the United States, by, among other things, using, selling and offering to sell systems that provide communication between an application source located on a first side of a firewall and a network element located on a second side of the firewall. The application source is provided with an applet to drive a user request, where the applet is provided by a web server on the first side of the firewall. A hypertext transfer protocol-simple object access protocol packet is created, and the hypertext transfer protocol portion is removed to produce a simple object access protocol message. The user request including the simple object access protocol message is sent to a read/write server provided on the second side of the firewall. The simple object access protocol message is transmitted to a network management agent server provided on the second side of the firewall. A nodal model of the user request, including simple object access protocol message, is built in the network management agent server provided on the second side of the firewall. Simple object access protocol encoded requests are sent from the network management agent

Case 2:10-cv-00320-TJW Document 1 Filed 08/25/10 Page 26 of 88

server on the second side of the firewall to a network element agent provided on the second side of the firewall. Simple object access protocol encoded requests received by the network management agent server are parsed in the network element agent, which encompasses data needed to complete a single nodal transaction. The simple object access protocol message is encoded in the network element agent to produce simple object access protocol packets, and those packets are transmitted to a translator box associated with a network element on the second side of the firewall. The translator box is also located on the second side of the firewall. The simple object access protocol packets are transmitted to the network element. For example, and without limitation, Defendant Fidelity is marketing, distributing, using, selling, and offering to sell its Active Trader Pro and Mobile Trading systems. Defendant Fidelity is thus liable for infringement of the '913 Patent pursuant to 35 U.S.C. § 271(a), (b) & (c).

71. Upon information and belief, Defendant Firstrade has been and now is directly infringing, and indirectly infringing by way of inducing infringement and/or contributing to the infringement of the '913 Patent in the State of Texas, in this judicial district, and elsewhere in the United States, by, among other things, using, selling and offering to sell systems that provide communication between an application source located on a first side of a firewall and a network element located on a second side of the firewall. The application source is provided with an applet to drive a user request, where the applet is provided by a web server on the first side of the firewall. A hypertext transfer protocol-simple object access protocol packet is created, and the hypertext transfer protocol portion is removed to produce a simple object access protocol message. The user request including the simple object access protocol message is sent to a read/write server provided on the second side of the firewall. The simple object access protocol message is transmitted to a network management agent server provided on the second side of the firewall. A nodal model of the user request, including simple object access protocol message, is built in the network management agent server provided on the second side of the firewall. Simple object access protocol encoded requests are sent from the network management agent server on the second side of the firewall to a network element agent provided on the second side of the firewall. Simple object access protocol encoded requests received by the network management agent server are parsed in the network element agent, which encompasses data needed to complete a single nodal transaction. The simple object access protocol message is

encoded in the network element agent to produce simple object access protocol packets, and those packets are transmitted to a translator box associated with a network element on the second side of the firewall. The translator box is also located on the second side of the firewall. The simple object access protocol packets are translated into an appropriate command for the network element, and the command is transmitted to the network element. For example, and without limitation, Defendant Firstrade is marketing, distributing, using, selling, and offering to sell its online website trading and mobile trading systems. Defendant Firstrade is thus liable for infringement of the '913 Patent pursuant to 35 U.S.C. § 271(a), (b) & (c).

72. Upon information and belief, Defendant HP has been and now is directly infringing, and indirectly infringing by way of inducing infringement and/or contributing to the infringement of the '913 Patent in the State of Texas, in this judicial district, and elsewhere in the United States, by, among other things, using, selling and offering to sell systems that provide communication between an application source located on a first side of a firewall and a network element located on a second side of the firewall. The application source is provided with an applet to drive a user request, where the applet is provided by a web server on the first side of the firewall. A hypertext transfer protocol-simple object access protocol packet is created, and the hypertext transfer protocol portion is removed to produce a simple object access protocol message. The user request including the simple object access protocol message is sent to a read/write server provided on the second side of the firewall. The simple object access protocol message is transmitted to a network management agent server provided on the second side of the firewall. A nodal model of the user request, including simple object access protocol message, is built in the network management agent server provided on the second side of the firewall. Simple object access protocol encoded requests are sent from the network management agent server on the second side of the firewall to a network element agent provided on the second side of the firewall. Simple object access protocol encoded requests received by the network management agent server are parsed in the network element agent, which encompasses data needed to complete a single nodal transaction. The simple object access protocol message is encoded in the network element agent to produce simple object access protocol packets, and those packets are transmitted to a translator box associated with a network element on the second side of the firewall. The translator box is also located on the second side of the firewall. The simple object access protocol packets are translated into an appropriate command for the

Case 2:10-cv-00320-TJW Document 1 Filed 08/25/10 Page 28 of 88

network element, and the command is transmitted to the network element. For example, and without limitation, Defendant HP is marketing, distributing, using, selling, and offering to sell its HP Operations Manger, HP Smart Plug-in for SOAP, and HP Smart Plug-in for Sun ONE Web Services systems. Defendant HP is thus liable for infringement of the '913 Patent pursuant to 35 U.S.C. § 271(a), (b) & (c).

Upon information and belief, Defendant iControl has been and now is directly 73. infringing, and indirectly infringing by way of inducing infringement and/or contributing to the infringement of the '913 Patent in the State of Texas, in this judicial district, and elsewhere in the United States, by, among other things, using, selling and offering to sell systems that provide communication between an application source located on a first side of a firewall and a network element located on a second side of the firewall. The application source is provided with an applet to drive a user request, where the applet is provided by a web server on the first side of the firewall. A hypertext transfer protocol-simple object access protocol packet is created, and the hypertext transfer protocol portion is removed to produce a simple object access protocol message. The user request including the simple object access protocol message is sent to a read/write server provided on the second side of the firewall. The simple object access protocol message is transmitted to a network management agent server provided on the second side of the firewall. A nodal model of the user request, including simple object access protocol message, is built in the network management agent server provided on the second side of the firewall. Simple object access protocol encoded requests are sent from the network management agent server on the second side of the firewall to a network element agent provided on the second side of the firewall. Simple object access protocol encoded requests received by the network management agent server are parsed in the network element agent, which encompasses data needed to complete a single nodal transaction. The simple object access protocol message is encoded in the network element agent to produce simple object access protocol packets, and those packets are transmitted to a translator box associated with a network element on the second side of the firewall. The translator box is also located on the second side of the firewall. The simple object access protocol packets are translated into an appropriate command for the network element, and the command is transmitted to the network element. For example, and without limitation, Defendant iControl is marketing, distributing, using, selling, and offering to

sell its iDAC, iGATE and iVIEW systems. Defendant iControl is thus liable for infringement of the '913 Patent pursuant to 35 U.S.C. § 271(a), (b) & (c).

74. Upon information and belief, Defendant IBM has been and now is directly infringing, and indirectly infringing by way of inducing infringement and/or contributing to the infringement of the '913 Patent in the State of Texas, in this judicial district, and elsewhere in the United States, by, among other things, using, selling and offering to sell systems that provide communication between an application source located on a first side of a firewall and a network element located on a second side of the firewall. The application source is provided with an applet to drive a user request, where the applet is provided by a web server on the first side of the firewall. A hypertext transfer protocol-simple object access protocol packet is created, and the hypertext transfer protocol portion is removed to produce a simple object access protocol message. The user request including the simple object access protocol message is sent to a read/write server provided on the second side of the firewall. The simple object access protocol message is transmitted to a network management agent server provided on the second side of the firewall. A nodal model of the user request, including simple object access protocol message, is built in the network management agent server provided on the second side of the firewall. Simple object access protocol encoded requests are sent from the network management agent server on the second side of the firewall to a network element agent provided on the second side of the firewall. Simple object access protocol encoded requests received by the network management agent server are parsed in the network element agent, which encompasses data needed to complete a single nodal transaction. The simple object access protocol message is encoded in the network element agent to produce simple object access protocol packets, and those packets are transmitted to a translator box associated with a network element on the second side of the firewall. The translator box is also located on the second side of the firewall. The simple object access protocol packets are translated into an appropriate command for the network element, and the command is transmitted to the network element. For example, and without limitation, Defendant IBM is marketing, distributing, using, selling, and offering to sell its Tivoli software systems. Defendant IBM is thus liable for infringement of the '913 Patent pursuant to 35 U.S.C. § 271(a), (b) & (c).

75. Upon information and belief, Defendant JPMorgan has been and now is directly infringing, and indirectly infringing by way of inducing infringement and/or contributing to the

infringement of the '913 Patent in the State of Texas, in this judicial district, and elsewhere in the United States, by, among other things, using, selling and offering to sell systems that provide communication between an application source located on a first side of a firewall and a network element located on a second side of the firewall. The application source is provided with an applet to drive a user request, where the applet is provided by a web server on the first side of the firewall. A hypertext transfer protocol-simple object access protocol packet is created, and the hypertext transfer protocol portion is removed to produce a simple object access protocol message. The user request including the simple object access protocol message is sent to a read/write server provided on the second side of the firewall. The simple object access protocol message is transmitted to a network management agent server provided on the second side of the firewall. A nodal model of the user request, including simple object access protocol message, is built in the network management agent server provided on the second side of the firewall. Simple object access protocol encoded requests are sent from the network management agent server on the second side of the firewall to a network element agent provided on the second side of the firewall. Simple object access protocol encoded requests received by the network management agent server are parsed in the network element agent, which encompasses data needed to complete a single nodal transaction. The simple object access protocol message is encoded in the network element agent to produce simple object access protocol packets, and those packets are transmitted to a translator box associated with a network element on the second side of the firewall. The translator box is also located on the second side of the firewall. The simple object access protocol packets are translated into an appropriate command for the network element, and the command is transmitted to the network element. For example, and without limitation, Defendant JPMorgan is marketing, distributing, using, selling, and offering to sell its Online Bill Pay and Overnight Check systems. Defendant JPMorgan is thus liable for infringement of the '913 Patent pursuant to 35 U.S.C. § 271(a), (b) & (c).

<u>COUNT II</u> <u>INFRINGEMENT OF U.S. PATENT NO. 7,325,053</u>

76. Plaintiff is the owner by assignment of United States Patent No. 7,325,053 ("the '053 Patent") entitled "Object oriented communication among platform-independent systems over networks using SOAP" – including all rights to recover for past and future acts of

infringement. The '053 Patent issued on January 29, 2008. A true and correct copy of the '053 Patent is attached as Exhibit B.

77. Upon information and belief, Defendant Sabre has been and now is directly infringing, and indirectly infringing by way of inducing infringement and/or contributing to the infringement of the '053 Patent in the State of Texas, in this judicial district, and elsewhere in the United States, by, among other things, using, selling and offering to sell systems that provide for communicating messages between an application source located at a first side of a firewall and a network element located at a second side of the firewall. These systems have a read/write routine provided in a read/write server at the second side of the firewall, wherein the read/write routine receives a simple object access protocol message from an underlying communication protocol server compatible with web communication. The simple object access protocol message includes a simple object access protocol envelope over an underlying expanding messaging communication protocol of a user request. A network management application routine is provided in a network management agent server at the second side of the firewall, receiving the simple object access protocol message from the read/write routine. A translator routine is provided in a translator box at the second side of the firewall. The translator box receives the simple object access protocol message and translates it into a command or data, or combination of command and data, for the network element. A network element agent routine is provided in a network element agent server at the second side of the firewall. It parses the simple object access protocol message to produce simple object access protocol packets received from the network management application routine and sends those packets to the translator routine. For example, and without limitation, Defendant Sabre is marketing, distributing, using, selling, and offering to sell its Sabre AirVision, SabreSonic, Sabre AirCentre, Travelocity, Central Reservation, Global Distribution, Booking Engine and Call Center systems. Defendant Sabre is thus liable for infringement of the '053 Patent pursuant to 35 U.S.C. § 271(a), (b) & (c).

78. Upon information and belief, Defendant SAP has been and now is directly infringing, and indirectly infringing by way of inducing infringement and/or contributing to the infringement of the '053 Patent in the State of Texas, in this judicial district, and elsewhere in the United States, by, among other things, using, selling and offering to sell systems that provide for communicating messages between an application source located at a first side of a firewall and a network element located at a second side of the firewall. These systems have a read/write

routine provided in a read/write server at the second side of the firewall, wherein the read/write routine receives a simple object access protocol message from an underlying communication protocol server compatible with web communication. The simple object access protocol message includes a simple object access protocol envelope over an underlying expanding messaging communication protocol of a user request. A network management application routine is provided in a network management agent server at the second side of the firewall, receiving the simple object access protocol message from the read/write routine. A translator routine is provided in a translator box at the second side of the firewall. The translator box receives the simple object access protocol message and translates it into a command or data, or combination of command and data, for the network element. A network element agent routine is provided in a network element agent server at the second side of the firewall. It parses the simple object access protocol message to produce simple object access protocol packets received from the network management application routine and sends those packets to the translator routine. For example, and without limitation, Defendant SAP is marketing, distributing, using, selling, and offering to sell its SAP Netweaver systems. Defendant SAP is thus liable for infringement of the '053 Patent pursuant to 35 U.S.C. § 271(a), (b) & (c).

79. Upon information and belief, Defendant SAS has been and now is directly infringing, and indirectly infringing by way of inducing infringement and/or contributing to the infringement of the '053 Patent in the State of Texas, in this judicial district, and elsewhere in the United States, by, among other things, using, selling and offering to sell systems that provide for communicating messages between an application source located at a first side of a firewall and a network element located at a second side of the firewall. These systems have a read/write routine provided in a read/write server at the second side of the firewall, wherein the read/write routine receives a simple object access protocol message from an underlying communication protocol server compatible with web communication. The simple object access protocol message includes a simple object access protocol envelope over an underlying expanding messaging communication protocol of a user request. A network management application routine is provided in a network management agent server at the second side of the firewall, receiving the simple object access protocol message from the read/write routine. A translator routine is provided in a translator box at the second side of the firewall. The translator box receives the simple object access protocol message and translates it into a command or data, or

Case 2:10-cv-00320-TJW Document 1 Filed 08/25/10 Page 33 of 88

combination of command and data, for the network element. A network element agent routine is provided in a network element agent server at the second side of the firewall. It parses the simple object access protocol message to produce simple object access protocol packets received from the network management application routine and sends those packets to the translator routine. For example, and without limitation, Defendant SAS is marketing, distributing, using, selling, and offering to sell its Business Intelligence systems. Defendant SAS is thus liable for infringement of the '053 Patent pursuant to 35 U.S.C. § 271(a), (b) & (c).

80. Upon information and belief, Defendant Schwab has been and now is directly infringing, and indirectly infringing by way of inducing infringement and/or contributing to the infringement of the '053 Patent in the State of Texas, in this judicial district, and elsewhere in the United States, by, among other things, using, selling and offering to sell systems that provide for communicating messages between an application source located at a first side of a firewall and a network element located at a second side of the firewall. These systems have a read/write routine provided in a read/write server at the second side of the firewall, wherein the read/write routine receives a simple object access protocol message from an underlying communication protocol server compatible with web communication. The simple object access protocol message includes a simple object access protocol envelope over an underlying expanding messaging communication protocol of a user request. A network management application routine is provided in a network management agent server at the second side of the firewall, receiving the simple object access protocol message from the read/write routine. A translator routine is provided in a translator box at the second side of the firewall. The translator box receives the simple object access protocol message and translates it into a command or data, or combination of command and data, for the network element. A network element agent routine is provided in a network element agent server at the second side of the firewall. It parses the simple object access protocol message to produce simple object access protocol packets received from the network management application routine and sends those packets to the translator routine. For example, and without limitation, Defendant Schwab is marketing, distributing, using, selling, and offering to sell its Online and Web Trading systems. Defendant Schwab is thus liable for infringement of the '053 Patent pursuant to 35 U.S.C. § 271(a), (b) & (c).

81. Upon information and belief, Defendant Scottrade has been and now is directly infringing, and indirectly infringing by way of inducing infringement and/or contributing to the

[33]

infringement of the '053 Patent in the State of Texas, in this judicial district, and elsewhere in the United States, by, among other things, using, selling and offering to sell systems that provide for communicating messages between an application source located at a first side of a firewall and a network element located at a second side of the firewall. These systems have a read/write routine provided in a read/write server at the second side of the firewall, wherein the read/write routine receives a simple object access protocol message from an underlying communication protocol server compatible with web communication. The simple object access protocol message includes a simple object access protocol envelope over an underlying expanding messaging communication protocol of a user request. A network management application routine is provided in a network management agent server at the second side of the firewall, receiving the simple object access protocol message from the read/write routine. A translator routine is provided in a translator box at the second side of the firewall. The translator box receives the simple object access protocol message and translates it into a command or data, or combination of command and data, for the network element. A network element agent routine is provided in a network element agent server at the second side of the firewall. It parses the simple object access protocol message to produce simple object access protocol packets received from the network management application routine and sends those packets to the translator routine. For example, and without limitation, Defendant Scottrade is marketing, distributing, using, selling, and offering to sell its Options First, Scottrade Trading Website, Scottrade Mobile and ScottradeELITE systems. Defendant Scottrade is thus liable for infringement of the '053 Patent pursuant to 35 U.S.C. § 271(a), (b) & (c).

82. Upon information and belief, Defendant TDA has been and now is directly infringing, and indirectly infringing by way of inducing infringement and/or contributing to the infringement of the '053 Patent in the State of Texas, in this judicial district, and elsewhere in the United States, by, among other things, using, selling and offering to sell systems that provide for communicating messages between an application source located at a first side of a firewall and a network element located at a second side of the firewall. These systems have a read/write routine provided in a read/write server at the second side of the firewall, wherein the read/write routine receives a simple object access protocol message from an underlying communication protocol server compatible with web communication. The simple object access protocol message includes a simple object access protocol envelope over an underlying expanding

Case 2:10-cv-00320-TJW Document 1 Filed 08/25/10 Page 35 of 88

messaging communication protocol of a user request. A network management application routine is provided in a network management agent server at the second side of the firewall, receiving the simple object access protocol message from the read/write routine. A translator routine is provided in a translator box at the second side of the firewall. The translator box receives the simple object access protocol message and translates it into a command or data, or combination of command and data, for the network element. A network element agent routine is provided in a network element agent server at the second side of the firewall. It parses the simple object access protocol message to produce simple object access protocol packets received from the network management application routine and sends those packets to the translator routine. For example, and without limitation, Defendant TDA is marketing, distributing, using, selling, and offering to sell its Mobile and Online Trading systems. Defendant TDA is thus liable for infringement of the '053 Patent pursuant to 35 U.S.C. § 271(a), (b) & (c).

83. Upon information and belief, Defendant TiVo has been and now is directly infringing, and indirectly infringing by way of inducing infringement and/or contributing to the infringement of the '053 Patent in the State of Texas, in this judicial district, and elsewhere in the United States, by, among other things, using, selling and offering to sell systems that provide for communicating messages between an application source located at a first side of a firewall and a network element located at a second side of the firewall. These systems have a read/write routine provided in a read/write server at the second side of the firewall, wherein the read/write routine receives a simple object access protocol message from an underlying communication protocol server compatible with web communication. The simple object access protocol message includes a simple object access protocol envelope over an underlying expanding messaging communication protocol of a user request. A network management application routine is provided in a network management agent server at the second side of the firewall, receiving the simple object access protocol message from the read/write routine. A translator routine is provided in a translator box at the second side of the firewall. The translator box receives the simple object access protocol message and translates it into a command or data, or combination of command and data, for the network element. A network element agent routine is provided in a network element agent server at the second side of the firewall. It parses the simple object access protocol message to produce simple object access protocol packets received from the network management application routine and sends those packets to the translator

routine. For example, and without limitation, Defendant TiVo is marketing, distributing, using, selling, and offering to sell its TiVo Online Scheduling, TiVo Mobile and TiVo Scheduler systems. Defendant TiVo is thus liable for infringement of the '053 Patent pursuant to 35 U.S.C. 271(a), (b) & (c).

84. Upon information and belief, Defendant Unicoi has been and now is directly infringing, and indirectly infringing by way of inducing infringement and/or contributing to the infringement of the '053 Patent in the State of Texas, in this judicial district, and elsewhere in the United States, by, among other things, using, selling and offering to sell systems that provide for communicating messages between an application source located at a first side of a firewall and a network element located at a second side of the firewall. These systems have a read/write routine provided in a read/write server at the second side of the firewall, wherein the read/write routine receives a simple object access protocol message from an underlying communication protocol server compatible with web communication. The simple object access protocol message includes a simple object access protocol envelope over an underlying expanding messaging communication protocol of a user request. A network management application routine is provided in a network management agent server at the second side of the firewall, receiving the simple object access protocol message from the read/write routine. A translator routine is provided in a translator box at the second side of the firewall. The translator box receives the simple object access protocol message and translates it into a command or data, or combination of command and data, for the network element. A network element agent routine is provided in a network element agent server at the second side of the firewall. It parses the simple object access protocol message to produce simple object access protocol packets received from the network management application routine and sends those packets to the translator routine. For example, and without limitation, Defendant Unicoi is marketing, distributing, using, selling, and offering to sell its Fusion SOAP Client & Server systems. Defendant Unicoi is thus liable for infringement of the '053 Patent pursuant to 35 U.S.C. § 271(a), (b) & (c).

85. Upon information and belief, Defendant Xerox has been and now is directly infringing, and indirectly infringing by way of inducing infringement and/or contributing to the infringement of the '053 Patent in the State of Texas, in this judicial district, and elsewhere in the United States, by, among other things, using, selling and offering to sell systems that provide for communicating messages between an application source located at a first side of a firewall and a

Case 2:10-cv-00320-TJW Document 1 Filed 08/25/10 Page 37 of 88

network element located at a second side of the firewall. These systems have a read/write routine provided in a read/write server at the second side of the firewall, wherein the read/write routine receives a simple object access protocol message from an underlying communication protocol server compatible with web communication. The simple object access protocol message includes a simple object access protocol envelope over an underlying expanding messaging communication protocol of a user request. A network management application routine is provided in a network management agent server at the second side of the firewall, receiving the simple object access protocol message from the read/write routine. A translator routine is provided in a translator box at the second side of the firewall. The translator box receives the simple object access protocol message and translates it into a command or data, or combination of command and data, for the network element. A network element agent routine is provided in a network element agent server at the second side of the firewall. It parses the simple object access protocol message to produce simple object access protocol packets received from the network management application routine and sends those packets to the translator routine. For example, and without limitation, Defendant Xerox is marketing, distributing, using, selling, and offering to sell its Docushare systems. Defendant Xerox is thus liable for infringement of the '053 Patent pursuant to 35 U.S.C. § 271(a), (b) & (c).

86. Upon information and belief, Defendant Adobe has been and now is directly infringing, and indirectly infringing by way of inducing infringement and/or contributing to the infringement of the '053 Patent in the State of Texas, in this judicial district, and elsewhere in the United States, by, among other things, using, selling and offering to sell systems that provide for communicating messages between an application source located at a first side of a firewall and a network element located at a second side of the firewall. These systems have a read/write routine provided in a read/write server at the second side of the firewall, wherein the read/write routine receives a simple object access protocol message from an underlying communication protocol server compatible with web communication. The simple object access protocol message includes a simple object access protocol envelope over an underlying expanding messaging communication protocol of a user request. A network management application routine is provided in a network management agent server at the second side of the firewall. The translator box at the second side of the firewall. The translator box

Case 2:10-cv-00320-TJW Document 1 Filed 08/25/10 Page 38 of 88

receives the simple object access protocol message and translates it into a command or data, or combination of command and data, for the network element. A network element agent routine is provided in a network element agent server at the second side of the firewall. It parses the simple object access protocol message to produce simple object access protocol packets received from the network management application routine and sends those packets to the translator routine. For example, and without limitation, Defendant Adobe is marketing, distributing, using, selling, and offering to sell its Creative Suite 5, Flash Platform, ColdFusion, LiveCycle ES, and Scene7 systems. Defendant Adobe is thus liable for infringement of the '053 Patent pursuant to 35 U.S.C. § 271(a), (b) & (c).

Upon information and belief, Defendant AOL has been and now is directly 87. infringing, and indirectly infringing by way of inducing infringement and/or contributing to the infringement of the '053 Patent in the State of Texas, in this judicial district, and elsewhere in the United States, by, among other things, using, selling and offering to sell systems that provide for communicating messages between an application source located at a first side of a firewall and a network element located at a second side of the firewall. These systems have a read/write routine provided in a read/write server at the second side of the firewall, wherein the read/write routine receives a simple object access protocol message from an underlying communication protocol server compatible with web communication. The simple object access protocol message includes a simple object access protocol envelope over an underlying expanding messaging communication protocol of a user request. A network management application routine is provided in a network management agent server at the second side of the firewall, receiving the simple object access protocol message from the read/write routine. A translator routine is provided in a translator box at the second side of the firewall. The translator box receives the simple object access protocol message and translates it into a command or data, or combination of command and data, for the network element. A network element agent routine is provided in a network element agent server at the second side of the firewall. It parses the simple object access protocol message to produce simple object access protocol packets received from the network management application routine and sends those packets to the translator routine. For example, and without limitation, Defendant AOL is marketing, distributing, using, selling, and offering to sell its AIM, Moviefone and Lifestream systems. Defendant AOL is thus liable for infringement of the '053 Patent pursuant to 35 U.S.C. § 271(a), (b) & (c).

Case 2:10-cv-00320-TJW Document 1 Filed 08/25/10 Page 39 of 88

Upon information and belief, Defendant Apple has been and now is directly 88. infringing, and indirectly infringing by way of inducing infringement and/or contributing to the infringement of the '053 Patent in the State of Texas, in this judicial district, and elsewhere in the United States, by, among other things, using, selling and offering to sell systems that provide for communicating messages between an application source located at a first side of a firewall and a network element located at a second side of the firewall. These systems have a read/write routine provided in a read/write server at the second side of the firewall, wherein the read/write routine receives a simple object access protocol message from an underlying communication protocol server compatible with web communication. The simple object access protocol message includes a simple object access protocol envelope over an underlying expanding messaging communication protocol of a user request. A network management application routine is provided in a network management agent server at the second side of the firewall, receiving the simple object access protocol message from the read/write routine. A translator routine is provided in a translator box at the second side of the firewall. The translator box receives the simple object access protocol message and translates it into a command or data, or combination of command and data, for the network element. A network element agent routine is provided in a network element agent server at the second side of the firewall. It parses the simple object access protocol message to produce simple object access protocol packets received from the network management application routine and sends those packets to the translator routine. For example, and without limitation, Defendant Apple is marketing, distributing, using, selling, and offering to sell its MAC OS X Server systems. Defendant Apple is thus liable for infringement of the '053 Patent pursuant to 35 U.S.C. § 271(a), (b) & (c).

89. Upon information and belief, Defendant Axibase has been and now is directly infringing, and indirectly infringing by way of inducing infringement and/or contributing to the infringement of the '053 Patent in the State of Texas, in this judicial district, and elsewhere in the United States, by, among other things, using, selling and offering to sell systems that provide for communicating messages between an application source located at a first side of a firewall and a network element located at a second side of the firewall. These systems have a read/write routine provided in a read/write server at the second side of the firewall, wherein the read/write routine receives a simple object access protocol message from an underlying communication protocol server compatible with web communication. The simple object access protocol

Case 2:10-cv-00320-TJW Document 1 Filed 08/25/10 Page 40 of 88

message includes a simple object access protocol envelope over an underlying expanding messaging communication protocol of a user request. A network management application routine is provided in a network management agent server at the second side of the firewall, receiving the simple object access protocol message from the read/write routine. A translator routine is provided in a translator box at the second side of the firewall. The translator box receives the simple object access protocol message and translates it into a command or data, or combination of command and data, for the network element. A network element agent routine is provided in a network element agent server at the second side of the firewall. It parses the simple object access protocol message to produce simple object access protocol packets received from the network management application routine and sends those packets to the translator routine. For example, and without limitation, Defendant Axibase is marketing, distributing, using, selling, and offering to sell its Fabrica systems. Defendant Axibase is thus liable for infringement of the '053 Patent pursuant to 35 U.S.C. § 271(a), (b) & (c).

Upon information and belief, Defendant DIRECTV has been and now is directly 90. infringing, and indirectly infringing by way of inducing infringement and/or contributing to the infringement of the '053 Patent in the State of Texas, in this judicial district, and elsewhere in the United States, by, among other things, using, selling and offering to sell systems that provide for communicating messages between an application source located at a first side of a firewall and a network element located at a second side of the firewall. These systems have a read/write routine provided in a read/write server at the second side of the firewall, wherein the read/write routine receives a simple object access protocol message from an underlying communication protocol server compatible with web communication. The simple object access protocol message includes a simple object access protocol envelope over an underlying expanding messaging communication protocol of a user request. A network management application routine is provided in a network management agent server at the second side of the firewall, receiving the simple object access protocol message from the read/write routine. A translator routine is provided in a translator box at the second side of the firewall. The translator box receives the simple object access protocol message and translates it into a command or data, or combination of command and data, for the network element. A network element agent routine is provided in a network element agent server at the second side of the firewall. It parses the simple object access protocol message to produce simple object access protocol packets received

Case 2:10-cv-00320-TJW Document 1 Filed 08/25/10 Page 41 of 88

from the network management application routine and sends those packets to the translator routine. For example, and without limitation, Defendant DIRECTV is marketing, distributing, using, selling, and offering to sell its DVR Online Scheduler and DVR Mobile Scheduler systems. Defendant DIRECTV is thus liable for infringement of the '053 Patent pursuant to 35 U.S.C. § 271(a), (b) & (c).

Upon information and belief, Defendant Dish has been and now is directly 91. infringing, and indirectly infringing by way of inducing infringement and/or contributing to the infringement of the '053 Patent in the State of Texas, in this judicial district, and elsewhere in the United States, by, among other things, using, selling and offering to sell systems that provide for communicating messages between an application source located at a first side of a firewall and a network element located at a second side of the firewall. These systems have a read/write routine provided in a read/write server at the second side of the firewall, wherein the read/write routine receives a simple object access protocol message from an underlying communication protocol server compatible with web communication. The simple object access protocol message includes a simple object access protocol envelope over an underlying expanding messaging communication protocol of a user request. A network management application routine is provided in a network management agent server at the second side of the firewall, receiving the simple object access protocol message from the read/write routine. A translator routine is provided in a translator box at the second side of the firewall. The translator box receives the simple object access protocol message and translates it into a command or data, or combination of command and data, for the network element. A network element agent routine is provided in a network element agent server at the second side of the firewall. It parses the simple object access protocol message to produce simple object access protocol packets received from the network management application routine and sends those packets to the translator routine. For example, and without limitation, Defendant Dish is marketing, distributing, using, selling, and offering to sell its Dish Remote Access systems. Defendant Dish is thus liable for infringement of the '053 Patent pursuant to 35 U.S.C. § 271(a), (b) & (c).

92. Upon information and belief, Defendant E*TRADE has been and now is directly infringing, and indirectly infringing by way of inducing infringement and/or contributing to the infringement of the '053 Patent in the State of Texas, in this judicial district, and elsewhere in the United States, by, among other things, using, selling and offering to sell systems that provide for

communicating messages between an application source located at a first side of a firewall and a network element located at a second side of the firewall. These systems have a read/write routine provided in a read/write server at the second side of the firewall, wherein the read/write routine receives a simple object access protocol message from an underlying communication protocol server compatible with web communication. The simple object access protocol message includes a simple object access protocol envelope over an underlying expanding messaging communication protocol of a user request. A network management application routine is provided in a network management agent server at the second side of the firewall, receiving the simple object access protocol message from the read/write routine. A translator routine is provided in a translator box at the second side of the firewall. The translator box receives the simple object access protocol message and translates it into a command or data, or combination of command and data, for the network element. A network element agent routine is provided in a network element agent server at the second side of the firewall. It parses the simple object access protocol message to produce simple object access protocol packets received from the network management application routine and sends those packets to the translator routine. For example, and without limitation, Defendant E*TRADE is marketing, distributing, using, selling, and offering to sell its Mobile Pro, Website Trading and MarketTrader systems. Defendant E*TRADE is thus liable for infringement of the '053 Patent pursuant to 35 U.S.C. § 271(a), (b) & (c).

93. Upon information and belief, Defendant Exinda has been and now is directly infringing, and indirectly infringing by way of inducing infringement and/or contributing to the infringement of the '053 Patent in the State of Texas, in this judicial district, and elsewhere in the United States, by, among other things, using, selling and offering to sell systems that provide for communicating messages between an application source located at a first side of a firewall and a network element located at a second side of the firewall. These systems have a read/write routine provided in a read/write server at the second side of the firewall, wherein the read/write routine receives a simple object access protocol message from an underlying communication protocol server compatible with web communication. The simple object access protocol message includes a simple object access protocol envelope over an underlying expanding messaging communication protocol of a user request. A network management application routine is provided in a network management agent server at the second side of the firewall, management application

Case 2:10-cv-00320-TJW Document 1 Filed 08/25/10 Page 43 of 88

receiving the simple object access protocol message from the read/write routine. A translator routine is provided in a translator box at the second side of the firewall. The translator box receives the simple object access protocol message and translates it into a command or data, or combination of command and data, for the network element. A network element agent routine is provided in a network element agent server at the second side of the firewall. It parses the simple object access protocol message to produce simple object access protocol packets received from the network management application routine and sends those packets to the translator routine. For example, and without limitation, Defendant Exinda is marketing, distributing, using, selling, and offering to sell its Unified Performance Management and Service Delivery Point systems. Defendant Exinda is thus liable for infringement of the '053 Patent pursuant to 35 U.S.C. § 271(a), (b) & (c).

Upon information and belief, Defendant Fidelity has been and now is directly 94. infringing, and indirectly infringing by way of inducing infringement and/or contributing to the infringement of the '053 Patent in the State of Texas, in this judicial district, and elsewhere in the United States, by, among other things, using, selling and offering to sell systems that provide for communicating messages between an application source located at a first side of a firewall and a network element located at a second side of the firewall. These systems have a read/write routine provided in a read/write server at the second side of the firewall, wherein the read/write routine receives a simple object access protocol message from an underlying communication protocol server compatible with web communication. The simple object access protocol message includes a simple object access protocol envelope over an underlying expanding messaging communication protocol of a user request. A network management application routine is provided in a network management agent server at the second side of the firewall, receiving the simple object access protocol message from the read/write routine. A translator routine is provided in a translator box at the second side of the firewall. The translator box receives the simple object access protocol message and translates it into a command or data, or combination of command and data, for the network element. A network element agent routine is provided in a network element agent server at the second side of the firewall. It parses the simple object access protocol message to produce simple object access protocol packets received from the network management application routine and sends those packets to the translator routine. For example, and without limitation, Defendant Fidelity is marketing, distributing,

using, selling, and offering to sell its Active Trader Pro and Mobile Trading systems. Defendant Fidelity is thus liable for infringement of the '053 Patent pursuant to 35 U.S.C. § 271(a), (b) & (c).

95. Upon information and belief, Defendant Firstrade has been and now is directly infringing, and indirectly infringing by way of inducing infringement and/or contributing to the infringement of the '053 Patent in the State of Texas, in this judicial district, and elsewhere in the United States, by, among other things, using, selling and offering to sell systems that provide for communicating messages between an application source located at a first side of a firewall and a network element located at a second side of the firewall. These systems have a read/write routine provided in a read/write server at the second side of the firewall, wherein the read/write routine receives a simple object access protocol message from an underlying communication protocol server compatible with web communication. The simple object access protocol message includes a simple object access protocol envelope over an underlying expanding messaging communication protocol of a user request. A network management application routine is provided in a network management agent server at the second side of the firewall, receiving the simple object access protocol message from the read/write routine. A translator routine is provided in a translator box at the second side of the firewall. The translator box receives the simple object access protocol message and translates it into a command or data, or combination of command and data, for the network element. A network element agent routine is provided in a network element agent server at the second side of the firewall. It parses the simple object access protocol message to produce simple object access protocol packets received from the network management application routine and sends those packets to the translator routine. For example, and without limitation, Defendant Firstrade is marketing, distributing, using, selling, and offering to sell its online website trading and mobile trading systems. Defendant Firstrade is thus liable for infringement of the '053 Patent pursuant to 35 U.S.C. § 271(a), (b) & (c).

96. Upon information and belief, Defendant HP has been and now is directly infringing, and indirectly infringing by way of inducing infringement and/or contributing to the infringement of the '053 Patent in the State of Texas, in this judicial district, and elsewhere in the United States, by, among other things, using, selling and offering to sell systems that provide for communicating messages between an application source located at a first side of a firewall and a

Case 2:10-cv-00320-TJW Document 1 Filed 08/25/10 Page 45 of 88

network element located at a second side of the firewall. These systems have a read/write routine provided in a read/write server at the second side of the firewall, wherein the read/write routine receives a simple object access protocol message from an underlying communication protocol server compatible with web communication. The simple object access protocol message includes a simple object access protocol envelope over an underlying expanding messaging communication protocol of a user request. A network management application routine is provided in a network management agent server at the second side of the firewall, receiving the simple object access protocol message from the read/write routine. A translator routine is provided in a translator box at the second side of the firewall. The translator box receives the simple object access protocol message and translates it into a command or data, or combination of command and data, for the network element. A network element agent routine is provided in a network element agent server at the second side of the firewall. It parses the simple object access protocol message to produce simple object access protocol packets received from the network management application routine and sends those packets to the translator routine. For example, and without limitation, Defendant HP is marketing, distributing, using, selling, and offering to sell its HP Operations Manger, HP Smart Plug-in for SOAP, and HP Smart Plug-in for Sun ONE Web Services systems. Defendant HP is thus liable for infringement of the '053 Patent pursuant to 35 U.S.C. § 271(a), (b) & (c).

97. Upon information and belief, Defendant iControl has been and now is directly infringing, and indirectly infringing by way of inducing infringement and/or contributing to the infringement of the '053 Patent in the State of Texas, in this judicial district, and elsewhere in the United States, by, among other things, using, selling and offering to sell systems that provide for communicating messages between an application source located at a first side of a firewall and a network element located at a second side of the firewall. These systems have a read/write routine provided in a read/write server at the second side of the firewall, wherein the read/write routine receives a simple object access protocol message from an underlying communication protocol server compatible with web communication. The simple object access protocol message includes a simple object access protocol envelope over an underlying expanding messaging communication protocol of a user request. A network management application routine is provided in a network management agent server at the second side of the firewall, receiving the simple object access protocol message from the read/write routine. A translator

[45]

Case 2:10-cv-00320-TJW Document 1 Filed 08/25/10 Page 46 of 88

routine is provided in a translator box at the second side of the firewall. The translator box receives the simple object access protocol message and translates it into a command or data, or combination of command and data, for the network element. A network element agent routine is provided in a network element agent server at the second side of the firewall. It parses the simple object access protocol message to produce simple object access protocol packets received from the network management application routine and sends those packets to the translator routine. For example, and without limitation, Defendant iControl is marketing, distributing, using, selling, and offering to sell its iDAC, iGATE and iVIEW systems. Defendant iControl is thus liable for infringement of the '053 Patent pursuant to 35 U.S.C. § 271(a), (b) & (c).

Upon information and belief, Defendant IBM has been and now is directly 98. infringing, and indirectly infringing by way of inducing infringement and/or contributing to the infringement of the '053 Patent in the State of Texas, in this judicial district, and elsewhere in the United States, by, among other things, using, selling and offering to sell systems that provide for communicating messages between an application source located at a first side of a firewall and a network element located at a second side of the firewall. These systems have a read/write routine provided in a read/write server at the second side of the firewall, wherein the read/write routine receives a simple object access protocol message from an underlying communication protocol server compatible with web communication. The simple object access protocol message includes a simple object access protocol envelope over an underlying expanding messaging communication protocol of a user request. A network management application routine is provided in a network management agent server at the second side of the firewall, receiving the simple object access protocol message from the read/write routine. A translator routine is provided in a translator box at the second side of the firewall. The translator box receives the simple object access protocol message and translates it into a command or data, or combination of command and data, for the network element. A network element agent routine is provided in a network element agent server at the second side of the firewall. It parses the simple object access protocol message to produce simple object access protocol packets received from the network management application routine and sends those packets to the translator routine. For example, and without limitation, Defendant IBM is marketing, distributing, using, selling, and offering to sell its Tivoli software systems. Defendant IBM is thus liable for infringement of the '053 Patent pursuant to 35 U.S.C. § 271(a), (b) & (c).

Case 2:10-cv-00320-TJW Document 1 Filed 08/25/10 Page 47 of 88

99. Upon information and belief, Defendant JPMorgan has been and now is directly infringing, and indirectly infringing by way of inducing infringement and/or contributing to the infringement of the '053 Patent in the State of Texas, in this judicial district, and elsewhere in the United States, by, among other things, using, selling and offering to sell systems that provide for communicating messages between an application source located at a first side of a firewall and a network element located at a second side of the firewall. These systems have a read/write routine provided in a read/write server at the second side of the firewall, wherein the read/write routine receives a simple object access protocol message from an underlying communication protocol server compatible with web communication. The simple object access protocol message includes a simple object access protocol envelope over an underlying expanding messaging communication protocol of a user request. A network management application routine is provided in a network management agent server at the second side of the firewall, receiving the simple object access protocol message from the read/write routine. A translator routine is provided in a translator box at the second side of the firewall. The translator box receives the simple object access protocol message and translates it into a command or data, or combination of command and data, for the network element. A network element agent routine is provided in a network element agent server at the second side of the firewall. It parses the simple object access protocol message to produce simple object access protocol packets received from the network management application routine and sends those packets to the translator routine. For example, and without limitation, Defendant JPMorgan is marketing, distributing, using, selling, and offering to sell its Online Bill Pay and Overnight Check systems. Defendant JPMorgan is thus liable for infringement of the '053 Patent pursuant to 35 U.S.C. § 271(a), (b) & (c).

<u>COUNT III</u> INFRINGEMENT OF U.S. PATENT NO. 7,734,756

100. Plaintiff is the owner by assignment of United States Patent No. 7,734,756 ("the '756 Patent") entitled "Object oriented communication among platform independent systems over networks using soap" – including all rights to recover for past and future acts of infringement. The '756 Patent issued on June 8, 2010. A true and correct copy of the '756 Patent is attached as Exhibit C.

Case 2:10-cv-00320-TJW Document 1 Filed 08/25/10 Page 48 of 88

101. Upon information and belief, Defendant Sabre has been and now is directly infringing, and indirectly infringing by way of inducing infringement and/or contributing to the infringement of the '756 Patent in the State of Texas, in this judicial district, and elsewhere in the United States, by, among other things, using, selling and offering to sell systems that provide for communicating messages from an application source to a network element located across a firewall. The systems provide a routine in the application source at a first side of the firewall for building a simple object access protocol envelope over an underlying expanding messaging communication protocol of a user request. A routine is provided in the application source for providing the simple object access protocol envelope over the underlying expanding messaging communication protocol to an underlying communication protocol server compatible with web communication at the first side of the firewall. A routine is provided in a network element agent server for receiving the simple object access protocol envelope over the underlying expanding messaging communication protocol from the underlying communication protocol server. A routine sends a simple object access protocol message from the simple object access protocol envelope over the underlying expanding messaging communication protocol, by parsing the simple object access protocol portion of the simple object access protocol envelope over the underlying expanding messaging communication protocol to produce the simple object access protocol message. This is done in a format suitable for transmission across the firewall, including commands parsible by a network management application routine that receives the transmission across the firewall to translate the simple object access protocol message into a command and/or data for the network element, and permits a network element agent routine provided at the second side of the firewall to parse the simple object access protocol message to produce simple object access protocol packets received from the network management application. A network element discovery routine receives the simple object access protocol message from the network management application provided at the second side of the firewall. The simple object access protocol message includes network configuration data. For example, and without limitation, Defendant Sabre is marketing, distributing, using, selling, and offering to sell its Sabre AirVision, SabreSonic, Sabre AirCentre, Travelocity, Central Reservation, Global Distribution, Booking Engine and Call Center systems. Defendant Sabre is thus liable for infringement of the '756 Patent pursuant to 35 U.S.C. § 271(a), (b) & (c).

Case 2:10-cv-00320-TJW Document 1 Filed 08/25/10 Page 49 of 88

Upon information and belief, Defendant SAP has been and now is directly 102. infringing, and indirectly infringing by way of inducing infringement and/or contributing to the infringement of the '756 Patent in the State of Texas, in this judicial district, and elsewhere in the United States, by, among other things, using, selling and offering to sell systems that provide for communicating messages from an application source to a network element located across a firewall. The systems provide a routine in the application source at a first side of the firewall for building a simple object access protocol envelope over an underlying expanding messaging communication protocol of a user request. A routine is provided in the application source for providing the simple object access protocol envelope over the underlying expanding messaging communication protocol to an underlying communication protocol server compatible with web communication at the first side of the firewall. A routine is provided in a network element agent server for receiving the simple object access protocol envelope over the underlying expanding messaging communication protocol from the underlying communication protocol server. A routine sends a simple object access protocol message from the simple object access protocol envelope over the underlying expanding messaging communication protocol, by parsing the simple object access protocol portion of the simple object access protocol envelope over the underlying expanding messaging communication protocol to produce the simple object access protocol message. This is done in a format suitable for transmission across the firewall, including commands parsible by a network management application routine that receives the transmission across the firewall to translate the simple object access protocol message into a command and/or data for the network element, and permits a network element agent routine provided at the second side of the firewall to parse the simple object access protocol message to produce simple object access protocol packets received from the network management application. A network element discovery routine receives the simple object access protocol message from the network management application provided at the second side of the firewall. The simple object access protocol message includes network configuration data. For example, and without limitation, Defendant SAP is marketing, distributing, using, selling, and offering to sell its SAP Netweaver systems. Defendant SAP is thus liable for infringement of the '756 Patent pursuant to 35 U.S.C. § 271(a), (b) & (c).

103. Upon information and belief, Defendant SAS has been and now is directly infringing, and indirectly infringing by way of inducing infringement and/or contributing to the

infringement of the '756 Patent in the State of Texas, in this judicial district, and elsewhere in the United States, by, among other things, using, selling and offering to sell systems that provide for communicating messages from an application source to a network element located across a firewall. The systems provide a routine in the application source at a first side of the firewall for building a simple object access protocol envelope over an underlying expanding messaging communication protocol of a user request. A routine is provided in the application source for providing the simple object access protocol envelope over the underlying expanding messaging communication protocol to an underlying communication protocol server compatible with web communication at the first side of the firewall. A routine is provided in a network element agent server for receiving the simple object access protocol envelope over the underlying expanding messaging communication protocol from the underlying communication protocol server. A routine sends a simple object access protocol message from the simple object access protocol envelope over the underlying expanding messaging communication protocol, by parsing the simple object access protocol portion of the simple object access protocol envelope over the underlying expanding messaging communication protocol to produce the simple object access protocol message. This is done in a format suitable for transmission across the firewall, including commands parsible by a network management application routine that receives the transmission across the firewall to translate the simple object access protocol message into a command and/or data for the network element, and permits a network element agent routine provided at the second side of the firewall to parse the simple object access protocol message to produce simple object access protocol packets received from the network management application. A network element discovery routine receives the simple object access protocol message from the network management application provided at the second side of the firewall. The simple object access protocol message includes network configuration data. For example, and without limitation, Defendant SAS is marketing, distributing, using, selling, and offering to sell its Business Intelligence systems. Defendant SAS is thus liable for infringement of the '756 Patent pursuant to 35 U.S.C. \S 271(a), (b) & (c).

104. Upon information and belief, Defendant Schwab has been and now is directly infringing, and indirectly infringing by way of inducing infringement and/or contributing to the infringement of the '756 Patent in the State of Texas, in this judicial district, and elsewhere in the United States, by, among other things, using, selling and offering to sell systems that provide for

Case 2:10-cv-00320-TJW Document 1 Filed 08/25/10 Page 51 of 88

communicating messages from an application source to a network element located across a firewall. The systems provide a routine in the application source at a first side of the firewall for building a simple object access protocol envelope over an underlying expanding messaging communication protocol of a user request. A routine is provided in the application source for providing the simple object access protocol envelope over the underlying expanding messaging communication protocol to an underlying communication protocol server compatible with web communication at the first side of the firewall. A routine is provided in a network element agent server for receiving the simple object access protocol envelope over the underlying expanding messaging communication protocol from the underlying communication protocol server. A routine sends a simple object access protocol message from the simple object access protocol envelope over the underlying expanding messaging communication protocol, by parsing the simple object access protocol portion of the simple object access protocol envelope over the underlying expanding messaging communication protocol to produce the simple object access protocol message. This is done in a format suitable for transmission across the firewall, including commands parsible by a network management application routine that receives the transmission across the firewall to translate the simple object access protocol message into a command and/or data for the network element, and permits a network element agent routine provided at the second side of the firewall to parse the simple object access protocol message to produce simple object access protocol packets received from the network management application. A network element discovery routine receives the simple object access protocol message from the network management application provided at the second side of the firewall. The simple object access protocol message includes network configuration data. For example, and without limitation, Defendant Schwab is marketing, distributing, using, selling, and offering to sell its Online and Web Trading systems. Defendant Schwab is thus liable for infringement of the '756 Patent pursuant to 35 U.S.C. § 271(a), (b) & (c).

105. Upon information and belief, Defendant Scottrade has been and now is directly infringing, and indirectly infringing by way of inducing infringement and/or contributing to the infringement of the '756 Patent in the State of Texas, in this judicial district, and elsewhere in the United States, by, among other things, using, selling and offering to sell systems that provide for communicating messages from an application source to a network element located across a firewall. The systems provide a routine in the application source at a first side of the firewall for

Case 2:10-cv-00320-TJW Document 1 Filed 08/25/10 Page 52 of 88

building a simple object access protocol envelope over an underlying expanding messaging communication protocol of a user request. A routine is provided in the application source for providing the simple object access protocol envelope over the underlying expanding messaging communication protocol to an underlying communication protocol server compatible with web communication at the first side of the firewall. A routine is provided in a network element agent server for receiving the simple object access protocol envelope over the underlying expanding messaging communication protocol from the underlying communication protocol server. A routine sends a simple object access protocol message from the simple object access protocol envelope over the underlying expanding messaging communication protocol, by parsing the simple object access protocol portion of the simple object access protocol envelope over the underlying expanding messaging communication protocol to produce the simple object access protocol message. This is done in a format suitable for transmission across the firewall, including commands parsible by a network management application routine that receives the transmission across the firewall to translate the simple object access protocol message into a command and/or data for the network element, and permits a network element agent routine provided at the second side of the firewall to parse the simple object access protocol message to produce simple object access protocol packets received from the network management application. A network element discovery routine receives the simple object access protocol message from the network management application provided at the second side of the firewall. The simple object access protocol message includes network configuration data. For example, and without limitation, Defendant Scottrade is marketing, distributing, using, selling, and offering to sell its Options First, Scottrade Trading Website, Scottrade Mobile and ScottradeELITE systems. Defendant Scottrade is thus liable for infringement of the '756 Patent pursuant to 35 U.S.C. § 271(a), (b) & (c).

106. Upon information and belief, Defendant TDA has been and now is directly infringing, and indirectly infringing by way of inducing infringement and/or contributing to the infringement of the '756 Patent in the State of Texas, in this judicial district, and elsewhere in the United States, by, among other things, using, selling and offering to sell systems that provide for communicating messages from an application source to a network element located across a firewall. The systems provide a routine in the application source at a first side of the firewall for building a simple object access protocol envelope over an underlying expanding messaging

communication protocol of a user request. A routine is provided in the application source for providing the simple object access protocol envelope over the underlying expanding messaging communication protocol to an underlying communication protocol server compatible with web communication at the first side of the firewall. A routine is provided in a network element agent server for receiving the simple object access protocol envelope over the underlying expanding messaging communication protocol from the underlying communication protocol server. A routine sends a simple object access protocol message from the simple object access protocol envelope over the underlying expanding messaging communication protocol, by parsing the simple object access protocol portion of the simple object access protocol envelope over the underlying expanding messaging communication protocol to produce the simple object access protocol message. This is done in a format suitable for transmission across the firewall, including commands parsible by a network management application routine that receives the transmission across the firewall to translate the simple object access protocol message into a command and/or data for the network element, and permits a network element agent routine provided at the second side of the firewall to parse the simple object access protocol message to produce simple object access protocol packets received from the network management application. A network element discovery routine receives the simple object access protocol message from the network management application provided at the second side of the firewall. The simple object access protocol message includes network configuration data. For example, and without limitation, Defendant TDA is marketing, distributing, using, selling, and offering to sell its Mobile and Online Trading systems. Defendant TDA is thus liable for infringement of the '756 Patent pursuant to 35 U.S.C. § 271(a), (b) & (c).

107. Upon information and belief, Defendant TiVo has been and now is directly infringing, and indirectly infringing by way of inducing infringement and/or contributing to the infringement of the '756 Patent in the State of Texas, in this judicial district, and elsewhere in the United States, by, among other things, using, selling and offering to sell systems that provide for communicating messages from an application source to a network element located across a firewall. The systems provide a routine in the application source at a first side of the firewall for building a simple object access protocol envelope over an underlying expanding messaging communication protocol of a user request. A routine is provided in the application source for providing the simple object access protocol envelope over the underlying expanding messaging

communication protocol to an underlying communication protocol server compatible with web communication at the first side of the firewall. A routine is provided in a network element agent server for receiving the simple object access protocol envelope over the underlying expanding messaging communication protocol from the underlying communication protocol server. A routine sends a simple object access protocol message from the simple object access protocol envelope over the underlying expanding messaging communication protocol, by parsing the simple object access protocol portion of the simple object access protocol envelope over the underlying expanding messaging communication protocol to produce the simple object access protocol message. This is done in a format suitable for transmission across the firewall, including commands parsible by a network management application routine that receives the transmission across the firewall to translate the simple object access protocol message into a command and/or data for the network element, and permits a network element agent routine provided at the second side of the firewall to parse the simple object access protocol message to produce simple object access protocol packets received from the network management application. A network element discovery routine receives the simple object access protocol message from the network management application provided at the second side of the firewall. The simple object access protocol message includes network configuration data. For example, and without limitation, Defendant TiVo is marketing, distributing, using, selling, and offering to sell its TiVo Online Scheduling, TiVo Mobile and TiVo Scheduler systems. Defendant TiVo is thus liable for infringement of the '756 Patent pursuant to 35 U.S.C. § 271(a), (b) & (c).

108. Upon information and belief, Defendant Unicoi has been and now is directly infringing, and indirectly infringing by way of inducing infringement and/or contributing to the infringement of the '756 Patent in the State of Texas, in this judicial district, and elsewhere in the United States, by, among other things, using, selling and offering to sell systems that provide for communicating messages from an application source to a network element located across a firewall. The systems provide a routine in the application source at a first side of the firewall for building a simple object access protocol envelope over an underlying expanding messaging communication protocol of a user request. A routine is provided in the application source for providing the simple object access protocol envelope over the underlying expanding messaging communication protocol to an underlying communication protocol server compatible with web communication at the first side of the firewall. A routine is provided in a network element agent

Case 2:10-cv-00320-TJW Document 1 Filed 08/25/10 Page 55 of 88

server for receiving the simple object access protocol envelope over the underlying expanding messaging communication protocol from the underlying communication protocol server. A routine sends a simple object access protocol message from the simple object access protocol envelope over the underlying expanding messaging communication protocol, by parsing the simple object access protocol portion of the simple object access protocol envelope over the underlying expanding messaging communication protocol to produce the simple object access protocol message. This is done in a format suitable for transmission across the firewall, including commands parsible by a network management application routine that receives the transmission across the firewall to translate the simple object access protocol message into a command and/or data for the network element, and permits a network element agent routine provided at the second side of the firewall to parse the simple object access protocol message to produce simple object access protocol packets received from the network management application. A network element discovery routine receives the simple object access protocol message from the network management application provided at the second side of the firewall. The simple object access protocol message includes network configuration data. For example, and without limitation, Defendant Unicoi is marketing, distributing, using, selling, and offering to sell its Fusion SOAP Client & Server systems. Defendant Unicoi is thus liable for infringement of the '756 Patent pursuant to 35 U.S.C. § 271(a), (b) & (c).

109. Upon information and belief, Defendant Xerox has been and now is directly infringing, and indirectly infringing by way of inducing infringement and/or contributing to the infringement of the '756 Patent in the State of Texas, in this judicial district, and elsewhere in the United States, by, among other things, using, selling and offering to sell systems that provide for communicating messages from an application source to a network element located across a firewall. The systems provide a routine in the application source at a first side of the firewall for building a simple object access protocol envelope over an underlying expanding messaging communication protocol of a user request. A routine is provided in the application source for providing the simple object access protocol envelope over the underlying expanding messaging communication protocol to an underlying communication protocol server compatible with web communication at the first side of the firewall. A routine is provided in a network element agent server for receiving the simple object access protocol envelope over the underlying expanding messaging messaging communication protocol from the underlying communication protocol server. A

Case 2:10-cv-00320-TJW Document 1 Filed 08/25/10 Page 56 of 88

routine sends a simple object access protocol message from the simple object access protocol envelope over the underlying expanding messaging communication protocol, by parsing the simple object access protocol portion of the simple object access protocol envelope over the underlying expanding messaging communication protocol to produce the simple object access protocol message. This is done in a format suitable for transmission across the firewall, including commands parsible by a network management application routine that receives the transmission across the firewall to translate the simple object access protocol message into a command and/or data for the network element, and permits a network element agent routine provided at the second side of the firewall to parse the simple object access protocol message to produce simple object access protocol packets received from the network management application. A network element discovery routine receives the simple object access protocol message from the network management application provided at the second side of the firewall. The simple object access protocol message includes network configuration data. For example, and without limitation, Defendant Xerox is marketing, distributing, using, selling, and offering to sell its Docushare systems. Defendant Xerox is thus liable for infringement of the '756 Patent pursuant to 35 U.S.C. § 271(a), (b) & (c).

Upon information and belief, Defendant Adobe has been and now is directly 110. infringing, and indirectly infringing by way of inducing infringement and/or contributing to the infringement of the '756 Patent in the State of Texas, in this judicial district, and elsewhere in the United States, by, among other things, using, selling and offering to sell systems that provide for communicating messages from an application source to a network element located across a firewall. The systems provide a routine in the application source at a first side of the firewall for building a simple object access protocol envelope over an underlying expanding messaging communication protocol of a user request. A routine is provided in the application source for providing the simple object access protocol envelope over the underlying expanding messaging communication protocol to an underlying communication protocol server compatible with web communication at the first side of the firewall. A routine is provided in a network element agent server for receiving the simple object access protocol envelope over the underlying expanding messaging communication protocol from the underlying communication protocol server. A routine sends a simple object access protocol message from the simple object access protocol envelope over the underlying expanding messaging communication protocol, by parsing the

[56]

Case 2:10-cv-00320-TJW Document 1 Filed 08/25/10 Page 57 of 88

simple object access protocol portion of the simple object access protocol envelope over the underlying expanding messaging communication protocol to produce the simple object access protocol message. This is done in a format suitable for transmission across the firewall, including commands parsible by a network management application routine that receives the transmission across the firewall to translate the simple object access protocol message into a command and/or data for the network element, and permits a network element agent routine provided at the second side of the firewall to parse the simple object access protocol message to produce simple object access protocol packets received from the network management application. A network element discovery routine receives the simple object access protocol message includes network configuration data. For example, and without limitation, Defendant Adobe is marketing, distributing, using, selling, and offering to sell its Creative Suite 5, Flash Platform, ColdFusion, LiveCycle ES, and Scene7 systems. Defendant Adobe is thus liable for infringement of the '756 Patent pursuant to 35 U.S.C. § 271(a), (b) & (c).

111. Upon information and belief, Defendant AOL has been and now is directly infringing, and indirectly infringing by way of inducing infringement and/or contributing to the infringement of the '756 Patent in the State of Texas, in this judicial district, and elsewhere in the United States, by, among other things, using, selling and offering to sell systems that provide for communicating messages from an application source to a network element located across a firewall. The systems provide a routine in the application source at a first side of the firewall for building a simple object access protocol envelope over an underlying expanding messaging communication protocol of a user request. A routine is provided in the application source for providing the simple object access protocol envelope over the underlying expanding messaging communication protocol to an underlying communication protocol server compatible with web communication at the first side of the firewall. A routine is provided in a network element agent server for receiving the simple object access protocol envelope over the underlying expanding messaging communication protocol from the underlying communication protocol server. A routine sends a simple object access protocol message from the simple object access protocol envelope over the underlying expanding messaging communication protocol, by parsing the simple object access protocol portion of the simple object access protocol envelope over the

Case 2:10-cv-00320-TJW Document 1 Filed 08/25/10 Page 58 of 88

underlying expanding messaging communication protocol to produce the simple object access protocol message. This is done in a format suitable for transmission across the firewall, including commands parsible by a network management application routine that receives the transmission across the firewall to translate the simple object access protocol message into a command and/or data for the network element, and permits a network element agent routine provided at the second side of the firewall to parse the simple object access protocol message to produce simple object access protocol packets received from the network management application. A network element discovery routine receives the simple object access protocol message from the network management application provided at the second side of the firewall. The simple object access protocol message includes network configuration data. For example, and without limitation, Defendant AOL is marketing, distributing, using, selling, and offering to sell its AIM, Moviefone and Lifestream systems. Defendant AOL is thus liable for infringement of the '756 Patent pursuant to 35 U.S.C. § 271(a), (b) & (c).

Upon information and belief, Defendant Apple has been and now is directly 112. infringing, and indirectly infringing by way of inducing infringement and/or contributing to the infringement of the '756 Patent in the State of Texas, in this judicial district, and elsewhere in the United States, by, among other things, using, selling and offering to sell systems that provide for communicating messages from an application source to a network element located across a firewall. The systems provide a routine in the application source at a first side of the firewall for building a simple object access protocol envelope over an underlying expanding messaging communication protocol of a user request. A routine is provided in the application source for providing the simple object access protocol envelope over the underlying expanding messaging communication protocol to an underlying communication protocol server compatible with web communication at the first side of the firewall. A routine is provided in a network element agent server for receiving the simple object access protocol envelope over the underlying expanding messaging communication protocol from the underlying communication protocol server. A routine sends a simple object access protocol message from the simple object access protocol envelope over the underlying expanding messaging communication protocol, by parsing the simple object access protocol portion of the simple object access protocol envelope over the underlying expanding messaging communication protocol to produce the simple object access protocol message. This is done in a format suitable for transmission across the firewall,

Case 2:10-cv-00320-TJW Document 1 Filed 08/25/10 Page 59 of 88

including commands parsible by a network management application routine that receives the transmission across the firewall to translate the simple object access protocol message into a command and/or data for the network element, and permits a network element agent routine provided at the second side of the firewall to parse the simple object access protocol message to produce simple object access protocol packets received from the network management application. A network element discovery routine receives the simple object access protocol message from the network management application provided at the second side of the firewall. The simple object access protocol message includes network configuration data. For example, and without limitation, Defendant Apple is marketing, distributing, using, selling, and offering to sell its MAC OS X Server systems. Defendant Apple is thus liable for infringement of the '756 Patent pursuant to 35 U.S.C. § 271(a), (b) & (c).

Upon information and belief, Defendant Axibase has been and now is directly 113. infringing, and indirectly infringing by way of inducing infringement and/or contributing to the infringement of the '756 Patent in the State of Texas, in this judicial district, and elsewhere in the United States, by, among other things, using, selling and offering to sell systems that provide for communicating messages from an application source to a network element located across a firewall. The systems provide a routine in the application source at a first side of the firewall for building a simple object access protocol envelope over an underlying expanding messaging communication protocol of a user request. A routine is provided in the application source for providing the simple object access protocol envelope over the underlying expanding messaging communication protocol to an underlying communication protocol server compatible with web communication at the first side of the firewall. A routine is provided in a network element agent server for receiving the simple object access protocol envelope over the underlying expanding messaging communication protocol from the underlying communication protocol server. A routine sends a simple object access protocol message from the simple object access protocol envelope over the underlying expanding messaging communication protocol, by parsing the simple object access protocol portion of the simple object access protocol envelope over the underlying expanding messaging communication protocol to produce the simple object access protocol message. This is done in a format suitable for transmission across the firewall, including commands parsible by a network management application routine that receives the transmission across the firewall to translate the simple object access protocol message into a

Case 2:10-cv-00320-TJW Document 1 Filed 08/25/10 Page 60 of 88

command and/or data for the network element, and permits a network element agent routine provided at the second side of the firewall to parse the simple object access protocol message to produce simple object access protocol packets received from the network management application. A network element discovery routine receives the simple object access protocol message from the network management application provided at the second side of the firewall. The simple object access protocol message includes network configuration data. For example, and without limitation, Defendant Axibase is marketing, distributing, using, selling, and offering to sell its Fabrica systems. Defendant Axibase is thus liable for infringement of the '756 Patent pursuant to 35 U.S.C. § 271(a), (b) & (c).

Upon information and belief, Defendant DIRECTV has been and now is directly 114. infringing, and indirectly infringing by way of inducing infringement and/or contributing to the infringement of the '756 Patent in the State of Texas, in this judicial district, and elsewhere in the United States, by, among other things, using, selling and offering to sell systems that provide for communicating messages from an application source to a network element located across a firewall. The systems provide a routine in the application source at a first side of the firewall for building a simple object access protocol envelope over an underlying expanding messaging communication protocol of a user request. A routine is provided in the application source for providing the simple object access protocol envelope over the underlying expanding messaging communication protocol to an underlying communication protocol server compatible with web communication at the first side of the firewall. A routine is provided in a network element agent server for receiving the simple object access protocol envelope over the underlying expanding messaging communication protocol from the underlying communication protocol server. A routine sends a simple object access protocol message from the simple object access protocol envelope over the underlying expanding messaging communication protocol, by parsing the simple object access protocol portion of the simple object access protocol envelope over the underlying expanding messaging communication protocol to produce the simple object access protocol message. This is done in a format suitable for transmission across the firewall, including commands parsible by a network management application routine that receives the transmission across the firewall to translate the simple object access protocol message into a command and/or data for the network element, and permits a network element agent routine provided at the second side of the firewall to parse the simple object access protocol message to

Case 2:10-cv-00320-TJW Document 1 Filed 08/25/10 Page 61 of 88

produce simple object access protocol packets received from the network management application. A network element discovery routine receives the simple object access protocol message from the network management application provided at the second side of the firewall. The simple object access protocol message includes network configuration data. For example, and without limitation, Defendant DIRECTV is marketing, distributing, using, selling, and offering to sell its DVR Online Scheduler and DVR Mobile Scheduler systems. Defendant DIRECTV is thus liable for infringement of the '756 Patent pursuant to 35 U.S.C. § 271(a), (b) & (c).

115. Upon information and belief, Defendant Dish has been and now is directly infringing, and indirectly infringing by way of inducing infringement and/or contributing to the infringement of the '756 Patent in the State of Texas, in this judicial district, and elsewhere in the United States, by, among other things, using, selling and offering to sell systems that provide for communicating messages from an application source to a network element located across a firewall. The systems provide a routine in the application source at a first side of the firewall for building a simple object access protocol envelope over an underlying expanding messaging communication protocol of a user request. A routine is provided in the application source for providing the simple object access protocol envelope over the underlying expanding messaging communication protocol to an underlying communication protocol server compatible with web communication at the first side of the firewall. A routine is provided in a network element agent server for receiving the simple object access protocol envelope over the underlying expanding messaging communication protocol from the underlying communication protocol server. A routine sends a simple object access protocol message from the simple object access protocol envelope over the underlying expanding messaging communication protocol, by parsing the simple object access protocol portion of the simple object access protocol envelope over the underlying expanding messaging communication protocol to produce the simple object access protocol message. This is done in a format suitable for transmission across the firewall, including commands parsible by a network management application routine that receives the transmission across the firewall to translate the simple object access protocol message into a command and/or data for the network element, and permits a network element agent routine provided at the second side of the firewall to parse the simple object access protocol message to produce simple object access protocol packets received from the network management

Case 2:10-cv-00320-TJW Document 1 Filed 08/25/10 Page 62 of 88

application. A network element discovery routine receives the simple object access protocol message from the network management application provided at the second side of the firewall. The simple object access protocol message includes network configuration data. For example, and without limitation, Defendant Dish is marketing, distributing, using, selling, and offering to sell its Dish Remote Access systems. Defendant Dish is thus liable for infringement of the '756 Patent pursuant to 35 U.S.C. § 271(a), (b) & (c).

116. Upon information and belief, Defendant E*TRADE has been and now is directly infringing, and indirectly infringing by way of inducing infringement and/or contributing to the infringement of the '756 Patent in the State of Texas, in this judicial district, and elsewhere in the United States, by, among other things, using, selling and offering to sell systems that provide for communicating messages from an application source to a network element located across a firewall. The systems provide a routine in the application source at a first side of the firewall for building a simple object access protocol envelope over an underlying expanding messaging communication protocol of a user request. A routine is provided in the application source for providing the simple object access protocol envelope over the underlying expanding messaging communication protocol to an underlying communication protocol server compatible with web communication at the first side of the firewall. A routine is provided in a network element agent server for receiving the simple object access protocol envelope over the underlying expanding messaging communication protocol from the underlying communication protocol server. A routine sends a simple object access protocol message from the simple object access protocol envelope over the underlying expanding messaging communication protocol, by parsing the simple object access protocol portion of the simple object access protocol envelope over the underlying expanding messaging communication protocol to produce the simple object access protocol message. This is done in a format suitable for transmission across the firewall, including commands parsible by a network management application routine that receives the transmission across the firewall to translate the simple object access protocol message into a command and/or data for the network element, and permits a network element agent routine provided at the second side of the firewall to parse the simple object access protocol message to produce simple object access protocol packets received from the network management application. A network element discovery routine receives the simple object access protocol message from the network management application provided at the second side of the firewall.

Case 2:10-cv-00320-TJW Document 1 Filed 08/25/10 Page 63 of 88

The simple object access protocol message includes network configuration data. For example, and without limitation, Defendant E*TRADE is marketing, distributing, using, selling, and offering to sell its Mobile Pro, Website Trading and MarketTrader systems. Defendant E*TRADE is thus liable for infringement of the '756 Patent pursuant to 35 U.S.C. § 271(a), (b) & (c).

Upon information and belief, Defendant Exinda has been and now is directly 117. infringing, and indirectly infringing by way of inducing infringement and/or contributing to the infringement of the '756 Patent in the State of Texas, in this judicial district, and elsewhere in the United States, by, among other things, using, selling and offering to sell systems that provide for communicating messages from an application source to a network element located across a firewall. The systems provide a routine in the application source at a first side of the firewall for building a simple object access protocol envelope over an underlying expanding messaging communication protocol of a user request. A routine is provided in the application source for providing the simple object access protocol envelope over the underlying expanding messaging communication protocol to an underlying communication protocol server compatible with web communication at the first side of the firewall. A routine is provided in a network element agent server for receiving the simple object access protocol envelope over the underlying expanding messaging communication protocol from the underlying communication protocol server. A routine sends a simple object access protocol message from the simple object access protocol envelope over the underlying expanding messaging communication protocol, by parsing the simple object access protocol portion of the simple object access protocol envelope over the underlying expanding messaging communication protocol to produce the simple object access protocol message. This is done in a format suitable for transmission across the firewall, including commands parsible by a network management application routine that receives the transmission across the firewall to translate the simple object access protocol message into a command and/or data for the network element, and permits a network element agent routine provided at the second side of the firewall to parse the simple object access protocol message to produce simple object access protocol packets received from the network management application. A network element discovery routine receives the simple object access protocol message from the network management application provided at the second side of the firewall. The simple object access protocol message includes network configuration data. For example,

Case 2:10-cv-00320-TJW Document 1 Filed 08/25/10 Page 64 of 88

and without limitation, Defendant Exinda is marketing, distributing, using, selling, and offering to sell its Unified Performance Management and Service Delivery Point systems. Defendant Exinda is thus liable for infringement of the '756 Patent pursuant to 35 U.S.C. § 271(a), (b) & (c).

118. Upon information and belief, Defendant Fidelity has been and now is directly infringing, and indirectly infringing by way of inducing infringement and/or contributing to the infringement of the '756 Patent in the State of Texas, in this judicial district, and elsewhere in the United States, by, among other things, using, selling and offering to sell systems that provide for communicating messages from an application source to a network element located across a firewall. The systems provide a routine in the application source at a first side of the firewall for building a simple object access protocol envelope over an underlying expanding messaging communication protocol of a user request. A routine is provided in the application source for providing the simple object access protocol envelope over the underlying expanding messaging communication protocol to an underlying communication protocol server compatible with web communication at the first side of the firewall. A routine is provided in a network element agent server for receiving the simple object access protocol envelope over the underlying expanding messaging communication protocol from the underlying communication protocol server. A routine sends a simple object access protocol message from the simple object access protocol envelope over the underlying expanding messaging communication protocol, by parsing the simple object access protocol portion of the simple object access protocol envelope over the underlying expanding messaging communication protocol to produce the simple object access protocol message. This is done in a format suitable for transmission across the firewall, including commands parsible by a network management application routine that receives the transmission across the firewall to translate the simple object access protocol message into a command and/or data for the network element, and permits a network element agent routine provided at the second side of the firewall to parse the simple object access protocol message to produce simple object access protocol packets received from the network management application. A network element discovery routine receives the simple object access protocol message from the network management application provided at the second side of the firewall. The simple object access protocol message includes network configuration data. For example, and without limitation, Defendant Fidelity is marketing, distributing, using, selling, and offering

to sell its Active Trader Pro and Mobile Trading systems. Defendant Fidelity is thus liable for infringement of the '756 Patent pursuant to 35 U.S.C. § 271(a), (b) & (c).

119. Upon information and belief, Defendant Firstrade has been and now is directly infringing, and indirectly infringing by way of inducing infringement and/or contributing to the infringement of the '756 Patent in the State of Texas, in this judicial district, and elsewhere in the United States, by, among other things, using, selling and offering to sell systems that provide for communicating messages from an application source to a network element located across a firewall. The systems provide a routine in the application source at a first side of the firewall for building a simple object access protocol envelope over an underlying expanding messaging communication protocol of a user request. A routine is provided in the application source for providing the simple object access protocol envelope over the underlying expanding messaging communication protocol to an underlying communication protocol server compatible with web communication at the first side of the firewall. A routine is provided in a network element agent server for receiving the simple object access protocol envelope over the underlying expanding messaging communication protocol from the underlying communication protocol server. A routine sends a simple object access protocol message from the simple object access protocol envelope over the underlying expanding messaging communication protocol, by parsing the simple object access protocol portion of the simple object access protocol envelope over the underlying expanding messaging communication protocol to produce the simple object access protocol message. This is done in a format suitable for transmission across the firewall, including commands parsible by a network management application routine that receives the transmission across the firewall to translate the simple object access protocol message into a command and/or data for the network element, and permits a network element agent routine provided at the second side of the firewall to parse the simple object access protocol message to produce simple object access protocol packets received from the network management application. A network element discovery routine receives the simple object access protocol message from the network management application provided at the second side of the firewall. The simple object access protocol message includes network configuration data. For example, and without limitation, Defendant Firstrade is marketing, distributing, using, selling, and offering to sell its online website trading and mobile trading systems. Defendant Firstrade is thus liable for infringement of the '756 Patent pursuant to 35 U.S.C. § 271(a), (b) & (c).

Case 2:10-cv-00320-TJW Document 1 Filed 08/25/10 Page 66 of 88

Upon information and belief, Defendant HP has been and now is directly 120. infringing, and indirectly infringing by way of inducing infringement and/or contributing to the infringement of the '756 Patent in the State of Texas, in this judicial district, and elsewhere in the United States, by, among other things, using, selling and offering to sell systems that provide for communicating messages from an application source to a network element located across a firewall. The systems provide a routine in the application source at a first side of the firewall for building a simple object access protocol envelope over an underlying expanding messaging communication protocol of a user request. A routine is provided in the application source for providing the simple object access protocol envelope over the underlying expanding messaging communication protocol to an underlying communication protocol server compatible with web communication at the first side of the firewall. A routine is provided in a network element agent server for receiving the simple object access protocol envelope over the underlying expanding messaging communication protocol from the underlying communication protocol server. A routine sends a simple object access protocol message from the simple object access protocol envelope over the underlying expanding messaging communication protocol, by parsing the simple object access protocol portion of the simple object access protocol envelope over the underlying expanding messaging communication protocol to produce the simple object access protocol message. This is done in a format suitable for transmission across the firewall, including commands parsible by a network management application routine that receives the transmission across the firewall to translate the simple object access protocol message into a command and/or data for the network element, and permits a network element agent routine provided at the second side of the firewall to parse the simple object access protocol message to produce simple object access protocol packets received from the network management application. A network element discovery routine receives the simple object access protocol message from the network management application provided at the second side of the firewall. The simple object access protocol message includes network configuration data. For example, and without limitation, Defendant HP is marketing, distributing, using, selling, and offering to sell its HP Operations Manger, HP Smart Plug-in for SOAP, and HP Smart Plug-in for Sun ONE Web Services systems. Defendant HP is thus liable for infringement of the '756 Patent pursuant to 35 U.S.C. § 271(a), (b) & (c).

Case 2:10-cv-00320-TJW Document 1 Filed 08/25/10 Page 67 of 88

121. Upon information and belief, Defendant iControl has been and now is directly infringing, and indirectly infringing by way of inducing infringement and/or contributing to the infringement of the '756 Patent in the State of Texas, in this judicial district, and elsewhere in the United States, by, among other things, using, selling and offering to sell systems that provide for communicating messages from an application source to a network element located across a firewall. The systems provide a routine in the application source at a first side of the firewall for building a simple object access protocol envelope over an underlying expanding messaging communication protocol of a user request. A routine is provided in the application source for providing the simple object access protocol envelope over the underlying expanding messaging communication protocol to an underlying communication protocol server compatible with web communication at the first side of the firewall. A routine is provided in a network element agent server for receiving the simple object access protocol envelope over the underlying expanding messaging communication protocol from the underlying communication protocol server. A routine sends a simple object access protocol message from the simple object access protocol envelope over the underlying expanding messaging communication protocol, by parsing the simple object access protocol portion of the simple object access protocol envelope over the underlying expanding messaging communication protocol to produce the simple object access protocol message. This is done in a format suitable for transmission across the firewall, including commands parsible by a network management application routine that receives the transmission across the firewall to translate the simple object access protocol message into a command and/or data for the network element, and permits a network element agent routine provided at the second side of the firewall to parse the simple object access protocol message to produce simple object access protocol packets received from the network management application. A network element discovery routine receives the simple object access protocol message from the network management application provided at the second side of the firewall. The simple object access protocol message includes network configuration data. For example, and without limitation, Defendant iControl is marketing, distributing, using, selling, and offering to sell its iDAC, iGATE and iVIEW systems. Defendant iControl is thus liable for infringement of the '756 Patent pursuant to 35 U.S.C. § 271(a), (b) & (c).

122. Upon information and belief, Defendant IBM has been and now is directly infringing, and indirectly infringing by way of inducing infringement and/or contributing to the

infringement of the '756 Patent in the State of Texas, in this judicial district, and elsewhere in the United States, by, among other things, using, selling and offering to sell systems that provide for communicating messages from an application source to a network element located across a firewall. The systems provide a routine in the application source at a first side of the firewall for building a simple object access protocol envelope over an underlying expanding messaging communication protocol of a user request. A routine is provided in the application source for providing the simple object access protocol envelope over the underlying expanding messaging communication protocol to an underlying communication protocol server compatible with web communication at the first side of the firewall. A routine is provided in a network element agent server for receiving the simple object access protocol envelope over the underlying expanding messaging communication protocol from the underlying communication protocol server. A routine sends a simple object access protocol message from the simple object access protocol envelope over the underlying expanding messaging communication protocol, by parsing the simple object access protocol portion of the simple object access protocol envelope over the underlying expanding messaging communication protocol to produce the simple object access protocol message. This is done in a format suitable for transmission across the firewall, including commands parsible by a network management application routine that receives the transmission across the firewall to translate the simple object access protocol message into a command and/or data for the network element, and permits a network element agent routine provided at the second side of the firewall to parse the simple object access protocol message to produce simple object access protocol packets received from the network management application. A network element discovery routine receives the simple object access protocol message from the network management application provided at the second side of the firewall. The simple object access protocol message includes network configuration data. For example, and without limitation, Defendant IBM is marketing, distributing, using, selling, and offering to sell its Tivoli software systems. Defendant IBM is thus liable for infringement of the '756 Patent pursuant to 35 U.S.C. § 271(a), (b) & (c).

123. Upon information and belief, Defendant JPMorgan has been and now is directly infringing, and indirectly infringing by way of inducing infringement and/or contributing to the infringement of the '756 Patent in the State of Texas, in this judicial district, and elsewhere in the United States, by, among other things, using, selling and offering to sell systems that provide for

Case 2:10-cv-00320-TJW Document 1 Filed 08/25/10 Page 69 of 88

communicating messages from an application source to a network element located across a firewall. The systems provide a routine in the application source at a first side of the firewall for building a simple object access protocol envelope over an underlying expanding messaging communication protocol of a user request. A routine is provided in the application source for providing the simple object access protocol envelope over the underlying expanding messaging communication protocol to an underlying communication protocol server compatible with web communication at the first side of the firewall. A routine is provided in a network element agent server for receiving the simple object access protocol envelope over the underlying expanding messaging communication protocol from the underlying communication protocol server. A routine sends a simple object access protocol message from the simple object access protocol envelope over the underlying expanding messaging communication protocol, by parsing the simple object access protocol portion of the simple object access protocol envelope over the underlying expanding messaging communication protocol to produce the simple object access protocol message. This is done in a format suitable for transmission across the firewall, including commands parsible by a network management application routine that receives the transmission across the firewall to translate the simple object access protocol message into a command and/or data for the network element, and permits a network element agent routine provided at the second side of the firewall to parse the simple object access protocol message to produce simple object access protocol packets received from the network management application. A network element discovery routine receives the simple object access protocol message from the network management application provided at the second side of the firewall. The simple object access protocol message includes network configuration data. For example, and without limitation, Defendant JPMorgan is marketing, distributing, using, selling, and offering to sell its Online Bill Pay and Overnight Check systems. Defendant JPMorgan is thus liable for infringement of the '756 Patent pursuant to 35 U.S.C. § 271(a), (b) & (c).

<u>COUNT IV</u> INFRINGEMENT OF U.S. PATENT NO. 7,007,094

124. Plaintiff is the owner by assignment of United States Patent No. 7,007,094 ("the '094 Patent") entitled "Object oriented communications system over the internet" – including all

rights to recover for past and future acts of infringement. The '094 Patent issued on February 28, 2006. A true and correct copy of the '094 Patent is attached as Exhibit D.

125. Upon information and belief, Defendant Sabre has been and now is directly infringing, and indirectly infringing by way of inducing infringement and/or contributing to the infringement of the '094 Patent in the State of Texas, in this judicial district, and elsewhere in the United States, by, among other things, using, selling and offering to sell systems that provide for communicating between a web browser located on a first side of a firewall and a network element located on a second side of the firewall, where the web browser is provided with an applet to drive a user request, and the applet is provided by a web server included on the first side of the firewall. The user request is sent to a read/write server provided on the second side of the firewall, and a hypertext transfer protocol-simple object access protocol (HTTP-SOAP) version of the user request is created. The HTTP-SOAP version is transmitted to a network management application server on the second side of the firewall. An appropriate nodal model of the user request is built in the network management application server; and SOAP encoded requests are sent from the network management application server to a network element agent provided on the second side of the firewall. The SOAP encoded requests received by the network management application server are parsed in the network element agent, which encompasses data needed to complete a single nodal transaction. SOAP packets are encoded in the network element agent; and transmitted to a translator box associated with the network element. The translator box located on the second side of the firewall. The SOAP packets are translated into the appropriate native console command for the network element; and the native console command is transmitted to the network element located on the second side of the firewall. For example, and without limitation, Defendant Sabre is marketing, distributing, using, selling, and offering to sell its Sabre AirVision, SabreSonic, Sabre AirCentre, Travelocity, Central Reservation, Global Distribution, Booking Engine and Call Center systems. Defendant Sabre is thus liable for infringement of the '094 Patent pursuant to 35 U.S.C. § 271(a), (b) & (c).

126. Upon information and belief, Defendant SAP has been and now is directly infringing, and indirectly infringing by way of inducing infringement and/or contributing to the infringement of the '094 Patent in the State of Texas, in this judicial district, and elsewhere in the United States, by, among other things, using, selling and offering to sell systems that provide for communicating between a web browser located on a first side of a firewall and a network

Case 2:10-cv-00320-TJW Document 1 Filed 08/25/10 Page 71 of 88

element located on a second side of the firewall, where the web browser is provided with an applet to drive a user request, and the applet is provided by a web server included on the first side of the firewall. The user request is sent to a read/write server provided on the second side of the firewall, and a hypertext transfer protocol-simple object access protocol (HTTP-SOAP) version of the user request is created. The HTTP-SOAP version is transmitted to a network management application server on the second side of the firewall. An appropriate nodal model of the user request is built in the network management application server; and SOAP encoded requests are sent from the network management application server to a network element agent provided on the second side of the firewall. The SOAP encoded requests received by the network management application server are parsed in the network element agent, which encompasses data needed to complete a single nodal transaction. SOAP packets are encoded in the network element agent; and transmitted to a translator box associated with the network element. The translator box located on the second side of the firewall. The SOAP packets are translated into the appropriate native console command for the network element; and the native console command is transmitted to the network element located on the second side of the firewall. For example, and without limitation, Defendant SAP is marketing, distributing, using, selling, and offering to sell its SAP Netweaver systems. Defendant SAP is thus liable for infringement of the '094 Patent pursuant to 35 U.S.C. § 271(a), (b) & (c).

127. Upon information and belief, Defendant SAS has been and now is directly infringing, and indirectly infringing by way of inducing infringement and/or contributing to the infringement of the '094 Patent in the State of Texas, in this judicial district, and elsewhere in the United States, by, among other things, using, selling and offering to sell systems that provide for communicating between a web browser located on a first side of a firewall and a network element located on a second side of the firewall, where the web browser is provided with an applet to drive a user request, and the applet is provided by a web server included on the first side of the firewall. The user request is sent to a read/write server provided on the second side of the firewall, and a hypertext transfer protocol-simple object access protocol (HTTP-SOAP) version of the user request is created. The HTTP-SOAP version is transmitted to a network management application server on the second side of the firewall. An appropriate nodal model of the user request is built in the network management application server; and SOAP encoded requests are sent from the network management application server to a network element agent

Case 2:10-cv-00320-TJW Document 1 Filed 08/25/10 Page 72 of 88

provided on the second side of the firewall. The SOAP encoded requests received by the network management application server are parsed in the network element agent, which encompasses data needed to complete a single nodal transaction. SOAP packets are encoded in the network element agent; and transmitted to a translator box associated with the network element. The translator box located on the second side of the firewall. The SOAP packets are translated into the appropriate native console command for the network element; and the native console command is transmitted to the network element located on the second side of the firewall. For example, and without limitation, Defendant SAS is marketing, distributing, using, selling, and offering to sell its Business Intelligence systems. Defendant SAS is thus liable for infringement of the '094 Patent pursuant to 35 U.S.C. § 271(a), (b) & (c).

Upon information and belief, Defendant Schwab has been and now is directly 128. infringing, and indirectly infringing by way of inducing infringement and/or contributing to the infringement of the '094 Patent in the State of Texas, in this judicial district, and elsewhere in the United States, by, among other things, using, selling and offering to sell systems that provide for communicating between a web browser located on a first side of a firewall and a network element located on a second side of the firewall, where the web browser is provided with an applet to drive a user request, and the applet is provided by a web server included on the first side of the firewall. The user request is sent to a read/write server provided on the second side of the firewall, and a hypertext transfer protocol-simple object access protocol (HTTP-SOAP) version of the user request is created. The HTTP-SOAP version is transmitted to a network management application server on the second side of the firewall. An appropriate nodal model of the user request is built in the network management application server; and SOAP encoded requests are sent from the network management application server to a network element agent provided on the second side of the firewall. The SOAP encoded requests received by the network management application server are parsed in the network element agent, which encompasses data needed to complete a single nodal transaction. SOAP packets are encoded in the network element agent; and transmitted to a translator box associated with the network element. The translator box located on the second side of the firewall. The SOAP packets are translated into the appropriate native console command for the network element; and the native console command is transmitted to the network element located on the second side of the firewall. For example, and without limitation, Defendant Schwab is marketing, distributing,

using, selling, and offering to sell its Online and Web Trading systems. Defendant Schwab is thus liable for infringement of the '094 Patent pursuant to 35 U.S.C. § 271(a), (b) & (c).

129. Upon information and belief, Defendant Scottrade has been and now is directly infringing, and indirectly infringing by way of inducing infringement and/or contributing to the infringement of the '094 Patent in the State of Texas, in this judicial district, and elsewhere in the United States, by, among other things, using, selling and offering to sell systems that provide for communicating between a web browser located on a first side of a firewall and a network element located on a second side of the firewall, where the web browser is provided with an applet to drive a user request, and the applet is provided by a web server included on the first side of the firewall. The user request is sent to a read/write server provided on the second side of the firewall, and a hypertext transfer protocol-simple object access protocol (HTTP-SOAP) version of the user request is created. The HTTP-SOAP version is transmitted to a network management application server on the second side of the firewall. An appropriate nodal model of the user request is built in the network management application server; and SOAP encoded requests are sent from the network management application server to a network element agent provided on the second side of the firewall. The SOAP encoded requests received by the network management application server are parsed in the network element agent, which encompasses data needed to complete a single nodal transaction. SOAP packets are encoded in the network element agent; and transmitted to a translator box associated with the network element. The translator box located on the second side of the firewall. The SOAP packets are translated into the appropriate native console command for the network element; and the native console command is transmitted to the network element located on the second side of the firewall. For example, and without limitation, Defendant Scottrade is marketing, distributing, using, selling, and offering to sell its Options First, Scottrade Trading Website, Scottrade Mobile and ScottradeELITE systems. Defendant Scottrade is thus liable for infringement of the '094 Patent pursuant to 35 U.S.C. § 271(a), (b) & (c).

130. Upon information and belief, Defendant TDA has been and now is directly infringing, and indirectly infringing by way of inducing infringement and/or contributing to the infringement of the '094 Patent in the State of Texas, in this judicial district, and elsewhere in the United States, by, among other things, using, selling and offering to sell systems that provide for communicating between a web browser located on a first side of a firewall and a network

Case 2:10-cv-00320-TJW Document 1 Filed 08/25/10 Page 74 of 88

element located on a second side of the firewall, where the web browser is provided with an applet to drive a user request, and the applet is provided by a web server included on the first side of the firewall. The user request is sent to a read/write server provided on the second side of the firewall, and a hypertext transfer protocol-simple object access protocol (HTTP-SOAP) version of the user request is created. The HTTP-SOAP version is transmitted to a network management application server on the second side of the firewall. An appropriate nodal model of the user request is built in the network management application server; and SOAP encoded requests are sent from the network management application server to a network element agent provided on the second side of the firewall. The SOAP encoded requests received by the network management application server are parsed in the network element agent, which encompasses data needed to complete a single nodal transaction. SOAP packets are encoded in the network element agent; and transmitted to a translator box associated with the network element. The translator box located on the second side of the firewall. The SOAP packets are translated into the appropriate native console command for the network element; and the native console command is transmitted to the network element located on the second side of the firewall. For example, and without limitation, Defendant TDA is marketing, distributing, using, selling, and offering to sell its Mobile and Online Trading systems. Defendant TDA is thus liable for infringement of the '094 Patent pursuant to 35 U.S.C. § 271(a), (b) & (c).

131. Upon information and belief, Defendant TiVo has been and now is directly infringing, and indirectly infringing by way of inducing infringement and/or contributing to the infringement of the '094 Patent in the State of Texas, in this judicial district, and elsewhere in the United States, by, among other things, using, selling and offering to sell systems that provide for communicating between a web browser located on a first side of a firewall and a network element located on a second side of the firewall, where the web browser is provided with an applet to drive a user request, and the applet is provided by a web server included on the first side of the firewall. The user request is sent to a read/write server provided on the second side of the firewall, and a hypertext transfer protocol-simple object access protocol (HTTP-SOAP) version of the user request is created. The HTTP-SOAP version is transmitted to a network management application server on the second side of the firewall. An appropriate nodal model of the user request is built in the network management application server; and SOAP encoded requests are sent from the network management application server to a network element agent

Case 2:10-cv-00320-TJW Document 1 Filed 08/25/10 Page 75 of 88

provided on the second side of the firewall. The SOAP encoded requests received by the network management application server are parsed in the network element agent, which encompasses data needed to complete a single nodal transaction. SOAP packets are encoded in the network element agent; and transmitted to a translator box associated with the network element. The translator box located on the second side of the firewall. The SOAP packets are translated into the appropriate native console command for the network element; and the native console command is transmitted to the network element located on the second side of the firewall. For example, and without limitation, Defendant TiVo is marketing, distributing, using, selling, and offering to sell its TiVo Online Scheduling, TiVo Mobile and TiVo Scheduler systems. Defendant TiVo is thus liable for infringement of the '094 Patent pursuant to 35 U.S.C. § 271(a), (b) & (c).

Upon information and belief, Defendant Unicoi has been and now is directly 132. infringing, and indirectly infringing by way of inducing infringement and/or contributing to the infringement of the '094 Patent in the State of Texas, in this judicial district, and elsewhere in the United States, by, among other things, using, selling and offering to sell systems that provide for communicating between a web browser located on a first side of a firewall and a network element located on a second side of the firewall, where the web browser is provided with an applet to drive a user request, and the applet is provided by a web server included on the first side of the firewall. The user request is sent to a read/write server provided on the second side of the firewall, and a hypertext transfer protocol-simple object access protocol (HTTP-SOAP) version of the user request is created. The HTTP-SOAP version is transmitted to a network management application server on the second side of the firewall. An appropriate nodal model of the user request is built in the network management application server; and SOAP encoded requests are sent from the network management application server to a network element agent provided on the second side of the firewall. The SOAP encoded requests received by the network management application server are parsed in the network element agent, which encompasses data needed to complete a single nodal transaction. SOAP packets are encoded in the network element agent; and transmitted to a translator box associated with the network element. The translator box located on the second side of the firewall. The SOAP packets are translated into the appropriate native console command for the network element; and the native console command is transmitted to the network element located on the second side of the

firewall. For example, and without limitation, Defendant Unicoi is marketing, distributing, using, selling, and offering to sell its Fusion SOAP Client & Server systems. Defendant Unicoi is thus liable for infringement of the '094 Patent pursuant to 35 U.S.C. § 271(a), (b) & (c).

133. Upon information and belief, Defendant Xerox has been and now is directly infringing, and indirectly infringing by way of inducing infringement and/or contributing to the infringement of the '094 Patent in the State of Texas, in this judicial district, and elsewhere in the United States, by, among other things, using, selling and offering to sell systems that provide for communicating between a web browser located on a first side of a firewall and a network element located on a second side of the firewall, where the web browser is provided with an applet to drive a user request, and the applet is provided by a web server included on the first side of the firewall. The user request is sent to a read/write server provided on the second side of the firewall, and a hypertext transfer protocol-simple object access protocol (HTTP-SOAP) version of the user request is created. The HTTP-SOAP version is transmitted to a network management application server on the second side of the firewall. An appropriate nodal model of the user request is built in the network management application server; and SOAP encoded requests are sent from the network management application server to a network element agent provided on the second side of the firewall. The SOAP encoded requests received by the network management application server are parsed in the network element agent, which encompasses data needed to complete a single nodal transaction. SOAP packets are encoded in the network element agent; and transmitted to a translator box associated with the network element. The translator box located on the second side of the firewall. The SOAP packets are translated into the appropriate native console command for the network element; and the native console command is transmitted to the network element located on the second side of the firewall. For example, and without limitation, Defendant Xerox is marketing, distributing, using, selling, and offering to sell its Docushare systems. Defendant Xerox is thus liable for infringement of the '094 Patent pursuant to 35 U.S.C. § 271(a), (b) & (c).

134. Upon information and belief, Defendant Adobe has been and now is directly infringing, and indirectly infringing by way of inducing infringement and/or contributing to the infringement of the '094 Patent in the State of Texas, in this judicial district, and elsewhere in the United States, by, among other things, using, selling and offering to sell systems that provide for communicating between a web browser located on a first side of a firewall and a network

Case 2:10-cv-00320-TJW Document 1 Filed 08/25/10 Page 77 of 88

element located on a second side of the firewall, where the web browser is provided with an applet to drive a user request, and the applet is provided by a web server included on the first side of the firewall. The user request is sent to a read/write server provided on the second side of the firewall, and a hypertext transfer protocol-simple object access protocol (HTTP-SOAP) version of the user request is created. The HTTP-SOAP version is transmitted to a network management application server on the second side of the firewall. An appropriate nodal model of the user request is built in the network management application server; and SOAP encoded requests are sent from the network management application server to a network element agent provided on the second side of the firewall. The SOAP encoded requests received by the network management application server are parsed in the network element agent, which encompasses data needed to complete a single nodal transaction. SOAP packets are encoded in the network element agent; and transmitted to a translator box associated with the network element. The translator box located on the second side of the firewall. The SOAP packets are translated into the appropriate native console command for the network element; and the native console command is transmitted to the network element located on the second side of the firewall. For example, and without limitation, Defendant Adobe is marketing, distributing, using, selling, and offering to sell its Creative Suite 5, Flash Platform, ColdFusion, LiveCycle ES, and Scene7 systems. Defendant Adobe is thus liable for infringement of the '094 Patent pursuant to 35 U.S.C. § 271(a), (b) & (c).

135. Upon information and belief, Defendant AOL has been and now is directly infringing, and indirectly infringing by way of inducing infringement and/or contributing to the infringement of the '094 Patent in the State of Texas, in this judicial district, and elsewhere in the United States, by, among other things, using, selling and offering to sell systems that provide for communicating between a web browser located on a first side of a firewall and a network element located on a second side of the firewall, where the web browser is provided with an applet to drive a user request, and the applet is provided by a web server included on the first side of the firewall. The user request is sent to a read/write server provided on the second side of the firewall, and a hypertext transfer protocol-simple object access protocol (HTTP-SOAP) version of the user request is created. The HTTP-SOAP version is transmitted to a network management application server on the second side of the firewall. An appropriate nodal model of the user request is built in the network management application server; and SOAP encoded

Case 2:10-cv-00320-TJW Document 1 Filed 08/25/10 Page 78 of 88

requests are sent from the network management application server to a network element agent provided on the second side of the firewall. The SOAP encoded requests received by the network management application server are parsed in the network element agent, which encompasses data needed to complete a single nodal transaction. SOAP packets are encoded in the network element agent; and transmitted to a translator box associated with the network element. The translator box located on the second side of the firewall. The SOAP packets are translated into the appropriate native console command for the network element; and the native console command is transmitted to the network element located on the second side of the firewall. For example, and without limitation, Defendant AOL is marketing, distributing, using, selling, and offering to sell its AIM, Moviefone and Lifestream systems. Defendant AOL is thus liable for infringement of the '094 Patent pursuant to 35 U.S.C. § 271(a), (b) & (c).

Upon information and belief, Defendant Apple has been and now is directly 136. infringing, and indirectly infringing by way of inducing infringement and/or contributing to the infringement of the '094 Patent in the State of Texas, in this judicial district, and elsewhere in the United States, by, among other things, using, selling and offering to sell systems that provide for communicating between a web browser located on a first side of a firewall and a network element located on a second side of the firewall, where the web browser is provided with an applet to drive a user request, and the applet is provided by a web server included on the first side of the firewall. The user request is sent to a read/write server provided on the second side of the firewall, and a hypertext transfer protocol-simple object access protocol (HTTP-SOAP) version of the user request is created. The HTTP-SOAP version is transmitted to a network management application server on the second side of the firewall. An appropriate nodal model of the user request is built in the network management application server; and SOAP encoded requests are sent from the network management application server to a network element agent provided on the second side of the firewall. The SOAP encoded requests received by the network management application server are parsed in the network element agent, which encompasses data needed to complete a single nodal transaction. SOAP packets are encoded in the network element agent; and transmitted to a translator box associated with the network element. The translator box located on the second side of the firewall. The SOAP packets are translated into the appropriate native console command for the network element; and the native console command is transmitted to the network element located on the second side of the

firewall. For example, and without limitation, Defendant Apple is marketing, distributing, using, selling, and offering to sell its MAC OS X Server systems. Defendant Apple is thus liable for infringement of the '094 Patent pursuant to 35 U.S.C. § 271(a), (b) & (c).

Upon information and belief, Defendant Axibase has been and now is directly 137. infringing, and indirectly infringing by way of inducing infringement and/or contributing to the infringement of the '094 Patent in the State of Texas, in this judicial district, and elsewhere in the United States, by, among other things, using, selling and offering to sell systems that provide for communicating between a web browser located on a first side of a firewall and a network element located on a second side of the firewall, where the web browser is provided with an applet to drive a user request, and the applet is provided by a web server included on the first side of the firewall. The user request is sent to a read/write server provided on the second side of the firewall, and a hypertext transfer protocol-simple object access protocol (HTTP-SOAP) version of the user request is created. The HTTP-SOAP version is transmitted to a network management application server on the second side of the firewall. An appropriate nodal model of the user request is built in the network management application server; and SOAP encoded requests are sent from the network management application server to a network element agent provided on the second side of the firewall. The SOAP encoded requests received by the network management application server are parsed in the network element agent, which encompasses data needed to complete a single nodal transaction. SOAP packets are encoded in the network element agent; and transmitted to a translator box associated with the network element. The translator box located on the second side of the firewall. The SOAP packets are translated into the appropriate native console command for the network element; and the native console command is transmitted to the network element located on the second side of the firewall. For example, and without limitation, Defendant Axibase is marketing, distributing, using, selling, and offering to sell its Fabrica systems. Defendant Axibase is thus liable for infringement of the '094 Patent pursuant to 35 U.S.C. § 271(a), (b) & (c).

138. Upon information and belief, Defendant DIRECTV has been and now is directly infringing, and indirectly infringing by way of inducing infringement and/or contributing to the infringement of the '094 Patent in the State of Texas, in this judicial district, and elsewhere in the United States, by, among other things, using, selling and offering to sell systems that provide for communicating between a web browser located on a first side of a firewall and a network

Case 2:10-cv-00320-TJW Document 1 Filed 08/25/10 Page 80 of 88

element located on a second side of the firewall, where the web browser is provided with an applet to drive a user request, and the applet is provided by a web server included on the first side of the firewall. The user request is sent to a read/write server provided on the second side of the firewall, and a hypertext transfer protocol-simple object access protocol (HTTP-SOAP) version of the user request is created. The HTTP-SOAP version is transmitted to a network management application server on the second side of the firewall. An appropriate nodal model of the user request is built in the network management application server; and SOAP encoded requests are sent from the network management application server to a network element agent provided on the second side of the firewall. The SOAP encoded requests received by the network management application server are parsed in the network element agent, which encompasses data needed to complete a single nodal transaction. SOAP packets are encoded in the network element agent; and transmitted to a translator box associated with the network element. The translator box located on the second side of the firewall. The SOAP packets are translated into the appropriate native console command for the network element; and the native console command is transmitted to the network element located on the second side of the firewall. For example, and without limitation, Defendant DIRECTV is marketing, distributing, using, selling, and offering to sell its DVR Online Scheduler and DVR Mobile Scheduler systems. Defendant DIRECTV is thus liable for infringement of the '094 Patent pursuant to 35 U.S.C. § 271(a), (b) & (c).

139. Upon information and belief, Defendant Dish has been and now is directly infringing, and indirectly infringing by way of inducing infringement and/or contributing to the infringement of the '094 Patent in the State of Texas, in this judicial district, and elsewhere in the United States, by, among other things, using, selling and offering to sell systems that provide for communicating between a web browser located on a first side of a firewall and a network element located on a second side of the firewall, where the web browser is provided with an applet to drive a user request, and the applet is provided by a web server included on the first side of the firewall. The user request is sent to a read/write server provided on the second side of the firewall, and a hypertext transfer protocol-simple object access protocol (HTTP-SOAP) version of the user request is created. The HTTP-SOAP version is transmitted to a network management application server on the second side of the firewall. An appropriate nodal model of the user request is built in the network management application server; and SOAP encoded

Case 2:10-cv-00320-TJW Document 1 Filed 08/25/10 Page 81 of 88

requests are sent from the network management application server to a network element agent provided on the second side of the firewall. The SOAP encoded requests received by the network management application server are parsed in the network element agent, which encompasses data needed to complete a single nodal transaction. SOAP packets are encoded in the network element agent; and transmitted to a translator box associated with the network element. The translator box located on the second side of the firewall. The SOAP packets are translated into the appropriate native console command for the network element; and the native console command is transmitted to the network element located on the second side of the firewall. For example, and without limitation, Defendant Dish is marketing, distributing, using, selling, and offering to sell its Dish Remote Access systems. Defendant Dish is thus liable for infringement of the '094 Patent pursuant to 35 U.S.C. § 271(a), (b) & (c).

140. Upon information and belief, Defendant E*TRADE has been and now is directly infringing, and indirectly infringing by way of inducing infringement and/or contributing to the infringement of the '094 Patent in the State of Texas, in this judicial district, and elsewhere in the United States, by, among other things, using, selling and offering to sell systems that provide for communicating between a web browser located on a first side of a firewall and a network element located on a second side of the firewall, where the web browser is provided with an applet to drive a user request, and the applet is provided by a web server included on the first side of the firewall. The user request is sent to a read/write server provided on the second side of the firewall, and a hypertext transfer protocol-simple object access protocol (HTTP-SOAP) version of the user request is created. The HTTP-SOAP version is transmitted to a network management application server on the second side of the firewall. An appropriate nodal model of the user request is built in the network management application server; and SOAP encoded requests are sent from the network management application server to a network element agent provided on the second side of the firewall. The SOAP encoded requests received by the network management application server are parsed in the network element agent, which encompasses data needed to complete a single nodal transaction. SOAP packets are encoded in the network element agent; and transmitted to a translator box associated with the network element. The translator box located on the second side of the firewall. The SOAP packets are translated into the appropriate native console command for the network element; and the native console command is transmitted to the network element located on the second side of the

firewall. For example, and without limitation, Defendant E*TRADE is marketing, distributing, using, selling, and offering to sell its Mobile Pro, Website Trading and MarketTrader systems. Defendant E*TRADE is thus liable for infringement of the '094 Patent pursuant to 35 U.S.C. § 271(a), (b) & (c).

141. Upon information and belief, Defendant Exinda has been and now is directly infringing, and indirectly infringing by way of inducing infringement and/or contributing to the infringement of the '094 Patent in the State of Texas, in this judicial district, and elsewhere in the United States, by, among other things, using, selling and offering to sell systems that provide for communicating between a web browser located on a first side of a firewall and a network element located on a second side of the firewall, where the web browser is provided with an applet to drive a user request, and the applet is provided by a web server included on the first side of the firewall. The user request is sent to a read/write server provided on the second side of the firewall, and a hypertext transfer protocol-simple object access protocol (HTTP-SOAP) version of the user request is created. The HTTP-SOAP version is transmitted to a network management application server on the second side of the firewall. An appropriate nodal model of the user request is built in the network management application server; and SOAP encoded requests are sent from the network management application server to a network element agent provided on the second side of the firewall. The SOAP encoded requests received by the network management application server are parsed in the network element agent, which encompasses data needed to complete a single nodal transaction. SOAP packets are encoded in the network element agent; and transmitted to a translator box associated with the network element. The translator box located on the second side of the firewall. The SOAP packets are translated into the appropriate native console command for the network element; and the native console command is transmitted to the network element located on the second side of the firewall. For example, and without limitation, Defendant Exinda is marketing, distributing, using, selling, and offering to sell its Unified Performance Management and Service Delivery Point systems. Defendant Exinda is thus liable for infringement of the '094 Patent pursuant to 35 U.S.C. § 271(a), (b) & (c).

142. Upon information and belief, Defendant Fidelity has been and now is directly infringing, and indirectly infringing by way of inducing infringement and/or contributing to the infringement of the '094 Patent in the State of Texas, in this judicial district, and elsewhere in

Case 2:10-cv-00320-TJW Document 1 Filed 08/25/10 Page 83 of 88

the United States, by, among other things, using, selling and offering to sell systems that provide for communicating between a web browser located on a first side of a firewall and a network element located on a second side of the firewall, where the web browser is provided with an applet to drive a user request, and the applet is provided by a web server included on the first side of the firewall. The user request is sent to a read/write server provided on the second side of the firewall, and a hypertext transfer protocol-simple object access protocol (HTTP-SOAP) version of the user request is created. The HTTP-SOAP version is transmitted to a network management application server on the second side of the firewall. An appropriate nodal model of the user request is built in the network management application server; and SOAP encoded requests are sent from the network management application server to a network element agent provided on the second side of the firewall. The SOAP encoded requests received by the network management application server are parsed in the network element agent, which encompasses data needed to complete a single nodal transaction. SOAP packets are encoded in the network element agent; and transmitted to a translator box associated with the network element. The translator box located on the second side of the firewall. The SOAP packets are translated into the appropriate native console command for the network element; and the native console command is transmitted to the network element located on the second side of the firewall. For example, and without limitation, Defendant Fidelity is marketing, distributing, using, selling, and offering to sell its Active Trader Pro and Mobile Trading systems. Defendant Fidelity is thus liable for infringement of the '094 Patent pursuant to 35 U.S.C. § 271(a), (b) & (c).

143. Upon information and belief, Defendant Firstrade has been and now is directly infringing, and indirectly infringing by way of inducing infringement and/or contributing to the infringement of the '094 Patent in the State of Texas, in this judicial district, and elsewhere in the United States, by, among other things, using, selling and offering to sell systems that provide for communicating between a web browser located on a first side of a firewall and a network element located on a second side of the firewall, where the web browser is provided with an applet to drive a user request, and the applet is provided by a web server included on the first side of the firewall. The user request is sent to a read/write server provided on the second side of the firewall, and a hypertext transfer protocol-simple object access protocol (HTTP-SOAP) version of the user request is created. The HTTP-SOAP version is transmitted to a network

Case 2:10-cv-00320-TJW Document 1 Filed 08/25/10 Page 84 of 88

management application server on the second side of the firewall. An appropriate nodal model of the user request is built in the network management application server; and SOAP encoded requests are sent from the network management application server to a network element agent provided on the second side of the firewall. The SOAP encoded requests received by the network management application server are parsed in the network element agent, which encompasses data needed to complete a single nodal transaction. SOAP packets are encoded in the network element agent; and transmitted to a translator box associated with the network element. The translator box located on the second side of the firewall. The SOAP packets are translated into the appropriate native console command for the network element; and the native console command is transmitted to the network element located on the second side of the firewall. For example, and without limitation, Defendant Firstrade is marketing, distributing, using, selling, and offering to sell its online website trading and mobile trading systems. Defendant Firstrade is thus liable for infringement of the '094 Patent pursuant to 35 U.S.C. § 271(a), (b) & (c).

Upon information and belief, Defendant HP has been and now is directly 144. infringing, and indirectly infringing by way of inducing infringement and/or contributing to the infringement of the '094 Patent in the State of Texas, in this judicial district, and elsewhere in the United States, by, among other things, using, selling and offering to sell systems that provide for communicating between a web browser located on a first side of a firewall and a network element located on a second side of the firewall, where the web browser is provided with an applet to drive a user request, and the applet is provided by a web server included on the first side of the firewall. The user request is sent to a read/write server provided on the second side of the firewall, and a hypertext transfer protocol-simple object access protocol (HTTP-SOAP) version of the user request is created. The HTTP-SOAP version is transmitted to a network management application server on the second side of the firewall. An appropriate nodal model of the user request is built in the network management application server; and SOAP encoded requests are sent from the network management application server to a network element agent provided on the second side of the firewall. The SOAP encoded requests received by the network management application server are parsed in the network element agent, which encompasses data needed to complete a single nodal transaction. SOAP packets are encoded in the network element agent; and transmitted to a translator box associated with the network

Case 2:10-cv-00320-TJW Document 1 Filed 08/25/10 Page 85 of 88

element. The translator box located on the second side of the firewall. The SOAP packets are translated into the appropriate native console command for the network element; and the native console command is transmitted to the network element located on the second side of the firewall. For example, and without limitation, Defendant HP is marketing, distributing, using, selling, and offering to sell its HP Operations Manger, HP Smart Plug-in for SOAP, and HP Smart Plug-in for Sun ONE Web Services systems. Defendant HP is thus liable for infringement of the '094 Patent pursuant to 35 U.S.C. § 271(a), (b) & (c).

Upon information and belief, Defendant iControl has been and now is directly 145. infringing, and indirectly infringing by way of inducing infringement and/or contributing to the infringement of the '094 Patent in the State of Texas, in this judicial district, and elsewhere in the United States, by, among other things, using, selling and offering to sell systems that provide for communicating between a web browser located on a first side of a firewall and a network element located on a second side of the firewall, where the web browser is provided with an applet to drive a user request, and the applet is provided by a web server included on the first side of the firewall. The user request is sent to a read/write server provided on the second side of the firewall, and a hypertext transfer protocol-simple object access protocol (HTTP-SOAP) version of the user request is created. The HTTP-SOAP version is transmitted to a network management application server on the second side of the firewall. An appropriate nodal model of the user request is built in the network management application server; and SOAP encoded requests are sent from the network management application server to a network element agent provided on the second side of the firewall. The SOAP encoded requests received by the network management application server are parsed in the network element agent, which encompasses data needed to complete a single nodal transaction. SOAP packets are encoded in the network element agent; and transmitted to a translator box associated with the network element. The translator box located on the second side of the firewall. The SOAP packets are translated into the appropriate native console command for the network element; and the native console command is transmitted to the network element located on the second side of the firewall. For example, and without limitation, Defendant iControl is marketing, distributing, using, selling, and offering to sell its iDAC, iGATE and iVIEW systems. Defendant iControl is thus liable for infringement of the '094 Patent pursuant to 35 U.S.C. § 271(a), (b) & (c).

Case 2:10-cv-00320-TJW Document 1 Filed 08/25/10 Page 86 of 88

Upon information and belief, Defendant IBM has been and now is directly 146. infringing, and indirectly infringing by way of inducing infringement and/or contributing to the infringement of the '094 Patent in the State of Texas, in this judicial district, and elsewhere in the United States, by, among other things, using, selling and offering to sell systems that provide for communicating between a web browser located on a first side of a firewall and a network element located on a second side of the firewall, where the web browser is provided with an applet to drive a user request, and the applet is provided by a web server included on the first side of the firewall. The user request is sent to a read/write server provided on the second side of the firewall, and a hypertext transfer protocol-simple object access protocol (HTTP-SOAP) version of the user request is created. The HTTP-SOAP version is transmitted to a network management application server on the second side of the firewall. An appropriate nodal model of the user request is built in the network management application server; and SOAP encoded requests are sent from the network management application server to a network element agent provided on the second side of the firewall. The SOAP encoded requests received by the network management application server are parsed in the network element agent, which encompasses data needed to complete a single nodal transaction. SOAP packets are encoded in the network element agent; and transmitted to a translator box associated with the network element. The translator box located on the second side of the firewall. The SOAP packets are translated into the appropriate native console command for the network element; and the native console command is transmitted to the network element located on the second side of the firewall. For example, and without limitation, Defendant IBM is marketing, distributing, using, selling, and offering to sell its Tivoli software systems. Defendant IBM is thus liable for infringement of the '094 Patent pursuant to 35 U.S.C. § 271(a), (b) & (c).

147. Upon information and belief, Defendant JPMorgan has been and now is directly infringing, and indirectly infringing by way of inducing infringement and/or contributing to the infringement of the '094 Patent in the State of Texas, in this judicial district, and elsewhere in the United States, by, among other things, using, selling and offering to sell systems that provide for communicating between a web browser located on a first side of a firewall and a network element located on a second side of the firewall, where the web browser is provided with an applet to drive a user request, and the applet is provided by a web server included on the first side of the firewall. The user request is sent to a read/write server provided on the second side of

Case 2:10-cv-00320-TJW Document 1 Filed 08/25/10 Page 87 of 88

the firewall, and a hypertext transfer protocol-simple object access protocol (HTTP-SOAP) version of the user request is created. The HTTP-SOAP version is transmitted to a network management application server on the second side of the firewall. An appropriate nodal model of the user request is built in the network management application server; and SOAP encoded requests are sent from the network management application server to a network element agent provided on the second side of the firewall. The SOAP encoded requests received by the network management application server are parsed in the network element agent, which encompasses data needed to complete a single nodal transaction. SOAP packets are encoded in the network element agent; and transmitted to a translator box associated with the network element. The translator box located on the second side of the firewall. The SOAP packets are translated into the appropriate native console command for the network element; and the native console command is transmitted to the network element located on the second side of the firewall. For example, and without limitation, Defendant JPMorgan is marketing, distributing, using, selling, and offering to sell its Online Bill Pay and Overnight Check systems. Defendant JPMorgan is thus liable for infringement of the '094 Patent pursuant to 35 U.S.C. § 271(a), (b) & (c).

PRAYER FOR RELIEF

WHEREFORE, Plaintiff respectfully requests that this Court enter:

1. A judgment in favor of Plaintiff that Defendants have infringed, directly, jointly, and/or indirectly, by way of inducing and/or contributing to the infringement of the '913, '053, '756 and '094 Patents;

2. A permanent injunction enjoining Defendants and their officers, directors, agents, servants, affiliates, employees, divisions, branches, subsidiaries, parents, and all others acting in active concert therewith from infringement, inducing the infringement of, or contributing to the infringement of the '913, '053, '756 and '094 Patents;

3. A judgment and order requiring Defendants to pay Plaintiff its damages, costs, expenses, and prejudgment and post-judgment interest for Defendants' infringement of the '913, '053, '756 and '094 Patents as provided under 35 U.S.C. § 284;

4. An award to Plaintiff for enhanced damages resulting from the knowing, deliberate, and willful nature of Defendants' prohibited conduct with notice being made as of the

[87]

date of correspondence with each Defendant, or at least as early as the date of the filing of this Complaint, as provided under 35 U.S.C. § 284;

5. A judgment and order finding that this is an exceptional case within the meaning of 35 U.S.C. § 285 and awarding to Plaintiff its reasonable attorneys' fees; and

6. Any and all other relief to which Plaintiff may show itself to be entitled.

DEMAND FOR JURY TRIAL

Plaintiff, under Rule 38 of the Federal Rules of Civil Procedure, requests a trial by jury of any issues so triable by right.

Dated: August 25, 2010

Respectfully Submitted,

<u>/s/Zachariah S. Harrington</u> Zachariah S. Harrington (lead attorney) Texas Bar No. 24057886 zac@ahtlawfirm.com Matthew J. Antonelli Texas Bar No. 24068432 matt@ahtlawfirm.com Larry D. Thompson, Jr. Texas Bar No. 24051428 larry@ahtlawfirm.com ANTONELLI, HARRINGTON & THOMPSON LLP 4200 Montrose Blvd., Ste. 430 Houston, TX 77006 (713) 581-3000

ATTORNEYS FOR PLAINTIFF GANAS, LLC