


Exhibit 3A


Claim Chart For Adobe Systems Inc. Showing Infringement Of The '906 Patent By Adobe Systems Inc.'s websites*


Claim	Claim Language	Exemplary Evidence from Adobe Systems Inc.'s websites
1pre	A method for running an application program in a computer network environment, comprising:	Users of Adobe Systems Inc.'s websites, including but not limited to, www.Adobe.com, CookBooks.Adobe.com and StudentEditions.Adobe.com, etc. (hereinafter referred to as Adobe's websites), the websites themselves, and/or the servers hosting those websites (and/or any combination thereof), operate in a hypermedia network environment that includes client workstations executing browsers and comprises a method for running an application program in a computer network environment, comprising the following elements. In addition, Adobe provides the infrastructure (e.g. servers, Adobe's websites, etc.), in addition to instructions to users, and causes them to use Adobe's websites in an infringing manner in its default and expected use.

























Claim	Claim Language	Exemplary Evidence from Adobe Systems Inc.'s websites
	one network server coupled to said network environment, wherein said network environment is a	workstations in the distributed hypermedia network. Adobe's servers format the communications so that the client workstation receives, from the network server over the network environment, at least one file containing information to enable a browser application to display at least a portion of a distributed hypermedia document within a browser-controlled window. In addition, Adobe provides the infrastructure (e.g. servers, Adobe's websites, etc.), in addition to instructions to users, and causes them to use Adobe's websites in an infringing manner in its default and expected use.
	distributed hypermedia environment;	C:\>ipconfig Windows IP Configuration Ethernet adapter Local Area Connection: Connection=specific DNS Suffix - Rellin IP Address
























































Claim	Claim Language	Exemplary Evidence from Adobe Systems Inc.'s websites
	a browser	workstations executing browsers. Adobe's servers transmit a series of communications to client
	application, that	workstations in the distributed hypermedia network. Adobe's servers format the communications so
	parses a first	that the browser parses a first distributed hypermedia document to identify text formats included in said
	distributed	distributed hypermedia document and for responding to predetermined text formats to initiate
	hypermedia	processing specified by said text formats. In addition, Adobe provides the infrastructure (e.g. servers,
	document to	Adobe's websites, etc.), in addition to instructions to users, and causes them to use Adobe's websites in
	identify text	an infringing manner in its default and expected use.
	formats included in	
	said distributed	
	hypermedia	
	document and for	
	responding to	
	predetermined text	
	formats to initiate	
	processing specified	
	by said text	
	formats;	




<pre><html "an"="" lang="" xml:lang="en</th><th>n" xmlns="http://www.w3.org/1999/xhtml"></html></pre>	
<pre> chead> chody> chead> chody> cho</pre>	me_logo"> ef="/go/gn_sol">Solutions e">




Claim	Claim Language	Exemplary Evidence from Adobe Systems Inc.'s websites
		<html lang="en" xml:lang="EN" xmlns="http://www.w3.org/1999/xhtml"></html>
		<pre></pre>
		<title>Adobe - Rich Internet applications</title>
		k rel="stylesheet" type="text/css" href="http://wwwimages.adobe.com/www.adobe.com/ubi/template/identity/adobe/screen.css" media="screen" /> k rel="stylesheet" type="text/css"
		href="http://wwwimages.adobe.com/www.adobe.com/ubi/template/identity/adobe/print.css" media="print" /> link type="text/css" rel="stylesheet"
		href="http://wwwimages.adobe.com/www.adobe.com/ubi/template/identity/adobe/screen/pocket.css"/>
		<script src="http://wwwimages.adobe.com/www.adobe.com/ubi/template/identity/lib/swfobject.js" type="text/javascript"></scr ipt> <script type="text/javascript"</td></tr><tr><td></td><td></td><td>src="http://wwwimages.adobe.com/www.adobe.com/ubi/template/identity/lib/swfobject.addon.js" ></script>
		Source: Lines 3 – 719, Page Source, http://www.adobe.com/resources/business/rich_internet_apps




Claim	Claim Language	Exemplary Evidence from Adobe Systems Inc.'s websites
		<html> <head></head></html>
		<title>Adobe Cookbooks</title>
		<pre> </pre> <pre> <pre> </pre> <pre> <pre> </pre> <pre> <pre> </pre> <pre> <pre> <pre> <pre> <pre> </pre> <pre> <pre> <pre> <pre> </pre> <pre> <pre< td=""></pre<></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre>
		<pre> </pre>
		<pre></pre>
		
		Acrobat
		 6 recipes
		//html>
		Source: Lines 5 – 956, Page Source, http://cookbooks.adobe.com/home





n Language	Exemplary Evidence from Adobe Systems Inc.'s websites	
n Language	<pre>chtml xmlns="http://www.w3.org/1999/xhtml" lang="en" xml:lang="en"></pre>	




Claim	Claim Language	Exemplary Evidence from Adobe Systems Inc.'s websites
	browser to display,	the combination thereof), operate in a hypermedia network environment that includes client
	on said client	workstations executing browsers. Adobe's servers transmit a series of communications to client
	workstation, at	workstations in the distributed hypermedia network. Adobe's servers format the communications so
	least a portion of a	that the browser displays, on said client workstation, at least a portion of a first hypermedia document
	first hypermedia	received over said network from said server, wherein the portion of said first hypermedia document is
	document received	displayed within a first browser-controlled window on said client workstation. In addition, Adobe
	over said network	provides the infrastructure (e.g. servers, Adobe's websites, etc.), in addition to instructions to users,
	from said server,	and causes them to use Adobe's websites in an infringing manner in its default and expected use.
	wherein the portion	
	of said first	
	hypermedia	
	document is	
	displayed within a	
	first browser-	
	controlled window	
	on said client	
	workstation,	











Claim	Claim Language	Exemplary Evidence from Adobe Systems Inc.'s websites
	distributed	the combination thereof), operate in a hypermedia network environment that includes client
	hypermedia	workstations executing browsers. Adobe's servers transmit a series of communications to client
	document includes	workstations in the distributed hypermedia network. Adobe's servers format the communications so
	an embed text	that said first distributed hypermedia document includes an embed text format, located at a first
	format, located at a	location in said first distributed hypermedia document, that specifies the location of at least a portion of
	first location in said	an object external to the first distributed hypermedia document. In addition, Adobe provides the
	first distributed	infrastructure (e.g. servers, Adobe's websites, etc.), in addition to instructions to users, and causes
	hypermedia	them to use Adobe's websites in an infringing manner in its default and expected use.
	document, that	
	specifies the	
	location of at least	
	a portion of an	
	object external to	
	the first distributed	
	hypermedia	
	document,	


Claim	Claim Language	Exemplary Evidence from Adobe Systems Inc.'s websites
		<script type="text/javascript"></th></tr><tr><td>ļ</td><td></td><td> "fma0" : [{</td></tr><tr><td></td><td></td><td></td></tr><tr><td></td><td></td><td>SWFURI:</td></tr><tr><td></td><td></td><td>"http://wwwimages.adobe.com/www.adobe.com/homepage/en_us/fma_rotation/fma0/cs4.swf",</td></tr><tr><td></td><td></td><td> </td></tr><tr><td></td><td></td><td>ID: "home-fma", WIDTH: "1000",</td></tr><tr><td></td><td></td><td>HEIGHT: "300",</td></tr><tr><td>ļ</td><td></td><td> </td></tr><tr><td></td><td></td><td><div id="home-fma"></td></tr><tr><td></td><td></td><td><pre><img src="/homepage/en_us/fma_rotation/fma0/static.jpg" alt="Adobe Creative Suite 4 - Work faster with new timesaving features." width="1000"</pre></td></tr><tr><td></td><td></td><td>height="300" border="0" /> </div><script type="text/javascript"></td></tr><tr><td></td><td></td><td></td></tr><tr><td></td><td></td><td>var props = new Object();</td></tr><tr><td></td><td></td><td>props.swf = FMA.SWFURI;</td></tr><tr><td></td><td></td><td>props.id = SWF.ID;</td></tr><tr><td></td><td></td><td>props.w = SWF.WIDTH;</td></tr><tr><td></td><td></td><td>props.h = SWF.HEIGHT;</td></tr><tr><td></td><td></td><td>var swfo = new SWFObject(props);</td></tr><tr><td></td><td></td><td>swfo.addParam("allowScriptAccess", "always");</td></tr><tr><td></td><td></td><td></td></tr><tr><td></td><td></td><td></script>




Claim	Claim Language	Exemplary Evidence from Adobe Systems Inc.'s websites
		<pre><script src="http://wwwimages.adobe.com/www.adobe.com/ubi/template/identity/lib/swfobject.js" type="text/javascript"></scrip t> <div</pre></td></tr><tr><td></td><td></td><td> <script type="text/javascript"></td></tr><tr><td></td><td></td><td><pre>var props = new Object(); props.swf =</pre></td></tr><tr><td></td><td></td><td>"http://wwwimages.adobe.com/www.adobe.com/resources/business/rich_internet_apps/launchtour/ fma_main.swf"; props.id = "fma_main"; props.objID = "fma_main"; props.embedID = "fma_main-embed"; props.w = "792"; props.h = "385";</td></tr><tr><td></td><td></td><td> var swfo = new SWFObject(props); swfo.addParam("allowScriptAccess", "always");</td></tr><tr><td></td><td></td><td> </script> </pre>
		Source: Lines 110 – 435, Page Source, http://www.adobe.com/resources/business/rich internet apps



Claim	Claim Language	Exemplary Evidence from Adobe Systems Inc.'s websites
		<script src="/resources/js/lib/swfobject.js" type="text/javascript"></script>
		<script type="text/javascript"></td></tr><tr><td></td><td></td><td>var flashvars = {};</td></tr><tr><td></td><td></td><td>flashvars.baseUrl = 'http://cookbooks.adobe.com/';</td></tr><tr><td></td><td></td><td>flashvars.avatarLink = 'http://community.adobe.com/help/profile/index.html?id=';</td></tr><tr><td></td><td></td><td></td></tr><tr><td></td><td></td><td>var params = {};</td></tr><tr><td></td><td></td><td></td></tr><tr><td></td><td></td><td>var attributes = {};</td></tr><tr><td></td><td></td><td>attributes.id = "CookbookExplorer";</td></tr><tr><td></td><td></td><td>swfobject.embedSWF("resources/data_visualizer/Cookbook_v8.swf", "explorer", "983", "360", "9.0.0", "expressInstall.swf", flashvars, params, attributes);</td></tr><tr><td></td><td></td><td></script>
		Source: Lines 96 – 354, Page Source, http://cookbooks.adobe.com/home





Claim	Claim Language	Exemplary Evidence from Adobe Systems Inc.'s websites
		<pre><script src="http://daven0pder23c.cloudfront.net/120809v2/js/swfobject.js" type="text/javascript"></script> <script type="text/javascript"></pre></td></tr><tr><td></td><td></td><td><pre>var vars = {path:'http://daven0pder23c.cloudfront.net/120809v2/'}; var params = { scale:'noScale', salign:'lt', menu:'false', wmode:'opaque', bgcolor:'ECECEC', AllowScriptAccess:"always"}; var attributes = { id:'flashContent', name:'flashContent' }; swffit.showScrollV(); swffit.showScrollV(); swfobject.embedSWF("http://daven0pder23c.cloudfront.net/120809v2/gallery/Main.swf", "flashContent", "970", "650", "10.0.0", "http://daven0pder23c.cloudfront.net/120809v2/js/expressInstall.swf", vars, params, attributes); if(swfmacmousewheel){ swfmacmousewheel.registerObject(attributes.id); }</pre></td></tr><tr><td></td><td></td><td></script> Source: Lines 34 - 73, Page Source, http://studenteditions.adobe.com/#/home</pre>




Claim	Claim Language	Exemplary Evidence from Adobe Systems Inc.'s websites
		"SWFObject 2 offers multiple standards-friendly methods to embed SWF files into web pages. It uses JavaScript to detect Flash Player and avoid broken SWF content, and is designed to make embedding SWFs as easy as possible. It supports the use of alternative content to display content to people that browse the web without plug-ins, to help search engines index your content, or to point visitors to the Flash Player download page. SWFObject 2 detection is future-proof, includes Adobe Express Install, and offers an elaborate API for JavaScript developers. All of this is powered by one small (under 10K) JavaScript file."
		Source: http://www.adobe.comdevnet/flashplayer/articles/swfobject.html
1e	wherein said object has type information associated with it utilized by said browser to identify	the combination thereof), operate in a hypermedia network environment that includes client workstations executing browsers. Adobe's servers transmit a series of communications to client
	and locate an executable application external to the first distributed hypermedia document,	provides the infrastructure (e.g. servers, Adobe's websites, etc.), in addition to instructions to users, and causes them to use Adobe's websites in an infringing manner in its default and expected use.


Claim	Claim Language	Exemplary Evidence from Adobe Systems Inc.'s websites
Claim	Claim Language	<pre></pre>
		<pre> var props = new Object(); props.swf = FMA.SWFURI; props.id = SWF.ID; props.w = SWF.WIDTH; props.h = SWF.HEIGHT; var swfo = new SWFObject(props); swfo.addParam("allowScriptAccess", "always"); Source: Lines 24 - 345, Page Source, http://www.adobe.com</pre>







Claim	Claim Language	Exemplary Evidence from Adobe Systems Inc.'s websites
		<pre><script src="http://wwwimages.adobe.com/www.adobe.com/ubi/template/identity/lib/swfobject.js" type="text/javascript"></scrip t> <div</pre></td></tr><tr><td></td><td></td><td> <script type="text/javascript"></td></tr><tr><td></td><td></td><td>var props = new Object(); props.swf =</td></tr><tr><td></td><td></td><td>"http://wwwimages.adobe.com/www.adobe.com/resources/business/rich_internet_apps/launchtour/ fma_main.swf"; props.id = "fma_main"; props.objID = "fma_main"; props.embedID = "fma_main-embed"; props.w = "792"; props.h = "385";</td></tr><tr><td></td><td></td><td> var swfo = new SWFObject(props); swfo.addParam("allowScriptAccess", "always");</td></tr><tr><td></td><td></td><td></td></tr><tr><td></td><td></td><td>Source: Lines 110 – 435, Page Source, http://www.adobe.com/resources/business/rich_internet_apps</td></tr></tbody></table></script></pre>







Claim	Claim Language	Exemplary Evidence from Adobe Systems Inc.'s websites
		<script src="/resources/js/lib/swfobject.js" type="text/javascript"></script>
		<script type="text/javascript"></td></tr><tr><td></td><td></td><td>var flashvars = {};</td></tr><tr><td></td><td></td><td>flashvars.baseUrl = 'http://cookbooks.adobe.com/';</td></tr><tr><td></td><td></td><td>flashvars.avatarLink = 'http://community.adobe.com/help/profile/index.html?id=';</td></tr><tr><td></td><td></td><td></td></tr><tr><td></td><td></td><td>var params = {};</td></tr><tr><td></td><td></td><td></td></tr><tr><td></td><td></td><td>var attributes = {};</td></tr><tr><td></td><td></td><td>attributes.id = "CookbookExplorer";</td></tr><tr><td></td><td></td><td>swfobject.embedSWF("resources/data_visualizer/Cookbook_v8.swf", "explorer", "983", "360", "9.0.0", "expressInstall.swf", flashvars, params, attributes);</td></tr><tr><td></td><td></td><td></script>
		Source: Lines 96 – 354, Page Source, http://cookbooks.adobe.com/home






Claim	Claim Language	Exemplary Evidence from Adobe Systems Inc.'s websites
		<pre><script src="http://daven0pder23c.cloudfront.net/120809v2/js/swfobject.js" type="text/javascript"></script> <script type="text/javascript"></pre></td></tr><tr><td></td><td></td><td><pre>var vars = {path:'http://daven0pder23c.cloudfront.net/120809v2/'}; var params = { scale:'noScale', salign:'lt', menu:'false', wmode:'opaque', bgcolor:'ECECEC', AllowScriptAccess:"always"}; var attributes = { id:'flashContent', name:'flashContent' }; swffit.showScrollV(); swffit.showScrollV(); swfobject.embedSWF("http://daven0pder23c.cloudfront.net/120809v2/gallery/Main.swf", "flashContent", "970", "650", "10.0.0", "http://daven0pder23c.cloudfront.net/120809v2/js/expressInstall.swf", vars, params, attributes); if(swfmacmousewheel){ swfmacmousewheel.registerObject(attributes.id); }</pre></td></tr><tr><td></td><td></td><td><pre></script> Source: Lines 34 - 73, Page Source, http://studenteditions.adobe.com/#/home</pre>






Claim	Claim Language	Exemplary Evidence from Adobe Systems Inc.'s websites
		"SWFObject 2 offers multiple standards-friendly methods to embed SWF files into web pages. It uses JavaScript to detect Flash Player and avoid broken SWF content, and is designed to make embedding SWFs as easy as possible. It supports the use of alternative content to display content to people that browse the web without plug-ins, to help search engines index your content, or to point visitors to the Flash Player download page. SWFObject 2 detection is future-proof, includes Adobe Express Install, and offers an elaborate API for JavaScript developers. All of this is powered by one small (under 10K) JavaScript file." **Source: http://www.adobe.comdevnet/flashplayer/articles/swfobject.html*
1f	and wherein said embed text format is parsed by said browser to automatically invoke said executable application to execute on said client workstation in order to display said object	Users of Adobe's websites, the websites themselves and/or the servers hosting those websites (and/or the combination thereof), operate in a hypermedia network environment that includes client workstations executing browsers. Adobe's servers transmit a series of communications to client workstations in the distributed hypermedia network. Adobe's servers format the communications so that when said embed text format is parsed by said browser it automatically invokes said executable application to execute on said client workstation in order to display said object. In addition, Adobe provides the infrastructure (e.g. servers, Adobe's websites, etc.), in addition to instructions to users, and causes them to use Adobe's websites in an infringing manner in its default and expected use.


Claim	Claim Language	Exemplary Evidence from Adobe Systems Inc.'s websites
		<script type="text/javascript"></td></tr><tr><td></td><td></td><td> "fma0" : [{</td></tr><tr><td></td><td></td><td> SWFURI: "http://wwwimages.adobe.com/www.adobe.com/homepage/en_us/fma_rotation/fma0/cs4.swf",</td></tr><tr><td></td><td></td><td>ID: "home-fma", WIDTH: "1000", HEIGHT: "300",</td></tr><tr><td></td><td></td><td> <pre></td></tr><tr><td></td><td></td><td>alt="Adobe Creative Suite 4 - Work faster with new timesaving features." width="1000" height="300" border="0" /> </div><script type="text/javascript"></td></tr><tr><td></td><td></td><td><pre>var props = new Object(); props.swf = FMA.SWFURI; props.id = SWF.ID; props.w = SWF.WIDTH; props.h = SWF.HEIGHT;</pre></td></tr><tr><td></td><td></td><td> var swfo = new SWFObject(props); swfo.addParam("allowScriptAccess", "always");</td></tr><tr><td></td><td></td><td></script>




Claim	Claim Language	Exemplary Evidence from Adobe Systems Inc.'s websites
		<pre><script src="http://wwwimages.adobe.com/www.adobe.com/ubi/template/identity/lib/swfobject.js" type="text/javascript"></scrip t> <div</pre></td></tr><tr><td></td><td></td><td><pre> <script type="text/javascript"></pre></td></tr><tr><td></td><td></td><td><pre>var props = new Object(); props.swf = "http://wwwimages.adobe.com/www.adobe.com/resources/business/rich_internet_apps/launchtour/ fma_main.swf"; props.id = "fma_main"; props.objID = "fma_main"; props.embedID = "fma_main-embed"; props.w = "792"; props.h = "385"; var swfo = new SWFObject(props);</pre></td></tr><tr><td></td><td></td><td>swfo.addParam("allowScriptAccess", "always"); </script> Source: Lines 110 - 435, Page Source, http://www.adobe.com/resources/business/rich_internet_apps</pre>



Claim	Claim Language	Exemplary Evidence from Adobe Systems Inc.'s websites
		<script src="/resources/js/lib/swfobject.js" type="text/javascript"></script>
		<script type="text/javascript"></td></tr><tr><td></td><td></td><td></td></tr><tr><td></td><td></td><td><pre>var flashvars = {};</pre></td></tr><tr><td></td><td></td><td>flashvars.baseUrl = 'http://cookbooks.adobe.com/'; flashvars.avatarLink = 'http://community.adobe.com/help/profile/index.html?id=';</td></tr><tr><td></td><td></td><td></td></tr><tr><td></td><td></td><td>var params = {};</td></tr><tr><td></td><td></td><td></td></tr><tr><td></td><td></td><td>var attributes = {};</td></tr><tr><td></td><td></td><td>attributes.id = "CookbookExplorer";</td></tr><tr><td></td><td></td><td>swfobject.embedSWF("resources/data_visualizer/Cookbook_v8.swf",</td></tr><tr><td></td><td></td><td>"explorer",</td></tr><tr><td></td><td></td><td>"983", "260"</td></tr><tr><td></td><td></td><td>"360", "9.0.0",</td></tr><tr><td></td><td></td><td>"expressInstall.swf",</td></tr><tr><td></td><td></td><td>flashvars,</td></tr><tr><td></td><td></td><td>params,</td></tr><tr><td></td><td></td><td>attributes);</td></tr><tr><td></td><td></td><td></td></tr><tr><td></td><td></td><td>Source: Lines 96 – 354, Page Source, http://cookbooks.adobe.com/home</td></tr><tr><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td></tr></tbody></table></script>





Claim	Claim Language	Exemplary Evidence from Adobe Systems Inc.'s websites
		<pre><script src="http://daven0pder23c.cloudfront.net/120809v2/js/swfobject.js" type="text/javascript"></script> <script type="text/javascript"> var vars = {path:'http://daven0pder23c.cloudfront.net/120809v2/'};</pre></td></tr><tr><td></td><td></td><td><pre>var params = { scale:'noScale', salign:'lt', menu:'false', wmode:'opaque', bgcolor:'ECECEC', AllowScriptAccess:"always"}; var attributes = { id:'flashContent', name:'flashContent' }; swffit.showScrollV(); swffit.showScrollV(); swfobject.embedSWF("http://davenOpder23c.cloudfront.net/120809v2/gallery/Main.swf", "flashContent", "970", "650", "10.0.0", "http://davenOpder23c.cloudfront.net/120809v2/js/expressInstall.swf", vars, params, attributes); if(swfmacmousewheel){ swfmacmousewheel.registerObject(attributes.id); }</pre></td></tr><tr><td></td><td></td><td></script></pre>
		Source: Lines 34 – 73, Page Source, http://studenteditions.adobe.com/#/home



Claim	Claim Language	Exemplary Evidence from Adobe Systems Inc.'s websites
	object within a	workstations in the distributed hypermedia network. Adobe's servers format the communications so
	display area	that an end-user is enabled to directly interact with said object within a display area created at said first
	created at said first	location within the portion of said first distributed hypermedia document being displayed in said first
	location within the	browser-controlled window. In addition, Adobe provides the infrastructure (e.g. servers, Adobe's
	portion of said first	websites, etc.), in addition to instructions to users, and causes them to use Adobe's websites in an
	distributed	infringing manner in its default and expected use.
	hypermedia	
	document being	
	displayed in said	
	first browser-	
	controlled window.	

Claim	Claim Language	Exemplary Evidence from Adobe Systems Inc.'s websites
		<script type="text/javascript"></td></tr><tr><td></td><td></td><td> </td></tr><tr><td></td><td></td><td>"fma0" : [{</td></tr><tr><td></td><td></td><td> </td></tr><tr><td></td><td></td><td>SWFURI: "http://wwwimages.adobe.com/www.adobe.com/homepage/en_us/fma_rotation/fma0/cs4.swf",</td></tr><tr><td></td><td></td><td>ID: "home-fma",</td></tr><tr><td></td><td></td><td>WIDTH: "1000",</td></tr><tr><td></td><td></td><td>HEIGHT: "300",</td></tr><tr><td></td><td></td><td> <div id="home-fma"></td></tr><tr><td></td><td></td><td></td></tr><tr><td></td><td></td><td></div><script type="text/javascript"></td></tr><tr><td></td><td></td><td></td></tr><tr><td></td><td></td><td>var props = new Object();</td></tr><tr><td></td><td></td><td>props.swf = FMA.SWFURI;</td></tr><tr><td></td><td></td><td>props.id = SWF.ID; props.w = SWF.WIDTH;</td></tr><tr><td></td><td></td><td>props.h = SWF.HEIGHT;</td></tr><tr><td></td><td></td><td>J</td></tr><tr><td></td><td></td><td>var swfo = new SWFObject(props);</td></tr><tr><td></td><td></td><td>swfo.addParam("allowScriptAccess", "always");</td></tr><tr><td></td><td></td><td> </script>
		Source: Lines 24 – 345, Page Source, http://www.adobe.com





Claim	Claim Language	Exemplary Evidence from Adobe Systems Inc.'s websites
		<pre><script src="http://wwwimages.adobe.com/www.adobe.com/ubi/template/identity/lib/swfobject.js" type="text/javascript"></scrip t> <div</pre></td></tr><tr><td></td><td></td><td> <script type="text/javascript"></td></tr><tr><td></td><td></td><td>var props = new Object(); props.swf =</td></tr><tr><td></td><td></td><td>"http://wwwimages.adobe.com/www.adobe.com/resources/business/rich_internet_apps/launchtour/ fma_main.swf"; props.id = "fma_main"; props.objID = "fma_main"; props.embedID = "fma_main-embed"; props.w = "792"; props.h = "385";</td></tr><tr><td></td><td></td><td> var swfo = new SWFObject(props); swfo.addParam("allowScriptAccess", "always");</td></tr><tr><td></td><td></td><td> </script> </pre>
		Source: Lines 110 – 435, Page Source, http://www.adobe.com/resources/business/rich_internet_apps

