




Exhibit 3C















Claim	Claim Language	Exemplary Evidence from Adobe Systems Inc.'s websites
		"ActionScript is the programming language for the Adobe® Flash® Player and Adobe® AIR™ run-time environments. It enables interactivity, data handling, and much more in Flash, Flex, and AIR content and applications." **Source:* http://help.adobe.com/en US/ActionScript/3.0 ProgrammingAS3/WS5b3ccc516d4fbf351e63e3d118a9b* 90204-7ff4.html
		"This chapter explains how to enable your SWF file to communicate with external files and other Adobe Flash Player and Adobe AIR instances. It also explains how to load data from external sources, send messages between a Java server and Flash Player, and perform file uploads and downloads using the FileReference and FileReferenceList classes." **Source: http://help.adobe.com/en US/ActionScript/3.0 ProgrammingAS3/flash as3 programming.pdf**
40	and processing said information at the client workstation to interactively control said controllable application.	the combination thereof), operate in a hypermedia network environment that includes client
















Claim	Claim Language	Exemplary Evidence from Adobe Systems Inc.'s websites
5pre	A method for	Users of Adobe's websites, the websites themselves and/or the servers hosting those websites (and/or
	running an	the combination thereof), operate in a hypermedia network environment that includes client
	application program	workstations executing browsers and comprises a method for running an application program in a
	in a computer	computer network environment, comprising the following elements. In addition, Adobe provides the
	network	infrastructure (e.g. servers, Adobe's websites, etc.), in addition to instructions to users, and causes
	environment,	them to use Adobe's websites in an infringing manner in its default and expected use.
	comprising:	
		See the evidence and information cited for claim element 1pre supra which is expressly incorporated
		herein.
5a	providing at least	Users of Adobe's websites, the websites themselves and/or the servers hosting those websites (and/or
	one client	the combination thereof), operate in a hypermedia network environment that includes at least one client
	workstation and	workstation and one network server coupled to said network environment, wherein said network
	one network server	environment is a distributed hypermedia environment. In addition, Adobe provides the infrastructure
	coupled to said	(e.g. servers, Adobe's websites, etc.), in addition to instructions to users, and causes them to use
	network	Adobe's websites in an infringing manner in its default and expected use.
	environment,	
	wherein said	See the evidence and information cited for claim element 1a supra which is expressly incorporated
	network	herein.
	environment is a	
	distributed	
	hypermedia	
	environment;	

Claim	Claim Language	Exemplary Evidence from Adobe Systems Inc.'s websites
5b	executing, at said	Users of Adobe's websites, the websites themselves and/or the servers hosting those websites (and/or
	client workstation,	the combination thereof), operate in a hypermedia network environment that includes client
	a browser	workstations executing browsers. Adobe's servers transmit a series of communications to client
	application, that	workstations in the distributed hypermedia network. Adobe's servers format the communications so
	parses a first	that the browser parses a first distributed hypermedia document to identify text formats included in said
	distributed	distributed hypermedia document and for responding to predetermined text formats to initiate
	hypermedia	processing specified by said text formats. In addition, Adobe provides the infrastructure (e.g. servers,
	document to	Adobe's websites, etc.), in addition to instructions to users, and causes them to use Adobe's websites in
	identify text	an infringing manner in its default and expected use.
	formats included in	
	said distributed	See the evidence and information cited for claim element 1b supra which is expressly incorporated
	hypermedia	herein.
	document and for	
	responding to	
	predetermined text	
	formats to initiate	
	processing specified	
	by said text	
	formats;	
5c	utilizing said	Users of Adobe's websites, the websites themselves and/or the servers hosting those websites (and/or
	browser to display,	the combination thereof), operate in a hypermedia network environment that includes client
	on said client	workstations executing browsers. Adobe's servers transmit a series of communications to client

Claim	Claim Language	Exemplary Evidence from Adobe Systems Inc.'s websites
	workstation, at	workstations in the distributed hypermedia network. Adobe's servers format the communications so
	least a portion of a	that the browser displays, on said client workstation, at least a portion of a first hypermedia document
	first hypermedia	received over said network from said server, wherein the portion of said first hypermedia document is
	document received	displayed within a first browser-controlled window on said client workstation. In addition, Adobe
	over said network	provides the infrastructure (e.g. servers, Adobe's websites, etc.), in addition to instructions to users,
	from said server,	and causes them to use Adobe's websites in an infringing manner in its default and expected use.
	wherein the portion	
	of said first	See the evidence and information cited for claim element 1c supra which is expressly incorporated
	hypermedia	herein.
	document is	
	displayed within a	
	first browser-	
	controlled window	
	on said client	
	workstation,	
5d	wherein said first	Users of Adobe's websites, the websites themselves and/or the servers hosting those websites (and/or
	distributed	the combination thereof), operate in a hypermedia network environment that includes client
	hypermedia	workstations executing browsers. Adobe's servers transmit a series of communications to client
	document includes	workstations in the distributed hypermedia network. Adobe's servers format the communications so
	an embed text	that the said first distributed hypermedia document includes an embed text format, located at a first
	format, located at a	location in said first distributed hypermedia document, that specifies the location of at least a portion of
	first location in said	an object external to the first distributed hypermedia document. In addition, Adobe provides the

Claim	Claim Language	Exemplary Evidence from Adobe Systems Inc.'s websites
	first distributed	infrastructure (e.g. servers, Adobe's websites, etc.), in addition to instructions to users, and causes
	hypermedia	them to use Adobe's websites in an infringing manner in its default and expected use.
	document, that	
	specifies the	See the evidence and information cited for claim element 1d supra which is expressly incorporated
	location of at least	herein.
	a portion of an	
	object external to	
	the first distributed	
	hypermedia	
	document,	
5e	wherein said object	Users of Adobe's websites, the websites themselves and/or the servers hosting those websites (and/or
	has type	the combination thereof), operate in a hypermedia network environment that includes client
	information	workstations executing browsers. Adobe's servers transmit a series of communications to client
	associated with it	workstations in the distributed hypermedia network. Adobe's servers format the communications so
	utilized by said	that said object has type information associated with it utilized by said browser to identify and locate an
	browser to identify	executable application external to the first distributed hypermedia document. In addition, Adobe
	and locate an	provides the infrastructure (e.g. servers, Adobe's websites, etc.), in addition to instructions to users,
	executable	and causes them to use Adobe's websites in an infringing manner in its default and expected use.
	application external	
	to the first	See the evidence and information cited for claim element 1e supra which is expressly incorporated
	distributed	herein.
	hypermedia	

Claim	Claim Language	Exemplary Evidence from Adobe Systems Inc.'s websites
	document,	
5f	and wherein said	Users of Adobe's websites, the websites themselves and/or the servers hosting those websites (and/or
	embed text format	the combination thereof), operate in a hypermedia network environment that includes client
	is parsed by said	workstations executing browsers. Adobe's servers transmit a series of communications to client
	browser to	workstations in the distributed hypermedia network. Adobe's servers format the communications so
	automatically	that when said embed text format is parsed by said browser, it automatically invokes said executable
	invoke said	application to execute on said client workstation in order to display said object. In addition, Adobe
	executable	provides the infrastructure (e.g. servers, Adobe's websites, etc.), in addition to instructions to users,
	application to	and causes them to use Adobe's websites in an infringing manner in its default and expected use.
	execute on said	
	client workstation	See the evidence and information cited for claim element 1f supra which is expressly incorporated
	in order to display	herein.
	said object	
5g	and enable	Users of Adobe's websites, the websites themselves and/or the servers hosting those websites (and/or
	interactive	the combination thereof), operate in a hypermedia network environment that includes client
	processing of said	workstations executing browsers. Adobe's servers transmit a series of communications to client
	object within a	workstations in the distributed hypermedia network. Adobe's servers format the communications so
	display area	that interactive processing of said object is enabled within a display area created at said first location
	created at said first	within the portion of said first distributed hypermedia document being displayed in said first browser-
	location within the	controlled window. In addition, Adobe provides the infrastructure (e.g. servers, Adobe's websites, etc.),


Claim	Claim Language	Exemplary Evidence from Adobe Systems Inc.'s websites
	portion of said first	in addition to instructions to users, and causes them to use Adobe's websites in an infringing manner in
	distributed	its default and expected use.
	hypermedia	
	document being	See the evidence and information cited for claim element 1g supra which is expressly incorporated
	displayed in said	herein.
	first browser-	
	controlled window.	
5h	wherein said	Users of Adobe's websites, the websites themselves and/or the servers hosting those websites (and/or
	executable	the combination thereof), operate in a hypermedia network environment that includes client
	application is a	workstations executing browsers. Adobe's servers transmit a series of communications to client
	controllable	workstations in the distributed hypermedia network and format the communications so that said
	application and	executable application is a controllable application further comprising the following steps. In addition,
	further comprising	Adobe provides the infrastructure (e.g. servers, Adobe's websites, etc.), in addition to instructions to
	the step of:	users, and causes them to use Adobe's websites in an infringing manner in its default and expected use.
		See the evidence and information cited for claim element 2pre supra which is expressly incorporated
		herein.
5i	interactively	Users of Adobe's websites, the websites themselves and/or the servers hosting those websites (and/or
	controlling said	the combination thereof), operate in a hypermedia network environment that includes client


Claim Language	Exemplary Evidence from Adobe Systems Inc.'s websites
controllable	workstations executing browsers. Adobe's servers transmit a series of communications to client
application on said	workstations in the distributed hypermedia network and format the communications so that interactive
client workstation	controlling of said controllable application on said client workstation occurs via inter-process
via inter-process	communications between said browser and said controllable application. In addition, Adobe provides the
communications	infrastructure (e.g. servers, Adobe's websites, etc.), in addition to instructions to users, and causes
between said	them to use Adobe's websites in an infringing manner in its default and expected use.
browser and said	
controllable	See the evidence and information cited for claim element 2a supra which is expressly incorporated
application;	herein.
wherein the	Users of Adobe's websites, the websites themselves and/or the servers hosting those websites (and/or
communications to	the combination thereof), operate in a hypermedia network environment that includes client
interactively control	workstations executing browsers. Adobe's servers transmit a series of communications to client
said controllable	workstations in the distributed hypermedia network and format the communications so that
application continue	communications to interactively control said controllable application continue to be exchanged between
to be exchanged	the controllable application and the browser even after the controllable application program has been
between the	launched. In addition, Adobe provides the infrastructure (e.g. servers, Adobe's websites, etc.), in
controllable	addition to instructions to users, and causes them to use Adobe's websites in an infringing manner in its
application and the	default and expected use.
browser even after	
the controllable	See the evidence and information cited for the claim elements 1g and 2a supra which is expressly
application program	incorporated herein.
	controllable application on said client workstation via inter-process communications between said browser and said controllable application; wherein the communications to interactively control said controllable application continue to be exchanged between the controllable application and the browser even after the controllable


Claim	Claim Language	Exemplary Evidence from Adobe Systems Inc.'s websites
	has been launched;	
5k	wherein additional instructions for controlling said controllable application reside on said network server, wherein said step of interactively controlling said controllable	Users of Adobe's websites, the websites themselves and/or the servers hosting those websites (and/or the combination thereof), operate in a hypermedia network environment that includes client workstations executing browsers. Adobe's servers transmit a series of communications to client workstations in the distributed hypermedia network. Adobe's servers format the communications so that the additional instructions for controlling said controllable application reside on said network server, wherein said step of interactively controlling said controllable application includes the following substeps identified below. In addition, Adobe provides the infrastructure (e.g. servers, Adobe's websites, etc.), in addition to instructions to users, and causes them to use Adobe's websites in an infringing manner in its default and expected use.
	application includes the following substeps:	See the evidence and information cited for the claim element 4k supra which is expressly incorporated herein.
51	issuing, from the client workstation, one or more commands to the	Users of Adobe's websites, the websites themselves and/or the servers hosting those websites (and/or the combination thereof), operate in a hypermedia network environment that includes client workstations executing browsers. Adobe's servers transmit a series of communications to client workstations in the distributed hypermedia network. Adobe's servers format the communications so that


Claim	Claim Language	Exemplary Evidence from Adobe Systems Inc.'s websites
	network server;	the client workstation is caused to issue one or more commands to the network server. In addition,
		Adobe provides the infrastructure (e.g. servers, Adobe's websites, etc.), in addition to instructions to
		users, and causes them to use Adobe's websites in an infringing manner in its default and expected use.
		See the evidence and information cited for the claim element 4l supra which is expressly incorporated herein
5m	executing, on the	Users of Adobe's websites, the websites themselves and/or the servers hosting those websites (and/or
	network server, one	the combination thereof), operate in a hypermedia network environment that includes client
	or more	workstations executing browsers. Adobe's servers transmit a series of communications to client
	instructions in	workstations in the distributed hypermedia network. Adobe's servers format the communications so that
	response to said	the network server executes one or more instructions in response to said commands. In addition, Adobe
	commands;	provides the infrastructure (e.g. servers, Adobe's websites, etc.), in addition to instructions to users,
		and causes them to use Adobe's websites in an infringing manner in its default and expected use.
		See the evidence and information cited for the claim element 4m supra which is expressly incorporated herein.
5n	sending information	Users of Adobe's websites, the websites themselves and/or the servers hosting those websites (and/or
	from said network	the combination thereof), operate in a hypermedia network environment that includes client
	server to said client	workstations executing browsers. Adobe's servers transmit a series of communications to client
	workstation in	workstations in the distributed hypermedia network. Adobe's servers format the communications so
	response to said	that information is sent from said network server to said client workstation in response to said executed
	executed	instructions. In addition, Adobe provides the infrastructure (e.g. servers, Adobe's websites, etc.), in


Claim	Claim Language	Exemplary Evidence from Adobe Systems Inc.'s websites
	instructions;	addition to instructions to users, and causes them to use Adobe's websites in an infringing manner in its
		default and expected use.
		See the evidence and information cited for the claim element 4n supra which is expressly incorporated
		herein.
_		
5 0	and processing said	Users of Adobe's websites, the websites themselves and/or the servers hosting those websites (and/or
	information at the	the combination thereof), operate in a hypermedia network environment that includes client
	client workstation	workstations executing browsers. Adobe's servers transmit a series of communications to client
	to interactively	workstations in the distributed hypermedia network. Adobe's servers format the communications so
	control said	that the client workstation processes said information at the client workstation to interactively control
	controllable	said controllable application. In addition, Adobe provides the infrastructure (e.g. servers, Adobe's
	application; and	websites, etc.), in addition to instructions to users, and causes them to use Adobe's websites in an
		infringing manner in its default and expected use.
		See the evidence and information cited for the claim element 40 supra which is expressly incorporated
		herein.
5p	wherein said	Users of Adobe's websites, the websites themselves and/or the servers hosting those websites (and/or
	additional	the combination thereof), operate in a hypermedia network environment that includes client
	instructions for	workstations executing browsers. Adobe's servers transmit a series of communications to client
	controlling said	workstations in the distributed hypermedia network. Adobe's servers format the communications so
	controllable	that the additional instructions for controlling said controllable application reside on said client
	application reside	workstation. In addition, Adobe provides the infrastructure (e.g. servers, Adobe's websites, etc.), in






























Claim	Claim Language	Exemplary Evidence from Adobe Systems Inc.'s websites
		"ActionScript is the programming language for the Adobe® Flash® Player and Adobe® AIR™ run-time environments. It enables interactivity, data handling, and much more in Flash, Flex, and AIR content and applications." **Source:* http://help.adobe.com/en US/ActionScript/3.0 ProgrammingAS3/WS5b3ccc516d4fbf351e63e3d118a9b* 90204-7ff4.html
		"This chapter explains how to enable your SWF file to communicate with external files and other Adobe Flash Player and Adobe AIR instances. It also explains how to load data from external sources, send messages between a Java server and Flash Player, and perform file uploads and downloads using the FileReference and FileReferenceList classes." **Source: http://help.adobe.com/en US/ActionScript/3.0 ProgrammingAS3/flash as3 programming.pdf**
6pre	A computer program product for use in a system having at least one client workstation and one network server coupled to said network	environment is a distributed hypermedia environment, the computer program product further comprising the elements set forth below. See the evidence and information cited for the claim elements 1pre and 1a supra which is expressly

Claim	Claim Language	Exemplary Evidence from Adobe Systems Inc.'s websites
	environment,	
	wherein said	
	network	
	environment is a	
	distributed	
	hypermedia	
	environment, the	
	computer program	
	product comprising:	
6a	a computer usable	Adobe's websites, as well as the Adobe's servers which host them, and the computers of users of
	medium having	the Adobe's websites each comprise a computer usable medium (such as a DVD/CD-ROM, the hard-
	computer readable	disk/volatile memory of the user of the Adobe's websites, the hard-disk/volatile memory of the server
	program code	from which the Adobe's websites are hosted, and etc.). The computer usable medium has computer
	physically	readable program code physically embodied therein, said computer program product further comprising
	embodied therein,	the elements set forth below.
	said computer	
	program product	
	further comprising:	





Claim	Claim Language	Exemplary Evidence from Adobe Systems Inc.'s websites
		© Command Prompt _ □ ×
		C:\>ping www.adobe.com
		Pinging www.wip3.adobe.com [192.150.18.60] with 32 bytes of data:
		Reply from 192.150.18.60: bytes=32 time=295ms TTL=234 Reply from 192.150.18.60: bytes=32 time=247ms TTL=234 Reply from 192.150.18.60: bytes=32 time=239ms TTL=234 Reply from 192.150.18.60: bytes=32 time=237ms TTL=234
		Ping statistics for 192.150.18.60: Packets: Sent = 4, Received = 4, Lost = 0 (0% loss), Approximate round trip times in milli-seconds: Minimum = 237ms, Maximum = 295ms, Average = 254ms
		C:\>_
		Source: Command "ping www.adobe.com", Command Prompt window

Claim	Claim Language	Exemplary Evidence from Adobe Systems Inc.'s websites
		<html lang="en" xml:lang="en" xmlns="http://www.w3.org/1999/xhtml"> <head></head></html>
		<pre></pre>
		<pre></pre>
		 dd id="site-menu">
		 <ul id="site-menu"> <ul class="d-dropdown compact" id="site-menu-dropdown"> Solutions <dl class="dropdown-pane"></dl> <dt>Industries</dt>
		See all products
		Source: Lines 2 – 805, Page Source, http://www.adobe.com





laim	Claim Language	Exemplary Evidence from Adobe Systems Inc.'s websites
		
		<pre></pre>
		<pre></pre>
		 < ink rel="stylesheet" type="text/css"
		href="http://wwwimages.adobe.com/www.adobe.com/ubi/template/identity/adobe/screen.css" media="screen" />
		<pre>rel="stylesheet" type="text/css"</pre>
		href="http://wwwimages.adobe.com/www.adobe.com/ubi/template/identity/adobe/print.css" media="print" />
		k type="text/css" rel="stylesheet"
		href="http://wwwimages.adobe.com/www.adobe.com/ubi/template/identity/adobe/screen/pocket.css" />
		<pre><script <="" pre="" type="text/javascript"></td></tr><tr><td></td><td></td><td>src="http://wwwimages.adobe.com/www.adobe.com/ubi/template/identity/lib/swfobject.js"></scr ipt></td></tr><tr><td></td><td></td><td><pre><script type="text/javascript" src="http://wwwimages.adobe.com/www.adobe.com/ubi/template/identity/lib/swfobject.addon.js" ></script></pre>





Claim	Claim Language	Exemplary Evidence from Adobe Systems Inc.'s websites
		<html> <head></head></html>
		<title>Adobe Cookbooks</title>
		<pre> </pre> <pre> <pre> </pre> <pre> <pre> </pre> <pre> <pre> </pre> <pre> <pre> <pre> <pre> <pre> </pre> <pre> <pre> <pre> <pre> </pre> <pre> <pre> <pre> <pre> <pre> </pre> <pre> <pr< td=""></pr<></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre>
		<pre> </pre>
		<pre></pre>
		
		Acrobat
		 6 recipes
		//html>
		Source: Lines 5 – 956, Page Source, http://cookbooks.adobe.com/home





Claim	Claim Language	Exemplary Evidence from Adobe Systems Inc.'s websites
		
		<pre><head></head></pre>
		<title>Adobe Student Hub</title>
		 <style media="screen" type="text/css"></td></tr><tr><th></th><th></th><th> \ \style type= \text{texty css} \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \</th></tr><tr><th></th><th></th><th> </th></tr><tr><td></td><td></td><td></td></tr><tr><th></th><th></th><th><pre><script type="text/javascript"</pre></th></tr><tr><th></th><th></th><th>src="http://daven0pder23c.cloudfront.net/120809v2/js/swfobject.js"></script></th></tr><tr><td></td><td></td><td></td></tr><tr><th></th><th></th><th><pre><script type="text/javascript"></pre></th></tr><tr><th></th><th></th><th> </th></tr><tr><th></th><th></th><th> </script></th></tr><tr><th></th><th></th><th> </th></tr><tr><th></th><th></th><th></th></tr><tr><th></th><th></th><th> </th></tr><tr><td></td><td></td><td></td></tr><tr><td></td><td></td><td></body></td></tr><tr><td></td><td></td><td> </html></td></tr><tr><th></th><th></th><th>Source: Lines 2 – 178, Page Source, http://studenteditions.adobe.com/#/home</th></tr><tr><td>6b</td><td>computer readable</td><td>Adobe's websites, as well as the Adobe's servers which host them, and the computers of users of</td></tr><tr><td></td><td>program code for</td><td>the Adobe's websites each comprise a computer usable medium (such as a DVD/CD-ROM, the hard-</td></tr></tbody></table></style>

Claim	Claim Language	Exemplary Evidence from Adobe Systems Inc.'s websites
	causing said client	disk/volatile memory of the user of the Adobe's websites, the hard-disk/volatile memory of the server
	workstation to	from which the Adobe's websites are hosted, and etc.). The computer usable medium has computer
	execute a browser	readable program code physically embodied therein, causing said client workstation to execute a
	application to parse	browser application to parse a first distributed hypermedia document to identify text formats included in
	a first distributed	said distributed hypermedia document.
	hypermedia	
	document to	See the evidence and information cited for claim element 1b supra which is expressly incorporated
	identify text	herein.
	formats included in	
	said distributed	
	hypermedia	
	document and to	
	respond to	
	predetermined text	
	formats to initiate	
	processes specified	
	by said text	
	formats;	
6c	computer readable	Adobe's websites, as well as the Adobe's servers which host them, and the computers of users of
	program code for	the Adobe's websites each comprise a computer usable medium (such as a DVD/CD-ROM, the hard-
	causing said client	disk/volatile memory of the user of the Adobe's websites, the hard-disk/volatile memory of the server
	workstation to	from which the Adobe's websites are hosted, and etc.). The computer usable medium has computer

Claim	Claim Language	Exemplary Evidence from Adobe Systems Inc.'s websites
	utilize said browser	readable program code physically embodied therein, causing said client workstation to utilize said
	to display, on said	browser to display, on said client workstation, at least a portion of a first hypermedia document received
	client workstation,	over said network from said server, wherein the portion of said first hypermedia document is displayed
	at least a portion of	within a first browser-controlled window on said client workstation.
	a first hypermedia	
	document received	See the evidence and information cited for claim element 1c supra which is expressly incorporated
	over said network	herein.
	from said server,	
	wherein the portion	
	of said first	
	hypermedia	
	document is	
	displayed within a	
	first browser-	
	controlled window	
	on said client	
	workstation,	
6d	wherein said first	Adobe's websites, as well as the Adobe's servers which host them, and the computers of users of
	distributed	the Adobe's websites each comprise a computer usable medium (such as a DVD/CD-ROM, the hard-
	hypermedia	disk/volatile memory of the user of the Adobe's websites, the hard-disk/volatile memory of the server
	document includes	from which the Adobe's websites are hosted, and etc.). The computer usable medium has computer
	an embed text	readable program code physically embodied therein. The computer usable media operate in a

Claim Language	Exemplary Evidence from Adobe Systems Inc.'s websites
format, located at a	hypermedia network environment that includes client workstations executing browsers. Adobe's servers
first location in said	transmit a series of communications to client workstations in the distributed hypermedia network.
first distributed	Adobe's servers format the communications so that said first distributed hypermedia document includes
hypermedia	an embed text format, located at a first location in said first distributed hypermedia document, that
document, that	specifies the location of at least a portion of an object external to the first distributed hypermedia
specifies the	document.
location of at least	
a portion of an	See the evidence and information cited for claim element 1d supra which is expressly incorporated
object external to	herein.
the first distributed	
hypermedia	
document,	
wherein said object	Adobe's websites, as well as the Adobe's servers which host them, and the computers of users of
has type	the Adobe's websites each comprise a computer usable medium (such as a DVD/CD-ROM, the hard-
information	disk/volatile memory of the user of the Adobe's websites, the hard-disk/volatile memory of the server
associated with it	from which the Adobe's websites are hosted, and etc.). The computer usable medium has computer
utilized by said	readable program code physically embodied therein. The computer usable media operate in a
browser to identify	hypermedia network environment that includes client workstations executing browsers. Adobe's servers
and locate an	transmit a series of communications to client workstations in the distributed hypermedia network.
executable	Adobe's servers format the communications so that said object which has type information associated
application external	with it utilized by said browser to identify and locate an executable application external to the first
to the first	distributed hypermedia document.
	format, located at a first location in said first distributed hypermedia document, that specifies the location of at least a portion of an object external to the first distributed hypermedia document, wherein said object has type information associated with it utilized by said browser to identify and locate an executable application external

Claim	Claim Language	Exemplary Evidence from Adobe Systems Inc.'s websites
	distributed	
	hypermedia	See the evidence and information cited for claim element 1e supra which is expressly incorporated
	document,	herein.
6f	and wherein said	Adobe's websites, as well as the Adobe's servers which host them, and the computers of users of
	embed text format	the Adobe's websites each comprise a computer usable medium (such as a DVD/CD-ROM, the hard-
	is parsed by said	disk/volatile memory of the user of the Adobe's websites, the hard-disk/volatile memory of the server
	browser to	from which the Adobe's websites are hosted, and etc.). The computer usable medium has computer
	automatically	readable program code physically embodied therein. The computer usable media operate in a
	invoke said	hypermedia network environment that includes client workstations executing browsers. Adobe's servers
	executable	transmit a series of communications to client workstations in the distributed hypermedia network.
	application to	Adobe's servers format the communications so that when said embed text format is parsed by said
	execute on said	browser, it automatically invokes said executable application to execute on said client workstation in
	client workstation	order to display said object.
	in order to display	
	said object	See the evidence and information cited for claim element 1f supra which is expressly incorporated
		herein.
6g	and enable an end-	Adobe's websites, as well as the Adobe's servers which host them, and the computers of users of
	user to directly	the Adobe's websites each comprise a computer usable medium (such as a DVD/CD-ROM, the hard-

Claim Language	Exemplary Evidence from Adobe Systems Inc.'s websites
interact with said	disk/volatile memory of the user of the Adobe's websites, the hard-disk/volatile memory of the server
object within a	from which the Adobe's websites are hosted, and etc.). The computer usable medium has computer
display area	readable program code physically embodied therein. The computer usable media operate in a
created at said first	hypermedia network environment that includes client workstations executing browsers. Each comprises
location within the	computer readable program code for causing said client workstation to enable interactive processing of
portion of said first	said object within a display area created at said first location within the portion of said first distributed
distributed	hypermedia document being displayed in said first browser-controlled window.
hypermedia	
document being	See the evidence and information cited for claim element 1g supra which is expressly incorporated
displayed in said	herein.
first browser-	
controlled window.	
The computer	Adobe's websites, the Adobe's websites themselves and the servers hosting Adobe's websites and/or the
program product of	users' computers accessing Adobe's websites (and/or the combination thereof), operate in a hypermedia
claim 6, wherein	network environment that includes client workstations executing browsers which further comprises the
said executable	computer program product of claim 6, wherein said executable application is a controllable application
application is a	and further comprising the element set forth below.
controllable	
application and	See the evidence and information cited for claim element 2 pre supra which is expressly incorporated
further comprising:	herein.
computer readable	Adobe's websites, as well as the Adobe's servers which host them, and the computers of users of
program code for	the Adobe's websites each comprise a computer usable medium (such as a DVD/CD-ROM, the hard-
	interact with said object within a display area created at said first location within the portion of said first distributed hypermedia document being displayed in said first browsercontrolled window. The computer program product of claim 6, wherein said executable application is a controllable application and further comprising:

Claim Language	Exemplary Evidence from Adobe Systems Inc.'s websites
causing said client	disk/volatile memory of the user of the Adobe's websites, the hard-disk/volatile memory of the server
workstation to	from which the Adobe's websites are hosted, and etc.). The computer usable medium has computer
interactively control	readable program code physically embodied therein, causing said client workstation to interactively
said controllable	control said controllable application on said client workstation via inter-process communications between
application on said	said browser and said controllable application.
client workstation	
via inter-process	See the evidence and information cited for claim element 2a supra which is expressly incorporated
communications	herein.
between said	
browser and said	
controllable	
application.	
The computer	Adobe's websites, as well as the Adobe's servers which host them, and the computers of users of
program product of	the Adobe's websites each comprise a computer usable medium (such as a DVD/CD-ROM, the hard-
claim 7, wherein	disk/volatile memory of the user of the Adobe's websites, the hard-disk/volatile memory of the server
the communications	from which the Adobe's websites are hosted, and etc.). The computer usable medium has computer
to interactively	readable program code physically embodied therein. The computer usable media operate in a
control said	hypermedia network environment that includes client workstations executing browsers. Each comprises
controllable	the computer program product of claim 7, wherein the communications to interactively control said
application continue	controllable application continue to be exchanged between the controllable application and the browser
to be exchanged	even after the controllable application program has been launched.
between the	
	causing said client workstation to interactively control said controllable application on said client workstation via inter-process communications between said browser and said controllable application. The computer program product of claim 7, wherein the communications to interactively control said controllable application continue to be exchanged

Claim	Claim Language	Exemplary Evidence from Adobe Systems Inc.'s websites
	controllable	See the evidence and information cited for claim elements 1g and 2a supra which is expressly
	application and the	incorporated herein.
	browser even after	
	the controllable	
	application program	
	has been launched.	
9pre	A computer	Adobe's websites, as well as the Adobe's servers which host them, and the computers of users of
	program product	the Adobe's websites each comprise a computer usable medium (such as a DVD/CD-ROM, the hard-
	for use in a system	disk/volatile memory of the user of the Adobe's websites, the hard-disk/volatile memory of the server
	having at least one	from which the Adobe's websites are hosted, and etc.). The computer usable medium has computer
	client workstation	readable program code physically embodied therein. Each comprises a computer program product for
	and one network	use in a system having at least one client workstation and one network server coupled to said network
	server coupled to	environment, wherein said network environment is a distributed hypermedia environment, the computer
	said network	program product comprising the following elements.
	environment,	
	wherein said	See the evidence and information cited for the claim elements 1 pre and 1a supra which is expressly
	network	incorporated herein.
	environment is a	
	distributed	
	hypermedia	
	environment, the	
	computer program	

Claim	Claim Language	Exemplary Evidence from Adobe Systems Inc.'s websites
	product comprising:	
9a	a computer usable	Adobe's websites, as well as the Adobe's servers which host them, and the computers of users of
34	medium having	the Adobe's websites each comprise a computer usable medium (such as a DVD/CD-ROM, the hard-
	computer readable	disk/volatile memory of the user of the Adobe's websites, the hard-disk/volatile memory of the server
	program code	from which the Adobe's websites are hosted, and etc.). The computer usable medium has computer
	physically	readable program code physically embodied therein, said computer program product further comprising
	embodied therein,	the following elements.
	said computer	the renewing elements.
	program product	See the evidence and information cited for the claim element 6a supra which is expressly incorporated
	further comprising:	herein.
	rurence comprising:	THE CANA
9b	computer readable	Adobe's websites, as well as the Adobe's servers which host them, and the computers of users of
	program code for	the Adobe's websites each comprise a computer usable medium (such as a DVD/CD-ROM, the hard-
	causing said client	disk/volatile memory of the user of the Adobe's websites, the hard-disk/volatile memory of the server
	workstation to	from which the Adobe's websites are hosted, and etc.). The computer usable medium has computer
	execute a browser	readable program code physically embodied therein, causing said client workstation to execute a
	application to parse	browser application to parse a first distributed hypermedia document to identify text formats included in
	a first distributed	said distributed hypermedia document and to respond to predetermined text formats to initiate
	hypermedia	processes specified by said text formats.
	document to	

Claim	Claim Language	Exemplary Evidence from Adobe Systems Inc.'s websites
	identify text	See the evidence and information cited for claim element 1b supra which is expressly incorporated
	formats included in	herein.
	said distributed	
	hypermedia	
	document and to	
	respond to	
	predetermined text	
	formats to initiate	
	processes specified	
	by said text	
	formats;	
9c	computer readable	Adobe's websites, as well as the Adobe's servers which host them, and the computers of users of
	program code for	the Adobe's websites each comprise a computer usable medium (such as a DVD/CD-ROM, the hard-
	causing said client	disk/volatile memory of the user of the Adobe's websites, the hard-disk/volatile memory of the server
	workstation to	from which the Adobe's websites are hosted, and etc.). The computer usable medium has computer
	utilize said browser	readable program code physically embodied therein, causing said client workstation to utilize said
	to display, on said	browser to display, on said client workstation, at least a portion of a first hypermedia document received
	client workstation,	over said network from said server, wherein the portion of said first hypermedia document is displayed
	at least a portion of	within a first browser-controlled window on said client workstation.
	a first hypermedia	
	document received	See the evidence and information cited for claim element 1c supra which is expressly incorporated
	over said network	herein.

Claim	Claim Language	Exemplary Evidence from Adobe Systems Inc.'s websites
	from said server,	
	wherein the portion	
	of said first	
	hypermedia	
	document is	
	displayed within a	
	first browser-	
	controlled window	
	on said client	
	workstation,	
9d	wherein said first	Adobe's websites, as well as the Adobe's servers which host them, and the computers of users of
	distributed	the Adobe's websites each comprise a computer usable medium (such as a DVD/CD-ROM, the hard-
	hypermedia	disk/volatile memory of the user of the Adobe's websites, the hard-disk/volatile memory of the server
	document includes	from which the Adobe's websites are hosted, and etc.). The computer usable medium has computer
	an embed text	readable program code physically embodied therein. The computer usable media operate in a
	format, located at a	hypermedia network environment that includes client workstations executing browsers. Adobe's servers
	first location in said	transmit a series of communications to client workstations in the distributed hypermedia network.
	first distributed	Adobe's servers format the communications so that said first distributed hypermedia document includes
	hypermedia	an embed text format, located at a first location in said first distributed hypermedia document, that
	document, that	specifies the location of at least a portion of an object external to the first distributed hypermedia
	specifies the	document.
	location of at least	

Claim	Claim Language	Exemplary Evidence from Adobe Systems Inc.'s websites
	a portion of an	See the evidence and information cited for claim element 1d supra which is expressly incorporated
	object external to	herein.
	the first distributed	
	hypermedia	
	document,	
9e	wherein said object	Adobe's websites, as well as the Adobe's servers which host them, and the computers of users of
	has type	the Adobe's websites each comprise a computer usable medium (such as a DVD/CD-ROM, the hard-
	information	disk/volatile memory of the user of the Adobe's websites, the hard-disk/volatile memory of the server
	associated with it	from which the Adobe's websites are hosted, and etc.). The computer usable medium has computer
	utilized by said	readable program code physically embodied therein. The computer usable media operate in a
	browser to identify	hypermedia network environment that includes client workstations executing browsers. Adobe's servers
	and locate an	transmit a series of communications to client workstations in the distributed hypermedia network.
	executable	Adobe's servers format the communications so that said object which has type information associated
	application external	with it utilized by said browser to identify and locate an executable application external to the first
	to the first	distributed hypermedia document.
	distributed	
	hypermedia	See the evidence and information cited for claim element 1e supra which is expressly incorporated
	document,	herein.
9f	and wherein said	Adobe's websites, as well as the Adobe's servers which host them, and the computers of users of
	embed text format	the Adobe's websites each comprise a computer usable medium (such as a DVD/CD-ROM, the hard-

Claim Language	Exemplary Evidence from Adobe Systems Inc.'s websites
is parsed by said	disk/volatile memory of the user of the Adobe's websites, the hard-disk/volatile memory of the server
browser to	from which the Adobe's websites are hosted, and etc.). The computer usable medium has computer
automatically	readable program code physically embodied therein. The computer usable media operate in a
invoke said	hypermedia network environment that includes client workstations executing browsers. Adobe's servers
executable	transmit a series of communications to client workstations in the distributed hypermedia network.
application to	Adobe's servers format the communications so that when said embed text format is parsed by said
execute on said	browser, it automatically invokes said executable application to execute on said client workstation in
client workstation	order to display said object.
in order to display	
said object	See the evidence and information cited for claim element 1f supra which is expressly incorporated
	herein.
and enable	Adobe's websites, as well as the Adobe's servers which host them, and the computers of users of
interactive	the Adobe's websites each comprise a computer usable medium (such as a DVD/CD-ROM, the hard-
processing of said	disk/volatile memory of the user of the Adobe's websites, the hard-disk/volatile memory of the server
object within a	from which the Adobe's websites are hosted, and etc.). The computer usable medium has computer
display area	readable program code physically embodied therein. The computer usable media operate in a
created at said first	hypermedia network environment that includes client workstations executing browsers. Adobe's servers
location within the	transmit a series of communications to client workstations in the distributed hypermedia network.
portion of said first	Adobe's servers format the communications so that it enables interactive processing of said object
distributed	within a display area created at said first location within the portion of said first distributed hypermedia
hypermedia	document being displayed in said first browser-controlled window.
	is parsed by said browser to automatically invoke said executable application to execute on said client workstation in order to display said object and enable interactive processing of said object within a display area created at said first location within the portion of said first distributed

Claim	Claim Language	Exemplary Evidence from Adobe Systems Inc.'s websites
	document being	
	displayed in said	See the evidence and information cited for claim element 1g supra which is expressly incorporated
	first browser-	herein.
	controlled window;	
9h	wherein said	Adobe's websites, as well as the Adobe's servers which host them, and the computers of users of
	executable	the Adobe's websites each comprise a computer usable medium (such as a DVD/CD-ROM, the hard-
	application is a	disk/volatile memory of the user of the Adobe's websites, the hard-disk/volatile memory of the server
	controllable	from which the Adobe's websites are hosted, and etc.). The computer usable medium has computer
	application and	readable program code physically embodied therein. The computer usable media operate in a
	further comprising:	hypermedia network environment that includes client workstations executing browsers and where said
		executable application is a controllable application that further comprises the elements set forth below.
		See the evidence and information cited for claim element 2pre supra which is expressly incorporated
		herein.
9i	computer readable	Adobe's websites, as well as the Adobe's servers which host them, and the computers of users of
	program code for	the Adobe's websites each comprise a computer usable medium (such as a DVD/CD-ROM, the hard-
	causing said client	disk/volatile memory of the user of the Adobe's websites, the hard-disk/volatile memory of the server
	workstation to	from which the Adobe's websites are hosted, and etc.). The computer usable medium has computer
	interactively control	readable program code physically embodied therein, causing said client workstation to interactively
	said controllable	control said controllable application on said client workstation via inter-process communications between
	application on said	said browser and said controllable application.

Claim	Claim Language	Exemplary Evidence from Adobe Systems Inc.'s websites
	client workstation	
	via inter-process	See the evidence and information cited for claim element 2a supra which is expressly incorporated
	communications	herein.
	between said	
	browser and said	
	controllable	
	application;	
9j	wherein the	Adobe's websites, as well as the Adobe's servers which host them, and the computers of users of
	communications to	the Adobe's websites each comprise a computer usable medium (such as a DVD/CD-ROM, the hard-
	interactively control	disk/volatile memory of the user of the Adobe's websites, the hard-disk/volatile memory of the server
	said controllable	from which the Adobe's websites are hosted, and etc.). The computer usable medium has computer
	application continue	readable program code physically embodied therein. The computer usable media operate in a
	to be exchanged	hypermedia network environment that includes client workstations executing browsers, wherein the
	between the	communications to interactively control said controllable application continue to be exchanged between
	controllable	the controllable application and the browser even after the controllable application program has been
	application and the	launched.
	browser even after	
	the controllable	See the evidence and information cited for claim elements 1g and 2a supra which is expressly
	application program	incorporated herein.
	has been launched;	
	and	
9k	wherein additional	Adobe's websites, as well as the Adobe's servers which host them, and the computers of users of
	instructions for	the Adobe's websites each comprise a computer usable medium (such as a DVD/CD-ROM, the hard-

Claim	Claim Language	Exemplary Evidence from Adobe Systems Inc.'s websites
	controlling said	disk/volatile memory of the user of the Adobe's websites, the hard-disk/volatile memory of the server
	controllable	from which the Adobe's websites are hosted, and etc.). The computer usable medium has computer
	application reside	readable program code physically embodied therein. The computer usable media operate in a
	on said network	hypermedia network environment that includes client workstations executing browsers, wherein the
	server, wherein	additional instructions for controlling said controllable application reside on said network server, wherein
	said computer	said step of interactively controlling said controllable application includes the following elements.
	readable program	
	code for causing	See the evidence and information cited for claim element 4k supra which is expressly incorporated
	said client	herein.
	workstation to	
	interactively control	
	said controllable	
	application on said	
	client workstation	
	includes:	
91	computer readable	Adobe's websites, as well as the Adobe's servers which host them, and the computers of users of
	program code for	the Adobe's websites each comprise a computer usable medium (such as a DVD/CD-ROM, the hard-
	causing said client	disk/volatile memory of the user of the Adobe's websites, the hard-disk/volatile memory of the server
	workstation to	from which the Adobe's websites are hosted, and etc.). The computer usable medium has computer
	issue, from the	readable program code physically embodied therein. The computer usable media operate in a
	client workstation,	hypermedia network environment that includes client workstations executing browsers, wherein the
	one or more	workstation possesses computer readable program code for causing said client workstation to issue,

Claim	Claim Language	Exemplary Evidence from Adobe Systems Inc.'s websites
	commands to the	from the client workstation, one or more commands to the network server.
	network server;	
		See the evidence and information cited for claim element 4l supra which is expressly incorporated
		herein.
9m	computer readable	Adobe's websites, as well as the Adobe's servers which host them, and the computers of users of
	program code for	the Adobe's websites each comprise a computer usable medium (such as a DVD/CD-ROM, the hard-
	causing said	disk/volatile memory of the user of the Adobe's websites, the hard-disk/volatile memory of the server
	network server to	from which the Adobe's websites are hosted, and etc.). The computer usable medium has computer
	execute one or	readable program code physically embodied therein. The computer usable media operate in a
	more instructions in	hypermedia network environment that includes client workstations executing browsers, wherein the
	response to said	computer readable program code causes said network server to execute one or more instructions in
	commands;	response to said commands.
		See the evidence and information cited for claim element 4m supra which is expressly incorporated
		herein.
9n	computer readable	Adobe's websites, as well as the Adobe's servers which host them, and the computers of users of
	program code for	the Adobe's websites each comprise a computer usable medium (such as a DVD/CD-ROM, the hard-
	causing said	disk/volatile memory of the user of the Adobe's websites, the hard-disk/volatile memory of the server
	network server to	from which the Adobe's websites are hosted, and etc.). The computer usable medium has computer

Claim	Claim Language	Exemplary Evidence from Adobe Systems Inc.'s websites
	send information to	readable program code physically embodied therein. The computer usable media operate in a
	said client	hypermedia network environment that includes client workstations executing browsers, wherein the
	workstation in	computer readable program code causes said network server to send information to said client
	response to said	workstation in response to said executed instructions.
	executed	
	instructions; and	See the evidence and information cited for claim element 4n supra which is expressly incorporated
		herein.
90	computer readable	Adobe's websites, as well as the Adobe's servers which host them, and the computers of users of
	program code for	the Adobe's websites each comprise a computer usable medium (such as a DVD/CD-ROM, the hard-
	causing said client	disk/volatile memory of the user of the Adobe's websites, the hard-disk/volatile memory of the server
	workstation to	from which the Adobe's websites are hosted, and etc.). The computer usable medium has computer
	process said	readable program code physically embodied therein, causing said client workstation to process said
	information at the	information at the client workstation to interactively control said controllable application.
	client workstation	
	to interactively	See the evidence and information cited for claim element 40 supra which is expressly incorporated
	control said	herein.
	controllable	
	application.	
10pre	A computer	Adobe's websites, as well as the Adobe's servers which host them, and the computers of users of
	program product	the Adobe's websites each comprise a computer usable medium (such as a DVD/CD-ROM, the hard-
	for use in a system	disk/volatile memory of the user of the Adobe's websites, the hard-disk/volatile memory of the server

Claim	Claim Language	Exemplary Evidence from Adobe Systems Inc.'s websites
	having at least one	from which the Adobe's websites are hosted, and etc.). The computer usable medium has computer
	client workstation	readable program code physically embodied therein. The computer usable media operate in a
	and one network	hypermedia network environment that includes at least one client workstation and one network server
	server coupled to	coupled to said network environment, wherein said network environment is a distributed hypermedia
	said network	environment, the computer program product comprising the following elements.
	environment,	
	wherein said	See the evidence and information cited for the claim elements 1pre and 1a supra which is expressly
	network	incorporated herein.
	environment is a	
	distributed	
	hypermedia	
	environment, the	
	computer program	
	product comprising:	
10a	a computer usable	Adobe's websites, as well as the Adobe's servers which host them, and the computers of users of
	medium having	the Adobe's websites each comprise a computer usable medium (such as a DVD/CD-ROM, the hard-
	computer readable	disk/volatile memory of the user of the Adobe's websites, the hard-disk/volatile memory of the server
	program code	from which the Adobe's websites are hosted, and etc.). The computer usable medium has computer
	physically	readable program code physically embodied therein. The computer usable media operate in a
	embodied therein,	hypermedia network environment that includes client workstations executing browsers, said computer
	said computer	program product further comprising the following elements.
	program product	

Claim	Claim Language	Exemplary Evidence from Adobe Systems Inc.'s websites
	further comprising:	See the evidence and information cited for the claim element 6a supra which is expressly incorporated
		herein.
10h	computer readable	Adoba's websites as well as the Adoba's services which best there and the computers of years of
10b	computer readable	Adobe's websites, as well as the Adobe's servers which host them, and the computers of users of
	program code for	the Adobe's websites each comprise a computer usable medium (such as a DVD/CD-ROM, the hard-
	causing said client	· · · · · · · · · · · · · · · · · · ·
	workstation to	from which the Adobe's websites are hosted, and etc.). The computer usable medium has computer
	execute a browser	readable program code physically embodied therein, causing said client workstation to execute a
	application to parse	browser application to parse a first distributed hypermedia document to identify text formats included in
	a first distributed	said distributed hypermedia document and to respond to predetermined text formats to initiate
	hypermedia	processes specified by said text formats.
	document to	
	identify text	See the evidence and information cited for claim element 1b supra which is expressly incorporated
	formats included in	herein.
	said distributed	
	hypermedia	
	document and to	
	respond to	
	predetermined text	
	formats to initiate	
	processes specified	
	by said text	

Claim	Claim Language	Exemplary Evidence from Adobe Systems Inc.'s websites
	formats;	
10c	computer readable	Adobe's websites, as well as the Adobe's servers which host them, and the computers of users of
	program code for	the Adobe's websites each comprise a computer usable medium (such as a DVD/CD-ROM, the hard-
	causing said client	disk/volatile memory of the user of the Adobe's websites, the hard-disk/volatile memory of the server
	workstation to	from which the Adobe's websites are hosted, and etc.). The computer usable medium has computer
	utilize said browser	readable program code physically embodied therein, causing said client workstation to utilize said
	to display, on said	browser to display, on said client workstation, at least a portion of a first hypermedia document received
	client workstation,	over said network from said server, wherein the portion of said first hypermedia document is displayed
	at least a portion of	within a first browser-controlled window on said client workstation.
	a first hypermedia	
	document received	See the evidence and information cited for claim element 1c supra which is expressly incorporated
	over said network	herein.
	from said server,	
	wherein the portion	
	of said first	
	hypermedia	
	document is	
	displayed within a	
	first browser-	
	controlled window	
	on said client	
	workstation,	

Claim	Claim Language	Exemplary Evidence from Adobe Systems Inc.'s websites
10.1		
10d	wherein said first	, , , , , , , , , , , , , , , , , , ,
	distributed	the Adobe's websites each comprise a computer usable medium (such as a DVD/CD-ROM, the hard-
	hypermedia	disk/volatile memory of the user of the Adobe's websites, the hard-disk/volatile memory of the server
	document includes	from which the Adobe's websites are hosted, and etc.). The computer usable medium has computer
	an embed text	readable program code physically embodied therein. The computer usable media operate in a
	format, located at a	hypermedia network environment that includes client workstations executing browsers. Adobe's servers
	first location in said	transmit a series of communications to client workstations in the distributed hypermedia network.
	first distributed	Adobe's servers format the communications so that said first distributed hypermedia document includes
	hypermedia	an embed text format, located at a first location in said first distributed hypermedia document, that
	document, that	specifies the location of at least a portion of an object external to the first distributed hypermedia
	specifies the	document.
	location of at least	
	a portion of an	See the evidence and information cited for claim element 1d supra which is expressly incorporated
	object external to	herein.
	the first distributed	
	hypermedia	
	document,	
	,	
10e	wherein said object	Adobe's websites, as well as the Adobe's servers which host them, and the computers of users of
	has type	the Adobe's websites each comprise a computer usable medium (such as a DVD/CD-ROM, the hard-
	information	disk/volatile memory of the user of the Adobe's websites, the hard-disk/volatile memory of the server

Claim	Claim Language	Exemplary Evidence from Adobe Systems Inc.'s websites
	associated with it	from which the Adobe's websites are hosted, and etc.). The computer usable medium has computer
	utilized by said	readable program code physically embodied therein. The computer usable media operate in a
	browser to identify	hypermedia network environment that includes client workstations executing browsers. Adobe's servers
	and locate an	transmit a series of communications to client workstations in the distributed hypermedia network.
	executable	Adobe's servers format the communications so that said object which has type information associated
	application external	with it utilized by said browser to identify and locate an executable application external to the first
	to the first	distributed hypermedia document.
	distributed	
	hypermedia	See the evidence and information cited for claim element 1e supra which is expressly incorporated
	document,	herein.
10f	and wherein said	Adobe's websites, as well as the Adobe's servers which host them, and the computers of users of
	embed text format	the Adobe's websites each comprise a computer usable medium (such as a DVD/CD-ROM, the hard-
	is parsed by said	disk/volatile memory of the user of the Adobe's websites, the hard-disk/volatile memory of the server
	browser to	from which the Adobe's websites are hosted, and etc.). The computer usable medium has computer
	automatically	readable program code physically embodied therein. The computer usable media operate in a
	invoke said	hypermedia network environment that includes client workstations executing browsers. Adobe's servers
	executable	transmit a series of communications to client workstations in the distributed hypermedia network.
	application to	Adobe's servers format the communications so that when said embed text format is parsed by said
	execute on said	browser, it automatically invokes said executable application to execute on said client workstation in
	client workstation	order to display said object.
	in order to display	

Claim	Claim Language	Exemplary Evidence from Adobe Systems Inc.'s websites
	said object	See the evidence and information cited for claim element 1f supra which is expressly incorporated
		herein.
10g	and enable	Adobe's websites, as well as the Adobe's servers which host them, and the computers of users of
	interactive	the Adobe's websites each comprise a computer usable medium (such as a DVD/CD-ROM, the hard-
	processing of said	disk/volatile memory of the user of the Adobe's websites, the hard-disk/volatile memory of the server
	object within a	from which the Adobe's websites are hosted, and etc.). The computer usable medium has computer
	display area	readable program code physically embodied therein. The computer usable media operate in a
	created at said first	hypermedia network environment that includes client workstations executing browsers. Adobe's servers
	location within the	transmit a series of communications to client workstations in the distributed hypermedia network.
	portion of said first	Adobe's servers format the communications so that it enables interactive processing of said object
	distributed	within a display area created at said first location within the portion of said first distributed hypermedia
	hypermedia	document being displayed in said first browser-controlled window.
	document being	
	displayed in said	See the evidence and information cited for claim element 1g supra which is expressly incorporated
	first browser-	herein.
	controlled window;	
10h	wherein said	Adobe's websites, as well as the Adobe's servers which host them, and the computers of users of
	executable	the Adobe's websites each comprise a computer usable medium (such as a DVD/CD-ROM, the hard-
	application is a	disk/volatile memory of the user of the Adobe's websites, the hard-disk/volatile memory of the server
	controllable	from which the Adobe's websites are hosted, and etc.). The computer usable medium has computer
	application and	readable program code physically embodied therein. The computer usable media operate in a

Claim	Claim Language	Exemplary Evidence from Adobe Systems Inc.'s websites
	further comprising:	hypermedia network environment that includes client workstations executing browsers and where said
		executable application is a controllable application that further comprises the elements set forth below.
		See the evidence and information cited for claim element 2pre supra which is expressly incorporated herein.
10i	computer readable program code for	Adobe's websites, as well as the Adobe's servers which host them, and the computers of users of the Adobe's websites each comprise a computer usable medium (such as a DVD/CD-ROM, the hard-
	causing said client	disk/volatile memory of the user of the Adobe's websites, the hard-disk/volatile memory of the server
	workstation to	from which the Adobe's websites are hosted, and etc.). The computer usable medium has computer
	interactively control	readable program code physically embodied therein, causing said client workstation to interactively
	said controllable	control said controllable application on said client workstation via inter-process communications between
	application on said	said browser and said controllable application.
	client workstation	
	via inter-process	
	communications	See the evidence and information cited for claim element 2a supra which is expressly incorporated
	between said	herein.
	browser and said	
	controllable	
	application;	
10j	wherein the	Adobe's websites, as well as the Adobe's servers which host them, and the computers of users of

Claim	Claim Language	Exemplary Evidence from Adobe Systems Inc.'s websites
	communications to	the Adobe's websites each comprise a computer usable medium (such as a DVD/CD-ROM, the hard-
	interactively control	disk/volatile memory of the user of the Adobe's websites, the hard-disk/volatile memory of the server
	said controllable	from which the Adobe's websites are hosted, and etc.). The computer usable medium has computer
	application continue	readable program code physically embodied therein. The computer usable media operate in a
	to be exchanged	hypermedia network environment that includes client workstations executing browsers, wherein the
	between the	communications to interactively control said controllable application continue to be exchanged between
	controllable	the controllable application and the browser even after the controllable application program has been
	application and the	launched.
	browser even after	
	the controllable	See the evidence and information cited for the claim elements 1g and 2a which is expressly
	application program	incorporated herein.
	has been launched;	
10k	wherein additional	Adobe's websites, as well as the Adobe's servers which host them, and the computers of users of
	instructions for	the Adobe's websites each comprise a computer usable medium (such as a DVD/CD-ROM, the hard-
	controlling said	disk/volatile memory of the user of the Adobe's websites, the hard-disk/volatile memory of the server
	controllable	from which the Adobe's websites are hosted, and etc.). The computer usable medium has computer
	application reside	readable program code physically embodied therein. The computer usable media operate in a
	on said network	hypermedia network environment that includes client workstations executing browsers. Adobe's servers
	server, wherein	transmit a series of communications to client workstations in the distributed hypermedia network.
	said computer	Adobe's servers format the communications so that said step of interactively controlling said controllable
	readable program	application includes the following elements.
	code for causing	

Claim	Claim Language	Exemplary Evidence from Adobe Systems Inc.'s websites
	said client workstation to interactively control said controllable application on said client workstation includes:	See the evidence and information cited for claim element 4k supra which is expressly incorporated herein.
101	computer readable program code for causing said client workstation to issue, from the client workstation, one or more commands to the network server;	Adobe's websites, as well as the Adobe's servers which host them, and the computers of users of the Adobe's websites each comprise a computer usable medium (such as a DVD/CD-ROM, the hard-disk/volatile memory of the user of the Adobe's websites, the hard-disk/volatile memory of the server from which the Adobe's websites are hosted, and etc.). The computer usable medium has computer readable program code physically embodied therein. The computer usable media operate in a hypermedia network environment that includes client workstations executing browsers. Adobe's servers transmit a series of communications to client workstations in the distributed hypermedia network. Adobe's servers format the communications so that the client workstation is caused to issue one or more commands to the network server. See the evidence and information cited for claim element 4l supra which is expressly incorporated herein.

Claim	Claim Language	Exemplary Evidence from Adobe Systems Inc.'s websites
10m	computer readable	Adobe's websites, as well as the Adobe's servers which host them, and the computers of users of
	program code for	the Adobe's websites each comprise a computer usable medium (such as a DVD/CD-ROM, the hard-
	causing said	disk/volatile memory of the user of the Adobe's websites, the hard-disk/volatile memory of the server
	network server to	from which the Adobe's websites are hosted, and etc.). The computer usable medium has computer
	execute one or	readable program code physically embodied therein. The computer usable media operate in a
	more instructions in	hypermedia network environment that includes client workstations executing browsers. Adobe's servers
	response to said	transmit a series of communications to client workstations in the distributed hypermedia network.
	commands;	Adobe's servers format the communications so that the network server executes one or more
		instructions in response to said commands.
		See the evidence and information cited for claim element 4m supra which is expressly incorporated
		herein.
10n	computer readable	Adobe's websites, as well as the Adobe's servers which host them, and the computers of users of
	program code for	the Adobe's websites each comprise a computer usable medium (such as a DVD/CD-ROM, the hard-
	causing said	disk/volatile memory of the user of the Adobe's websites, the hard-disk/volatile memory of the server
	network server to	from which the Adobe's websites are hosted, and etc.). The computer usable medium has computer
	send information to	readable program code physically embodied therein. The computer usable media operate in a
	said client	hypermedia network environment that includes client workstations executing browsers. Adobe's servers
	workstation in	transmit a series of communications to client workstations in the distributed hypermedia network.
	response to said	Adobe's servers format the communications so that information is sent from said network server to said
	executed	client workstation in response to said executed instructions.
	instructions; and	
	instructions; and	

Claim	Claim Language	Exemplary Evidence from Adobe Systems Inc.'s websites
		See the evidence and information cited for claim element 4n supra which is expressly incorporated herein.
100	computer readable program code for causing said client workstation to process said information at the client workstation to interactively control said controllable application; and	·
10р	wherein said additional instructions for controlling said controllable	Adobe's websites, as well as the Adobe's servers which host them, and the computers of users of the Adobe's websites each comprise a computer usable medium (such as a DVD/CD-ROM, the hard-disk/volatile memory of the user of the Adobe's websites, the hard-disk/volatile memory of the server from which the Adobe's websites are hosted, and etc.). The computer usable medium has computer readable program code physically embodied therein. The computer usable media operate in a

Claim	Claim Language	Exemplary Evidence from Adobe Systems Inc.'s websites
	application reside	hypermedia network environment that includes client workstations executing browsers. Adobe's servers
	on said client	transmit a series of communications to client workstations in the distributed hypermedia network and
	workstation.	format the communications so that the additional instructions for controlling said controllable application
		reside on said client workstation.
		See the evidence and information cited for claim element 5p supra which is expressly incorporated herein.
11pre	The method of	Users of Adobe's websites, the websites themselves and/or the servers hosting those websites (and/or
	claim 3, wherein	the combination thereof), operate in a hypermedia network environment that includes client
	the additional	workstations executing browsers which further comprises the method of claim 3, wherein the additional
	instructions for	instructions for controlling said controllable application reside on said network server, wherein said step
	controlling said	of interactively controlling said controllable application includes the following sub-steps identified below.
	controllable	In addition, Adobe provides the infrastructure (e.g. servers, Adobe's websites, etc.), in addition to
	application reside	instructions to users, and causes them to use Adobe's websites in an infringing manner in its default and
	on said network	expected use.
	server, wherein	
	said step of	See the evidence and information cited for the claim element 4k supra which is expressly incorporated
	interactively	herein.
	controlling said	
	controllable	
	application includes	
	the following sub-	

Claim	Claim Language	Exemplary Evidence from Adobe Systems Inc.'s websites
	steps:	
11a	issuing, from the client workstation, one or more commands to the network server;	the combination thereof), operate in a hypermedia network environment that includes client workstations executing browsers. Adobe's servers transmit a series of communications to client workstations in the distributed hypermedia network. Adobe's servers format the communications so that the client workstation is caused to issue one or more commands to the network server. In addition,
		Adobe provides the infrastructure (e.g. servers, Adobe's websites, etc.), in addition to instructions to users, and causes them to use Adobe's websites in an infringing manner in its default and expected use. See the evidence and information cited for the claim element 4l supra which is expressly incorporated herein.
11b	executing, on the network server, one or more instructions in response to said commands;	the combination thereof), operate in a hypermedia network environment that includes client workstations executing browsers. Adobe's servers transmit a series of communications to client workstations in the distributed hypermedia network. Adobe's servers format the communications so that the network server executes one or more instructions in response to said commands. In addition, Adobe provides the infrastructure (e.g. servers, Adobe's websites, etc.), in addition to instructions to users, and causes them to use Adobe's websites in an infringing manner in its default and expected use.
		See the evidence and information cited for the claim element 4m supra which is expressly incorporated

Claim	Claim Language	Exemplary Evidence from Adobe Systems Inc.'s websites
		herein.
11c	sending information	Users of Adobe's websites, the websites themselves and/or the servers hosting those websites (and/or
	from said network	the combination thereof), operate in a hypermedia network environment that includes client
	server to said client	workstations executing browsers. Adobe's servers transmit a series of communications to client
	workstation in	workstations in the distributed hypermedia network. Adobe's servers format the communications so
	response to said	that information is sent from said network server to said client workstation in response to said executed
	executed	instructions. In addition, Adobe provides the infrastructure (e.g. servers, Adobe's websites, etc.), in
	instructions;	addition to instructions to users, and causes them to use Adobe's websites in an infringing manner in its
		default and expected use.
		See the evidence and information cited for the claim element 4n supra which is expressly incorporated
		herein.
11d	and processing said	Users of Adobe's websites, the websites themselves and/or the servers hosting those websites (and/or
	information at the	the combination thereof), operate in a hypermedia network environment that includes client
	client workstation	workstations executing browsers. Adobe's servers transmit a series of communications to client
	to interactively	workstations in the distributed hypermedia network. Adobe's servers format the communications so
	control said	that the client workstation processes said information at the client workstation to interactively control
	controllable	said controllable application. In addition, Adobe provides the infrastructure (e.g. servers, Adobe's
	application.	websites, etc.), in addition to instructions to users, and causes them to use Adobe's websites in an
		infringing manner in its default and expected use.

Claim	Claim Language	Exemplary Evidence from Adobe Systems Inc.'s websites
		See the evidence and information cited for the claim element 4o supra which is expressly incorporated herein.
12	The method of claim 11, wherein said additional instructions for controlling said controllable application reside on said client workstation.	Users of Adobe's websites, the websites themselves and/or the servers hosting those websites (and/or the combination thereof), operate in a hypermedia network environment that includes client workstations executing browsers which further comprises the method of claim 11, wherein said additional instructions for controlling said controllable application reside on said client workstation. In addition, Adobe provides the infrastructure (e.g. servers, Adobe's websites, etc.), in addition to instructions to users, and causes them to use Adobe's websites in an infringing manner in its default and expected use. See the evidence and information cited for claim element 5p supra which is expressly incorporated herein.
13pre	The computer program product of claim 8, wherein additional instructions for controlling said controllable	Adobe's websites, as well as the Adobe's servers which host them, and the computers of users of the Adobe's websites each comprise a computer usable medium (such as a DVD/CD-ROM, the hard-disk/volatile memory of the user of the Adobe's websites, the hard-disk/volatile memory of the server from which the Adobe's websites are hosted, and etc.). The computer usable medium has computer readable program code physically embodied therein. The computer program products of claim 8 operate in a hypermedia network environment that includes client workstations executing browsers, wherein additional instructions for controlling said controllable application reside on said network server, wherein

Claim	Claim Language	Exemplary Evidence from Adobe Systems Inc.'s websites
	application reside	said step of interactively controlling said controllable application includes the following elements.
	on said network	
	server, wherein	See the evidence and information cited for claim element 4k supra which is expressly incorporated
	said computer	herein.
	readable program	
	code for causing	
	said client	
	workstation to	
	interactively control	
	said controllable	
	application on said	
	client workstation	
	includes:	
13a	computer readable	Adobe's websites, as well as the Adobe's servers which host them, and the computers of users of
	program code for	the Adobe's websites each comprise a computer usable medium (such as a DVD/CD-ROM, the hard-
	causing said client	disk/volatile memory of the user of the Adobe's websites, the hard-disk/volatile memory of the server
	workstation to	from which the Adobe's websites are hosted, and etc.). The computer usable medium has computer
	issue, from the	readable program code physically embodied therein, causing said client workstation to issue, from the
	client workstation,	client workstation, one or more commands to the network server.
	one or more	
	commands to the	See the evidence and information cited for claim element 4l supra which is expressly incorporated
	network server;	herein.

Claim	Claim Language	Exemplary Evidence from Adobe Systems Inc.'s websites
13b	computer readable program code for causing said network server to execute one or more instructions in response to said	Adobe's websites, as well as the Adobe's servers which host them, and the computers of users of the Adobe's websites each comprise a computer usable medium (such as a DVD/CD-ROM, the hard-disk/volatile memory of the user of the Adobe's websites, the hard-disk/volatile memory of the server from which the Adobe's websites are hosted, and etc.). The computer usable medium has computer readable program code physically embodied therein, causing said network server to execute one or more instructions in response to said commands.
	commands;	See the evidence and information cited for claim element 4m supra which is expressly incorporated herein.
13c	program code for causing said	Adobe's websites, as well as the Adobe's servers which host them, and the computers of users of the Adobe's websites each comprise a computer usable medium (such as a DVD/CD-ROM, the hard-disk/volatile memory of the user of the Adobe's websites, the hard-disk/volatile memory of the server from which the Adobe's websites are hosted, and etc.). The computer usable medium has computer readable program code physically embodied therein, causing said network server to send information to said client workstation in response to said executed instructions.
	response to said executed instructions; and	See the evidence and information cited for claim element 4n supra which is expressly incorporated herein.

Claim	Claim Language	Exemplary Evidence from Adobe Systems Inc.'s websites
13d	computer readable program code for causing said client workstation to process said information at the client workstation to interactively	disk/volatile memory of the user of the Adobe's websites, the hard-disk/volatile memory of the server from which the Adobe's websites are hosted, and etc.). The computer usable medium has computer readable program code physically embodied therein, causing said client workstation to process said information at the client workstation to interactively control said controllable application.
	control said controllable application.	herein.
14	The computer program product of claim 13, wherein said additional instructions for controlling said controllable application reside on said client	·

Claim	Claim Language	Exemplary Evidence from Adobe Systems Inc.'s websites
	workstation.	See the evidence and information cited for the claim element 5p supra which is expressly incorporated
		herein.