

Exhibit H

Eolas Contends That No Claim Limitations In Any Of The Asserted Claims Of The Patents In Suit Should Be Governed By 35 U.S.C. § 112(6). It Provides The Identified Corresponding Structure Below In The Alternative Only.

No.	Claim	Term Allegedly Governed by 112(6)	Corresponding Structure
1.	claim 6 of the '906 patent	computer readable program code for causing said client workstation to execute a browser application to parse a first distributed hypermedia document to identify text formats included in said distributed hypermedia document and to respond to predetermined text formats to initiate processes specified by said text formats;	Figs. 4-7; 8:36-11:17; 12:50-14:63
2.	claim 9 of the '906 patent		
3.	claim 10 of the '906 patent		
4.	claim 6 of the '906 patent	computer readable program code for causing said client workstation to utilize said browser to display, on said client workstation, at least a portion of a first hypermedia document received over said network from said server, wherein the portion of said first hypermedia document is displayed within a first browser-controlled window on said client workstation, wherein said first distributed hypermedia document includes an embed text format, located at a first location in said first distributed hypermedia document, that specifies the location of at least a portion of an object external to the first distributed hypermedia document, wherein said object has type information associated with it utilized by said browser to identify and locate an executable application external to the first distributed hypermedia document, and wherein said embed text format is parsed by said browser to automatically invoke said executable application to execute on said client workstation in order to display said object and enable an end-user to directly interact with said object within a display area created at said first location within the portion of said first distributed hypermedia document being displayed in said first browser-controlled window.	Figs. 4-8; 8:36-11:17; 12:50-16:8
5.	claim 10 of the '906 patent		
6.	claim 7 of the '906 patent	wherein said executable application is a controllable application and further comprising: computer readable program code for causing said client workstation to interactively control said controllable application on said client workstation via interprocess communications between said browser and said controllable application.	Figs. 5-6, 8, 10; 6:63-7:6; 8:56-12:49; 14:64-16:7; 16:28-16:46

No.	Claim	Term Allegedly Governed by 112(6)	Corresponding Structure
7.	claim 7 of the '906 patent	computer readable program code for causing said client workstation to interactively control said controllable application on said client workstation via inter-process communications between said browser and said controllable application.	Figs. 5-6, 8, 10; 6:63-7:6; 8:56-12:49; 14:64-16:7; 16:28-16:46
8.	claim 9 of the '906 patent		
9.	claim 10 of the '906 patent		
10.	claim 8 of the '906 patent	wherein the communications to interactively control said controllable application continue to be exchanged between the controllable application and the browser even after the controllable application program has been launched.	Figs. 5-6, 8, 10; 6:63-7:6; 8:56-12:49; 14:64-16:7; 16:28-16:46
11.	claim 13 of the '906 patent	wherein additional instructions for controlling said controllable application reside on said network server, wherein said computer readable program code for causing said client workstation to interactively control said controllable application on said client workstation includes: computer readable program code for causing said client workstation to issue from the client workstation, one or more commands to the network server; computer readable program code for causing said network server to execute one or more instructions in response to said commands; computer readable program code for causing said network server to send information to said client workstation in response to said executed instructions; and computer readable program code for causing said client workstation to process said information at the client workstation to interactively control said controllable application.	Figs. 4-6; 1:45-60; 5:24-5:38; 6:50-7:6; 8:36-12:50
12.	claim 9 of the '906 patent		
13.	claim 10 of the '906 patent	wherein additional instructions for controlling said controllable application reside on said network server, wherein said computer readable program code for causing said client workstation to interactively control said controllable application on said client workstation includes: computer readable program code for causing said client workstation to issue, from the client workstation, one or more commands to the network server; computer readable program code for causing said network server to execute one or more instructions in response to said commands; computer readable program code for causing said network server to send information to said client workstation in response to said executed instructions; and	Figs. 4-6; 1:45-60; 5:24-5:38; 6:50-7:6; 8:36-12:50

No.	Claim	Term Allegedly Governed by 112(6)	Corresponding Structure
		computer readable program code for causing said client workstation to process said information at the client workstation to interactively control said controllable application; and wherein said additional instructions for controlling said controllable application reside on said client workstation.	
14.	claim 13 of the '906 patent	computer readable program code for causing said client workstation to issue from the client workstation, one or more commands to the network server;	Figs. 4-6; 1:45-60; 5:24-5:38; 6:50-7:6; 8:36-12:50
15.	claim 9 of the '906 patent		
16.	claim 10 of the '906 patent		
17.	claim 13 of the '906 patent	computer readable program code for causing said network server to execute one or more instructions in response to said commands;	Figs. 4-6; 1:45-60; 5:24-5:38; 6:50-7:6; 8:36-12:50
18.	claim 9 of the '906 patent		
19.	claim 10 of the '906 patent		
20.	claim 13 of the '906 patent	computer readable program code for causing said network server to send information to said client workstation in response to said executed instructions;	Figs. 4-6; 1:45-60; 5:24-5:38; 6:50-7:6; 8:36-12:50
21.	claim 9 of the '906 patent		
22.	claim 10 of the '906 patent		
23.	claim 13 of the '906 patent	computer readable program code for causing said client workstation to process said information at the client workstation to interactively control said controllable application.	Figs. 5-6, 8, 10; 6:63-7:6; 8:56-12:49; 14:64-16:7; 16:28-16:46
24.	claim 9 of the '906 patent		

No.	Claim	Term Allegedly Governed by 112(6)	Corresponding Structure
25.	claim 10 of the '906 patent		
26.	claim 14 of the '906 patent	wherein said additional instructions for controlling said controllable application reside on said client workstation.	Figs. 5-6, 8, 10; 6:63-7:6; 8:56-12:49; 14:64-16:7; 16:28-16:46
27.	claim 9 of the '906 patent	computer readable program code for causing said client workstation to utilize said browser to display, on said client workstation, at least a portion of a first hypermedia document received over said network from said server, wherein the portion of said first hypermedia document is displayed within a first browser-controlled window on said client workstation, wherein said first distributed hypermedia document includes an embed text format, located at a first location in said first distributed hypermedia document, that specifies the location of at least a portion of an object external to the first distributed hypermedia document, wherein said object has type information associated with it utilized by said browser to identify and locate an executable application external to the first distributed hypermedia document, and wherein said embed text format is parsed by said browser to automatically invoke said executable application to execute on said client workstation in order to display said object and enable interactive processing of said object within a display area created at said first location within the portion of said first distributed hypermedia document being displayed in said first browser-controlled window; wherein said executable application is a controllable application and further comprising: computer readable program code for causing said client workstation to interactively control said controllable application of said client workstation via inter-process communications between said browser and said controllable application; wherein the communications to interactively control said controllable application continue to be exchanged between the controllable application and the browser even after the controllable application program has been launched; and wherein additional instructions for controlling said controllable application reside on said network server, wherein said computer readable program code for causing said client workstation to interactively control said controllable application on said client workstation includes: computer readable program code for causing said client workstation to issue, from the client workstation, one or	Figs. 4-8, 10; 6:63-7:6; 8:36-16:46

No.	Claim	Term Allegedly Governed by 112(6)	Corresponding Structure
		more commands to the network server; computer readable program code for causing said network server to execute one or more instructions in response to said commands; computer readable program code for causing said network server to send information to said client workstation in response to said executed instructions; and computer readable program code for causing said client workstation to process said information at the client workstation to interactively control said controllable application.	
28.	claim 16 of the '985 patent	software comprising computer executable instructions . . . and when the software is executed operable to: receive, at the client workstation from the network server over the network environment, at least one file containing information to enable a browser application to display at least a portion of a distributed hypermedia document within a browser-controlled window; cause the client workstation to utilize the browser to: respond to text formats to initiate processing specified by the text formats; display at least a portion of the document within the browser-controlled window; identify an embed text format corresponding to a first location in the document, the embed text format specifying the location of at least a portion of an object external to the file, with the object having type information associated with it; utilize the type information to identify and locate an executable application external to the file; and automatically invoke the executable application, in response to the identifying of the embed text format, to execute on the client workstation in order to display the object and enable an end-user to directly interact with the object while the object is being displayed within a display area created at the first location within the portion of the hypermedia document being displayed in the browser-controlled window.	Figs. 4-8, 10; 8:20-10:62; 12:51-16:7; 16:28-46
29.	claim 17 of the '985 patent	claim 16 where: the information to enable comprises text formats. The method of claim 20 where: the information to enable comprises text formats.	Figs. 7-8; 12:31-37; 12:51-13:2; 13:36-16:7.
30.	claim 21 of the '985 patent	The method of claim 24 where: the information to enable comprises text formats. The method of claim 28 where: the information to enable comprises	

No.	Claim	Term Allegedly Governed by 112(6)	Corresponding Structure
31.	claim 25 of the'985 patent	text formats.	
32.	claim 29 of the'985 patent	The method of claim 32 where: the information to enable comprises text formats.	
33.	claim 33 of the'985 patent	The method of claim 40 where: the information to enable comprises text formats.	
34.	claim 41 of the'985 patent		
35.	claim 18 of the'985 patent	claim 17 where: the text formats are HTML tags.	Figs. 7-8; 12:31-37; 12:51-13:2; 13:36-16:7
36.	claim 22 of the'985 patent	The method of claim 21 where: the text formats are HTML tags.	
37.	claim 26 of the'985 patent	The method of claim 25 where: the text formats are HTML tags.	
38.	claim 30 of the'985 patent	The method of claim 29 where: the text formats are HTML tags.	
39.	claim 34 of the'985 patent	The method of claim 33 where: the text formats are HTML tags.	
40.	claim 42 of the'985 patent	The method of claim 41 where: the text formats are HTML tags.	
41.	claim 19 of the'985 patent	claim 16 where: the information contained in the file received comprises at least one embed text format.	
42.	claim 23 of the'985 patent	The method of claim 20 where: the information contained in the file received comprises at least one embed text format.	
		The method of claim 24 where: the information contained in the file	Figs. 7-8; 12:31-37; 12:51-13:2; 13:36-16:7

No.	Claim	Term Allegedly Governed by 112(6)	Corresponding Structure
43.	claim 27 of the'985 patent	<p>received comprises at least one embed text format.</p> <p>The method of claim 28 where: the information contained in the file received comprises at least one embed text format.</p>	
44.	claim 31 of the'985 patent	<p>The method of claim 32 where: the information contained in the file received comprises at least one embed text format.</p>	
45.	claim 35 of the'985 patent	<p>The method of claim 40 where: the information contained in the file received comprises at least one embed text format.</p>	
46.	claim 43 of the'985 patent		
47.	claim 20 of the'985 patent	<p>communicating via the network server with at least one client workstation over said network in order to cause said client workstation to: receive, over said network environment from said server, at least one file containing information to enable a browser application to display at least a portion of a distributed hypermedia document within a browser-controlled window; execute, at said client workstation, a browser application, with the browser application: responding to text formats to initiate</p>	Figs. 4-8, 10; 8:20-10:62; 12:51-16:7; 16:28-46
48.	claim 24 of the'985 patent	<p>A method for running an executable application in a computer network environment . . . the method comprising: enabling an end-user to directly interact with an object by utilizing said executable application to interactively process said object while the object is being displayed within a display area created at a first location within a portion of a hypermedia document being displayed in a browser-controlled window, wherein said network environment is a distributed hypermedia environment, wherein said client workstation receives, over said network environment from said server, at least one file containing information to enable said browser application to display, on said client workstation, at least said portion of said distributed hypermedia document within said browser-controlled window, wherein said executable application is external to said file, wherein said client workstation executes the browser application, with the browser application responding to text formats to initiate processing specified by the text formats, wherein</p>	Figs. 4-8, 10; 8:20-10:62; 12:51-16:7; 16:28-46

No.	Claim	Term Allegedly Governed by 112(6)	Corresponding Structure
		at least said portion of the document is displayed within the browser-controlled window, wherein an embed text format which corresponds to said first location in the document is identified by the browser, wherein the embed text format specifies the location of at least a portion of said object external to the file, wherein the object has type information associated with it, wherein the type information is utilized by the browser to identify and locate said executable application, and wherein the executable application is automatically	
49.	Claim 28 of the '985 patent	software comprising an executable application . . . operable to: cause the client workstation to display an object and enable an end-user to directly interact with said object while the object is being displayed within a display area created at a first location within a portion of a hypermedia document being displayed in a browser controlled window, wherein said network environment is a distributed hypermedia environment, wherein said client workstation receives, over said network environment from said server, at least one file containing information to enable said browser application to display, on said client workstation, at least said portion of said distributed hypermedia document within said browser-controlled window, wherein said executable application is external to said file, wherein said client workstation executes said browser application, with the browser application responding to text formats to initiate processing specified by the text formats, wherein at least said portion of the document is displayed within the browser-controlled window, wherein an embed text format which corresponds to said first location in the document is identified by the browser, wherein the embed text format specifies the location of at least a portion of said object external to the file, wherein the object has type information associated with it, wherein the type information is utilized by the browser to identify and locate said executable application, and wherein the executable application is automatically invoked by the browser, in response to the identifying of the embed text format.	Figs. 4-8, 10; 8:20-10:62; 12:51-16:7; 16:28-46
50.	claim 32 of the '985 patent	communicating via a network server with at least one client workstation over said computer network environment in order to cause said client workstation to: receive at said client workstation, over said computer network environment from said server, at least	Figs. 4-8, 10; 8:20-10:62; 12:51-16:7; 16:28-46

No.	Claim	Term Allegedly Governed by 112(6)	Corresponding Structure
		<p>one file containing information to enable a browser application to display, on said client workstation, at least a portion of a distributed hypermedia document within a browser-controlled window; utilize an executable application external to said file to enable an end-user to directly interact with an object while the object is being displayed within a display area created at a first location within the portion of the distributed hypermedia document being displayed in the browser-controlled window, with said network server coupled to said computer network environment, wherein said computer network environment has at least said client workstation and said network server coupled to the computer network environment, wherein said computer network environment is a distributed hypermedia environment, wherein said client workstation executes the browser application, with the browser application responding to text formats to initiate processing specified by the text formats, wherein at least said portion of the document is displayed within the browser-controlled window, wherein an embed text format which corresponds to said first location in the document is identified by the browser, wherein the embed text format specifies the location of at least a portion of said object external to the file, wherein the object has type information associated with it, wherein the type information is utilized by the browser to identify and locate said executable application, and wherein the executable application is automatically invoked by the browser, in response to the identifying of the embed text format.</p>	
51.	claim 40 of the '985 patent	<p>communicating via the network server with at least one remote client workstation over said computer network environment in order to cause said client workstation to: receive, over said computer network environment from the network server, at least one file containing information to enable a browser application to display at least a portion of a distributed hypermedia document within a browser-controlled window; execute, at said client workstation, a browser application, with the browser application: responding to text formats to initiate processing specified by the text formats; displaying, on said client workstation, at least a portion of the document within the browser-controlled window; identifying an embed text format which corresponds to a first location in the document, where the embed text format specifies the location of at least a portion of an object; identifying and locating an executable</p>	Figs. 4-8, 10; 8:20-10:62; 12:51-16:7; 16:28-46

No.	Claim	Term Allegedly Governed by 112(6)	Corresponding Structure
		<p>application associated with the object; and automatically invoking the executable application, in response to the identifying of the embed text format, in order to enable an end-user to directly interact with the object while the object is being displayed within a display area created at the first location within the portion of the hypermedia document being displayed in the browser-controlled window, wherein the executable application is part of a distributed application, and wherein at least a portion of the distributed application is for execution on the network server.</p>	