


Exhibit M


Claim Chart For Perot Systems, Inc. Showing Infringement Of The '906 Patent By www.perotsystems.com*

Claim	Claim Language	Evidence from www.perotsystems.com
1pre	A method for	Users of Perot Systems' website http://www.perotsystems.com , the website itself, and/or the servers
	running an	hosting that website (and/or any combination thereof), operate in a hypermedia network environment
	application program	that includes client workstations executing browsers and comprises a method for running an application
	in a computer	program in a computer network environment, comprising the following elements. In addition, Perot
	network	Systems provides the infrastructure (e.g. servers, Perot Systems' website, etc.), in addition to
	environment,	instructions to users, and causes them to use Perot Systems' website in an infringing manner in its
	comprising:	default and expected use.














Claim	Claim Language	Evidence from www.perotsystems.com
	one network serve	in the distributed hypermedia network. Perot Systems' servers format the communications so that the
	coupled to sa	d client workstation receives, from the network server over the network environment, at least one file
	network	containing information to enable a browser application to display at least a portion of a distributed
	environment,	hypermedia document within a browser-controlled window. In addition, Perot Systems provides the
	wherein sa	d infrastructure (e.g. servers, Perot Systems' website, etc.), in addition to instructions to users, and
	network	causes them to use Perot Systems' website in an infringing manner in its default and expected use.
	environment is	a e
	distributed	
	hypermedia	
	environment;	









































Claim	Claim Language	Evidence from www.perotsystems.com
1b	executing, at said	Users of Perot Systems' website, the website itself and/or the servers hosting that website (and/or the
	client workstation,	combination thereof), operate in a hypermedia network environment that includes client workstations
	a browser	executing browsers. Perot Systems' servers transmit a series of communications to client workstations
	application, that	in the distributed hypermedia network. Perot Systems' servers format the communications so that the
	parses a first	browser parses a first distributed hypermedia document to identify text formats included in said
	distributed	distributed hypermedia document and for responding to predetermined text formats to initiate
	hypermedia	processing specified by said text formats. In addition, Perot Systems provides the infrastructure (e.g.
	document to	servers, Perot Systems' website, etc.), in addition to instructions to users, and causes them to use
	identify text	Perot Systems' website in an infringing manner in its default and expected use.
	formats included in	
	said distributed	
	hypermedia	
	document and for	
	responding to	
	predetermined text	
	formats to initiate	
	processing specified	
	by said text	
	formats;	




Claim	Claim Language	Evidence from www.perotsystems.com
		<html></html>
		<pre><head><meta content="text/html; charset=utf-8" http-equiv="Content-Type"/></head></pre>
		<title></th></tr><tr><th></th><th></th><th>Oakwood Physician Practices Division Leads EHR Adoption - Perot Systems</th></tr><tr><th></th><th></th><th></title>
		<pre>d="cti00_cti00_linkStyle3" href="/Design/print.css" rel="Stylesheet" type="text/css"</pre>
		media="print" />
		<pre><script src="/Design/menu.js" type="text/javascript"></script></pre>
		<pre><script src="/Design/script_printview.js" type="text/javascript"></script></pre>
		Source: Lines 4-11 , HTML page source,
		http://www.perotsystems.com/MediaRoom/Videos/default



Claim	Claim Language	Evidence from www.perotsystems.com
	on said client	executing browsers. Perot Systems' servers transmit a series of communications to client workstations
	workstation, at	in the distributed hypermedia network. Perot Systems' servers format the communications so that the
	least a portion of a	browser displays, on said client workstation, at least a portion of a first hypermedia document received
	first hypermedia	over said network from said server, wherein the portion of said first hypermedia document is displayed
	document received	within a first browser-controlled window on said client workstation. In addition, Perot Systems provides
	over said network	the infrastructure (e.g. servers, Perot Systems' website, etc.), in addition to instructions to users, and
	from said server,	causes them to use Perot Systems' website in an infringing manner in its default and expected use.
	wherein the portion	
	of said first	
	hypermedia	
	document is	
	displayed within a	
	first browser-	
	controlled window	
	on said client	
	workstation,	







Claim	Claim Language	Evidence from www.perotsystems.com
1d	wherein said first	Users of Perot Systems' website, the website itself and/or the servers hosting that website (and/or the
	distributed	combination thereof), operate in a hypermedia network environment that includes client workstations
	hypermedia	executing browsers. Perot Systems' servers transmit a series of communications to client workstations
	document includes	in the distributed hypermedia network. Perot Systems' servers format the communications so that said
	an embed text	first distributed hypermedia document includes an embed text format, located at a first location in said
	format, located at a	first distributed hypermedia document, that specifies the location of at least a portion of an object
	first location in said	external to the first distributed hypermedia document. In addition, Perot Systems provides the
	first distributed	infrastructure (e.g. servers, Perot Systems' website, etc.), in addition to instructions to users, and
	hypermedia	causes them to use Perot Systems' website in an infringing manner in its default and expected use.
	document, that	
	specifies the	<pre><div class="noprint" id="homeFlashContainer"><script <="" language="javascript" pre=""></th></tr><tr><th></th><th>location of at least</th><th>src='/CAF.Web/Resources/ufo.js'></script><script language="javascript"></th></tr><tr><th></th><th>a portion of an</th><th>function loadFlash()</th></tr><tr><th></th><th>object external to</th><th></th></tr><tr><th></th><th>the first distributed</th><th>var FO = { movie: "http://www.perotsystems.com/default/HomeFlash101209b.swf",</th></tr><tr><th></th><th>hypermedia</th><th>width: "954", height: "260", majorversion: "8", build: "0", allowscriptaccess: "samedomain",</th></tr><tr><th></th><th>document,</th><th>menu: "false", swliveconnect: "false", quality: "best", wmode: "transparent" };</th></tr><tr><th></th><th></th><th>UFO.create(FO, "flashcontent");</th></tr><tr><th></th><th></th><th> }</th></tr><tr><th></th><th></th><th>loadFlash(); </script><div id="flashcontent"></div></div></pre>
		Source: Lines 231-237, HTML page source, http://www.perotsystems.com


Claim	Claim Language	Evidence from www.perotsystems.com
		el.innerHTML = ' <embed "pluginspage="http://www.macromedia.com/go/getflashplayer" '="" +="" embhtml="" height="' + FO.height + " src="' + FO.movie + '" type="application/x-shockwave-flash" width="' + FO.width + '"/>
		'
		Source: Line 177, javascript file ufo.js, obtained on saving webpage at URL http://www.perotsystems.com


Claim Language	Evidence from www.perotsystems.com
	<div class="noprint" id="homeFlashContainer"><script <="" language="javascript" td=""></tr><tr><td></td><td>src="perot_files/ufo.js"></script><script language="javascript"></td></tr><tr><td></td><td>function loadFlash()</td></tr><tr><td></td><td>\ \</td></tr><tr><td></td><td>var FO = { movie: "http://www.perotsystems.com/default/HomeFlash101209b.swf",</td></tr><tr><td></td><td>width: "954", height: "260", majorversion: "8", build: "0", allowscriptaccess: "samedomain",</td></tr><tr><td></td><td>menu: "false", swliveconnect: "false", quality: "best", wmode: "transparent" };</td></tr><tr><td></td><td>UFO.create(FO, "flashcontent");</td></tr><tr><td></td><td>}</td></tr><tr><td></td><td> loadFlash(); </script><div id="flashcontent" style="visibility: visible;"><embed< td=""></embed<></div></div>
	type="application/x-shockwave-flash" src="perot_files/HomeFlash101209b.swf"
	pluginspage="http://www.macromedia.com/go/getflashplayer" swliveconnect="false"
	menu="false" quality="best" wmode="transparent" allowscriptaccess="samedomain"
	width="954" height="260">





Claim	Claim Language	Evidence from www.perotsystems.com
		<object< td=""></object<>
		classid="clsid:d27cdb6e-ae6d-11cf-96b8-444553540000"
		codebase="http://download.macromedia.com/pub/shockwave/cabs/flash/swflash.cab#versi
		on=9,0,0,0"
		width="600" height="370" id="PerotSystemsPlayer" align="middle">
		value="video=/view/PerotSystems/MediaRoom/Videos/Oakwood.f4v" />
		<pre><param name="movie" value="/Design/Video/VideoPlayer.swf"/></pre>
		<embed <="" src="/Design/Video/VideoPlayer.swf" td=""/>
		flashvars="video=/view/PerotSystems/MediaRoom/Videos/Oakwood.f4v"
		quality="high" bgcolor="#ffffff" width="600" height="370" name="PerotSystemsPlayer"
		align="middle" allowscriptaccess="sameDomain" allowfullscreen="true"
		type="application/x-shockwave-flash"
		pluginspage="http://www.macromedia.com/go/getflashplayer" />
		Source: Lines 280-294, HTML page source,
		http://www.perotsystems.com/MediaRoom/Videos/default







Claim	Claim Language	Evidence from www.perotsystems.com
	associated with it	in the distributed hypermedia network. Perot Systems' servers format the communications so that said
	utilized by said	object has type information associated with it utilized by said browser to identify and locate an
	browser to identify	executable application external to the first distributed hypermedia document. In addition, Perot
	and locate an	Systems provides the infrastructure (e.g. servers, Perot Systems' website, etc.), in addition to
	executable	instructions to users, and causes them to use Perot Systems' website in an infringing manner in its
	application external	default and expected use.
	to the first	
	distributed	
	hypermedia	<div class="noprint" id="homeFlashContainer"><script <="" language="javascript" th=""></tr><tr><th></th><th>document,</th><th>src='/CAF.Web/Resources/ufo.js'></script><script language="javascript"></th></tr><tr><th></th><td></td><td>function loadFlash()</td></tr><tr><th></th><th></th><th>\ \</th></tr><tr><th></th><th></th><th>var FO = { movie: "http://www.perotsystems.com/default/HomeFlash101209b.swf",</th></tr><tr><th></th><th></th><th>width: "954", height: "260", majorversion: "8", build: "0", allowscriptaccess: "samedomain",</th></tr><tr><th></th><th></th><th>menu: "false", swliveconnect: "false", quality: "best", wmode: "transparent" };</th></tr><tr><th></th><th></th><th>UFO.create(FO, "flashcontent");</th></tr><tr><th></th><th></th><th> }</th></tr><tr><th></th><td></td><td>loadFlash(); </script><div id="flashcontent"></div></div>
		Source: Lines 221 227 HTML page source http://www.peretsystems.com
		Source: Lines 231-237, HTML page source, http://www.perotsystems.com

Claim	Claim Language	Evidence from www.perotsystems.com
		el.innerHTML = ' <embed "pluginspage="http://www.macromedia.com/go/getflashplayer" '="" +="" embhtml="" height="' + FO.height + " src="' + FO.movie + '" type="application/x-shockwave-flash" width="' + FO.width + '"/>
		'
		Source: Line 177, javascript file ufo.js, obtained on saving webpage at URL http://www.perotsystems.com

Claim Language	Evidence from www.perotsystems.com
	<div class="noprint" id="homeFlashContainer"><script <="" language="javascript" td=""></tr><tr><td></td><td>src="perot_files/ufo.js"></script><script language="javascript"></td></tr><tr><td></td><td>function loadFlash()</td></tr><tr><td></td><td>\ \</td></tr><tr><td></td><td>var FO = { movie: "http://www.perotsystems.com/default/HomeFlash101209b.swf",</td></tr><tr><td></td><td>width: "954", height: "260", majorversion: "8", build: "0", allowscriptaccess: "samedomain",</td></tr><tr><td></td><td>menu: "false", swliveconnect: "false", quality: "best", wmode: "transparent" };</td></tr><tr><td></td><td>UFO.create(FO, "flashcontent");</td></tr><tr><td></td><td>}</td></tr><tr><td></td><td> loadFlash(); </script><div id="flashcontent" style="visibility: visible;"><embed< td=""></embed<></div></div>
	type="application/x-shockwave-flash" src="perot_files/HomeFlash101209b.swf"
	pluginspage="http://www.macromedia.com/go/getflashplayer" swliveconnect="false"
	menu="false" quality="best" wmode="transparent" allowscriptaccess="samedomain"
	width="954" height="260">




Claim Language	Evidence from www.perotsystems.com
	<object< td=""></object<>
	classid="clsid:d27cdb6e-ae6d-11cf-96b8-444553540000"
	codebase="http://download.macromedia.com/pub/shockwave/cabs/flash/swflash.cab#versi
	on=9,0,0,0"
	width="600" height="370" id="PerotSystemsPlayer" align="middle">
	<pre><param name="allowScriptAccess" value="sameDomain"/></pre>
	<pre><param name="allowFullScreen" value="true"/></pre>
	<pre><param <="" name="FlashVars" pre=""/></pre>
	value="video=/view/PerotSystems/MediaRoom/Videos/Oakwood.f4v" />
	<pre><param name="movie" value="/Design/Video/VideoPlayer.swf"/></pre>
	<pre><param name="quality" value="high"/></pre>
	<pre><param name="bgcolor" value="#ffffff"/></pre>
	<pre><param name="wmode" value="transparent"/></pre>
	<embed <="" src="/Design/Video/VideoPlayer.swf" td=""/>
	flashvars="video=/view/PerotSystems/MediaRoom/Videos/Oakwood.f4v"
	quality="high" bgcolor="#ffffff" width="600" height="370" name="PerotSystemsPlayer"
	align="middle" allowscriptaccess="sameDomain" allowfullscreen="true"
	type="application/x-shockwave-flash"
	pluginspage="http://www.macromedia.com/go/getflashplayer" />
	Source: Lines 280-294, HTML page source,
	http://www.perotsystems.com/MediaRoom/Videos/default
	Claim Language




Claim	Claim Language	Evidence from www.perotsystems.com
	is parsed by said	executing browsers. Perot Systems' servers transmit a series of communications to client workstations
	browser to	in the distributed hypermedia network. Perot Systems' servers format the communications so that
	automatically	when said embed text format is parsed by said browser it automatically invokes said executable
	invoke said	application to execute on said client workstation in order to display said object. In addition, Perot
	executable	Systems provides the infrastructure (e.g. servers, Perot Systems' website, etc.), in addition to
	application to	instructions to users, and causes them to use Perot Systems' website in an infringing manner in its
	execute on said	default and expected use.
	client workstation	
	in order to display	
	said object	


Claim	Claim Language	Evidence from www.perotsystems.com
		<div class="noprint" id="homeFlashContainer"><script <="" language="javascript" td=""></tr><tr><td></td><td></td><td>src="perot_files/ufo.js"></script><script language="javascript"></td></tr><tr><td></td><td></td><td>function loadFlash()</td></tr><tr><td></td><td></td><td>{</td></tr><tr><td></td><td></td><td>var FO = { movie: "http://www.perotsystems.com/default/HomeFlash101209b.swf",</td></tr><tr><td></td><td></td><td>width: "954", height: "260", majorversion: "8", build: "0", allowscriptaccess: "samedomain",</td></tr><tr><td></td><td></td><td>menu: "false", swliveconnect: "false", quality: "best", wmode: "transparent" };</td></tr><tr><td></td><td></td><td>UFO.create(FO, "flashcontent");</td></tr><tr><td></td><td></td><td>}</td></tr><tr><td></td><td></td><td>loadFlash(); </script><div id="flashcontent" style="visibility: visible;"><embed< td=""></embed<></div></div>
		type="application/x-shockwave-flash" src="perot_files/HomeFlash101209b.swf"
		pluginspage="http://www.macromedia.com/go/getflashplayer" swliveconnect="false"
		menu="false" quality="best" wmode="transparent" allowscriptaccess="samedomain"
		width="954" height="260">




Claim	Claim Language	Evidence from www.perotsystems.com
		<pre></pre>
		classid="clsid:d27cdb6e-ae6d-11cf-96b8-444553540000"
		codebase="http://download.macromedia.com/pub/shockwave/cabs/flash/swflash.cab#versi
		on=9,0,0,0"
		width="600" height="370" id="PerotSystemsPlayer" align="middle">
		value="video=/view/PerotSystems/MediaRoom/Videos/Oakwood.f4v" />
		<pre><param name="movie" value="/Design/Video/VideoPlayer.swf"/></pre>
		<embed <="" src="/Design/Video/VideoPlayer.swf" td=""/>
		flashvars="video=/view/PerotSystems/MediaRoom/Videos/Oakwood.f4v"
		quality="high" bgcolor="#ffffff" width="600" height="370" name="PerotSystemsPlayer"
		align="middle" allowscriptaccess="sameDomain" allowfullscreen="true"
		type="application/x-shockwave-flash"
		pluginspage="http://www.macromedia.com/go/getflashplayer" />
		Source: Lines 280-294, HTML page source,
		http://www.perotsystems.com/MediaRoom/Videos/default





Claim	Claim Language	Evidence from www.perotsystems.com
	object within a	in the distributed hypermedia network. Perot Systems' servers format the communications so that an
	display area	end-user is enabled to directly interact with said object within a display area created at said first
	created at said first	location within the portion of said first distributed hypermedia document being displayed in said first
	location within the	browser-controlled window. In addition, Perot Systems provides the infrastructure (e.g. servers, Perot
	portion of said first	Systems' website, etc.), in addition to instructions to users, and causes them to use Perot Systems'
	distributed	website in an infringing manner in its default and expected use.
	hypermedia	
	document being	
	displayed in said	
	first browser-	
	controlled window.	






Claim	Claim Language	Evidence from www.perotsystems.com
		<object< td=""></object<>
		classid="clsid:d27cdb6e-ae6d-11cf-96b8-444553540000"
		codebase="http://download.macromedia.com/pub/shockwave/cabs/flash/swflash.cab#versi
		on=9,0,0,0"
		width="600" height="370" id="PerotSystemsPlayer" align="middle">
		value="video=/view/PerotSystems/MediaRoom/Videos/Oakwood.f4v" />
		<pre><param name="movie" value="/Design/Video/VideoPlayer.swf"/></pre>
		<embed <="" src="/Design/Video/VideoPlayer.swf" td=""/>
		flashvars="video=/view/PerotSystems/MediaRoom/Videos/Oakwood.f4v"
		quality="high" bgcolor="#ffffff" width="600" height="370" name="PerotSystemsPlayer"
		align="middle" allowscriptaccess="sameDomain" allowfullscreen="true"
		type="application/x-shockwave-flash"
		pluginspage="http://www.macromedia.com/go/getflashplayer" />
		Source: Lines 280-294, HTML page source,
		http://www.perotsystems.com/MediaRoom/Videos/default







Claim	Claim Language	Evidence from www.perotsystems.com
		<object< td=""></object<>
		classid="clsid:d27cdb6e-ae6d-11cf-96b8-444553540000"
		codebase="http://download.macromedia.com/pub/shockwave/cabs/flash/swflash.cab#versi
		on=9,0,0,0"
		width="600" height="370" id="PerotSystemsPlayer" align="middle">
		<pre><param name="allowScriptAccess" value="sameDomain"/></pre>
		<pre><param name="allowFullScreen" value="true"/></pre>
		<pre><param <="" name="FlashVars" pre=""/></pre>
		value="video=/view/PerotSystems/MediaRoom/Videos/Oakwood.f4v" />
		<pre><param name="movie" value="/Design/Video/VideoPlayer.swf"/></pre>
		<embed <="" src="/Design/Video/VideoPlayer.swf" td=""/>
		flashvars="video=/view/PerotSystems/MediaRoom/Videos/Oakwood.f4v"
		quality="high" bgcolor="#ffffff" width="600" height="370" name="PerotSystemsPlayer"
		align="middle" allowscriptaccess="sameDomain" allowfullscreen="true"
		type="application/x-shockwave-flash"
		pluginspage="http://www.macromedia.com/go/getflashplayer" />
		Source: Lines 231-237, Perotsystems.htm, HTML Source code of
		http://www.perotsystems.com/MediaRoom/Videos/default


Claim	Claim Language	Evidence from www.perotsystems.com
2pre	The method of	Users of Perot Systems' website, the website itself and/or the servers hosting that website (and/or the
	claim 1, wherein	combination thereof), operate in a hypermedia network environment that includes client workstations
	said executable	executing browsers which further comprises the method of claim 1, said executable application is a
	application is a	controllable application and further comprises the following steps. In addition, Perot Systems provides
	controllable	the infrastructure (e.g. servers, Perot Systems' website, etc.), in addition to instructions to users, and
	application and	causes them to use Perot Systems' website in an infringing manner in its default and expected use.
	further comprising	
	the step of:	










Claim	Claim Language	Evidence from www.perotsystems.com
2a	interactively	Users of Perot Systems' website, the website itself and/or the servers hosting that website (and/or the
	controlling said	combination thereof), operate in a hypermedia network environment that includes client workstations
	controllable	executing browsers. Perot Systems' servers transmit a series of communications to client workstations
	application on said	in the distributed hypermedia network. Perot Systems' servers format the communications so that
	client workstation	there is interactive control of said controllable application on said client workstation via inter-process
	via inter-process	communications between said browser and said controllable application. In addition, Perot Systems
	communications	provides the infrastructure (e.g. servers, Perot Systems' website, etc.), in addition to instructions to
	between said	users, and causes them to use Perot Systems' website in an infringing manner in its default and
	browser and said	expected use.
	controllable	
	application.	














Claim	Claim Language	Evidence from www.perotsystems.com
		Application Suite, Mozilla Firefox, Safari, Opera, Konqueror, Google Chrome, and some older versions
		of Microsoft Internet Explorer."
		Source: http://en.wikipedia.org/wiki/NPAPI
		"To interact with the browser, plugins use a plugin API, such as the NPAPI [9], supported by the browser."
		Source: http://w2spconf.com/2009/papers/s1p1.pdf
		"The ExternalInterface class is the External API, an application programming interface that enables straightforward communication between ActionScript and the Flash Player container; for example, an HTML page with JavaScript, or a desktop application with Flash Player embedded.
		From JavaScript on the HTML page, you can call an ActionScript function in Flash Player. The
		ActionScript function can return a value, and JavaScript receives it immediately as the return value of
		the call.
		ExternalInterface is supported in the following combinations of browser and operating system: "

Claim	Claim Language		Evidence	e from www	w.perotsyste	ems.com		
		An example of communication between	The state of the s	h Player - Mozilla Fire	fox 🔳 🔯			
		C X & M hete	o://kb2.adobe.com/cps/156/tn_15683.h	itml	☆ · C · ap			
		ExternalInterface is supported in the	e following combinations of brows	er and operating system	n;			
		Browser	Operating System					
		Internet Explorer 5.0 and later	Windows					
		Netscape 8.0 and later	Windows	Macintosh				
		Mozilla 1.7.5 and later	Windows	Macintosh				
		Firefox 1.0 and later	Windows	Macintosh				
		Safari 1.3 and later		Macintosh				
3	The method of	/plugins/npruntime.html. Note: For a complete matrix of which by list of supported Flash features, specific targeting versions of Flash prior to Flash ExternalInterface such as faceauant. Transferring data from community.adobe.com Source: http://kb2.ado	c to each browser" (Techflote 14 h 8, you will need to use an after sat.	159). For SWF files netive to	html	orvore bostin	ng that website (and/or	tho
3	claim 2, wherein						includes client workstati	
	the communications	-					ein the communications	
	to interactively	9		•			d between the controlla	
	control said			• •		· ·	am has been launched.	
	controllable	• •					Systems' website, etc.)	
	application continue	J	•				s' website in an infrinc	

Claim Language	Evidence from www.perotsystems.com		
to be exchanged	manner in its default and expected use.		
between the			
controllable	See the evidence and information cited for the claim elements 1g and 2a supra which is expressly		
application and the	incorporated herein.		
browser even after			
the controllable			
application program			
has been launched.			
A method for	Users of Perot Systems' website, the website itself and/or the servers hosting that website (and/or the		
running an	combination thereof), operate in a hypermedia network environment that includes client workstations		
application program	executing browsers and comprises a method for running an application program in a computer network		
in a computer	environment, comprising the following steps. In addition, Perot Systems provides the infrastructure		
network	(e.g. servers, Perot Systems' website, etc.), in addition to instructions to users, and causes them to		
environment,	use Perot Systems' website in an infringing manner in its default and expected use.		
comprising:			
	See the evidence and information cited for the claim element 1pre supra which is expressly		
	incorporated herein.		
providing at least	Users of Perot Systems' website, the website itself and/or the servers hosting that website (and/or the		
one client	combination thereof), operate in a hypermedia network environment that includes at least one client		
workstation and	workstation and one network server coupled to said network environment, wherein said network		
	to be exchanged between the controllable application and the browser even after the controllable application program has been launched. A method for running an application program in a computer network environment, comprising:		

Claim	Claim Language	Evidence from www.perotsystems.com
	one network server	environment is a distributed hypermedia environment. In addition, Perot Systems provides the
	coupled to said	infrastructure (e.g. servers, Perot Systems' website, etc.), in addition to instructions to users, and
	network	causes them to use Perot Systems' website in an infringing manner in its default and expected use.
	environment,	
	wherein said	See the evidence and information cited for the claim element 1a supra which is expressly incorporated
	network	herein.
	environment is a	
	distributed	
	hypermedia	
	environment;	
4b	executing, at said	Users of Perot Systems' website, the website itself and/or the servers hosting that website (and/or the
	client workstation,	combination thereof), operate in a hypermedia network environment that includes client workstations
	a browser	executing browsers. Perot Systems' servers transmit a series of communications to client workstations
	application, that	in the distributed hypermedia network. Perot Systems' servers format the communications so that the
	parses a first	client workstation executes a browser application to parse a first distributed hypermedia document to
	distributed	identify text formats included in said distributed hypermedia document for responding to
	hypermedia	predetermined text formats to initiate processing specified by said text formats. In addition, Perot
	document to	Systems provides the infrastructure (e.g. servers, Perot Systems' website, etc.), in addition to
	identify text	instructions to users, and causes them to use Perot Systems' website in an infringing manner in its
	formats included in	default and expected use.
	said distributed	

Claim	Claim Language	Evidence from www.perotsystems.com			
	hypermedia	See the evidence and information cited for the claim element 1b supra which is expressly incorporated			
	document and for	herein.			
	responding to				
	predetermined text				
	formats to initiate				
	processing specified				
	by said text				
	formats;				
4c	utilizing said	Users of Perot Systems' website, the website itself and/or the servers hosting that website (and/or the			
	browser to display,	combination thereof), operate in a hypermedia network environment that includes client workstations			
	on said client	executing browsers. Perot Systems' servers transmit a series of communications to client workstations			
	workstation, at	in the distributed hypermedia network. Perot Systems' servers format the communications so that the			
	least a portion of a	client workstation executes a browser application to display, on said client workstation, at least a			
	first hypermedia	portion of a first hypermedia document received over said network from said server, wherein the			
	document received	portion of said first hypermedia document is displayed within a first browser-controlled window on said			
	over said network	client workstation. In addition, Perot Systems provides the infrastructure (e.g. servers, Perot Systems'			
	from said server,	website, etc.), in addition to instructions to users, and causes them to use Perot Systems' website in an			
	wherein the portion	infringing manner in its default and expected use.			
	of said first				

Claim	Claim Language	Evidence from www.perotsystems.com
	hypermedia	See the evidence and information cited for the claim element 1c supra which is expressly incorporated
	document is	herein.
	displayed within a	
	first browser-	
	controlled window	
	on said client	
	workstation,	
4d	wherein said first	Users of Perot Systems' website, the website itself and/or the servers hosting that website (and/or the
	distributed	combination thereof), operate in a hypermedia network environment that includes client workstations
	hypermedia	executing browsers. Perot Systems' servers transmit a series of communications to client workstations
	document includes	in the distributed hypermedia network. Perot Systems' servers format the communications so that said
	an embed text	first distributed hypermedia document includes an embed text format, located at a first location in said
	format, located at a	first distributed hypermedia document, that specifies the location of at least a portion of an object
	first location in said	external to the first distributed hypermedia document. In addition, Perot Systems provides the
	first distributed	infrastructure (e.g. servers, Perot Systems' website, etc.), in addition to instructions to users, and
	hypermedia	causes them to use Perot Systems' website in an infringing manner in its default and expected use.
	document, that	
	specifies the	See the evidence and information cited for the claim element 1d supra which is expressly incorporated
	location of at least	herein.
	a portion of an	
	object external to	
	the first distributed	

Claim	Claim Language	Evidence from www.perotsystems.com
	hypermedia	
	document,	
4e	wherein said object	Users of Perot Systems' website, the website itself and/or the servers hosting that website (and/or the
	has type	combination thereof), operate in a hypermedia network environment that includes client workstations
	information	executing browsers. Perot Systems' servers transmit a series of communications to client workstations
	associated with it	in the distributed hypermedia network. Perot Systems' servers format the communications so that said
	utilized by said	object has type information associated with it utilized by said browser to identify and locate an
	browser to identify	executable application external to the first distributed hypermedia document. In addition, Perot
	and locate an	Systems provides the infrastructure (e.g. servers, Perot Systems' website, etc.), in addition to
	executable	instructions to users, and causes them to use Perot Systems' website in an infringing manner in its
	application external	default and expected use.
	to the first	
	distributed	See the evidence and information cited for the claim element 1e supra which is expressly incorporated
	hypermedia	herein.
	document,	
4f	and wherein said	Users of Perot Systems' website, the website itself and/or the servers hosting that website (and/or the
	embed text format	combination thereof), operate in a hypermedia network environment that includes client workstations
	L	1

Claim Language	Evidence from www.perotsystems.com
is parsed by said	executing browsers. Perot Systems' servers transmit a series of communications to client workstations
browser to	in the distributed hypermedia network. Perot Systems' servers format the communications so that
automatically	when said embed text format is parsed by said browser, said executable application is automatically
invoke said	invoked to execute on said client workstation in order to display said object. In addition, Perot Systems
executable	provides the infrastructure (e.g. servers, Perot Systems' website, etc.), in addition to instructions to
application to	users, and causes them to use Perot Systems' website in an infringing manner in its default and
execute on said	expected use.
client workstation	
in order to display	See the evidence and information cited for the claim element 1f supra which is expressly incorporated
said object	herein.
and enable	Users of Perot Systems' website, the website itself and/or the servers hosting that website (and/or the
interactive	combination thereof), operate in a hypermedia network environment that includes client workstations
processing of said	executing browsers. Perot Systems' servers transmit a series of communications to client workstations
object within a	in the distributed hypermedia network. Perot Systems' servers format the communications so that
display area	interactive processing of said object is enabled within a display area created at said first location within
created at said first	the portion of said first distributed hypermedia document being displayed in said first browser-
location within the	controlled window. In addition, Perot Systems provides the infrastructure (e.g. servers, Perot Systems'
portion of said first	website, etc.), in addition to instructions to users, and causes them to use Perot Systems' website in an
distributed	infringing manner in its default and expected use.
hypermedia	
	is parsed by said browser to automatically invoke said executable application to execute on said client workstation in order to display said object and enable interactive processing of said object within a display area created at said first location within the portion of said first distributed


Claim	Claim Language	Evidence from www.perotsystems.com
	document being	See the evidence and information cited for the claim element 1g supra which is expressly incorporated
	displayed in said	herein.
	first browser-	
	controlled window.	
4h	wherein said	Users of Perot Systems' website, the website itself and/or the servers hosting that website (and/or the
	executable	combination thereof), operate in a hypermedia network environment that includes client workstations
	application is a	executing browsers where said executable application is a controllable application and further
	controllable	comprises the following steps. In addition, Perot Systems provides the infrastructure (e.g. servers,
	application and	Perot Systems' website, etc.), in addition to instructions to users, and causes them to use Perot
	further comprising	Systems' website in an infringing manner in its default and expected use.
	the step of:	
		See the evidence and information cited for the claim element 2pre supra which is expressly
		incorporated herein.
4i	interactively	Users of Perot Systems' website, the website itself and/or the servers hosting that website (and/or the
	controlling said	combination thereof), operate in a hypermedia network environment that includes client workstations
	controllable	executing browsers. Perot Systems' servers transmit a series of communications to client workstations
	application on said	in the distributed hypermedia network. Perot Systems' servers format the communications so that
	client workstation	interactive controlling of said controllable application on said client workstation occurs via inter-process
	via inter-process	communications between said browser and said controllable application. In addition, Perot Systems


Claim	Claim Language	Evidence from www.perotsystems.com
	communications	provides the infrastructure (e.g. servers, Perot Systems' website, etc.), in addition to instructions to
	between said	users, and causes them to use Perot Systems' website in an infringing manner in its default and
	browser and said	expected use.
	controllable	
	application;	See the evidence and information cited for the claim element 2a supra which is expressly incorporated
		Herein.
4j	wherein the	Users of Perot Systems' website, the website itself and/or the servers hosting that website (and/or the
	communications to	combination thereof), operate in a hypermedia network environment that includes client workstations
	interactively control	executing browsers. Perot Systems' servers transmit a series of communications to client workstations
	said controllable	in the distributed hypermedia network. Perot Systems' servers format the communications so that
	application continue	communications to interactively control said controllable application continue to be exchanged between
	to be exchanged	the controllable application and the browser even after the controllable application program has been
	between the	launched. In addition, Perot Systems provides the infrastructure (e.g. servers, Perot Systems' website,
	controllable	etc.), in addition to instructions to users, and causes them to use Perot Systems' website in an
	application and the	infringing manner in its default and expected use.
	browser even after	
	the controllable	See the evidence and information cited for the claim elements 1g and 2a supra which are expressly
	application program	incorporated herein.
	has been launched;	
	and	

Claim	Claim Language	Evidence from www.perotsystems.com
4k	wherein additional	Users of Perot Systems' website, the website itself and/or the servers hosting that website (and/or the
	instructions for	combination thereof), operate in a hypermedia network environment that includes client workstations
	controlling said	executing browsers. Perot Systems' servers transmit a series of communications to client workstations
	controllable	in the distributed hypermedia network. Perot Systems' servers format the communications so that the
	application reside	additional instructions for controlling said controllable application reside on said network server,
	on said network	wherein said step of interactively controlling said controllable application includes the following sub-
	server, wherein	steps identified below. In addition, Perot Systems provides the infrastructure (e.g. servers, Perot
	said step of	Systems' website, etc.), in addition to instructions to users, and causes them to use Perot Systems'
	interactively	website in an infringing manner in its default and expected use.
	controlling said	
	controllable	
	application includes	
	the following	
	substeps:	
		"ActionScript is the programming language for the Adobe® Flash® Player and Adobe® AIR™ run-time
		environments. It enables interactivity, data handling, and much more in Flash, Flex, and AIR content
		and applications."
		Source:
		http://help.adobe.com/en_US/ActionScript/3.0_ProgrammingAS3/WS5b3ccc516d4fbf351e63e3d118a9
		<u>b90204-7ff4.html</u>
		"This chapter explains how to enable your SWF file to communicate with external files and other Adobe


Claim	Claim Language	Evidence from www.perotsystems.com
		Flash Player and Adobe AIR instances. It also explains how to load data from external sources, send
		messages between a Java server and Flash Player, and perform file uploads and downloads using the
		FileReference and FileReferenceList classes."
		Source: http://help.adobe.com/en_US/ActionScript/3.0_ProgrammingAS3/flash_as3_programming.pdf
		Source:
		http://livedocs.adobe.com/fms/2/docs/wwhelp/wwhimpl/js/html/wwhelp.htm?href=00000107.html
		Source: http://www.adobe.com/devnet/flash/learning_quide/video/part02.html
		Jource. http://www.adobe.com/devnet/hash/learning_galac/viaco/partoz.html










Claim	Claim Language	Evidence from www.perotsystems.com
41	issuing, from the	Users of Perot Systems' website, the website itself and/or the servers hosting that website (and/or the
	client workstation,	combination thereof), operate in a hypermedia network environment that includes client workstations
	one or more	executing browsers. Perot Systems' servers transmit a series of communications to client workstations
	commands to the	in the distributed hypermedia network. Perot Systems' servers format the communications so that the
	network server;	client workstation is caused to issue one or more commands to the network server. In addition, Perot
		Systems provides the infrastructure (e.g. servers, Perot Systems' website, etc.), in addition to
		instructions to users, and causes them to use Perot Systems' website in an infringing manner in its
		default and expected use.







Claim	Claim Langu	age	Evidence from www.perotsystems.com
	instructions	in	in the distributed hypermedia network. Perot Systems' servers format the communications so that the
	response to	said	network server executes one or more instructions in response to said commands. In addition, Perot
	commands;		Systems provides the infrastructure (e.g. servers, Perot Systems' website, etc.), in addition to
			instructions to users, and causes them to use Perot Systems' website in an infringing manner in its
			default and expected use.
			"ActionScript is the programming language for the Adobe® Flash® Player and Adobe® AIR™ run-time
			environments. It enables interactivity, data handling, and much more in Flash, Flex, and AIR content
			and applications."
			Source:
			http://help.adobe.com/en_US/ActionScript/3.0_ProgrammingAS3/WS5b3ccc516d4fbf351e63e3d118a9
			<u>b90204-7ff4.html</u>
			"This chapter explains how to enable your SWF file to communicate with external files and other Adobe
			Flash Player and Adobe AIR instances. It also explains how to load data from external sources, send
			messages between a Java server and Flash Player, and perform file uploads and downloads using the
			FileReference and FileReferenceList classes."
			Source: http://help.adobe.com/en_US/ActionScript/3.0_ProgrammingAS3/flash_as3_programming.pdf







Claim	Claim Language	Evidence from www.perotsystems.com
	executed	instructions. In addition, Perot Systems provides the infrastructure (e.g. servers, Perot Systems'
	instructions;	website, etc.), in addition to instructions to users, and causes them to use Perot Systems' website in an
		infringing manner in its default and expected use.
		"ActionScript is the programming language for the Adobe® Flash® Player and Adobe® AIR™ run-time environments. It enables interactivity, data handling, and much more in Flash, Flex, and AIR content and applications."
		Source:
		http://help.adobe.com/en_US/ActionScript/3.0_ProgrammingAS3/WS5b3ccc516d4fbf351e63e3d118a9 b90204-7ff4.html
		"This chapter explains how to enable your SWF file to communicate with external files and other Adobe Flash Player and Adobe AIR instances. It also explains how to load data from external sources, send messages between a Java server and Flash Player, and perform file uploads and downloads using the FileReference and FileReferenceList classes." **Source: http://help.adobe.com/en_US/ActionScript/3.0 ProgrammingAS3/flash_as3_programming.pdf**








Claim	Claim Language	Evidence from www.perotsystems.com
	control said	client workstation processes said information at the client workstation to interactively control said
	controllable	controllable application. In addition, Perot Systems provides the infrastructure (e.g. servers, Perot
	application.	Systems' website, etc.), in addition to instructions to users, and causes them to use Perot Systems'
		website in an infringing manner in its default and expected use.





Claim	Claim Language	Evidence from www.perotsystems.com
	environment,	use Perot Systems' website in an infringing manner in its default and expected use.
	comprising:	
		See the evidence and information cited for claim element 1pre supra which is expressly incorporated
		herein.
5a	providing at least	Users of Perot Systems' website, the website itself and/or the servers hosting that website (and/or the
	one client	combination thereof), operate in a hypermedia network environment that includes at least one client
	workstation and	workstation and one network server coupled to said network environment, wherein said network
	one network server	environment is a distributed hypermedia environment. In addition, Perot Systems provides the
	coupled to said	infrastructure (e.g. servers, Perot Systems' website, etc.), in addition to instructions to users, and
	network	causes them to use Perot Systems' website in an infringing manner in its default and expected use.
	environment,	
	wherein said	See the evidence and information cited for claim element 1a supra which is expressly incorporated
	network	herein.
	environment is a	
	distributed	
	hypermedia	
	environment;	
5b	executing, at said	Users of Perot Systems' website, the website itself and/or the servers hosting that website (and/or the
	client workstation,	combination thereof), operate in a hypermedia network environment that includes client workstations
	a browser	executing browsers. Perot Systems' servers transmit a series of communications to client workstations

Claim	Claim Language	Evidence from www.perotsystems.com
	application, that	in the distributed hypermedia network. Perot Systems' servers format the communications so that the
	parses a first	browser parses a first distributed hypermedia document to identify text formats included in said
	distributed	distributed hypermedia document and for responding to predetermined text formats to initiate
	hypermedia	processing specified by said text formats. In addition, Perot Systems provides the infrastructure (e.g.
	document to	servers, Perot Systems' website, etc.), in addition to instructions to users, and causes them to use
	identify text	Perot Systems' website in an infringing manner in its default and expected use.
	formats included in	
	said distributed	See the evidence and information cited for claim element 1b supra which is expressly incorporated
	hypermedia	herein.
	document and for	
	responding to	
	predetermined text	
	formats to initiate	
	processing specified	
	by said text	
	formats;	
5c	utilizing said	Users of Perot Systems' website, the website itself and/or the servers hosting that website (and/or the
	browser to display,	combination thereof), operate in a hypermedia network environment that includes client workstations
	on said client	executing browsers. Perot Systems' servers transmit a series of communications to client workstations
	workstation, at	in the distributed hypermedia network. Perot Systems' servers format the communications so that the
	least a portion of a	browser displays, on said client workstation, at least a portion of a first hypermedia document received
	first hypermedia	over said network from said server, wherein the portion of said first hypermedia document is displayed

Claim	Claim Language	Evidence from www.perotsystems.com
	document received	within a first browser-controlled window on said client workstation. In addition, Perot Systems provides
	over said network	the infrastructure (e.g. servers, Perot Systems' website, etc.), in addition to instructions to users, and
	from said server,	causes them to use Perot Systems' website in an infringing manner in its default and expected use.
	wherein the portion	
	of said first	See the evidence and information cited for claim element 1c supra which is expressly incorporated
	hypermedia	herein.
	document is	
	displayed within a	
	first browser-	
	controlled window	
	on said client	
	workstation,	
5d	wherein said first	Users of Perot Systems' website, the website itself and/or the servers hosting that website (and/or the
	distributed	combination thereof), operate in a hypermedia network environment that includes client workstations
	hypermedia	executing browsers. Perot Systems' servers transmit a series of communications to client workstations
	document includes	in the distributed hypermedia network. Perot Systems' servers format the communications so that the
	an embed text	said first distributed hypermedia document includes an embed text format, located at a first location in
	format, located at a	said first distributed hypermedia document, that specifies the location of at least a portion of an object
	first location in said	external to the first distributed hypermedia document. In addition, Perot Systems provides the
	first distributed	infrastructure (e.g. servers, Perot Systems' website, etc.), in addition to instructions to users, and
	hypermedia	causes them to use Perot Systems' website in an infringing manner in its default and expected use.
	document, that	

Claim	Claim Language	Evidence from www.perotsystems.com
	specifies the	See the evidence and information cited for claim element 1d supra which is expressly incorporated
	location of at least	herein.
	a portion of an	
	object external to	
	the first distributed	
	hypermedia	
	document,	
5e	wherein said object	Users of Perot Systems' website, the website itself and/or the servers hosting that website (and/or the
	has type	combination thereof), operate in a hypermedia network environment that includes client workstations
	information	executing browsers. Perot Systems' servers transmit a series of communications to client workstations
	associated with it	in the distributed hypermedia network. Perot Systems' servers format the communications so that said
	utilized by said	object has type information associated with it utilized by said browser to identify and locate an
	browser to identify	executable application external to the first distributed hypermedia document. In addition, Perot
	and locate an	Systems provides the infrastructure (e.g. servers, Perot Systems' website, etc.), in addition to
	executable	instructions to users, and causes them to use Perot Systems' website in an infringing manner in its
	application external	default and expected use.
	to the first	
	distributed	See the evidence and information cited for claim element 1e supra which is expressly incorporated
	hypermedia	herein.
	document,	

Claim	Claim Language	Evidence from www.perotsystems.com
5f	and wherein said	Users of Perot Systems' website, the website itself and/or the servers hosting that website (and/or the
	embed text format	combination thereof), operate in a hypermedia network environment that includes client workstations
	is parsed by said	executing browsers. Perot Systems' servers transmit a series of communications to client workstations
	browser to	in the distributed hypermedia network. Perot Systems' servers format the communications so that
	automatically	when said embed text format is parsed by said browser, it automatically invokes said executable
	invoke said	application to execute on said client workstation in order to display said object. In addition, Perot
	executable	Systems provides the infrastructure (e.g. servers, Perot Systems' website, etc.), in addition to
	application to	instructions to users, and causes them to use Perot Systems' website in an infringing manner in its
	execute on said	default and expected use.
	client workstation	
	in order to display	See the evidence and information cited for claim element 1f supra which is expressly incorporated
	said object	herein.

Claim	Claim Language	Evidence from www.perotsystems.com
5g	and enable	Users of Perot Systems' website, the website itself and/or the servers hosting that website (and/or the
	interactive	combination thereof), operate in a hypermedia network environment that includes client workstations
	processing of said	executing browsers. Perot Systems' servers transmit a series of communications to client workstations
	object within a	in the distributed hypermedia network. Perot Systems' servers format the communications so that
	display area	interactive processing of said object is enabled within a display area created at said first location within
	created at said first	the portion of said first distributed hypermedia document being displayed in said first browser-
	location within the	controlled window. In addition, Perot Systems provides the infrastructure (e.g. servers, Perot Systems'
	portion of said first	website, etc.), in addition to instructions to users, and causes them to use Perot Systems' website in an
	distributed	infringing manner in its default and expected use.
	hypermedia	
	document being	See the evidence and information cited for claim element 1g supra which is expressly incorporated
	displayed in said	herein.
	first browser-	
	controlled window.	
5h	wherein said	Users of Perot Systems' website, the website itself and/or the servers hosting that website (and/or the
	executable	combination thereof), operate in a hypermedia network environment that includes client workstations
	application is a	executing browsers. Perot Systems' servers transmit a series of communications to client workstations
	controllable	in the distributed hypermedia network and format the communications so that said executable
	application and	application is a controllable application further comprising the following steps. In addition, Perot
	further comprising	Systems provides the infrastructure (e.g. servers, Perot Systems' website, etc.), in addition to
	the step of:	instructions to users, and causes them to use Perot Systems' website in an infringing manner in its
		default and expected use.
	1	

Claim	Claim Language	Evidence from www.perotsystems.com
		See the evidence and information cited for claim element 2pre supra which is expressly incorporated herein.
5i	interactively	Users of Perot Systems' website, the website itself and/or the servers hosting that website (and/or the
	controlling said	combination thereof), operate in a hypermedia network environment that includes client workstations
	controllable	executing browsers. Perot Systems' servers transmit a series of communications to client workstations
	application on said client workstation	in the distributed hypermedia network and format the communications so that interactive controlling of said controllable application on said client workstation occurs via inter-process communications
	via inter-process	between said browser and said controllable application. In addition, Perot Systems provides the
	communications	infrastructure (e.g. servers, Perot Systems' website, etc.), in addition to instructions to users, and
	between said	causes them to use Perot Systems' website in an infringing manner in its default and expected use.
	browser and said	
	controllable	See the evidence and information cited for claim element 2a supra which is expressly incorporated
	application;	herein.
5j	wherein the	Users of Perot Systems' website, the website itself and/or the servers hosting that website (and/or the
	communications to	combination thereof), operate in a hypermedia network environment that includes client workstations
	interactively control	executing browsers. Perot Systems' servers transmit a series of communications to client workstations
	said controllable	in the distributed hypermedia network and format the communications so that communications to


Claim	Claim Language	Evidence from www.perotsystems.com
	application continue	interactively control said controllable application continue to be exchanged between the controllable
	to be exchanged	application and the browser even after the controllable application program has been launched. In
	between the	addition, Perot Systems provides the infrastructure (e.g. servers, Perot Systems' website, etc.), in
	controllable	addition to instructions to users, and causes them to use Perot Systems' website in an infringing
	application and the	manner in its default and expected use.
	browser even after	
	the controllable	See the evidence and information cited for the claim elements 1g and 2a supra which is expressly
	application program	incorporated herein.
	has been launched;	
5k	wherein additional	Users of Perot Systems' website, the website itself and/or the servers hosting that website (and/or the
	instructions for	combination thereof), operate in a hypermedia network environment that includes client workstations
	controlling said	executing browsers. Perot Systems' servers transmit a series of communications to client workstations
	controllable	in the distributed hypermedia network. Perot Systems' servers format the communications so that the
	application reside	additional instructions for controlling said controllable application reside on said network server,
	on said network	wherein said step of interactively controlling said controllable application includes the following sub-
	server, wherein	steps identified below. In addition, Perot Systems provides the infrastructure (e.g. servers, Perot
	said step of	Systems' website, etc.), in addition to instructions to users, and causes them to use Perot Systems'
	interactively	website in an infringing manner in its default and expected use.
	controlling said	
	controllable	
	application includes	
	the following	See the evidence and information cited for the claim element 4k supra which is expressly incorporated


Claim	Claim Language	Evidence from www.perotsystems.com
	substeps:	herein.
51	issuing, from the	Users of Perot Systems' website, the website itself and/or the servers hosting that website (and/or the
	client workstation,	combination thereof), operate in a hypermedia network environment that includes client workstations
	one or more	executing browsers. Perot Systems' servers transmit a series of communications to client workstations
	commands to the	in the distributed hypermedia network. Perot Systems' servers format the communications so that the
	network server;	client workstation is caused to issue one or more commands to the network server. In addition, Perot
		Systems provides the infrastructure (e.g. servers, Perot Systems' website, etc.), in addition to
		instructions to users, and causes them to use Perot Systems' website in an infringing manner in its
		default and expected use.
		See the evidence and information cited for the claim element 4l supra which is expressly incorporated
		herein
5m	executing, on the	Users of Perot Systems' website, the website itself and/or the servers hosting that website (and/or the
	network server, one	combination thereof), operate in a hypermedia network environment that includes client workstations
	or more	executing browsers. Perot Systems' servers transmit a series of communications to client workstations
	instructions in	in the distributed hypermedia network. Perot Systems' servers format the communications so that the
	response to said	network server executes one or more instructions in response to said commands. In addition, Perot
	commands;	Systems provides the infrastructure (e.g. servers, Perot Systems' website, etc.), in addition to
		instructions to users, and causes them to use Perot Systems' website in an infringing manner in its
		default and expected use.
		deridant and expected dec.

Claim	Claim Language	Evidence from www.perotsystems.com
		See the evidence and information cited for the claim element 4m supra which is expressly incorporated herein.
5n	sending information from said network server to said client workstation in response to said executed instructions;	Users of Perot Systems' website, the website itself and/or the servers hosting that website (and/or the combination thereof), operate in a hypermedia network environment that includes client workstations executing browsers. Perot Systems' servers transmit a series of communications to client workstations in the distributed hypermedia network. Perot Systems' servers format the communications so that information is sent from said network server to said client workstation in response to said executed instructions. In addition, Perot Systems provides the infrastructure (e.g. servers, Perot Systems' website, etc.), in addition to instructions to users, and causes them to use Perot Systems' website in an infringing manner in its default and expected use. See the evidence and information cited for the claim element 4n supra which is expressly incorporated herein.
50	and processing said information at the client workstation to interactively control said controllable application; and	Users of Perot Systems' website, the website itself and/or the servers hosting that website (and/or the combination thereof), operate in a hypermedia network environment that includes client workstations executing browsers. Perot Systems' servers transmit a series of communications to client workstations in the distributed hypermedia network. Perot Systems' servers format the communications so that the client workstation processes said information at the client workstation to interactively control said controllable application. In addition, Perot Systems provides the infrastructure (e.g. servers, Perot Systems' website, etc.), in addition to instructions to users, and causes them to use Perot Systems' website in an infringing manner in its default and expected use.


Claim	Claim Lang	guage	Evidence from www.perotsystems.com
			See the evidence and information cited for the claim element 40 supra which is expressly incorporated herein.
5p	wherein additional instructions controlling controllable application on said workstation.	said for said reside client	Users of Perot Systems' website, the website itself and/or the servers hosting that website (and/or the combination thereof), operate in a hypermedia network environment that includes client workstations executing browsers. Perot Systems' servers transmit a series of communications to client workstations in the distributed hypermedia network. Perot Systems' servers format the communications so that the additional instructions for controlling said controllable application reside on said client workstation. In addition, Perot Systems provides the infrastructure (e.g. servers, Perot Systems' website, etc.), in addition to instructions to users, and causes them to use Perot Systems' website in an infringing manner in its default and expected use. "ActionScript is the programming language for the Adobe® Flash® Player and Adobe® AIR™ run-time environments. It enables interactivity, data handling, and much more in Flash, Flex, and AIR content and applications." **Source:* http://help.adobe.com/en_US/ActionScript/3.0_ProgrammingAS3/WS5b3ccc516d4fbf351e63e3d118a9_b90204-7ff4.html* "This chapter explains how to enable your SWF file to communicate with external files and other Adobe Flash Player and Adobe AIR instances. It also explains how to lead data from external sources.
			Flash Player and Adobe AIR instances. It also explains how to load data from external sources, send

Claim	Claim Language	Evidence from www.perotsystems.com
		messages between a Java server and Flash Player, and perform file uploads and downloads using the
		FileReference and FileReferenceList classes."
		Source:
		http://help.adobe.com/en_US/ActionScript/3.0_ProgrammingAS3/WS5b3ccc516d4fbf351e63e3d118a9
		<u>b8f6c0-7ffe.html</u>
		Source:
		http://livedocs.adobe.com/fms/2/docs/wwhelp/wwhimpl/js/html/wwhelp.htm?href=00000107.html







Claim	Claim Language	Evidence from www.perotsystems.com
	client workstation	
	and one network	See the evidence and information cited for the claim elements 1pre and 1a supra which is expressly
	server coupled to	incorporated herein.
	said network	
	environment,	
	wherein said	
	network	
	environment is a	
	distributed	
	hypermedia	
	environment, the	
	computer program	
	product comprising:	
6a	a computer usable	Perot Systems' website, as well as the Perot Systems' servers which host them, and the computers of
	medium having	users of the Perot Systems' website each comprise a computer usable medium (such as a DVD/CD-
	computer readable	ROM, the hard-disk/volatile memory of the user of the Perot Systems' website, the hard-disk/volatile
	program code	memory of the server from which the Perot Systems' website is hosted, and etc.). The computer usable
	physically	medium has computer readable program code physically embodied therein, said computer program
	embodied therein,	product further comprising the elements set forth below.
	said computer	
	program product	
	further comprising:	



<html></html>
<head></head>
<meta content="text/html; charset=utf-8" http-equiv="Content-Type"/>
<pre>d="ctl00_linkStyle1" href="/Design/psstyle.css" rel="Stylesheet" type="text/css" /></pre>
<pre>d="ctl00_linkStyle2" href="/Design/delta.css" rel="Stylesheet" type="text/css" /></pre>
<pre>d="ctl00_linkStyle3" href="/Design/print.css" rel="Stylesheet" type="text/css"</pre>
media="print" />
<pre><script src="/Design/menu.js" type="text/javascript"></script></pre>
<pre><script src="/Design/script_printview.js" type="text/javascript"></script></pre>
<pre>d="ctl00_head_linkStyle1" href="/Design/home2.css" rel="Stylesheet"</pre>
type="text/css">
<pre><script src="/Design/script_switchtabs.js" type="text/javascript"></script></pre>
Source: Lines 4-426, Source code, HTML Document of webpage at URL http://www.perotsystems.com





Claim	Claim Language	Evidence from www.perotsystems.com
		<html></html>
		<pre><head><meta content="text/html; charset=utf-8" http-equiv="Content-Type"/></head></pre>
		<title>Oakwood Physician Practices Division Leads EHR Adoption - Perot Systems</title>
		<pre>k href="/Design/Events.css" rel="Stylesheet" /></pre>
		<pre>k href="/Design/Video/Video.css" rel="Stylesheet" /></pre>
		<pre><script id="wa_u" type="text/javascript"></script></pre>
		Source: Lines 4-607, Source code, HTML Document of webpage at URL:
		http://www.perotsystems.com/MediaRoom/Videos/default

Claim	Claim Language	Evidence from www.perotsystems.com
		© C:\WINDOWS\system32\cmd.exe
		C:\ping perotsystems.com
		Pinging perotsystems.com [160.109.61.33] with 32 bytes of data:
		Reply from 160.109.61.33: bytes=32 time=393ms TTL=239 Reply from 160.109.61.33: bytes=32 time=299ms TTL=239 Reply from 160.109.61.33: bytes=32 time=294ms TTL=239 Reply from 160.109.61.33: bytes=32 time=295ms TTL=239
		Ping statistics for 160.109.61.33: Packets: Sent = 4, Received = 4, Lost = 0 (0% loss), Approximate round trip times in milli-seconds: Minimum = 294ms, Maximum = 393ms, Average = 320ms
		Source: Executing the command "ping perotsystems.com" in command prompt window
6b	computer readable	Perot Systems' website, as well as the Perot Systems' servers which host them, and the computers of
	program code for	users of the Perot Systems' website each comprise a computer usable medium (such as a DVD/CD-
	causing said client	ROM, the hard-disk/volatile memory of the user of the Perot Systems' website, the hard-disk/volatile
	workstation to	memory of the server from which the Perot Systems' website is hosted, and etc.). The computer usable
	execute a browser	medium has computer readable program code physically embodied therein, causing said client
	application to parse	workstation to execute a browser application to parse a first distributed hypermedia document to
	a first distributed	identify text formats included in said distributed hypermedia document.
	hypermedia	
	document to	See the evidence and information cited for claim element 1b supra which is expressly incorporated
	identify text	herein.
	formats included in	
	said distributed	

Claim	Claim Language	Evidence from www.perotsystems.com
	hypermedia	
	document and to	
	respond to	
	predetermined text	
	formats to initiate	
	processes specified	
	by said text	
	formats;	
6c	computer readable	Perot Systems' website, as well as the Perot Systems' servers which host them, and the computers of
	program code for	users of the Perot Systems' website each comprise a computer usable medium (such as a DVD/CD-
	causing said client	ROM, the hard-disk/volatile memory of the user of the Perot Systems' website, the hard-disk/volatile
	workstation to	memory of the server from which the Perot Systems' website is hosted, and etc.). The computer usable
	utilize said browser	medium has computer readable program code physically embodied therein, causing said client
	to display, on said	workstation to utilize said browser to display, on said client workstation, at least a portion of a first
	client workstation,	hypermedia document received over said network from said server, wherein the portion of said first
	at least a portion of	hypermedia document is displayed within a first browser-controlled window on said client workstation.
	a first hypermedia	
	document received	See the evidence and information cited for claim element 1c supra which is expressly incorporated
	over said network	herein.
	from said server,	
	wherein the portion	
	of said first	

Claim	Claim Language	Evidence from www.perotsystems.com
	hypermedia	
	document is	
	displayed within a	
	first browser-	
	controlled window	
	on said client	
	workstation,	
6d	wherein said first	Perot Systems' website, as well as the Perot Systems' servers which host them, and the computers of
	distributed	users of the Perot Systems' website each comprise a computer usable medium (such as a DVD/CD-
	hypermedia	ROM, the hard-disk/volatile memory of the user of the Perot Systems' website, the hard-disk/volatile
	document includes	memory of the server from which the Perot Systems' website is hosted, and etc.). The computer usable
	an embed text	medium has computer readable program code physically embodied therein. The computer usable media
	format, located at a	operate in a hypermedia network environment that includes client workstations executing browsers.
	first location in said	Perot Systems' servers transmit a series of communications to client workstations in the distributed
	first distributed	hypermedia network. Perot Systems' servers format the communications so that said first distributed
	hypermedia	hypermedia document includes an embed text format, located at a first location in said first distributed
	document, that	hypermedia document, that specifies the location of at least a portion of an object external to the first
	specifies the	distributed hypermedia document.
	location of at least	
	a portion of an	See the evidence and information cited for claim element 1d supra which is expressly incorporated
	object external to	herein.
	the first distributed	

Claim Language	Evidence from www.perotsystems.com
hypermedia	
document,	
wherein said object	Perot Systems' website, as well as the Perot Systems' servers which host them, and the computers of
has type	users of the Perot Systems' website each comprise a computer usable medium (such as a DVD/CD-
information	ROM, the hard-disk/volatile memory of the user of the Perot Systems' website, the hard-disk/volatile
associated with it	memory of the server from which the Perot Systems' website is hosted, and etc.). The computer usable
utilized by said	medium has computer readable program code physically embodied therein. The computer usable media
browser to identify	operate in a hypermedia network environment that includes client workstations executing browsers.
and locate an	Perot Systems' servers transmit a series of communications to client workstations in the distributed
executable	hypermedia network. Perot Systems' servers format the communications so that said object which has
application external	type information associated with it utilized by said browser to identify and locate an executable
to the first	application external to the first distributed hypermedia document.
distributed	
hypermedia	See the evidence and information cited for claim element 1e supra which is expressly incorporated
document,	herein.
and wherein said	Perot Systems' website, as well as the Perot Systems' servers which host them, and the computers of
embed text format	users of the Perot Systems' website each comprise a computer usable medium (such as a DVD/CD-
is parsed by said	ROM, the hard-disk/volatile memory of the user of the Perot Systems' website, the hard-disk/volatile
browser to	memory of the server from which the Perot Systems' website is hosted, and etc.). The computer usable
	hypermedia document, wherein said object has type information associated with it utilized by said browser to identify and locate an executable application external to the first distributed hypermedia document, and wherein said embed text format is parsed by said

Claim	Claim Language	Evidence from www.perotsystems.com
	automatically	medium has computer readable program code physically embodied therein. The computer usable media
	invoke said	operate in a hypermedia network environment that includes client workstations executing browsers.
	executable	Perot Systems' servers transmit a series of communications to client workstations in the distributed
	application to	hypermedia network. Perot Systems' servers format the communications so that when said embed
	execute on said	text format is parsed by said browser, it automatically invokes said executable application to execute
	client workstation	on said client workstation in order to display said object.
	in order to display	
	said object	See the evidence and information cited for claim element 1f supra which is expressly incorporated
		herein.
6g	and enable an end-	Perot Systems' website, as well as the Perot Systems' servers which host them, and the computers of
	user to directly	users of the Perot Systems' website each comprise a computer usable medium (such as a DVD/CD-
	interact with said	ROM, the hard-disk/volatile memory of the user of the Perot Systems' website, the hard-disk/volatile
	object within a	memory of the server from which the Perot Systems' website is hosted, and etc.). The computer usable
	display area	medium has computer readable program code physically embodied therein. The computer usable media
	created at said first	operate in a hypermedia network environment that includes client workstations executing browsers.
	location within the	Each comprises computer readable program code for causing said client workstation to enable
	portion of said first	interactive processing of said object within a display area created at said first location within the
	distributed	portion of said first distributed hypermedia document being displayed in said first browser-controlled
	hypermedia	window.
	document being	
	displayed in said	See the evidence and information cited for claim element 1g supra which is expressly incorporated
	'	

Claim	Claim Language	Evidence from www.perotsystems.com
	first browser-	herein.
	controlled window.	
7pre	The computer	Perot Systems' website, the Perot Systems' website itself and the servers hosting Perot Systems'
	program product of	website and/or the users' computers accessing Perot Systems' website (and/or the combination
	claim 6, wherein	thereof), operate in a hypermedia network environment that includes client workstations executing
	said executable	browsers which further comprises the computer program product of claim 6, wherein said executable
	application is a	application is a controllable application and further comprising the element set forth below.
	controllable	
	application and	See the evidence and information cited for claim element 2 pre supra which is expressly incorporated
	further comprising:	herein.
7a	computer readable	Perot Systems' website, as well as the Perot Systems' servers which host them, and the computers of
	program code for	users of the Perot Systems' website each comprise a computer usable medium (such as a DVD/CD-
	causing said client	ROM, the hard-disk/volatile memory of the user of the Perot Systems' website, the hard-disk/volatile
	workstation to	memory of the server from which the Perot Systems' website is hosted, and etc.). The computer usable
	interactively control	medium has computer readable program code physically embodied therein, causing said client
	said controllable	workstation to interactively control said controllable application on said client workstation via inter-
	application on said	process communications between said browser and said controllable application.
	client workstation	
	via inter-process	See the evidence and information cited for claim element 2a supra which is expressly incorporated
	'	, , , , , ,

Claim	Claim Language	Evidence from www.perotsystems.com
	communications	herein.
	between said	
	browser and said	
	controllable	
	application.	
8	The computer	Perot Systems' website, as well as the Perot Systems' servers which host them, and the computers of
	program product of	users of the Perot Systems' website each comprise a computer usable medium (such as a DVD/CD-
	claim 7, wherein	ROM, the hard-disk/volatile memory of the user of the Perot Systems' website, the hard-disk/volatile
	the communications	memory of the server from which the Perot Systems' website is hosted, and etc.). The computer usable
	to interactively	medium has computer readable program code physically embodied therein. The computer usable media
	control said	operate in a hypermedia network environment that includes client workstations executing browsers.
	controllable	Each comprises the computer program product of claim 7, wherein the communications to interactively
	application continue	control said controllable application continue to be exchanged between the controllable application and
	to be exchanged	the browser even after the controllable application program has been launched.
	between the	
	controllable	See the evidence and information cited for claim elements 1g and 2a supra which is expressly
	application and the	incorporated herein.
	browser even after	
	the controllable	
	application program	
	has been launched.	

Claim	Claim Language	Evidence from www.perotsystems.com
9pre	A computer	Perot Systems' website, as well as the Perot Systems' servers which host them, and the computers of
	program product	users of the Perot Systems' website each comprise a computer usable medium (such as a DVD/CD-
	for use in a system	ROM, the hard-disk/volatile memory of the user of the Perot Systems' website, the hard-disk/volatile
	having at least one	memory of the server from which the Perot Systems' website is hosted, and etc.). The computer usable
	client workstation	medium has computer readable program code physically embodied therein. Each comprises a computer
	and one network	program product for use in a system having at least one client workstation and one network server
	server coupled to	coupled to said network environment, wherein said network environment is a distributed hypermedia
	said network	environment, the computer program product comprising the following elements.
	environment,	
	wherein said	See the evidence and information cited for the claim elements 1pre and 1a supra which is expressly
	network	incorporated herein.
	environment is a	
	distributed	
	hypermedia	
	environment, the	
	computer program	
	product comprising:	
9a	a computer usable	Perot Systems' website, as well as the Perot Systems' servers which host them, and the computers of
	medium having	users of the Perot Systems' website each comprise a computer usable medium (such as a DVD/CD-
	computer readable	ROM, the hard-disk/volatile memory of the user of the Perot Systems' website, the hard-disk/volatile
	program code	memory of the server from which the Perot Systems' website is hosted, and etc.). The computer usable

Claim Language	Evidence from www.perotsystems.com
physically	medium has computer readable program code physically embodied therein, said computer program
embodied therein,	product further comprising the following elements.
said computer	
program product	See the evidence and information cited for the claim element 6a supra which is expressly incorporated
further comprising:	herein.
computer readable	Perot Systems' website, as well as the Perot Systems' servers which host them, and the computers of
program code for	users of the Perot Systems' website each comprise a computer usable medium (such as a DVD/CD-
causing said client	ROM, the hard-disk/volatile memory of the user of the Perot Systems' website, the hard-disk/volatile
workstation to	memory of the server from which the Perot Systems' website is hosted, and etc.). The computer usable
execute a browser	medium has computer readable program code physically embodied therein, causing said client
application to parse	workstation to execute a browser application to parse a first distributed hypermedia document to
a first distributed	identify text formats included in said distributed hypermedia document and to respond to
hypermedia	predetermined text formats to initiate processes specified by said text formats.
document to	
identify text	See the evidence and information cited for claim element 1b supra which is expressly incorporated
formats included in	herein.
said distributed	
hypermedia	
document and to	
respond to	
predetermined text	
	physically embodied therein, said computer program product further comprising: computer readable program code for causing said client workstation to execute a browser application to parse a first distributed hypermedia document to identify text formats included in said distributed hypermedia document and to respond to

Claim	Claim Language	Evidence from www.perotsystems.com
	formats to initiate	
	processes specified	
	by said text	
	formats;	
9c	computer readable	Perot Systems' website, as well as the Perot Systems' servers which host them, and the computers of
	program code for	users of the Perot Systems' website each comprise a computer usable medium (such as a DVD/CD-
	causing said client	ROM, the hard-disk/volatile memory of the user of the Perot Systems' website, the hard-disk/volatile
	workstation to	memory of the server from which the Perot Systems' website is hosted, and etc.). The computer usable
	utilize said browser	medium has computer readable program code physically embodied therein, causing said client
	to display, on said	workstation to utilize said browser to display, on said client workstation, at least a portion of a first
	client workstation,	hypermedia document received over said network from said server, wherein the portion of said first
	at least a portion of	hypermedia document is displayed within a first browser-controlled window on said client workstation.
	a first hypermedia	
	document received	See the evidence and information cited for claim element 1c supra which is expressly incorporated
	over said network	herein.
	from said server,	
	wherein the portion	
	of said first	
	hypermedia	
	document is	
	displayed within a	
	first browser-	

Claim	Claim Language	Evidence from www.perotsystems.com
	controlled window	
	on said client	
	workstation,	
9d	wherein said first	Perot Systems' website, as well as the Perot Systems' servers which host them, and the computers of
	distributed	users of the Perot Systems' website each comprise a computer usable medium (such as a DVD/CD-
	hypermedia	ROM, the hard-disk/volatile memory of the user of the Perot Systems' website, the hard-disk/volatile
	document includes	memory of the server from which the Perot Systems' website is hosted, and etc.). The computer usable
	an embed text	medium has computer readable program code physically embodied therein. The computer usable media
	format, located at a	operate in a hypermedia network environment that includes client workstations executing browsers.
	first location in said	Perot Systems' servers transmit a series of communications to client workstations in the distributed
	first distributed	hypermedia network. Perot Systems' servers format the communications so that said first distributed
	hypermedia	hypermedia document includes an embed text format, located at a first location in said first distributed
	document, that	hypermedia document, that specifies the location of at least a portion of an object external to the first
	specifies the	distributed hypermedia document.
	location of at least	
	a portion of an	See the evidence and information cited for claim element 1d supra which is expressly incorporated
	object external to	herein.
	the first distributed	
	hypermedia	
	document,	

Claim	Claim Language	Evidence from www.perotsystems.com
9e	wherein said object	Perot Systems' website, as well as the Perot Systems' servers which host them, and the computers of
	has type	users of the Perot Systems' website each comprise a computer usable medium (such as a DVD/CD-
	information	ROM, the hard-disk/volatile memory of the user of the Perot Systems' website, the hard-disk/volatile
	associated with it	memory of the server from which the Perot Systems' website is hosted, and etc.). The computer usable
	utilized by said	medium has computer readable program code physically embodied therein. The computer usable media
	browser to identify	operate in a hypermedia network environment that includes client workstations executing browsers.
	and locate an	Perot Systems' servers transmit a series of communications to client workstations in the distributed
	executable	hypermedia network. Perot Systems' servers format the communications so that said object which has
	application external	type information associated with it utilized by said browser to identify and locate an executable
	to the first	application external to the first distributed hypermedia document.
	distributed	
	hypermedia	See the evidence and information cited for claim element 1e supra which is expressly incorporated
	document,	herein.
9f	and wherein said	Perot Systems' website, as well as the Perot Systems' servers which host them, and the computers of
	embed text format	users of the Perot Systems' website each comprise a computer usable medium (such as a DVD/CD-
	is parsed by said	ROM, the hard-disk/volatile memory of the user of the Perot Systems' website, the hard-disk/volatile
	browser to	memory of the server from which the Perot Systems' website is hosted, and etc.). The computer usable
	automatically	medium has computer readable program code physically embodied therein. The computer usable media
	invoke said	operate in a hypermedia network environment that includes client workstations executing browsers.
	executable	Perot Systems' servers transmit a series of communications to client workstations in the distributed
	application to	hypermedia network. Perot Systems' servers format the communications so that when said embed text
	execute on said	format is parsed by said browser, it automatically invokes said executable application to execute on

Claim	Claim Language	Evidence from www.perotsystems.com
	client workstation	said client workstation in order to display said object.
	in order to display	
	said object	See the evidence and information cited for claim element 1f supra which is expressly incorporated
		herein.
9g	and enable	Perot Systems' website, as well as the Perot Systems' servers which host them, and the computers of
	interactive	users of the Perot Systems' website each comprise a computer usable medium (such as a DVD/CD-
	processing of said	ROM, the hard-disk/volatile memory of the user of the Perot Systems' website, the hard-disk/volatile
	object within a	memory of the server from which the Perot Systems' website is hosted, and etc.). The computer usable
	display area	medium has computer readable program code physically embodied therein. The computer usable media
	created at said first	operate in a hypermedia network environment that includes client workstations executing browsers.
	location within the	Perot Systems' servers transmit a series of communications to client workstations in the distributed
	portion of said first	hypermedia network. Perot Systems' servers format the communications so that it enables interactive
	distributed	processing of said object within a display area created at said first location within the portion of said
	hypermedia	first distributed hypermedia document being displayed in said first browser-controlled window.
	document being	
	displayed in said	See the evidence and information cited for claim element 1g supra which is expressly incorporated
	first browser-	herein.
	controlled window;	
9h	wherein said	Perot Systems' website, as well as the Perot Systems' servers which host them, and the computers of

Claim Language	Evidence from www.perotsystems.com
executable	users of the Perot Systems' website each comprise a computer usable medium (such as a DVD/CD-
application is a	ROM, the hard-disk/volatile memory of the user of the Perot Systems' website, the hard-disk/volatile
controllable	memory of the server from which the Perot Systems' website is hosted, and etc.). The computer usable
application and	medium has computer readable program code physically embodied therein. The computer usable media
further comprising:	operate in a hypermedia network environment that includes client workstations executing browsers and
	where said executable application is a controllable application that further comprises the elements set
	forth below.
	See the evidence and information cited for claim element 2pre supra which is expressly incorporated
	herein.
computer readable	Perot Systems' website, as well as the Perot Systems' servers which host them, and the computers of
program code for	users of the Perot Systems' website each comprise a computer usable medium (such as a DVD/CD-
causing said client	ROM, the hard-disk/volatile memory of the user of the Perot Systems' website, the hard-disk/volatile
workstation to	memory of the server from which the Perot Systems' website is hosted, and etc.). The computer usable
interactively control	medium has computer readable program code physically embodied therein, causing said client
said controllable	workstation to interactively control said controllable application on said client workstation via inter-
application on said	process communications between said browser and said controllable application.
client workstation	
via inter-process	See the evidence and information cited for claim element 2a supra which is expressly incorporated
communications	herein.
between said	
browser and said	
controllable	
	executable application is a controllable application and further comprising: computer readable program code for causing said client workstation to interactively control said controllable application on said client workstation via inter-process communications between said browser and said

Claim	Claim Language	Evidence from www.perotsystems.com
_	application;	
9j	wherein the	Perot Systems' website, as well as the Perot Systems' servers which host them, and the computers of
	communications to	users of the Perot Systems' website each comprise a computer usable medium (such as a DVD/CD-
	interactively control	ROM, the hard-disk/volatile memory of the user of the Perot Systems' website, the hard-disk/volatile
	said controllable	memory of the server from which the Perot Systems' website is hosted, and etc.). The computer usable
	application continue	medium has computer readable program code physically embodied therein. The computer usable media
	to be exchanged	operate in a hypermedia network environment that includes client workstations executing browsers,
	between the	wherein the communications to interactively control said controllable application continue to be
	controllable	exchanged between the controllable application and the browser even after the controllable application
	application and the	program has been launched.
	browser even after	
	the controllable	See the evidence and information cited for claim elements 1g and 2a supra which is expressly
	application program	incorporated herein.
	has been launched;	
	and	
9k	wherein additional	Perot Systems' website, as well as the Perot Systems' servers which host them, and the computers of
	instructions for	users of the Perot Systems' website each comprise a computer usable medium (such as a DVD/CD-
	controlling said	ROM, the hard-disk/volatile memory of the user of the Perot Systems' website, the hard-disk/volatile
	controllable	memory of the server from which the Perot Systems' website is hosted, and etc.). The computer usable
	application reside	medium has computer readable program code physically embodied therein. The computer usable media
	1	

Claim Language	Evidence from www.perotsystems.com
on said network	operate in a hypermedia network environment that includes client workstations executing browsers,
server, wherein	wherein the additional instructions for controlling said controllable application reside on said network
said computer	server, wherein said step of interactively controlling said controllable application includes the following
readable program	elements.
code for causing	
said client	See the evidence and information cited for claim element 4k supra which is expressly incorporated
workstation to	herein.
interactively control	
said controllable	
application on said	
client workstation	
includes:	
computer readable	Perot Systems' website, as well as the Perot Systems' servers which host them, and the computers of
program code for	users of the Perot Systems' website each comprise a computer usable medium (such as a DVD/CD-
causing said client	ROM, the hard-disk/volatile memory of the user of the Perot Systems' website, the hard-disk/volatile
workstation to	memory of the server from which the Perot Systems' website is hosted, and etc.). The computer usable
issue, from the	medium has computer readable program code physically embodied therein. The computer usable media
client workstation,	operate in a hypermedia network environment that includes client workstations executing browsers,
one or more	wherein the workstation possesses computer readable program code for causing said client workstation
commands to the	to issue, from the client workstation, one or more commands to the network server.
network server;	
	See the evidence and information cited for claim element 41 supra which is expressly incorporated
	on said network server, wherein said computer readable program code for causing said client workstation on said client workstation includes: computer readable program code for causing said client workstation to issue, from the client workstation, one or more commands to the

Claim	Claim Language	Evidence from www.perotsystems.com
		herein.
9m	computer readable	Perot Systems' website, as well as the Perot Systems' servers which host them, and the computers of
	program code for	users of the Perot Systems' website each comprise a computer usable medium (such as a DVD/CD-
	causing said	ROM, the hard-disk/volatile memory of the user of the Perot Systems' website, the hard-disk/volatile
	network server to	memory of the server from which the Perot Systems' website is hosted, and etc.). The computer usable
	execute one or	medium has computer readable program code physically embodied therein. The computer usable media
	more instructions in	operate in a hypermedia network environment that includes client workstations executing browsers,
	response to said	wherein the computer readable program code causes said network server to execute one or more
	commands;	instructions in response to said commands.
		See the evidence and information cited for claim element 4m supra which is expressly incorporated
		herein.
9n	computer readable	Perot Systems' website, as well as the Perot Systems' servers which host them, and the computers of
	program code for	users of the Perot Systems' website each comprise a computer usable medium (such as a DVD/CD-
	causing said	ROM, the hard-disk/volatile memory of the user of the Perot Systems' website, the hard-disk/volatile
	network server to	memory of the server from which the Perot Systems' website is hosted, and etc.). The computer usable
	send information to	medium has computer readable program code physically embodied therein. The computer usable media
	said client	operate in a hypermedia network environment that includes client workstations executing browsers,
	workstation in	wherein the computer readable program code causes said network server to send information to said

Claim Language	Evidence from www.perotsystems.com
response to said	client workstation in response to said executed instructions.
executed	
instructions; and	See the evidence and information cited for claim element 4n supra which is expressly incorporated
	herein.
computer readable	Perot Systems' website, as well as the Perot Systems' servers which host them, and the computers of
program code for	users of the Perot Systems' website each comprise a computer usable medium (such as a DVD/CD-
causing said client	ROM, the hard-disk/volatile memory of the user of the Perot Systems' website, the hard-disk/volatile
workstation to	memory of the server from which the Perot Systems' website is hosted, and etc.). The computer usable
process said	medium has computer readable program code physically embodied therein, causing said client
information at the	workstation to process said information at the client workstation to interactively control said
client workstation	controllable application.
to interactively	
control said	See the evidence and information cited for claim element 40 supra which is expressly incorporated
controllable	herein.
application.	
A computer	Perot Systems' website, as well as the Perot Systems' servers which host them, and the computers of
program product	users of the Perot Systems' website each comprise a computer usable medium (such as a DVD/CD-
for use in a system	ROM, the hard-disk/volatile memory of the user of the Perot Systems' website, the hard-disk/volatile
having at least one	memory of the server from which the Perot Systems' website is hosted, and etc.). The computer usable
client workstation	medium has computer readable program code physically embodied therein. The computer usable media
and one network	operate in a hypermedia network environment that includes at least one client workstation and one
	response to said executed instructions; and computer readable program code for causing said client workstation to process said information at the client workstation to interactively control said controllable application. A computer program product for use in a system having at least one client workstation

Claim	Claim Language	Evidence from www.perotsystems.com
	server coupled to	network server coupled to said network environment, wherein said network environment is a
	said network	distributed hypermedia environment, the computer program product comprising the following
	environment,	elements.
	wherein said	
	network	See the evidence and information cited for the claim elements 1pre and 1a supra which is expressly
	environment is a	incorporated herein.
	distributed	
	hypermedia	
	environment, the	
	computer program	
	product comprising:	
10a	a computer usable	Perot Systems' website, as well as the Perot Systems' servers which host them, and the computers of
	medium having	users of the Perot Systems' website each comprise a computer usable medium (such as a DVD/CD-
	computer readable	ROM, the hard-disk/volatile memory of the user of the Perot Systems' website, the hard-disk/volatile
	program code	memory of the server from which the Perot Systems' website is hosted, and etc.). The computer usable
	physically	medium has computer readable program code physically embodied therein. The computer usable media
	embodied therein,	operate in a hypermedia network environment that includes client workstations executing browsers,
	said computer	said computer program product further comprising the following elements.
	program product	
	further comprising:	See the evidence and information cited for the claim element 6a supra which is expressly incorporated
		herein.
	1	

Claim	Claim Language	Evidence from www.perotsystems.com
10b	computer readable	Perot Systems' website, as well as the Perot Systems' servers which host them, and the computers of
	program code for	users of the Perot Systems' website each comprise a computer usable medium (such as a DVD/CD-
	causing said client	ROM, the hard-disk/volatile memory of the user of the Perot Systems' website, the hard-disk/volatile
	workstation to	memory of the server from which the Perot Systems' website is hosted, and etc.). The computer usable
	execute a browser	medium has computer readable program code physically embodied therein, causing said client
	application to parse	workstation to execute a browser application to parse a first distributed hypermedia document to
	a first distributed	identify text formats included in said distributed hypermedia document and to respond to
	hypermedia	predetermined text formats to initiate processes specified by said text formats.
	document to	
	identify text	See the evidence and information cited for claim element 1b supra which is expressly incorporated
	formats included in	herein.
	said distributed	
	hypermedia	
	document and to	
	respond to	
	predetermined text	
	formats to initiate	
	processes specified	
	by said text	
	formats;	

Claim	Claim Language	Evidence from www.perotsystems.com
10c	computer readable	Perot Systems' website, as well as the Perot Systems' servers which host them, and the computers of
	program code for	users of the Perot Systems' website each comprise a computer usable medium (such as a DVD/CD-
	causing said client	ROM, the hard-disk/volatile memory of the user of the Perot Systems' website, the hard-disk/volatile
	workstation to	memory of the server from which the Perot Systems' website is hosted, and etc.). The computer usable
	utilize said browser	medium has computer readable program code physically embodied therein, causing said client
	to display, on said	workstation to utilize said browser to display, on said client workstation, at least a portion of a first
	client workstation,	hypermedia document received over said network from said server, wherein the portion of said first
	at least a portion of	hypermedia document is displayed within a first browser-controlled window on said client workstation.
	a first hypermedia	
	document received	See the evidence and information cited for claim element 1c supra which is expressly incorporated
	over said network	herein.
	from said server,	
	wherein the portion	
	of said first	
	hypermedia	
	document is	
	displayed within a	
	first browser-	
	controlled window	
	on said client	
	workstation,	
10d	wherein said first	Perot Systems' website, as well as the Perot Systems' servers which host them, and the computers of

th comprise a computer usable medium (such as a DVD/CD-the user of the Perot Systems' website, the hard-disk/volatile of Systems' website is hosted, and etc.). The computer usable code physically embodied therein. The computer usable media nument that includes client workstations executing browsers. It is of communications to client workstations in the distributed rivers format the communications so that said first distributed it text format, located at a first location in said first distributed
ot Systems' website is hosted, and etc.). The computer usable code physically embodied therein. The computer usable media onment that includes client workstations executing browsers. It is of communications to client workstations in the distributed rivers format the communications so that said first distributed it text format, located at a first location in said first distributed
code physically embodied therein. The computer usable media onment that includes client workstations executing browsers. It is of communications to client workstations in the distributed rivers format the communications so that said first distributed it text format, located at a first location in said first distributed
onment that includes client workstations executing browsers. It is of communications to client workstations in the distributed rivers format the communications so that said first distributed it text format, located at a first location in said first distributed
s of communications to client workstations in the distributed rvers format the communications so that said first distributed d text format, located at a first location in said first distributed
rvers format the communications so that said first distributed dis
d text format, located at a first location in said first distributed
location of at least a portion of an object external to the first
for claim element 1d supra which is expressly incorporated
erot Systems' servers which host them, and the computers of
h comprise a computer usable medium (such as a DVD/CD-
he user of the Perot Systems' website, the hard-disk/volatile
ot Systems' website is hosted, and etc.). The computer usable
code physically embodied therein. The computer usable media
onment that includes client workstations executing browsers.
t r

Claim	Claim Language	Evidence from www.perotsystems.com
	and locate an	Perot Systems' servers transmit a series of communications to client workstations in the distributed
	executable	hypermedia network. Perot Systems' servers format the communications so that said object which has
	application external	type information associated with it utilized by said browser to identify and locate an executable
	to the first	application external to the first distributed hypermedia document.
	distributed	
	hypermedia	See the evidence and information cited for claim element 1e supra which is expressly incorporated
	document,	herein.
10f	and wherein said	Perot Systems' website, as well as the Perot Systems' servers which host them, and the computers of
	embed text format	users of the Perot Systems' website each comprise a computer usable medium (such as a DVD/CD-
	is parsed by said	ROM, the hard-disk/volatile memory of the user of the Perot Systems' website, the hard-disk/volatile
	browser to	memory of the server from which the Perot Systems' website is hosted, and etc.). The computer usable
	automatically	medium has computer readable program code physically embodied therein. The computer usable media
	invoke said	operate in a hypermedia network environment that includes client workstations executing browsers.
	executable	Perot Systems' servers transmit a series of communications to client workstations in the distributed
	application to	hypermedia network. Perot Systems' servers format the communications so that when said embed
	execute on said	text format is parsed by said browser, it automatically invokes said executable application to execute
	client workstation	on said client workstation in order to display said object.
	in order to display	
	said object	See the evidence and information cited for claim element 1f supra which is expressly incorporated
		herein.

Claim	Claim Language	Evidence from www.perotsystems.com
10g	and enable	Perot Systems' website, as well as the Perot Systems' servers which host them, and the computers of
	interactive	users of the Perot Systems' website each comprise a computer usable medium (such as a DVD/CD-
	processing of said	ROM, the hard-disk/volatile memory of the user of the Perot Systems' website, the hard-disk/volatile
	object within a	memory of the server from which the Perot Systems' website is hosted, and etc.). The computer usable
	display area	medium has computer readable program code physically embodied therein. The computer usable media
	created at said first	operate in a hypermedia network environment that includes client workstations executing browsers.
	location within the	Perot Systems' servers transmit a series of communications to client workstations in the distributed
	portion of said first	hypermedia network. Perot Systems' servers format the communications so that it enables interactive
	distributed	processing of said object within a display area created at said first location within the portion of said
	hypermedia	first distributed hypermedia document being displayed in said first browser-controlled window.
	document being	
	displayed in said	See the evidence and information cited for claim element 1g supra which is expressly incorporated
	first browser-	herein.
	controlled window;	
10h	wherein said	Perot Systems' website, as well as the Perot Systems' servers which host them, and the computers of
	executable	users of the Perot Systems' website each comprise a computer usable medium (such as a DVD/CD-
	application is a	ROM, the hard-disk/volatile memory of the user of the Perot Systems' website, the hard-disk/volatile
	controllable	memory of the server from which the Perot Systems' website is hosted, and etc.). The computer usable
	application and	medium has computer readable program code physically embodied therein. The computer usable media
	further comprising:	operate in a hypermedia network environment that includes client workstations executing browsers and

Claim	Claim Language	Evidence from www.perotsystems.com
		where said executable application is a controllable application that further comprises the elements set
		forth below.
		See the evidence and information cited for claim element 2pre supra which is expressly incorporated herein.
10i	computer readable	Perot Systems' website, as well as the Perot Systems' servers which host them, and the computers of
101	program code for	users of the Perot Systems' website each comprise a computer usable medium (such as a DVD/CD-
	causing said client	ROM, the hard-disk/volatile memory of the user of the Perot Systems' website, the hard-disk/volatile
	workstation to	memory of the server from which the Perot Systems' website is hosted, and etc.). The computer usable
	interactively control	medium has computer readable program code physically embodied therein, causing said client
	said controllable	workstation to interactively control said controllable application on said client workstation via inter-
	application on said	process communications between said browser and said controllable application.
	client workstation	
	via inter-process	
	communications	See the evidence and information cited for claim element 2a supra which is expressly incorporated
	between said	herein.
	browser and said	
	controllable	
	application;	
10j	wherein the	Perot Systems' website, as well as the Perot Systems' servers which host them, and the computers of

nunications to actively control	users of the Perot Systems' website each comprise a computer usable medium (such as a DVD/CD-
actively control	
.	ROM, the hard-disk/volatile memory of the user of the Perot Systems' website, the hard-disk/volatile
controllable	memory of the server from which the Perot Systems' website is hosted, and etc.). The computer usable
cation continue	medium has computer readable program code physically embodied therein. The computer usable media
oe exchanged	operate in a hypermedia network environment that includes client workstations executing browsers,
een the	wherein the communications to interactively control said controllable application continue to be
rollable	exchanged between the controllable application and the browser even after the controllable application
cation and the	program has been launched.
ser even after	
controllable	See the evidence and information cited for the claim elements 1g and 2a which is expressly
cation program	incorporated herein.
een launched;	
ein additional	Perot Systems' website, as well as the Perot Systems' servers which host them, and the computers of
uctions for	users of the Perot Systems' website each comprise a computer usable medium (such as a DVD/CD-
olling said	ROM, the hard-disk/volatile memory of the user of the Perot Systems' website, the hard-disk/volatile
ollable	memory of the server from which the Perot Systems' website is hosted, and etc.). The computer usable
cation reside	medium has computer readable program code physically embodied therein. The computer usable media
said network	operate in a hypermedia network environment that includes client workstations executing browsers.
er, wherein	Perot Systems' servers transmit a series of communications to client workstations in the distributed
computer	hypermedia network. Perot Systems' servers format the communications so that said step of
able program	interactively controlling said controllable application includes the following elements.
for causing	
	een the rollable cation and the ser even after controllable cation program been launched; rein additional actions for rolling said rollable cation reside said network er, wherein computer able program

Claim	Claim Language	Evidence from www.perotsystems.com
	said client	See the evidence and information cited for claim element 4k supra which is expressly incorporated
	workstation to	herein.
	interactively control	
	said controllable	
	application on said	
	client workstation	
	includes:	
10I	computer readable	Perot Systems' website, as well as the Perot Systems' servers which host them, and the computers of
	program code for	users of the Perot Systems' website each comprise a computer usable medium (such as a DVD/CD-
	causing said client	ROM, the hard-disk/volatile memory of the user of the Perot Systems' website, the hard-disk/volatile
	workstation to	memory of the server from which the Perot Systems' website is hosted, and etc.). The computer usable
	issue, from the	medium has computer readable program code physically embodied therein. The computer usable media
	client workstation,	operate in a hypermedia network environment that includes client workstations executing browsers.
	one or more	Perot Systems' servers transmit a series of communications to client workstations in the distributed
	commands to the	hypermedia network. Perot Systems' servers format the communications so that the client workstation
	network server;	is caused to issue one or more commands to the network server.
		See the evidence and information cited for claim element 41 supra which is expressly incorporated
		herein.

Claim	Claim Language	Evidence from www.perotsystems.com
10m	computer readable	Perot Systems' website, as well as the Perot Systems' servers which host them, and the computers of
	program code for	users of the Perot Systems' website each comprise a computer usable medium (such as a DVD/CD-
	causing said	ROM, the hard-disk/volatile memory of the user of the Perot Systems' website, the hard-disk/volatile
	network server to	memory of the server from which the Perot Systems' website is hosted, and etc.). The computer usable
	execute one or	medium has computer readable program code physically embodied therein. The computer usable media
	more instructions in	operate in a hypermedia network environment that includes client workstations executing browsers.
	response to said	Perot Systems' servers transmit a series of communications to client workstations in the distributed
	commands;	hypermedia network. Perot Systems' servers format the communications so that the network server
		executes one or more instructions in response to said commands.
		See the evidence and information cited for claim element 4m supra which is expressly incorporated herein.
10n	computer readable	Perot Systems' website, as well as the Perot Systems' servers which host them, and the computers of
	program code for	users of the Perot Systems' website each comprise a computer usable medium (such as a DVD/CD-
	causing said	ROM, the hard-disk/volatile memory of the user of the Perot Systems' website, the hard-disk/volatile
	network server to	memory of the server from which the Perot Systems' website is hosted, and etc.). The computer usable
	send information to	medium has computer readable program code physically embodied therein. The computer usable media
	said client	operate in a hypermedia network environment that includes client workstations executing browsers.
	workstation in	Perot Systems' servers transmit a series of communications to client workstations in the distributed
	response to said	hypermedia network. Perot Systems' servers format the communications so that information is sent
	executed	from said network server to said client workstation in response to said executed instructions.
	instructions; and	

Claim	Claim Language	Evidence from www.perotsystems.com
		See the evidence and information cited for claim element 4n supra which is expressly incorporated herein.
100	computer readable program code for causing said client workstation to process said information at the client workstation to interactively control said controllable application; and	Perot Systems' website, as well as the Perot Systems' servers which host them, and the computers of users of the Perot Systems' website each comprise a computer usable medium (such as a DVD/CD-ROM, the hard-disk/volatile memory of the user of the Perot Systems' website, the hard-disk/volatile memory of the server from which the Perot Systems' website is hosted, and etc.). The computer usable medium has computer readable program code physically embodied therein. The computer usable media operate in a hypermedia network environment that includes client workstations executing browsers. Perot Systems' servers transmit a series of communications to client workstations in the distributed hypermedia network. Perot Systems' servers format the communications so that the client workstation processes said information at the client workstation to interactively control said controllable application. See the evidence and information cited for claim element 40 supra which is expressly incorporated herein.
10p	wherein said additional instructions for controlling said controllable	Perot Systems' website, as well as the Perot Systems' servers which host them, and the computers of users of the Perot Systems' website each comprise a computer usable medium (such as a DVD/CD-ROM, the hard-disk/volatile memory of the user of the Perot Systems' website, the hard-disk/volatile memory of the server from which the Perot Systems' website is hosted, and etc.). The computer usable medium has computer readable program code physically embodied therein. The computer usable media

Claim	Claim Language	Evidence from www.perotsystems.com
	application reside	operate in a hypermedia network environment that includes client workstations executing browsers.
	on said client	Perot Systems' servers transmit a series of communications to client workstations in the distributed
	workstation.	hypermedia network and format the communications so that the additional instructions for controlling
		said controllable application reside on said client workstation.
		See the evidence and information cited for claim element 5p supra which is expressly incorporated herein.
11pre	The method of	Users of Perot Systems' website, the website itself and/or the servers hosting that website (and/or the
	claim 3, wherein	combination thereof), operate in a hypermedia network environment that includes client workstations
	the additional	executing browsers which further comprises the method of claim 3, wherein the additional instructions
	instructions for	for controlling said controllable application reside on said network server, wherein said step of
	controlling said	interactively controlling said controllable application includes the following sub-steps identified below.
	controllable	In addition, Perot Systems provides the infrastructure (e.g. servers, Perot Systems' website, etc.), in
	application reside	addition to instructions to users, and causes them to use Perot Systems' website in an infringing
	on said network	manner in its default and expected use.
	server, wherein	
	said step of	See the evidence and information cited for the claim element 4k supra which is expressly incorporated
	interactively	herein.
	controlling said	
	controllable	
	application includes	
	the following sub-	

Claim	Claim Language	Evidence from www.perotsystems.com
	steps:	
11a	issuing, from the	Users of Perot Systems' website, the website itself and/or the servers hosting that website (and/or the
	client workstation,	combination thereof), operate in a hypermedia network environment that includes client workstations
	one or more	executing browsers. Perot Systems' servers transmit a series of communications to client workstations
	commands to the	in the distributed hypermedia network. Perot Systems' servers format the communications so that the
	network server;	client workstation is caused to issue one or more commands to the network server. In addition, Perot
		Systems provides the infrastructure (e.g. servers, Perot Systems' website, etc.), in addition to
		instructions to users, and causes them to use Perot Systems' website in an infringing manner in its
		default and expected use.
		See the evidence and information cited for the claim element 4l supra which is expressly incorporated
		herein.
		norchi.
11b	avaguting on the	Hears of Darot Systems/ website, the website itself and/or the convers heating that website (and/or the
IID	executing, on the	Users of Perot Systems' website, the website itself and/or the servers hosting that website (and/or the
	network server, one	combination thereof), operate in a hypermedia network environment that includes client workstations
	or more	executing browsers. Perot Systems' servers transmit a series of communications to client workstations
	instructions in	in the distributed hypermedia network. Perot Systems' servers format the communications so that the
	response to said	network server executes one or more instructions in response to said commands. In addition, Perot
	commands;	Systems provides the infrastructure (e.g. servers, Perot Systems' website, etc.), in addition to
		instructions to users, and causes them to use Perot Systems' website in an infringing manner in its
		default and expected use.
	1	

Claim	Claim Language	Evidence from www.perotsystems.com
		See the evidence and information cited for the claim element 4m supra which is expressly incorporated herein.
11c	sending information from said network server to said client workstation in response to said executed instructions;	Users of Perot Systems' website, the website itself and/or the servers hosting that website (and/or the combination thereof), operate in a hypermedia network environment that includes client workstations executing browsers. Perot Systems' servers transmit a series of communications to client workstations in the distributed hypermedia network. Perot Systems' servers format the communications so that information is sent from said network server to said client workstation in response to said executed instructions. In addition, Perot Systems provides the infrastructure (e.g. servers, Perot Systems' website, etc.), in addition to instructions to users, and causes them to use Perot Systems' website in an infringing manner in its default and expected use. See the evidence and information cited for the claim element 4n supra which is expressly incorporated herein.
11d	and processing said information at the client workstation to interactively control said controllable	Users of Perot Systems' website, the website itself and/or the servers hosting that website (and/or the combination thereof), operate in a hypermedia network environment that includes client workstations executing browsers. Perot Systems' servers transmit a series of communications to client workstations in the distributed hypermedia network. Perot Systems' servers format the communications so that the client workstation processes said information at the client workstation to interactively control said controllable application. In addition, Perot Systems provides the infrastructure (e.g. servers, Perot

Claim	Claim Language	Evidence from www.perotsystems.com
	application.	Systems' website, etc.), in addition to instructions to users, and causes them to use Perot Systems'
		website in an infringing manner in its default and expected use.
		See the evidence and information cited for the claim element 4o supra which is expressly incorporated
		herein.
12	The method of	Users of Perot Systems' website, the website itself and/or the servers hosting that website (and/or the
	claim 11, wherein	combination thereof), operate in a hypermedia network environment that includes client workstations
	said additional	executing browsers which further comprises the method of claim 11, wherein said additional
	instructions for	instructions for controlling said controllable application reside on said client workstation. In addition,
	controlling said	Perot Systems provides the infrastructure (e.g. servers, Perot Systems' website, etc.), in addition to
	controllable	instructions to users, and causes them to use Perot Systems' website in an infringing manner in its
	application reside	default and expected use.
	on said client	
	workstation.	See the evidence and information cited for claim element 5p supra which is expressly incorporated
		herein.
13pre	The computer	Perot Systems' website, as well as the Perot Systems' servers which host them, and the computers of
	program product of	users of the Perot Systems' website each comprise a computer usable medium (such as a DVD/CD-
	claim 8, wherein	ROM, the hard-disk/volatile memory of the user of the Perot Systems' website, the hard-disk/volatile
	additional	memory of the server from which the Perot Systems' website is hosted, and etc.). The computer usable
	instructions for	medium has computer readable program code physically embodied therein. The computer program

Claim	Claim Language	Evidence from www.perotsystems.com	
	controlling said	products of claim 8 operate in a hypermedia network environment that includes client workstations	
	controllable	executing browsers, wherein additional instructions for controlling said controllable application reside	
	application reside	on said network server, wherein said step of interactively controlling said controllable application	
	on said network	includes the following elements.	
	server, wherein		
	said computer	See the evidence and information cited for claim element 4k supra which is expressly incorporated	
	readable program	herein.	
	code for causing		
	said client		
	workstation to		
	interactively control		
	said controllable		
	application on said		
	client workstation		
	includes:		
13a	computer readable	Perot Systems' website, as well as the Perot Systems' servers which host them, and the computers of	
	program code for	users of the Perot Systems' website each comprise a computer usable medium (such as a DVD/CD-	
	causing said client	ROM, the hard-disk/volatile memory of the user of the Perot Systems' website, the hard-disk/volatile	
	workstation to	memory of the server from which the Perot Systems' website is hosted, and etc.). The computer usable	
	issue, from the	medium has computer readable program code physically embodied therein, causing said client	
	client workstation,	workstation to issue, from the client workstation, one or more commands to the network server.	
	one or more		

Claim	Claim Language	Evidence from www.perotsystems.com	
	commands to the	See the evidence and information cited for claim element 4l supra which is expressly incorporated	
	network server;	herein.	
13b	computer readable	Perot Systems' website, as well as the Perot Systems' servers which host them, and the computers of	
	program code for	users of the Perot Systems' website each comprise a computer usable medium (such as a DVD/CD-	
	causing said	ROM, the hard-disk/volatile memory of the user of the Perot Systems' website, the hard-disk/volatile	
	network server to	memory of the server from which the Perot Systems' website is hosted, and etc.). The computer usable	
	execute one or	medium has computer readable program code physically embodied therein, causing said network	
	more instructions in	server to execute one or more instructions in response to said commands.	
	response to said		
	commands;	See the evidence and information cited for claim element 4m supra which is expressly incorporated	
		herein.	
13c	computer readable	Perot Systems' website, as well as the Perot Systems' servers which host them, and the computers of	
	program code for	users of the Perot Systems' website each comprise a computer usable medium (such as a DVD/CD-	
	causing said	ROM, the hard-disk/volatile memory of the user of the Perot Systems' website, the hard-disk/volatile	
	network server to	memory of the server from which the Perot Systems' website is hosted, and etc.). The computer usable	
	send information to	medium has computer readable program code physically embodied therein, causing said network	
	said client	server to send information to said client workstation in response to said executed instructions.	
	workstation in		
	response to said	See the evidence and information cited for claim element 4n supra which is expressly incorporated	
		Tapita in the state of the stat	

Claim Language	Evidence from www.perotsystems.com
executed	herein.
instructions; and	
computer readable	Perot Systems' website, as well as the Perot Systems' servers which host them, and the computers of
program code for	users of the Perot Systems' website each comprise a computer usable medium (such as a DVD/CD-
causing said client	ROM, the hard-disk/volatile memory of the user of the Perot Systems' website, the hard-disk/volatile
workstation to	memory of the server from which the Perot Systems' website is hosted, and etc.). The computer usable
process said	medium has computer readable program code physically embodied therein, causing said client
information at the	workstation to process said information at the client workstation to interactively control said
client workstation	controllable application.
to interactively	
control said	See the evidence and information cited for claim element 4o supra which is expressly incorporated
controllable	herein.
application.	
The computer	Perot Systems' website, as well as the Perot Systems' servers which host them, and the computers of
program product of	users of the Perot Systems' website each comprise a computer usable medium (such as a DVD/CD-
claim 13, wherein	ROM, the hard-disk/volatile memory of the user of the Perot Systems' website, the hard-disk/volatile
said additional	memory of the server from which the Perot Systems' website is hosted, and etc.). The computer usable
instructions for	medium has computer readable program code physically embodied therein. The computer program
controlling said	products of claim 13 operate in a hypermedia network environment that includes client workstations
controllable	executing browsers, wherein said additional instructions for controlling said controllable application
	executed instructions; and computer readable program code for causing said client workstation to process said information at the client workstation to interactively control said controllable application. The computer program product of claim 13, wherein said additional instructions for controlling said

Claim	Claim Language		Evidence from www.perotsystems.com
	application	reside	reside on said client workstation.
	on said	client	
	workstation.		See the evidence and information cited for the claim element 5p supra which is expressly incorporated
			herein.