

EXHIBIT 6



Device details

Nokia N8-00

Select another device
Select Device

Announced Date
27 April 2010

Device Description

The Nokia N8-00 is a powerful combination of internet, video, photos, music, maps with Symbian^3 operating system. With a large capacitive touch screen supporting pinch to zoom, social networking integration, a Carl Zeiss 12 megapixel camera with wide-angle lens and Xenon flash, shooting 720p HD video, on demand Web TV, HDMI connectivity and USB OTG, you can create, discover and share a world of creativity. Additionally, for the software developers, the device includes Qt 4.6.3, Java MIDP 2.1 and Flash Lite 4.0.

The Nokia N8-00 brings also compatibility with popular internet video formats and desktop Flash. With optimized video streaming and playback support, Nokia N8-00 provides a fantastic platform for bringing your favorite TV and other video services to a mobile computer. We have released a customizable open source [Web TV app template](#). The template has been created and used in a collaboration with dozens of globally acclaimed broadcasters.

Tools

The main Tools & SDKs page www.forum.nokia.com/tools provides all the tools & SDKs in an easy to access form. The page also includes Getting Started -articles giving an overview of the tools and SDKs.

Carbide.c++

The latest version of Carbide.c++ is now available for download from Forum Nokia. This version offers performance improvements and new tools to all Symbian C++, Open C/C++, and Qt developers.

Nokia Qt SDK

A second maintenance release of the Nokia Qt SDK is available. The Nokia Qt SDK provides a complete toolset for creating apps targeted at Symbian and Maemo devices. Based on Qt Creator, the SDK provides for coding, testing, and building Qt apps on Microsoft Windows, Linux, and Apple Mac computers.

Symbian SDKs

Now including an updated version of the Symbian^3 SDK for Nokia Devices, the all-in-one SDKs enable application development using Qt, C++, Java™ technology, and web technology. The SDK includes all the key resources needed for application development, such as documentation, API reference, examples, and an emulator. An IDE is not included.

Specifications are subject to change without notice.



Test using this device online

Compare with other device(s)

Expand all / Collapse all

Technical Specs

Developer Platform	Symbian^3
Operating System	Symbian OS
Screen Resolution	360 x 640 px

General

Development Frameworks	Qt ^[1] Web Runtime Java Symbian C++ Flash python Open C/C++
Screen Resolution	360 x 640 px
Screen Color Depth	24 bit
Screen Size	3.5 in
Display Technology	AMOLED
Device Size	113.5 x 59 x 12.9 mm
Volume	86 cc
Weight	135 g
Display Touch Technology	Capacitive Touch
Input Method	Touch Screen
Other Keys	Camera Key Lock Switch Menu Key Power Key Volume Keys
Frequency Bands	GSM 1800 GSM 1900 GSM 850 GSM 900 WCDMA Band I (2100) WCDMA Band II (1900) WCDMA Band IV (1700/2100) WCDMA Band V (850) WCDMA Band VIII (900)
Data Bearers	Dual Transfer Mode EDGE Class B EGPRS HSDPA Cat9 10.2 Mbps HSUPA Cat5 2.0 Mbps WCDMA WLAN IEEE 802.11 b/g/n
Regional Availability	Global
CPU Count	Single CPU
CPU Type	ARM 11
CPU Clock Rate	680 MHz
Graphics Processor	2D/3D Graphics HW Accelerator with OpenVG1.1 and OpenGL ES 2.0 support
UAProfile Link	Profile
Example User Agent header	Mozilla/5.0 (Symbian/3; Series60/5.2 NokiaN8-00/011.012; Profile/MIDP-2.1 Configuration/CLDC-1.1) AppleWebKit/525 (KHTML, like Gecko) Version/3.0 BrowserNG/7.2.7.2 3gpp-gba
Consumer Link	Device Home Page
Developer Page Link	Developer Home Page
Remote Device Access Service	Link to the Service
Notes	¹ Qt content can be published to Ovi Store.

Extra Features

Extra Features	2 Microphones Accelerometer Sensor Ambient Light Sensor Compass (Magnetometer Sensor) Flight Mode FOTA Firmware over the Air FOTI Firmware over the Internet On demand Web TV Ovi Maps 3.0 Ovi Music Ovi Store PictBridge Proximity Sensor Themes TV Out with composite
GPS Features	A-GPS

APIs

Java Runtime	Java Runtime 2.1 for Symbian
Java Technology	JSR 139 Connected, Limited Device Configuration (CLDC) 1.1 JSR 118 MIDP 2.1 JSR 75 FileConnection and PIM API 1.0 JSR 82 Java™ APIs for Bluetooth 1.1 JSR 172 J2ME™ Web Services Specification 1.0 (RPC package) JSR 172 J2ME™ Web Services Specification 1.0 (XML Parser package) JSR 177 Security and Trust Services API for J2ME™ 1.0 (SATSA-APDU package) JSR 177 Security and Trust Services API for J2ME™ 1.0 (SATSA-CRYPTO package) JSR 177 Security and Trust Services API for J2ME™ 1.0 (SATSA-PKI package) JSR 184 Mobile 3D Graphics API for J2ME™ 1.1 JSR 205 Wireless Messaging API 2.0 JSR 226 Scalable 2D Vector Graphics API for J2ME™ 1.1 JSR 234 Advanced Multimedia Supplements 1.1 (audio3d) JSR 234 Advanced Multimedia Supplements 1.1 (music) JSR 256 Mobile Sensor API IAP Info API 1.0 eSWT UI API 1.0.3 JSR 135 Mobile Media API 1.2 JSR 179 Location API for J2ME™ 1.0.1 JSR 248 Mobile Service Architecture Subset 1.1 for CLDC 1.1 Nokia UI API 1.4
Java API Access Permissions	Java API Access Permissions
Other APIs	OpenGL ES 2.0 OpenVG 1.1
Product ID	RM-596: 0x20029A73
Sensor API Channels	Accelerometer Double Tap Accelerometer XYZ Ambient Light Magnetic North Magnetometer XYZ Orientation Proximity Monitor Rotation
Certificates	Symbian A, Symbian B, Symbian C, Symbian D, UTI Root
Browser, Flash and Web Runtime	
Browser Details	HTML 4.1 HTML over TCP/IP OSS Browser WAP 2.0 XHTML over TCP/IP
Flash Technology	Flash Lite 4.0
Flash Lite Features	Flash Video
Web Runtime	Web Runtime 7.2
Multimedia	

Multimedia Codecs in Detail	Codec
Camera Resolution	4000 x 3000 px
CMOS Sensor	12.0 Megapixel
Camera Digital Zoom	2 x
Camera Focal length	28 mm
Camera F-Stop/Aperture	f/2.8
Camera Focus range	10 cm to infinity
Camera Image Formats	JPEG/Exif
Camera Features	Auto Exposure, Auto Focus, Carl Zeiss Optics, Exposure Compensation, Face Detection, Full Screen Viewfinder, Geotagging, Red-Eye Reduction, Self Timer, Still Image Editor, Xenon Flash
Video Recording Resolution	1280 x 720 px
Video Recording Frame Rate	25 fps
Video Digital Zoom	3 x
Video Recording Formats	H.263 ^[1] , H.264/AVC ^[2] , MPEG-4
Video Features	Video Call Video Editor Video Player Video Recorder Video Sharing Video Stabilization Video Streaming
Video Playback Formats	3GPP formats (H.263), Flash Video, H.264/AVC ^[3] , MPEG-4 ^[4] , RealVideo 10 ^[5] , Sorenson Spark, VC-1, VP6, WMV 9
Video Playback Frame Rate	30 fps
Graphic Formats	BMP, EXIF, GIF87a, GIF89a, JPEG, JPEG 2000, MBM, OTA, PNG, TIFF, WBMP, WMF
Audio Features	Audio Equalizer Audio Recording AAC Audio Streaming Bluetooth Stereo Dolby Digital Plus FM Transmitter (88.1 - 107.9 MHz) Handsfree Speaker Loudness Music Player Stereo Audio Recording Stereo FM RDS Radio Stereo Widening
Audio Formats	AAC, AC-3, AMR-NB, AMR-WB, E-AC-3, eAAC, eAAC+, EFR, FR, MP3, WMA
Secondary Camera Resolution	640 x 480 px
Secondary Camera F-Stop/Aperture	f/2.8
Secondary Camera Focus range	20 cm to infinity
Secondary Camera Image Formats	JPEG
Secondary Camera Video Recording Resolution	176 x 144 px
Secondary Camera Video Recording Frame Rate	15 fps
Secondary Camera Video Recording Format	H.263
Notes	¹ QCIF 15fps 60kbps, audio 3gpp 12.2kbps 8kHz. ² H.264 baseline profile 3.1 720p 25fps 6Mbps mp4, audio AAC-LC 128kbps 48kHz stereo. ³ H.264 Baseline, Main & High profiles 3.1 30fps 14Mbps. ⁴ Advanced simple profile level 6 30fps 12Mbps. Audio: stereo 48kHz 128kbps. ⁵ @ QVGA 30fps.

Memory Functions

Maximum User Storage	135 MB
Mass Storage Memory	16 GB
NAND Memory	512 MB
SDRAM Memory	256 MB
Memory Card type	Micro SD
Memory Card Features	Hot Swap
Maximum Memory Card Size	32 GB
Maximum Heap Size	Unlimited
Maximum JAR Size	Unlimited

Connectivity

Local Connectivity	Bluetooth 3.0 Bluetooth Stereo Audio HDMI mini C Connector Micro USB MTP (Multimedia Transfer Protocol) Nokia Adapter Cable for HDMI CA-156 Nokia Adapter Cable for USB OTG CA-157Connector Nokia AV 3.5mm USB 2.0 High-Speed USB Mass Storage USB OTG 1.3
Bluetooth Profiles	A2DP, AVRCP, BIP, DUN, FTP, GAP, GAVDP, GOEP, HFP, HSP, OPP, PBAP, SAP, SPP
WLAN support	802.11b/g/n WAPI ^[1] WEP WPA WPA2 (AES/TKIP)
Notes	¹ Included to China variant.

Messaging

Messaging	IM, MMS+SMIL, SMS
Messaging Features	OMA Multimedia Messaging Service v1.3
Email Solutions	Mail for Exchange OMA E-mail Notification v1.0
Supported Email Protocols	IMAP4, POP3, SMTP
Supported Document Formats	Excel, PDF, Powerpoint, Word, Zip

Power Management

Power Management	2.0mm Charger Connector USB Charging
Battery model	BL-4D 3.7V 1200mAh
GSM Talk Time up to	12.0 hours
WCDMA Talk Time up to	5.8 hours
GSM Standby Time up to	16 days
WCDMA Standby Time up to	17 days
Video Playback Time up to	7.0 hours ^[1]
Video Recording Time up to	3.3 hours ^[2]
Video Call Time up to	2.6 hours
Music Playback Time up to	2 days
Navigation Time up to	6.6 hours
WLAN Browsing Time up to	9.0 hours
Notes	¹ 720p 30fps: H.264. ² 720p 25fps: H.264.

Other

OMA Device Management	OMA Client Provisioning v1.1 OMA Device Management v1.2
Synchronization	ActiveSync OMA Data Synchronization v1.2 SyncML
Digital Rights Management	OMA DRM Forward Lock OMA DRM v1.0 OMA DRM v2.0 Windows Media DRM 10
DRM Delivery Method	HTTP Download MMS OMA Download v1.0

[Developer programs](#) [Support](#) [News and events](#)

[Contact and feedback](#) | [Sitemap](#) | [Terms and conditions](#) | [Privacy policy](#)

© Copyright Nokia 2010 | All rights reserved